

The title

First Author<sup>1</sup> & Ernst-August Doelle<sup>1,2</sup>

<sup>1</sup> Wilhelm-Wundt-University

<sup>2</sup> Konstanz Business School

Author Note

Add complete departmental affiliations for each author here. Each new line herein must be indented, like this line.

Enter author note here.

The authors made the following contributions. First Author: Conceptualization, Writing - Original Draft Preparation, Writing - Review & Editing; Ernst-August Doelle: Writing - Review & Editing, Supervision.

Correspondence concerning this article should be addressed to First Author, Postal address. E-mail: my@email.com

## Abstract

One or two sentences providing a **basic introduction** to the field, comprehensible to a scientist in any discipline.

*Keywords:* keywords

Word count: X

The title

## Results

The aggregated data-set describes 193,318 observations of daily physical activity and sleep from 24,752 unique participants. Table 1 shows demographic information for all participants. A table of study characteristics can be found in supplementary materials.

### **The effects of physical activity volume on sleep**

We estimated the effects of physical activity on sleep (RQ1) using mixed-effects models. We estimated the effect of physical activity volume on sleep by age, and the results are presented in Table 2 and Figure 1. There was no meaningful relationship between physical activity volume and sleep duration. However, we observed a curvilinear relationships between physical activity volume and sleep efficiency, onset, and regularity, all of which interacted with age. Sleep efficiency improved with greater physical activity volume, but improvements tapered off for older individuals. Physical activity volume and sleep onset had a positive association for younger individuals, but a negative association for older individuals, where sleep onset was reduced among those with the highest physical activity. There was a strong positive association between physical activity volume and sleep regularity, which was strongest among older participants. For participants aged 35 years and above, this link weakened among those with a physical activity volume greater than two standard deviations.

### **The effects of physical activity intensity on sleep**

We estimated how physical activity intensity affects sleep across different age groups. We present the results controlling for sex, SES, and BMI, in Table 2 and Figure 2. We found that higher physical activity intensity is directly proportional to longer sleep duration and better sleep efficiency. In the case of older participants, physical activity intensity had a U-shaped relationship with sleep onset, meaning that individuals with very low or very high physical activity intensity had longer sleep onset. We also found a strong link between

physical activity intensity and improved sleep regularity, which weakened at higher intensity levels.

### **The effects of sleep duration on physical activity**

We estimated the effect of sleep duration on physical activity by age. Results, controlling for sex, SES, and BMI are presented in Table ?? and Figure 3. As age increases, both physical activity volume and intensity decrease. We found a subtle inverted U-shaped relationship between average sleep duration and physical activity volume, where the highest volume of physical activity was linked to average sleep duration.

### **The effects of sleep efficiency on physical activity**

We estimated the effect of sleep efficiency on physical activity by age. Results, controlling for sex, SES, and BMI are presented in Table ?? and Figure 4. We did not find a relationship between physical activity volume and sleep efficiency. However, there was a subtle U-shaped relationship where individuals with above-average sleep efficiency engaged in more intense physical activity.

### **The effects of sleep onset on physical activity**

We estimated the effect of sleep onset on physical activity by age. Results, controlling for sex, SES, and BMI are presented in Table ?? and Figure 5. There were strong U-shaped relationships where average sleep onset was linked to the highest levels of physical activity volume and intensity. The U-shaped relationship between sleep onset and physical activity volume attenuated for older participants.

### **The effects of sleep regularity on physical activity**

We estimated the effect of sleep regularity on physical activity by age. Results, controlling for sex, SES, and BMI are presented in Table ?? and Figure 6. There was a U-shaped relationship between sleep regularity and physical activity volume. Participants

with below-average sleep regularity tended to have average physical activity volume. Increases in regularity above the average were linked to greater physical activity volume. There was a strong linear relationship between sleep regularity and physical activity intensity which slightly attenuated with age. Greater sleep regularity was associated with greater physical activity the following day.

Table 1

*Participant characteristics*

| Characteristic              | Age group       |                 |                 |                 |                 |
|-----------------------------|-----------------|-----------------|-----------------|-----------------|-----------------|
|                             | 2-11 years      | 12-18 years     | 19-35 years     | 36-65 years     | 66+ years       |
| Numeric variables           |                 |                 |                 |                 |                 |
| N                           | 10,065          | 3,431           | 373             | 4,187           | 6,615           |
| Valid weartime hours        | 21.77 (3.03)    | 21.20 (3.97)    | 21.06 (3.46)    | 22.57 (2.49)    | 23.78 (1.03)    |
| PA volume                   | 43.68 (25.56)   | 42.28 (16.83)   | 41.37 (11.44)   | 39.80 (13.35)   | 31.23 (10.39)   |
| PA intensity                | -2.11 (0.19)    | -2.20 (0.19)    | -2.35 (0.20)    | -2.50 (0.19)    | -2.67 (0.22)    |
| Sleep duration              | 429.14 (120.91) | 374.98 (131.77) | 334.95 (108.40) | 399.97 (70.13)  | 397.38 (74.34)  |
| Sleep efficiency            | 0.78 (0.12)     | 0.81 (0.15)     | 0.87 (0.10)     | 0.87 (0.07)     | 0.86 (0.06)     |
| Sleep onset                 | 20.89 (1.14)    | 22.17 (2.03)    | 24.03 (1.73)    | 23.66 (1.37)    | 24.41 (1.32)    |
| Sleep regularity            | 54.58 (12.72)   | 54.07 (13.28)   | 53.13 (13.30)   | 59.11 (11.76)   | 54.68 (12.59)   |
| Age                         | 9.58 (1.36)     | 13.73 (2.40)    | 22.56 (6.04)    | 57.77 (6.91)    | 72.22 (4.74)    |
| BMI                         | 17.98 (3.31)    | 20.08 (5.30)    | 24.79 (5.94)    | 26.99 (4.92)    | 27.08 (4.41)    |
| Accelerometer Wear Location |                 |                 |                 |                 |                 |
| Hip                         | 7,487 (74.39%)  | 1,321 (38.50%)  | -               | -               | -               |
| Wrist                       | 2,578 (25.61%)  | 2,110 (61.50%)  | 373 (100.00%)   | 4,187 (100.00%) | 6,615 (100.00%) |
| Region                      |                 |                 |                 |                 |                 |
| Africa                      | 910 (9.04%)     | 175 (5.10%)     | -               | -               | -               |
| Asia                        | 635 (6.31%)     | 95 (2.77%)      | -               | -               | -               |
| Europe                      | 3,002 (29.83%)  | 1,238 (36.08%)  | 107 (28.69%)    | 3,772 (90.09%)  | 6,612 (99.95%)  |
| North america               | 1,342 (13.33%)  | 85 (2.48%)      | -               | -               | -               |
| Oceania                     | 1,798 (17.86%)  | 694 (20.23%)    | 146 (39.14%)    | 415 (9.91%)     | 3 (0.05%)       |
| South america               | 2,378 (23.63%)  | 1,144 (33.34%)  | 120 (32.17%)    | -               | -               |
| Season                      |                 |                 |                 |                 |                 |
| Autumn                      | 3,310 (32.89%)  | 821 (23.93%)    | 34 (9.12%)      | 1,003 (23.96%)  | 1,412 (21.35%)  |
| Spring                      | 2,320 (23.05%)  | 1,718 (50.07%)  | 272 (72.92%)    | 1,145 (27.35%)  | 2,149 (32.49%)  |

Table 1 continued

| Characteristic            | Age group      |                |              |                |                |
|---------------------------|----------------|----------------|--------------|----------------|----------------|
|                           | 2-11 years     | 12-18 years    | 19-35 years  | 36-65 years    | 66+ years      |
| Summer                    | 1,260 (12.52%) | 372 (10.84%)   | 30 (8.04%)   | 956 (22.83%)   | 1,364 (20.62%) |
| Winter                    | 3,175 (31.54%) | 520 (15.16%)   | 37 (9.92%)   | 1,083 (25.87%) | 1,690 (25.55%) |
| Sex                       |                |                |              |                |                |
| Female                    | 5,259 (52.25%) | 1,757 (51.21%) | 232 (62.20%) | 2,250 (53.74%) | 2,739 (41.41%) |
| Male                      | 4,806 (47.75%) | 1,674 (48.79%) | 141 (37.80%) | 1,937 (46.26%) | 3,876 (58.59%) |
| Sleep Conditions Reported |                |                |              |                |                |
| Yes                       | 49 (0.49%)     | 1 (0.03%)      | -            | 268 (6.40%)    | 690 (10.43%)   |
| Socioeconomic Status      |                |                |              |                |                |
| Low                       | 3,576 (35.53%) | 898 (26.17%)   | 67 (17.96%)  | 1,180 (28.18%) | 2,505 (37.87%) |
| Medium                    | 2,798 (27.80%) | 1,228 (35.79%) | 148 (39.68%) | 1,681 (40.15%) | 2,589 (39.14%) |
| High                      | 3,691 (36.67%) | 1,305 (38.04%) | 158 (42.36%) | 1,326 (31.67%) | 1,521 (22.99%) |

*Note.* For categorical variables the value is the count, and percentage. For numeric variables the value is the Mean and SD.

N = 24,752

Table 2

*Sleep on physical activity volume controlling for SES, gender and BMI*

| Term                               | Physical Activity Volume |      |        | Physical Activity Intensity |                      |      |       |        |
|------------------------------------|--------------------------|------|--------|-----------------------------|----------------------|------|-------|--------|
|                                    | $\beta$ [95% CI]         | SE   | t      | p                           | $\beta$ [95% CI]     | SE   | t     | p      |
| Sleep duration                     |                          |      |        |                             |                      |      |       |        |
| (Intercept)                        | 0.53 [0.37, 0.69]        | 0.08 | 6.44   | .002                        | 0.49 [0.35, 0.63]    | 0.07 | 6.87  | < .001 |
| Physical Activity                  | -0.03 [-0.07, 0.01]      | 0.02 | -1.55  | .128                        | 0.09 [0.04, 0.14]    | 0.03 | 3.35  | .001   |
| Age                                | -0.01 [-0.01, -0.01]     | 0.00 | -11.11 | < .001                      | -0.01 [-0.01, -0.01] | 0.00 | -8.85 | .001   |
| Physical Activity <sup>2</sup>     | 0.01 [0.00, 0.02]        | 0.01 | 1.89   | .082                        | -0.01 [-0.04, 0.03]  | 0.02 | -0.38 | .707   |
| Physical Activity:age              | 0.00 [0.00, 0.00]        | 0.00 | 2.50   | .064                        | 0.00 [0.00, 0.00]    | 0.00 | -0.69 | .492   |
| Age:Physical Activity <sup>2</sup> | 0.00 [0.00, 0.00]        | 0.00 | -1.72  | .127                        | 0.00 [0.00, 0.00]    | 0.00 | -0.26 | .804   |
| Sleep efficiency                   |                          |      |        |                             |                      |      |       |        |
| (Intercept)                        | -0.27 [-0.52, -0.01]     | 0.13 | -2.05  | .149                        | -0.32 [-0.63, -0.01] | 0.16 | -2.01 | .160   |
| Physical Activity                  | 0.21 [0.15, 0.27]        | 0.03 | 6.69   | .002                        | 0.07 [0.01, 0.12]    | 0.03 | 2.28  | .035   |
| Age                                | 0.01 [0.01, 0.01]        | 0.00 | 6.93   | .007                        | 0.01 [0.01, 0.01]    | 0.00 | 6.83  | .007   |
| Physical Activity <sup>2</sup>     | -0.03 [-0.04, -0.01]     | 0.01 | -3.82  | .011                        | 0.00 [-0.03, 0.03]   | 0.02 | 0.19  | .850   |
| Physical Activity:age              | 0.00 [0.00, 0.00]        | 0.00 | -3.82  | .006                        | 0.00 [0.00, 0.00]    | 0.00 | -1.79 | .084   |
| Age:Physical Activity <sup>2</sup> | 0.00 [0.00, 0.00]        | 0.00 | 0.70   | .494                        | 0.00 [0.00, 0.00]    | 0.00 | -0.78 | .449   |
| Sleep onset                        |                          |      |        |                             |                      |      |       |        |
| (Intercept)                        | -0.89 [-1.10, -0.69]     | 0.10 | -8.73  | .003                        | -0.88 [-1.13, -0.63] | 0.13 | -6.86 | .010   |
| Physical Activity                  | 0.11 [0.08, 0.14]        | 0.02 | 6.39   | < .001                      | -0.05 [-0.10, 0.00]  | 0.03 | -1.81 | .104   |
| Age                                | 0.02 [0.02, 0.02]        | 0.00 | 30.26  | < .001                      | 0.02 [0.02, 0.02]    | 0.00 | 29.43 | < .001 |
| Physical Activity <sup>2</sup>     | -0.02 [-0.03, -0.01]     | 0.01 | -4.01  | .006                        | -0.01 [-0.04, 0.02]  | 0.02 | -0.48 | .645   |
| Physical Activity:age              | 0.00 [-0.01, 0.00]       | 0.00 | -8.44  | < .001                      | 0.00 [0.00, 0.00]    | 0.00 | -0.84 | .407   |
| Age:Physical Activity <sup>2</sup> | 0.00 [0.00, 0.00]        | 0.00 | 3.38   | .015                        | 0.00 [0.00, 0.00]    | 0.00 | 0.70  | .517   |
| Sleep regularity                   |                          |      |        |                             |                      |      |       |        |
| (Intercept)                        | -0.04 [-0.25, 0.17]      | 0.11 | -0.40  | .718                        | -0.12 [-0.25, 0.02]  | 0.07 | -1.68 | .135   |
| Physical Activity                  | 0.30 [0.26, 0.34]        | 0.02 | 15.55  | < .001                      | 0.26 [0.21, 0.32]    | 0.03 | 9.26  | < .001 |



Table 2 continued

| Term                               | Physical Activity Volume |      |       |        | Physical Activity Intensity |      |       |        |
|------------------------------------|--------------------------|------|-------|--------|-----------------------------|------|-------|--------|
|                                    | $\beta$ [95% CI]         | SE   | t     | p      | $\beta$ [95% CI]            | SE   | t     | p      |
| Age                                | 0.00 [0.00, 0.01]        | 0.00 | 5.01  | .006   | 0.01 [0.00, 0.01]           | 0.00 | 7.09  | < .001 |
| Physical Activity <sup>2</sup>     | -0.03 [-0.04, -0.02]     | 0.00 | -5.93 | < .001 | -0.06 [-0.09, -0.02]        | 0.02 | -3.34 | .005   |
| Physical Activity:age              | 0.00 [0.00, 0.00]        | 0.00 | 0.22  | .834   | 0.00 [0.00, 0.00]           | 0.00 | -4.10 | .009   |
| Age:Physical Activity <sup>2</sup> | 0.00 [0.00, 0.00]        | 0.00 | -1.93 | .076   | 0.00 [0.00, 0.00]           | 0.00 | 1.15  | .262   |

*Note.* Adjusted for SES, BMI, and sex.




Figure 1. Sleep metrics on Physical activity volume




Figure 2. Sleep metrics on Physical activity intensity




Figure 3. Physical activity by sleep duration




Figure 4. Physical activity by sleep efficiency




Figure 5. Physical activity by sleep onset




Figure 6. Physical activity by sleep regularity