

Fecha de emisión del informe:

Fecha y hora de la extracción:

Muestra extraída en:

Nro. Muestra

Paciente:

DNI/PASAPORTE/NIE:

Fecha de Nacimiento:

Sexo:

Muestra: Hisopo nasofaríngeo o faríngeo

Tiempo de detección: 10-15 minutos

Observaciones:

Prescriptor:

PRUEBA DE ANTIGENOS

01. INTRODUCCIÓN Y METODOLOGÍA

Es una prueba rápida y segura enfocada al diagnóstico de la infección por SARS-CoV-2. Su finalidad es determinar si una persona está infectada en ese momento para evitar el contagio y controlar la transmisión comunitaria a través de una muestra de saliva o de sangre. De esta forma, las personas con un resultado positivo pueden identificar a sus contactos y comenzar la cuarentena rápidamente. No se trata de un test de anticuerpos ni de una prueba PCR. Las pruebas de antígenos identifican ciertas proteínas del virus que son necesarias para que el cuerpo inicie la respuesta inmunitaria y genere los anticuerpos. En este caso, se detecta la presencia de la glicoproteína S de SARS-CoV-2 que tiene una alta afinidad por la enzima ACE2 y desempeña un papel esencial en el desarrollo de la enfermedad.

Esta prueba diagnóstica tiene una sensibilidad del 96,72%, una especificidad del 99,22% y una precisión del 98,74%, las cuales varían levemente en función de la carga viral, el tiempo de contacto y la sintomatología.

02. RESULTADOS E INTERPRETACIÓN

La prueba de COVID-19 Ag se utiliza para la detección cualitativa del antígeno. COVID-19 en muestras de frotis nasofaríngeos o faríngeos humanas.

Esta prueba diagnóstica tiene una sensibilidad entorno del 96,72%, una especificidad del 99,22% y una precisión del 98,74%, las cuales varían levemente en función de la carga viral, el tiempo de contacto y la sintomatología. Debes vigilar tu salud y extremar las medidas de protección.

Nombre del producto : Prueba CE COVID-19 Ag (<http://www.khbio.com/>).

RESULTADO DE ANTÍGENO RÁPIDO para SARS-COV-2

NEGATIVO

Informe firmado y validado por.

Firma:



Laboratorio IGA Genetics.
RS-47-C256-0033

Análisis realizado en el laboratorio IGA Genetics Registro Sanitario RS-47-C256-0033 por el doctor que valida este análisis. Atención al cliente:

Ante cualquier consulta, duda o error en los datos debe comunicarse con el centro en el que se realizó la muestra:

Date of the report:

Date and time of extraction:

Sample taken in:

Sample no.

Patient:

DNI/Passport/NIE:

Date of birth:

Gender:

Medical sample: Nasopharyngeal or pharyngeal swab

Detection time: 10-15 minutes

Observations:

Prescriber:

FAST ANTIGEN TEST

01. INTRODUCTION AND METHODOLOGY

It is a rapid and safe test focused on the diagnosis of SARS-CoV-2 infection. Its purpose is to determine if a person is infected at that time to avoid contagion and control community transmission through a sample of saliva or blood. This way, people with a positive result can identify their contacts and start the quarantine quickly. This is not an anti-body test or a PCR test.

Antigen testing identifies certain proteins in the virus that are necessary for the body to initiate the immune response and make antibodies. In this case, the presence of the SARS-CoV-2 glycoprotein S is detected, which has a high affinity for the ACE2 enzyme and plays an essential role in the development of the disease.

This diagnostic test has a sensitivity of around 96,72%, a specificity of 99,22%, and an accuracy of 98,74%, which vary slightly depending on the viral load, contact time, and symptoms.

02. RESULTS AND INTERPRETATION

The COVID-19 Ag test is used for qualitative antigen detection. COVID-19 in human pharyngeal or nasopharyngeal swab specimens. This diagnostic test has a sensitivity of around 96,72%, a specificity of 99,22% and an accuracy of 98,74%, which vary slightly depending on the viral load, contact time and symptoms. You must monitor your health and take extreme measures of protection.


Product name: CE COVID-19 Ag (<http://www.khbio.com/>).

RESULT OF THE FAST ANTIGEN TEST for SARS-COV-2

NEGATIVE

Report validated and signed by:

Firm:



Laboratorio IGA Genetics.
RS-47-C256-0033

Analysis carried out in the IGA Genetics laboratory Sanitary Registry RS-47-C256-0033 by the doctor who validates this analysis. Customer service:

If you have any questions, doubts or errors in the data, you should contact the center where the sample was taken.