

ClipForge VPS Deployment Package

Autonomous Content Acquisition & Monetization Engine

Complete production-ready deployment for VPS with Whop integration, last30days-skill, and Hermes device farm support.


Quick Start


```
```bash
1. Clone or download this package
git clone https://github.com/your-org/clipforge-vps.git
cd clipforge-vps

2. Configure environment
cp config/.env.example config/.env
nano config/.env # Fill in your API keys

3. Deploy
chmod +x scripts/deploy.sh
./scripts/deploy.sh
```
```

Architecture





Features

Core Components

| Component | Description |
|-----------|-------------|
| ----- | ----- |

| **Whop Integration** | Payment processing, subscription management, webhooks, affiliate tracking |
| **last30days-skill** | Creator intelligence, trend monitoring, competitor analysis |
| **Production Engine** | AI-powered clip creation, captioning, rendering |
| **Outreach Engine** | Hermes DM automation, personalized messaging |
| **Analytics Dashboard** | Real-time metrics, revenue tracking, client reports |

Supported Platforms

- TikTok Creator Rewards
- YouTube Shorts
- Instagram Reels
- Twitch/Kick Streams
- Podcast clips

Payment Infrastructure

| Platform | Fee | Status |
|-------------------|---------------|-------------|
| ----- ----- ----- | | |
| Whop | 3% | Primary |
| LemonSqueezy | 5% | Alternative |
| Stripe | 2.9% + \$0.30 | Direct |

Prerequisites

System Requirements

- **OS**: Ubuntu 22.04 LTS (recommended)
- **CPU**: 4+ cores
- **RAM**: 8GB minimum (16GB recommended)
- **Storage**: 100GB+ SSD
- **Network**: Static IP, open ports 80/443/8766

Required Services

- Docker & Docker Compose
- Redis (included in docker-compose)
- PostgreSQL 15 (included in docker-compose)

Installation

Step 1: Server Setup

```
``bash
# SSH into your VPS
ssh root@your-vps-ip

# Update system
apt update && apt upgrade -y

# Install prerequisites
apt install -y curl git nginx certbot python3-certbot-nginx

# Install Docker
curl -fsSL https://get.docker.com | sh
systemctl enable docker
````
```

### #### Step 2: Clone & Configure

```
```bash
# Clone repository
git clone https://github.com/your-org/clipforge-vps.git /opt/clipforge
cd /opt/clipforge

# Copy environment template
cp config/.env.example config/.env

# Edit configuration
nano config/.env
```
```

### ### Step 3: Required Environment Variables

```
```bash
# Whop Configuration
WHOP_API_KEY=whp_XXXXXXXXXXXXXX
WHOP_WEBHOOK_SECRET=whsec_XXXXXXXXXXXXXX
WHOP_MERCHANT_ID=wh_XXXXXXXXXXXXXX
```

AI Services

```
DEEPSEEK_API_KEY=sk-xxxxxxxxxxxxxxxxx
DEEPSEEK_BASE_URL=https://api.deepseek.com
CLAUDE_API_KEY=sk-ant-xxxxxxxxxxxxxxxxx
```

Hermes Device Farm

```
HERMES_RELAY_URL=wss://your-relay-server:8766
HERMES_API_KEY=hermes_xxxxxxxxxxxxxxxxx
```

Database

```
POSTGRES_PASSWORD=your_secure_password
```

Redis

```
REDIS_PASSWORD=your_redis_password
```

last30days-skill

```
LAST30DAYS_MEMORY_DIR=/opt/clipforge/data/last30days
BRAVE_SEARCH_KEY=xxxxxxxxxxxxxxxxx
XQUICK_API_KEY=xxxxxxxxxxxxxxxxx
```

Notification

```
SLACK_WEBHOOK_URL=https://hooks.slack.com/services/xxx
```
```

## ### Step 4: Deploy

```
```bash
# Run deployment script
chmod +x scripts/deploy.sh
./scripts/deploy.sh
```
```

---

## ## Services

### ### Container Overview

| Service          | Port | Description              |
|------------------|------|--------------------------|
| clipforge-api    | 3000 | Main API server          |
| clipforge-worker | -    | Background job processor |

| clipforge-scheduler | - | Cron job scheduler |  
| redis | 6379 | Cache & queues |  
| postgres | 5432 | Primary database |  
| nginx | 80/443 | Reverse proxy |  
| last30days | - | Intelligence engine |

### ### Service Management

```
```bash
# View all services
docker compose ps

# View logs
docker compose logs -f clipforge-api

# Restart service
docker compose restart clipforge-api

# Stop all
docker compose down

# Start all
docker compose up -d
```
```

---

## ## API Endpoints

### ### Whop Integration

| Endpoint                | Method | Description               |
|-------------------------|--------|---------------------------|
| /api/webhooks/whop`     | POST   | Receive Whop webhooks     |
| /api/subscriptions`     | GET    | List active subscriptions |
| /api/subscriptions/:id` | GET    | Get subscription details  |
| /api/affiliates/stats`  | GET    | Affiliate statistics      |

### ### last30days Integration

| Endpoint          | Method | Description |
|-------------------|--------|-------------|
| ----- ----- ----- |        |             |

```
| `/api/intelligence/search` | POST | Run last30days query |
| `/api/intelligence/trends` | GET | Current trends |
| `/api/intelligence/discover` | GET | Discover new topics |
| `/api/creators/discover` | POST | Find target creators |
```

### ### Production

```
| Endpoint | Method | Description |
|-----|-----|-----|
| `/api/clips/generate` | POST | Generate new clip |
| `/api/clips/queue` | GET | View clip queue |
| `/api/clips/:id/status` | GET | Clip status |
```

### ### Outreach

```
| Endpoint | Method | Description |
|-----|-----|-----|
| `/api/outreach/send` | POST | Send DM via Hermes |
| `/api/outreach/templates` | GET | Message templates |
| `/api/outreach/analytics` | GET | Outreach metrics |
```

---

## ## last30days-skill Integration

### ### Installation (within container)

```
```bash
# Access container shell
docker exec -it clipforge-api bash

# Install last30days-skill
npx skills add mvanhorn/last30days-skill -g

# Or manual install
git clone https://github.com/mvanhorn/last30days-skill.git /opt/last30days
ln -s /opt/last30days/skills/last30days ~/.claude/skills/last30days
```
```

### ### Usage Examples

```
```bash
```

Find creators looking for editors

```
last30days "looking for TikTok editor" --store --emit=json
```

Analyze competitor

```
last30days "Opus Clip vs Munch" --competitors
```

Track trends

```
last30days "what's trending in gaming streams" --discover
```

YouTube channel analysis

```
last30days "channel:SomeGamingChannel" --github-user=not_needed
```

```
```
```

### ### Automated Intelligence Queries

```
```bash
```

Add to cron (runs every 6 hours)

```
0 */6 * * * cd /opt/clipforge && last30days "need video editor" --store
```

Daily trend report

```
0 8 * * * cd /opt/clipforge && last30days "TikTok viral sounds" --store --emit=json
```

```
```
```

```

```

## ## Whop Webhook Configuration

### ### Setup

1. Go to Whop Dashboard → Your Whop → Marketing → Webhooks
2. Add webhook URL: `https://your-domain.com/api/webhooks/whop`
3. Subscribe to events:
  - `new\_member`
  - `cancelled\_subscription`
  - `payment\_failed`
  - `refunded`

### ### Event Handling

```
```javascript
```

```
// Example webhook payload
```

```
{
```



```
"event": "new_member",
"data": {
  "id": "mem_XXXXXXXXXXXXX",
  "email": "creator@example.com",
  "plan": "starter",
  "created_at": "2026-07-17T12:00:00Z"
}
}
```
```

---

## ## Hermes Device Farm Integration

### ### Connection Setup

```
```bash
# Configure Hermes relay
export HERMES_RELAY_URL=wss://your-vps:8766
export HERMES_API_KEY=hermes_XXXXXXXXXXXXX

# Test connection
curl -X POST https://your-vps:8766/health
```
```

### ### Phone Farm Allocation

| Tier   | Phones | Accounts            | Purpose          |
|--------|--------|---------------------|------------------|
| -----  | -----  | -----               | -----            |
| Tier 1 | 12     | TikTok US           | Gaming clips     |
| Tier 2 | 12     | TikTok UK/EU        | Regional content |
| Tier 3 | 12     | Instagram + Twitter | Visual content   |
| Tier 4 | 12     | YouTube Shorts      | Long-tail        |

---

## ## Monitoring & Logs

### ### View Real-time Logs

```
```bash
# All services
```

```
docker compose logs -f
```

```
# Specific service
```

```
docker compose logs -f clipforge-api
```

```
docker compose logs -f clipforge-worker
```

```
# last30days queries
```

```
docker compose logs -f last30days
```

```
```
```

### ### Health Checks

```
```bash
```

```
# API health
```

```
curl https://your-domain.com/health
```

```
# Database connection
```

```
docker exec clipforge-api node -e "require('./src/utils/db').healthCheck()"
```

```
# Redis connection
```

```
docker exec clipforge-api node -e "require('./src/utils/redis').healthCheck()"
```

```
```
```

```

```

## ## Security

### ### Firewall Setup

```
```bash
```

```
# UFW configuration
```

```
ufw allow 22/tcp # SSH
```

```
ufw allow 80/tcp # HTTP
```

```
ufw allow 443/tcp # HTTPS
```

```
ufw allow 8766/tcp # Hermes WebSocket
```

```
ufw enable
```

```
```
```

### ### SSL Certificate

```
```bash
```

```
# Let's Encrypt
```

```
certbot --nginx -d your-domain.com
```

```
```
```

### ### Secrets Management

```
```bash
```

```
# Use Docker secrets for sensitive data
```

```
echo "your-secret" | docker secret create clipforge_db_password -
```

```
```
```

```

```

### ## Troubleshooting

#### ### Common Issues

```
| Issue | Solution |
```

```
|-----|-----|
```

```
| Container won't start | Check `.env` file exists and is valid |
```

```
| Whop webhooks failing | Verify webhook URL is accessible |
```

```
| Hermes connection timeout | Check firewall and relay URL |
```

```
| last30days not working | Ensure API keys are set |
```

```
| Database connection error | Check POSTGRES_HOST in `.env` |
```

#### ### Debug Mode

```
```bash
```

```
# Enable debug logging
```

```
echo "LOG_LEVEL=debug" >> config/.env
```

```
docker compose restart clipforge-api
```

```
```
```

#### ### Reset Database

```
```bash
```

```
# WARNING: Destroys all data
```

```
docker compose down -v
```

```
docker volume rm clipforge-vps_postgres_data
```

```
docker compose up -d
```

```
```
```

```

```

## Documentation

| Document                                        | Description                 |
|-------------------------------------------------|-----------------------------|
| [DEPLOYMENT.md](docs/DEPLOYMENT.md)             | Detailed deployment guide   |
| [API.md](docs/API.md)                           | API reference documentation |
| [WHOP_INTEGRATION.md](docs/WHOP_INTEGRATION.md) | Whop setup & webhooks       |
| [LAST30DAYS.md](docs/LAST30DAYS.md)             | last30days-skill guide      |
| [HERMES_SETUP.md](docs/HERMES_SETUP.md)         | Device farm configuration   |
| [TROUBLESHOOTING.md](docs/TROUBLESHOOTING.md)   | Common issues & solutions   |

---

## License

MIT License - See [LICENSE](LICENSE) for details.

---

Built with Paperclip AI, DeepSeek V4, Claude, Hermes Android, and FFmpeg.