## **Output**

```
aaith@MOULI MINGW64 ~ (master)
$ git config --global user.name "Mouleendra05"
aaith@MOULI MINGW64 ~ (master)
$ git config --global user.email "mouleendraaithi@gmai
aaith@MOULI MINGW64 ~ (master)
$ git config --global --list
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
user.name=Mouleendra05
user.email=mouleendraaithi@gmail.com
credential.https://huggingface.co.provider=generic
credential.helper=cache
aaith@MOULI MINGW64 ~ (master)
$ notepad++
bash: notepad++: command not found
```

```
aaith@MOULI MINGW64 ~ (master)
$ git config --global user.name "Mouleendra05"
aaith@MOULI MINGW64 ~ (master)
$ git config --global user.email "mouleendraaithi@gmail.com"
aaith@MOULI MINGW64 ~ (master)
$ git config --global --list
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
user.name=Mouleendra05
user.email=mouleendraaithi@gmail.com
credential.https://huggingface.co.provider=generic
credential.helper=cache
aaith@MOULI MINGW64 ~ (master)
$ notepad++
bash: notepad++: command not found
aaith@MOULI MINGW64 ~ (master)
```

```
$ notepad++
 aaith@MOULI MINGW64 ~ (master)
$ nano ~/.bashrc
raaith@MOULI MINGW64 ~ (master)
$ source ~/.bashrc
 aaith@MOULI MINGW64 ~ (master)
$ npp
aaith@MOULI MINGW64 ~ (master)
$ git config --global core.editor "'C:/Program Files/Notepad++/notepad++.exe' -multiInst -nos
ession"
aaith@MOULI MINGW64 ~ (master)
$ git config --global core.editor
'C:/Program Files/Notepad++/notepad++.exe' -multiInst -nosession
This looks like an incorrect setup.
A ~/.bash_profile that loads ~/.bashrc will be created for you.
$ mkdir GitDemo
$ cd GitDemo
 aaith@MOULI MINGW64 ~/GitDemo (master)
$ git init
Initialized empty Git repository in C:/Users/aaith/GitDemo/.git/
 aaith@MOULI MINGW64 ~/GitDemo (master)
$ ls -a
./ ../ .git/
aaith@MOULI MINGW64 ~/GitDemo (master)
$ echo "Welcome to Git Demo!" > welcome.txt
aaith@MOULI MINGW64 ~/GitDemo (master)
welcome.txt
aaith@MOULI MINGW64 ~/GitDemo (master)
$ cat welcome.txt
Welcome to Git Demo!
```

nothing added to commit but untracked files present (use "git add" to track)

Untracked files: (use "git add <file>..." to include in what will be committed)

aith@MOULI MINGW64 ~/GitDemo (master)

\$ git status On branch master No commits yet

```
Untracked files:
   (use "git add <file>..." to include in what will be committed)
nothing added to commit but untracked files present (use "git add" to track)
 aaith@MOULI MINGW64 ~/GitDemo (master)
$ git add welcome.txt
info: please complete authentication in your browser...
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 283 bytes | 283.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote:
remote: The private project aaithi-group/gitdemo was successfully created.
 remote:
remote: To configure the remote, run:
remote:  git remote add origin https://gitlab.com/aaithi-group/gitdemo.git
remote:
remote: To view the project, visit:
remote: https://gitlab.com/aaithi-group/gitdemo
 remote:
 remote:
aaith@MOULI MINGW64 ~/GitDemo (master)
$ git add welcome.txt
info: please complete authentication in your browser...
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 283 bytes | 283.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote:
remote: The private project aaithi-group/gitdemo was successfully created.
remote:
remote: To configure the remote, run: remote: git remote add origin https://gitlab.com/aaithi-group/gitdemo.git
remote:
remote: To view the project, visit:
remote: https://gitlab.com/aaithi-group/gitdemo
remote:
remote:
remote:
To https://gitlab.com/aaithi-group/gitdemo.git
```

# [new branch] master -> master
branch 'master' set up to track 'origin/master'.

