# CheckPoints MongoDb

samedi 6 février 2021   15:02

In this checkpoint, the main idea is to manipulate mongodb CRUD operations
- **Create a database called "contact"**
- **Create a collection called "contactlist"**
- **Insert these documents in "contactlist" :**
  - **Last name: Ben Lahmer, First name: Fares, Email: fares@gmail.com, age:26**
  - **Last name: Kefi, First name: Seif, Email: kefi@gmail.com, age:15**
  - **Last name: Fatnassi, First name: Sarra, Email: sarra.f@gmail.com, age:40**
  - **Last name: Ben Yahia, First name: Rym, age:4**
  - **Last name: Cherif, First name: Sami, age:3**

- **Display all the contact list**
 - **Display all the information about only one person using his id**


 - **Display all the contact list having age>18**

  - **Display all the contact list having age>18 and name containing "ah"**

- **Change the contact first name of "kefi Seif" by "Kefi Anis"**

- **Delete the the contact list having age < 5**

- **Display all the contact list**

contact.contactlist

DOCUMENTS 3 | TOTAL SIZE 303B | AVG. SIZE 101B | INDEXES 1 | TOTAL SIZE 36.0KB | AVG. SIZE 36.0KB

Documents   Aggregations   Schema   Explain Plan   Indexes   Validation

FILTER [_____] ▾ OPTIONS   **FIND** **RESET** **...**

PROJECT [_____]

SORT [_____]

COLLATION [_____] SKIP 0 LIMIT 0

INSERT DOCUMENT VIEW ☰ LIST ⊞ TABLE   Displaying documents **1 - 3** of 3 ‹ › ↻

_id: ObjectId("601eae2cdcc9fb30a46a44d3")
lastName: "Ben Lahmer"
firstName: "fares@gmail.com"
email: "Fares"
age: 26

_id: ObjectId("601eaf77dcc9fb30a46a44d5")
lastName: "Kefi"
firtName: "Anis"
email: " kefi@gmail.com"
age: 15

_id: ObjectId("601eb0324b91f230a4f0fdc4")
lastName: "Fatnassi"
firtName: "Sarra"
email: "sarra.f@gmail.com"
age: 40