
Full network: saved Louvain communities

80,966 nodes | 657,444 undirected, unweighted edges




Eight largest communities C0-C7 have separate colours; other communities are grey. All 98 original IDs remain available. Global degree controls node size through log(1 + degree).

C0 C1 C2 C3 C4
C5 C6 C7 Other communities

CAIDA 20261001 | Seed 22, resolution 1 | Actual Gephi Desktop capture

Community 1: Italy within a wider community


14,285 nodes | 138,088 undirected, unweighted edges



Blue: Italian AS; orange: candidate provider; grey: other AS. This induced community contains 628 Italian ASes. Edges leaving community 1 are omitted.

Community 21: a mostly Italian group


322 nodes | 416 undirected, unweighted edges



Blue: Italian AS; orange: candidate provider; grey: other AS. 310 of its 322 nodes are Italian. Edges leaving community 21 are omitted.

Italy and candidate providers: baseline

1,194 nodes | 9,879 undirected, unweighted edges




Blue: 1,087 Italian ASes; orange: 107 candidate providers. This is the induced display of F union P; other transit ASes are omitted. It is not the graph used to calculate reachability.

CAIDA 20261001 | Seed 22, resolution 1 | Actual Gephi Desktop capture

After 20 targeted provider removals


1,174 nodes | 7,940 undirected, unweighted edges



Blue: Italian ASes retaining an external connection; red: 41 Italian ASes losing it; orange: surviving providers.
Status is computed on the FULL post-removal graph. Surviving node coordinates are fixed from the baseline view.

Candidate providers: targeted removal set

107 nodes | 1,390 undirected, unweighted edges



Red: the first 20 providers in the saved targeted order; green: the remaining 87. This induced provider subgraph omits Italian customers and all other ASes. Node size uses GLOBAL degree, not degree in this subgraph.