DBMS LAB ASSIGNMENT-3


Submitted by:

R.Mounika, 19BCS124.

Query:

```
USE SCHOOL;
ALTER TABLE T5_Studentinfo
ADD Email_ID VARCHAR(50);
```

Output:




MODIFY:

Query:

```
USE SCHOOL;
ALTER TABLE T5_Studentinfo
ALTER COLUMN Email_ID VARCHAR(100);
```


Output:



DELETE:

Query:

```
USE SCHOOL;
ALTER TABLE T5_Studentinfo
DROP COLUMN Email_ID;
```



2. Insert 20 Employees Data into all the tables. Use all the 3 methods that I have showcased

Query:

```
INSERT INTO T5_Studentinfo(Student_ID,[First Name],[Last
Name],DOB,[Phone Number],[EmailID])
VALUES(101,'Abhi','Jain','2002-01-01',9999999999,'@iiitdwd.ac.in');
INSERT INTO T5_Studentinfo
VALUES(102, 'Yuti','Kapoor','2002-02-02',8888888888,'@iiitdwd.ac.in');
INSERT INTO T5_Studentinfo(Student_ID,[First Name],[Last
Name],DOB,[Phone Number])
(SELECT Student_ID,[First Name],[Last Name],DOB,[Phone Number]FROM
SCHOOL.dbo.T5_StudentDetails where DOB='2002-12-31');
INSERT INTO T5_Studentinfo(Student_ID,[First Name],[Last
Name],DOB,[Phone Number],[EmailID])
VALUES(104,'Kavya','Dutt','2002-01-01',7777777777,'@iiitdwd.ac.in');
INSERT INTO T5_Studentinfo(Student_ID,[First Name],[Last
Name],DOB,[Phone Number],[EmailID])
VALUES(105,'Sai','Likitha','2002-02-18',666666666,'@iiitdwd.ac.in');
```

```
INSERT INTO T5 Studentinfo
VALUES(106, 'Anu', 'Kirti', '2002-05-14', 555555555, '@iiitdwd.ac.in');
INSERT INTO T5_Studentinfo
VALUES(107, 'Mounika', 'Rayudu', '2002-05-
20',4444444444,'@iiitdwd.ac.in');
INSERT INTO T5 Studentinfo
VALUES(108, 'Sai', 'Priya', '2002-01-02', 3333333333, '@iiitdwd.ac.in');
INSERT INTO T5_Studentinfo
VALUES(109, 'Ananya', 'Bhaskar', '2002-01-
20',222222222,'@iiitdwd.ac.in');
INSERT INTO T5 Studentinfo
VALUES(110, 'Pragnya', 'Nayini', '2002-03-
20',1111111111,'@iiitdwd.ac.in');
INSERT INTO T5_Studentinfo
VALUES(111, 'Swetha', 'Sree', '2002-04-20', 1234567890, '@iiitdwd.ac.in');
INSERT INTO T5_Studentinfo
VALUES(112, 'Bhavitha', 'Reddy', '2002-05-
30',2345678901,'@iiitdwd.ac.in');
INSERT INTO T5 Studentinfo
VALUES(113, 'Yindu', 'Priya', '2002-09-05', 3456789012, '@iiitdwd.ac.in');
INSERT INTO T5 Studentinfo
VALUES(114, 'Sona', 'Rai', '2002-06-06', 4567890321, '@iiitdwd.ac.in');
INSERT INTO T5 Studentinfo(Student ID,[First Name],[Last
Name],DOB,[Phone Number],[EmailID])
VALUES(115, 'Aishwarya', 'Kapoor', '2002-06-
23',5678901234,'@iiitdwd.ac.in');
INSERT INTO T5 Studentinfo(Student_ID,[First Name],[Last
Name],DOB,[Phone Number],[EmailID])
VALUES(116, 'Ranjith', 'Sharma', '2002-01-
01',6789012345,'@iiitdwd.ac.in');
INSERT INTO T5 Studentinfo(Student ID,[First Name],[Last
Name],DOB,[Phone Number],[EmailID])
VALUES(117, 'Rohit', 'Shetty', '2002-12-08', 7890123456, '@iiitdwd.ac.in');
```

```
INSERT INTO T5 Studentinfo(Student ID,[First Name],[Last
Name],DOB,[Phone Number],[EmailID])
VALUES(118, 'Shreya', 'Ghosal', '2002-07-
07',8901234567,'@iiitdwd.ac.in');
INSERT INTO T5 Studentinfo(Student ID,[First Name],[Last
Name],DOB,[Phone Number],[EmailID])
VALUES(119, 'Amit', 'Tiwari', '2002-08-31', 907654321, '@iiitdwd.ac.in');
INSERT INTO T5 Studentinfo(Student ID,[First Name],[Last
Name],DOB,[Phone Number],[EmailID])
VALUES(120, 'Lakshmi', 'Prasanna', '2002-01-
11',6789554321,'@iiitdwd.ac.in');
INSERT INTO T5 Studentinfo(Student ID,[First Name],[Last
Name],DOB,[Phone Number],[EmailID])
VALUES(121, 'Reethu', 'Patel', '2002-05-03', 8905432617, '@iiitdwd.ac.in');
/*DELETE FROM T5 Studentinfo;*/
/*SELECT*FROM T5 Studentinfo;*/
Output:
```

	Student_ID	First Name	Last Name	DOB	Phone Number	EmailID
1	101	Abhi	Jain	2002-01-01	999999999	@iiitdwd.ac.in
2	102	Yuti	Kapoor	2002-02-02	888888888	@iiitdwd.ac.in
3	104	Kavya	Dutt	2002-01-01	7777777777	@iiitdwd.ac.in
4	105	Sai	Likitha	2002-02-18	666666666	@iiitdwd.ac.in
5	106	Anu	Kirti	2002-05-14	555555555	@iiitdwd.ac.in
6	107	Mounika	Rayudu	2002-05-20	444444444	@iiitdwd.ac.in
7	108	Sai	Priya	2002-01-02	3333333333	@iiitdwd.ac.in
8	109	Ananya	Bhaskar	2002-01-20	222222222	@iiitdwd.ac.in
9	110	Pragnya	Nayini	2002-03-20	1111111111	@iiitdwd.ac.in
10	111	Swetha	Sree	2002-04-20	1234567890	@iiitdwd.ac.in
11	112	Bhavitha	Reddy	2002-05-30	2345678901	@iiitdwd.ac.in
12	113	Yindu	Priya	2002-09-05	3456789012	@iiitdwd.ac.in
13	114	Sona	Rai	2002-06-06	4567890321	@iiitdwd.ac.in
14	115	Aishwarya	Kapoor	2002-06-23	5678901234	@iiitdwd.ac.in
15	116	Ranjith	Shama	2002-01-01	6789012345	@iiitdwd.ac.in
16	117	Rohit	Shetty	2002-12-08	7890123456	@iiitdwd.ac.in
17	118	Shreya	Ghosal	2002-07-07	8901234567	@iiitdwd.ac.in
18	119	Amit	Tiwari	2002-08-31	907654321	@iiitdwd.ac.in
19	120	Lakshmi	Prasanna	2002-01-11	6789554321	@iiitdwd.ac.in
20	121	Reethu	Patel	2002-05-03	8905432617	@iiitdwd.ac.in
21	123	Ranjith	Sharma	2002-12-31	1122334455	@iiitdwd.ac.in
22	125	Shreya	Ghosal	2002-12-31	7755339900	@iiitdwd.ac.in
23	126	Amit	Tiwari	2002-12-31	2222444400	@iiitdwd.ac.in
24	128	Reethu	Patel	2002-12-31	9996663330	@iitdwd.ac.in
25	129	Kavya	Dutt	2002-12-31	6667774440	@iitdwd.ac.in
26	130	Sai	Likitha	2002-12-31	5999954674	@iiitdwd.ac.in

3. Show Violation of Primary Key, Unique, Not Null and default key constraints through insertion.

Primary Key:

```
Query:
```

```
USE SCHOOL
   INSERT INTO T5_Studentinfo(Student_ID,[First Name],[Last Name],DOB,[Phone Number])
   VALUES(101,'Abhi','Jain','2002-01-01',999999999);
   Output:
```

Unique Key:

Output:

In Table **T5_Studentinfo, Phone Number** is converted to Unique Key by following query:

```
ALTER TABLE T5_Studentinfo
ADD UNIQUE ([Phone Number]);

Query:

USE SCHOOL
INSERT INTO T5_Studentinfo(Student_ID,[First Name],[Last Name],DOB,[Phone Number])
VALUES(122,'Abhi','Jain','2002-01-01',999999999);
```

```
EALTER TABLE T5_Studentinfo
ADD UNIQUE ([Phone Number]);

USE SCHOOL
INSERT INTO T5_Studentinfo(Student_ID,[First Name],[Last Name],DOB,[Phone Number])

VALUES(122, 'Abhil', 'Jain', '2002-01-01',999999999);

0 % - 4

Messages
Msg 2627, Level 14, State 1, Line 5
Violation of UNIQUE KEY constraint 'UQ_T5_Stude_79578B9380A48E51'. Cannot insert duplicate key in object 'dbo.T5_Studentin: The statement has been terminated.

Completion time: 2021-02-20T00:11:38.7711302+05:30
```

Not Null:

Query:

```
USE SCHOOL
    INSERT INTO T5_Studentinfo(Student_ID,[First Name],[Last
Name],DOB,[Phone Number])
    VALUES(130,'Abhi','Jain','2002-01-01',NULL);
```

```
DUSE SCHOOL

INSERT INTO TS_Studentinfo(Student_ID,[First Name],[Last Name],DOB,[Phone Number])

VALUES(130, 'Abhi', 'Jain', '2002-01-01', NULL);

Messages

Msg 515, Level 16, State 2, Line 2

Cannot insert the value NULL into column 'Phone Number', table 'SCHOOL.dbo.TS_Studentinfo'; column does not allow nulls. INST

The statement has been terminated.

Completion time: 2021-02-20T00:18:22.4636293+05:30
```


Default Key:

Query:


```
ALTER TABLE T5_Studentinfo
ADD CONSTRAINT dft_EmailID
DEFAULT '@iiitdwd.ac.in' FOR EmailID;

INSERT INTO T5_Studentinfo([Student_ID],[First Name],[Last Name],[DOB],[Phone Number])
VALUES ('131','Mounika','Rayudu','2002-05-20',9988667744);
select * from T5_Studentinfo;
```

Output:



4. Insert tuples into the table and see how foreign key constraint works if you try to insert into dependent table first.




{Here, **Student_ID** column in the table **T5_Subject** is dependent on **Student_ID** column in the table **T5_Studentinfo.**}

Query:

```
USE SCHOOL
INSERT INTO T5_Subject([Course ID],[Course
Name],[Student_ID],[Course Year],[Phone Number])
VALUES ('CS210','DBMS','131','2020',9966811530);
```

5. Show Violation of Foreign Key Constraint when you try to delete from a base table. If you get an error explain why deletion gives an error



{Here, **Staff ID** column in the table **T5_Staff&Subject** is dependent on **Staff ID** column in the table **T5_Stafft.**}

Query:

```
USE SCHOOL
ALTER TABLE T5_Staff
DROP COLUMN [Staff ID];
```

```
Messages

Messages

Msg 5074, Level 16, State 1, Line 2

The object 'FK_TS_Staff' is dependent on column 'Staff ID'.

Msg 5074, Level 16, State 1, Line 2

The object 'FK_TS_Staff' is dependent on column 'Staff ID'.

Msg 5074, Level 16, State 1, Line 2

The object 'FK_TS_StaffsSubject_TS_Staff' is dependent on column 'Staff ID'.

Msg 4922, Level 16, State 9, Line 2

ALIER TABLE DROP COLUMN Staff ID failed because one or more objects access this column.

Completion time: 2021-02-20T14:29:37.6084394+05:30
```

6. Try to update a non-existing entity data and check for error.

Query:

```
USE SCHOOL
   UPDATE T5_Studentinfo
   SET [Phone Number]=1010101010 WHERE Student_ID = '140'
```

Output:

```
USE SCHOOL
UPDATE T5_Studentinfo

SET [Phone Number]=1010101010 WHERE Student_ID = '140']

Messages

(0 rows affected)

Completion time: 2021-02-20T14:39:41.7724797+05:30
```

7. Add a column which has default value.


Query:

```
ALTER TABLE T5_Studentinfo
ADD CONSTRAINT dft_EmailID
DEFAULT '@iiitdwd.ac.in' FOR EmailID;

INSERT INTO T5_Studentinfo([Student_ID],[First Name],[Last Name],[DOB],[Phone Number])
VALUES ('141','Mounika','Rayudu','2002-05-20',3131313131);

SELECT*FROM T5_Studentinfo;
```

Output:




8. 5 Simple Select queries to retrieve data from your database.

Query:

```
i.
   USE SCHOOL
   SELECT Student_ID FROM T5_Studentinfo WHERE[DOB]='2002-12-31';
```

Output:



_

ii. SELECT Student_ID FROM T5_Studentinfo
WHERE[EmailID]='@iiitdwd.ac.in';


Output:

	Results	Messages
	Stude	nt_ID
1	101	
2	102	
3	104	
4	105	
5	106	
6	107	
7	108	
8	109	
9	110	
10	111	
11	112	
12	113	
13	114	
14	115	
15	116	
16	117	
17	118	
18	119	
19	120	
20	121	
21	123	
22	125	
23	126	
24	128	
25	129	
26	130	

iii. SELECT*FROM T5_Studentinfo;

	Student_ID	First Name	Last Name	DOB	Phone Number	EmailID
1	101	Abhi	Jain	2002-01-01	999999999	@iitdwd.ac.in
2	102	Yuti	Kapoor	2002-02-02	888888888	@iitdwd.ac.ir
3	104	Kavya	Dutt	2002-01-01	7777777777	@iitdwd.ac.ir
4	105	Sai	Likitha	2002-02-18	666666666	@iitdwd.ac.ir
5	106	Anu	Kirti	2002-05-14	555555555	@iiitdwd.ac.ir
6	107	Mounika	Rayudu	2002-05-20	444444444	@iiitdwd.ac.ir
7	108	Sai	Priya	2002-01-02	3333333333	@iiitdwd.ac.in
8	109	Ananya	Bhaskar	2002-01-20	222222222	@iiitdwd.ac.ir
9	110	Pragnya	Nayini	2002-03-20	1111111111	@iiitdwd.ac.ir
10	111	Swetha	Sree	2002-04-20	1234567890	@iiitdwd.ac.ir
11	112	Bhavitha	Reddy	2002-05-30	2345678901	@iitdwd.ac.ir
12	113	Yindu	Priya	2002-09-05	3456789012	@iiitdwd.ac.ir
13	114	Sona	Rai	2002-06-06	4567890321	@iiitdwd.ac.ir
14	115	Aishwarya	Kapoor	2002-06-23	5678901234	@iitdwd.ac.ir
15	116	Ranjith	Shama	2002-01-01	6789012345	@iitdwd.ac.ir
16	117	Rohit	Shetty	2002-12-08	7890123456	@iitdwd.ac.ir
17	118	Shreya	Ghosal	2002-07-07	8901234567	@iiitdwd.ac.ir
18	119	Amit	Tiwari	2002-08-31	907654321	@iiitdwd.ac.ir
19	120	Lakshmi	Prasanna	2002-01-11	6789554321	@iitdwd.ac.ir
20	121	Reethu	Patel	2002-05-03	8905432617	@iitdwd.ac.ir
21	123	Ranjith	Shama	2002-12-31	1122334455	@iiitdwd.ac.ir
22	125	Shreya	Ghosal	2002-12-31	7755339900	@iiitdwd.ac.ir
23	126	Amit	Tiwari	2002-12-31	2222444400	@iiitdwd.ac.ir
24	128	Reethu	Patel	2002-12-31	9996663330	@iiitdwd.ac.ir
25	129	Kavya	Dutt	2002-12-31	6667774440	@iiitdwd.ac.ir
26	130	Sai	Likitha	2002-12-31	5999954674	@iitdwd.ac.ir

iv. SELECT TOP 5 * FROM T5_Studentinfo;



v. SELECT*FROM T5_Studentinfo WHERE [DOB]='2002-12-31' ORDER BY Student_ID;

Output:



9. Show how Foreign key constraint effects Updating a dependent table when value is not existing and in Base table where the value is referred and you want to update it.

Query:

```
UPDATE T5_Subject
   SET Student_ID='144' /*exists both in T5_Studentinfo
andT5_Subject*/
   WHERE [Course Year]='2'; /*exists only in T5_Subject(Child Table)*/
   /*INSERT INTO T5_Subject
   VALUES('CS210','DBMS','121','2',7676767676)
   SELECT*FROM T5_Subject;
```

```
SET Student_ID='144' /*exists both in T5_Studentinfo andT5_Subject*/

| WHERE [Course Year]='2'; /*exists only in T5_Subject(Child Table)*/

| Messages
```

Msg 547, Level 16, State 0, Line 1

The UPDATE statement conflicted with the FOREIGN KEY constraint "FK_T5_Subject_T5_Studentinfo". The conflict occurred in The statement has been terminated.

Completion time: 2021-02-20T15:46:15.7803149+05:30