7. Write a Program to demonstrate a session Tracking using URL Rewrite:

Index.html:

```
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Insert title here</title>
</head>
<body>
<a href="login?userid=text">Dashboard</a> with URL Rewriting based login</a><br>
<a href="Dashboard">Dashboard</a> without URL Rewriting based login</a></body>
</html>
```

LoginServlet.java:

```
import java.io.IOException;
import javax.servlet.*;
import javax.servlet.annotation.*;
import javax.servlet.http.*;
* Servlet implementation class LoginServlet
@WebServlet("/LoginServlet")
public class LoginServlet extends HttpServlet {
        private static final long serialVersionUID = 1L;
    /**
* @see HttpServlet#HttpServlet()
    public LoginServlet() {
        super();
        // TODO Auto-generated constructor stub
    }
         * @see HttpServlet#doGet(HttpServletRequest request, HttpServletResponse
response)
        protected void doGet(HttpServletRequest request, HttpServletResponse
response) throws ServletException, IOException {
                // TODO Auto-generated method stub
```

```
String userId = request.getParameter("userid");
    response.sendRedirect("dashboard?userid=" + userId);

}

/**
    * @see HttpServlet#doPost(HttpServletRequest request, HttpServletResponse response)
    */
    protected void doPost(HttpServletRequest request, HttpServletResponse response) throws ServletException, IOException {
        // TODO Auto-generated method stub doGet(request, response);
    }
}
```

Dashboard.java:

```
import java.io.IOException;
import java.io.PrintWriter;
import javax.servlet.*;
import javax.servlet.annotation.*;
import javax.servlet.http.*;
* Servlet implementation class Dashboard
@WebServlet("/Dashboard")
public class Dashboard extends HttpServlet {
        private static final long serialVersionUID = 1L;
    /**
* @see HttpServlet#HttpServlet()
    public Dashboard() {
        super();
        // TODO Auto-generated constructor stub
    }
         * @see HttpServlet#doGet(HttpServletRequest request, HttpServletResponse
response)
        protected void doGet(HttpServletRequest request, HttpServletResponse
response) throws ServletException, IOException {
                // TODO Auto-generated method stub
            PrintWriter out = response.getWriter();
            out.println("<html><body>");
```

```
String userId = request.getParameter("userid");
    if (userId == null ) {
        out.println("No UserId was found in the URL.<br>");
    } else {
        out.println("UserId obtained from URL Rewriting:" + userId + "<br>");
    }
    out.println("</body></html>");
}

/**
    * @see HttpServlet#doPost(HttpServletRequest request, HttpServletResponse response)
    */
    protected void doPost(HttpServletRequest request, HttpServletResponse response) throws ServletException, IOException {
        // TODO Auto-generated method stub doGet(request, response);
}
```

Web.xml:

```
<?xml version="1.0" encoding="UTF-8"?>
<web-app xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"</pre>
xmlns="http://java.sun.com/xml/ns/javaee"
xsi:schemaLocation="http://java.sun.com/xml/ns/javaee
http://java.sun.com/xml/ns/javaee/web-app_2_5.xsd" id="WebApp_ID" version="2.5">
  <display-name>URLRewriteDemo</display-name>
  <welcome-file-list>
    <welcome-file>index.html</welcome-file>
    <welcome-file>index.jsp</welcome-file>
    <welcome-file>index.htm</welcome-file>
    <welcome-file>default.html</welcome-file>
    <welcome-file>default.jsp</welcome-file>
    <welcome-file>default.htm</welcome-file>
  </welcome-file-list>
  <servlet>
    <description></description>
    <display-name>LoginServlet</display-name>
    <servlet-name>LoginServlet</servlet-name>
    <servlet-class>LoginServlet</servlet-class>
  </servlet>
  <servlet-mapping>
    <servlet-name>LoginServlet</servlet-name>
    <url-pattern>/LoginServlet</url-pattern>
  </servlet-mapping>
  <servlet>
    <description></description>
```

Output:



