1. Product Specifications

The Nimbus X2 is a fictional consumer camera drone. It weighs 612 grams with its battery installed. Maximum flight time is 31 minutes under calm conditions. The maximum speed is 58 km/h and the maximum flight altitude is 120 metres above the take-off point. The transmission range is up to 6 km in open areas without interference. The built-in camera has a 20 megapixel sensor and records 4K video at 60 frames per second. The drone folds to fit inside the included carrying case.

Fictional sample document for IntelliDocs testing.

2. Battery and Charging

The Nimbus X2 uses the NB-5200 intelligent battery with a capacity of 5200 mAh. A full charge from empty takes 85 minutes with the supplied charger. Only charge the battery when the ambient temperature is between 5 and 40 degrees Celsius. For storage longer than ten days, keep the battery at about 60 percent charge in a cool, dry place. The battery should be replaced after 300 charge cycles. A blinking red LED on the battery indicates that the charge level is below 15 percent.

Fictional sample document for IntelliDocs testing.

3. Flight Safety

Do not fly within 5 km of an airport. Do not fly when wind speeds exceed 38 km/h, because the drone may be unable to hold its position. The Return-to-Home function activates automatically when the battery drops to 20 percent or when the control signal is lost for 8 seconds. Obstacle sensors are installed on the front and the bottom of the drone only, so it cannot detect obstacles to the sides or rear. The operating temperature range is minus 10 to 40 degrees Celsius. Always keep the drone within visual line of sight.

Fictional sample document for IntelliDocs testing.

4. Maintenance and Troubleshooting

Inspect the propellers for cracks before every flight, and replace them after 50 flight hours. Firmware updates are installed through the NimbusLink mobile app. If the gimbal appears tilted, run the gimbal calibration from the app settings menu. Error code E07 means compass interference; move away from metal structures and recalibrate the compass. Error code E12 means the gimbal motor is stalled; remove the gimbal guard and restart the drone. The Nimbus X2 comes with a warranty of 18 months from the purchase date.

Fictional sample document for IntelliDocs testing.