
ONLINE VOTING SYSTEM

ERDiagram



Entities and Attributes of ERDiagram

Entity 1:

ElectionAdmin

- 1 Attributes of ElectionAdmin:
- 2 adminId (Primary Key)
- 3 roll
- 4 name
- 5 email

Entity 2:

Election

Attributes of Election:

- 1 electionId (Primary Key)
- 2 title
- 3 startDate
- 4 endDate
- 5 electionType
- 6 adminId (Foreign Key)

Entity 3:

Result

Attributes of Result:

- 1 resultId (Primary Key)
- 2 winner
- 3 totalVotes
- 4 generatedTimeStamp
- 5 electionId (Foreign Key)

Entity 4:

ElectionBooth

Attributes of ElectionBooth:

- 1 boothId (Primary Key)
- 2 location
- 3 electionId (Foreign Key)

Entity 5:

Voter

Attributes of Voter:

- 1 voterId (Primary Key)
- 2 name
- 3 age
- 4 gender
- 5 address
- 6 eligibilityStatus
- 7 email

Entity 6:

Party

Attributes of Party:

- 1 partyld
- 2 name
- 3 leader
- 4 symbol
- 5.candidateId (Foreign Key)

Entity 7:

Candidate

Attributes of Candidate:

- 1 candidateId (Primary Key)
- 2 candidateName
- 3 party
- 4 totalVotes
- 5 electionId (Foreign Key)

Entity 8:

Feedback

Attributes of Feedback:

- 1 feedbackId (Primary Key)
- 2 rating
- 3 comments
- 4 candidateId (Foreign Key)
- 5 voterId (Foreign Key)

Entity 9:

Notifications

Attributes of Notifications:

- 1 notificationId (Primary Key)
- 2 message
- 3 sentDate
- 4 voterId (Foreign Key)

5 electionId(Foreign Key)

Entity 10:

Vote

Attributes of Vote:

- 1 voterId (Primary Key)
- 2 timeStamp
- 3 voterId (Foreign Key)
- 4 candidateId (Foreign Key)
- 5 electionId (Foreign Key)

EER DIAGRAM

