



VIKAH ECOTECH



RASPER



www.vikahecotech.com

RASPER


Our secondary shredder machines, also known as rasper shredders, are engineered for efficient fine shredding of tyres in tyre recycling plants. These machines process material after primary shredding and prepare rubber for downstream granulation, separation, and recovery processes.

These rasper machines form a critical part of our secondary shredder systems, helping recycling plants achieve consistent particle sizing, higher recovery efficiency and stable long-term operation.

Key Features

Core features that make our balers robust, efficient, and ideal for high-volume waste handling and recycling operations.

- **Output Size:** Reduces tyre chips to sizes as small as 23 mm.
- **Blades:** Uses hardened steel blades for efficient, precise cutting.
- **Screening System:** Built-in screens ensure uniform output size and consistent quality.
- **Easy Maintenance:** Designed for easy maintenance to ensure smooth operation, reduce downtime, and extend equipment lifespan.
- **Dust and Noise Control:** Equipped with features to minimize dust and noise during operation.
- **Integration Ready:** Easily integrates into existing tyre recycling systems.



Available Models

Available in multiple tonnage options including models (RST-4000, RST-6000), Vikah Ecotech tyre rasper ensure reliable performance, low maintenance, and long service life in demanding environments.

Technical Specification

Electrical System

Specifications	RST-4000	RST-6000
Power	150-180 HP (132 kW)	180 HP - 200 HP
No Of Motors	1 No. ABB/siemens Motor	1 No. ABB / Siemens Motor
Drive Specification	Electrical System	Electrical System
Electric Equipment's	SIZE: R9, 580-01-360A-4+P944+3B SDT Schneider / ABB	Schneider / ABB

Cutting Section

Specifications	RST-4000	RST-6000
Cutting Chamber	L1200 mm x W900 mm x H1000 mm (Hydraulics Opening)	L 1600 mm x W 900 mm x H 1000 mm (Hydraulics Opening)
Number of Shaft	1 Nos	1 Nos
No. of Rotating Blades	42 Nos. (L 190 mm x W 58 mm x T 100 mm)	56 Nos. (L 190 mm x W 58 mm x T 100 mm)
No. of Static Blades	6 Nos. (L 380 mm x W 120 mm x T 30 mm)	8 Nos. (L 380 mm x W 120 mm x T 30 mm)
Screen	MS 18 mm (Hydraulics Opening)	MS 20 mm Out put (Hydraulics Opening)

Gearbox And Hydraulics

Specifications	RST-4000	RST-6000
Number of Gear Box	1 No., REGGIANA RIDUTTORI, RR6500L2MC:1	1 No., REGGIANA RIDUTTORI
Number of Couplings	1 No	1 No
Type of Coupling	Gear Coupling 1 Nos	Gear Coupling 1 Nos
Hydraulics	6 Nos 2 Ton Cylinder with Power Pack Yuken 80LPM Pump – 2 HP Motor	6 Nos 2 Ton Cylinder with Power Pack Yuken 80LPM Pump – 2 HP Motor

Dimensions and Heights

Specifications	RST-4000	RST-6000
Equipment Dimension (A x B x C)	L 3500 mm x W 1900 mm x H 2980 mm	L 3800 mm x W 1900 mm x H 2980 mm
Hopper Opening (G x F)	L 1200 mm x H 850 mm	L 1200 mm x H 850 mm
Hopper Height (E)	850 mm	850 mm
Discharge Height (D)	1200 mm	1200 mm
In Feed Height	2600 mm	2600 mm

Applications of Tyre Scrap Balers

Our hydraulic tyre baler machines are widely used in various industrial and recycling sectors where high-density tyre compaction is required.

Tire-derived fuel (TDF)

Rubber mulch

Automotive parts

Shock-absorbing mats

Asphalt and road construction


Sports track surfaces

Why Choose Vikah Ecotech Rasper?

Vikah Ecotech stands out as a trusted tyre rasper manufacturer in India due to our commitment to quality engineering, durability, and industrial performance. Our machines are designed for continuous operation, low maintenance, and high-density shredding.

- Durable, hard-faced knives.
- Easy maintenance service platform.
- Full PLC control panel.
- Stop and auto-reversal motors.
- Specific Stop/Auto Reversal motors Feature

Global Presence



Innovative And Sustainable Recycling Machinery Solutions



www.vikahecotech.com

Contact: +91 4049471616

Mail-id: ravi.krotha@vikahecotech.com

Website: www.vikahecotech.com

Office Address:

406, 4th Floor, Patel Towers, Above EasyBuy Beside
Nagole RTO Office, Nagole Hyderabad, Telangana-500068
Tel: +91 4049471616

Unit Address:

Plot No-9, The Indira Gandhi co-Operative Housing
Society, Gagan Pahad, Hyderabad, Rangareddy, Telangana,
India - 500 052