


Name: A. Mounish

Reg no: 192472273


7. Construct a C program to implement non-preemptive SJF algorithm.

Code:



```
1 #include<stdio.h>
2 int main(){
3     int bt[10],wt[10],tat[10],p[10];
4     int n,i,j,temp;
5     printf("Enter number of processes: ");
6     scanf("%d",&n);
7     for(i=0;i<n;i++){
8         p[i]=i+1;
9         printf("Enter Burst Time: ");
10        scanf("%d",&bt[i]);
11    }
12    for(i=0;i<n;i++){
13        for(j=i+1;j<n;j++){
14            if(bt[i]>bt[j])
15            {
16                temp=bt[i];
17                bt[i]=bt[j];
18                bt[j]=temp;
19                temp=p[i];
20                p[i]=p[j];
21                p[j]=temp;
22            }
23        }
24    }
25    wt[0]=0;
26    for(i=1;i<n;i++){
27        wt[i]=wt[i-1]+bt[i-1];
28    }
29    printf("\nProcess\tWT\tTAT\n");
30    for(i=0;i<n;i++){
31        tat[i]=wt[i]+bt[i];
32        printf("P%d\t%d\t%d\n",p[i],wt[i],tat[i]);
33    }
34    return 0;
35 }
```

Output:



```
Output
Enter number of processes: 4
Enter Burst Time: 7
Enter Burst Time: 2
Enter Burst Time: 5
Enter Burst Time: 1

Process WT  TAT
P4  0  1
P2  1  3
P3  3  8
P1  8  15

=== Code Execution Successful ===
```