ASSIGNMENT 33

Jenkins Master and slave architechture and Ansible






Console - #1 - Jenkins
Not secure 35.153.71.90:8080/job/firstpipeline/1/console
Incognito
Jenkins / firstpipeline / #1
Status
Changes
Console Output
Edit Build Information
Delete build '#1'
Timings
Pipeline Overview
Restart from Stage
Replay
Pipeline Steps
Workspaces
Console
Download
Copy
View as plain text
Started by user admin
[Pipeline] Start of Pipeline
[Pipeline] node
Still waiting to schedule task
'agent01' is offline
Running on agent02 in /home/ubuntu/jenkins/workspace/firstpipeline
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Build)
[Pipeline] sh
+ echo Running on slave
Running on slave
[Pipeline] }
[Pipeline] // stage
[Pipeline] }
[Pipeline] // node
[Pipeline] End of Pipeline
Finished: SUCCESS
Jenkins 2.541.1

ANSIBLE:


ec2-user@ip-172-31-84-146:~
login as: ec2-user
Authenticating with public key "new" from agent
Amazon Linux 2023
https://aws.amazon.com/linux/amazon-linux-2023
Last login: Wed Feb 18 13:56:54 2026 from 157.51.118.43
[ec2-user@ip-172-31-84-146 ~]$ ansible all -i inventory.txt -m ping
[WARNING]: Platform linux on host 172.31.89.163 is using the discovered Python interpreter at /usr/bin/python3.9, but future installation of another Python interpreter could change the meaning of that path. See https://docs.ansible.com/ansible-core/2.15/reference_appendices/interpreter_discovery.html for more information.
172.31.89.163 | SUCCESS => {
"ansible_facts": {
"discovered_interpreter_python": "/usr/bin/python3.9"
},
"changed": false,
"ping": "pong"
}
[WARNING]: Platform linux on host 172.31.80.199 is using the discovered Python interpreter at /usr/bin/python3.9, but future installation of another Python interpreter could change the meaning of that path. See https://docs.ansible.com/ansible-core/2.15/reference_appendices/interpreter_discovery.html for more information.
172.31.80.199 | SUCCESS => {
"ansible_facts": {
"discovered_interpreter_python": "/usr/bin/python3.9"
},
"changed": false,
"ping": "pong"
}
[ec2-user@ip-172-31-84-146 ~]$



Fisrt set the all machine instance master machine have the python and ansible and salve machine have only python3-pip. Connect all public ip address to master ansible machine and save in this folder inventory.txt get the file< wget https://raw.githubusercontent.com/ansible/ansible/stable-2.11/examples/ansible.cfg > and using ppk file to connect in pagenets and using public ip to connect in putty to run the ansible