ASSIGNMENT 7

Git commands

```
MINGW64:/c/Users/Mourian P/downloads/partha/partha
bash: warning: command substitution: ignored null byte in input

Mourian P@MOURIANPARTHASARATHY MINGW64 ~ ({...})
$ cd downloads

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads
$ mkdir mourian

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads
$ ls
'03.08.2025 Plot No.25 - Balasaraswathi - Agent.doc'  'Dhinesh & Visalani - Google Drive_files'/   Mourian_P_Resume.pdf                                desktop.ini
 211aba43-42d3-45b6-a902-d423e8c9d685.jpg             Documents/                                   NVIDIA_app_v11.0.3.218.exe*                        mongodb-windows-x86_64-8.0.12-signed.msi
 340d0708-5372-49b8-acff-54fe631c1db2.jpg             IMG_2163.HEIC                                NVIDIA_app_v11.0.4.159.exe*                        mou/
 3b778281-015f-463d-a8e3-58cdc084d492.jpg             IMG_4587.HEIC                                Putty/                                             mourian/
 71_gta-v_latest_setup.exe*                           IMG_4587.jpg                                 SendAnywhereSetup.exe*                             mourian.pem
'APPTITUDE TEST 2.pdf'                                IMG_4840.HEIC                               'Telegram Desktop'/                                 mourian.ppk
'ASSIGNMENT 3.docx'                                   IMG_5325.MOV                                 VirtualBox-7.1.6-167084-Win.exe*                   'new 1'/
'ASSIGNMENT 3.pdf'                                    IMG_7172.HEIC                               'WhatsApp Image 2025-07-26 at 13.44.03_8d1fb16d.jpg' 'node-v20.19.4-x64 (1).msi'
'ASSIGNMENT 4.pdf'                                   'LICENSE BACK.pdf'                           'WhatsApp Image 2025-12-26 at 3.26.01 PM.jpeg'      node-v22.17.1-x64.msi
'ASSIGNMENT 5.pdf'                                   'LICENSE FRONT.pdf'                          'WhatsApp Image 2026-01-02 at 3.46.53 PM.jpeg'      pycharm-community-2025.2.0.1.exe*
'ASSIGNMENT 6.pdf'                                    linux.pem                                   'WhatsApp Image 2026-01-02 at 4.19.54 PM.jpeg'      tsetup-x64.5.11.1.exe*
'Camera imports'/                                     Linux_Basics.pdf                            'WhatsApp Image 2026-01-02 at 4.19.55 PM.jpeg'      'utweb_installer (1).exe'*
 ChromeSetup.exe*                                     Linux_Windows_Kernel_Distributions_Explanation.pdf 'aptitude test (EC4899).pdf'                  utweb_installer.exe*
'Desktop - Shortcut.lnk'*                             Linux_Windows_Kernel_Linux_Distro_Notes.pdf 'assignment 2.pdf'                                       winrar-x64-710.exe*
'Dhinesh & Visalani - Google Drive.html'              Mourian_P_Professional_Resume.pdf            bf4c8045-9c41-4232-b35f-f8c2391f8697.jpg

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads
$ mkdir partha

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads
$ cd p
Putty/                                partha/                                pycharm-community-2025.2.0.1.exe

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads
$ cd partha

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha
$ https://github.com/Mourian-sys/partha.git
bash: https://github.com/Mourian-sys/partha.git: No such file or directory

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha
$ git clone https://github.com/Mourian-sys/partha.git
Cloning into 'partha'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (3/3), done.

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha
$ ls -l
total 0
drwxr-xr-x 1 Mourian P 197121 0 Jan  2 18:31 partha/

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha
$ cd partha/

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main)
$ ls -la
```

```
MINGW64:/c/Users/Mourian P/downloads/partha/partha
$ ls -la
total 5
drwxr-xr-x 1 Mourian P 197121 0 Jan  2 18:31 ./
drwxr-xr-x 1 Mourian P 197121 0 Jan  2 18:31 ../
drwxr-xr-x 1 Mourian P 197121 0 Jan  2 18:31 .git/
-rw-r--r-- 1 Mourian P 197121 8 Jan  2 18:31 README.md

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main)
$ nano file.txt

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main)
$ ls
README.md  file.txt

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main)
$ git add file.txt
warning: in the working copy of 'file.txt', LF will be replaced by CRLF the next time Git touches it

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main)
$ git commit file.txt
warning: in the working copy of 'file.txt', LF will be replaced by CRLF the next time Git touches it
Author identity unknown

*** Please tell me who you are.

Run

  git config --global user.email "you@example.com"
  git config --global user.name "Your Name"

to set your account's default identity.
Omit --global to set the identity only in this repository.

fatal: unable to auto-detect email address (got 'Mourian P@MOURIANPARTHASARATHY.(none)')

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main)
$ git config --mourianparthasarathi@gmail.com
error: unknown option `mourianparthasarathi@gmail.com'
usage: git config list [<file-option>] [<display-option>] [--includes]
   or: git config get [<file-option>] [<display-option>] [--includes] [--all] [--regexp] [--value=<pattern>] [--fixed-value] [--default=<default>] [--url=<url>] <name>
   or: git config set [<file-option>] [--type=<type>] [--all] [--value=<pattern>] [--fixed-value] <name> <value>
   or: git config unset [<file-option>] [--all] [--value=<pattern>] [--fixed-value] <name>
   or: git config rename-section [<file-option>] <old-name> <new-name>
   or: git config remove-section [<file-option>] <name>
   or: git config edit [<file-option>]
   or: git config [<file-option>] --get-colorbool <name> [<stdout-is-tty>]

Config file location
    --[no-]global        use global config file
    --[no-]system        use system config file
    --[no-]local         use repository config file
    --[no-]worktree      use per-worktree config file
    -f, --[no-]file <file>
                         use given config file
    --[no-]blob <blob-id> read config from given blob object

Action
    --get                get value: name [<value-pattern>]
```

MINGW64:/c/Users/Mourian P/downloads/partha/partha

```
Action
    --get                 get value: name [<value-pattern>]
    --get-all             get all values: key [<value-pattern>]
    --get-regexp          get values for regexp: name-regex [<value-pattern>]
    --get-urlmatch        get value specific for the URL: section[.var] URL
    --replace-all         replace all matching variables: name value [<value-pattern>]
    --add                 add a new variable: name value
    --unset               remove a variable: name [<value-pattern>]
    --unset-all           remove all matches: name [<value-pattern>]
    --rename-section      rename section: old-name new-name
    --remove-section      remove a section: name
    -l, --list            list all
    -e, --edit            open an editor
    --get-color           find the color configured: slot [<default>]
    --get-colorbool       find the color setting: slot [<stdout-is-tty>]

Display options
    -z, --[no-]null       terminate values with NUL byte
    --[no-]name-only      show variable names only
    --[no-]show-origin    show origin of config (file, standard input, blob, command line)
    --[no-]show-scope     show scope of config (worktree, local, global, system, command)
    --[no-]show-names     show config keys in addition to their values

Type
    -t, --[no-]type <type>
                          value is given this type
    --bool                value is "true" or "false"
    --int                 value is decimal number
    --bool-or-int         value is --bool or --int
    --bool-or-str         value is --bool or string
    --path                value is a path (file or directory name)
    --expiry-date         value is an expiry date

Other
    --[no-]default <value>
                          with --get, use default value when missing entry
    --[no-]comment <value>
                          human-readable comment string (# will be prepended as needed)
    --[no-]fixed-value    use string equality when comparing values to value pattern
    --[no-]includes       respect include directives on lookup


Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   file.txt


Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main)
$ git commit file.txt
warning: in the working copy of 'file.txt', LF will be replaced by CRLF the next time Git touches it
Author identity unknown
```

MINGW64:/c/Users/Mourian P/downloads/partha/partha

```
Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   file.txt


Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main)
$ git commit file.txt
warning: in the working copy of 'file.txt', LF will be replaced by CRLF the next time Git touches it
Author identity unknown

*** Please tell me who you are.

Run

  git config --global user.email "you@example.com"
  git config --global user.name "Your Name"

to set your account's default identity.
Omit --global to set the identity only in this repository.

fatal: unable to auto-detect email address (got 'Mourian P@MOURIANPARTHASARATHY.(none)')

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main)
$  git config --global user.email

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main)
$  git config --global user.email "mourianparthasarathi@gmail.com"

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main)
$ git config  user.name "Mourian-sys"

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   file.txt


Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main)
$ git commit -m "first commit"
[main 6e6bd18] first commit
 1 file changed, 1 insertion(+)
 create mode 100644 file.txt

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main)
$ git push origin main
info: please complete authentication in your browser...
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
```


MINGW64:/c/Users/Mourian P/downloads/partha/partha
$ git commit file.txt
warning: in the working copy of 'file.txt', LF will be replaced by CRLF the next time Git touches it
Author identity unknown
*** Please tell me who you are.
Run
git config --global user.email "you@example.com"
git config --global user.name "Your Name"
to set your account's default identity.
Omit --global to set the identity only in this repository.
fatal: unable to auto-detect email address (got 'Mourian P@MOURIANPARTHASARATHY.(none)')
Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main)
$ git config --global user.email
Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main)
$ git config --global user.email "mourianparthasarathi@gmail.com"
Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main)
$ git config user.name "Mourian-sys"
Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.
Changes to be committed:
(use "git restore --staged <file>..." to unstage)
new file: file.txt
Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main)
$ git commit -m "first commit"
[main 6e6bd18] first commit
1 file changed, 1 insertion(+)
create mode 100644 file.txt
Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main)
$ git push origin main
info: please complete authentication in your browser...
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 16 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 294 bytes | 58.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Mourian-sys/partha.git
1fef0db..6e6bd18 main -> main
Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main)
$ nano file2.txt
Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main)
$


github login - Yahoo India Sear
Mourian-sys/partha
github.com/Mourian-sys/partha?tab=readme-ov-file#partha
Code
Issues
Pull requests
Actions
Projects
Wiki
Security
Insights
Settings
partha
Public
Pin
Watch 0
Fork 0
Star 0
main
1 Branch
0 Tags
Go to file
Add file
Code
Mourian-sys first commit
6e6bd18 · 8 minutes ago
2 Commits
README.md
Initial commit
33 minutes ago
file.txt
first commit
8 minutes ago
README
partha
About
No description, website, or topics provided.
Readme
Activity
0 stars
0 watching
0 forks
Releases
No releases published
Create a new release
Packages
No packages published
Publish your first package
© 2026 GitHub, Inc.
Terms
Privacy
Security
Status
Community
Docs
Contact
Manage cookies
Do not share my personal information

MINGW64:/c/Users/Mourian P/downloads/partha/partha

```
warning: in the working copy of 'file2.txt', LF will be replaced by CRLF the next time Git touches it
Aborting commit due to empty commit message.

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main)
$ git commit -m file2.txt "2nd"
error: pathspec '2nd' did not match any file(s) known to git

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main)
$ git add file2.txt

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main)
$ git commit -m file2.txt "2nd"
error: pathspec '2nd' did not match any file(s) known to git

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main)
$ ls
README.md  file.txt  file2.txt

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main)
$ git commit -m "2nd"
[main 5cb8b75] 2nd
 1 file changed, 2 insertions(+)
 create mode 100644 file2.txt

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main)
$ git push origin main
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 16 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 314 bytes | 157.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Mourian-sys/partha.git
   6e6bd18..5cb8b75  main -> main

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main)
$
```

github login - Yahoo India Sear | Mourian-sys/partha

github.com/Mourian-sys/partha?tab=readme-ov-file#partha

Code | Issues | Pull requests | Actions | Projects | Wiki | Security | Insights | Settings

partha (Public)

Pin | Watch 0 | Fork 0 | Star 0

main | 1 Branch | 0 Tags | Go to file | Add file | Code

Mourian-sys 2nd — 5cb8b75 · 1 minute ago — 3 Commits

README.md	Initial commit	34 minutes ago
file.txt	first commit	9 minutes ago
file2.txt	2nd	1 minute ago

README

partha

About

No description, website, or topics provided.

Readme
Activity
0 stars
0 watching
0 forks

Releases

No releases published
Create a new release

Packages

No packages published
Publish your first package

© 2026 GitHub, Inc. Terms Privacy Security Status Community Docs Contact Manage cookies Do not share my personal information


MINGW64:/c/Users/Mourian P/downloads/partha/partha
$ git commit -m file2.txt "2nd"
error: pathspec '2nd' did not match any file(s) known to git
Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main)
$ git add file2.txt
Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main)
$ git commit -m file2.txt "2nd"
error: pathspec '2nd' did not match any file(s) known to git
Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main)
$ ls
README.md file.txt file2.txt
Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main)
$ git commit -m "2nd"
[main 5cb8b75] 2nd
1 file changed, 2 insertions(+)
create mode 100644 file2.txt
Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main)
$ git push origin main
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 16 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 314 bytes | 157.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Mourian-sys/partha.git
6e6bd18..5cb8b75 main -> main
Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main)
$ nano file3.txt
Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main)
$ git add file3.txt
warning: in the working copy of 'file3.txt', LF will be replaced by CRLF the next time Git touches it
Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main)
$ git commit -m "3rd"
[main a7b294a] 3rd
1 file changed, 1 insertion(+)
create mode 100644 file3.txt
Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main)
$ git push origin main
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 16 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 275 bytes | 91.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/Mourian-sys/partha.git
5cb8b75..a7b294a main -> main
Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main)
$


github login - Yahoo India Sear
Mourian-sys/partha
github.com/Mourian-sys/partha?tab=readme-ov-file#partha
partha Public
Pin
Watch 0
Fork 0
Star 0
main
1 Branch
0 Tags
Go to file
Add file
Code
Mourian-sys 3rd
a7b294a · 1 minute ago
4 Commits
README.md Initial commit 36 minutes ago
file.txt first commit 11 minutes ago
file2.txt 2nd 3 minutes ago
file3.txt 3rd 1 minute ago
README
partha
About
No description, website, or topics provided.
Readme
Activity
0 stars
0 watching
0 forks
Releases
No releases published
Create a new release
Packages
No packages published
Publish your first package
© 2026 GitHub, Inc. Terms Privacy Security Status Community Docs Contact Manage cookies Do not share my personal information

```
MINGW64:/c/Users/Mourian P/downloads/partha/partha
To https://github.com/Mourian-sys/partha.git
   5cb8b75..a7b294a  main -> main

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main)
$  mail
bash: mail: command not found

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main)
$ git branch main2

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main)
$ git branch
* main
  main2

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main)
$ git checkout main2
Switched to branch 'main2'

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main2)
$ ls -l
total 4
-rw-r--r-- 1 Mourian P 197121  8 Jan  2 18:31 README.md
-rw-r--r-- 1 Mourian P 197121 12 Jan  2 18:38 file.txt
-rw-r--r-- 1 Mourian P 197121 10 Jan  2 18:55 file2.txt
-rw-r--r-- 1 Mourian P 197121  4 Jan  2 19:03 file3.txt

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main2)
$ nano file4.txt

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main2)
$ git add file4.txt
warning: in the working copy of 'file4.txt', LF will be replaced by CRLF the next time Git touches it

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main2)
$ git commit -m "khari"
[main2 25ad531] khari
 1 file changed, 2 insertions(+)
 create mode 100644 file4.txt

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main2)
$ git push origin main2
```

```
MINGW64:/c/Users/Mourian P/downloads/partha/partha

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main)
$ git branch
* main
  main2

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main)
$ git checkout main2
Switched to branch 'main2'

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main2)
$ ls -l
total 4
-rw-r--r-- 1 Mourian P 197121  8 Jan  2 18:31 README.md
-rw-r--r-- 1 Mourian P 197121 12 Jan  2 18:38 file.txt
-rw-r--r-- 1 Mourian P 197121 10 Jan  2 18:55 file2.txt
-rw-r--r-- 1 Mourian P 197121  4 Jan  2 19:03 file3.txt

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main2)
$ nano file4.txt

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main2)
$ git add file4.txt
warning: in the working copy of 'file4.txt', LF will be replaced by CRLF the next time Git touches it

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main2)
$ git commit -m "khari"
[main2 25ad531] khari
 1 file changed, 2 insertions(+)
 create mode 100644 file4.txt

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main2)
$ git push origin main2
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 16 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 292 bytes | 146.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
remote:
remote: Create a pull request for 'main2' on GitHub by visiting:
remote:      https://github.com/Mourian-sys/partha/pull/new/main2
remote:
To https://github.com/Mourian-sys/partha.git
 * [new branch]      main2 -> main2

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main2)
$ |
```

```
MINGW64:/c/Users/Mourian P/downloads/partha/partha
Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main2)
$ git commit -m "khari"
[main2 25ad531] khari
 1 file changed, 2 insertions(+)
 create mode 100644 file4.txt

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main2)
$ git push origin main2
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 16 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 292 bytes | 146.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
remote:
remote: Create a pull request for 'main2' on GitHub by visiting:
remote:      https://github.com/Mourian-sys/partha/pull/new/main2
remote:
To https://github.com/Mourian-sys/partha.git
 * [new branch]      main2 -> main2

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main2)
$ nano file4.txt

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main2)
$ git commit -am "khari"
warning: in the working copy of 'file4.txt', LF will be replaced by CRLF the next time Git touches it
[main2 10184af] khari
 1 file changed, 1 insertion(+), 1 deletion(-)

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main2)
$ git push origin main
Everything up-to-date

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main2)
$ git push origin main2
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 16 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 274 bytes | 91.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/Mourian-sys/partha.git
   25ad531..10184af  main2 -> main2

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main2)
$
```





```
MINGW64:/c/Users/Mourian P/downloads/partha/partha
Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main2)
$ git commit -am "khari"
warning: in the working copy of 'file4.txt', LF will be replaced by CRLF the next time Git touches it
[main2 10184af] khari
 1 file changed, 1 insertion(+), 1 deletion(-)

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main2)
$ git push origin main
Everything up-to-date

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main2)
$ git push origin main2
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 16 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 274 bytes | 91.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/Mourian-sys/partha.git
   25ad531..10184af  main2 -> main2

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main2)
$ git checkout -b main3
Switched to a new branch 'main3'

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main3)
$ nano file5.txt

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main3)
$ git add file5.txt
warning: in the working copy of 'file5.txt', LF will be replaced by CRLF the next time Git touches it

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main3)
$ git commit -m "hari"
[main3 1966cfb] hari
 1 file changed, 1 insertion(+)
 create mode 100644 file5.txt

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main3)
$ git push orgin main3
fatal: 'orgin' does not appear to be a git repository
fatal: Could not read from remote repository.

Please make sure you have the correct access rights
and the repository exists.

Mourian P@MOURIANPARTHASARATHY MINGW64 ~/downloads/partha/partha (main3)
$ |
```

THIS IS THE COMMANDS TODAS USED AND EXECUTED TO CTREATE A FILE AND PUSH FILE INTO A GIIT HUB WITNH A USE OF GIT:

---

git status -s
This command displays the current state of the working directory in short format. It shows which files are modified, staged, or untracked. Developers use it to quickly review changes before adding or committing files. It helps avoid mistakes by checking file status.

---

git add <filename>
This command adds a specific file to the staging area. It tells Git to track the selected file changes. It is used when we want to commit only particular files. This gives better control over what is included in a commit.

---

git add .
This command stages all modified and newly created files in the current directory. It is useful when multiple files are changed and need to be committed together. It saves time compared to adding files individually. It prepares all changes for commit.

---

git commit -m "message"
This command records the staged changes into the local repository. The message describes what changes were made. It creates a permanent snapshot of the project. It helps in tracking project history and collaboration.

---

git commit -am "message"
This command stages and commits all previously tracked files in one step. It does not include new untracked files. It is used to save time during frequent updates. It makes the commit process faster and simpler.

---

git push origin main
This command sends local commits from the main branch to the remote repository. It helps share code with team members. It updates the central repository with latest changes. It is essential for collaboration and backup.

---

git branch
This command lists all branches in the repository. It also highlights the currently active branch. It helps developers manage multiple development paths. It is useful for organizing feature development.

---

git branch <branch-name>
This command creates a new branch with the given name. It allows working on new features without affecting the main code. It supports parallel development. It helps maintain code stability.

---

git checkout <branch-name>
This command switches the working directory to another branch. It updates files to match the selected branch. It is used to work on different features or versions. It helps in testing and development.

---

git switch <branch-name>
This command is a modern alternative to git checkout for switching branches. It is clearer and safer to use. It reduces confusion between file checkout and branch switching. It improves Git usability.

---

git checkout -b <branch-name>
This command creates a new branch and switches to it immediately. It combines branch creation and switching. It saves time and commands. It is used to quickly start new development work.

---

git log –oneline:
This command shows the commit history in a single-line format. Each commit is displayed with a short hash and message. It helps quickly review past commits. It is useful for identifying commit IDs.