```
% J Hundley
% assign07.m
% compute and display the frontal area of the car drag coefficients
clc, clear all
% ***** CONSTANT *****
FILENAME = 'dragCoef07.txt';
DENSITY = 1.225; % kg/m3,density of air at sea level
FORCE = 350; % Newtons (N), force of the drag
VELOCITY = 90/3.6; % or 25 m/s, velocity of object relative to the fluid
% autonomous function to compute frontal area
getArea = @(coef) (2*FORCE) ./ ( coef * DENSITY * VELOCITY ^ 2 );
% ***** INPUT *****
% open data file
[ fileID, msg ] = fopen( FILENAME, 'r' );
% does file exist?
if fileID <= 0</pre>
    fprintf( 'File not available\n' )
else
    % file exist continue
    % read year and drag coefficient from file
    car = 0;
    while ~feof( fileID )
        car = car + 1;
        yearDrag( car, 1 ) = fscanf( fileID, '%f', 1 ); % year
        yearDrag( car, 2 ) = fscanf( fileID, '%f', 1 ); % drag coefficient
    end
    % ***** COMPUTE *****
    % compute the frontal area of all cars
    allArea = getArea( yearDrag(:,2) );
    % add frontal area as third column of matrix
    yearDrag(:,3) = allArea';
    % sort matrix by year column ascending order
    sortMatrix = sortrows( yearDrag, 1 );
    % get average frontal area
    aveArea
                  = mean( sortMatrix(:,3) );
    % ***** OUTPUT *****
    % print table again using fprintf()
    printReport( sortMatrix, aveArea )
    fclose( fileID );
end
```

```
% J Hundley
% printReport.m used by assign07.m
function [] = printReport( carMatrix, aveArea )
% % print report and draw graph
% print rtable
fprintf( '
              All Cars\n' )
fprintf( 'Year
               Drag
                       Frontal\n' )
fprintf( '
                       Area(m^2)\n')
                Coef
for car = 1:length(carMatrix(:,1) )
   fprintf( '%4.0f %4.2f %6.4f', carMatrix(car,:) )
   if carMatrix(car,3) > aveArea
      fprintf( ' *\n' )
      fprintf( '\n' )
   end
end
fprintf( '* Frontal area above area \n' )
% draw a plot of the years and drag coef
plotData( carMatrix( :,1 ), carMatrix( :,2 ) )
end
% ------INDICATED IN PRINTED WHICH USES IT
function [] = plotData( years, dragCoef )
% draw a plot of the years and drag coef
numCars = 1:length( years );
[hAx,hLine1,hLine2] = plotyy( numCars, years, numCars, dragCoef );
title( 'Years .vs Drag Coef' )
xlabel( 'Car number' )
hLine1.LineStyle = '--';
hLine2.LineStyle = ':';
                     % left y-axis
ylabel(hAx(1),'Year')
ylabel(hAx(2),'Drag Coef') % right y-axis
end
```

Read <u>all</u> instructions before beginning your work.

COMP1200-MATLAB – assign07

Due 4:45pm – MONDAY 23, 2020

Submit assign07.m and

printReport.m via Canvas

NOTE:
Your submitted file(s) MUST be
elled and cased as instructed.

# Before you start writing your program:

Read the complete instructions. Write an algorithm to use to as comments in you script. An **algorithm** contains the steps needed to guide you through solving a problem.

**NEW DATE** 

## Program: assign07.m

Your assign07.m will read the data file and write the same report as assign06 with the follow modifications.

Use **feof**() to control the read file loop.

Use an anonymous function to compute the frontal area.

Use a user-defined function to print the report and draw a graph. Use a subfunction to draw the graph.

In assign07.m

Open file and read data into a two column matrix.

Use the anonymous function given below to compute the frontal area. Add area as third matrix column and sort the matrix by year. Get the average frontal area.

Use a user-defined function to print the report and draw a graph.

An <u>anonymous function</u> should be place near the top of the script with the <u>constants</u>.

```
Do not use commands and statements beyond what has been taught on class.
```

### New commands:

Use feof() to end the read file loop. plotyy()

Only continue if file is available otherwise

### **Continue:**

Use functions from previous assignments as needed.

fscanf() to read the data file
Only continue if file is available.
Use fprintf() for all output.
Use descriptive variables.

```
% autonomous function to compute frontal area
getArea = @(coef) (2*FORCE) ./ ( coef * DENSITY * VELOCITY ^ 2 );
```

In **printReport()** include all statements and comments needed to print all the output and draw a graph.

Use the given subfunction to plot the years and drag coefs.


The function should be named as given and save in a file printReport.m.

Variable names may be different, but the order and quantity should be as given.

```
function [] = printReport( carMatrix, aveArea )
% print report and draw graph
```

Type plotData() as subfunction located in the primary function, printReport.m file. The subfunction is used by the primary function, printReport(), to draw a graph. Colors may differ.

```
function [] = plotData( years, dragCoef )
% draw a plot of the years and drag coef
numCars = 1:length( years );
[hAx,hLine1,hLine2] = plotyy( numCars,
years, numCars, dragCoef );
title( 'Years .vs Drag Coef' )
xlabel( 'Car number' )
hLine1.LineStyle = '--';
hLine2.LineStyle = ':-';
ylabel(hAx(1),'Year')  % left y-axis
ylabel(hAx(2),'Drag Coef') % right y-axis
end
```



Problem CONSTANTS: (with units)
filename = 'dragCoef07.txt'
velocity, horizontal\_force, air\_density

Problem Inputs: (with units)
drag coefficient

Problem Outputs: (with units)
frontal area

Other variables: (with units)
average frontal area

Equation:
See above.

Algorithm:

Using the following section comments and previous assignment files as a guide <u>create an algorithm</u> for the current requirements. Use the algorithm as comments in your assign07.m

```
% ***** CONSTANT ****
% ***** INPUT ****
% ***** COMPUTE ****
% ***** OUTPUT ****
```

# assign07.m coef area carMarix aveArea getArea @ printReport() in assign07.m plotData() in printReport.m

# Instructions for all assignment scripts:

 $\hfill \square$  See Standards for Documentation of MATLAB Programs on the Canvas Resources page.

☐ Insert comments at the top and throughout each file.

o Include the follow comments at the beginning of this (and ALL) files.

% submitter's name, GROUP # or "none"

% other group members' names or "none"

% program file name, ex. assign02a.m

% due date of the assignment

% statement about collaboration REQUIRED.

% a short narrative about what the file does

Use the algorithm given as comments throughout your program.

☐ Observe the instructor's rule for naming variables.

o Use ALL CAPS for constants variable names.

Start other variables with lower case.

o Use descriptive variable names.

☐ Use Sample Input/Output as a guide.

☐ Code clarity:

o Indent blocks as needed. Use Smart Indent.

Divide your solution program code into sections as noted in the algorithm.
 Use blank lines as needed to group statements.

o Use section comments as well as the algorithm step comments.

o Remove statements from previous assignments that do not apply to the current requirements.

☐ Use comments to show units.

☐ Use the CONSTANT and variable names, not numbers. Exceptions are incrementers (or counters) and numbers without identity.

☐ No extra output, i.e. use semicolons

# Submit via Canvas:

assign07.m MATLAB script file printReport.m user-defined function file

GRADE OF ZERO for a file if submitter name not part of Canvas group.

(-3pts) No <u>CURRENT</u> GROUP# or "none".

(-3pts) For your own protection, type "none" for other group members if submitting alone. (-5pts) Five point penalty for not joining your Canvas group.

(-5pts) Starting with assign06, penalty applied for omitting the name of any group member from a script comment list or an incomplete name of a group member in a script comment list. This penalty will be applied to the group grade if at least one file has incomplete or incorrect name information.

(-5pts) Zero points for comments if no collaboration statement.

NOTE: Your submitted file(s) MUST be spelled and cased as instructed.
One submission per group. Canvas links members to files and rubric.
A script cannot run from Canvas. It must be downloaded, saved, and "run".