

[Conditional Branch]

Function

- Creates branching in the event content to provide handling when conditions are met.

Settings

- Choose the condition from the various options and specify their content (options are separated into [Tab 1] and [Tab 2]).
- If [Set handling when conditions do not apply] is enabled under [Option], a branch will be created for handling when the specified conditions are not met.

Conditional Branch

Condition

1 2

☒ Switch 0001 ... is ON ▼

☐ Variable ... is

☐ Constant

☐ Variable

☐ Timer 1 Min Sec

☐ Timer 2 Min Sec

☐ Money

Option

☒ Set handling when conditions do not apply

OK Cancel Help

○ Switch

The condition will be set based on the state of a switch. Click the [...] button to open the [Switches] window to specify a switch, and specify if the switch's state should be [ON] or [OFF].

○ Variable

The condition will be set based on the value stored in a variable. The variable to use (A), the value to compare it with (B) and the operator (C) are specified as follows. As an example, to set the condition “Variable no. 1 is greater than 5”, set A as “0001”, B as the constant “5”, and C as “Greater than”.

(A) Variable to use:

Click the [...] button to open the [Variables] window to specify the variable.

(B) Value to compare:

Specify using one of the following methods.

Constant: Compare with a constant value. Enter within the range of -999999~999999.

Variable: Compare with a value stored in a variable. Click the [...] button to open the [Variables] window to specify the variable.

(C) Operator:

From the dropdown menu, choose the range that the variable should fit in from the 6 options below.

Equal to: $A = B$

Greater than or equal to: $A \geq B$

Less than or equal to: $A \leq B$

Greater than: $A > B$

Less than: $A < B$

Not: $A \neq B$

○ **Timer 1**

Uses the time remaining in Timer 1. Enter the comparison time in terms of [minutes][seconds], and specify if the timer's time should be [Greater than or equal to] or [Less than or equal to] this time.

○ **Timer 2**

Uses the time remaining in Timer 2. Enter the comparison time in terms of [minutes][seconds], and specify if the timer's time should be [Greater than or equal to] or [Less than or equal to] this time.

○ **Money**

Uses the current money in possession. Enter the amount of money to compare to, and specify if the possessed money should be [Greater than or equal to] or [Less than or equal to] this amount of money.

○ **Item**

Uses a possessed item. Specify the item's name and whether it is [in Inventory] or [not in Inventory] using the respective dropdown lists. Items that are equipped on actors in the party are counted as [in Inventory].

○ **Actor**

Uses an actor's status. Use the dropdown menu to specify the actor, and click the [...] button to specify the condition in the [Actor condition] window.

Specify the condition from the following.

~ **is in the party**: Checks whether the actor is in the party.

~ **'s name is**: Checks the actor's name. Enter the name condition in the form control.

~ **'s level is**: Checks whether the actor has reached a particular level. Enter the level condition.

~ **'s HP is**: Checks whether the actor's HP is above a certain value. Enter the HP value condition.

~ **'s skill**: Checks whether the actor can use a particular skill. Choose the skill from the dropdown menu.

~ **'s item**: Checks whether the actor has a particular item equipped. Choose the item from the dropdown menu.

~ **'s state**: Checks whether the actor is afflicted by a particular status effect. Choose the status effect from the dropdown menu.

○ **Character**

Uses the character's facing direction. Choose the character and the facing direction from the dropdown menu. "This Event" refers to the last map event on the call stack.

○ **Vehicle**

Uses the current vehicle. Specify the vehicle using the dropdown menu.

○ **Event was triggered by decision key**

Checks whether the select key was used to start this event.

○ **Current BGM has completed a loop**

Checks if the BGM has been played for the duration of one loop.

○ **Other**

Miscellaneous conditions. Select one from the dropdown box:

- Savestate is available: Checks whether at least one saved game exists. Can be used to determine whether to offer the option to load a game from a custom title screen.
- Playtest mode is active: Checks whether the game is currently in playtest mode. Can be used to activate specific debug or cheating options only during playtest and not during normal play.
- ATB mode is "Wait ON": Checks whether the ATB mode (whether or not wait with enemy attacks while the player selects a skill/item) is set to "Wait ON".
- Fullscreen mode is active: Checks whether the game is running in fullscreen (as opposed to windowed) mode.