Laravel Tinkering

Marc

Marc Pallares Pino
2nDAM

MP09

Profesor: Jordi Vega

INDEX

Github:

https://github.com/Mpallares1/laraveltinkeringmarc

Creació del projecte

Pelicules

```
alumnat@marc:~/Escriptori/mp09/laraveltinkerin$ php artisan make:model Pelicula -mcr -mf

   INFO  Model [app/Models/Pelicula.php] created successfully.

   INFO  Factory [database/factories/PeliculaFactory.php] created successfully.

   INFO  Migration [database/migrations/2024_12_17_151307_create_peliculas_table.php] created successfully.

   INFO  Controller [app/Http/Controllers/PeliculaController.php] created successfully.

alumnat@marc:~/Escriptori/mp09/laraveltinkerin$ █
```

Creacio de la taula (migration)

```php
no usages
public function up(): void
{
    Schema::create( table: 'peliculas', function (Blueprint $table) {
        $table->id();
        $table->string( column: 'Title');
        $table->string( column: 'Description');
        $table->integer( column: 'Duration');
        $table->string( column: 'Genre');
        $table->string( column: 'Sales');
        $table->timestamps();

    });
}
```

```php
<?php

namespace App\Models;

use ...


6 usages
class Pelicula extends Model
{

    /** @use HasFactory<\Database\Factories\PeliculaFactory> */
    use HasFactory;


no usages
    protected $fillable = ['Title', 'Description', 'Duration', 'Genre', 'Sales'];
}
```

```
alumnat@marc:~/Escriptori/mp09/laraveltinkerin$ php artisan migrate

  INFO  Running migrations.

  2024_12_17_151307_create_peliculas_table ................................................................. 3.53ms DONE

alumnat@marc:~/Escriptori/mp09/laraveltinkerin$
```

REsultat taula:

```
> ⊞ password_reset_tokens
∨ ⊞ peliculas
    ∨ 📁 columns 8
          🔑 id          integer (auto increment)
          🔲 Title        varchar
          🔲 Description   varchar
          🔲 Duration      integer
          🔲 Genre         varchar
          🔲 Sales         integer
          ⊡ created_at    datetime
          ⊡ updated_at    datetime
    > 📁 keys 1
  > ⊞ sessions
  > ⊞ sqlite_master
```

index

```php
<html lang="es">
<head>
</head>
<body class="bg-[#121212] min-h-screen flex flex-col">

<!-- Header -->
@include('layouts.header')

<!-- Main Content -->
<div class="container mx-auto px-4 py-8 flex-grow">
    <div class="glass-effect shadow-md rounded-lg p-8">
        <h1 class="text-4xl font-bold text-white mb-4">Films</h1>
        <a href="{{ route('peliculas.create') }}" class="btn-primary px-6 py-2 rounded-full inline-block mb-4">Añadir Nueva Pelicula</a>
        <table class="min-w-full bg-white rounded-lg overflow-hidden">
            <thead>
            <tr class="table-header">
                <th class="table-cell">ID</th>
                <th class="table-cell">Title</th>
                <th class="table-cell">Genre</th>
                <th class="table-cell">Sales</th>
                <th class="table-cell table-actions">Actions</th>
            </tr>
            </thead>
            <tbody class="text-gray-700">
            @forelse ($films as $film)
                <tr class="table-row">
                    <td class="table-cell">{{ $film->id }}</td>
                    <td class="table-cell">{{ $film->Title }}</td>
                    <td class="table-cell">{{ $film->Genre }}</td>
                    <td class="table-cell">{{ $film->Sales }}</td>
                    <td class="table-cell table-actions">
                        <a href="{{ route('peliculas.edit', $film->id) }}" class="text-blue-500 hover:text-blue-700">Edit</a>
                        <a href="{{ route('peliculas.show', $film->id) }}" class="text-green-500 hover:text-green-700">View</a>
                        <form action="{{ route('peliculas.destroy', $film->id) }}" method="POST" class="inline-block">
                            @csrf
                            @method('DELETE')
                            <button type="submit" class="text-red-500 hover:text-red-700">Delete</button>
                        </form>
                    </td>
                </tr>
            @empty
                <tr>
```

Equips

Per crear la taula de equips repetirem els passos

```php
<?php

use ...

return new class extends Migration
{
    /**
     * Run the migrations.
     */
    «Marc»
    public function up(): void
    {
        Schema::create( table: 'equipos', function (Blueprint $table) {
            $table->id();
            $table->string( column: 'name');
            $table->string( column: 'city');
            $table->integer( column: 'year_of_creation');
            $table->string( column: 'division');
            $table->string( column: 'description');
            $table->timestamps();
        });
    }

    /**
     * Reverse the migrations.
     */
    «Marc»
    public function down(): void
    {
        Schema::dropIfExists( table: 'equipos');
    }
};
```

index

```php
<html lang="es">
<head>
    <style>
    </style>
</head>
<body class="bg-[#121212] min-h-screen flex flex-col">

<!-- Header -->
@include('layouts.header')

<!-- Main Content -->
<div class="container mx-auto px-4 py-8 flex-grow">
    <div class="glass-effect shadow-md rounded-lg p-8">
        <h1 class="text-4xl font-bold text-white mb-4">Equipos de Fútbol</h1>
        <a href="{{ route('equipos.create') }}" class="btn-primary px-6 py-2 rounded-full inline-block mb-4">Añadir Nuevo Equipo</a>
        <table class="min-w-full bg-white border border-gray-300 rounded-lg overflow-hidden">
            <thead class="table-header">
            <tr>
                <th class="table-cell">ID</th>
                <th class="table-cell">Nombre</th>
                <th class="table-cell">Año de Creación</th>
                <th class="table-cell">División</th>
                <th class="table-cell text-center">Acciones</th>
            </tr>
            </thead>
            <tbody class="text-gray-700">
            @forelse ($equipos as $equipo)
                <tr class="table-row border-b border-gray-300">
                    <td class="table-cell">{{ $equipo->id }}</td>
                    <td class="table-cell">{{ $equipo->name }}</td>
                    <td class="table-cell">{{ $equipo->year_of_creation }}</td>
                    <td class="table-cell">{{ $equipo->division }}</td>
                    <td class="table-cell text-center">
                        <a href="{{ route('equipos.edit', $equipo->id) }}" class="text-blue-500 hover:text-blue-700 mr-4">Editar</a>
                        <a href="{{ route('equipos.show', $equipo->id) }}" class="text-green-500 hover:text-green-700 mr-4">Ver</a>
                        <form action="{{ route('equipos.destroy', $equipo->id) }}" method="POST" class="inline-block">
                            @csrf
                            @method('DELETE')
                            <button type="submit" class="text-red-500 hover:text-red-700">Eliminar</button>
                        </form>
                    </td>
                </tr>
```

Creació edit

Edit Pelicules :

```
2     <html lang="es">
3     <head>
63    </head>
64    <body class="bg-[#121212] min-h-screen flex flex-col">
65
66    <!-- Header -->
67    @include('layouts.header')
68
69    <!-- Main Content -->
70    <div class="container mx-auto px-4 py-8 flex-grow">
71        <div class="glass-effect shadow-md rounded-lg p-8 max-w-4xl mx-auto">
72            <h1 class="text-4xl font-bold text-white mb-6">Edit Film</h1>
73            <form action="{{ route('peliculas.update', $film->id) }}" method="POST">
74                @csrf
75                @method('PUT')
76                <div>
77                    <label for="title" class="block text-sm text-gray-300 mb-2">Title:</label>
78                    <input type="text" name="title" id="title" value="{{ $film->Title }}" class="form-input" required>
79                </div>
80                <div>
81                    <label for="Description" class="block text-sm text-gray-300 mb-2">Description:</label>
82                    <input type="text" name="Description" id="Description" value="{{ $film->Description }}" class="form-input" required>
83                </div>
84                <div>
85                    <label for="Duration" class="block text-sm text-gray-300 mb-2">Duration:</label>
86                    <input type="text" name="Duration" id="Duration" value="{{ $film->Duration }}" class="form-input" required>
87                </div>
88                <div>
89                    <label for="genre" class="block text-sm text-gray-300 mb-2">Genre:</label>
90                    <input type="text" name="genre" id="genre" value="{{ $film->Genre }}" class="form-input" required>
91                </div>
92                <div>
93                    <label for="sales" class="block text-sm text-gray-300 mb-2">Sales:</label>
94                    <input type="number" name="sales" id="sales" value="{{ $film->Sales }}" class="form-input" required>
95                </div>
96                <div class="text-center">
97                    <button type="submit" class="btn-primary px-6 py-2 rounded-full">Update Film</button>
98                </div>
99            </form>
100       </div>
101   </div>
```

edit equipos

```php
    2        <html lang="es">
   79        <body class="bg-gray-100 min-h-screen flex flex-col">
   81            <!-- Header -->
   82            @include('layouts.header')
   83
   84            <!-- Main Content -->
   85            <div class="container mx-auto px-4 py-8 flex-grow">
   86                <div class="glass-effect shadow-md rounded-lg p-8">
   87                    <h1 class="text-4xl font-bold text-[#8B4513] mb-6">Editar Equipo</h1>
   88                    <form action="{{ route('equipos.update', $equipo->id) }}" method="POST">
   89                        @csrf
   90                        @method('PUT')
   91
   92                        <div class="mb-4">
   93                            <label for="name" class="block text-gray-700 text-sm font-bold mb-2">Nombre:</label>
   94                            <input type="text" name="name" id="name" value="{{ $equipo->name }}" class="shadow appearance-none border rounded w-full py-2 px-3 text-gray-700 leadin
   95                        </div>
   96
   97                        <div class="mb-4">
   98                            <label for="city" class="block text-gray-700 text-sm font-bold mb-2">Ciudad:</label>
   99                            <input type="text" name="city" id="city" value="{{ $equipo->city }}" class="shadow appearance-none border rounded w-full py-2 px-3 text-gray-700 leadin
  100                        </div>
  101
  102                        <div class="mb-4">
  103                            <label for="year_of_creation" class="block text-gray-700 text-sm font-bold mb-2">Año de Creación:</label>
  104                            <input type="number" name="year_of_creation" id="year_of_creation" value="{{ $equipo->year_of_creation }}" class="shadow appearance-none border rounde
  105                        </div>
  106
  107                        <div class="mb-4">
  108                            <label for="division" class="block text-gray-700 text-sm font-bold mb-2">División:</label>
  109                            <input type="text" name="division" id="division" value="{{ $equipo->division }}" class="shadow appearance-none border rounded w-full py-2 px-3 text-gr
  110                        </div>
  111
  112                        <div class="mb-4">
  113                            <label for="description" class="block text-gray-700 text-sm font-bold mb-2">Descripción:</label>
  114                            <textarea name="description" id="description" class="shadow appearance-none border rounded w-full py-2 px-3 text-gray-700 leading-tight focus:outline-
  115                        </div>
  116
  117                        <div class="flex items-center justify-between">
  118                            <button type="submit" class="bg-blue-500 hover:bg-blue-700 text-white font-bold py-2 px-4 rounded focus:outline-none focus:shadow-outline">
  119                                Actualizar Equipo
```

Creació create

pelicules :

```html
<html lang="es">
</head>
<body class="bg-gray-100 p-8">
<div class="max-w-4xl mx-auto bg-white shadow-md rounded-lg p-6">
    <h1 class="text-3xl font-bold mb-4">Add New Film</h1>
    <form action="{{ route('peliculas.store') }}" method="POST">
        @csrf
        <div class="mb-4">
            <label for="Title" class="block text-gray-700 text-sm font-bold mb-2">Title:</label>
            <input type="text" name="Title" id="title" class="shadow appearance-none border rounded w-full py-2 px-3 text-gray-700 leading-tight focus:outline-none focus:sh
        </div>
        <div class="mb-4">
            <label for="description" class="block text-gray-700 text-sm font-bold mb-2">Description:</label>
            <input type="text" name="Description" id="description" class="shadow appearance-none border rounded w-full py-2 px-3 text-gray-700 leading-tight focus:outline-n
        </div>
        <div class="mb-4">
            <label for="duration" class="block text-gray-700 text-sm font-bold mb-2">Duration:</label>
            <input type="number" name="Duration" id="duration" class="shadow appearance-none border rounded w-full py-2 px-3 text-gray-700 leading-tight focus:outline-none
        </div>
        <div class="mb-4">
            <label for="genre" class="block text-gray-700 text-sm font-bold mb-2">Genre:</label>
            <input type="text" name="Genre" id="genre" class="shadow appearance-none border rounded w-full py-2 px-3 text-gray-700 leading-tight focus:outline-none focus:sh
        </div>
        <div class="mb-4">
            <label for="sales" class="block text-gray-700 text-sm font-bold mb-2">Sales:</label>
            <input type="number" name="Sales" id="sales" class="shadow appearance-none border rounded w-full py-2 px-3 text-gray-700 leading-tight focus:outline-none focus:
        </div>
        <div class="flex items-center justify-between">
            <button type="submit" class="bg-blue-500 hover:bg-blue-700 text-white font-bold py-2 px-4 rounded focus:outline-none focus:shadow-outline">
                Add Film
            </button>
        </div>
    </form>
</div>
</body>
</html>
```

Equips:

```php
<html lang="es">
<head>
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Crear Equipo de Fútbol</title>
    <link href="https://cdn.jsdelivr.net/npm/tailwindcss@2.2.19/dist/tailwind.min.css" rel="stylesheet">
</head>
<body class="bg-gray-100 p-8">
<div class="max-w-4xl mx-auto bg-white shadow-md rounded-lg p-6">
    <h1 class="text-3xl font-bold mb-4">Añadir Nuevo Equipo</h1>
    <form action="{{ route('equipos.store') }}" method="POST">
        @csrf
        <div class="mb-4">
            <label for="name" class="block text-gray-700 text-sm font-bold mb-2">Nombre:</label>
            <input type="text" name="name" id="name" class="shadow appearance-none border rounded w-full py-2 px-3 text-gray-700 leading-tight focus:outline-none focus:shad
        </div>
        <div class="mb-4">
            <label for="year_of_creation" class="block text-gray-700 text-sm font-bold mb-2">Año de Creación:</label>
            <input type="number" name="year_of_creation" id="year_of_creation" class="shadow appearance-none border rounded w-full py-2 px-3 text-gray-700 leading-tight focu
        </div>
        <div class="mb-4">
            <label for="division" class="block text-gray-700 text-sm font-bold mb-2">División:</label>
            <input type="text" name="division" id="division" class="shadow appearance-none border rounded w-full py-2 px-3 text-gray-700 leading-tight focus:outline-none fo
        </div>
        <div class="mb-4">
            <label for="description" class="block text-gray-700 text-sm font-bold mb-2">Description:</label>
            <input type="text" name="description" id="description" class="shadow appearance-none border rounded w-full py-2 px-3 text-gray-700 leading-tight focus:outline-n
        </div>
        <div class="mb-4">
            <label for="city" class="block text-gray-700 text-sm font-bold mb-2">Ciudad:</label>
            <input type="text" name="city" id="city" class="shadow appearance-none border rounded w-full py-2 px-3 text-gray-700 leading-tight focus:outline-none focus:shad
        </div>

        <div class="flex items-center justify-between">
            <button type="submit" class="bg-blue-500 hover:bg-blue-700 text-white font-bold py-2 px-4 rounded focus:outline-none focus:shadow-outline">
                Añadir Equipo
            </button>
        </div>
    </form>
</div>
</body>
</html>
```

Creació Show

equips:

```
2    <html lang="es">
3    <head>
46   </head>
47   <body class="bg-gray-100 min-h-screen flex flex-col">
48
49   <!-- Header -->
50   @include('layouts.header')
51
52   <!-- Main Content -->
53   <div class="container mx-auto px-4 py-8 flex-grow">
54       <div class="glass-effect shadow-md rounded-lg p-8">
55           <h1 class="text-4xl font-bold text-[#8B4513] mb-6">Detalles del Equipo</h1>
56           <div class="mb-4">
57               <label class="block text-gray-700 text-sm font-bold mb-2">Nombre:</label>
58               <p class="text-gray-700">{{ $equipo->name }}</p>
59           </div>
60           <div class="mb-4">
61               <label class="block text-gray-700 text-sm font-bold mb-2">Ciudad:</label>
62               <p class="text-gray-700">{{ $equipo->city }}</p>
63           </div>
64           <div class="mb-4">
65               <label class="block text-gray-700 text-sm font-bold mb-2">Año de Creación:</label>
66               <p class="text-gray-700">{{ $equipo->year_of_creation }}</p>
67           </div>
68           <div class="mb-4">
69               <label class="block text-gray-700 text-sm font-bold mb-2">División:</label>
70               <p class="text-gray-700">{{ $equipo->division }}</p>
71           </div>
72           <div class="mb-4">
73               <label class="block text-gray-700 text-sm font-bold mb-2">Descripción:</label>
74               <p class="text-gray-700">{{ $equipo->description }}</p>
75           </div>
76           <a href="{{ route('equipos.index') }}" class="bg-blue-500 text-white px-6 py-2 rounded-full hover:bg-blue-700 transition-all duration-300 ease-in-out">Volver</
77       </div>
78   </div>
79
80   <!-- Footer -->
81   @include('layouts.footer')
82
83   </body>
84   </html>
85
```

peliucules:

```
 2           <html lang="es">
47           </head>
48           <body class="bg-[#121212] min-h-screen flex flex-col">
49
50               <!-- Header -->
51               @include('layouts.header')
52
53               <!-- Main Content -->
54               <div class="container mx-auto px-4 py-8 flex-grow">
55                   <div class="glass-effect shadow-md rounded-lg p-8 max-w-4xl mx-auto">
56                       <h1 class="text-4xl font-bold text-white mb-6">Detalles de la Película</h1>
57                       <div class="mb-4">
58                           <label class="block text-gray-300 text-sm font-bold mb-2">Título:</label>
59                           <p class="text-gray-300">{{ $film->Title }}</p>
60                       </div>
61                       <div class="mb-4">
62                           <label class="block text-gray-300 text-sm font-bold mb-2">Descripción:</label>
63                           <p class="text-gray-300">{{ $film->Description }}</p>
64                       </div>
65                       <div class="mb-4">
66                           <label class="block text-gray-300 text-sm font-bold mb-2">Duración:</label>
67                           <p class="text-gray-300">{{ $film->Duration }}</p>
68                       </div>
69                       <div class="mb-4">
70                           <label class="block text-gray-300 text-sm font-bold mb-2">Género:</label>
71                           <p class="text-gray-300">{{ $film->Genre }}</p>
72                       </div>
73                       <div class="mb-4">
74                           <label class="block text-gray-300 text-sm font-bold mb-2">Ventas:</label>
75                           <p class="text-gray-300">{{ $film->Sales }}</p>
76                       </div>
77                       <div class="text-center">
78                           <a href="{{ route('peliculas.index') }}" class="btn-primary px-6 py-2 rounded-full inline-block">Volver</a>
79                       </div>
80                   </div>
81               </div>
82
83               <!-- Footer -->
84               @include('layouts.footer')
85
86           </body>
```

RUTES

web.php:

```php
<?php

use ...

Route::get( uri: '/', function () {
    return view( view: 'welcome');
});

Route::get( uri: '/peliculas', [PeliculaController::class, 'index'])->name( name: 'peliculas.index');
Route::get( uri: '/peliculas/create', [PeliculaController::class, 'create'])->name( name: 'peliculas.create');
Route::post( uri: '/peliculas/store', [PeliculaController::class, 'store'])->name( name: 'peliculas.store');
Route::get( uri: '/peliculas/{id}/edit', [PeliculaController::class, 'edit'])->name( name: 'peliculas.edit');
Route::get( uri: '/peliculas/destroy/{id}', [PeliculaController::class, 'destroy'])->name( name: 'peliculas.destroy');
Route::put( uri: '/peliculas/update/{id}', [PeliculaController::class, 'update'])->name( name: 'peliculas.update');
Route::get( uri: '/peliculas/{id}', [PeliculaController::class, 'show'])->name( name: 'peliculas.show');
Route::delete( uri: '/peliculas/{id}', [PeliculaController::class, 'destroy'])->name( name: 'peliculas.destroy');

Route::get( uri: '/equipos', [EquiposController::class, 'index'])->name( name: 'equipos.index');
Route::get( uri: '/equipos/create', [EquiposController::class, 'create'])->name( name: 'equipos.create');
Route::post( uri: '/equipos/store', [EquiposController::class, 'store'])->name( name: 'equipos.store');
Route::get( uri: '/equipos/{id}/edit', [EquiposController::class, 'edit'])->name( name: 'equipos.edit');
Route::get( uri: '/equipos/destroy/{id}', [EquiposController::class, 'destroy'])->name( name: 'equipos.destroy');
Route::put( uri: '/equipos/update/{id}', [EquiposController::class, 'update'])->name( name: 'equipos.update');
Route::get( uri: '/equipos/{id}', [EquiposController::class, 'show'])->name( name: 'equipos.show');
Route::delete( uri: '/equipos/{id}', [EquiposController::class, 'destroy'])->name( name: 'equipos.destroy');
```

Controllers

Equips:

```php
<?php

namespace App\Http\Controllers;

use ...

9 usages   ± «Marc»
class EquiposController extends Controller
{
    /**
     * Display a listing of the resource.
     */
    ± «Marc»
    public function index()
    {
        $equipos = Equipos::all();
        return view( view: 'equipos.index', compact( var_name: 'equipos'));

    }

    /**
     * Show the form for creating a new resource.
     */
    ± «Marc»
    public function create()
    {
        return view( view: 'equipos.create');

    }

    /**
     * Store a newly created resource in storage.
     */
    ± «Marc»
    public function store(Request $request)
    {
        $validatedData = $request->validate([
            'name' => 'required',
            'city' => 'required',
            'year_of_creation' => 'required',
            'division' => 'required',
```

Pelicula:

```php
class PeliculaController extends Controller
{
    /**
     * Update the specified resource in storage.
     */
    👤 «Marc»
    public function update(Request $request, $id)
    {
        $request->validate([
            'title' => 'required|string|max:255',
            'Description' => 'required|string',
            'Duration' => 'required|string',
            'genre' => 'required|string|max:255',
            'sales' => 'required|integer',
        ]);

        $film = Pelicula::find($id);
        if ($film) {
            $film->Title = $request->input( key: 'title');
            $film->Description = $request->input( key: 'Description');
            $film->Duration = $request->input( key: 'Duration');
            $film->Genre = $request->input( key: 'genre');
            $film->Sales = $request->input( key: 'sales');
            $film->save();

            return redirect()->route( route: 'peliculas.index')
                ->with('success', 'Película actualizada correctamente.');
        } else {
            return redirect()->route( route: 'peliculas.index')
                ->with('error', 'Película no encontrada.');
        }
    }

    /**
     * Remove the specified resource from storage.
     */
```

Layouts

header.php:

footer.php:

```php
<footer class="bg-[#121212] glass-effect py-8 border-t border-[rgba(139,69,19,0.2)]">
    <div class="container mx-auto text-center">
        <p class="text-gray-300 text-sm mb-4">
            &copy; <?php echo date("Y"); ?> Todos los derechos reservados.
        </p>
        <div class="flex justify-center space-x-6 mb-4">
            <a href="#" class="text-gray-300 hover:text-white transition">Política de Privacidad</a>
            <a href="#" class="text-gray-300 hover:text-white transition">Términos y Condiciones</a>
        </div>
        <div class="flex justify-center space-x-6">
            <!-- Icono de LinkedIn -->
            <a href="https://www.linkedin.com" target="_blank" class="flex items-center justify-center w-10 h-10 rounded-full glass-effect hover-effect">
                <svg xmlns="http://www.w3.org/2000/svg" fill="currentColor" viewBox="0 0 24 24" class="w-6 h-6 text-gray-300 hover:text-white transition">
                    <path d="M19 0H5C2.2 0 0 2.2 0 5v14c0 2.8 2.2 5 5 5h14c2.8 0 5-2.2 5-5V5c0-2.8-2.2-5-5-5zM7.6 19H4.5V8.9h3.1V19zm-1.6-11c-1 0-1.8-.8-1.8-1.8S5 4.4 6 4.4
                </svg>
            </a>
            <!-- Icono de Instagram -->
            <a href="https://www.instagram.com" target="_blank" class="flex items-center justify-center w-10 h-10 rounded-full glass-effect hover-effect">
                <svg xmlns="http://www.w3.org/2000/svg" fill="none" viewBox="0 0 24 24" stroke="currentColor" class="w-6 h-6 text-gray-300 hover:text-white transition">
                    <path stroke-linecap="round" stroke-linejoin="round" stroke-width="2" d="M7.75 3h8.5A4.75 4.75 0 0121 7.75v8.5A4.75 4.75 0 0116.25 21h-8.5A4.75 4.75 0 03
                    <path stroke-linecap="round" stroke-linejoin="round" stroke-width="2" d="M16.5 7.5h.008v.008H16.5V7.5zM7.75 12a4.25 4.25 0 108.5 0 4.25 4.25 0 00-8.5 0z
                </svg>
            </a>
            <!-- Icono de Telegram -->
            <a href="https://web.telegram.org" target="_blank" class="flex items-center justify-center w-10 h-10 rounded-full glass-effect hover-effect">
                <svg xmlns="http://www.w3.org/2000/svg" fill="currentColor" viewBox="0 0 24 24" class="w-6 h-6 text-gray-300 hover:text-white transition">
                    <path d="M23.77 4.61L20.8 20.3c-.3 1.3-1.1 1.7-2.2 1.2l-6-4.5-2.9 2.8c-.3.3-.5.5-.9.5l.4-4.2 7.7-7-9.3 6.2-4-.9c-1.1-.3-1.1-1.1.3-1.7l18-7c.8-.2 1.5.2 1
                </svg>
            </a>
        </div>
        <p class="text-gray-300 text-sm mt-4">
            Creado por: <span class="text-white font-bold">Marc Pallares Pino</span>
        </p>
    </div>
</footer>
```

Página principal

```php
<html lang="es">
<head>
    <style>
        }
    </style>
</head>
<body class="min-h-screen flex flex-col justify-between">
@include('layouts.header')
<div class="container mx-auto px-4 py-12">
    <header class="text-center mb-16" data-aos="fade-down" data-aos-duration="1000">
        <h1 class="text-5xl font-bold text-white mb-4 neon-text">Laravel Tinkerin Marc</h1>
        <p class="text-2xl text-gray-200">Gestió de peliculas y equipos</p>
    </header>

    <main class="grid md:grid-cols-2 gap-12">
        <section class="glass-effect p-8 hover-effect transition-all duration-300" data-aos="fade-right" data-aos-duration="1000">
            <h2 class="text-3xl font-semibold text-white mb-6">Peliculas</h2>
            <p class="text-gray-200 mb-6">Explora y gestiona tu universo cinematográfico. Desde blockbusters hasta joyas indie, todo en un solo lugar.</p>
            <a href="{{ route('peliculas.index') }}" class="inline-block btn-primary px-6 py-3 rounded-full font-bold">
                Descubre Películas
            </a>
        </section>

        <section class="glass-effect p-8 hover-effect transition-all duration-300" data-aos="fade-left" data-aos-duration="1000" data-aos-delay="200">
            <h2 class="text-3xl font-semibold text-white mb-6">Equipos</h2>
            <p class="text-gray-200 mb-6">Conoce a las mentes creativas detrás de la magia. Gestiona equipos de producción de clase mundial.</p>
            <a href="{{ route('equipos.index') }}" class="inline-block btn-primary px-6 py-3 rounded-full font-bold">
                Explora Equipos
            </a>
        </section>
    </main>

    <div class="mt-20 text-center" data-aos="zoom-in" data-aos-duration="1000">
        <img src="https://cdn.pixabay.com/photo/2014/04/02/16/17/ball-306820_1280.png" alt="Logo" class="mx-auto w-72 rounded-full shadow-lg float-animation">
    </div>
</div>
@include('layouts.footer')

<script src="https://unpkg.com/aos@2.3.1/dist/aos.js"></script>
<script>
```

Seeders


```php
<?php

namespace Database\Seeders;

use ...

class FilmsTableSeeder extends Seeder
{
    public function run()
    {
        DB::table(table: 'films')->insert([
            [
                'Title' => 'Inception',
                'Genre' => 'Sci-Fi',
                'Sales' => 1000000,
                'created_at' => now(),
                'updated_at' => now(),
            ],
            [
                'Title' => 'The Dark Knight',
                'Genre' => 'Action',
                'Sales' => 1500000,
                'created_at' => now(),
                'updated_at' => now(),
            ],
            // Add more default inserts as needed
        ]);
    }
}
```

Carpeta Resources

L'estreuctura de la carpeta resources

MODELS

Equips:

```php
<?php

namespace App\Models;

use ...

class Equipos extends Model
{
    /** @use HasFactory<\Database\Factories\EquiposFactory> */
    use HasFactory;

    protected $fillable = ['name', 'city', 'year_of_creation', 'division', 'description'];
}
```

Pelicules:

```php
<?php

namespace App\Models;

use ...

class Pelicula extends Model
{

    /** @use HasFactory<\Database\Factories\PeliculaFactory> */
    use HasFactory;

    protected $fillable = ['Title', 'Description', 'Duration', 'Genre', 'Sales'];
}
```