

ICPSR 23782

National Survey on Drug Use and Health, 2007

*United States Department of Health and
Human Services. Substance Abuse and
Mental Health Services Administration.
Office of Applied Studies*

Codebook

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies//terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

**NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS**

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

*****Processor Notes*****
NSDUH 2007:
National Survey on Drug Use and Health
(ICPSR 23782-0001)

- 1) All system-missing values (denoted as “.” in the frequencies) were recoded to “-9” in the data file. In the past these values were coded to “99”.
- 2) Variables ending in ...NEWA through NEWE (e.g., HALNEWA) represent written responses to open-ended questions regarding use of specific drugs. This resulted in some instances of incorrectly classified drugs.

2007 NATIONAL SURVEY ON DRUG USE AND HEALTH

PUBLIC USE FILE CODEBOOK

Contract No. 283–2004–00022
Project No. 9009
Deliverable 26

Prepared for:

Substance Abuse and Mental Health Services Administration
Rockville, Maryland 20857

Prepared by:

RTI International
Research Triangle Park, North Carolina 27709

Date File Name: PUF2007_092012

September 21, 2012

TABLE OF CONTENTS

Section	Page
Introduction and Description of the 2007 National Survey on Drug Use and Health.....	i-1
Introduction	i-1
Overview of NSDUH	i-1
Strengths and Limitations of NSDUH	i-4
Survey Methodology	i-5
Stratification and Selection of Primary and Secondary Sampling Units (Census Tracts and Area Segments)	i-6
Selection of Dwelling Units	i-7
Selection of Persons	i-7
Data Collection and Response Rates	i-8
Weighting Procedures	i-8
Contents and Organization of the 2007 NSDUH Public Use File	i-9
Data File Description.....	i-9
Variable Naming Conventions.....	i-11
Usable Cases	i-11
Logical Editing	i-12
Editing Procedure for Drug Use Variables.....	i-13
Standard Code Conventions.....	i-14
Statistical Imputation	i-15
Variance Estimation of Totals	i-17
Statistical Significance of Differences	i-19
Use of Sample Weights and Sample Design Variables	i-20
Confidentiality of Data	i-21
Public Use File Estimates and Standard Errors	i-23
New Data Since Last Release	i-24

Table

1. Demographic Domains Forced to Match Their Respective U.S. Census Bureau Population Estimates through the Weight Calibration Process: 2007	i-19
2. Past Month Marijuana Prevalence and Standard Error Ratios of Public Use File Subsample to the Full Sample, by Seven Domains: 2007	i-23
3. Past Year Heroin Prevalence and Standard Error Ratios of Public Use File Subsample to the Full Sample, by Seven Domains: 2007	i-23
4. Variables Added to the 2007 Public Use Data File and Codebook	i-24

CODEBOOK

IDENTIFICATION.....	1
CORE SUBSTANCE USE	
TOBACCO.....	2
ALCOHOL.....	22
MARIJUANA.....	27
COCAINE.....	31
CRACK.....	35
HEROIN.....	39
HALLUCINOGENS.....	42
INHALANTS.....	56
PAIN RELIEVERS.....	65
TRANQUILIZERS.....	83
STIMULANTS.....	94
SEDATIVES.....	107
IMPUTED SUBSTANCE USE	
RECENCY OF DRUG USE.....	116
PAST YEAR FREQUENCY OF USE.....	123
PAST MONTH FREQUENCY OF USE.....	127
AGE/DATE OF FIRST DRUG USE.....	131
RECODED DRUG USE.....	138
SELECTED UNEDITED VARIABLES.....	163
NON-CORE	
SPECIAL DRUGS.....	185
RECODED SPECIAL DRUGS.....	207
RISK/AVAILABILITY.....	212
RECODED RISK/AVAILABILITY.....	218
BLUNTS.....	220
SUBSTANCE DEPENDENCE AND ABUSE.....	224
IMPUTED SUBSTANCE DEPENDENCE AND ABUSE.....	296
RECODED SUBSTANCE DEPENDENCE AND ABUSE.....	301
SPECIAL TOPICS.....	309

RECODED SPECIAL TOPICS.....	318
MARIJUANA PURCHASES.....	319
RECODED MARIJUANA PURCHASES.....	337
PRIOR SUBSTANCE USE.....	339
RECODED PRIOR SUBSTANCE USE.....	398
SUBSTANCE TREATMENT.....	419
RECODED SUBSTANCE TREATMENT.....	465
PREGNANCY AND HEALTH CARE.....	480
RECODED PREGNANCY AND HEALTH CARE.....	488
ADULT MENTAL HEALTH TREATMENT.....	493
RECODED ADULT MENTAL HEALTH TREATMENT.....	511
SOCIAL ENVIRONMENT.....	520
YOUTH EXPERIENCES.....	523
RECODED YOUTH EXPERIENCES.....	542
PSYCHOLOGICAL DISTRESS.....	547
RECODED PSYCHOLOGICAL DISTRESS.....	550
ADULT DEPRESSION.....	553
RECODED ADULT DEPRESSION.....	573
YOUTH MENTAL HEALTH TREATMENT.....	576
RECODED YOUTH MENTAL HEALTH TREATMENT.....	601
ADOLESCENT DEPRESSION.....	633
RECODED ADOLESCENT DEPRESSION.....	653
RECODED ADULT AND ADOLESCENT DEPRESSION.....	655
CONSUMPTION OF ALCOHOL.....	661
RECODED CONSUMPTION OF ALCOHOL.....	674
HOUSEHOLD COMPOSITION (ROSTER).....	679
RECODED INCOME AND INSURANCE.....	693
INCOME AND INSURANCE.....	696
INTERVIEW INFORMATION.....	697
DEMOGRAPHICS.....	
CORE DEMOGRAPHICS.....	698
IMPUTED DEMOGRAPHICS.....	700
RECODED DEMOGRAPHICS.....	701
NON-CORE DEMOGRAPHICS.....	703
RECODED NON-CORE DEMOGRAPHICS.....	709
EMPLOYMENT AND WORKPLACE.....	710
IMPUTED EMPLOYMENT AND WORKPLACE.....	720
GEOGRAPHIC.....	721
SAMPLE WEIGHTING AND ESTIMATION VARS.....	722
ALPHA INDEX OF VARIABLE NAMES.....	723
INDEX OF VARIABLE NAMES.....	793

APPENDICES

APPENDIX A	Drug Codes for Open-Ended Questions
APPENDIX B	Consolidated Drug Other Specify Tables
APPENDIX C	Tobacco Brand Codes for Open-Ended Questions
APPENDIX D	Recoded Substance Dependence and Abuse Variable Documentation
APPENDIX E	Recoded Mental Health Variable Documentation
APPENDIX F	Recoded Depression Variable Documentation
APPENDIX G	Occupational Classification System For PUF Recodes
APPENDIX H	Industrial Classification System For PUF Recodes
APPENDIX I	Key Mental Health Variables

Introduction and Description of the 2007 National Survey on Drug Use and Health

Introduction

This codebook provides documentation for the 2007 National Survey on Drug Use and Health (NSDUH) public use file. Prior to 2002, the survey was called the National Household Survey on Drug Abuse (NHSDA). NSDUH is sponsored by the Center for Behavioral Health Statistics and Quality (CBHSQ, formerly the Office of Applied Studies) within the Substance Abuse and Mental Health Services Administration (SAMHSA) and is conducted by RTI International, Research Triangle Park, North Carolina.¹

For each variable in the 2007 public use file, the codebook provides the variable name, a description of the variable, value codes and their meanings, and a univariate frequency distribution. Most of the variables originated as interview items. For created variables, the source variables and recoding specifications are provided, if space allows. In addition, case identification, sampling, and data collection variables are included in the file and documented in the codebook. The variable names in this codebook are the variable names that appear in the dataset.

Extensive work was done on the 2007 public use file to protect respondent confidentiality while still allowing most variables to be available for analysts to use. Confidentiality protection procedures implemented in RTI's innovative statistical disclosure limitation method were used. The method is called Micro Agglomeration, Substitution, Subsampling, and Calibration (MASSC). The procedures are discussed in greater detail in the Confidentiality of Data section near the end of this introduction. Briefly, the steps included standard procedures for eliminating variables for which there was a high risk that individuals could be identified and collapsing the values of other variables. Additional special techniques to protect respondent confidentiality included subsampling of records and substitution of data from donors. Analysis of the data after these procedures were implemented showed that the effect on the levels and accuracy of estimates was minimal. Nevertheless, *because of the procedures that were implemented, users of this file are advised that previously published estimates may not be exactly reproducible from the variables on this file.*

Overview of NSDUH

The 2007 NSDUH is the 27th in a series, the primary purpose of which is to measure the prevalence and correlates of drug use in the United States. This survey series provides information about the use of illicit drugs, alcohol, and tobacco among members of the noninstitutionalized U.S. civilian population aged 12 or older. Surveys have been conducted periodically since 1971, with the most recent ones in 1979, 1982, 1985, 1988, and 1990 through 2007. Currently, public use files are available for surveys from 1979 onward.

¹ RTI International is a trade name of Research Triangle Institute.

In 1999, the survey underwent a major redesign. The method of data collection was changed from a paper questionnaire administration to a computer-assisted administration. In addition, the sample design was changed from a strictly national design to a State-based sampling plan. These important changes have a major impact on the data produced from the survey. *Because of the differences in methodology and impact of the new design on data collection, only limited comparisons can be made between data from the redesigned surveys (1999 onward) and data obtained from surveys prior to 1999. Also, because of survey improvements made in 2002, the 2007 data in this file should not be compared with data collected in 2001 or earlier to assess changes over time. However, there should be no problem with comparisons between 2002 and data from subsequent public use files, including this one.*

Prior to 1999, the survey was conducted using paper-and-pencil interviewing (PAPI) methods for an interview lasting about an hour. The PAPI instrumentation consisted of a questionnaire booklet completed by an interviewer and a set of individual answer sheets completed by a respondent. All substance use questions and other sensitive questions appeared on the answer sheets, so the interviewer was unaware of the respondent's answers. Less sensitive questions concerning demographics, occupational status, household size, and composition were asked aloud by the interviewer and recorded in the questionnaire booklet.

Starting in 1999, the interview is now carried out using computer-assisted interviewing (CAI) methods. The survey uses a combination of computer-assisted personal interviewing (CAPI) conducted by an interviewer and audio computer-assisted self-interviewing (ACASI). For the most part, questions previously administered by an interviewer are now administered by an interviewer using CAPI. Questions previously administered using self-administered answer sheets are now administered using ACASI. Use of ACASI is designed to provide respondents with a highly private and confidential means of responding to questions and to increase the level of honest reporting of illicit drug use and other sensitive behaviors.

A key feature of the CAI instrument is a core/supplement structure. A core set of questions critical for basic trend measurement of prevalence estimates remains in the survey every year and comprises the first part of the interview. Supplemental questions, or modules, that can be revised, dropped, or added from year to year make up the remainder of the interview. The core consists of initial demographic items and questions pertaining to the use of tobacco, alcohol, marijuana, cocaine, crack cocaine, heroin, hallucinogens, inhalants, pain relievers, tranquilizers, stimulants, and sedatives. Supplemental items include the remaining ACASI sections and demographic questions. It should be mentioned that some of the supplemental portions of the questionnaire have remained in the survey, relatively unchanged, every year (e.g., current health insurance coverage, income). Since 1988, additional information also has been gathered about the form of cocaine known as "crack" and about sharing needles for the injection of drugs. In addition, the consequences of using various drugs have been given considerable attention since 1985.

The 2007 NSDUH documentation includes specifications for the logic governing how respondents were routed through the questions in the interview. Analysts are encouraged to refer to this document in conjunction with their review of the codebook. For searchable versions of the specifications, see the Substance Abuse and Mental Health Data Archive (SAMHDA) Web site at <http://www.icpsr.umich.edu/icpsrweb/SAMHDA/studies/23782>.

The target population for the 2007 survey was the same as has been defined since the 1991 survey: the civilian, noninstitutionalized population of the United States (including civilians living on military bases) who were 12 years of age or older at the time of the survey. Before 1991, the sample was drawn from the household population of the contiguous 48 States. Residents of Alaska and Hawaii were added to the sample population in 1991, as were residents of noninstitutional group quarters (e.g., college dormitories, group homes, civilians dwelling on military installations) and persons with no permanent residence (homeless people in shelters and residents of single rooms in hotels). In addition, six special-interest metropolitan statistical areas (MSAs) were oversampled in 1991. The 1992 and 1993 surveys retained the oversampling of the six MSAs and also were designed to provide quarterly as well as annual estimates.

Beginning in 1999, the survey sample employed a 50-State design with an independent, multistage area probability sample for each of the 50 States and the District of Columbia. The eight States with the largest population (which together account for 48 percent of the total U.S. population aged 12 or older) were designated as large sample States (California, Florida, Illinois, Michigan, New York, Ohio, Pennsylvania, and Texas). For these States, the design provided a sample large enough to support direct State estimates. For the remaining 42 States and the District of Columbia, smaller, but adequate, samples were selected to support State estimates using small area estimation (SAE) techniques. The design also oversampled youths and young adults, so that each State's sample was approximately equally distributed among three major age groups: 12 to 17 years, 18 to 25 years, and 26 years or older.

Although the design of the 2007 survey is similar to the design of the 1999 through 2001 surveys, there are important methodological differences since 2002 that affect the 2007 estimates. As noted above, the survey's name was changed from the National Household Survey on Drug Abuse (NHSDA) to the National Survey on Drug Use and Health (NSDUH) in 2002. In addition to the survey's name change, each NSDUH respondent beginning in 2002 is now given an incentive payment of \$30. These changes have resulted in a substantial improvement in the survey response rate. The changes also affected respondents' reporting of many critical items that are the basis of prevalence measures reported by the survey each year. Further, the data could have been affected by improved data collection quality control procedures that were introduced in the survey beginning in 2001. In addition, new population data from the 2000 decennial census became available for use in NSDUH sample weighting procedures, resulting in another discontinuity between estimates since 2002 and those prior to 2002. *Analyses of the effects of each of these factors on NSDUH estimates have shown that the 2007 data in this public use file should not be compared with 2001 and earlier data to assess changes over time. As noted above, however, comparisons may be made between 2002 and surveys in subsequent years, including this one.*

Data file users who wish to analyze data from multiple survey years including 2007 (e.g., 2002-2007²) should first sort the combined data by the sample design variables VESTR (variance estimation [pseudo] stratum) and VEREP (variance estimation [pseudo] replicate within stratum). These variables are then specified in a software package such as SUDAAN® to automatically account for the 50 percent overlap between successive years when estimating

² Changes in the sample design are accounted for in the sample design variables. Therefore, it is appropriate to combine 2002-2006 data with 2007 and onward.

variances and standard errors.³ The original ANALWT_C should be used when analyzing data for any single year or comparing estimates between years within a combined file containing data from multiple years. However, generation of new estimates based upon pooled data from multiple years requires the use of new analysis weights. These weights would be created as ANALWT_C divided by the number of years of combined data (e.g., ANALWT_C divided by 6 for point estimates based upon the combined 2002-2007 data). In addition, special consideration needs to be given to using the proper weights to analyze pooled data from 2004 and 2005 for the adult mental health (renamed to psychological distress in 2006) and adult depression modules. This issue is discussed further in the section on the Use of Sample Weights and Sample Design Variables.

A description of the 2007 survey, including more detailed information on sample issues, can be found in the following NSDUH documents released in 2008:

- Office of Applied Studies. (2008). *Results from the 2007 National Survey on Drug Use and Health: National findings* (HHS Publication No. SMA 08-4343, NSDUH Series H-34). Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Office of Applied Studies. (2008). *Results from the 2007 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration.

These documents present in tabular, graphical, and narrative bullet formats some key 2007 findings on drug use prevalence by age and major demographic variables. They are available at <http://www.samhsa.gov/data/NSDUH.aspx>.

Strengths and Limitations of NSDUH

NSDUH is the only study that annually produces estimates of drug use among civilian members of the noninstitutionalized population in the United States. The survey is an appropriate technique for estimating prevalence estimates for use of different drugs because most drug use would not ordinarily come to the attention of administrative, medical, or correctional authorities and therefore would not be included in official statistics. In-person interviews with a large national probability sample seem to be the best way to estimate drug use in virtually the entire population of the United States.

The redesign of the survey in 1999 also has yielded improvements. With the expanded sample design, the precision of the estimates at the national level is improved substantially. The CAI methodology also has made data collection and processing more efficient and has improved data quality.

Although NSDUH is useful for many purposes, it has certain limitations. First, the data are self-reports of drug use, and their value depends on respondents' truthfulness and memory. Although some experimental studies have established the validity of self-reported data in similar

³ In SUDAAN, the sample design is specified using the NEST statement. See RTI International. (2004). *SUDAAN® language manual, Release 9.0*. Research Triangle Park, NC: Author.

contexts and NSDUH procedures were designed to encourage honesty and recall, some underreporting and overreporting may have taken place.

Second, the survey is cross-sectional rather than longitudinal. That is, individuals were interviewed only once and were not followed for additional interviews in subsequent years. Each year's survey, therefore, provides an overview of the prevalence of drug use at a specific point in time rather than a view of how drug use changes over time for specific individuals.

Third, because the target population of the survey is defined as the noninstitutionalized civilian population of the United States, a small proportion (slightly less than 2 percent) of the population is excluded. The subpopulations excluded are members of the active-duty military and persons in institutional group quarters (e.g., hospitals, prisons, nursing homes, treatment centers). If the drug use of these groups differs from that of the noninstitutionalized civilian population, NSDUH may provide slightly inaccurate estimates of drug use in the total population. This may be particularly true for prevalence estimates for rarely used drugs, such as heroin.

Survey Methodology

Like the 1999 to 2006 surveys, the 2007 survey was conducted using CAI methods. This survey also allows for improved State estimates based on minimum sample sizes per State. The target sample size of 67,500 allows SAMHSA to continue reporting adequately precise demographic subgroup estimates at the national level without needing to oversample specially targeted demographics, as was required in the past. The achieved sample size for the 2007 survey was 67,377 persons. Note that numbers discussed in this introduction that refer to restricted-use full sample data may differ from previously published numbers due to updates; for details, see Section B.3 in Appendix B of the national findings report for the 2011 NSDUH.⁴ No corresponding changes were needed on the public use data files. *Because of the subsampling step used in the procedures to control the risk of disclosing the identity of any respondent, only 55,435 records appear on the public use file (see the section on Confidentiality of Data).*

The 2007 NSDUH is the third survey in a coordinated 5-year sample design. Although there is no overlap with the 1999-2004 samples, the coordinated design for 2005 through 2009 facilitated a 50 percent overlap in second-stage units (area segments [see below]) between each 2 successive years from 2005 through 2009.⁵ This design was intended to increase the precision of estimates in year-to-year trend analyses because of the expected positive correlation resulting from the overlapping sample between successive survey years.

The 2007 design allows for computation of estimates by State in all 50 States plus the District of Columbia. States may therefore be viewed as the first level of stratification as well as a reporting variable. Eight States, referred to as the large sample States, had a sample designed to yield 3,600 respondents per State for the 2007 survey. This sample size was considered adequate

⁴ Center for Behavioral Health Statistics and Quality. (2012). *Results from the 2011 National Survey on Drug Use and Health: Summary of national findings* (HHS Publication No. SMA 12-4713, NSDUH Series H-44). Rockville, MD: Substance Abuse and Mental Health Services Administration.

⁵ In segments used in 2 successive years, only addresses not sampled in the first year may be included in the second year's sample.

to support direct State estimates. The remaining 43 States (which include the District of Columbia) had a sample designed to yield 900 respondents per State in the 2007 survey. In these 43 States, adequate data were available to support reliable State estimates based on SAE methodology.

Stratification and Selection of Primary and Secondary Sampling Units (Census Tracts and Area Segments)

Within each State, sampling strata called State sampling (SS) regions were formed. Based on a composite size measure, States were partitioned geographically into roughly equally sized regions. In other words, regions were formed such that each area yielded, in expectation, roughly the same number of interviews during each data collection period. The eight large sample States were divided into 48 SS regions each; the remaining States were divided into 12 SS regions each. Therefore, the partitioning of the United States resulted in the formation of a total of 900 SS regions.

Unlike the 1999 through 2004 surveys, the first stage of selection for the 2005 through 2009 NSDUHs was census tracts. The first stage of selection began with the construction of an area sample frame that contained one record for each census tract in the United States. If necessary, census tracts were aggregated within SS regions until each tract⁶ had, at a minimum, 150 dwelling units⁷ in urban areas and 100 dwelling units in rural areas.⁸ These census tracts served as the primary sampling units (PSUs) for the coordinated 5-year sample.

Before selecting census tracts, additional implicit stratification was achieved by sorting the first-stage sampling units by a CBSA/SES⁹ (core-based statistical area/socioeconomic status) indicator¹⁰ and by the percentage of the population who are non-Hispanic and white. From this well-ordered sample frame, 48 census tracts per SS region were selected with probabilities proportionate to a composite size measure and with minimum replacement.

Because census tracts generally exceed the minimum dwelling unit requirement, one smaller geographic area was selected within each sampled census tract. For this second stage of sampling, each selected census tract was partitioned into small geographic areas composed of adjacent census blocks. These geographic clusters of blocks are referred to as *segments* and are the secondary sampling units (SSUs) for the coordinated 5-year sample design. A sample *dwelling unit* in NSDUH refers to either a housing unit or a group quarters listing unit, such as a

⁶ For the remainder of the discussion, first-stage sampling units are referred to as "census tracts" even though each first-stage sampling unit contains one or more census tracts.

⁷ Dwelling unit counts were obtained from the 2000 decennial census data supplemented with revised population counts from Claritas.

⁸ The basis for the differing minimum dwelling unit requirement in urban and rural areas is that it is more difficult to meet the requirement in rural areas, and 100 dwelling units is sufficient to support one field test and two main study samples.

⁹ CBSAs include metropolitan and micropolitan statistical areas, as defined in the following: Office of Management and Budget (OMB, 2003, June 6). *OMB Bulletin No. 03-04: Revised definitions of metropolitan statistical areas, new definitions of micropolitan statistical areas and combined statistical areas, and guidance on uses of the statistical definitions of these areas*. Washington, DC: The White House.

¹⁰ Four categories are defined as (1) CBSA/low SES, (2) CBSA/high SES, (3) non-CBSA/low SES, and (4) non-CBSA/high SES.

dormitory room or a shelter bed. To support the overlapping sample design and any special supplemental samples or field tests that SAMHSA might wish to conduct, segments were formed to contain a minimum of 150 dwelling units in urban areas and 100 dwelling units in rural areas.

One segment was selected within each sampled census tract with probability proportionate to size. The 48 selected segments then were randomly assigned to a survey year and quarter of data collection.

Selection of Dwelling Units

The sample design required an approximately equal number of persons in three age groups: 12 to 17 years, 18 to 25 years, and 26 years or older. To improve the precision of the estimates, the sample allocation process targeted five age groups: 12 to 17 years, 18 to 25 years, 26 to 34 years, 35 to 49 years, and 50 years or older. Here the allocation among the three age groups in the 26 years or older group was done in such a way as to increase precision while maintaining approximately the same sample size as the 12 to 17 and 18 to 25 age groups. The size measures used in selecting the area segments were coordinated with the dwelling unit and person selection process so that a nearly self-weighting sample could be achieved in each of the five age groups. Departures from the self-weighting objective occurred for several reasons, including the following:

- advance projections on the number of dwelling units did not accurately reflect the current housing inventory;
- maximum dwelling unit sample sizes were preset to control the interviewer workload and to allow unused addresses to be available for the next year's survey; and
- the person selection probabilities were constrained so that no more than two persons could be selected per dwelling unit.

An iterative sample allocation process was followed to adjust for these additional constraints. In addition, the dwelling unit sample allocation in each area segment was adjusted to allow for dwelling unit eligibility, for screening nonresponse, and for person nonresponse.

In advance of the survey period, specially trained listers had visited each area segment and listed all addresses for housing units and eligible group quarters units in a prescribed order. Systematic sampling was used to select the allocated sample of addresses from each segment.¹¹

Selection of Persons

During each quarterly survey, field interviewers (FIs) visited each sample address to determine dwelling unit eligibility, to list all eligible persons at the address, to select the sample

¹¹ This had the effect of creating noncompact clusters (selection from a list), which differ from compact clusters in that not all units within the cluster are included in the sample. Although compact cluster designs are less costly and more stable, a noncompact cluster design was used because it provides for greater heterogeneity of dwellings within the sample. Also, social interaction (contagion) among neighboring dwellings is sometimes introduced with compact clusters. See Kish, L. (1965). *Survey sampling*. New York, NY: John Wiley.

of persons to be interviewed, and to conduct interviews. In addition, the interviewers followed special "half-open" interval procedures to identify any new (since the time of listing) housing units or any dwelling units missed during the advance listing process. Any new or missed dwelling units following immediately after a sample dwelling unit and up to, but not including, the next initially listed address in the prescribed order of listing also were included in the sample.

The interviewers used a handheld computer to record the results of the dwelling unit screening process and to select the sample of respondents. They recorded the results of each call, the final eligibility status of the dwelling unit, and information on new and missed dwelling units. If a sample address was an eligible occupied dwelling unit, they also conducted a screening interview to identify and roster all survey-eligible persons residing at the address. When the roster was complete, the computer was programmed to select the sample of persons to be interviewed using parameters specified for that area segment and a random number specified for that address.

Data collection progress was monitored during each quarterly survey by State. Small reserve samples were held back each quarter so that the assigned sample size could be adjusted if necessary during the course of data collection.

Data Collection and Response Rates

The fieldwork for the 2007 NSDUH was directed by senior RTI staff members. RTI maintained a field staff of approximately 700 FIs to collect the data.

As noted above, a total final sample of 67,377 CAI interviews was obtained for the 2007 survey. Strategies for ensuring high rates of participation resulted in a weighted screening response rate of 89.07 percent and a weighted interview response rate for the CAI of 73.87 percent. (Note that these response rates reflect the original sample, not the subsampled data file referenced in this document.)

Throughout the course of the study, respondent anonymity and the privacy of responses were protected by separating identifying information from survey responses. Respondents were assured that their identities and responses would be handled in the strictest compliance with Federal law. As discussed above, the questionnaire itself and the interviewing procedures were designed to enhance the privacy of responses, especially during segments of the interview in which questions of a sensitive nature were posed. Answers to sensitive questions were gathered using ACASI. During ACASI portions of the interview, respondents listened to prerecorded questions through headphones and entered their responses directly into a computer without interviewers knowing how they were answering. At the conclusion of the ACASI section, the interview returned to the CAPI mode with the interviewer completing the questionnaire. Each respondent who completed a full interview was given a \$30 cash payment as a token of appreciation for his or her time.

Weighting Procedures

The estimates yielded by NSDUH are based on sample survey data rather than on complete data for the entire population. This means that the data must be weighted to obtain

unbiased estimates for drug use in the population represented by the 2007 NSDUH. The "final sampling weight" of the i^{th} respondent, say w_i , can be interpreted as the number of persons in the NSDUH target population represented by the i^{th} respondent. The sum of the weights over all respondents is used to estimate the size of the total target population:

$$\sum_i w_i = \text{estimated size of target population},$$

where the summation is over all respondents in the 2007 NSDUH.

The "basic sampling weights" for the 2007 NSDUH are equal to the inverse of the probabilities of selecting sample respondents. In other words, the smaller a respondent's chance of entering the sample, the larger the weight that respondent has in the calculation of unbiased estimates for the target population. The probability of selecting a respondent can be computed as the product of four stagewise sampling probabilities. Specifically, the probability of selecting respondent i equals the product of (a) the probability of selecting respondent i 's census tract from an SS region with each State, (b) the probability of selecting respondent i 's segment given the location of the census tract, (c) the probability of selecting respondent i 's dwelling unit given the selection of his or her segment, and (d) the probability of selecting respondent i within that selected dwelling unit.

To obtain the full-sample "final NSDUH weights," the basic sampling weights were adjusted to take into account dwelling unit-level and individual-level nonresponse. These weights were adjusted further to ensure consistency with 2000-based census population estimates obtained from the U.S. Census Bureau.

For the public use file, a portion of the records was randomly subsampled from the original file and removed to introduce uncertainty in a "potential intruder's" mind while reducing the probability that any known respondent was in the public use file (see the section on Confidentiality of Data near the end of this introduction). Therefore, the weights of the members of the remaining sample subsequently were adjusted for subsampling. The weights then were calibrated to known totals from the full analytic file in order to increase precision. (See the section on Confidentiality of Data for more details.)

Contents and Organization of the 2007 NSDUH Public Use File

Data File Description

The file described here is made available as an ASCII file with 3,130 variables and 55,435 observations. *Three program files are made available to read the ASCII file into SAS, SPSS, or Stata. The file also is made available as a SAS transport (CPORT) file, SPSS system file, Stata system file, and ASCII tab-delimited file. All of the data and program files are available from SAMHDA.*

The overall organization of the file is shown in the Table of Contents of this document. Edited data from core drug modules make up the first portion of the file. Edited data from the noncore self-administered modules and demographic questions are in later sections. These

variables contain missing data; see the section on Standard Code Conventions for a description of the codes given to different types of missing data. For each edited variable, the number of observations assigned a given missing data code is shown in the entry for that variable.

Imputation-revised drug use variables, as well as selected recoded versions of these variables, are included for core drug use variables. These imputed and recoded drug use variables are in separate sections following the edited core drug use variables. The recoded drug use variables include indicators for lifetime, past year, and past month substance use. The imputation-revised core drug use variables served as the starting point for the recoded core drug use variables. Imputation-revised core and noncore demographic variables also are included toward the end of the codebook. Missing values for all imputation-revised variables have been imputed using the statistical imputation procedures described below. Imputation indicators are provided for each variable so that users may easily determine whether an observation contains data from the questionnaire or an imputed value. *Where imputed or recoded variables are provided, users are encouraged to use them to produce estimates rather than raw or edited variables from the interview.*

Variables containing the original responses to the recency-of-use and 12-month frequency-of-use questions are presented in the codebook section on Selected Unedited Variables. These are included to show how respondents originally answered these questions prior to the data being edited for consistency with related items in that drug's section of the interview.

Variables from self-administered noncore modules comprise the next major section in the codebook. In addition to edited variables in these noncore modules, recoded variables are in some of these sections. For example, edited variables from the section of the interview pertaining to symptoms of dependence or abuse (Substance Dependence and Abuse section in this codebook) were used to create recoded summary measures of dependence. Unlike variables in the core sections, however, imputation for missing data generally was not done prior to the recoding of noncore variables. Consequently, noncore recoded variables may still have missing values.

For recoded variables, the missing data codes contained in the source variables and defined in the Standard Code Conventions section of this codebook often were recoded to the standard missing code (.). It is intended that cases containing these missing codes be excluded from an analysis.

In many instances, the codebook itself also indicates in parentheses the question name that corresponds to an edited variable. However, one important feature of the transition to CAI in 1999 was that respondents could be routed to different versions of a question depending on prior information from the interview. For this reason, individual variables that correspond to every question in the interview do not exist on this file. For example, respondents who initiated use of a drug within 1 year of their current age were asked more detailed questions about the year and month in which they first used that drug. Depending on their age, date of birth, and interview date, respondents could be routed to one of three possible questions to identify the year in which they first used a drug (e.g., CG04a, CG04b, or CG04c for cigarettes, as shown in the specifications). Similarly, respondents could be routed to one of two possible questions to determine the month in which they first used a drug. To facilitate analysis, therefore, responses

from these multiple year-of-first-use and month-of-first-use questions were combined into one single year-of-first-use variable and one single month-of-first-use variable for each drug.

Variable Naming Conventions

Variable names are mnemonics related to the meaning of each variable. The user is advised, however, that the transition to a CAI mode of data collection beginning in 1999 marked an important change not only in the conduct of the survey, but also in the data that the survey yielded. Therefore, *data collected with the CAI mode beginning in 1999 are generally not comparable with data collected with the old PAPI mode in prior years, even if the basic wording or content of a question was the same in both the CAI and PAPI instruments.*

As much as possible, however, CAI variables were named identically to the PAPI variables when the content of questions was identical or similar in CAI and PAPI. Use of variable names in CAI that had previously been used in PAPI preserved the historical meaning of key variables, such as those pertaining to the most recent time that respondents used a particular drug.

Usable Cases

A key step in the data processing procedures established the minimum item response requirements in order for cases to be retained for weighting and further analysis (i.e., "usable" cases). These procedures were designed to eliminate cases with unacceptable levels of item nonresponse (i.e., missing data), thereby retaining cases with lower levels of missing data and reducing the amount of statistical imputation needed for any given record.

The usable case criteria established for CAI were based on the completeness of information that respondents provided about their lifetime use or nonuse of different drugs. In CAI, respondents were asked more detailed questions about different drugs only if they reported lifetime use of that drug (or lifetime use of one or more drugs within a broader category, such as hallucinogens) on an initial "gate" question.¹² Consequently, whether a CAI respondent was a lifetime user or nonuser of the drugs of interest could be readily determined by reviewing the respondent's answers to the "gate" question on lifetime use of that drug (or category of drugs).

The requirements for a CAI record to be considered usable are noted as follows:

1. 1. The lifetime cigarette question (i.e., "Have you ever smoked part or all of a cigarette?") had to have been answered as "yes" or "no." This requirement was set so that lifetime use or nonuse would be fully defined for at least one substance. Consequently, data about lifetime use or nonuse of cigarettes could be used in subsequent statistical imputations for other drugs where lifetime use or nonuse was undefined.

¹² In all modules except those pertaining to hallucinogens, inhalants, pain relievers, tranquilizers, stimulants, and sedatives, the logic for asking more detailed questions about use of that drug was based on the answer to a single "yes/no" question (e.g., "Have you ever, even once, used marijuana or hashish?"). In the hallucinogens through sedatives modules, the logic for asking more detailed questions about use of that category of drugs was based on respondents' answers to multiple "yes/no" questions about the lifetime use or nonuse of specific drugs within that category (e.g., lifetime use or nonuse of the specific hallucinogens LSD, PCP, peyote, mescaline, psilocybin/mushrooms, Ecstasy [MDMA], or "any other" hallucinogen).

2. 2. Responses to questions on at least nine (9) of the following additional drugs had to contain information about lifetime use or nonuse: (a) chewing tobacco, (b) snuff, (c) cigars, (d) alcohol, (e) marijuana, (f) cocaine (in any form), (g) heroin, (h) hallucinogens, (i) inhalants, (j) pain relievers, (k) tranquilizers, (l) stimulants, and (m) sedatives. Crack cocaine was not included in the usable case rule because the logic for asking about crack cocaine was dependent upon the respondent having answered the lifetime cocaine question as "yes." Although the CAI instrument also asked about pipe tobacco, this was not included in the usable case rule because there was only one other question about pipe tobacco in addition to the lifetime pipe tobacco use question.¹³

The interview also included follow-up probes for respondents who initially refused to answer a gate question or an entire series of gate questions. Follow-up probes were included in the following modules that were relevant to the usable case rule: cigarettes, chewing tobacco, snuff, cigars, alcohol, marijuana, cocaine, heroin, specific hallucinogens (i.e., LSD, PCP, and Ecstasy [MDMA]), the specific stimulant methamphetamine, and any use of inhalants, pain relievers, tranquilizers, stimulants, or sedatives (if respondents refused all lifetime use questions about these latter five drug categories). If respondents changed their initial refusal to a response of "yes" or "no," they were considered to have provided usable data to that drug's gate information.

For the hallucinogens through sedatives sections, respondents reported about use or nonuse of specific drugs within that category. For these sections, the requirement for reporting of lifetime use or nonuse was considered to have been satisfied if at least one lead lifetime question in the series was answered as "yes" or "no" (e.g., if at least one question in the hallucinogens series was answered as "yes" or "no" for hallucinogens). Similarly, in the inhalants, pain relievers, tranquilizers, stimulants, and sedatives sections, if respondents initially refused to answer all gate questions for a given drug but subsequently answered that drug's follow-up probe as "yes" or "no," they were considered to have satisfied the reporting requirement for that drug.

In addition, the CAI program terminated interviews during the initial demographics questions if respondents were ineligible for the survey (i.e., under age 12 or on active duty in the U.S. military). These ineligible cases by definition did not meet the usable case criteria because the interviews were terminated before the respondents were asked the first cigarette use question.

Logical Editing

For selected key variables, response data were reviewed to identify and address inconsistent data among related variables or to replace missing data with nonmissing values. The routing logic in the CAI instrument reduced the opportunities for respondents to give inconsistent answers by skipping respondents past questions that did not apply to them. The occurrence of inconsistent data was reduced further through the use of consistency checks built into the CAI program that prompted respondents to resolve inconsistencies between related

¹³ For a more detailed discussion of the development of the usable case requirements, see the following: Kroutil, L., & Myers, L. (2002). Development of editing rules for CAI substance use data. In J. Gfroerer, J. Eyerman, & J. Chromy (Eds.), *Redesigning an ongoing national household survey: Methodological issues* (HHS Publication No. SMA 03-3768, pp. 85-109). Rockville, MD: Substance Abuse and Mental Health Services Administration, Office of Applied Studies.

items. Nevertheless, there still were limited situations in which respondents could answer one question in a manner that was inconsistent with their answer to a previous question.

Logical editing was the first step in processing many of the variables on the file. This procedure used data within a respondent's record to identify and address inconsistencies among related variables within a given module of the interview (e.g., within the hallucinogens section). As part of this procedure, variables were identified that had been legitimately skipped because the condition(s) for asking the questions did not apply.

As a general principle when editing data in all the modules, responses from one module (e.g., hallucinogens) were not used to edit variables in another module (e.g., inhalants).¹⁴ For this reason, data in one module may not be completely consistent with data in other modules. Subsequent discussion about editing in this section focuses on key drug use variables.

Editing Procedure for Drug Use Variables

Logical editing and processing of drug use variables in the tobacco through the sedatives modules first involved identifying whether respondents had ever used or never used the drug of interest. That included situations in which respondents initially refused to answer a question about their lifetime use of a drug but then changed their answer to "yes" or "no" on follow-up. If respondents did not provide sufficient information about their use or nonuse of a particular drug (or drug category), their final status was assigned through statistical imputation procedures. If values pertaining to lifetime use or nonuse of a given drug were changed through the editing procedures, this editing was indicated through special codes that indicated that a response was logically inferred; documentation for these codes includes the phrase "LOGICALLY ASSIGNED." In the hallucinogens, inhalants, pain relievers, tranquilizers, stimulants, and sedatives modules, for example, respondents who did not report lifetime use of a specific drug (e.g., LSD) but specified use of it as "some other drug" were logically inferred to be lifetime users of that drug. In the psychotherapeutics modules (i.e., pain relievers, tranquilizers, stimulants, and sedatives), respondents whose only reported lifetime use involved over-the-counter medications were logically inferred to have never used that particular prescription-type psychotherapeutic drug.

Following determination of lifetime use or nonuse of a given drug, edits of the variables that established when respondents last used a drug of interest were probably the most critical. These edited recency-of-use variables were the precursors for the final, imputed measures that established the prevalence of use in the past 30 days, past 12 months, and lifetime.

The 2007 interview included follow-up probes for respondents who were lifetime users of a given drug but did not know or refused to report when they last used it. Respondents who initially did not know when they last used a drug were asked to give their "best guess" of when they last used it. Respondents who initially refused to report when they last used a drug were

¹⁴ One exception to the principle of not editing across modules involved situations in which responses in one module governed whether respondents were asked questions in another module. For example, if respondents reported never using heroin, they were not asked questions in the noncore substance treatment module about treatment for heroin. Consequently, codes could be assigned to indicate that the respondents skipped out of the heroin treatment data because they had never used it.

asked to reconsider answering the question. If respondents changed their initial answer of "don't know" or "refused" in response to these probes, the editing procedures incorporated data from these probes into the final, edited recency-of-use variables. For example, if respondents initially refused to report when they last used a drug but then reported last using it more than 30 days ago but within the past 12 months, their edited recency indicated use in that period, in the absence of any information that was inconsistent with what they reported in the probe (see below).

Situations were identified and flagged in which there were potential inconsistencies between a respondent's answer to a drug's recency question (or the answer in a follow-up probe) and other data in that module. For example, it would be inconsistent for a respondent to report last using a drug "more than 12 months ago" but also to report having first used it at his or her current age. These inconsistencies then were addressed by statistically imputing final values for the affected recency variable and the other variable(s) where the data were inconsistent with the respondent's original answer to the recency question.

Again, if values pertaining to the period when respondents last used a drug were changed through the editing procedures, special codes were assigned to indicate that these edits had been done. The documentation for these codes included the phrase "LOGICALLY ASSIGNED." For example, a code of 8 in a drug's recency-of-use variable means "Used at some point in the past 12 months LOGICALLY ASSIGNED." Specifically, if a respondent reported using a drug more than 30 days ago but within the past 12 months but other data suggested that the respondent may have used the drug more recently, this code of 8 indicated that at least it could be inferred that the respondent was a user in the past 12 months (and potentially more recently). Similarly, a code of 9 ("Used at some point in lifetime LOGICALLY ASSIGNED") indicated that the respondent was potentially a user in any period that was asked about for that particular drug, including the past 30 days. In particular, respondents were assigned a code of 9 if they initially answered "don't know" or "refused" to a drug's recency question and continued on follow-up to answer "don't know" or "refused" regarding when they last used it.

Standard Code Conventions

Generally, the following codes have the same (or consistent) meanings across all variables. Exceptions are noted in the documentation for individual variables.

91 or 991 or 9991, etc.	= NEVER USED [DRUG(s) OF INTEREST]
93 or 993 or 9993, etc.	= USED [DRUG] BUT NOT IN THE PERIOD OF INTEREST
94 or 994 or 9994, etc.	= DON'T KNOW
97 or 997 or 9997, etc.	= REFUSED
98 or 998 or 9998, etc.	= BLANK (i.e., not answered; not asked the question)
99 or 999 or 9999, etc.	= LEGITIMATE SKIP

The following analogous codes also were assigned as part of the logical editing process:

81 (or 981, 9981, etc.)	= NEVER USED [DRUG(s) OF INTEREST] Logically assigned
83 (or 983, 9983, etc.)	= USED [DRUG] BUT NOT IN THE PERIOD OF INTEREST Logically assigned
85 (or 985, 9985, etc.)	= BAD DATA Logically assigned (i.e., usually inconsistent with other data)
89 (or 989, or 9989, etc.)	= LEGITIMATE SKIP Logically assigned

The codes of 81, 83, 85, and 89 were given values in the 80s to signify that existing values were overwritten during editing. For example, if a respondent was somehow routed into the youth experiences module but that respondent was subsequently classified as being 18 or older, any answers that the respondent gave in the youth experiences module were overwritten with codes of 89 (or 989, etc.). These codes signify that this adult respondent logically was not eligible to be asked the youth experiences questions.

Codes of 85 (or 985, etc.), 94 (or 994, etc.), 97 (or 997, etc.), and 98 (or 998, etc.) are codes for missing data. In particular, codes of 98 (i.e., blank) could occur in the data for the following reasons:

- the respondent broke off the interview before reaching a particular question or section;
- the CAI program allowed the respondent to hit the ENTER key without providing a response (typically, in situations where respondents were asked to specify something, such as the name of some other drug that they had used); or
- the CAI program skipped the respondent past a question, but there was some uncertainty as to whether the skipped question applied or did not apply to the respondent (e.g., if subsequent questions about a drug were skipped because the respondent did not know whether he or she ever used that drug).

Statistical Imputation

Statistical imputation refers to the substitution of acceptable artificial values for missing values. These imputed values cannot be directly distinguished from nonimputed values. Using statistical imputation, missing data were replaced with nonmissing values for selected variables. These variables can be identified in the codebook by their labels, within which can be found the words "**IMPUTATION REVISED**." In addition, most imputation-revised variables have names with the prefix "**IR**." Associated indicator variables tell the user which values are imputed and which ones are not. These indicator variables have the words "**IMPUTATION INDICATOR**" in their labels and are identified with the prefix "**II**." For some imputation-revised variables, additional imputation indicators are available, identified with the prefix "**II2**," giving more details about the source of the imputed or logically assigned value.

For all imputation-revised variables except those associated with nicotine dependence, the levels within the variables are limited to the valid responses in the interview itself. If neither editing nor imputation was required for any of these variables, the levels for the edited and imputation-revised variables are the same, with each level corresponding to a valid interview response. If an edited variable has a logically assigned value for which no imputation was required, that logically assigned value was converted to the associated valid interview response in the imputation-revised variable. Finally, levels in the edited variable that do not correspond to a valid interview response indicate that the information available for that respondent was incomplete and, consequently, imputation was required. In the imputation-revised variable, these levels were replaced by imputed values corresponding to valid interview responses, which were made consistent with any preexisting information related to that variable. Examples of levels indicating incomplete information include "bad data," "don't know," and "refused." Also, in the case of recency of use, some levels in the edited variable describe a more general recency than was designated from a valid interview response, which, in the imputation-revised variable, were replaced by imputed values consistent with the general recency level.

With the 2007 survey, the core drug use variables are recency of use, frequency of use in the past 12 months, frequency of use in the past 30 days, and age at first use. Age of first daily cigarette use and binge drinking frequency¹⁵ in the past 30 days are also core drug use variables. Imputation of missing values in these core drug use variables was accomplished using an imputation procedure developed specifically for the survey in 1999 and called predictive mean neighborhood (PMN). PMN is a combination of model-assisted and nearest neighbor hot-deck imputation methods and is described in detail in the *2007 NSDUH Methodological Resource Book*.¹⁶ In addition, the details of its application to the survey are described in the aforementioned report. Likewise, the PMN method also was used in the 2007 survey to impute missing values in the core demographic, employment status, immigrant status, income, insurance, and roster-derived household composition variables, as well as variables associated with responding pairs. In past years, weighted sequential hot deck was used to impute missing values in the immigrant status variables; PMN was used for the first time with these variables in the 2004 survey year.

The PMN method was not used for one set of variables for which imputations were performed: the variables associated with nicotine dependence. The imputations performed on these variables differ from other imputation-revised variables in three ways: (1) as stated, PMN was not used to impute missing values; (2) imputed values do not resemble preexisting nonmissing values; and (3) not all missing values are imputed. Details on the nicotine dependence imputations are given in the *2007 NSDUH Methodological Resource Book*.

¹⁵ Binge alcohol use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy alcohol use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

¹⁶ Ault, K., Aldworth, J., Barnett-Walker, K., Carpenter, L., Copello, E., Frechtel, P., Liu, B., & Martin, P. (2009, February). Imputation report. In *2007 National Survey on Drug Use and Health: Methodological resource book* (Section 11, prepared for the Substance Abuse and Mental Health Services Administration under Contract No. 283-2004-00022, Deliverable No. 39, RTI/0209009.377.007). Research Triangle Park, NC: RTI International.

To protect confidentiality, the imputation-revised race and Hispanic origin variables were not included on this file. This information is provided in a recoded variable that combines race and Hispanic ethnicity (NEWRACE2). The original version of the imputation-revised education level variable also was omitted from this file and replaced by a recoded version (IREDUC2). However, the original marital status variable (IRMARIT) and employment status variables (EMPSTAT4 and EMPSTATY) are included. Although no missing data were possible for gender, the "IR" prefix for IRSEX was maintained for continuity with past years. A complete description of the processing of demographic variables is given in the *2007 NSDUH Methodological Resource Book*.

For the roster-derived household composition variables, many of the edited variables were not included on this file in order to protect confidentiality. All of the imputation-revised variables were replaced with recoded variables. All of the variables associated with responding pairs were also removed for this file. A complete description of the processing of the roster and pair variables is given in the *2007 NSDUH Methodological Resource Book*.

Variance Estimation of Totals

Prevalence rates are the proportions of the population who exhibit characteristics of interest (such as substance use). Let \hat{p}_d represent the prevalence rate of interest for domain d . Then \hat{p}_d would be defined as the ratio

$$\hat{p}_d = \frac{\hat{Y}_d}{\hat{N}_d},$$

where \hat{Y}_d = estimated number of persons exhibiting the characteristic of interest in domain d , and \hat{N}_d = estimated population total for domain d .

\hat{N}_d is estimated as $\sum w_i \delta_i$, where w_i represents the analysis weight and δ represents an indicator variable, which is defined as

$$\delta_i(d) = \begin{cases} 1 & \text{if the } i^{\text{th}} \text{ sample unit is in subgroup } d, \\ 0 & \text{otherwise.} \end{cases}$$

The sampling error of an estimate is the error caused by the selection of a sample instead of conducting a census of the population. The sampling error may be reduced by selecting a large sample and/or by using efficient sample design and estimation strategies, such as stratification, optimal allocation, and ratio estimation. The use of probability sampling methods in NSDUH allows estimation of sampling error from the survey data. The standard errors are used to identify unreliable estimates and to test for the statistical significance of differences between estimates.

Suitable software packages, such as SUDAAN,¹⁷ can be used to calculate direct estimates of \hat{Y}_d and \hat{N}_d (and, therefore, \hat{p}_d) and also can be used to estimate their respective standard errors. Although the standard errors of estimates of means and proportions can be calculated appropriately in software (such as SUDAAN) using a Taylor series linearization approach, standard errors of estimates of totals may be underestimated in situations where the domain size is poststratified to data from the U.S. Census Bureau.

When the domain size, \hat{N}_d , is free of sampling error, an appropriate estimate of the standard error for the total number of persons with a characteristic of interest is

$$\text{SE}(\hat{Y}_d) = \hat{N}_d \text{SE}(\hat{p}_d).$$

This approach is theoretically correct when the domain size estimates, \hat{N}_d , are among those forced to match their respective U.S. Census Bureau population estimates through the weight calibration process.¹⁸ In these cases, \hat{N}_d is not subject to a sampling error induced by the NSDUH design. For estimated domain totals, \hat{Y}_d , where \hat{N}_d is not fixed (i.e., where domain size estimates are not forced to match the U.S. Census Bureau population estimates), this formulation still may provide a good approximation if it can be assumed that the sampling variation in \hat{N}_d is negligible relative to the sampling variation in \hat{p}_d . This is a reasonable assumption for many cases in this study.

For various subsets of estimates, the above approach yielded an underestimate of the variance of a total because \hat{N}_d was subject to considerable variation. Because of this underestimation, alternatives for estimating standard errors of totals can be implemented.

A "mixed" method approach can be used to improve the accuracy of standard errors and to better reflect the effects of poststratification on the variance of total estimates. This approach assigns the method of standard error calculation to domains (subgroups for which the estimates were calculated) so that all estimates among a select set of domains with fixed \hat{N}_d were calculated using the formula above, and all other estimates were calculated directly in SUDAAN. The set of domains considered controlled (i.e., those with a fixed \hat{N}_d) was restricted to main effects and two-way interactions in order to maintain continuity between years. The use of such standard errors did not affect the standard error estimates for the corresponding proportions because all standard errors for means and proportions are calculated directly in SUDAAN. Table 1 contains a list of domains with fixed \hat{N}_d for the public use file.

¹⁷ See footnote 3.

¹⁸ Chen, P., Cribb, D., Dai, L., Gordek, H., Laufenberg, J., Sathe, N., & Westlake, M. (2012). Person-level sampling weight calibration. In *2010 National Survey on Drug Use and Health: Methodological resource book* (Section 12, prepared for the Substance Abuse and Mental Health Services Administration under Contract No. HHSS283200800004C, Phase I, Deliverable No. 39, RTI/0211838.107.004). Research Triangle Park, NC: RTI International.

Table 1. Demographic Domains Forced to Match Their Respective U.S. Census Bureau Population Estimates through the Weight Calibration Process: 2007

Main Effects	Two-Way Interactions
Age Group	
12-17	
18-25	
26-34	Age Group × Gender (e.g., Males Aged 12 to 17)
35+	
All Combinations of Groups Listed Above ¹	
Gender	
Male	
Female	

¹ Combinations of the age groups (including but not limited to 12 or older, 18 or older, 26 or older, and 35 or older) also were forced to match their respective U.S. Census Bureau population estimates through the weight calibration process.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2007.

Statistical Significance of Differences

Because of the 2002 NSDUH methodology changes, the 2002 data constitute a new baseline for tracking trends in substance use and other measures. As noted previously, it is not considered appropriate to make comparisons of the 2002 through 2007 CAI estimates with 2001 and earlier NHSDA estimates to assess changes in substance use over time. If comparisons such as these are made, it is recommended that they be interpreted with caution. For a more detailed description of the changes to the 2002 NSDUH methodology, see Appendix C of the national findings report for the 2002 NSDUH.¹⁹

Customarily, the observed difference between estimates is evaluated in terms of its statistical significance. Statistical significance is based on the *p* value of the test statistic and refers to the probability that a difference as large as that observed would occur because of random variability in the estimates if there were no difference in the prevalence estimates for the population groups being compared. The significance of observed differences is generally reported at the 0.05 and 0.01 levels.

When comparing prevalence estimates, one can test the null hypothesis (no difference between prevalence estimates) against the alternative hypothesis (there is a difference in prevalence estimates) using the standard difference in proportions test expressed as

$$Z = \frac{\hat{p}_1 - \hat{p}_2}{\sqrt{\text{var}(\hat{p}_1) + \text{var}(\hat{p}_2) - 2 \text{cov}(\hat{p}_1, \hat{p}_2)}},$$

¹⁹ Office of Applied Studies. (2003). *Results from the 2002 National Survey on Drug Use and Health: National findings* (HHS Publication No. SMA 03-3836, NSDUH Series H-22). Rockville, MD: Substance Abuse and Mental Health Services Administration.

where \hat{p}_1 = first prevalence estimate, \hat{p}_2 = second prevalence estimate, $\text{var}(\hat{p}_1)$ = variance of first prevalence estimate, $\text{var}(\hat{p}_2)$ = variance of second prevalence estimate, and $\text{cov}(\hat{p}_1, \hat{p}_2)$ = covariance between \hat{p}_1 and \hat{p}_2 . Note that the first and second prevalence estimates may take the form of prevalence estimates from two different survey years (e.g., 2006 and 2007, respectively), prevalence estimates from sets of combined survey data (e.g., 2004-2005 annual averages and 2006-2007 annual averages, respectively), or prevalence estimates for populations of interest within a single survey year.

Under the null hypothesis, Z is asymptotically distributed as a normal random variable. Therefore, calculated values of Z can be referred to the unit normal distribution to determine the corresponding probability level (i.e., p value). Because the covariance term between the two estimates is not necessarily zero, SUDAAN may be used to compute estimates of Z along with the associated p values such that the covariance term is calculated by taking the sample design into account.

When comparing population subgroups defined by three or more levels of a categorical variable, log-linear chi-square tests of independence of the subgroup and the prevalence variables should be conducted first to control the error level for multiple comparisons. If Shah's Wald F test (transformed from the standard Wald chi-square) indicates overall significant differences, the significance of each particular pairwise comparison of interest should be tested using SUDAAN analytic procedures to properly account for the sample design.²⁰

Use of Sample Weights and Sample Design Variables

Because of various adjustments, such as those for nonresponse and poststratification, the 2007 NSDUH sample design is not self-weighting. *Analysts are advised to use the final sample weight when attempting to use the 2007 NSDUH data to draw inferences about the target population or any subdomains of the target population.* All estimates published in SAMHSA reports (such as results from the 2007 NSDUH²¹) are weighted using the final analysis weight for the full sample. **For the public use file, the corresponding final sample weight is denoted as ANALWT_C**, with the "C" denoting confidentiality protection. This sample weight represents the total number of target population persons each record on the file represents. Note that the sum of ANALWT_C, over all records on the data file, represents an estimate of the total number of people in the target population. Additional information on the full sample weighting procedures and the sample weight components is described in the *2007 NSDUH Methodological Resource Book*.²²

The public use file contains two sample design variables in addition to ANALWT_C. These variables are VESTR (variance estimation [pseudo] stratum) and VEREP (variance estimation [pseudo] replicate within each stratum) and must be used to estimate variances and

²⁰ See footnote 3.

²¹ See the documents listed at the end of the Overview of NSDUH section in this codebook introduction.

²² Chen, P., Dai, L., Gordek, H., Laufenberg, J., Liu, B., Sathe, N., & Westlake, M. (2009, January).

Person-level sampling weight calibration. In *2007 National Survey on Drug Use and Health: Methodological resource book* (Section 12, prepared for the Substance Abuse and Mental Health Services Administration under Contract No. 283-2004-00022, Phase III, Deliverable No. 39, RTI/0209009.374.002). Research Triangle Park, NC: RTI International.

standard errors when using commercially available variance estimation software packages. SAMHDA's online Survey Documentation and Analysis (SDA) system also has this capacity and is available for public use. However, SDA uses the terms "Stratum" and "Cluster," which correspond, respectively, to VESTR and VEREP in the public use file.

Because of a split-sample design in 2004, analyses using 2004 data from either the adult mental health (renamed to psychological distress in 2005, 2006, and 2007) module or the adult depression module need to be conducted using a different weight variable. In 2004, adult respondents aged 18 or older were split approximately evenly, where respondents in sample A were administered the full adult mental health module as it had been administered in 2002 and 2003, and respondents in sample B were administered a short version of the adult mental health module in addition to the adult depression module as it was administered in 2005, 2006, and 2007.

For 2004, analyses that include the adult mental health variables for major depressive episode (MDE) and/or unadjusted serious psychological distress (SPD) should (1) select either sample A or sample B by using the ADLTSAMP variable (ADLTSAMP=1 corresponds to sample A, and ADLTSAMP=2 corresponds to sample B) to restrict the analysis to the appropriate half sample, and (2) use SPDWT_C as the weight variable. (SPDWT_C essentially weights the adult half sample up to generate estimates comparable in magnitude to those for the entire adult sample.) When combining 2004 adult half-sample data with data for survey years that have comparably defined adult mental health variables, the weight variable (SPDWT_C for 2004 and ANALWT_C for the other years in the analysis) should be divided by the total number of years in the analysis.

Confidentiality of Data

To protect the confidentiality of respondents to the 2007 NSDUH, the full analytic file of 67,377 persons was treated using RTI's innovative statistical disclosure limitation method called MASSC,^{23,24,25} which consists of the following four major steps: Micro Agglomeration, optimal probabilistic Substitution, optimal probabilistic Subsampling, and optimal sampling weight Calibration. All directly identifying information on the file was eliminated. In addition, census region, State, and other geographic identifiers were removed. This is an individual record file, and the household link between respondents from the same household has been removed.

²³ Singh, A. C. (2002). *Method for statistical disclosure limitation* (U.S. Patent Application Pub. No. US 2004/0049517A1). Research Triangle Park, NC: RTI International. The patent was granted in June 2006 (Patent No. US7058638B2).

²⁴ Singh, A. C., Yu, F., & Dunteman, G. H. (2003). MASSC: A new data mask for limiting statistical information loss and disclosure. In *Proceedings of the Joint UNECE/EUROSTAT Work Session on Statistical Data Confidentiality, Luxembourg* (Working Paper No. 23, pp. 373-394). Geneva, Switzerland: United Nations Statistical Commission and Economic Commission for Europe Conference of European Statisticians, European Commission Statistical Office of the European Communities (EUROSTAT).

²⁵ Singh, A., Yu, F., & Wilson, D. H. (2004, August). Measures of information loss and disclosure risk under MASSC treatment of micro-data for statistical disclosure limitation. In *Proceedings of the 2004 Joint Statistical Meetings, American Statistical Association, Section on Survey Research Methods, Toronto, Canada* (pp. 4374-4381). Alexandria, VA: American Statistical Association.

All variables on the file were reviewed for the possibility of identifying the respondent by combining a number of them at one time. Variables considered to have a high potential of personal identification, as well as a high value for analysis, were treated by standard procedures of categorization and top-and-bottom coding. Using the selected key identifying variables, the data were partitioned into risk strata to control for level of treatment in the micro agglomeration step. In addition, two other techniques were used in MASSC to introduce sufficient uncertainty for any person who attempted to identify an individual and his or her confidential responses. First, on a random basis, a sample of records was drawn, and variables were substituted from a similar donor record. Substitution introduces uncertainty about the identity of a record in the database. This process makes it difficult for an intruder to be certain that any record corresponds to a specific individual because some of the variables used to identify the record may have come from other individuals. Second, a portion of the records was randomly removed from the file to reduce the probability that any known respondent was in the public use file. This step, referred to as subsampling, introduces further uncertainty about the presence of a target record in the database. The result is that there is a very small probability of identifying an individual from the file.

Substitution and subsampling were done while simultaneously constraining the resultant file to a minimal increase in bias and a minimal decrease in precision for numerous estimates of drug use prevalence across a number of domains. In addition, the weights on the final file were recalibrated to known totals from the full analytic file so as to minimize the decrease in precision owing to the two techniques. Under the MASSC framework, both disclosure risk and information loss are controlled and measured simultaneously.

A further disclosure control procedure includes the treatment of the design variables (VESTR and VEREP). These stratum and replicate identifiers were treated by coarsening, substitution, and scrambling. In addition, certain variables were recoded (e.g., by collapsing of rare levels) for confidentiality reasons.

A number of variables were reviewed after the above process was undergone in order to determine the impact of these techniques on the bias and precision of estimates compared with those from the full (i.e., untreated) file. These variables included both variables for which partial records were substituted, as well as other variables that were not perturbed. In addition, the precision was studied for 340 combinations of 34 domains and 10 response variables (e.g., the combination of alcohol past month use in the 12 to 17 age group). The ratio of the estimates from the full file and the public use file was calculated for each domain/response variable combination. For the 10 response variables, the average ratio over the 34 domains was within the 0.98 to 1.00 range. Similarly, to assess the decrease in precision, the standard error was compared between the public use file and the full file. For the 10 response variables, the average increase in standard error over the 34 domains was about 1 to 8 percent.

These statistical disclosure limitation methods have been implemented in such a way that the public use file continues to be representative of civilian members of the noninstitutionalized population in the United States.

Public Use File Estimates and Standard Errors

The sampling weights on the public use file were adjusted for subsampling and calibrated with respect to 45 demographic domains. A list of the domains can be found in Table 1. Note that the domains found in Table 1 are different from those shown in Table B.1 of the national findings report for the 2007 NSDUH²⁶ because of different adjustments applied to the weights on the public use file. Survey analysis software can be used with these weights, along with the sample design variables VESTR and VEREP, to estimate various parameters and their standard errors. Tables 2 and 3 show prevalence estimates and their standard errors for certain demographic domains that were not included in the calibration constraints.

Table 2 shows the ratio of prevalence estimates and standard errors from the public use file subsample to the full sample for past month marijuana use, a relatively high prevalence drug. Table 3 shows the same ratios for past year heroin use, a relatively low prevalence drug. The results are shown for seven demographic domains.

Table 2. Past Month Marijuana Prevalence and Standard Error Ratios of Public Use File Subsample to the Full Sample, by Seven Domains: 2007

Domain	Prevalence Ratio	Standard Error Ratio
Non-Hispanic American Indian or Alaska Native	0.94	0.83
Non-Hispanic Native Hawaiian or Other Pacific Islander	1.02	0.93
Non-Hispanic Asian	1.06	1.11
Non-Hispanic Two or More Races	0.99	0.94
Household with Four Members	1.00	1.12
Household with Five Members	1.01	1.12
Household with Six or More Members	0.88	0.76

NOTE: Ratio = (Public use file subsample estimate / Full sample estimate).

Source: Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2007 (Revised March 2012).

Table 3. Past Year Heroin Prevalence and Standard Error Ratios of Public Use File Subsample to the Full Sample, by Seven Domains: 2007

Domain	Prevalence Ratio	Standard Error Ratio
Non-Hispanic American Indian or Alaska Native	.	.
Non-Hispanic Native Hawaiian or Other Pacific Islander	1.03	1.03
Non-Hispanic Asian	0.86	0.85
Non-Hispanic Two or More Races	0.73	0.68
Household with Four Members	0.99	1.05
Household with Five Members	1.00	1.06
Household with Six or More Members	0.97	1.05

NOTE: [1] Ratio = (Public use file subsample estimate / Full sample estimate).

[2] Missing cells are due to zero-observed prevalence rate in the respective race/ethnicity domain.

Source: Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2007 (Revised March 2012).

²⁶ See footnote 21.

New Data Since Last Release

Since the release of the previous version of the 2007 Public Use Data File and Codebook on October 31, 2008, a number of variables have been added (see Table 4). This version of the data file and codebook does not have any corrections to any of the variables that were already included in the previous version.

Table 4. Variables Added to the 2007 Public Use Data File and Codebook

Codebook Section	Additional Variables	Label
IDENTIFICATION	FILEDATE	CREATION DATE OF THE DATA FILE
RECODED SPECIAL DRUGS	ADDEFLGR	LIFETIME NONMEDICAL USE OF ADDERALL
	ADDEYRR	PAST YEAR NONMEDICAL USE OF ADDERALL
	ADDEMONR	PAST MONTH NONMEDICAL USE OF ADDERALL
	AMBIFLGR	LIFETIME NONMEDICAL USE OF AMBIEN
	AMBIYRR	PAST YEAR NONMEDICAL USE OF AMBIEN
	AMBIMONR	PAST MONTH NONMEDICAL USE OF AMBIEN
	COLDFLGR	LIFETIME USE OF NON-RX COUGH OR COLD MEDICINES
	COLDYRR	PAST YEAR USE OF NON-RX COUGH OR COLD MEDICINES
	COLDMONR	PAST MONTH USE OF NON-RX COUGH OR COLD MEDICINES
	GHBFLGR	LIFETIME USE OF GHB
	GHBYRR	PAST YEAR USE OF GHB
	GHBMONR	PAST MONTH USE OF GHB
	KETAFLGR	LIFETIME USE OF KETAMINE
	KETAYRR	PAST YEAR USE OF KETAMINE
	KETAMONR	PAST MONTH USE OF KETAMINE
	SALVFLGR	LIFETIME USE OF SALVIA DIVINORUM
	SALVYRR	PAST YEAR USE OF SALVIA DIVINORUM
	SALVMONR	PAST MONTH USE OF SALVIA DIVINORUM
	TRYPFLGR	LIFETIME USE OF DMT, AMT, FOXY
	TRYPYRR	PAST YEAR USE OF DMT, AMT, FOXY
	TRYPMONR	PAST MONTH USE OF DMT, AMT, FOXY
RECODED PSYCHOLOGICAL DISTRESS	K6SMXADJ	ADJUSTED WORST K6 TOTAL SCORE IN PAST YEAR
	SPDYRADJ	ADJUSTED PAST YEAR SERIOUS PSYCHOLOGICAL DISTRESS
RECODED ADULT DEPRESSION	AJAMDELT	ADULT: ADJUSTED LIFETIME MAJOR DEPRESSIVE EPISODE
	AJAMDEYR	ADULT: ADJUSTED PAST YEAR MAJOR DEPRESSIVE EPISODE
GEOGRAPHIC	COUTYP2	COUNTY TYPE 2

LABEL	LEN	DESCRIPTION	PAGE:	1
			FREQ	%
-----	---	-----	-----	-
IDENTIFICATION				

<p>The following variable, QUESTID2, is a unique record identifier within a particular study year. The IDs may be repeated in other study years, so analysts should always consider the study year when using the QUESTID2. It should be noted that this variable was referred to as QUESTID in prior years.</p>				
QUESTID2	7	RESPONDENT IDENTIFICATION		
<p>The following variable, FILEDATE, represents the date the SAS data file was created.</p>				
FILEDATE	10	CREATION DATE OF THE DATA FILE		

LABEL	LEN	DESCRIPTION	TOBACCO	PAGE:	2
				FREQ	%
(CG01)		TOBACCO	-----		-
			These questions are about your use of tobacco products. This includes cigarettes, chewing tobacco, snuff, cigars, and pipe tobacco. The first questions are about cigarettes only.		
			Have you ever smoked part or all of a cigarette?		
			NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.		
CIGEVER	1	EVER SMOKED A CIGARETTE			
		1 = Yes.....	30430	54.89	
		2 = No.....	25005	45.11	
(CG02)		If one of your best friends offered you a cigarette, would you smoke it?			
CIGOFRSM	2	IF BEST FRIEND OFFERED, WOULD YOU SMOKE CIG			
		1 = Definitely Yes.....	7	0.01	
		2 = Probably Yes.....	155	0.28	
		3 = Probably Not.....	1793	3.23	
		4 = Definitely Not.....	11263	20.32	
		94 = DON'T KNOW.....	9	0.02	
		97 = REFUSED.....	8	0.01	
		99 = LEGITIMATE SKIP.....	42200	76.13	
(CG03)		At any time during the next 12 months do you think you will smoke a cigarette?			
CIGWILYR	2	DO YOU THINK YOU'LL SMOKE CIG IN NEXT 12 MOS			
		1 = Definitely Yes.....	8	0.01	
		2 = Probably Yes.....	119	0.21	
		3 = Probably Not.....	1677	3.03	
		4 = Definitely Not.....	11407	20.58	
		94 = DON'T KNOW.....	18	0.03	
		97 = REFUSED.....	6	0.01	
		99 = LEGITIMATE SKIP.....	42200	76.13	
(CG04)		How old were you the first time you smoked part or all of a cigarette?			
CIGTRY	3	AGE WHEN FIRST SMOKED A CIGARETTE			
		RANGE = 1 - 65	30012	54.14	
		985 = BAD DATA Logically assigned.....	223	0.40	
		991 = NEVER USED CIGARETTES.....	25005	45.11	
		994 = DON'T KNOW.....	160	0.29	
		997 = REFUSED.....	35	0.06	

LABEL	LEN	DESCRIPTION	PAGE:		3
			FREQ	%	
(CG04A) NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions CG04a, CG04b, CG04c, CG04d, and associated consistency checks were used to create the following two variables.					
CIGYFU	4	YEAR OF FIRST CIGARETTE USE - RECODE			
		RANGE = 2005 - 2007	2138	3.86	
		9985 = BAD DATA Logically assigned.....	268	0.48	
		9989 = LEGITIMATE SKIP Logically assn.....	141	0.25	
		9991 = NEVER USED CIGARETTES.....	25005	45.11	
		9994 = DON'T KNOW.....	167	0.30	
		9997 = REFUSED.....	38	0.07	
		9998 = BLANK (NO ANSWER).....	130	0.23	
		9999 = LEGITIMATE SKIP.....	27548	49.69	
CIGMFU	2	MONTH OF FIRST CIGARETTE USE - RECODE			
		1 = January.....	169	0.30	
		2 = February.....	118	0.21	
		3 = March.....	166	0.30	
		4 = April.....	129	0.23	
		5 = May.....	156	0.28	
		6 = June.....	255	0.46	
		7 = July.....	220	0.40	
		8 = August.....	154	0.28	
		9 = September.....	169	0.30	
		10 = October.....	173	0.31	
		11 = November.....	142	0.26	
		12 = December.....	135	0.24	
		85 = BAD DATA Logically assigned.....	267	0.48	
		89 = LEGITIMATE SKIP Logically assn.....	141	0.25	
		91 = NEVER USED CIGARETTES.....	25005	45.11	
		94 = DON'T KNOW.....	311	0.56	
		97 = REFUSED.....	46	0.08	
		98 = BLANK (NO ANSWER).....	131	0.24	
		99 = LEGITIMATE SKIP.....	27548	49.69	
(CG05)		NOTE: This variable incorporates values from the two questions shown below. This variable also incorporates values from two probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to the second question shown below.			
		Now think about the past 30 days - that is, from [DATEFILL] up to and including today. During the past 30 days, have you smoked part or all of a cigarette?			
		How long has it been since you last smoked part or all of a cigarette?			
CIGREC	2	TIME SINCE LAST SMOKED CIGARETTES			
		1 = Within the past 30 days.....	14249	25.70	
		2 = More than 30 days ago but within the past 12 mos..	3214	5.80	
		3 = More than 12 months ago but within the past 3 yrs.	2735	4.93	
		4 = More than 3 years ago.....	9853	17.77	
		8 = Used at some point in the past 12 mos LOG ASSN....	12	0.02	
		9 = Used at some point in the lifetime LOG ASSN.....	10	0.02	
		11 = Used in the past 30 days LOGICALLY ASSIGNED.....	2	0.00	
		14 = Used more than 12 months ago LOG ASSN.....	160	0.29	
		19 = Used more than 30 days ago LOG ASSN.....	87	0.16	
		29 = Used more than 30 dys ago but in pst 3 yr LOG ASSN	105	0.19	
		39 = Used within the past 3 years LOGICALLY ASSIGNED...	3	0.01	
		91 = NEVER USED CIGARETTES.....	25005	45.11	

LABEL	LEN	DESCRIPTION	PAGE:	4
			FREQ	%
(CG07)		During the past 30 days, that is since [DATEFILL], on how many days did you smoke part or all of a cigarette?		-
CIG30USE	2	HOW MANY DAYS SMOKED CIG IN PAST 30 DAYS		
		RANGE = 1 - 30	14082	25.40
		91 = NEVER USED CIGARETTES.....	25005	45.11
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	16154	29.14
		94 = DON'T KNOW.....	144	0.26
		97 = REFUSED.....	23	0.04
		98 = BLANK (NO ANSWER).....	27	0.05
(CG07DKRE)		What is your best estimate of the number of days you smoked part or all of a cigarette during the past 30 days?		
CG30EST	2	BEST EST. # DAYS SMOKED CIG PAST 30 DAYS		
		1 = 1 or 2 days.....	20	0.04
		2 = 3 to 5 days.....	12	0.02
		3 = 6 to 9 days.....	13	0.02
		4 = 10 to 19 days.....	27	0.05
		5 = 20 to 29 days.....	28	0.05
		6 = All 30 days.....	47	0.08
		91 = NEVER USED CIGARETTES.....	25005	45.11
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	16154	29.14
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	27	0.05
		99 = LEGITIMATE SKIP.....	14082	25.40
(CG08)		On the [CG07 days / CIGDKRE] you smoked cigarettes during the past 30 days, how many cigarettes did you smoke per day, on average?		
CIG30AV	2	AVG # CIGS SMOKED PER DAY/ON DAY SMOKED		
		1 = Less than one cigarette per day.....	1482	2.67
		2 = 1 cigarette per day.....	1652	2.98
		3 = 2 to 5 cigarettes per day.....	3824	6.90
		4 = 6 to 15 cigarettes per day (about 1/2 pack).....	3713	6.70
		5 = 16 to 25 cigarettes per day (about 1 pack).....	2687	4.85
		6 = 26 to 35 cigarettes per day (about 1 1/2 packs)...	602	1.09
		7 = More than 35 cigs per day (abt 2 packs or more)...	256	0.46
		91 = NEVER USED CIGARETTES.....	25005	45.11
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	16154	29.14
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	13	0.02
		98 = BLANK (NO ANSWER).....	39	0.07

LABEL	LEN	DESCRIPTION	TOBACCO	PAGE:	5
				FREQ	%
(CG11)		NOTE: The tobacco brand that respondents confirmed using most often in the past 30 days was recorded in the final 30-day brand variable for the type of tobacco.			-
CIG30BR2	4	CIG BRAND USED MOST OFTEN PAST MO - RECODE			
101		= Basic.....		405	0.73
102		= Benson & Hedges.....		61	0.11
104		= Camel.....		1775	3.20
105		= Capri.....		50	0.09
106		= Carlton.....		10	0.02
107		= Doral.....		208	0.38
109		= GPC.....		63	0.11
110		= Kent.....		10	0.02
111		= Kool.....		409	0.74
112		= Marlboro.....		6510	11.74
113		= Merit.....		18	0.03
114		= Misty.....		90	0.16
115		= Monarch.....		21	0.04
116		= Montclair.....		3	0.01
117		= More.....		6	0.01
118		= Newport.....		2371	4.28
119		= Pall Mall.....		146	0.26
120		= Parliament.....		344	0.62
122		= Salem.....		136	0.25
123		= Vantage.....		13	0.02
124		= Viceroy.....		6	0.01
125		= Virginia Slims.....		132	0.24
126		= Winston.....		145	0.26
130		= Best Value.....		14	0.03
132		= Bugler (roll-your-own).....		31	0.06
134		= Chesterfield.....		3	0.01
137		= Eve.....		3	0.01
142		= Lucky Strike.....		12	0.02
144		= Maverick.....		19	0.03
147		= Old Gold.....		18	0.03
152		= Saratoga.....		4	0.01
158		= Top (roll-your-own).....		47	0.08
160		= True.....		3	0.01
161		= American Spirit.....		164	0.30
162		= Austin.....		5	0.01
173		= Clove; brand unspecified.....		8	0.01
175		= Djarum cigarettes, Djarum Splash.....		44	0.08
176		= Drum rolling tobacco.....		4	0.01
178		= Dunhill cigarettes.....		3	0.01
179		= Eagle.....		5	0.01
186		= Gold Coast.....		12	0.02
193		= Kamel Red.....		3	0.01
404		= Black & Mild.....		31	0.06
423		= Swisher Sweets.....		19	0.03
492		= Prime Time Little Cigars.....		12	0.02
1001		= Nat Sherman cigarettes.....		10	0.02
1018		= USA Gold.....		258	0.47
1020		= Waves.....		5	0.01
1029		= Tourney.....		8	0.01
1041		= Sonoma.....		46	0.08
1048		= Carnival.....		14	0.03
1050		= USA.....		5	0.01
1064		= Seneca; company unspecified.....		33	0.06
1069		= Zig-Zag (roll-your-own).....		3	0.01
1073		= Grand.....		15	0.03
1082		= Tahoe.....		6	0.01
1083		= Liggett Select.....		39	0.07
1089		= Grand Prix.....		12	0.02

LABEL	LEN	DESCRIPTION	PAGE:		6
			FREQ	%	
		TOBACCO		-	
1091	= Dreams.....		3	0.01	
1092	= Native.....		9	0.02	
1093	= Roger.....		4	0.01	
1094	= Shield.....		4	0.01	
1112	= Kentucky's Best.....		8	0.01	
1126	= GT-One.....		10	0.02	
1128	= Double Diamond.....		4	0.01	
1134	= Bronco.....		10	0.02	
1139	= 305's.....		12	0.02	
1182	= Golden Beach.....		3	0.01	
1184	= Sky Dancer.....		7	0.01	
1211	= Echo cigarettes.....		5	0.01	
1216	= Romy.....		4	0.01	
1221	= Cheyenne cigarettes.....		4	0.01	
1223	= Axis.....		3	0.01	
1227	= Gambler (roll-your-own).....		14	0.03	
1238	= Way.....		5	0.01	
1247	= Buffalo.....		3	0.01	
1277	= Berley.....		3	0.01	
1287	= Wild Horse.....		8	0.01	
1998	= Roll-your-own cigarette; brand unspecified.....		8	0.01	
1999	= Cigarette; brand otherwise unspecified.....		137	0.25	
3999	= Snuff; brand otherwise unspecified.....		1	0.00	
4192	= Smoker's Choice.....		6	0.01	
4999	= Other cigar/cigarillo brand or unspecified.....		14	0.03	
5999	= Other pipe tobacco brand or unspecified.....		1	0.00	
6999	= Unknown tobacco/drug type mentioned.....		1	0.00	
8999	= Tobacco replacement or tobacco-like product.....		1	0.00	
9991	= NEVER USED CIGARETTES.....		25005	45.11	
9993	= DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....		16154	29.14	
9994	= DON'T KNOW.....		95	0.17	
9997	= REFUSED.....		12	0.02	
9998	= BLANK (NO ANSWER).....		27	0.05	

(CGTAR1) NOTE: The variable CIG30TPE corresponds to the variable CIG30TYP that existed prior to 2005. The name was changed due to the addition of a new level in 2005 for "Mediums." For this reason, data from CIG30TPE may not be comparable with data from CIG30TYP in prior years.

During the past 30 days, what type of cigarettes did you smoke most often?

CIG30TPE	2	WHAT TYPE OF CIG SMOKED MOST PAST 30 DAYS			
1	= Lights.....		6063	10.94	
2	= Ultra Lights.....		972	1.75	
3	= Mediums.....		1032	1.86	
4	= Full Flavor.....		5985	10.80	
91	= NEVER USED CIGARETTES.....		25005	45.11	
93	= DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....		16154	29.14	
94	= DON'T KNOW.....		61	0.11	
97	= REFUSED.....		13	0.02	
98	= BLANK (NO ANSWER).....		150	0.27	

LABEL	LEN	DESCRIPTION	TOBACCO	PAGE:	7
				FREQ	%
(CGMENTH1) NOTE: Prior to 2004, the question corresponding to CIG30MEN asked whether respondents smoked menthol or regular cigarettes most often. In 2004, the question was changed to the yes/no question shown below, but the variable name stayed as CIG30MEN. This change in question content does not affect trend comparisons for 2004 onward. However, data in CIG30MEN for 2004 onward are not likely to be comparable with data in CIG30MEN for 2002 and 2003.					
Were the cigarettes you smoked during the past 30 days menthol?					
CIG30MEN	2	MENTHOL OR REG CIG SMOKED MOST PAST 30 DAYS			
		1 = Yes.....	5200	9.38	
		2 = No.....	8833	15.93	
		91 = NEVER USED CIGARETTES.....	25005	45.11	
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	16154	29.14	
		94 = DON'T KNOW.....	89	0.16	
		97 = REFUSED.....	4	0.01	
		98 = BLANK (NO ANSWER).....	150	0.27	
(CGLNTH) What length were the Marlboro cigarettes you smoked most often during the past 30 days? Were they shorts, regulars (also known as king-sized), or 100s?					
CIG30MLN	2	MARLBORO CIG SMOKED PAST 30 DAYS SHORT, REG, 100'S			
		1 = Shorts.....	2006	3.62	
		2 = Regulars or king-sized.....	3439	6.20	
		3 = 100s.....	1026	1.85	
		91 = NEVER USED CIGARETTES.....	25005	45.11	
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	16154	29.14	
		94 = DON'T KNOW.....	26	0.05	
		97 = REFUSED.....	1	0.00	
		98 = BLANK (NO ANSWER).....	146	0.26	
		99 = LEGITIMATE SKIP.....	7632	13.77	
(CG14)		During the past 30 days, that is since DATEFILL, have you smoked part or all of a roll-your-own tobacco cigarette?			
CIG30R02	2	HAVE YOU SMOKED ROLL-OWN CIG IN PAST 30 DAYS			
		1 = Yes.....	1821	3.28	
		2 = No.....	12348	22.27	
		5 = Yes LOGICALLY ASSIGNED (from skip pattern).....	72	0.13	
		91 = NEVER USED CIGARETTES.....	25005	45.11	
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	16154	29.14	
		94 = DON'T KNOW.....	5	0.01	
		97 = REFUSED.....	3	0.01	
		98 = BLANK (NO ANSWER).....	27	0.05	
(CG15)		Has there ever been a period in your life when you smoked cigarettes every day for at least 30 days?			
CIGDLYMO	2	EVER SMOKED CIG EVERY DAY FOR 30 DAYS			
		1 = Yes.....	7988	14.41	
		2 = No.....	14744	26.60	
		5 = Yes LOGICALLY ASSIGNED (from skip pattern).....	7681	13.86	
		91 = NEVER USED CIGARETTES.....	25005	45.11	
		94 = DON'T KNOW.....	10	0.02	
		97 = REFUSED.....	7	0.01	

TOBACCO			PAGE:	8
LABEL	LEN	DESCRIPTION	FREQ	%
(CG16)		How old were you when you first started smoking cigarettes every day?	-	-
CIGAGE	3	AGE WHEN FIRST STARTED SMOKING CIGARETTES EVERYDAY		
	RANGE =	1 - 56	15555	28.06
	985 =	BAD DATA Logically assigned.....	14	0.03
	991 =	NEVER USED CIGARETTES.....	25005	45.11
	994 =	DON'T KNOW.....	90	0.16
	997 =	REFUSED.....	17	0.03
	998 =	BLANK (NO ANSWER).....	10	0.02
	999 =	LEGITIMATE SKIP (NEVER USED CIGS EVERYDAY).....	14744	26.60
(CG16Y1)		NOTE: For respondents whose age at initiation of daily cigarette use was equal to or 1 year less than their current age, responses from questions CG16Y1, CG16Y2, CG16M1, CG16M2, and associated consistency checks were used to create the following two variables.		
CIGDLYFU	4	YEAR OF FIRST CIGARETTE USE EVERY DAY - RECODE		
	RANGE =	2005 - 2007	972	1.75
	9985 =	BAD DATA Logically assigned.....	53	0.10
	9989 =	LEGITIMATE SKIP Logically assn.....	84	0.15
	9991 =	NEVER USED CIGARETTES.....	25005	45.11
	9994 =	DON'T KNOW.....	98	0.18
	9997 =	REFUSED.....	19	0.03
	9998 =	BLANK (NO ANSWER).....	15	0.03
	9999 =	LEGITIMATE SKIP.....	29189	52.65
CIGDLMFU	2	MONTH OF FIRST CIGARETTE USE EVERY DAY - RECODE		
	1 =	January.....	112	0.20
	2 =	February.....	73	0.13
	3 =	March.....	77	0.14
	4 =	April.....	47	0.08
	5 =	May.....	66	0.12
	6 =	June.....	112	0.20
	7 =	July.....	72	0.13
	8 =	August.....	87	0.16
	9 =	September.....	80	0.14
	10 =	October.....	60	0.11
	11 =	November.....	77	0.14
	12 =	December.....	37	0.07
	85 =	BAD DATA Logically assigned.....	53	0.10
	89 =	LEGITIMATE SKIP Logically assn.....	84	0.15
	91 =	NEVER USED CIGARETTES.....	25005	45.11
	94 =	DON'T KNOW.....	163	0.29
	97 =	REFUSED.....	26	0.05
	98 =	BLANK (NO ANSWER).....	15	0.03
	99 =	LEGITIMATE SKIP.....	29189	52.65
(CG16A)		Have you smoked at least 100 cigarettes in your entire life?		
CIG100LF	2	HAVE YOU SMOKED 100 CIGS IN YOUR LIFE		
	1 =	Yes.....	10594	19.11
	2 =	No.....	13013	23.47
	3 =	Yes LOGICALLY ASSIGNED.....	1	0.00
	5 =	Yes LOGICALLY ASSIGNED (from skip pattern).....	6726	12.13
	91 =	NEVER USED CIGARETTES.....	25005	45.11
	94 =	DON'T KNOW.....	89	0.16
	97 =	REFUSED.....	7	0.01

LABEL	LEN	DESCRIPTION	PAGE:	9
			FREQ	%
(CG25)		These next questions are about your use of snuff, sometimes called dip. Snuff is a finely ground form of tobacco that usually comes in a container called a tin. You can use snuff by placing a pinch or dip in your mouth between your lip and gum or between your cheek and gum. Snuff can also be inhaled through the nose. Snuff is sold in both loose form or in ready-to-use packets.		-
		Have you ever used snuff, even once?		
		NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.		
SNFEVER	2	EVER USED SNUFF		
		1 = Yes.....	7576	13.67
		2 = No.....	47838	86.30
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	4	0.01
(CG26)		How old were you the first time you used snuff?		
SNUFTRY	3	AGE WHEN FIRST USED SNUFF		
		RANGE = 1 - 60	7431	13.40
		985 = BAD DATA Logically assigned.....	80	0.14
		991 = NEVER USED SNUFF.....	47838	86.30
		994 = DON'T KNOW.....	54	0.10
		997 = REFUSED.....	15	0.03
		998 = BLANK (NO ANSWER).....	17	0.03
(CG26A)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions CG26a, CG26b, CG26c, CG26d, and associated consistency checks were used to create the following two variables.		
SNUFYFU	4	YEAR OF FIRST SNUFF USE - RECODE		
		RANGE = 2005 - 2007	987	1.78
		9985 = BAD DATA Logically assigned.....	118	0.21
		9989 = LEGITIMATE SKIP Logically assn.....	59	0.11
		9991 = NEVER USED SNUFF.....	47838	86.30
		9994 = DON'T KNOW.....	57	0.10
		9997 = REFUSED.....	17	0.03
		9998 = BLANK (NO ANSWER).....	61	0.11
		9999 = LEGITIMATE SKIP.....	6298	11.36

LABEL	LEN	DESCRIPTION	PAGE:	10
			FREQ	%
SNUFMFU	2	MONTH OF FIRST SNUFF USE - RECODE		-
1		January.....	66	0.12
2		February.....	55	0.10
3		March.....	69	0.12
4		April.....	81	0.15
5		May.....	63	0.11
6		June.....	113	0.20
7		July.....	97	0.17
8		August.....	82	0.15
9		September.....	73	0.13
10		October.....	86	0.16
11		November.....	79	0.14
12		December.....	44	0.08
85		BAD DATA Logically assigned.....	117	0.21
89		LEGITIMATE SKIP Logically assn.....	59	0.11
91		NEVER USED SNUFF.....	47838	86.30
94		DON'T KNOW.....	135	0.24
97		REFUSED.....	18	0.03
98		BLANK (NO ANSWER).....	62	0.11
99		LEGITIMATE SKIP.....	6298	11.36

(CG27) NOTE: This variable incorporates values from the two questions shown below. This variable also incorporates values from two probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to the second question shown below.

Now think about the past 30 days -- that is,
from [DATEFILL] up to and including today.
During the past 30 days, have you used
snuff, even once?

How long has it been since you last used snuff?

SNFREC	2	TIME SINCE LAST USED SNUFF		
1		Within the past 30 days.....	1924	3.47
2		More than 30 days ago but within the past 12 mos..	1044	1.88
3		More than 12 months ago but within the past 3 yrs.	1016	1.83
4		More than 3 years ago.....	3434	6.19
8		Used at some point in the past 12 mos LOG ASSN....	4	0.01
9		Used at some point in the lifetime LOG ASSN.....	3	0.01
14		Used more than 12 months ago LOG ASSN.....	54	0.10
19		Used more than 30 days ago LOG ASSN.....	39	0.07
29		Used more than 30 dys ago but in pst 3 yr LOG ASSN	57	0.10
39		Used within the past 3 years LOGICALLY ASSIGNED...	1	0.00
91		NEVER USED SNUFF.....	47838	86.30
97		REFUSED.....	4	0.01
98		BLANK (NO ANSWER).....	17	0.03

(CG29) During the past 30 days, that is since [DATEFILL],
on how many days did you use snuff?

SNF30USE	2	HOW MANY DAYS USED SNUFF PAST 30 DAYS		
RANGE =	1 - 30		1898	3.42
91		NEVER USED SNUFF.....	47838	86.30
93		DID NOT USE SNUFF IN THE PAST 30 DAYS.....	5644	10.18
94		DON'T KNOW.....	25	0.05
97		REFUSED.....	5	0.01
98		BLANK (NO ANSWER).....	25	0.05

TOBACCO			PAGE:	11
LABEL	LEN	DESCRIPTION	FREQ	%
<hr/>				
(CG29DKRE) What is your best estimate of the number of days you used snuff during the past 30 days?				
<hr/>				
SN30EST	2	BEST EST. HOW MANY DAYS USED SNUFF PST 30 DAYS		
		1 = 1 or 2 days.....	5	0.01
		2 = 3 to 5 days.....	2	0.00
		3 = 6 to 9 days.....	8	0.01
		4 = 10 to 19 days.....	2	0.00
		5 = 20 to 29 days.....	6	0.01
		91 = NEVER USED SNUFF.....	47838	86.30
		93 = DID NOT USE SNUFF IN THE PAST 30 DAYS.....	5644	10.18
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	25	0.05
		99 = LEGITIMATE SKIP.....	1898	3.42
<hr/>				
(CG30)		NOTE: The tobacco brand that respondents confirmed using most often in the past 30 days was recorded in the final 30-day brand variable for the type of tobacco.		
<hr/>				
SNF30BR2	4	SNUFF BRAND USED MOST OFTEN PAST MO - RECODE		
		206 = Levi Garrett.....	3	0.01
		208 = Red Man chewing tobacco.....	11	0.02
		301 = Copenhagen.....	483	0.87
		302 = Gold River.....	3	0.01
		304 = Hawken.....	9	0.02
		305 = Kodiak.....	90	0.16
		307 = Silver Creek.....	3	0.01
		308 = Skoal.....	627	1.13
		309 = Timber Wolf.....	70	0.13
		312 = Cougar.....	5	0.01
		316 = Red Seal.....	71	0.13
		317 = Rooster.....	3	0.01
		332 = Grizzly.....	463	0.84
		338 = Longhorn.....	20	0.04
		341 = Husky.....	14	0.03
		349 = Camel Snus.....	3	0.01
		1999 = Cigarette; brand otherwise unspecified.....	1	0.00
		2999 = Chewing tobacco; brand otherwise unspecified.....	4	0.01
		3999 = Snuff; brand otherwise unspecified.....	28	0.05
		6999 = Unknown tobacco/drug type mentioned.....	1	0.00
		9991 = NEVER USED SNUFF.....	47838	86.30
		9993 = DID NOT USE SNUFF IN THE PAST 30 DAYS.....	5644	10.18
		9994 = DON'T KNOW.....	11	0.02
		9997 = REFUSED.....	5	0.01
		9998 = BLANK (NO ANSWER).....	25	0.05

LABEL	LEN	DESCRIPTION	PAGE:	12
			FREQ	%

(CG17)		The next questions are only about chewing tobacco.		-
		Cheewing tobacco is coarsely shredded tobacco that is sold in pouches of loose tobacco leaves or in a "plug" or "twist" form. To use chewing tobacco, you either chew it or hold it in your cheek or inside your lower lip.		
		Have you ever used chewing tobacco, even once?		
		NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.		
CHEWEVER	2	EVER USED CHEW EVEN ONCE		
		1 = Yes.....	6281	11.33
		2 = No.....	49144	88.65
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	3	0.01
(CG18)		How old were you the first time you used chewing tobacco?		
CHEWTRY	3	AGE WHEN FIRST USED CHEW		
		RANGE = 1 - 67	6140	11.08
		985 = BAD DATA Logically assigned.....	62	0.11
		991 = NEVER USED CHEWING TOBACCO.....	49144	88.65
		994 = DON'T KNOW.....	74	0.13
		997 = REFUSED.....	9	0.02
		998 = BLANK (NO ANSWER).....	6	0.01
(CG18A)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions CG18a, CG18b, CG18c, CG18d, and associated consistency checks were used to create the following two variables.		
CHEWFU	4	YEAR OF FIRST CHEWING TOBACCO USE - RECODE		
		RANGE = 2005 - 2007	617	1.11
		9985 = BAD DATA Logically assigned.....	82	0.15
		9989 = LEGITIMATE SKIP Logically assn.....	27	0.05
		9991 = NEVER USED CHEWING TOBACCO.....	49144	88.65
		9994 = DON'T KNOW.....	76	0.14
		9997 = REFUSED.....	10	0.02
		9998 = BLANK (NO ANSWER).....	39	0.07
		9999 = LEGITIMATE SKIP.....	5440	9.81

LABEL	LEN	DESCRIPTION	PAGE:	13
			FREQ	%
CHEWMFU	2	MONTH OF FIRST CHEWING TOBACCO USE - RECODE		-
1		= January.....	48	0.09
2		= February.....	39	0.07
3		= March.....	41	0.07
4		= April.....	45	0.08
5		= May.....	48	0.09
6		= June.....	70	0.13
7		= July.....	62	0.11
8		= August.....	50	0.09
9		= September.....	46	0.08
10		= October.....	41	0.07
11		= November.....	49	0.09
12		= December.....	20	0.04
85		= BAD DATA Logically assigned.....	82	0.15
89		= LEGITIMATE SKIP Logically assn.....	27	0.05
91		= NEVER USED CHEWING TOBACCO.....	49144	88.65
94		= DON'T KNOW.....	133	0.24
97		= REFUSED.....	11	0.02
98		= BLANK (NO ANSWER).....	39	0.07
99		= LEGITIMATE SKIP.....	5440	9.81

(CG19) NOTE: This variable incorporates values from the two questions shown below. This variable also incorporates values from two probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to the second question shown below.

Now think about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, have you used chewing tobacco, even once?

How long has it been since you last used chewing tobacco?

CHEWREC	2	TIME SINCE LAST USED CHEWING TOBACCO		
1		= Within the past 30 days.....	842	1.52
2		= More than 30 days ago but within the past 12 mos..	826	1.49
3		= More than 12 months ago but within the past 3 yrs.	926	1.67
4		= More than 3 years ago.....	3569	6.44
8		= Used at some point in the past 12 mos LOG ASSN....	3	0.01
9		= Used at some point in the lifetime LOG ASSN.....	1	0.00
11		= Used in the past 30 days LOGICALLY ASSIGNED.....	1	0.00
14		= Used more than 12 months ago LOG ASSN.....	41	0.07
19		= Used more than 30 days ago LOG ASSN.....	34	0.06
29		= Used more than 30 dys ago but in pst 3 yr LOG ASSN	36	0.06
39		= Used within the past 3 years LOGICALLY ASSIGNED...	2	0.00
85		= BAD DATA Logically assigned.....	1	0.00
91		= NEVER USED CHEWING TOBACCO.....	49144	88.65
97		= REFUSED.....	3	0.01
98		= BLANK (NO ANSWER).....	6	0.01

(CG21) During the past 30 days, that is since [DATEFILL], on how many days did you use chewing tobacco?

CHW30USE	2	HOW MANY DAYS USED CHEW IN PAST 30 DAYS		
RANGE =	1 - 30		830	1.50
85		= BAD DATA Logically assigned.....	1	0.00
91		= NEVER USED CHEWING TOBACCO.....	49144	88.65
93		= DID NOT USE CHEWING TOBACCO IN THE PAST 30 DAYS...	5432	9.80
94		= DON'T KNOW.....	10	0.02
97		= REFUSED.....	5	0.01
98		= BLANK (NO ANSWER).....	13	0.02

TOBACCO			PAGE:	14
LABEL	LEN	DESCRIPTION	FREQ	%
(CG21DKRE)		What is your best estimate of the number of days you used chewing tobacco during the past 30 days?		-
CH30EST	2	PAST 30 DAY ESTIMATE OF CHEWING TOBACCO		
		1 = 1 or 2 days.....	2	0.00
		2 = 3 to 5 days.....	1	0.00
		3 = 6 to 9 days.....	4	0.01
		4 = 10 to 19 days.....	1	0.00
		5 = 20 to 29 days.....	1	0.00
		6 = All 30 days.....	1	0.00
		91 = NEVER USED CHEWING TOBACCO.....	49144	88.65
		93 = DID NOT USE CHEWING TOBACCO IN THE PAST 30 DAYS...	5432	9.80
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	14	0.03
		99 = LEGITIMATE SKIP.....	830	1.50
(CG22)		NOTE: The tobacco brand that respondents confirmed using most often in the past 30 days was recorded in the final 30-day brand variable for the type of tobacco.		
CHW30BR2	4	CHEW BRAND USED MOST OFTEN PAST MO - RECODE		
		201 = Beech-Nut.....	86	0.16
		202 = Chattanooga Chew.....	12	0.02
		203 = Day's Work.....	9	0.02
		204 = Granger.....	7	0.01
		206 = Levi Garrett.....	137	0.25
		207 = Red Fox.....	12	0.02
		208 = Red Man chewing tobacco.....	251	0.45
		209 = Taylor's Pride.....	5	0.01
		210 = Totems.....	3	0.01
		228 = Southern Pride.....	3	0.01
		248 = Star chewing tobacco.....	4	0.01
		301 = Copenhagen.....	60	0.11
		305 = Kodiak.....	15	0.03
		308 = Skoal.....	103	0.19
		309 = Timber Wolf.....	7	0.01
		316 = Red Seal.....	4	0.01
		332 = Grizzly.....	48	0.09
		338 = Longhorn.....	7	0.01
		341 = Husky.....	3	0.01
		2999 = Chewing tobacco; brand otherwise unspecified.....	48	0.09
		3999 = Snuff; brand otherwise unspecified.....	5	0.01
		9985 = BAD DATA Logically assigned.....	1	0.00
		9991 = NEVER USED CHEWING TOBACCO.....	49144	88.65
		9993 = DID NOT USE CHEWING TOBACCO IN THE PAST 30 DAYS...	5432	9.80
		9994 = DON'T KNOW.....	11	0.02
		9997 = REFUSED.....	5	0.01
		9998 = BLANK (NO ANSWER).....	13	0.02

LABEL	LEN	DESCRIPTION	PAGE:	15
			FREQ	%
NOTE: The variables SLTTRY, SLTYFU, SLTMFU, SLTREC, and SLT30BR2 are recoded variables for the use of any smokeless tobacco product (either chewing tobacco or snuff). These variables were recoded from CHEWTRY, SNUFTRY, CHEWFU, SNUFYFU, CHEWMFU, SNUFMFU, CHEWREC, SNFREC, CHW30BR2, and SNF30BR2. The variable SLT30FAV refers to the brand of smokeless tobacco used most often, and was recoded from Questions CG33a through CG33d.				
SLTTRY	3	AGE WHEN FIRST USED ANY SMOKLESS TOB - RECODE		
		RANGE = 1 - 67	9211	16.62
		985 = BAD DATA Logically assigned.....	13	0.02
		991 = NEVER USED SMOKELESS TOBACCO.....	45947	82.88
		994 = DON'T KNOW.....	108	0.19
		997 = REFUSED.....	21	0.04
		998 = BLANK (NO ANSWER).....	135	0.24
NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions CG18a, CG18b, CG18c, CG18d, CG26a, CG26b, CG26c, CG26d, and associated consistency checks were used to create the following two variables.				
SLTYFU	4	YEAR OF FIRST SMOKELESS TOBACCO USE - RECODE		
		RANGE = 2005 - 2007	1128	2.03
		9985 = BAD DATA Logically assigned.....	108	0.19
		9989 = LEGITIMATE SKIP Logically assn.....	58	0.10
		9991 = NEVER USED SMOKELESS TOBACCO.....	45947	82.88
		9994 = DON'T KNOW.....	111	0.20
		9997 = REFUSED.....	23	0.04
		9998 = BLANK (NO ANSWER).....	145	0.26
		9999 = LEGITIMATE SKIP.....	7915	14.28
SLTMFU				
2 MONTH OF FIRST SMOKELESS TOBACCO USE - RECODE				
		1 = January.....	83	0.15
		2 = February.....	63	0.11
		3 = March.....	79	0.14
		4 = April.....	90	0.16
		5 = May.....	69	0.12
		6 = June.....	137	0.25
		7 = July.....	118	0.21
		8 = August.....	88	0.16
		9 = September.....	87	0.16
		10 = October.....	88	0.16
		11 = November.....	87	0.16
		12 = December.....	47	0.08
		85 = BAD DATA Logically assigned.....	108	0.19
		89 = LEGITIMATE SKIP Logically assn.....	58	0.10
		91 = NEVER USED SMOKELESS TOBACCO.....	45947	82.88
		94 = DON'T KNOW.....	183	0.33
		97 = REFUSED.....	25	0.05
		98 = BLANK (NO ANSWER).....	163	0.29
		99 = LEGITIMATE SKIP.....	7915	14.28

LABEL	LEN	DESCRIPTION	PAGE:	16
			FREQ	%
SLTREC	2	TIME SINCE LAST USED ANY SMOKLESS TOB - RECODE		-
		1 = Within the past 30 days.....	2221	4.01
		2 = More than 30 days ago but within the past 12 mos..	1241	2.24
		3 = More than 12 months ago but within the past 3 yrs.	1259	2.27
		4 = More than 3 years ago.....	4533	8.18
		8 = Used at some point in the past 12 mos LOG ASSN....	7	0.01
		9 = Used at some point in the lifetime LOG ASSN.....	3	0.01
		11 = Used in the past 30 days LOGICALLY ASSIGNED.....	1	0.00
		14 = Used more than 12 months ago LOG ASSN.....	63	0.11
		19 = Used more than 30 days ago LOG ASSN.....	56	0.10
		29 = Used more than 30 dya ago but in pst 3 yr LOG ASSN	80	0.14
		39 = Used within the past 3 years LOGICALLY ASSIGNED...	1	0.00
		91 = NEVER USED SMOKELESS TOBACCO.....	45947	82.88
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	18	0.03

NOTE: The tobacco brand that respondents confirmed using most often in the past 30 days was recorded in the final 30-day brand variable for the type of tobacco.

SLT30BR2	4	SMKLSS TOB BRAND USED MOST OFTEN PAST MO - RECODE		
		201 = Beech-Nut.....	26	0.05
		202 = Chattanooga Chew.....	5	0.01
		203 = Day's Work.....	6	0.01
		204 = Granger.....	4	0.01
		206 = Levi Garrett.....	47	0.08
		208 = Red Man chewing tobacco.....	89	0.16
		228 = Southern Pride.....	3	0.01
		248 = Star chewing tobacco.....	4	0.01
		301 = Copenhagen.....	495	0.89
		302 = Gold River.....	3	0.01
		304 = Hawken.....	8	0.01
		305 = Kodiak.....	100	0.18
		307 = Silver Creek.....	3	0.01
		308 = Skoal.....	662	1.19
		309 = Timber Wolf.....	75	0.14
		312 = Cougar.....	4	0.01
		316 = Red Seal.....	71	0.13
		326 = Kayak.....	4	0.01
		332 = Grizzly.....	475	0.86
		338 = Longhorn.....	24	0.04
		341 = Husky.....	15	0.03
		349 = Camel Snus.....	3	0.01
		1999 = Cigarette; brand otherwise unspecified.....	1	0.00
		2999 = Chewing tobacco; brand otherwise unspecified.....	38	0.07
		3999 = Snuff; brand otherwise unspecified.....	25	0.05
		6999 = Unknown tobacco/drug type mentioned.....	1	0.00
		9991 = NEVER USED SMOKELESS TOBACCO.....	45947	82.88
		9993 = DID NOT USE SMOKELESS TOBACCO IN THE PAST 30 DAYS.	7232	13.05
		9994 = DON'T KNOW.....	14	0.03
		9997 = REFUSED.....	6	0.01
		9998 = BLANK (NO ANSWER).....	45	0.08

LABEL	LEN	DESCRIPTION	TOBACCO	PAGE:	17
				FREQ	%
(CG33A)		The computer recorded that the chewing tobacco you used most often during the past 30 days was [CG22/RCG22/RRCG22 FILL] and that the snuff you used most often during the past 30 days was [CG30/RCG30/RRCG30 FILL]. Which of these two brands did you use most often during the past 30 days?			-
SLT30FAV	2	WHICH BRAND CHEW OR SNUFF USED MOST			
		1 = Brand reported from CHW30BR2.....	413	0.75	
		2 = Brand reported from SNF30BR2.....	1793	3.23	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED SMOKELESS TOBACCO.....	45947	82.88	
		93 = DID NOT USE SMOKELESS TOBACCO IN THE PAST 30 DAYS.	7232	13.05	
		94 = DON'T KNOW.....	2	0.00	
		97 = REFUSED.....	5	0.01	
		98 = BLANK (NO ANSWER).....	42	0.08	
(CG34)		The next questions are about smoking cigars. By cigars we mean any kind, including big cigars, cigarillos, and even little cigars that look like cigarettes.			
		Have you ever smoked part or all of any type of cigar?			
		NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.			
CIGAREVR	2	EVER SMOKED PART OR ALL OF CIGAR			
		1 = Yes.....	17582	31.72	
		2 = No.....	37844	68.27	
		85 = BAD DATA Logically assigned.....	1	0.00	
		94 = DON'T KNOW.....	4	0.01	
		97 = REFUSED.....	4	0.01	
(CG35)		How old were you the first time you smoked part or all of any type of cigar?			
CIGARTRY	3	AGE WHEN FIRST SMOKED CIGAR			
		RANGE = 1 - 69	17177	30.99	
		985 = BAD DATA Logically assigned.....	170	0.31	
		991 = NEVER USED CIGARS.....	37844	68.27	
		994 = DON'T KNOW.....	227	0.41	
		997 = REFUSED.....	13	0.02	
		998 = BLANK (NO ANSWER).....	4	0.01	
(CG35A)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions CG35a, CG35b, CG35c, CG35d, and associated consistency checks were used to create the following two variables.			
CIGARYFU	4	YEAR OF FIRST CIGAR USE - RECODE			
		RANGE = 2005 - 2007	2426	4.38	
		9985 = BAD DATA Logically assigned.....	251	0.45	
		9989 = LEGITIMATE SKIP Logically assn.....	139	0.25	
		9991 = NEVER USED CIGARS.....	37844	68.27	
		9994 = DON'T KNOW.....	236	0.43	
		9997 = REFUSED.....	14	0.03	
		9998 = BLANK (NO ANSWER).....	102	0.18	
		9999 = LEGITIMATE SKIP.....	14423	26.02	

LABEL	LEN	DESCRIPTION	PAGE:	18
			FREQ	%
CIGARMFU	2	MONTH OF FIRST CIGAR USE - RECODE		-
1	= January.....		203	0.37
2	= February.....		131	0.24
3	= March.....		151	0.27
4	= April.....		173	0.31
5	= May.....		173	0.31
6	= June.....		297	0.54
7	= July.....		266	0.48
8	= August.....		190	0.34
9	= September.....		158	0.29
10	= October.....		190	0.34
11	= November.....		168	0.30
12	= December.....		155	0.28
85	= BAD DATA Logically assigned.....		251	0.45
89	= LEGITIMATE SKIP Logically assn.....		139	0.25
91	= NEVER USED CIGARS.....		37844	68.27
94	= DON'T KNOW.....		402	0.73
97	= REFUSED.....		19	0.03
98	= BLANK (NO ANSWER).....		102	0.18
99	= LEGITIMATE SKIP.....		14423	26.02

(CG36) NOTE: This variable incorporates values from the two questions shown below. This variable also incorporates values from two probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to the second question shown below.

Now think about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, have you smoked part or all of any type of cigar?

How long has it been since you last smoked part or all of any type of cigar?

CIGARREC	2	TIME SINCE LAST SMOKED CIGAR		
1	= Within the past 30 days.....		3871	6.98
2	= More than 30 days ago but within the past 12 mos..		3961	7.15
3	= More than 12 months ago but within the past 3 yrs.		3488	6.29
4	= More than 3 years ago.....		5968	10.77
8	= Used at some point in the past 12 mos LOG ASSN....		9	0.02
9	= Used at some point in the lifetime LOG ASSN.....		6	0.01
11	= Used in the past 30 days LOGICALLY ASSIGNED.....		3	0.01
14	= Used more than 12 months ago LOG ASSN.....		115	0.21
19	= Used more than 30 days ago LOG ASSN.....		54	0.10
29	= Used more than 30 dys ago but in pst 3 yr LOG ASSN		106	0.19
39	= Used within the past 3 years LOGICALLY ASSIGNED...		1	0.00
85	= BAD DATA Logically assigned.....		1	0.00
91	= NEVER USED CIGARS.....		37844	68.27
97	= REFUSED.....		4	0.01
98	= BLANK (NO ANSWER).....		4	0.01

(CG38) During the past 30 days, that is since [DATEFILL], on how many days did you smoke part or all of a cigar?

CGR30USE	2	HOW MANY DAYS SMOKED CIGAR IN PAST 30 DAYS		
RANGE	=	1 - 30	3833	6.91
91	= NEVER USED CIGARS.....		37844	68.27
93	= DID NOT USE CIGARS IN THE PAST 30 DAYS.....		13692	24.70
94	= DON'T KNOW.....		32	0.06
97	= REFUSED.....		10	0.02
98	= BLANK (NO ANSWER).....		24	0.04

LABEL	LEN	DESCRIPTION	PAGE:	19
			FREQ	%
(CG38DKRE)		What is your best estimate of the number of days you smoked part or all of a cigar during the past 30 days?		-
CI30EST	2	BEST EST. # DAYS SMOKED CIGAR PAST 30 DAYS		
		1 = 1 or 2 days.....	11	0.02
		2 = 3 to 5 days.....	9	0.02
		3 = 6 to 9 days.....	5	0.01
		4 = 10 to 19 days.....	2	0.00
		5 = 20 to 29 days.....	1	0.00
		91 = NEVER USED CIGARS.....	37844	68.27
		93 = DID NOT USE CIGARS IN THE PAST 30 DAYS.....	13692	24.70
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	24	0.04
		99 = LEGITIMATE SKIP.....	3833	6.91

LABEL	LEN	DESCRIPTION	TOBACCO		PAGE: FREQ	20 %
			-----	-----		
(CG39)		NOTE: The tobacco brand that respondents confirmed using most often in the past 30 days was recorded in the final 30-day brand variable for the type of tobacco.				-
CGR30BR2	4	CIGAR BRAND USED MOST OFTEN PAST MO - RECODE				
	112	= Marlboro.....		34	0.06	
	401	= Antonio y Cleopatra.....		9	0.02	
	402	= Backwoods.....		92	0.17	
	404	= Black & Mild.....		1229	2.22	
	405	= Captain Black.....		20	0.04	
	407	= Cuesta-Rey.....		4	0.01	
	408	= Dutch Masters.....		126	0.23	
	409	= El Producto.....		3	0.01	
	411	= Garcia y Vega.....		62	0.11	
	412	= Havatampa.....		17	0.03	
	413	= King Edward.....		19	0.03	
	414	= La Corona.....		23	0.04	
	415	= Little Nippers.....		5	0.01	
	416	= Macanudos.....		72	0.13	
	417	= Muriel.....		3	0.01	
	418	= Partagas.....		12	0.02	
	419	= Phillies.....		268	0.48	
	423	= Swisher Sweets.....		711	1.28	
	424	= Tijuana Smalls.....		3	0.01	
	426	= White Owl.....		125	0.23	
	428	= Winchester.....		16	0.03	
	429	= Al Capone.....		83	0.15	
	431	= Arturo Fuente.....		57	0.10	
	434	= Baccarat.....		5	0.01	
	437	= Blackstone.....		16	0.03	
	443	= Cohiba.....		84	0.15	
	444	= Cojimar.....		3	0.01	
	448	= Cuban cigars; brand unspecified.....		22	0.04	
	451	= Davidoff cigars.....		5	0.01	
	486	= Montecristo.....		46	0.08	
	488	= Optimo.....		4	0.01	
	490	= Padron.....		3	0.01	
	492	= Prime Time Little Cigars.....		48	0.09	
	494	= Punch.....		15	0.03	
	496	= Romeo y Julieta.....		92	0.17	
	1999	= Cigarette; brand otherwise unspecified.....		8	0.01	
	4005	= Thompson.....		17	0.03	
	4016	= Dominican cigars; brand unspecified.....		3	0.01	
	4045	= Havana Honey.....		5	0.01	
	4051	= Avo.....		3	0.01	
	4054	= Acid.....		26	0.05	
	4064	= Djarum cigarillos.....		6	0.01	
	4083	= C.A.O.....		11	0.02	
	4084	= Tatiana.....		4	0.01	
	4110	= Drew Estates.....		3	0.01	
	4155	= Smoker Friendly cigars.....		4	0.01	
	4192	= Smoker's Choice.....		6	0.01	
	4203	= Omega little cigars.....		3	0.01	
	4237	= Rocky Patel's.....		3	0.01	
	4265	= Cheyenne little cigars.....		12	0.02	
	4295	= Santa Fe little cigars.....		3	0.01	
	4311	= Kahlua.....		4	0.01	
	4999	= Other cigar/cigarillo brand or unspecified.....		236	0.43	
	9000	= Did not confirm after 3 passes thru brand Qs.....		2	0.00	
	9991	= NEVER USED CIGARS.....		37844	68.27	
	9993	= DID NOT USE CIGARS IN THE PAST 30 DAYS.....		13692	24.70	
	9994	= DON'T KNOW.....		169	0.30	
	9997	= REFUSED.....		11	0.02	

LABEL	LEN	DESCRIPTION	PAGE:	21
			FREQ	%
			-----	-----
		TOBACCO		
		9998 = BLANK (NO ANSWER).....	24	0.04
(CG42)		These last questions on tobacco products are about using a pipe to smoke tobacco. Have you ever smoked tobacco in a pipe, even once?		
NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.				
PIPEVER	2	EVER SMOKED PIPE TOBACCO		
		1 = Yes.....	4602	8.30
		2 = No.....	50825	91.68
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	1	0.00
(CG43)		During the past 30 days, that is since [DATEFILL], have you smoked tobacco in a pipe, even once?		
PIPE30DY	2	HAVE YOU SMOKED PIPE TOBACCO IN PAST 30 DAYS		
		1 = Yes.....	499	0.90
		2 = No.....	4102	7.40
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED PIPE TOBACCO.....	50825	91.68
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	6	0.01

LABEL	LEN	DESCRIPTION	PAGE:	22
			FREQ	%

(AL01) ALCOHOL

These questions are about drinks of alcoholic beverages. Throughout these questions, by a "drink," we mean a can or bottle of beer, a glass of wine or a wine cooler, a shot of liquor, or a mixed drink with liquor in it. We are not asking about times when you only had a sip or two from a drink.

Have you ever, even once, had a drink of any type of alcoholic beverage? Please do not include times when you only had a sip or two from a drink.

NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.

ALCEVER	2	EVER HAD DRINK OF ALCOHOLIC BEVERAGE		
		1 = Yes.....	40218	72.55
		2 = No.....	15189	27.40
		85 = BAD DATA Logically assigned.....	2	0.00
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	9	0.02

(AL02) Think about the first time you had a drink of an alcoholic beverage. How old were you the first time you had a drink of an alcoholic beverage? Please do not include any time when you only had a sip or two from a drink.

ALCTRY	3	AGE WHEN FIRST DRANK ALCOHOLIC BEVERAGE		
		RANGE = 1 - 78	39592	71.42
		985 = BAD DATA Logically assigned.....	153	0.28
		991 = NEVER USED ALCOHOL.....	15189	27.40
		994 = DON'T KNOW.....	405	0.73
		997 = REFUSED.....	79	0.14
		998 = BLANK (NO ANSWER).....	17	0.03

(AL02A) NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions AL02a, AL02b, AL02c, AL02d, and associated consistency checks were used to create the following two variables.

ALCYFU	4	YEAR OF FIRST ALCOHOL USE - RECODE		
		RANGE = 2005 - 2007	4402	7.94
		9985 = BAD DATA Logically assigned.....	396	0.71
		9989 = LEGITIMATE SKIP Logically assn.....	226	0.41
		9991 = NEVER USED ALCOHOL.....	15189	27.40
		9994 = DON'T KNOW.....	413	0.75
		9997 = REFUSED.....	83	0.15
		9998 = BLANK (NO ANSWER).....	22	0.04
		9999 = LEGITIMATE SKIP.....	34704	62.60

LABEL	LEN	DESCRIPTION	PAGE:	23
			FREQ	%
ALCMFU	2	MONTH OF FIRST ALCOHOL USE - RECODE		-
		1 = January.....	479	0.86
		2 = February.....	199	0.36
		3 = March.....	272	0.49
		4 = April.....	229	0.41
		5 = May.....	311	0.56
		6 = June.....	474	0.86
		7 = July.....	509	0.92
		8 = August.....	318	0.57
		9 = September.....	266	0.48
		10 = October.....	303	0.55
		11 = November.....	280	0.51
		12 = December.....	460	0.83
		85 = BAD DATA Logically assigned.....	393	0.71
		89 = LEGITIMATE SKIP Logically assn.....	226	0.41
		91 = NEVER USED ALCOHOL.....	15189	27.40
		94 = DON'T KNOW.....	697	1.26
		97 = REFUSED.....	101	0.18
		98 = BLANK (NO ANSWER).....	25	0.05
		99 = LEGITIMATE SKIP.....	34704	62.60
(ALLLAST3)		NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.		
		How long has it been since you last drank an alcoholic beverage?		
ALCREC	2	TIME SINCE LAST DRANK ALCOHOLIC BEVERAGE		
		1 = Within the past 30 days.....	24576	44.33
		2 = More than 30 days ago but within the past 12 mos..	8762	15.81
		3 = More than 12 months ago.....	6177	11.14
		8 = Used at some point in the past 12 mos LOG ASSN....	345	0.62
		9 = Used at some point in the lifetime LOG ASSN.....	343	0.62
		11 = Used in the past 30 days LOGICALLY ASSIGNED.....	15	0.03
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED ALCOHOL.....	15189	27.40
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	17	0.03
ALCYRTOT	3	TOTAL # OF DAYS USED ALCOHOL IN PAST 12 MOS		
		RANGE = 1 - 365	33262	60.00
		985 = BAD DATA Logically assigned.....	122	0.22
		991 = NEVER USED ALCOHOL.....	15189	27.40
		993 = DID NOT USE ALCOHOL IN THE PAST 12 MOS.....	6177	11.14
		994 = DON'T KNOW.....	243	0.44
		997 = REFUSED.....	82	0.15
		998 = BLANK (NO ANSWER).....	360	0.65
ALTOTFG	2	TRIMMING INDICATOR FOR ALCYRTOT		
		1 = Trimmed to 365 days (no further editing).....	7	0.01
		2 = Trimmed relative to the 30-day freq.....	305	0.55
		3 = Trimmed relative to estimated 30-day freq.....	3	0.01
		98 = BLANK (NO ANSWER).....	55120	99.43
ALFQFLG	2	TRIMMED ALCYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use....	862	1.55
		98 = BLANK (NO ANSWER).....	54573	98.45

LABEL	LEN	DESCRIPTION	PAGE:	24
			FREQ	%
(ALFRAME3)		Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've had a drink of an alcoholic beverage during the past 12 months.		-
		What would be the easiest way for you to tell us how many days you drank alcoholic beverages?		
ALBSTWAY	2	EASIEST WAY TO TELL US # DAYS DRANK ALCOHOL		
		1 = Prefer to answer in days per week.....	11124	20.07
		2 = Prefer to answer in days per month.....	11765	21.22
		3 = Prefer to answer in days per year.....	10056	18.14
		11 = Prefer to ans in days per wk LOG ASSN.....	48	0.09
		12 = Prefer to ans in days per mo LOG ASSN.....	105	0.19
		13 = Prefer to ans in days per yr LOG ASSN.....	359	0.65
		85 = BAD DATA Logically assigned.....	120	0.22
		91 = NEVER USED ALCOHOL.....	15189	27.40
		93 = DID NOT USE ALCOHOL IN THE PAST 12 MOS.....	6177	11.14
		94 = DON'T KNOW.....	86	0.16
		97 = REFUSED.....	46	0.08
		98 = BLANK (NO ANSWER).....	360	0.65
(ALYRAVE)		On how many days in the past 12 months did you drink an alcoholic beverage?		
ALDAYPYR	3	NUMBER DAYS DRANK ALCOHOL IN PAST 12 MOS		
		RANGE = 1 - 365	10377	18.72
		985 = BAD DATA Logically assigned.....	72	0.13
		989 = LEGITIMATE SKIP Logically assigned.....	189	0.34
		991 = NEVER USED ALCOHOL.....	15189	27.40
		993 = DID NOT USE ALCOHOL IN THE PAST 12 MOS.....	6177	11.14
		994 = DON'T KNOW.....	130	0.23
		997 = REFUSED.....	38	0.07
		998 = BLANK (NO ANSWER).....	410	0.74
		999 = LEGITIMATE SKIP.....	22853	41.22
(ALMONAVE)		On average, how many days did you drink an alcoholic beverage each month during the past 12 months?		
ALDAYPMO	2	# DAYS PER MONTH DRANK ALCOHOL IN PAST 12 MOS		
		RANGE = 1 - 31	11806	21.30
		85 = BAD DATA Logically assigned.....	34	0.06
		89 = LEGITIMATE SKIP Logically assigned.....	54	0.10
		91 = NEVER USED ALCOHOL.....	15189	27.40
		93 = DID NOT USE ALCOHOL IN THE PAST 12 MOS.....	6177	11.14
		94 = DON'T KNOW.....	176	0.32
		97 = REFUSED.....	52	0.09
		98 = BLANK (NO ANSWER).....	452	0.82
		99 = LEGITIMATE SKIP.....	21495	38.78
(ALWKAVE)		On average, how many days did you drink an alcoholic beverage each week during the past 12 months?		
ALDAYPWK	2	# DAYS PER WEEK DRANK ALCOHOL IN PAST 12 MOS		
		RANGE = 1 - 7	11079	19.99
		85 = BAD DATA Logically assigned.....	18	0.03
		91 = NEVER USED ALCOHOL.....	15189	27.40
		93 = DID NOT USE ALCOHOL IN THE PAST 12 MOS.....	6177	11.14
		94 = DON'T KNOW.....	241	0.43
		97 = REFUSED.....	80	0.14
		98 = BLANK (NO ANSWER).....	468	0.84
		99 = LEGITIMATE SKIP.....	22183	40.02

LABEL	LEN	DESCRIPTION	PAGE:	25
			FREQ	%
(AL06)		Think specifically about the past 30 days - that is, since [DATEFILL], up to and including today. During the past 30 days, on how many days did you drink one or more drinks of an alcoholic beverage?		-
ALCDAYS	2	# DAYS HAD ONE OR MORE DRINKS PAST 30 DAYS		
	RANGE =	1 - 30	24218	43.69
	85 =	BAD DATA Logically assigned.....	473	0.85
	91 =	NEVER USED ALCOHOL.....	15189	27.40
	93 =	DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	14939	26.95
	94 =	DON'T KNOW.....	133	0.24
	97 =	REFUSED.....	53	0.10
	98 =	BLANK (NO ANSWER).....	430	0.78
(AL06DKRE)		What is your best estimate of the number of days you drank alcohol during the past 30 days?		
AL30EST	2	BEST ESTIMATE # DAYS HAD ONE OR MORE DRINKS		
	1 =	1 or 2 days.....	55	0.10
	2 =	3 to 5 days.....	37	0.07
	3 =	6 to 9 days.....	28	0.05
	4 =	10 to 19 days.....	20	0.04
	5 =	20 to 29 days.....	5	0.01
	6 =	All 30 days.....	2	0.00
	85 =	BAD DATA Logically assigned.....	6	0.01
	91 =	NEVER USED ALCOHOL.....	15189	27.40
	93 =	DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	14939	26.95
	94 =	DON'T KNOW.....	15	0.03
	97 =	REFUSED.....	19	0.03
	98 =	BLANK (NO ANSWER).....	915	1.65
	99 =	LEGITIMATE SKIP.....	24205	43.66
ALDYSFG	2	REVISION INDICATOR FOR ALCDAYS		
	1 =	Edited for consistency with ALCYRTOT or DR5DAY....	18	0.03
	98 =	BLANK (NO ANSWER).....	55417	99.97
(AL07)		On the ALC30DAY/ALCESTFL days that you drank during the past 30 days, how many drinks did you usually have? Count as a drink a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.		
NODR30A	3	USUAL # OF DRINKS PER DAY PAST 30 DAYS		
	RANGE =	1 - 90	23269	41.98
	975 =	AT LEAST 5 Logically assigned.....	973	1.76
	985 =	BAD DATA Logically assigned.....	216	0.39
	991 =	NEVER USED ALCOHOL.....	15189	27.40
	993 =	DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	14939	26.95
	994 =	DON'T KNOW.....	88	0.16
	997 =	REFUSED.....	45	0.08
	998 =	BLANK (NO ANSWER).....	716	1.29

LABEL	LEN	DESCRIPTION	PAGE:	26
			FREQ	%
(AL08)		During the past 30 days, that is since [DATEFILL], on how many days did you have 5 or more drinks on the same occasion? By "occasion," we mean at the same time or within a couple of hours of each other.		-
DR5DAY	2	# DAYS HAD FIVE OR MORE DRINKS PAST 30 DAYS		
		RANGE = 0 - 30	23981	43.26
		80 = NO OCCAS OF 5+ DRINKS PST 30 DAYS Log assn.....	44	0.08
		85 = BAD DATA Logically assigned.....	216	0.39
		91 = NEVER USED ALCOHOL.....	15189	27.40
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	14939	26.95
		94 = DON'T KNOW.....	268	0.48
		97 = REFUSED.....	82	0.15
		98 = BLANK (NO ANSWER).....	716	1.29

LABEL	LEN	DESCRIPTION	PAGE:		27		
			FREQ	%	-		
(MJ01) MARIJUANA							

The next questions are about marijuana and hashish. Marijuana is also called pot or grass. Marijuana is usually smoked, either in cigarettes, called joints, or in a pipe. It is sometimes cooked in food. Hashish is a form of marijuana that is also called "hash." It is usually smoked in a pipe. Another form of hashish is hash oil.							
Have you ever, even once, used marijuana or hashish?							
NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.							
MJEVER	2	EVER USED MARIJUANA/HASHISH					
		1 = Yes.....	21708	39.16			
		2 = No.....	33690	60.77			
		85 = BAD DATA Logically assigned.....	1	0.00			
		94 = DON'T KNOW.....	13	0.02			
		97 = REFUSED.....	23	0.04			
(MJ02)		How old were you the first time you used marijuana or hashish?					
MJAGE	3	AGE WHEN FIRST USED MARIJUANA/HASHISH					
		RANGE = 1 - 73	21546	38.87			
		985 = BAD DATA Logically assigned.....	49	0.09			
		991 = NEVER USED MARIJUANA.....	33690	60.77			
		994 = DON'T KNOW.....	94	0.17			
		997 = REFUSED.....	43	0.08			
		998 = BLANK (NO ANSWER).....	13	0.02			
(MJ03A)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions MJ03a, MJ03b, MJ03c, MJ03d, and associated consistency checks were used to create the following two variables.					
MJYFU	4	YEAR OF FIRST MARIJUANA/HASHISH USE - RECODE					
		RANGE = 2005 - 2007	2043	3.69			
		9985 = BAD DATA Logically assigned.....	164	0.30			
		9989 = LEGITIMATE SKIP Logically assn.....	103	0.19			
		9991 = NEVER USED MARIJUANA.....	33690	60.77			
		9994 = DON'T KNOW.....	102	0.18			
		9997 = REFUSED.....	44	0.08			
		9998 = BLANK (NO ANSWER).....	14	0.03			
		9999 = LEGITIMATE SKIP.....	19275	34.77			

LABEL	LEN	DESCRIPTION	PAGE:	28
			FREQ	%
MJMFU	2	MONTH OF FIRST MARIJUANA/HASHISH USE - RECODE		-
		1 = January.....	182	0.33
		2 = February.....	108	0.19
		3 = March.....	166	0.30
		4 = April.....	157	0.28
		5 = May.....	142	0.26
		6 = June.....	222	0.40
		7 = July.....	206	0.37
		8 = August.....	145	0.26
		9 = September.....	138	0.25
		10 = October.....	173	0.31
		11 = November.....	130	0.23
		12 = December.....	129	0.23
		85 = BAD DATA Logically assigned.....	164	0.30
		89 = LEGITIMATE SKIP Logically assn.....	103	0.19
		91 = NEVER USED MARIJUANA.....	33690	60.77
		94 = DON'T KNOW.....	241	0.43
		97 = REFUSED.....	50	0.09
		98 = BLANK (NO ANSWER).....	14	0.03
		99 = LEGITIMATE SKIP.....	19275	34.77
(MJLAST3)		NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.		
		How long has it been since you last used marijuana or hashish?		
MJREC	2	TIME SINCE LAST USED MARIJUANA/HASHISH		
		1 = Within the past 30 days.....	5132	9.26
		2 = More than 30 days ago but within the past 12 mos..	3748	6.76
		3 = More than 12 months ago.....	12519	22.58
		8 = Used at some point in the past 12 mos LOG ASSN....	148	0.27
		9 = Used at some point in the lifetime LOG ASSN.....	155	0.28
		11 = Used in the past 30 days LOGICALLY ASSIGNED.....	6	0.01
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED MARIJUANA.....	33690	60.77
		97 = REFUSED.....	23	0.04
		98 = BLANK (NO ANSWER).....	13	0.02
MJYRTOT	3	TOTAL # OF DAYS USED MARIJUANA IN PAST 12 MOS		
		RANGE = 1 - 365	8847	15.96
		985 = BAD DATA Logically assigned.....	92	0.17
		991 = NEVER USED MARIJUANA.....	33690	60.77
		993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12519	22.58
		994 = DON'T KNOW.....	69	0.12
		997 = REFUSED.....	50	0.09
		998 = BLANK (NO ANSWER).....	168	0.30
MRTOTFG	2	TRIMMING INDICATOR FOR MRJYRTOT		
		1 = Trimmed to 365 days (no further editing).....	5	0.01
		2 = Trimmed relative to the 30-day freq.....	188	0.34
		3 = Trimmed relative to estimated 30-day freq.....	1	0.00
		98 = BLANK (NO ANSWER).....	55241	99.65
MJFQFLG	2	TRIMMED MJYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use....	430	0.78
		98 = BLANK (NO ANSWER).....	55005	99.22

LABEL	LEN	DESCRIPTION	PAGE:	29
			FREQ	%
(MJFRAME3)		Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used marijuana or hashish during the past 12 months.		-
		What would be the easiest way for you to tell us how many days you've used it?		
MRBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED MARIJUANA/HASH		
		1 = Prefer to answer in days per week.....	3032	5.47
		2 = Prefer to answer in days per month.....	2281	4.11
		3 = Prefer to answer in days per year.....	3493	6.30
		11 = Prefer to ans in days per wk LOG ASSN.....	19	0.03
		12 = Prefer to ans in days per mo LOG ASSN.....	17	0.03
		13 = Prefer to ans in days per yr LOG ASSN.....	68	0.12
		85 = BAD DATA Logically assigned.....	92	0.17
		91 = NEVER USED MARIJUANA.....	33690	60.77
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12519	22.58
		94 = DON'T KNOW.....	20	0.04
		97 = REFUSED.....	36	0.06
		98 = BLANK (NO ANSWER).....	168	0.30
(MJYRAVE)		On how many days in the past 12 months did you use marijuana or hashish?		
MRDAYPYR	3	# DAYS USED MARIJUANA/HASHISH PAST 12 MONTHS		
		RANGE = 1 - 365	3549	6.40
		985 = BAD DATA Logically assigned.....	19	0.03
		989 = LEGITIMATE SKIP Logically assigned.....	45	0.08
		991 = NEVER USED MARIJUANA.....	33690	60.77
		993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12519	22.58
		994 = DON'T KNOW.....	31	0.06
		997 = REFUSED.....	37	0.07
		998 = BLANK (NO ANSWER).....	241	0.43
		999 = LEGITIMATE SKIP.....	5304	9.57
(MJMONAVE)		On average, how many days did you use marijuana or hashish each month during the past 12 months?		
MRDAYPMO	2	# DAYS PER MO USED MARIJUANA/HASHISH PAST 12 MOS		
		RANGE = 1 - 31	2275	4.10
		85 = BAD DATA Logically assigned.....	12	0.02
		89 = LEGITIMATE SKIP Logically assigned.....	19	0.03
		91 = NEVER USED MARIJUANA.....	33690	60.77
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12519	22.58
		94 = DON'T KNOW.....	51	0.09
		97 = REFUSED.....	41	0.07
		98 = BLANK (NO ANSWER).....	247	0.45
		99 = LEGITIMATE SKIP.....	6581	11.87
(MJWKAVE)		On average, how many days did you use marijuana or hashish each week during the past 12 months?		
MRDAYPWK	2	# DAYS PER WEEK USED MARIJUANA/HASHISH PAST 12 MOS		
		RANGE = 1 - 7	3023	5.45
		85 = BAD DATA Logically assigned.....	61	0.11
		91 = NEVER USED MARIJUANA.....	33690	60.77
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12519	22.58
		94 = DON'T KNOW.....	69	0.12
		97 = REFUSED.....	50	0.09
		98 = BLANK (NO ANSWER).....	199	0.36
		99 = LEGITIMATE SKIP.....	5824	10.51

LABEL	LEN	DESCRIPTION	PAGE:	30
			FREQ	%
(MJ06)		Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use marijuana or hashish?	-	-
MJDAY30A	2	# DAYS USED MARIJUANA/HASHISH PAST 30 DAYS		
	RANGE =	1 - 30	5085	9.17
	85 =	BAD DATA Logically assigned.....	73	0.13
	91 =	NEVER USED MARIJUANA.....	33690	60.77
	93 =	DID NOT USE MARIJUANA IN THE PAST 30 DAYS.....	16267	29.34
	94 =	DON'T KNOW.....	35	0.06
	97 =	REFUSED.....	35	0.06
	98 =	BLANK (NO ANSWER).....	250	0.45
(MJ06DKRE)		What is your best estimate of the number of days you used marijuana or hashish during the past 30 days?		
MR30EST	2	BEST EST. # DAYS USED MARIJUANA PAST 30 DAYS		
	1 =	1 or 2 days.....	6	0.01
	2 =	3 to 5 days.....	4	0.01
	3 =	6 to 9 days.....	7	0.01
	4 =	10 to 19 days.....	8	0.01
	5 =	20 to 29 days.....	3	0.01
	6 =	All 30 days.....	6	0.01
	91 =	NEVER USED MARIJUANA.....	33690	60.77
	93 =	DID NOT USE MARIJUANA IN THE PAST 30 DAYS.....	16267	29.34
	94 =	DON'T KNOW.....	7	0.01
	97 =	REFUSED.....	29	0.05
	98 =	BLANK (NO ANSWER).....	323	0.58
	99 =	LEGITIMATE SKIP.....	5085	9.17

LABEL	LEN	DESCRIPTION	PAGE:	31
			FREQ	%
(CC01)		COCAINE		-

		These questions are about cocaine, including all the different forms of cocaine such as powder, "crack," free base, and coca paste.		
		Have you ever, even once, used any form of cocaine?		
		NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.		
COCEVER	2	EVER USED COCAINE		
		1 = Yes.....	6655	12.01
		2 = No.....	48750	87.94
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	17	0.03
(CC02)		How old were you the first time you used cocaine, in any form?		
COCAGE	3	AGE WHEN FIRST USED COCAINE		
		RANGE = 1 - 58	6611	11.93
		985 = BAD DATA Logically assigned.....	13	0.02
		991 = NEVER USED COCAINE.....	48750	87.94
		994 = DON'T KNOW.....	27	0.05
		997 = REFUSED.....	22	0.04
		998 = BLANK (NO ANSWER).....	12	0.02
(CC03A)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions CC03a, CC03b, CC03c, CC03d, and associated consistency checks were used to create the following two variables.		
COCYFU	4	YEAR OF FIRST COCAINE USE - RECODE		
		RANGE = 2005 - 2007	719	1.30
		9985 = BAD DATA Logically assigned.....	78	0.14
		9989 = LEGITIMATE SKIP Logically assn.....	83	0.15
		9991 = NEVER USED COCAINE.....	48750	87.94
		9994 = DON'T KNOW.....	31	0.06
		9997 = REFUSED.....	22	0.04
		9998 = BLANK (NO ANSWER).....	14	0.03
		9999 = LEGITIMATE SKIP.....	5738	10.35

LABEL	LEN	DESCRIPTION	PAGE:	32
			FREQ	%
COCMFU	2	MONTH OF FIRST COCAINE USE - RECODE		-
		1 = January.....	78	0.14
		2 = February.....	55	0.10
		3 = March.....	52	0.09
		4 = April.....	45	0.08
		5 = May.....	46	0.08
		6 = June.....	61	0.11
		7 = July.....	63	0.11
		8 = August.....	58	0.10
		9 = September.....	50	0.09
		10 = October.....	63	0.11
		11 = November.....	55	0.10
		12 = December.....	48	0.09
		85 = BAD DATA Logically assigned.....	78	0.14
		89 = LEGITIMATE SKIP Logically assn.....	83	0.15
		91 = NEVER USED COCAINE.....	48750	87.94
		94 = DON'T KNOW.....	74	0.13
		97 = REFUSED.....	24	0.04
		98 = BLANK (NO ANSWER).....	14	0.03
		99 = LEGITIMATE SKIP.....	5738	10.35
(CCLAST3)		NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.		
		How long has it been since you last used cocaine?		
COCREC	2	TIME SINCE LAST USED COCAINE		
		1 = Within the past 30 days.....	540	0.97
		2 = More than 30 days ago but within the past 12 mos..	1177	2.12
		3 = More than 12 months ago.....	4761	8.59
		8 = Used at some point in the past 12 mos LOG ASSN....	44	0.08
		9 = Used at some point in the lifetime LOG ASSN.....	74	0.13
		11 = Used in the past 30 days LOGICALLY ASSIGNED.....	31	0.06
		12 = Used >30 days ago but within pst 12 mos LOG ASSN..	28	0.05
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED COCAINE.....	48750	87.94
		97 = REFUSED.....	17	0.03
		98 = BLANK (NO ANSWER).....	12	0.02
COCYRTOT	3	TOTAL # OF DAYS USED COCAINE IN PAST 12 MONTHS		
		RANGE = 1 - 365	1748	3.15
		985 = BAD DATA Logically assigned.....	21	0.04
		991 = NEVER USED COCAINE.....	48750	87.94
		993 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	4761	8.59
		994 = DON'T KNOW.....	12	0.02
		997 = REFUSED.....	18	0.03
		998 = BLANK (NO ANSWER).....	125	0.23
CCTOTFG	2	TRIMMING INDICATOR FOR COCYRTOT		
		1 = Trimmed to 365 days (no further editing).....	2	0.00
		2 = Trimmed relative to the 30-day freq.....	6	0.01
		98 = BLANK (NO ANSWER).....	55427	99.99
CCFQFLG	2	TRIMMED COCYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use....	125	0.23
		98 = BLANK (NO ANSWER).....	55310	99.77

LABEL	LEN	DESCRIPTION	COCAINE	PAGE:	33
				FREQ	%
(CCFRAME3)		Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used cocaine during the past 12 months.		-	-
		What would be the easiest way for you to tell us how many days you've used it?			
CCBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED COCAINE			
		1 = Prefer to answer in days per week.....	234	0.42	
		2 = Prefer to answer in days per month.....	422	0.76	
		3 = Prefer to answer in days per year.....	1029	1.86	
		11 = Prefer to ans in days per wk LOG ASSN.....	1	0.00	
		13 = Prefer to ans in days per yr LOG ASSN.....	12	0.02	
		21 = Prefer to ans in days per wk (CRBSTWAY=1,11).....	29	0.05	
		22 = Prefer to ans in days per mo (CRBSTWAY=2,12).....	11	0.02	
		23 = Prefer to ans in days per yr (CRBSTWAY=3,13).....	21	0.04	
		85 = BAD DATA Logically assigned.....	21	0.04	
		91 = NEVER USED COCAINE.....	48750	87.94	
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	4761	8.59	
		94 = DON'T KNOW.....	2	0.00	
		97 = REFUSED.....	17	0.03	
		98 = BLANK (NO ANSWER).....	125	0.23	
(CCYRAVE)		On how many days in the past 12 months did you use cocaine?			
CCDAYPYR	3	# DAYS USED COCAINE PAST 12 MONTHS			
		RANGE = 1 - 365	1061	1.91	
		985 = BAD DATA Logically assigned.....	7	0.01	
		989 = LEGITIMATE SKIP Logically assigned.....	19	0.03	
		991 = NEVER USED COCAINE.....	48750	87.94	
		993 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	4761	8.59	
		994 = DON'T KNOW.....	1	0.00	
		997 = REFUSED.....	19	0.03	
		998 = BLANK (NO ANSWER).....	139	0.25	
		999 = LEGITIMATE SKIP.....	678	1.22	
(CCMONAVE)		On average, how many days did you use cocaine each month during the past 12 months?			
CCDAYPMO	2	# DAYS PER MONTH USED COCAINE PAST 12 MONTHS			
		RANGE = 1 - 31	428	0.77	
		85 = BAD DATA Logically assigned.....	7	0.01	
		89 = LEGITIMATE SKIP Logically assigned.....	9	0.02	
		91 = NEVER USED COCAINE.....	48750	87.94	
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	4761	8.59	
		94 = DON'T KNOW.....	8	0.01	
		97 = REFUSED.....	17	0.03	
		98 = BLANK (NO ANSWER).....	139	0.25	
		99 = LEGITIMATE SKIP.....	1316	2.37	
(CCWKAVE)		On average, how many days did you use cocaine each week during the past 12 months?			
CCDAYPKW	2	# DAYS PER WEEK USE COCAINE PAST 12 MONTHS			
		RANGE = 1 - 7	259	0.47	
		85 = BAD DATA Logically assigned.....	7	0.01	
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00	
		91 = NEVER USED COCAINE.....	48750	87.94	
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	4761	8.59	
		94 = DON'T KNOW.....	12	0.02	
		97 = REFUSED.....	18	0.03	
		98 = BLANK (NO ANSWER).....	139	0.25	
		99 = LEGITIMATE SKIP.....	1488	2.68	

LABEL	LEN	DESCRIPTION	PAGE:	34
			FREQ	%
(CC06)		Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use cocaine?		-
COCUS30A	2	# DAYS USED COCAINE PAST 30 DAYS		
	RANGE =	1 - 30	540	0.97
	85 =	BAD DATA Logically assigned.....	27	0.05
	91 =	NEVER USED COCAINE.....	48750	87.94
	93 =	DID NOT USE COCAINE IN THE PAST 30 DAYS.....	5966	10.76
	97 =	REFUSED.....	17	0.03
	98 =	BLANK (NO ANSWER).....	135	0.24
(CC06DKRE)		What is your best estimate of the number of days you used cocaine during the past 30 days?		
CC30EST	2	BEST ESTIMATE # DAYS USED COCAINE PAST 30 DAYS		
	91 =	NEVER USED COCAINE.....	48750	87.94
	93 =	DID NOT USE COCAINE IN THE PAST 30 DAYS.....	5966	10.76
	97 =	REFUSED.....	17	0.03
	98 =	BLANK (NO ANSWER).....	162	0.29
	99 =	LEGITIMATE SKIP.....	540	0.97

CRACK			PAGE:	35
LABEL	LEN	DESCRIPTION	FREQ	%
(CK01)		CRACK		-

		The next questions are about "crack," that is cocaine in rock or chunk form, and not the other forms of cocaine.		
		Have you ever, even once, used "crack"?		
		NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.		
CRKEVER	2	EVER USED CRACK		
		1 = Yes.....	1653	2.98
		2 = No.....	5000	9.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED COCAINE (COCEVER=2).....	48750	87.94
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	12	0.02
(CK02)		How old were you the first time you used "crack"?		
CRKAGE	3	AGE WHEN FIRST USED CRACK		
		RANGE = 3 - 60	1639	2.96
		985 = BAD DATA Logically assigned.....	4	0.01
		991 = NEVER USED CRACK.....	53750	96.96
		994 = DON'T KNOW.....	10	0.02
		997 = REFUSED.....	19	0.03
		998 = BLANK (NO ANSWER).....	13	0.02
(CK03A)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions CK03a, CK03b, CK03c, CK03d, and associated consistency checks were used to create the following two variables.		
CRKYFU	4	YEAR OF FIRST CRACK USE - RECODE		
		RANGE = 2005 - 2007	179	0.32
		9985 = BAD DATA Logically assigned.....	17	0.03
		9989 = LEGITIMATE SKIP Logically assn.....	14	0.03
		9991 = NEVER USED CRACK.....	53750	96.96
		9994 = DON'T KNOW.....	11	0.02
		9997 = REFUSED.....	19	0.03
		9998 = BLANK (NO ANSWER).....	14	0.03
		9999 = LEGITIMATE SKIP.....	1431	2.58

LABEL	LEN	DESCRIPTION	PAGE:	36
			FREQ	%
CRKMFU	2	MONTH OF FIRST CRACK USE - RECODE		-
		1 = January.....	20	0.04
		2 = February.....	13	0.02
		3 = March.....	14	0.03
		4 = April.....	11	0.02
		5 = May.....	16	0.03
		6 = June.....	14	0.03
		7 = July.....	15	0.03
		8 = August.....	18	0.03
		9 = September.....	9	0.02
		10 = October.....	19	0.03
		11 = November.....	9	0.02
		12 = December.....	9	0.02
		85 = BAD DATA Logically assigned.....	17	0.03
		89 = LEGITIMATE SKIP Logically assn.....	14	0.03
		91 = NEVER USED CRACK.....	53750	96.96
		94 = DON'T KNOW.....	23	0.04
		97 = REFUSED.....	19	0.03
		98 = BLANK (NO ANSWER).....	14	0.03
		99 = LEGITIMATE SKIP.....	1431	2.58
(CKLAST3)		NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.		
		How long has it been since you last used "crack?"		
CRAKREC	2	TIME SINCE LAST USED CRACK		
		1 = Within the past 30 days.....	125	0.23
		2 = More than 30 days ago but within the past 12 mos..	211	0.38
		3 = More than 12 months ago.....	1288	2.32
		8 = Used at some point in the past 12 mos LOG ASSN....	11	0.02
		9 = Used at some point in the lifetime LOG ASSN.....	17	0.03
		11 = Used in the past 30 days LOGICALLY ASSIGNED.....	1	0.00
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED CRACK.....	53750	96.96
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	13	0.02
CRKYRTOT	3	TOTAL # DAYS USED CRACK IN PAST 12 MONTHS		
		RANGE = 1 - 365	335	0.60
		985 = BAD DATA Logically assigned.....	7	0.01
		991 = NEVER USED CRACK.....	53750	96.96
		993 = DID NOT USE CRACK IN THE PAST 12 MOS.....	1288	2.32
		994 = DON'T KNOW.....	5	0.01
		997 = REFUSED.....	19	0.03
		998 = BLANK (NO ANSWER).....	31	0.06
CRTOTFG	2	TRIMMING INDICATOR FOR CRKYRTOT		
		1 = Trimmed to 365 days (no further editing).....	3	0.01
		2 = Trimmed relative to the 30-day freq.....	2	0.00
		98 = BLANK (NO ANSWER).....	55430	99.99
CRFQFLG	2	TRIMMED CRKYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use....	30	0.05
		98 = BLANK (NO ANSWER).....	55405	99.95

CRACK			PAGE:	37
LABEL	LEN	DESCRIPTION	FREQ	%
(CKFRAME3) Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used "crack" during the past 12 months.				
What would be the easiest way for you to tell us how many days you've used it?				
CRBSTWAY 2 EASIEST WAY TO TELL US # DAYS USED CRACK				
1 = Prefer to answer in days per week.....			92	0.17
2 = Prefer to answer in days per month.....			74	0.13
3 = Prefer to answer in days per year.....			170	0.31
11 = Prefer to ans in days per wk LOG ASSN.....			1	0.00
13 = Prefer to ans in days per yr LOG ASSN.....			2	0.00
85 = BAD DATA Logically assigned.....			7	0.01
91 = NEVER USED CRACK.....			53750	96.96
93 = DID NOT USE CRACK IN THE PAST 12 MOS.....			1288	2.32
94 = DON'T KNOW.....			2	0.00
97 = REFUSED.....			18	0.03
98 = BLANK (NO ANSWER).....			31	0.06
(CKYRAVE) On how many days in the past 12 months did you use "crack?"				
CRDAYPYR 3 # DAYS USED CRACK PAST 12 MONTHS				
RANGE = 1 - 300			172	0.31
989 = LEGITIMATE SKIP Logically assigned.....			2	0.00
991 = NEVER USED CRACK.....			53750	96.96
993 = DID NOT USE CRACK IN THE PAST 12 MOS.....			1288	2.32
994 = DON'T KNOW.....			1	0.00
997 = REFUSED.....			19	0.03
998 = BLANK (NO ANSWER).....			38	0.07
999 = LEGITIMATE SKIP.....			165	0.30
(CKMONAVE) On average, how many days did you use "crack" each month during the past 12 months?				
CRDAYPMO 2 # DAYS PER MONTH USED CRACK PAST 12 MONTHS				
RANGE = 1 - 31			73	0.13
85 = BAD DATA Logically assigned.....			3	0.01
89 = LEGITIMATE SKIP Logically assigned.....			1	0.00
91 = NEVER USED CRACK.....			53750	96.96
93 = DID NOT USE CRACK IN THE PAST 12 MOS.....			1288	2.32
94 = DON'T KNOW.....			2	0.00
97 = REFUSED.....			19	0.03
98 = BLANK (NO ANSWER).....			35	0.06
99 = LEGITIMATE SKIP.....			264	0.48
(CKWKAVE) On average, how many days did you use "crack" each week during the past 12 months?				
CRDAYPWK 2 # DAYS PER WEEK USED CRACK PAST 12 MONTHS				
RANGE = 1 - 7			90	0.16
85 = BAD DATA Logically assigned.....			4	0.01
91 = NEVER USED CRACK.....			53750	96.96
93 = DID NOT USE CRACK IN THE PAST 12 MOS.....			1288	2.32
94 = DON'T KNOW.....			5	0.01
97 = REFUSED.....			19	0.03
98 = BLANK (NO ANSWER).....			34	0.06
99 = LEGITIMATE SKIP.....			245	0.44

LABEL	LEN	DESCRIPTION	PAGE:	38
			FREQ	%
(CK06)		Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use "crack?"		-
CRKUS30A	2	# DAYS USED CRACK PAST 30 DAYS		
	RANGE =	1 - 30	123	0.22
	85 =	BAD DATA Logically assigned.....	4	0.01
	91 =	NEVER USED CRACK.....	53750	96.96
	93 =	DID NOT USE CRACK IN THE PAST 30 DAYS.....	1499	2.70
	94 =	DON'T KNOW.....	2	0.00
	97 =	REFUSED.....	18	0.03
	98 =	BLANK (NO ANSWER).....	39	0.07
(CK06DKRE)		What is your best estimate of the number of days you used "crack" during the past 30 days?		
CR30EST	2	BEST ESTIMATE # DAYS USED CRACK PAST 30 DAYS		
	1 =	1 or 2 days.....	1	0.00
	2 =	3 to 5 days.....	1	0.00
	91 =	NEVER USED CRACK.....	53750	96.96
	93 =	DID NOT USE CRACK IN THE PAST 30 DAYS.....	1499	2.70
	97 =	REFUSED.....	18	0.03
	98 =	BLANK (NO ANSWER).....	43	0.08
	99 =	LEGITIMATE SKIP.....	123	0.22

LABEL	LEN	DESCRIPTION	PAGE:	39
			FREQ	%
(HE01)		HEROIN		-

		These next questions are about heroin.		
		Have you ever, even once, used heroin?		
		NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.		
HEREVER	2	EVER USED HEROIN		
		1 = Yes.....	694	1.25
		2 = No.....	54713	98.70
		94 = DON'T KNOW.....	26	0.05
		97 = REFUSED.....	2	0.00
(HE02)		How old were you the first time you used heroin?		
HERAGE	3	AGE WHEN FIRST USED HEROIN		
		RANGE = 2 - 49	687	1.24
		985 = BAD DATA Logically assigned.....	3	0.01
		991 = NEVER USED HEROIN.....	54713	98.70
		994 = DON'T KNOW.....	2	0.00
		997 = REFUSED.....	4	0.01
		998 = BLANK (NO ANSWER).....	26	0.05
(HE03A)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions HE03a, HE03b, HE03c, HE03d, and associated consistency checks were used to create the following two variables.		
HERYFU	4	YEAR OF FIRST HEROIN USE - RECODE		
		RANGE = 2005 - 2007	85	0.15
		9985 = BAD DATA Logically assigned.....	7	0.01
		9989 = LEGITIMATE SKIP Logically assn.....	7	0.01
		9991 = NEVER USED HEROIN.....	54713	98.70
		9994 = DON'T KNOW.....	2	0.00
		9997 = REFUSED.....	4	0.01
		9998 = BLANK (NO ANSWER).....	26	0.05
		9999 = LEGITIMATE SKIP.....	591	1.07
HERMFU	2	MONTH OF FIRST HEROIN USE - RECODE		
		1 = January.....	6	0.01
		2 = February.....	6	0.01
		3 = March.....	7	0.01
		4 = April.....	8	0.01
		5 = May.....	8	0.01
		6 = June.....	5	0.01
		7 = July.....	7	0.01
		8 = August.....	14	0.03
		9 = September.....	5	0.01
		10 = October.....	5	0.01
		11 = November.....	4	0.01
		12 = December.....	6	0.01
		85 = BAD DATA Logically assigned.....	7	0.01
		89 = LEGITIMATE SKIP Logically assn.....	7	0.01
		91 = NEVER USED HEROIN.....	54713	98.70
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	26	0.05
		99 = LEGITIMATE SKIP.....	591	1.07

HEROIN			PAGE:	40				
LABEL	LEN	DESCRIPTION	FREQ	%				
(HELAST3) NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.								
How long has it been since you last used heroin?								
HERREC	2	TIME SINCE LAST USED HEROIN						
		1 = Within the past 30 days.....	44	0.08				
		2 = More than 30 days ago but within the past 12 mos..	77	0.14				
		3 = More than 12 months ago.....	558	1.01				
		8 = Used at some point in the past 12 mos LOG ASSN....	6	0.01				
		9 = Used at some point in the lifetime LOG ASSN.....	8	0.01				
		11 = Used in the past 30 days LOGICALLY ASSIGNED.....	1	0.00				
		91 = NEVER USED HEROIN.....	54713	98.70				
		97 = REFUSED.....	2	0.00				
		98 = BLANK (NO ANSWER).....	26	0.05				
HERYRTOT	3	TOTAL # OF DAYS USED HEROIN IN PAST 12 MONTHS						
		RANGE = 1 - 364	119	0.21				
		985 = BAD DATA Logically assigned.....	8	0.01				
		991 = NEVER USED HEROIN.....	54713	98.70				
		993 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	558	1.01				
		994 = DON'T KNOW.....	1	0.00				
		997 = REFUSED.....	2	0.00				
		998 = BLANK (NO ANSWER).....	34	0.06				
HRTOTFG	2	TRIMMING INDICATOR FOR HERYRTOT						
		1 = Trimmed to 365 days (no further editing).....	1	0.00				
		2 = Trimmed relative to the 30-day freq.....	2	0.00				
		98 = BLANK (NO ANSWER).....	55432	99.99				
HRFQFLG	2	TRIMMED HERYRTOT IF R USED < 12 MOS						
		1 = Trimmed to be consistent with mo/yr of 1st use....	18	0.03				
		98 = BLANK (NO ANSWER).....	55417	99.97				
(HEFRAME3)	Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used heroin during the past 12 months.							
What would be the easiest way for you to tell us how many days you've used it?								
HRBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED HEROIN						
		1 = Prefer to answer in days per week.....	38	0.07				
		2 = Prefer to answer in days per month.....	25	0.05				
		3 = Prefer to answer in days per year.....	57	0.10				
		85 = BAD DATA Logically assigned.....	8	0.01				
		91 = NEVER USED HEROIN.....	54713	98.70				
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	558	1.01				
		97 = REFUSED.....	2	0.00				
		98 = BLANK (NO ANSWER).....	34	0.06				
(HEYRAVE)	On how many days in the past 12 months did you use heroin?							
HRDAYPYR	3	# DAYS USED HEROIN PAST 12 MONTHS						
		RANGE = 1 - 350	57	0.10				
		985 = BAD DATA Logically assigned.....	2	0.00				
		991 = NEVER USED HEROIN.....	54713	98.70				
		993 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	558	1.01				
		997 = REFUSED.....	2	0.00				
		998 = BLANK (NO ANSWER).....	40	0.07				
		999 = LEGITIMATE SKIP.....	63	0.11				

HEROIN			PAGE:	41
LABEL	LEN	DESCRIPTION	FREQ	%

(HEMONAVE) On average, how many days did you use heroin each month during the past 12 months?				
HRDAYPMO 2 # DAYS PER MONTH USED HEROIN PAST 12 MONTHS				
RANGE = 1 - 27				
85 = BAD DATA Logically assigned..... 2 0.00				
91 = NEVER USED HEROIN..... 54713 98.70				
93 = DID NOT USE HEROIN IN THE PAST 12 MOS..... 558 1.01				
97 = REFUSED..... 2 0.00				
98 = BLANK (NO ANSWER)..... 40 0.07				
99 = LEGITIMATE SKIP..... 95 0.17				
(HEWKAVE) On average, how many days did you use heroin each week during the past 12 months?				
HRDAYPWK 2 # DAYS PER WEEK USED HEROIN PAST 12 MONTHS				
RANGE = 1 - 7				
85 = BAD DATA Logically assigned..... 4 0.01				
91 = NEVER USED HEROIN..... 54713 98.70				
93 = DID NOT USE HEROIN IN THE PAST 12 MOS..... 558 1.01				
94 = DON'T KNOW..... 1 0.00				
97 = REFUSED..... 2 0.00				
98 = BLANK (NO ANSWER)..... 38 0.07				
99 = LEGITIMATE SKIP..... 82 0.15				
(HE06) Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use heroin?				
HER30USE 2 # DAYS USED HEROIN PAST 30 DAYS				
RANGE = 1 - 30				
91 = NEVER USED HEROIN..... 54713 98.70				
93 = DID NOT USE HEROIN IN THE PAST 30 DAYS..... 635 1.15				
97 = REFUSED..... 2 0.00				
98 = BLANK (NO ANSWER)..... 41 0.07				
(HE06DKRE) What is your best estimate of the number of days you used heroin during the past 30 days?				
HR30EST 2 BEST EST. # DAYS USED HEROIN PAST 30 DAYS				
91 = NEVER USED HEROIN..... 54713 98.70				
93 = DID NOT USE HEROIN IN THE PAST 30 DAYS..... 635 1.15				
97 = REFUSED..... 2 0.00				
98 = BLANK (NO ANSWER)..... 41 0.07				
99 = LEGITIMATE SKIP..... 44 0.08				

LABEL	LEN	DESCRIPTION	PAGE:	42
			FREQ	%
(LS01A)		HALLUCINOGENS		-

		The next questions are about substances called hallucinogens. These drugs often cause people to see or experience things that are not real.		

		A list of some common hallucinogens is shown below. These and many other substances that people use as hallucinogens are often known by street names, and we can't list them all. Please take a moment to look at the substances listed below so you know what kind of drugs the next questions are about.		

		LSD, also called "acid"		
		PCP, also called "angel dust" or phencyclidine		
		Peyote		
		Mescaline		
		Psilocybin		
		"Ecstasy," also called MDMA		

		Have you ever, even once, used LSD, also called "acid"?		

		NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.		
LSD	2	EVER USED LSD ("ACID")		
		1 = Yes.....	4016	7.24
		2 = No.....	3643	6.57
		3 = Yes LOGICALLY ASSIGNED.....	6	0.01
		91 = NEVER USED HALLUCINOGENS.....	47722	86.09
		94 = DON'T KNOW.....	43	0.08
		97 = REFUSED.....	5	0.01
(LS01B)		Have you ever, even once, used PCP, also called "angel dust" or phencyclidine?		

		NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.		
PCP	2	EVER USED PCP ("ANGEL DUST," PHENCYCLIDINE)		
		1 = Yes.....	1028	1.85
		2 = No.....	6638	11.97
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		91 = NEVER USED HALLUCINOGENS.....	47722	86.09
		94 = DON'T KNOW.....	42	0.08
		97 = REFUSED.....	4	0.01
(LS01C)		Have you ever, even once, used peyote?		
PEYOTE	2	EVER USED PEYOTE		
		1 = Yes.....	855	1.54
		2 = No.....	6795	12.26
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		91 = NEVER USED HALLUCINOGENS.....	47722	86.09
		94 = DON'T KNOW.....	60	0.11
		97 = REFUSED.....	2	0.00

HALLUCINOGENS			PAGE:	43
LABEL	LEN	DESCRIPTION	FREQ	%
<hr/>				
(LS01D)		Have you ever, even once, used mescaline?	<hr/>	
MESC	2	EVER USED MESCALINE		
		1 = Yes.....	1041	1.88
		2 = No.....	6601	11.91
		91 = NEVER USED HALLUCINOGENS.....	47722	86.09
		94 = DON'T KNOW.....	67	0.12
		97 = REFUSED.....	4	0.01
<hr/>				
(LS01E)		Have you ever, even once, used psilocybin, found in mushrooms?	<hr/>	
PSILCY	2	EVER USED PSILOCYBIN (MUSHROOMS)		
		1 = Yes.....	4283	7.73
		2 = No.....	3292	5.94
		3 = Yes LOGICALLY ASSIGNED.....	45	0.08
		91 = NEVER USED HALLUCINOGENS.....	47722	86.09
		94 = DON'T KNOW.....	85	0.15
		97 = REFUSED.....	8	0.01
<hr/>				
(LS01F)		Have you ever, even once, used "Ecstasy," also known as MDMA?	<hr/>	
NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.				
ECSTASY	2	EVER USED "ECSTASY" (MDMA)		
		1 = Yes.....	3678	6.63
		2 = No.....	3978	7.18
		91 = NEVER USED HALLUCINOGENS.....	47722	86.09
		94 = DON'T KNOW.....	52	0.09
		97 = REFUSED.....	5	0.01
<hr/>				
(LS01H)		Have you ever, even once used any other hallucinogens besides the ones that have been listed?	<hr/>	
HALNOLST	2	EVER USED OTHER HALLUCINOGEN		
		1 = Yes.....	1061	1.91
		2 = No.....	6564	11.84
		91 = NEVER USED HALLUCINOGENS.....	47722	86.09
		94 = DON'T KNOW.....	78	0.14
		97 = REFUSED.....	10	0.02

HALLUCINOGENS			PAGE:	44
LABEL	LEN	DESCRIPTION	FREQ	%
HALNEWA	4	OTHER HALLUCINOGEN - SPECIFY 1	-	-
105		Placidyl, Ethchlorvynol.....	1	0.00
116		Methaqualone, Sopor, Quaalude.....	1	0.00
123		Unisom <OTC>.....	2	0.00
130		Phenergan, Promethazine.....	1	0.00
142		Belladonna.....	2	0.00
174		Ambien, Stilnox, Zolpidem.....	2	0.00
187		Belladonna plant/flower/root, deadly nightshade.....	1	0.00
209		Xanax, Alprazolam, Tafil, Xanax bars.....	4	0.01
246		Clonazepam, Diocam, Klonopin, Rivotril.....	1	0.00
267		Marezine.....	1	0.00
268		Rohypnol, Flunitrazepam, roche, roofies.....	3	0.01
322		Methamphetamine ("ice" or "crank"), Meth.....	21	0.04
332		Ephedrine.....	1	0.00
348		Crystal.....	2	0.00
355		Crystal meth.....	7	0.01
409		Tylenol with Codeine, Tylenol 3, Tylenol 4.....	1	0.00
415		Codeine.....	1	0.00
417		Morphine, Roxanol.....	2	0.00
420		OTHER Analgesic, NOT OTHERWISE SPECIFIED.....	1	0.00
423		Percocet.....	2	0.00
434		Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic.....	4	0.01
435		Tylenol, Tylenol Extra-Strength <OTC>.....	1	0.00
501		Gasoline or lighter fluids.....	9	0.02
502		Spray paints.....	2	0.00
503		Other aerosol sprays.....	5	0.01
504		Shoeshine liquid, glue, or toluene.....	5	0.01
505		Lacquer thinner or other paint solvents.....	3	0.01
506		Amyl nitrite,"poppers,"locker room odorizer,"rush"	1	0.00
507		Halothane, ether, or other anesthetics; chloroform	4	0.01
508		Nitrous oxide, "whippets," dentist gas.....	14	0.03
509		Correction fluids, degreasers, cleaning fluids....	1	0.00
510		OTHER Inhalant, NOT OTHERWISE SPECIFIED.....	10	0.02
511		Markers, felt-tip pens, ink pens.....	2	0.00
516		Freon, refrigerant.....	3	0.01
518		Acetone, nail polish remover.....	1	0.00
519		Helium.....	1	0.00
520		Old paint, paint.....	2	0.00
524		White-Out.....	2	0.00
566		Smoked tea from Lipton tea bag.....	1	0.00
590		Canned air, compressed air.....	1	0.00
592		Computer air duster, computer cleaner, dust-off...	14	0.03
601		LSD ("acid").....	45	0.08
602		Peyote.....	3	0.01
603		Mescaline.....	4	0.01
604		Psilocybin (mushrooms), shrooms.....	61	0.11
605		PCP ("angel dust," phencyclidine).....	5	0.01
606		"Ecstasy" (MDMA), X-TC, "X".....	6	0.01
607		OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	86	0.16
609		Jimson weed.....	6	0.01
612		Happy stick, sherm, sherman, shermstick.....	1	0.00
614		MDA, Methylenedioxymethamphetamine.....	6	0.01
616		DET, Dimethyltryptamine, DMT.....	23	0.04
617		Morning glory seeds, morning glory tendrils, ricea	10	0.02
618		Acid paper, blotter (acid).....	3	0.01
622		Microdot(s), green microdot, purple microdot.....	6	0.01
624		Orange sunshine, sunshine, yellow sunshine.....	1	0.00
625		Window, window pane, 4-way pane.....	3	0.01
627		Hawaiian wood rose, Hawaiian Woodrow seeds.....	1	0.00
636		DOM, STP.....	3	0.01
639		Nutmeg, Mace.....	3	0.01
640		Purple pyramid.....	1	0.00
650		Datura stramonium, daytura, thorn apple.....	4	0.01

HALLUCINOGENS			PAGE:	45
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
651	= Mellow Yellow.....		1	0.00
658	= Special K, Ketamine.....		16	0.03
660	= Toad, toad licking.....		1	0.00
663	= Animal tranquilizer, horse tranquilizer.....		2	0.00
679	= Hell bells.....		1	0.00
695	= Angel's trumpet.....		2	0.00
698	= 2-CB, Nexus.....		13	0.02
703	= Opium.....		8	0.01
801	= OTHER Drugs, NOT OTHERWISE SPECIFIED.....		1	0.00
802	= THC, cannabinol, marinol, tetrahydrocannabinol.....		4	0.01
803	= Marijuana, MarrJane, Mary Jane, MJ, pot, weed.....		15	0.03
804	= Hashish.....		1	0.00
805	= Cocaine, coca, cocaina, coke.....		2	0.00
806	= Crack, rock.....		2	0.00
809	= Pills.....		4	0.01
829	= Robitussin DM <OTC>.....		19	0.03
843	= Cold medicine, cold tablets <OTC>.....		1	0.00
847	= GHB, NSC, gamma hydroxybutyrate.....		5	0.01
852	= Formaldehyde, wak, whack (embalming fluid).....		2	0.00
857	= Wicki stick.....		1	0.00
883	= Dextromethorphan hydrobromide <OTC>.....		15	0.03
1001	= Benadryl, Diphenhydramine <OTC>.....		4	0.01
1002	= Dimenhydrinate, Dramamine, sea/motion sickness <OTC>.....		10	0.02
1011	= Lunesta.....		1	0.00
2003	= Zanies, zannies, zans, zany bars.....		1	0.00
3023	= Adderall.....		1	0.00
3051	= Betel nut, beetlenut.....		1	0.00
3052	= Speed; otherwise unspecified.....		3	0.01
4044	= Hydrocodone.....		2	0.00
4067	= OxyContin.....		7	0.01
5028	= Carburetor cleaner, engine cleaner.....		1	0.00
5053	= Electronics cleaner.....		1	0.00
5083	= Ethyl chloride.....		1	0.00
5100	= TCE, Trichlorethylene.....		1	0.00
6029	= DXM.....		31	0.06
6043	= Diviner's sage, Salvia divinorum.....		175	0.32
6044	= Gel caps, gel tabs.....		1	0.00
6048	= Dex.....		1	0.00
6056	= Wet.....		2	0.00
6061	= 5-MeO-DMT.....		2	0.00
6062	= Madderwort, wormwood.....		2	0.00
6074	= LSA.....		5	0.01
6083	= CCC, "Triple C," C3 <OTC>.....		13	0.02
6087	= Ibogaine.....		1	0.00
6100	= 2C-T-7, T7.....		1	0.00
6102	= Absinthe.....		10	0.02
6105	= Alpha-methyltryptamine, AMT, IT-290, 3-IT.....		3	0.01
6112	= 2C-T-2.....		1	0.00
6114	= Molly; not otherwise specified.....		5	0.01
6115	= Foxy.....		1	0.00
6118	= Adrenochrome.....		1	0.00
6126	= 2,5-Dimethoxy-4-iodophenethylamine, 2C-I.....		6	0.01
6127	= Skittles.....		1	0.00
6130	= 5-MeO-DiPT, foxy methoxy.....		1	0.00
6134	= Anadenanthrea colubrina, cohoba, vilca.....		1	0.00
6135	= 5-MeO-AMT.....		3	0.01
6138	= 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine.....		5	0.01
6144	= DiPT, Di-isopropyl-tryptamine.....		1	0.00
6160	= Wacky Weed.....		1	0.00
6163	= Devil's trumpet.....		1	0.00
6165	= PMMA, Paramethoxymethamphetamine.....		1	0.00
6166	= BZP, Benzylpiperazine.....		1	0.00
8011	= Herb, flower, plant; type unspecified.....		4	0.01

LABEL	LEN	DESCRIPTION	PAGE:	46
			FREQ	%
-----	-----	-----	-----	-
		8012 = Coriciden <OTC>.....	20	0.04
		8058 = Cough medicine/syrup; type unspecified.....	10	0.02
		8110 = Over-the-counter drug/pills; type unspecified<OTC>	1	0.00
		8203 = Bar; otherwise unspecified.....	2	0.00
		8214 = Robo, robo tripping.....	1	0.00
		8227 = Sativa; otherwise unspecified.....	1	0.00
		8231 = Tussin medication, no other information.....	1	0.00
		8232 = Rat/rodent poison; contents unspecified.....	1	0.00
		9985 = BAD DATA Logically assigned.....	14	0.03
		9991 = NEVER USED HALLUCINOGENS.....	47722	86.09
		9997 = REFUSED.....	38	0.07
		9998 = BLANK (NO ANSWER).....	205	0.37
		9999 = LEGITIMATE SKIP.....	6564	11.84

HALLUCINOGENS			PAGE:	47
LABEL	LEN	DESCRIPTION	FREQ	%
HALNEWB	4	OTHER HALLUCINOGEN - SPECIFY 2	-	-
174	= Ambien, Stilnox, Zolpidem.....	1	0.00	
209	= Xanax, Alprazolam, Tafil, Xanax bars.....	1	0.00	
246	= Clonazepam, Diocam, Klonopin, Rivotril.....	1	0.00	
322	= Methamphetamine ("ice" or "crank"), Meth.....	1	0.00	
355	= Crystal meth.....	2	0.00	
418	= Methadone, Dolophine.....	1	0.00	
434	= Vicodin, Lortab, Loracet, Anexsia, Co-Gesic.....	1	0.00	
501	= Gasoline or lighter fluids.....	3	0.01	
502	= Spray paints.....	1	0.00	
507	= Halothane, ether, or other anesthetics; chloroform	1	0.00	
508	= Nitrous oxide, "whippets," dentist gas.....	2	0.00	
510	= OTHER Inhalant, NOT OTHERWISE SPECIFIED.....	1	0.00	
511	= Markers, felt-tip pens, ink pens.....	1	0.00	
516	= Freon, refrigerant.....	2	0.00	
524	= White-Out.....	1	0.00	
601	= LSD ("acid").....	7	0.01	
604	= Psilocybin (mushrooms), shrooms.....	5	0.01	
606	= "Ecstasy" (MDMA), X-TC, "X".....	1	0.00	
607	= OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	12	0.02	
609	= Jimson weed.....	3	0.01	
614	= MDA, Methyleneoxy amphetamine.....	2	0.00	
616	= DET, Dimethyltryptamine, DMT.....	6	0.01	
617	= Morning glory seeds, morning glory tendrils, ricea	6	0.01	
618	= Acid paper, blotter (acid).....	1	0.00	
622	= Microdot(s), green microdot, purple microdot.....	1	0.00	
636	= DOM, STP.....	2	0.00	
639	= Nutmeg, Mace.....	1	0.00	
658	= Special K, Ketamine.....	2	0.00	
695	= Angel's trumpet.....	1	0.00	
698	= 2-CB, Nexus.....	1	0.00	
703	= Opium.....	3	0.01	
707	= Black tar heroin.....	1	0.00	
802	= THC, cannabinol, marinol, tetrahydrocannabinol....	1	0.00	
803	= Marijuana, MarrJane, Mary Jane, MJ, pot, weed....	4	0.01	
805	= Cocaine, coca, cocaina, coke.....	1	0.00	
829	= Robitussin DM <OTC>.....	4	0.01	
843	= Cold medicine, cold tablets <OTC>.....	1	0.00	
847	= GHB, NSC, gamma hydroxybutyrate.....	2	0.00	
852	= Formaldehyde, wak, whack (embalming fluid).....	1	0.00	
883	= Dextromethorphan hydrobromide <OTC>.....	1	0.00	
1002	= Dimenhydrinate, Dramamine, sea/motion sickness <OTC>	3	0.01	
3052	= Speed; otherwise unspecified.....	2	0.00	
4044	= Hydrocodone.....	1	0.00	
4067	= OxyContin.....	1	0.00	
5055	= PVC.....	1	0.00	
6029	= DXM.....	13	0.02	
6043	= Diviner's sage, Salvia divinorum.....	14	0.03	
6048	= Dex.....	1	0.00	
6061	= 5-MeO-DMT.....	2	0.00	
6062	= Madderwort, wormwood.....	1	0.00	
6074	= LSA.....	5	0.01	
6083	= CCC, "Triple C," C3 <OTC>.....	2	0.00	
6100	= 2C-T-7, T7.....	1	0.00	
6102	= Absinthe.....	1	0.00	
6103	= Ayahuasca.....	1	0.00	
6105	= Alpha-methyltryptamine, AMT, IT-290, 3-IT.....	1	0.00	
6112	= 2C-T-2.....	3	0.01	
6114	= Molly; not otherwise specified.....	1	0.00	
6115	= Foxy.....	2	0.00	
6126	= 2,5-Dimethoxy-4-iodophenethylamine, 2C-I.....	3	0.01	
6132	= Amanita mushrooms, fly agaric.....	1	0.00	
6135	= 5-MeO-AMT.....	1	0.00	

HALLUCINOGENS			PAGE:	48
LABEL	LEN	DESCRIPTION	FREQ	%
		-----	-----	-
		6138 = 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine.....	1	0.00
		8011 = Herb, flower, plant; type unspecified.....	1	0.00
		8012 = Coriciden <OTC>.....	6	0.01
		8058 = Cough medicine/syrup; type unspecified.....	1	0.00
		8214 = Robo, robo tripping.....	1	0.00
		9985 = BAD DATA Logically assigned.....	6	0.01
		9991 = NEVER USED HALLUCINOGENS.....	47722	86.09
		9997 = REFUSED.....	12	0.02
		9998 = BLANK (NO ANSWER).....	970	1.75
		9999 = LEGITIMATE SKIP.....	6564	11.84
HALNEWC	4	OTHER HALLUCINOGEN - SPECIFY 3		
		280 = Ketaset.....	1	0.00
		506 = Amyl nitrite,"poppers,"locker room odorizer,"rush"	1	0.00
		526 = Nail polish.....	1	0.00
		566 = Smoked tea from Lipton tea bag.....	1	0.00
		592 = Computer air duster, computer cleaner, dust-off...	1	0.00
		604 = Psilocybin (mushrooms), shrooms.....	3	0.01
		606 = "Ecstasy" (MDMA), X-TC, "X".....	1	0.00
		607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	4	0.01
		614 = MDA, Methylenedioxymethamphetamine.....	2	0.00
		616 = DET, Dimethyltryptamine, DMT.....	3	0.01
		617 = Morning glory seeds, morning glory tendrils, ricea	1	0.00
		627 = Hawaiian wood rose, Hawaiian Woodrow seeds.....	1	0.00
		639 = Nutmeg, Mace.....	1	0.00
		658 = Special K, Ketamine.....	1	0.00
		698 = 2-CB, Nexus.....	1	0.00
		703 = Opium.....	1	0.00
		829 = Robitussin DM <OTC>.....	2	0.00
		1001 = Benadryl, Diphenhydramine <OTC>.....	1	0.00
		1002 = Dimenhydrinate,Dramamine,sea/motion sickness <OTC>	1	0.00
		6029 = DXM.....	3	0.01
		6043 = Diviner's sage, Salvia divinorum.....	2	0.00
		6071 = Sinicuichi.....	1	0.00
		6074 = LSA.....	2	0.00
		6083 = CCC, "Triple C," C3 <OTC>.....	1	0.00
		6105 = Alpha-methyltryptamine, AMT, IT-290, 3-IT.....	1	0.00
		6114 = Molly; not otherwise specified.....	1	0.00
		6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I.....	1	0.00
		6161 = Thujone.....	1	0.00
		6168 = 2,5-Dimethoxy-4-iodoamphetamine, DOI.....	1	0.00
		8011 = Herb, flower, plant; type unspecified.....	1	0.00
		8203 = Bar; otherwise unspecified.....	1	0.00
		8214 = Robo, robo tripping.....	1	0.00
		8223 = Chocolate.....	1	0.00
		9991 = NEVER USED HALLUCINOGENS.....	47722	86.09
		9997 = REFUSED.....	11	0.02
		9998 = BLANK (NO ANSWER).....	1092	1.97
		9999 = LEGITIMATE SKIP.....	6564	11.84

HALLUCINOGENS			PAGE:	49
LABEL	LEN	DESCRIPTION	FREQ	%
HALNEWD	4	OTHER HALLUCINOGEN - SPECIFY 4		-
		603 = Mescaline.....	1	0.00
		604 = Psilocybin (mushrooms), shrooms.....	1	0.00
		607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	1	0.00
		616 = DET, Dimethyltryptamine, DMT.....	2	0.00
		617 = Morning glory seeds, morning glory tendrils, ricea	1	0.00
		695 = Angel's trumpet.....	1	0.00
		698 = 2-CB, Nexus.....	3	0.01
		829 = Robitussin DM <OTC>.....	1	0.00
		6029 = DXM.....	1	0.00
		6074 = LSA.....	1	0.00
		6132 = Amanita mushrooms, fly agaric.....	1	0.00
		6167 = 4-HO-DMT, Psilocin.....	1	0.00
		8012 = Coricidien <OTC>.....	1	0.00
		9991 = NEVER USED HALLUCINOGENS.....	47722	86.09
		9997 = REFUSED.....	10	0.02
		9998 = BLANK (NO ANSWER).....	1123	2.03
		9999 = LEGITIMATE SKIP.....	6564	11.84
HALNEWE	4	OTHER HALLUCINOGEN - SPECIFY 5		
		607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	1	0.00
		616 = DET, Dimethyltryptamine, DMT.....	1	0.00
		698 = 2-CB, Nexus.....	1	0.00
		6029 = DXM.....	1	0.00
		6159 = 2,5-Dimethoxy-4-methylthiophenethylamine, 2C-T.....	1	0.00
		9991 = NEVER USED HALLUCINOGENS.....	47722	86.09
		9997 = REFUSED.....	10	0.02
		9998 = BLANK (NO ANSWER).....	1134	2.05
		9999 = LEGITIMATE SKIP.....	6564	11.84
(LS02)		How old were you the first time you used [LSFILL]?		
HALLAGE	3	AGE WHEN FIRST USED HALLUCINOGENS		
		RANGE = 1 - 55	7424	13.39
		985 = BAD DATA Logically assigned.....	41	0.07
		991 = NEVER USED HALLUCINOGENS.....	47722	86.09
		994 = DON'T KNOW.....	60	0.11
		997 = REFUSED.....	18	0.03
		998 = BLANK (NO ANSWER).....	170	0.31
(LS03A)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions LS03a, LS03b, LS03c, LS03d, and associated consistency checks were used to create the following two variables.		
HALYFU	4	YEAR OF FIRST HALLUCINOGEN USE - RECODE		
		RANGE = 2005 - 2007	931	1.68
		9985 = BAD DATA Logically assigned.....	102	0.18
		9989 = LEGITIMATE SKIP Logically assn.....	100	0.18
		9991 = NEVER USED HALLUCINOGENS.....	47722	86.09
		9994 = DON'T KNOW.....	68	0.12
		9997 = REFUSED.....	20	0.04
		9998 = BLANK (NO ANSWER).....	170	0.31
		9999 = LEGITIMATE SKIP.....	6322	11.40

HALLUCINOGENS			PAGE:	50
LABEL	LEN	DESCRIPTION	FREQ	%
HALMFU	2	MONTH OF FIRST HALLUCINOGEN USE - RECODE		-
		1 = January.....	84	0.15
		2 = February.....	81	0.15
		3 = March.....	89	0.16
		4 = April.....	68	0.12
		5 = May.....	59	0.11
		6 = June.....	87	0.16
		7 = July.....	102	0.18
		8 = August.....	64	0.12
		9 = September.....	58	0.10
		10 = October.....	73	0.13
		11 = November.....	64	0.12
		12 = December.....	44	0.08
		85 = BAD DATA Logically assigned.....	102	0.18
		89 = LEGITIMATE SKIP Logically assn.....	100	0.18
		91 = NEVER USED HALLUCINOGENS.....	47722	86.09
		94 = DON'T KNOW.....	124	0.22
		97 = REFUSED.....	22	0.04
		98 = BLANK (NO ANSWER).....	170	0.31
		99 = LEGITIMATE SKIP.....	6322	11.40
(LSLAST)		NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.		
		How long has it been since you last used [LSFILL]?		
HALLREC	2	TIME SINCE LAST USED HALLUCINOGENS		
		1 = Within the past 30 days.....	424	0.76
		2 = More than 30 days ago but within the past 12 mos..	1223	2.21
		3 = More than 12 months ago.....	5635	10.17
		8 = Used at some point in the past 12 mos LOG ASSN....	52	0.09
		9 = Used at some point in lifetime LOG ASSN.....	163	0.29
		11 = Used in the past 30 days LOGICALLY ASSIGNED.....	26	0.05
		12 = Used >30 days ago but within pst 12 mos LOG ASSN..	19	0.03
		91 = NEVER USED HALLUCINOGENS.....	47722	86.09
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	170	0.31
		NOTE: The variables HALYRTOT, HLBSTWAY, HLDAYPYR, HLDAYPMO, and HLDAYPWK incorporate values from follow-up questions that were asked if respondents previously reported that they last used any hallucinogen more than 12 months ago but subsequently reported more recent use of any hallucinogen, LSD, PCP, or Ecstasy.		
HALYRTOT	3	TOTAL # OF DAYS USED HALLUCINOGENS IN PAST 12 MOS		
		RANGE = 1 - 365	1714	3.09
		983 = DID NOT USE HALLUCINOGENS IN PST 12 MOS Log assn..	1	0.00
		985 = BAD DATA Logically assigned.....	13	0.02
		991 = NEVER USED HALLUCINOGENS.....	47722	86.09
		993 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	5634	10.16
		994 = DON'T KNOW.....	14	0.03
		997 = REFUSED.....	4	0.01
		998 = BLANK (NO ANSWER).....	333	0.60
HLTOTFG	2	TRIMMING INDICATOR FOR HALYRTOT		
		2 = Trimmed relative to the 30-day freq.....	4	0.01
		98 = BLANK (NO ANSWER).....	55431	99.99
HLFQFLG	2	TRIMMED HALYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use....	124	0.22
		98 = BLANK (NO ANSWER).....	55311	99.78

LABEL	LEN	DESCRIPTION	PAGE:	51
			FREQ	%
(LSFRAME3) Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used [LSFILL] during the past 12 months.				
		What would be the easiest way for you to tell us how many days you've used it?		
HLBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED HALLUCINOGEN		
		1 = Prefer to answer in days per week.....	194	0.35
		2 = Prefer to answer in days per month.....	284	0.51
		3 = Prefer to answer in days per year.....	1225	2.21
		11 = Prefer to ans in days per wk LOG ASSN.....	1	0.00
		13 = Prefer to ans in days per yr LOG ASSN.....	20	0.04
		83 = DID NOT USE HALLUCINOGENS IN PST 12 MOS Log assn..	1	0.00
		85 = BAD DATA Logically assigned.....	13	0.02
		91 = NEVER USED HALLUCINOGENS.....	47722	86.09
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	5634	10.16
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	333	0.60
(LSYRAVE)		On how many days in the past 12 months did you use [LSFILL]?		
HLDAYPYR	3	# DAYS USED HALLUCINOGEN PAST 12 MONTHS		
		RANGE = 1 - 365	1245	2.25
		985 = BAD DATA Logically assigned.....	10	0.02
		989 = LEGITIMATE SKIP Logically assigned.....	3	0.01
		991 = NEVER USED HALLUCINOGENS.....	47722	86.09
		993 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	5635	10.17
		994 = DON'T KNOW.....	8	0.01
		997 = REFUSED.....	3	0.01
		998 = BLANK (NO ANSWER).....	333	0.60
		999 = LEGITIMATE SKIP.....	476	0.86
(LSMONAVE)		On average, how many days did you use [LSFILL] each month during the past 12 months?		
HLDAYPMO	2	# DAYS PER MONTH USED HALLUCINOGEN PAST 12 MONTHS		
		RANGE = 1 - 31	280	0.51
		83 = DID NOT USE HALLUCINOGENS IN PST 12 MOS Log assn..	1	0.00
		85 = BAD DATA Logically assigned.....	2	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		91 = NEVER USED HALLUCINOGENS.....	47722	86.09
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	5634	10.16
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	344	0.62
		99 = LEGITIMATE SKIP.....	1436	2.59
(LSWKAVE)		On average, how many days did you use [LSFILL] each week during the past 12 months?		
HLDAYPWK	2	# DAYS PER WEEK USED HALLUCINOGEN PAST 12 MONTHS		
		RANGE = 1 - 7	192	0.35
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED HALLUCINOGENS.....	47722	86.09
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	5635	10.17
		94 = DON'T KNOW.....	14	0.03
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	345	0.62
		99 = LEGITIMATE SKIP.....	1522	2.75

LABEL	LEN	DESCRIPTION	PAGE:	52
			FREQ	%
(LS04)		NOTE: The variables HAL30USE and HL30EST incorporate values from follow-up questions that were asked if respondents previously reported that they last used any hallucinogen more than 30 days ago but subsequently reported use of any hallucinogen, LSD, PCP, or Ecstasy in the past 30 days.		-
		Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use [LSFILL]?		
HAL30USE	2	# DAYS USED HALLUCINOGEN PAST 30 DAYS		
		RANGE = 1 - 30	442	0.80
		85 = BAD DATA Logically assigned.....	17	0.03
		91 = NEVER USED HALLUCINOGENS.....	47722	86.09
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 30 DAYS.....	6877	12.41
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	375	0.68
(LS04DKRE)		What is your best estimate of the number of days you used [LSFILL] during the past 30 days?		
HL30EST	2	BEST EST. # DAYS USED HALLUCINOGENS PAST 30 DAYS		
		1 = 1 or 2 days.....	1	0.00
		2 = 3 to 5 days.....	1	0.00
		91 = NEVER USED HALLUCINOGENS.....	47722	86.09
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 30 DAYS.....	6877	12.41
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	392	0.71
		99 = LEGITIMATE SKIP.....	441	0.80
(LS05)		Now think only about LSD. How old were you the first time you used LSD?		
LSDAGE	3	AGE WHEN FIRST USED LSD		
		RANGE = 1 - 44	3935	7.10
		985 = BAD DATA Logically assigned.....	10	0.02
		991 = NEVER USED LSD.....	51365	92.66
		994 = DON'T KNOW.....	42	0.08
		997 = REFUSED.....	27	0.05
		998 = BLANK (NO ANSWER).....	56	0.10
(LS06)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions LS06, LS07, LS08, LS09, and associated consistency checks were used to create the following two variables.		
LSDYFU	4	YEAR OF FIRST LSD USE - RECODE		
		RANGE = 2005 - 2007	262	0.47
		9985 = BAD DATA Logically assigned.....	25	0.05
		9989 = LEGITIMATE SKIP Logically assigned.....	4	0.01
		9991 = NEVER USED LSD.....	51365	92.66
		9994 = DON'T KNOW.....	43	0.08
		9997 = REFUSED.....	27	0.05
		9998 = BLANK (NO ANSWER).....	57	0.10
		9999 = LEGITIMATE SKIP.....	3652	6.59

HALLUCINOGENS			PAGE:	53
LABEL	LEN	DESCRIPTION	FREQ	%
LSDMFU	2	MONTH OF FIRST LSD USE - RECODE		-
		1 = January.....	23	0.04
		2 = February.....	18	0.03
		3 = March.....	20	0.04
		4 = April.....	27	0.05
		5 = May.....	14	0.03
		6 = June.....	30	0.05
		7 = July.....	27	0.05
		8 = August.....	18	0.03
		9 = September.....	18	0.03
		10 = October.....	17	0.03
		11 = November.....	21	0.04
		12 = December.....	12	0.02
		85 = BAD DATA Logically assigned.....	26	0.05
		89 = LEGITIMATE SKIP Logically assn.....	4	0.01
		91 = NEVER USED LSD.....	51365	92.66
		94 = DON'T KNOW.....	56	0.10
		97 = REFUSED.....	29	0.05
		98 = BLANK (NO ANSWER).....	58	0.10
		99 = LEGITIMATE SKIP.....	3652	6.59
(LS10)		Now think only about LSD. How long has it been since you last used LSD?		
LSDREC	2	TIME SINCE LAST USED LSD		
		1 = Within the past 30 days.....	72	0.13
		2 = More than 30 days ago but within the past 12 mos..	260	0.47
		3 = More than 12 months ago.....	3622	6.53
		8 = Used at some point in the past 12 mos LOG ASSN.....	13	0.02
		9 = Used at some point in the lifetime LOG ASSN.....	55	0.10
		91 = NEVER USED LSD.....	51365	92.66
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	43	0.08
(LS11)		Now think only about PCP. How old were you the first time you used PCP?		
PCPAGE	3	AGE WHEN FIRST USED PCP		
		RANGE = 6 - 42	993	1.79
		985 = BAD DATA Logically assigned.....	9	0.02
		991 = NEVER USED PCP.....	54360	98.06
		994 = DON'T KNOW.....	15	0.03
		997 = REFUSED.....	12	0.02
		998 = BLANK (NO ANSWER).....	46	0.08
(LS12)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions LS12, LS13, LS14, LS15, and associated consistency checks were used to create the following two variables.		
PCPYFU	4	YEAR OF FIRST PCP USE - RECODE		
		RANGE = 2005 - 2007	57	0.10
		9985 = BAD DATA Logically assigned.....	17	0.03
		9989 = LEGITIMATE SKIP Logically assigned.....	2	0.00
		9991 = NEVER USED PCP.....	54360	98.06
		9994 = DON'T KNOW.....	16	0.03
		9997 = REFUSED.....	12	0.02
		9998 = BLANK (NO ANSWER).....	46	0.08
		9999 = LEGITIMATE SKIP.....	925	1.67

HALLUCINOGENS			PAGE:	54
LABEL	LEN	DESCRIPTION	FREQ	%
PCPMFU	2	MONTH OF FIRST PCP USE - RECODE		-
		1 = January.....	2	0.00
		2 = February.....	4	0.01
		3 = March.....	7	0.01
		4 = April.....	4	0.01
		5 = May.....	6	0.01
		6 = June.....	6	0.01
		7 = July.....	3	0.01
		8 = August.....	8	0.01
		9 = September.....	1	0.00
		10 = October.....	4	0.01
		11 = November.....	2	0.00
		12 = December.....	4	0.01
		85 = BAD DATA Logically assigned.....	18	0.03
		89 = LEGITIMATE SKIP Logically assn.....	2	0.00
		91 = NEVER USED PCP.....	54360	98.06
		94 = DON'T KNOW.....	21	0.04
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	46	0.08
		99 = LEGITIMATE SKIP.....	925	1.67
(LS16)		How long has it been since you last used PCP?		
PCPREC	2	TIME SINCE LAST USED PCP		
		1 = Within the past 30 days.....	15	0.03
		2 = More than 30 days ago but within the past 12 mos..	53	0.10
		3 = More than 12 months ago.....	930	1.68
		8 = Used at some point in the past 12 mos LOG ASSN....	4	0.01
		9 = Used at some point in the lifetime LOG ASSN.....	27	0.05
		91 = NEVER USED PCP.....	54360	98.06
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	42	0.08
(LS17)		Now think only about "Ecstasy." How old were you the first time you used "Ecstasy," also known as MDMA?		
ECSAGE	3	AGE WHEN FIRST USED ECSTASY		
	RANGE =	6 - 60	3621	6.53
		985 = BAD DATA Logically assigned.....	14	0.03
		991 = NEVER USED ECSTASY.....	51700	93.26
		994 = DON'T KNOW.....	16	0.03
		997 = REFUSED.....	8	0.01
		998 = BLANK (NO ANSWER).....	76	0.14
(LS18)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions LS18, LS19, LS20, LS21, and associated consistency checks were used to create the following two variables.		
ECSYFU	4	YEAR OF FIRST ECSTASY USE - RECODE		
	RANGE =	2005 - 2007	634	1.14
		9985 = BAD DATA Logically assigned.....	36	0.06
		9989 = LEGITIMATE SKIP Logically assigned.....	19	0.03
		9991 = NEVER USED ECSTASY.....	51700	93.26
		9994 = DON'T KNOW.....	18	0.03
		9997 = REFUSED.....	8	0.01
		9998 = BLANK (NO ANSWER).....	90	0.16
		9999 = LEGITIMATE SKIP.....	2930	5.29

HALLUCINOGENS			PAGE:	55
LABEL	LEN	DESCRIPTION	FREQ	%
ECSMFU	2	MONTH OF FIRST ECSTASY USE - RECODE		-
		1 = January.....	56	0.10
		2 = February.....	51	0.09
		3 = March.....	63	0.11
		4 = April.....	51	0.09
		5 = May.....	48	0.09
		6 = June.....	59	0.11
		7 = July.....	49	0.09
		8 = August.....	50	0.09
		9 = September.....	57	0.10
		10 = October.....	54	0.10
		11 = November.....	42	0.08
		12 = December.....	24	0.04
		85 = BAD DATA Logically assigned.....	36	0.06
		89 = LEGITIMATE SKIP Logically assn.....	19	0.03
		91 = NEVER USED ECSTASY.....	51700	93.26
		94 = DON'T KNOW.....	47	0.08
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	90	0.16
		99 = LEGITIMATE SKIP.....	2930	5.29
(LS22)		How long has it been since you last used "Ecstasy," also known as MDMA?		
ECSREC	2	TIME SINCE LAST USED ECSTASY		
		1 = Within the past 30 days.....	192	0.35
		2 = More than 30 days ago but within the past 12 mos..	694	1.25
		3 = More than 12 months ago.....	2709	4.89
		8 = Used at some point in the past 12 mos LOG ASSN....	8	0.01
		9 = Used at some point in the lifetime LOG ASSN.....	74	0.13
		11 = Used in the past 30 days LOGICALLY ASSIGNED.....	1	0.00
		91 = NEVER USED ECSTASY.....	51700	93.26
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	52	0.09

LABEL	LEN	DESCRIPTION	PAGE:	56
			FREQ	%
(IN01A)		INHALANTS		-

		These next questions are about liquids, sprays, and gases that people sniff or inhale to get high or to make them feel good. We are not interested in times when you inhaled a substance accidentally - such as when painting, cleaning an oven, or filling a car with gasoline.		

		The questions use the term "inhalant" to include all the things listed below, as well as any other substances that people sniff or inhale for kicks or to get high. Take a moment to look at the substances listed below so you know what kinds of liquids, sprays, and gases these questions are about.		

		Amyl nitrite, "poppers," locker room odorizers, or "rush"		
		Correction fluid, degreaser, or cleaning fluid		
		Gasoline or lighter fluid		
		Glue, shoe polish, or toluene		
		Halothane, ether, or other paint solvents		
		Lighter gases, such as butane or propane		
		Nitrous oxide or "whippets"		
		Spray paints		
		Other aerosol sprays		

		Have you ever, even once, inhaled amyl nitrite, "poppers," locker room odorizers, or "rush" for kicks or to get high?		
AMYLNIT	2	EVER INHALED AMYL NITRITE, "POPPERS," RUSH, ETC.		
		1 = Yes.....	1464	2.64
		2 = No.....	4562	8.23
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED INHALANTS.....	49379	89.08
		94 = DON'T KNOW.....	24	0.04
		97 = REFUSED.....	3	0.01
(IN01B)		Have you ever, even once, inhaled correction fluid, degreaser, or cleaning fluid for kicks or to get high?		
CLEFLU	2	EVER INHALED CORRECTION FLUID, DEGREASER, ETC.		
		1 = Yes.....	741	1.34
		2 = No.....	5275	9.52
		3 = Yes LOGICALLY ASSIGNED.....	16	0.03
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED INHALANTS.....	49379	89.08
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED.....	7	0.01

LABEL	LEN	DESCRIPTION	PAGE:	57
			FREQ	%
(IN01C)		Have you ever, even once, inhaled gasoline or lighter fluid for kicks or to get high?		-
GAS	2	EVER INHALED GASOLINE OR LIGHTER FLUID		
		1 = Yes.....	1337	2.41
		2 = No.....	4691	8.46
		3 = Yes LOGICALLY ASSIGNED.....	2	0.00
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED INHALANTS.....	49379	89.08
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	5	0.01
(IN01D)		Have you ever, even once, inhaled glue, shoe polish, or toluene for kicks or to get high?		
GLUE	2	EVER INHALED GLUE, SHOE POLISH, OR TOLUENE		
		1 = Yes.....	1346	2.43
		2 = No.....	4677	8.44
		3 = Yes LOGICALLY ASSIGNED.....	3	0.01
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED INHALANTS.....	49379	89.08
		94 = DON'T KNOW.....	20	0.04
		97 = REFUSED.....	8	0.01
(IN01E)		Have you ever, even once, inhaled halothane, ether, or other anesthetics for kicks or to get high?		
ETHER	2	EVER INHALED HALOTHANE, ETHER, OR OTHER ANESTHETIC		
		1 = Yes.....	292	0.53
		2 = No.....	5731	10.34
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED INHALANTS.....	49379	89.08
		94 = DON'T KNOW.....	29	0.05
		97 = REFUSED.....	2	0.00
(IN01F)		Have you ever, even once, inhaled lacquer thinner or other paint solvents for kicks or to get high?		
SOLVENT	2	EVER INHADED LACQUER THINNER, OTHER PAINT SOLVENTS		
		1 = Yes.....	693	1.25
		2 = No.....	5339	9.63
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED INHALANTS.....	49379	89.08
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	3	0.01
(IN01G)		Have you ever, even once, inhaled lighter gases, such as butane or propane for kicks or to get high?		
LGAS	2	EVER INHADED LIGHTER GASES (BUTANE, PROPANE)		
		1 = Yes.....	376	0.68
		2 = No.....	5656	10.20
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED INHALANTS.....	49379	89.08
		94 = DON'T KNOW.....	16	0.03
		97 = REFUSED.....	5	0.01

LABEL	LEN	DESCRIPTION	PAGE:	58
			FREQ	%
(IN01H)		Have you ever, even once, inhaled nitrous oxide or whippets for kicks or to get high?		-
NITOXID	2	EVER INHALED NITROUS OXIDE OR "WHIPPETS"		
		1 = Yes.....	2745	4.95
		2 = No.....	3277	5.91
		3 = Yes LOGICALLY ASSIGNED.....	4	0.01
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED INHALANTS.....	49379	89.08
		94 = DON'T KNOW.....	24	0.04
		97 = REFUSED.....	4	0.01
(IN01I)		Have you ever, even once, inhaled spray paints for kicks or to get high?		
SPPAINT	2	EVER INHALED SPRAY PAINTS		
		1 = Yes.....	943	1.70
		2 = No.....	5092	9.19
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED INHALANTS.....	49379	89.08
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED.....	4	0.01
(IN01J)		Have you ever, even once, inhaled some other aerosol spray for kicks or to get high?		
AEROS	2	EVER INHALED OTHER AEROSOL SPRAYS		
		1 = Yes.....	893	1.61
		2 = No.....	5124	9.24
		3 = Yes LOGICALLY ASSIGNED.....	12	0.02
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED INHALANTS.....	49379	89.08
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	6	0.01
(IN01L)		Have you ever, even once used any other inhalants for kicks or to get high besides the ones that have been listed?		
INHNOLST	2	EVER USED OTHER INHALANTS		
		1 = Yes.....	635	1.15
		2 = No.....	5384	9.71
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED INHALANTS.....	49379	89.08
		94 = DON'T KNOW.....	29	0.05
		97 = REFUSED.....	6	0.01

INHALANTS			PAGE:	59
LABEL	LEN	DESCRIPTION	FREQ	%
INHNEWA	4	OTHER INHALANT - SPECIFY 1	-	-
322		Methamphetamine ("ice" or "crank"), Meth.....	1	0.00
348		Crystal.....	1	0.00
377		Albuterol, Proventil, Ventolin.....	5	0.01
430		Aspirin, Ecotrin, Empirin <OTC>.....	1	0.00
501		Gasoline or lighter fluids.....	5	0.01
503		Other aerosol sprays.....	33	0.06
504		Shoeshine liquid, glue, or toluene.....	11	0.02
506		Amyl nitrite, "poppers," locker room odorizer, "rush"	5	0.01
508		Nitrous oxide, "whippets," dentist gas.....	7	0.01
510		OTHER Inhalant, NOT OTHERWISE SPECIFIED.....	29	0.05
511		Markers, felt-tip pens, ink pens.....	153	0.28
516		Freon, refrigerant.....	12	0.02
518		Acetone, nail polish remover.....	8	0.01
519		Helium.....	23	0.04
520		Old paint, paint.....	2	0.00
524		White-Out.....	13	0.02
525		Butane.....	1	0.00
526		Nail polish.....	11	0.02
528		Whipped-cream can.....	16	0.03
531		Candy, powdered candy, sugar.....	2	0.00
534		Deodorant.....	1	0.00
539		Scotch-Gard.....	2	0.00
540		PAM.....	6	0.01
548		Cologne, isopropanol vapors, rubbing alcohol.....	1	0.00
553		Pixie sticks.....	1	0.00
554		Insect killer (e.g., Raid).....	1	0.00
582		WD-40.....	2	0.00
589		Tire shine/tire cleaner.....	1	0.00
590		Canned air, compressed air.....	5	0.01
592		Computer air duster, computer cleaner, dust-off...	119	0.21
801		OTHER Drugs, NOT OTHERWISE SPECIFIED.....	1	0.00
803		Marijuana, MarrJane, Mary Jane, MJ, pot, weed.....	6	0.01
807		Alcohol, beer, ethanol, EtOH, pink champagne.....	3	0.01
809		Pills.....	1	0.00
900		Not a drug.....	1	0.00
5001		Bleach.....	2	0.00
5022		Carbon dioxide, CO2, dry ice hits.....	2	0.00
5028		Carburetor cleaner, engine cleaner.....	2	0.00
5032		Nitrogen.....	1	0.00
5049		Hand sanitizer; contents unspecified.....	5	0.01
5052		Silly String.....	1	0.00
5053		Electronics cleaner.....	4	0.01
5064		Erasers.....	1	0.00
5075		Pine-sol.....	1	0.00
5076		Water repellant; type unspecified.....	1	0.00
5078		Axe body spray.....	2	0.00
5090		PVC Cleaner.....	1	0.00
5097		Lysol; aerosol unspecified.....	1	0.00
5098		Axe/Axe deodorant; aerosol unspecified.....	6	0.01
5101		Difluoroethane.....	1	0.00
5102		Xylene; otherwise unspecified.....	1	0.00
5103		Shoe dye.....	1	0.00
5104		Shoe cleaner; otherwise unspecified.....	1	0.00
8024		Asthma inhaler, asthma medication, bronchial dilator	13	0.02
8056		Vicks VapoRub/inhaler <OTC>.....	2	0.00
9985		BAD DATA Logically assigned.....	3	0.01
9991		NEVER USED INHALANTS.....	49379	89.08
9997		REFUSED.....	30	0.05
9998		BLANK (NO ANSWER).....	100	0.18
9999		LEGITIMATE SKIP.....	5384	9.71

LABEL	LEN	DESCRIPTION	INHALANTS		PAGE: FREQ	60 %
			-----	-----		
INHNEWB	4	OTHER INHALANT - SPECIFY 2				-
		377 = Albuterol, Proventil, Ventolin.....		2	0.00	
		503 = Other aerosol sprays.....		2	0.00	
		504 = Shoeshine liquid, glue, or toluene.....		1	0.00	
		508 = Nitrous oxide, "whippets," dentist gas.....		2	0.00	
		510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED.....		3	0.01	
		511 = Markers, felt-tip pens, ink pens.....		13	0.02	
		518 = Acetone, nail polish remover.....		2	0.00	
		519 = Helium.....		2	0.00	
		520 = Old paint, paint.....		2	0.00	
		524 = White-Out.....		6	0.01	
		526 = Nail polish.....		2	0.00	
		545 = Car tailpipe exhaust fumes, CO.....		1	0.00	
		582 = WD-40.....		1	0.00	
		592 = Computer air duster, computer cleaner, dust-off....		4	0.01	
		601 = LSD ("acid").....		1	0.00	
		803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed.....		1	0.00	
		805 = Cocaine, coca, cocaina, coke.....		1	0.00	
		809 = Pills.....		1	0.00	
		5024 = Candle, citronella candle.....		1	0.00	
		5053 = Electronics cleaner.....		1	0.00	
		5075 = Pine-sol.....		1	0.00	
		5077 = Resistol.....		1	0.00	
		5097 = Lysol; aerosol unspecified.....		1	0.00	
		5098 = Axe/Axe deodorant; aerosol unspecified.....		1	0.00	
		8024 = Asthma inhaler, asthma medication, bronchial dilator		1	0.00	
		9985 = BAD DATA Logically assigned.....		4	0.01	
		9991 = NEVER USED INHALANTS.....		49379	89.08	
		9997 = REFUSED.....		7	0.01	
		9998 = BLANK (NO ANSWER).....		607	1.09	
		9999 = LEGITIMATE SKIP.....		5384	9.71	
INHNEWC	4	OTHER INHALANT - SPECIFY 3				
		501 = Gasoline or lighter fluids.....		1	0.00	
		506 = Amyl nitrite, "poppers," locker room odorizer, "rush"		1	0.00	
		510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED.....		2	0.00	
		511 = Markers, felt-tip pens, ink pens.....		1	0.00	
		526 = Nail polish.....		1	0.00	
		582 = WD-40.....		1	0.00	
		592 = Computer air duster, computer cleaner, dust-off....		2	0.00	
		809 = Pills.....		1	0.00	
		5045 = Cleaner; not otherwise specified.....		1	0.00	
		5053 = Electronics cleaner.....		1	0.00	
		8024 = Asthma inhaler, asthma medication, bronchial dilator		1	0.00	
		9991 = NEVER USED INHALANTS.....		49379	89.08	
		9997 = REFUSED.....		6	0.01	
		9998 = BLANK (NO ANSWER).....		653	1.18	
		9999 = LEGITIMATE SKIP.....		5384	9.71	
INHNEWD	4	OTHER INHALANT - SPECIFY 4				
		501 = Gasoline or lighter fluids.....		1	0.00	
		506 = Amyl nitrite, "poppers," locker room odorizer, "rush"		1	0.00	
		809 = Pills.....		1	0.00	
		5071 = Purell.....		1	0.00	
		9991 = NEVER USED INHALANTS.....		49379	89.08	
		9997 = REFUSED.....		6	0.01	
		9998 = BLANK (NO ANSWER).....		662	1.19	
		9999 = LEGITIMATE SKIP.....		5384	9.71	

INHALANTS			PAGE:	61
LABEL	LEN	DESCRIPTION	FREQ	%
INHNEWE	4	OTHER INHALANT - SPECIFY 5		-
		504 = Shoeshine liquid, glue, or toluene.....	1	0.00
		510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED.....	1	0.00
		9991 = NEVER USED INHALANTS.....	49379	89.08
		9997 = REFUSED.....	6	0.01
		9998 = BLANK (NO ANSWER).....	664	1.20
		9999 = LEGITIMATE SKIP.....	5384	9.71
(INREF)		The answers that people give us about their use of inhalants are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.		
		Please think again about answering this question: Have you ever, even once, used any type of inhalant for kicks or to get high?		
		NOTE: This variable was coded as 1 if respondents answered yes to the above question and 91 if respondents answered the above question as no (see below). This variable also was coded as 1 if the questions corresponding to any of the following variables were answered as yes: AMYLNIT, CLEFLU, GAS, GLUE, ETHER, SOLVENT, LGAS, NITOXID, SPPAINT, AEROS, or INHNOLST. This variable also was coded as 91 if all of the above variables were coded as 91.		
INHEVER	2	EVER USED INHALANTS		
		1 = Yes.....	5966	10.76
		91 = NEVER USED INHALANTS.....	49379	89.08
		98 = BLANK (NO ANSWER).....	90	0.16
(IN02)		How old were you the first time you used any inhalant for kicks or to get high?		
INHAGE	3	AGE WHEN FIRST USED INHALANTS		
		RANGE = 1 - 56	5588	10.08
		985 = BAD DATA Logically assigned.....	62	0.11
		991 = NEVER USED INHALANTS.....	49379	89.08
		994 = DON'T KNOW.....	227	0.41
		997 = REFUSED.....	91	0.16
		998 = BLANK (NO ANSWER).....	88	0.16
(IN03A)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions IN03a, IN03b, IN03c, IN03d, and associated consistency checks were used to create the following two variables.		
INHYFU	4	YEAR OF FIRST INHALANT USE - RECODE		
		RANGE = 2005 - 2007	740	1.33
		9985 = BAD DATA Logically assigned.....	157	0.28
		9989 = LEGITIMATE SKIP Logically assn.....	54	0.10
		9991 = NEVER USED INHALANTS.....	49379	89.08
		9994 = DON'T KNOW.....	235	0.42
		9997 = REFUSED.....	91	0.16
		9998 = BLANK (NO ANSWER).....	90	0.16
		9999 = LEGITIMATE SKIP.....	4689	8.46

LABEL	LEN	DESCRIPTION	PAGE:	62
			FREQ	%
INHMFU	2	MONTH OF FIRST INHALANT USE - RECODE		-
		1 = January.....	69	0.12
		2 = February.....	53	0.10
		3 = March.....	66	0.12
		4 = April.....	49	0.09
		5 = May.....	62	0.11
		6 = June.....	62	0.11
		7 = July.....	55	0.10
		8 = August.....	51	0.09
		9 = September.....	46	0.08
		10 = October.....	45	0.08
		11 = November.....	44	0.08
		12 = December.....	48	0.09
		85 = BAD DATA Logically assigned.....	154	0.28
		89 = LEGITIMATE SKIP Logically assn.....	54	0.10
		91 = NEVER USED INHALANTS.....	49379	89.08
		94 = DON'T KNOW.....	315	0.57
		97 = REFUSED.....	101	0.18
		98 = BLANK (NO ANSWER).....	93	0.17
		99 = LEGITIMATE SKIP.....	4689	8.46
(INLAST)		NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.		
		How long has it been since you last used any inhalant for kicks or to get high?		
INHREC	2	TIME SINCE LAST USED INHALANTS		
		1 = Within the past 30 days.....	284	0.51
		2 = More than 30 days ago but within the past 12 mos..	734	1.32
		3 = More than 12 months ago.....	4689	8.46
		8 = Used at some point in the past 12 mos LOG ASSN....	19	0.03
		9 = Used at some point in lifetime LOG ASSN.....	237	0.43
		11 = Used in the past 30 days LOGICALLY ASSIGNED.....	3	0.01
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED INHALANTS.....	49379	89.08
		98 = BLANK (NO ANSWER).....	88	0.16
INHYRTOT	3	TOTAL # OF DAYS USED INHALANT PAST 12 MONTHS		
		RANGE = 1 - 360	985	1.78
		985 = BAD DATA Logically assigned.....	15	0.03
		991 = NEVER USED INHALANTS.....	49379	89.08
		993 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	4689	8.46
		994 = DON'T KNOW.....	27	0.05
		997 = REFUSED.....	15	0.03
		998 = BLANK (NO ANSWER).....	325	0.59
INTOTFG	2	TRIMMING INDICATOR FOR INHYRTOT		
		2 = Trimmed relative to the 30-day freq.....	3	0.01
		98 = BLANK (NO ANSWER).....	55432	99.99
INFQFLG	2	TRIMMED INHYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use....	125	0.23
		98 = BLANK (NO ANSWER).....	55310	99.77

LABEL	LEN	DESCRIPTION	PAGE:	63
			FREQ	%
(INFRAME3)		Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used an inhalant of any kind for kicks or to get high during the past 12 months.		-
		What would be the easiest way for you to tell us how many days you've done this?		
INBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED INHALANTS		
		1 = Prefer to answer in days per week.....	161	0.29
		2 = Prefer to answer in days per month.....	208	0.38
		3 = Prefer to answer in days per year.....	604	1.09
		11 = Prefer to ans in days per wk LOG ASSN.....	5	0.01
		12 = Prefer to ans in days per mo LOG ASSN.....	3	0.01
		13 = Prefer to ans in days per yr LOG ASSN.....	27	0.05
		85 = BAD DATA Logically assigned.....	15	0.03
		91 = NEVER USED INHALANTS.....	49379	89.08
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	4689	8.46
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	325	0.59
(INYRAVE)		On how many days in the past 12 months did you use an inhalant of any kind for kicks or to get high?		
INDAYPYR	3	# DAYS USED INHALANT PAST 12 MONTHS		
		RANGE = 1 - 234	622	1.12
		985 = BAD DATA Logically assigned.....	11	0.02
		989 = LEGITIMATE SKIP Logically assigned.....	10	0.02
		991 = NEVER USED INHALANTS.....	49379	89.08
		993 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	4689	8.46
		994 = DON'T KNOW.....	18	0.03
		997 = REFUSED.....	10	0.02
		998 = BLANK (NO ANSWER).....	329	0.59
		999 = LEGITIMATE SKIP.....	367	0.66
(INMONAVE)		On average, how many days did you use an inhalant of any kind for kicks or to get high each month during the past 12 months?		
INDAYPMO	2	# DAYS PER MONTH USED INHALANT PAST 12 MONTHS		
		RANGE = 1 - 30	200	0.36
		85 = BAD DATA Logically assigned.....	2	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	5	0.01
		91 = NEVER USED INHALANTS.....	49379	89.08
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	4689	8.46
		94 = DON'T KNOW.....	28	0.05
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	339	0.61
		99 = LEGITIMATE SKIP.....	783	1.41
(INWKAVE)		On average, how many days did you use an inhalant of any kind for kicks or to get high each week during the past 12 months?		
INDAYPWK	2	# DAYS PER WEEK USED INHALANT PAST 12 MONTHS		
		RANGE = 1 - 7	163	0.29
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED INHALANTS.....	49379	89.08
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	4689	8.46
		94 = DON'T KNOW.....	27	0.05
		97 = REFUSED.....	14	0.03
		98 = BLANK (NO ANSWER).....	339	0.61
		99 = LEGITIMATE SKIP.....	822	1.48

LABEL	LEN	DESCRIPTION	PAGE:	64
			FREQ	%
(IN06)		Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use any inhalant for kicks or to get high?		-
INHDY30A	2	# DAYS USED INHALANT PAST 30 DAYS		
	RANGE =	1 - 30	267	0.48
	85	= BAD DATA Logically assigned.....	18	0.03
	91	= NEVER USED INHALANTS.....	49379	89.08
	93	= DID NOT USE INHALANTS IN THE PAST 30 DAYS.....	5423	9.78
	94	= DON'T KNOW.....	12	0.02
	97	= REFUSED.....	5	0.01
	98	= BLANK (NO ANSWER).....	331	0.60
(IN06DKRE)		What is your best estimate of the number of days you used any inhalant for kicks or to get high during the past 30 days?		
IN30EST	2	BEST ESTIMATE # DAYS USED INHALANTS PAST 30 DAYS		
	1	= 1 or 2 days.....	8	0.01
	2	= 3 to 5 days.....	3	0.01
	4	= 10 to 19 days.....	1	0.00
	91	= NEVER USED INHALANTS.....	49379	89.08
	93	= DID NOT USE INHALANTS IN THE PAST 30 DAYS.....	5423	9.78
	94	= DON'T KNOW.....	4	0.01
	97	= REFUSED.....	1	0.00
	98	= BLANK (NO ANSWER).....	349	0.63
	99	= LEGITIMATE SKIP.....	267	0.48

PAIN RELIEVERS			PAGE:	65
LABEL	LEN	DESCRIPTION	FREQ	%
<hr/>				
(PR01) PAIN RELIEVERS				
<hr/>				
Now we have some questions about drugs that people are supposed to take only if they have a prescription from a doctor. We are only interested in your use of a drug if:				
- the drug was not prescribed for you, or				
- you took the drug only for the experience or feeling it caused.				
 These questions are about the use of pain relievers. We are not interested in your use of "over-the-counter" pain relievers such as aspirin, Tylenol, or Advil that can be bought in drug stores or grocery stores without a doctor's prescription.				
 Card A shows pictures of some different kinds of prescription pain relievers and lists the names of some others. These pictures show only pills, but we are interested in your use of any form of prescription pain relievers that were not prescribed for you or that you took only for the experience or feeling they caused. Please look at Card A carefully as you answer the next questions.				
 Have you ever, even once, used Darvocet, Darvon, or Tylenol with codeine that was not prescribed for you or that you took only for the experience or feeling it caused?				
DARVTYLC	2	EVER USED DARVOCET, DARVON, OR TYLENOL W/ CODEINE		
		1 = Yes.....	4621	8.34
		2 = No.....	4466	8.06
		3 = Yes LOGICALLY ASSIGNED.....	5	0.01
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23
		94 = DON'T KNOW.....	100	0.18
		97 = REFUSED.....	17	0.03
(PR02)		Have you ever, even once, used Percocet, Percodan, or Tylox that was not prescribed for you or that you took only for the experience or feeling it caused?		
PERCTYLYX	2	EVER USED PERCOSET, PERCODAN, OR TYLOX		
		1 = Yes.....	3112	5.61
		2 = No.....	6009	10.84
		3 = Yes LOGICALLY ASSIGNED.....	22	0.04
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23
		94 = DON'T KNOW.....	53	0.10
		97 = REFUSED.....	13	0.02

PAIN RELIEVERS			PAGE:	66
LABEL	LEN	DESCRIPTION	FREQ	%
(PR03)		Have you ever, even once, used Vicodin, Lortab, or Loracet that was not prescribed for you or that you took only for the experience or feeling it caused?		-
VICOLOR	2	EVER USED VICODIN, LORTAB, OR LORCET		
		1 = Yes.....	5740	10.35
		2 = No.....	3377	6.09
		3 = Yes LOGICALLY ASSIGNED.....	26	0.05
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23
		94 = DON'T KNOW.....	54	0.10
		97 = REFUSED.....	12	0.02
(PR04)		Please look at the pain relievers shown below the red line on Card A.		
		Have you ever, even once, used any of these pain relievers when they were not prescribed for you or that you took only for the experience or feeling they caused?		
ANLCARD	2	EVER USED PAIN RELIEVER BELOW RED LINE ON CARD A		
		1 = Yes.....	3976	7.17
		2 = No.....	5099	9.20
		3 = Yes LOGICALLY ASSIGNED.....	57	0.10
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23
		94 = DON'T KNOW.....	62	0.11
		97 = REFUSED.....	15	0.03
(PR04A)		Which of the pain relievers shown below the red line on Card A have you used when they were not prescribed for you or that you took only for the experience or feeling they caused?		
CODEINE	2	EVER USED CODEINE NONMEDICALLY		
		1 = Response entered.....	1891	3.41
		3 = Response entered LOGICALLY ASSIGNED.....	6	0.01
		6 = Response not entered.....	2045	3.69
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23
		94 = DON'T KNOW.....	63	0.11
		97 = REFUSED.....	43	0.08
		98 = BLANK (NO ANSWER).....	63	0.11
		99 = LEGITIMATE SKIP.....	5099	9.20
DEMEROL	2	EVER USED DEMEROL NONMEDICALLY		
		1 = Response entered.....	613	1.11
		3 = Response entered LOGICALLY ASSIGNED.....	5	0.01
		6 = Response not entered.....	3324	6.00
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23
		94 = DON'T KNOW.....	63	0.11
		97 = REFUSED.....	43	0.08
		98 = BLANK (NO ANSWER).....	63	0.11
		99 = LEGITIMATE SKIP.....	5099	9.20

PAIN RELIEVERS			PAGE:	67
LABEL	LEN	DESCRIPTION	FREQ	%
DILAUD	2	EVER USED DILAUDID NONMEDICALLY		-
		1 = Response entered.....	223	0.40
		3 = Response entered LOGICALLY ASSIGNED.....	5	0.01
		6 = Response not entered.....	3714	6.70
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23
		94 = DON'T KNOW.....	63	0.11
		97 = REFUSED.....	43	0.08
		98 = BLANK (NO ANSWER).....	63	0.11
		99 = LEGITIMATE SKIP.....	5099	9.20
FIORICET	2	EVER USED FIORICET NONMEDICALLY		
		1 = Response entered.....	122	0.22
		6 = Response not entered.....	3820	6.89
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23
		94 = DON'T KNOW.....	63	0.11
		97 = REFUSED.....	43	0.08
		98 = BLANK (NO ANSWER).....	63	0.11
		99 = LEGITIMATE SKIP.....	5099	9.20
FIORINAL	2	EVER USED FIORINAL NONMEDICALLY		
		1 = Response entered.....	59	0.11
		6 = Response not entered.....	3883	7.00
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23
		94 = DON'T KNOW.....	63	0.11
		97 = REFUSED.....	43	0.08
		98 = BLANK (NO ANSWER).....	63	0.11
		99 = LEGITIMATE SKIP.....	5099	9.20
HYDROCOD	2	EVER USED HYDROCODONE NONMEDICALLY		
		1 = Response entered.....	2348	4.24
		3 = Response entered LOGICALLY ASSIGNED.....	33	0.06
		6 = Response not entered.....	1561	2.82
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23
		94 = DON'T KNOW.....	63	0.11
		97 = REFUSED.....	43	0.08
		98 = BLANK (NO ANSWER).....	62	0.11
		99 = LEGITIMATE SKIP.....	5099	9.20
METHDON	2	EVER USED METHADONE NONMEDICALLY		
		1 = Response entered.....	633	1.14
		3 = Response entered LOGICALLY ASSIGNED.....	9	0.02
		6 = Response not entered.....	3300	5.95
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23
		94 = DON'T KNOW.....	63	0.11
		97 = REFUSED.....	43	0.08
		98 = BLANK (NO ANSWER).....	63	0.11
		99 = LEGITIMATE SKIP.....	5099	9.20
MORPHINE	2	EVER USED MORPHINE NONMEDICALLY		
		1 = Response entered.....	877	1.58
		3 = Response entered LOGICALLY ASSIGNED.....	16	0.03
		6 = Response not entered.....	3049	5.50
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23
		94 = DON'T KNOW.....	63	0.11
		97 = REFUSED.....	43	0.08
		98 = BLANK (NO ANSWER).....	63	0.11
		99 = LEGITIMATE SKIP.....	5099	9.20

PAIN RELIEVERS			PAGE:	68
LABEL	LEN	DESCRIPTION	FREQ	%
OXYCONTN	2	EVER USED OXYCONTIN NONMEDICALLY		-
		1 = Response entered.....	1596	2.88
		3 = Response entered LOGICALLY ASSIGNED.....	27	0.05
		6 = Response not entered.....	2319	4.18
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23
		94 = DON'T KNOW.....	63	0.11
		97 = REFUSED.....	43	0.08
		98 = BLANK (NO ANSWER).....	63	0.11
		99 = LEGITIMATE SKIP.....	5099	9.20
PHENCOD	2	EVER USED PHENAPHEN WITH CODEINE NONMEDICALLY		
		1 = Response entered.....	198	0.36
		6 = Response not entered.....	3744	6.75
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23
		94 = DON'T KNOW.....	63	0.11
		97 = REFUSED.....	43	0.08
		98 = BLANK (NO ANSWER).....	63	0.11
		99 = LEGITIMATE SKIP.....	5099	9.20
PROPOXY	2	EVER USED PROPOXYPHENONE NONMEDICALLY		
		1 = Response entered.....	111	0.20
		6 = Response not entered.....	3831	6.91
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23
		94 = DON'T KNOW.....	63	0.11
		97 = REFUSED.....	43	0.08
		98 = BLANK (NO ANSWER).....	63	0.11
		99 = LEGITIMATE SKIP.....	5099	9.20
SK65A	2	EVER USED SK65 NONMEDICALLY		
		1 = Response entered.....	30	0.05
		6 = Response not entered.....	3912	7.06
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23
		94 = DON'T KNOW.....	63	0.11
		97 = REFUSED.....	43	0.08
		98 = BLANK (NO ANSWER).....	63	0.11
		99 = LEGITIMATE SKIP.....	5099	9.20
STADOL	2	EVER USED STADOL NONMEDICALLY		
		1 = Response entered.....	43	0.08
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
		6 = Response not entered.....	3897	7.03
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23
		94 = DON'T KNOW.....	63	0.11
		97 = REFUSED.....	43	0.08
		98 = BLANK (NO ANSWER).....	63	0.11
		99 = LEGITIMATE SKIP.....	5099	9.20
TALACEN	2	EVER USED TALACEN NONMEDICALLY		
		1 = Response entered.....	17	0.03
		6 = Response not entered.....	3925	7.08
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23
		94 = DON'T KNOW.....	63	0.11
		97 = REFUSED.....	43	0.08
		98 = BLANK (NO ANSWER).....	63	0.11
		99 = LEGITIMATE SKIP.....	5099	9.20

PAIN RELIEVERS			PAGE:	69
LABEL	LEN	DESCRIPTION	FREQ	%
TALWIN	2	EVER USED TALWIN NONMEDICALLY		-
		1 = Response entered.....	61	0.11
		6 = Response not entered.....	3881	7.00
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23
		94 = DON'T KNOW.....	63	0.11
		97 = REFUSED.....	43	0.08
		98 = BLANK (NO ANSWER).....	63	0.11
		99 = LEGITIMATE SKIP.....	5099	9.20
TALWINNX	2	EVER USED TALWINNX NONMEDICALLY		
		1 = Response entered.....	31	0.06
		6 = Response not entered.....	3911	7.06
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23
		94 = DON'T KNOW.....	63	0.11
		97 = REFUSED.....	43	0.08
		98 = BLANK (NO ANSWER).....	63	0.11
		99 = LEGITIMATE SKIP.....	5099	9.20
TRAMADOL	2	EVER USED TRAMADOL NONMEDICALLY		
		1 = Response entered.....	265	0.48
		3 = Response entered LOGICALLY ASSIGNED.....	3	0.01
		6 = Response not entered.....	3674	6.63
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23
		94 = DON'T KNOW.....	63	0.11
		97 = REFUSED.....	43	0.08
		98 = BLANK (NO ANSWER).....	63	0.11
		99 = LEGITIMATE SKIP.....	5099	9.20
ULTRAM	2	EVER USED ULTRAM NONMEDICALLY		
		1 = Response entered.....	332	0.60
		3 = Response entered LOGICALLY ASSIGNED.....	4	0.01
		6 = Response not entered.....	3606	6.50
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23
		94 = DON'T KNOW.....	63	0.11
		97 = REFUSED.....	43	0.08
		98 = BLANK (NO ANSWER).....	63	0.11
		99 = LEGITIMATE SKIP.....	5099	9.20
(PR05)		Have you ever, even once, used any other prescription pain reliever, besides the ones shown on Card A, when it was not prescribed for you or that you took only for the experience or feeling it caused?		
ANLNOLST	2	EVER USED ANY OTHER PAIN RELIEVER NONMEDICALLY		
		1 = Yes.....	1572	2.84
		2 = No.....	7459	13.46
		4 = No LOGICALLY ASSIGNED.....	68	0.12
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23
		94 = DON'T KNOW.....	93	0.17
		97 = REFUSED.....	17	0.03

PAIN RELIEVERS			PAGE:	70
LABEL	LEN	DESCRIPTION	FREQ	%
ANALNEWA	4	OTHER PAIN RELIEVER - SPECIFY 1	-	-
105	= Placidyl, Ethchlorvynol.....	1	0.00	
108	= Nembutal.....	1	0.00	
110	= Tuinal.....	2	0.00	
112	= Restoril, Temazepam.....	1	0.00	
116	= Methaqualone, Sopor, Quaalude.....	19	0.03	
120	= Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED..	2	0.00	
124	= Yellow jackets.....	1	0.00	
129	= Reds.....	1	0.00	
130	= Phenergan, Promethazine.....	3	0.01	
131	= Haldol, Haloperidol.....	2	0.00	
174	= Ambien, Stilnox, Zolpidem.....	4	0.01	
178	= Quetiapine, Seroquel.....	6	0.01	
186	= Butalbital.....	1	0.00	
201	= Valium, Diazepam.....	95	0.17	
207	= Ativan, Lorazepam, Orfidal.....	5	0.01	
209	= Xanax, Alprazolam, Tafil, Xanax bars.....	117	0.21	
221	= OTHER Tranquilizer, NOT OTHERWISE SPECIFIED.....	1	0.00	
223	= Carbacot, Marbaxin, Methocarbamol, Robaxin.....	1	0.00	
225	= Desyrel, Trazodone hydrochloride.....	4	0.01	
228	= Amitriptyline, Elavil.....	1	0.00	
234	= Flexeril, Cyclobenzaprine.....	21	0.04	
241	= Prozac, Fluoxetine.....	2	0.00	
246	= Clonazepam, Diocam, Klonopin, Rivotril.....	17	0.03	
268	= Rohypnol, Flunitrazepam, roche, roofies.....	3	0.01	
271	= Zoloft.....	3	0.01	
285	= Risperdal, Risperadol, Resperidone.....	1	0.00	
290	= Skelaxin.....	2	0.00	
291	= Celexa.....	1	0.00	
318	= Ritalin, Methylphenidate.....	4	0.01	
324	= Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED..	1	0.00	
327	= Black beauties, black beauty.....	1	0.00	
401	= Darvon.....	1	0.00	
407	= Demerol, Meperidine.....	4	0.01	
408	= Dilaudid, Hydromorphone.....	5	0.01	
409	= Tylenol with Codeine, Tylenol 3, Tylenol 4.....	4	0.01	
415	= Codeine.....	7	0.01	
417	= Morphine, Roxanol.....	17	0.03	
418	= Methadone, Dolophine.....	9	0.02	
419	= Stadol, Stadol NS.....	2	0.00	
420	= OTHER Analgesic, NOT OTHERWISE SPECIFIED.....	45	0.08	
421	= USED ANALGESIC, DON'T KNOW NAME.....	142	0.26	
422	= Motrin.....	29	0.05	
423	= Percocet.....	34	0.06	
425	= Advil <OTC>.....	10	0.02	
427	= Darvocet, Davocet-N.....	11	0.02	
430	= Aspirin, Ecotrin, Empirin <OTC>.....	1	0.00	
431	= Tylox.....	1	0.00	
434	= Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic.....	105	0.19	
435	= Tylenol, Tylenol Extra-Strength <OTC>.....	5	0.01	
438	= Anaprox, Naprosyn, Naproxen, Naxen.....	19	0.03	
442	= Ibuprofen.....	69	0.12	
458	= Finalin, Mepergan, Mepergan Fortis, Meprozine....	3	0.01	
465	= Fentanyl, Duragesic, Sublimaze.....	8	0.01	
477	= Melumbrina, Neo-Melumbrina.....	2	0.00	
496	= Ultram.....	2	0.00	
499	= Aleve <OTC>.....	1	0.00	
606	= "Ecstasy" (MDMA), X-TC, "X".....	1	0.00	
701	= OTHER Opiates, NOT OTHERWISE SPECIFIED.....	1	0.00	
802	= THC, cannabinol, marinol, tetrahydrocannabinol....	2	0.00	
803	= Marijuana, MarrJane, Mary Jane, MJ, pot, weed....	1	0.00	
820	= Penicillin.....	2	0.00	
821	= Amoxicillin, Ampicillin, Pentrexly.....	6	0.01	

PAIN RELIEVERS			PAGE:	71
LABEL	LEN	DESCRIPTION	FREQ	%
	-----		-----	-
828	= Tetracycline.....		1	0.00
829	= Robitussin DM <OTC>.....		1	0.00
858	= Antibiotic.....		2	0.00
894	= Depakene, Depakote, Valproic acid.....		1	0.00
1006	= Trileptal, Oxcarbazepine.....		1	0.00
1008	= Rohr 714, Rorer 714.....		2	0.00
2001	= Sanoma, Soma, Carisoprodol.....		32	0.06
2002	= Muscle relaxers.....		6	0.01
2003	= Zanies, zannies, zans, zany bars.....		3	0.01
2011	= Lexapro.....		1	0.00
2018	= 4 Bar, Quad Bar.....		1	0.00
3023	= Adderall.....		33	0.06
3026	= Bupropion, Wellbutrin, Zyban.....		1	0.00
3052	= Speed; otherwise unspecified.....		1	0.00
3099	= Asenlix, Clobenzorex.....		1	0.00
3102	= Methylin.....		1	0.00
4011	= Atretol, Carbamazepine, Carbatrol, Epitol, Tegretol		1	0.00
4022	= Buprenex.....		1	0.00
4031	= Cough medicine with Codeine.....		6	0.01
4035	= Nabumetone, Relafin.....		1	0.00
4043	= Tramadol.....		4	0.01
4044	= Hydrocodone.....		33	0.06
4046	= Oxycodone or unspecified oxycodone products.....		45	0.08
4047	= Roxicet.....		6	0.01
4051	= Celebrex.....		1	0.00
4052	= Endocet.....		2	0.00
4055	= Viox.....		3	0.01
4059	= Zomig, Zolmitriptan.....		1	0.00
4065	= Roxicodone.....		3	0.01
4067	= OxyContin.....		24	0.04
4083	= Ultracet.....		5	0.01
4102	= Mobic, Meloxicam.....		2	0.00
4109	= Suboxone.....		6	0.01
4110	= Avinza.....		1	0.00
4111	= Clinoril, Sulinac.....		1	0.00
4116	= Phenergan with codeine, promethazine with codeine.		2	0.00
4117	= Oxy-IR.....		1	0.00
4119	= Buprenorphine, Subutex.....		1	0.00
4120	= Opana, Oxymorphone.....		2	0.00
4121	= Dorflex.....		1	0.00
4122	= Combiflam.....		2	0.00
4123	= Dolorex.....		1	0.00
6029	= DXM.....		1	0.00
6083	= CCC, "Triple C," C3 <OTC>.....		1	0.00
6127	= Skittles.....		1	0.00
8002	= Zantac.....		8	0.01
8007	= Gabapentin, Neurontin.....		7	0.01
8009	= Allergy pills/antihistamine; type unspecified.....		1	0.00
8010	= Zyrtec, Cetirizine.....		2	0.00
8012	= Coricidin <OTC>.....		1	0.00
8017	= Buscapina.....		1	0.00
8030	= Tums <OTC>.....		1	0.00
8085	= Anti-psychotics/schizophrenic; type unspcfed.....		1	0.00
8094	= Pepto Bismol <OTC>.....		1	0.00
8114	= Lidocaine.....		1	0.00
8117	= Hydrocortisone.....		1	0.00
8198	= Handle bars, handlebars.....		1	0.00
8199	= Neurobion.....		1	0.00
8200	= Dan(s), Dan Dan(s); no other information.....		1	0.00
8201	= Watson(s); no other information.....		1	0.00
8203	= Bar; otherwise unspecified.....		1	0.00
8213	= Ranitidine.....		1	0.00
8225	= Cymbalta, Duloxetine.....		1	0.00

PAIN RELIEVERS			PAGE:	72
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
		8230 = Advair.....	1	0.00
		8236 = Lyrica, Pregabalin.....	1	0.00
		9981 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16
		9985 = BAD DATA Logically assigned.....	19	0.03
		9989 = LEGITIMATE SKIP Logically assigned.....	68	0.12
		9991 = NEVER USED PAIN RELIEVERS.....	46138	83.23
		9997 = REFUSED.....	74	0.13
		9998 = BLANK (NO ANSWER).....	436	0.79
		9999 = LEGITIMATE SKIP.....	7459	13.46

PAIN RELIEVERS			PAGE:	73
LABEL	LEN	DESCRIPTION	FREQ	%
ANALNEWB	4	OTHER PAIN RELIEVER - SPECIFY 2	-	-
109	=	Seconal.....	2	0.00
116	=	Methaqualone, Sopor, Quaalude.....	2	0.00
130	=	Phenergan, Promethazine.....	1	0.00
137	=	7-14.....	2	0.00
157	=	Barbiturates.....	1	0.00
178	=	Quetiapine, Seroquel.....	3	0.01
180	=	Tylenol P.M. <OTC>.....	2	0.00
201	=	Valium, Diazepam.....	15	0.03
209	=	Xanax, Alprazolam, Tafil, Xanax bars.....	29	0.05
224	=	Triavil.....	1	0.00
228	=	Amitriptyline, Elavil.....	1	0.00
234	=	Flexeril, Cyclobenzaprine.....	3	0.01
246	=	Clonazepam, Diocam, Klonopin, Rivotril.....	6	0.01
318	=	Ritalin, Methylphenidate.....	1	0.00
364	=	Pseudoephedrine <OTC>.....	1	0.00
407	=	Demerol, Meperidine.....	2	0.00
409	=	Tylenol with Codeine, Tylenol 3, Tylenol 4.....	2	0.00
415	=	Codeine.....	2	0.00
417	=	Morphine, Roxanol.....	6	0.01
418	=	Methadone, Dolophine.....	4	0.01
420	=	OTHER Analgesic, NOT OTHERWISE SPECIFIED.....	5	0.01
421	=	USED ANALGESIC, DON'T KNOW NAME.....	15	0.03
422	=	Motrin.....	4	0.01
423	=	Percocet.....	8	0.01
425	=	Advil <OTC>.....	2	0.00
427	=	Darvocet, Davocet-N.....	5	0.01
430	=	Aspirin, Ecotrin, Empirin <OTC>.....	1	0.00
434	=	Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic.....	20	0.04
435	=	Tylenol, Tylenol Extra-Strength <OTC>.....	8	0.01
438	=	Anaprox, Naprosyn, Naproxen, Naxen.....	2	0.00
442	=	Ibuprofen.....	8	0.01
454	=	Novocain, Procaine.....	1	0.00
465	=	Fentanyl, Duragesic, Sublimaze.....	2	0.00
468	=	Excedrin <OTC>.....	1	0.00
496	=	Ultram.....	2	0.00
499	=	Aleve <OTC>.....	1	0.00
820	=	Penicillin.....	2	0.00
1011	=	Lunesta.....	1	0.00
2001	=	Sanoma, Soma, Carisoprodol.....	7	0.01
2002	=	Muscle relaxers.....	1	0.00
2003	=	Zanies, zannies, zans, zany bars.....	1	0.00
2011	=	Lexapro.....	1	0.00
2018	=	4 Bar, Quad Bar.....	1	0.00
3023	=	Adderall.....	8	0.01
4037	=	Kadian, MS Contin.....	1	0.00
4044	=	Hydrocodone.....	4	0.01
4046	=	Oxycodone or unspecified oxycodone products.....	3	0.01
4047	=	Roxicet.....	1	0.00
4049	=	Headache power <OTC>.....	1	0.00
4052	=	Endocet.....	1	0.00
4067	=	OxyContin.....	4	0.01
4082	=	Analgin, Dipyrone, Metamizol, Metamizole, Prodolin.....	1	0.00
8002	=	Zantac.....	1	0.00
8007	=	Gabapentin, Neurontin.....	2	0.00
8010	=	Zyrtac, Cetirizine.....	1	0.00
8013	=	Maalox <OTC>.....	1	0.00
8025	=	Claritin, Claritin D <OTC>.....	1	0.00
8203	=	Bar; otherwise unspecified.....	1	0.00
8213	=	Ranitidine.....	1	0.00
8233	=	Keppra, Levetiracetam.....	1	0.00
8234	=	Lamisil.....	1	0.00
8239	=	Drotaverine, Drotin.....	1	0.00

PAIN RELIEVERS			PAGE:	74
LABEL	LEN	DESCRIPTION	FREQ	%
		-----	-----	-
9981	= NEVER USED PAIN RELIEVERS Logically assigned.....		87	0.16
9985	= BAD DATA Logically assigned.....		12	0.02
9989	= LEGITIMATE SKIP Logically assigned.....		15	0.03
9991	= NEVER USED PAIN RELIEVERS.....		46138	83.23
9997	= REFUSED.....		24	0.04
9998	= BLANK (NO ANSWER).....		1427	2.57
9999	= LEGITIMATE SKIP.....		7512	13.55
 ANALNEWC 4 OTHER PAIN RELIEVER - SPECIFY 3				
116	= Methaqualone, Sopor, Quaalude.....		1	0.00
137	= 7-14.....		1	0.00
201	= Valium, Diazepam.....		3	0.01
207	= Ativan, Lorazepam, Orfidal.....		1	0.00
209	= Xanax, Alprazolam, Tafil, Xanax bars.....		8	0.01
221	= OTHER Tranquilizer, NOT OTHERWISE SPECIFIED.....		1	0.00
246	= Clonazepam, Diocam, Klonopin, Rivotril.....		1	0.00
318	= Ritalin, Methylphenidate.....		3	0.01
332	= Ephedrine.....		1	0.00
407	= Demerol, Meperidine.....		2	0.00
420	= OTHER Analgesic, NOT OTHERWISE SPECIFIED.....		1	0.00
421	= USED ANALGESIC, DON'T KNOW NAME.....		3	0.01
422	= Motrin.....		4	0.01
423	= Percocet.....		2	0.00
425	= Advil <OTC>.....		1	0.00
430	= Aspirin, Ecotrin, Empirin <OTC>.....		1	0.00
431	= Tylox.....		1	0.00
434	= Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic.....		3	0.01
435	= Tylenol, Tylenol Extra-Strength <OTC>.....		3	0.01
438	= Anaprox, Naprosyn, Naproxen, Naxen.....		3	0.01
466	= Midol <OTC>.....		1	0.00
2001	= Sanoma, Soma, Carisoprodol.....		2	0.00
2003	= Zanies, zannies, zans, zany bars.....		1	0.00
3023	= Adderall.....		1	0.00
3026	= Bupropion, Wellbutrin, Zyban.....		1	0.00
4044	= Hydrocodone.....		2	0.00
4067	= OxyContin.....		3	0.01
8058	= Cough medicine/syrup; type unspecified.....		1	0.00
8198	= Handle bars, handlebars.....		1	0.00
9981	= NEVER USED PAIN RELIEVERS Logically assigned.....		87	0.16
9985	= BAD DATA Logically assigned.....		3	0.01
9989	= LEGITIMATE SKIP Logically assigned.....		4	0.01
9991	= NEVER USED PAIN RELIEVERS.....		46138	83.23
9997	= REFUSED.....		19	0.03
9998	= BLANK (NO ANSWER).....		1604	2.89
9999	= LEGITIMATE SKIP.....		7523	13.57

PAIN RELIEVERS			PAGE:	75
LABEL	LEN	DESCRIPTION	FREQ	%
ANALNEWD 4 OTHER PAIN RELIEVER - SPECIFY 4				
110	= Tuinal.....		1	0.00
201	= Valium, Diazepam.....		3	0.01
209	= Xanax, Alprazolam, Tafil, Xanax bars.....		1	0.00
246	= Clonazepam, Diocam, Klonopin, Rivotril.....		1	0.00
417	= Morphine, Roxanol.....		1	0.00
420	= OTHER Analgesic, NOT OTHERWISE SPECIFIED.....		1	0.00
421	= USED ANALGESIC, DON'T KNOW NAME.....		2	0.00
422	= Motrin.....		2	0.00
434	= Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic.....		3	0.01
438	= Anaprox, Naprosyn, Naproxen, Naxen.....		1	0.00
442	= Ibuprofen.....		1	0.00
701	= OTHER Opiates, NOT OTHERWISE SPECIFIED.....		1	0.00
2001	= Sanoma, Soma, Carisoprodol.....		2	0.00
4043	= Tramadol.....		1	0.00
4044	= Hydrocodone.....		1	0.00
9981	= NEVER USED PAIN RELIEVERS Logically assigned.....		87	0.16
9985	= BAD DATA Logically assigned.....		1	0.00
9989	= LEGITIMATE SKIP Logically assigned.....		2	0.00
9991	= NEVER USED PAIN RELIEVERS.....		46138	83.23
9997	= REFUSED.....		18	0.03
9998	= BLANK (NO ANSWER).....		1642	2.96
9999	= LEGITIMATE SKIP.....		7525	13.57
ANALNEWE 4 OTHER PAIN RELIEVER - SPECIFY 5				
207	= Ativan, Lorazepam, Orfidal.....		1	0.00
209	= Xanax, Alprazolam, Tafil, Xanax bars.....		1	0.00
417	= Morphine, Roxanol.....		1	0.00
425	= Advil <OTC>.....		1	0.00
438	= Anaprox, Naprosyn, Naproxen, Naxen.....		1	0.00
496	= Ultram.....		1	0.00
4067	= OxyContin.....		1	0.00
8007	= Gabapentin, Neurontin.....		1	0.00
8097	= Zanaflex.....		1	0.00
9981	= NEVER USED PAIN RELIEVERS Logically assigned.....		87	0.16
9985	= BAD DATA Logically assigned.....		2	0.00
9989	= LEGITIMATE SKIP Logically assigned.....		2	0.00
9991	= NEVER USED PAIN RELIEVERS.....		46138	83.23
9997	= REFUSED.....		17	0.03
9998	= BLANK (NO ANSWER).....		1655	2.99
9999	= LEGITIMATE SKIP.....		7525	13.57

LABEL	LEN	DESCRIPTION	PAGE:	76
			FREQ	%
(PRREF)		The answers that people give us about their use of prescription pain relievers are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.		-
		Please think again about answering this question: Have you ever, even once, used any type of prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		
		NOTE: This variable was coded as 1 if respondents answered yes to the above question and 91 if respondents answered the above question as no (see below). This variable also was coded as 1 if the questions corresponding to any of the following variables were answered as yes: DARVYLC, PERCTYLX, VICOLOR, ANLCARD, or ANLNOLST. This variable also was coded as 81 or 91 if all of the above variables were coded as 81 or 91, respectively.		
ANLEVER	2	EVER USED PAIN RELIEVERS NONMEDICALLY		
		1 = Yes.....	9016	16.26
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	189	0.34
(PR06)		How old were you the first time you used any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		
ANALAGE	3	AGE WHEN FIRST USED PAIN RELIEVERS NONMEDICALLY		
		RANGE = 1 - 69	8501	15.34
		981 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16
		985 = BAD DATA Logically assigned.....	67	0.12
		991 = NEVER USED PAIN RELIEVERS.....	46138	83.23
		994 = DON'T KNOW.....	340	0.61
		997 = REFUSED.....	115	0.21
		998 = BLANK (NO ANSWER).....	187	0.34
(PR07A)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions PR07a, PR07b, PR08a, PR08b, and associated consistency checks were used to create the following two variables.		
ANALYFU	4	YEAR OF FIRST PAIN RELIEVER USE - RECODE		
		RANGE = 2005 - 2007	1493	2.69
		9981 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16
		9985 = BAD DATA Logically assigned.....	182	0.33
		9989 = LEGITIMATE SKIP Logically assn.....	64	0.12
		9991 = NEVER USED PAIN RELIEVERS.....	46138	83.23
		9994 = DON'T KNOW.....	351	0.63
		9997 = REFUSED.....	119	0.21
		9998 = BLANK (NO ANSWER).....	194	0.35
		9999 = LEGITIMATE SKIP.....	6807	12.28

PAIN RELIEVERS			PAGE:	77
LABEL	LEN	DESCRIPTION	FREQ	%
ANALMFU	2	MONTH OF FIRST PAIN RELIEVER USE - RECODE		-
1		1 = January.....	147	0.27
2		2 = February.....	111	0.20
3		3 = March.....	117	0.21
4		4 = April.....	95	0.17
5		5 = May.....	104	0.19
6		6 = June.....	120	0.22
7		7 = July.....	118	0.21
8		8 = August.....	102	0.18
9		9 = September.....	102	0.18
10		10 = October.....	134	0.24
11		11 = November.....	118	0.21
12		12 = December.....	82	0.15
81		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16
85		85 = BAD DATA Logically assigned.....	181	0.33
89		89 = LEGITIMATE SKIP Logically assn.....	64	0.12
91		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23
94		94 = DON'T KNOW.....	488	0.88
97		97 = REFUSED.....	125	0.23
98		98 = BLANK (NO ANSWER).....	195	0.35
99		99 = LEGITIMATE SKIP.....	6807	12.28

(PR09) NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.

How long has it been since you last used any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?

ANALREC	2	TIME SINCE LAST USED PAIN RELIEVER NONMEDICALLY		
1		1 = Within the past 30 days.....	1576	2.84
2		2 = More than 30 days ago but within the past 12 mos..	2492	4.50
3		3 = More than 12 months ago.....	4609	8.31
8		8 = Used at some point in the past 12 mos LOG ASSN....	38	0.07
9		9 = Used at some point in lifetime LOG ASSN.....	286	0.52
11		11 = Used in the past 30 days LOGICALLY ASSIGNED.....	12	0.02
12		12 = Used >30 days ago but within pst 12 mos LOG ASSN..	3	0.01
81		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16
85		85 = BAD DATA Logically assigned.....	3	0.01
91		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23
97		97 = REFUSED.....	5	0.01
98		98 = BLANK (NO ANSWER).....	186	0.34

NOTE: The variables ANLYRTOT, PRBSTWAY, PRDAYPYR, PRDAYPMO, and PRDAYPWK incorporate values from follow-up questions that were asked if respondents previously reported that they last used any pain reliever more than 12 months ago but subsequently reported more recent use of any pain reliever or OxyContin.

ANLYRTOT	3	TOTAL # DAYS USED PAIN RELIEVER PAST 12 MONTHS		
RANGE =		1 - 365	4005	7.22
981		= NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16
985		= BAD DATA Logically assigned.....	26	0.05
991		= NEVER USED PAIN RELIEVERS.....	46138	83.23
993		= DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	4609	8.31
994		= DON'T KNOW.....	76	0.14
997		= REFUSED.....	21	0.04
998		= BLANK (NO ANSWER).....	473	0.85

PAIN RELIEVERS			PAGE:	78
LABEL	LEN	DESCRIPTION	FREQ	%
PRTOTFG	2	TRIMMING INDICATOR FOR ANLYRTOT 98 = BLANK (NO ANSWER).....	55435	100.0
PRFQFLG	2	TRIMMED ANLYRTOT IF R USED < 12 MOS 1 = Trimmed to be consistent with mo/yr of 1st use.... 98 = BLANK (NO ANSWER).....	277 55158	0.50 99.50
(PR10)		Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.		
		What would be the easiest way for you to tell us how many days you used a prescription pain reliever in either of these ways?		
PRBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED PAIN RELIEVER 1 = Prefer to answer in days per week..... 2 = Prefer to answer in days per month..... 3 = Prefer to answer in days per year..... 11 = Prefer to ans in days per wk LOG ASSN..... 12 = Prefer to ans in days per mo LOG ASSN..... 13 = Prefer to ans in days per yr LOG ASSN..... 21 = Prefer to ans in days per wk (OXBSTWAY=1,11)..... 22 = Prefer to ans in days per mo (OXBSTWAY=2,12)..... 23 = Prefer to ans in days per yr (OXBSTWAY=3,13)..... 81 = NEVER USED PAIN RELIEVERS Logically assigned..... 85 = BAD DATA Logically assigned..... 91 = NEVER USED PAIN RELIEVERS..... 93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS..... 94 = DON'T KNOW..... 97 = REFUSED..... 98 = BLANK (NO ANSWER).....	719 1061 2168 9 15 49 17 20 5 87 26 46138 4609 26 13 473	1.30 1.91 3.91 0.02 0.03 0.09 0.03 0.04 0.01 0.16 0.05 83.23 8.31 0.05 0.02 0.85
(PR11)		On how many days in the past 12 months did you use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		
PRDAYPYR	3	# DAYS USED PAIN RELIEVER "NM" PAST 12 MONTHS RANGE = 1 - 365 981 = NEVER USED PAIN RELIEVERS Logically assigned..... 985 = BAD DATA Logically assigned..... 989 = LEGITIMATE SKIP Logically assigned..... 991 = NEVER USED PAIN RELIEVERS..... 993 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS..... 994 = DON'T KNOW..... 997 = REFUSED..... 998 = BLANK (NO ANSWER)..... 999 = LEGITIMATE SKIP.....	2208 87 8 29 46138 4609 39 14 491 1812	3.98 0.16 0.01 0.05 83.23 8.31 0.07 0.03 0.89 3.27

PAIN RELIEVERS			PAGE:	79
LABEL	LEN	DESCRIPTION	FREQ	%
(PR12)		On average, how many days each month during the past 12 months did you use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		-
PRDAYPMO	2	# DAYS PER MO USED PAIN RELIEVER "NM" PAST 12 MOS		
		RANGE = 1 - 31	1075	1.94
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16
		85 = BAD DATA Logically assigned.....	5	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	20	0.04
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	4609	8.31
		94 = DON'T KNOW.....	53	0.10
		97 = REFUSED.....	21	0.04
		98 = BLANK (NO ANSWER).....	494	0.89
		99 = LEGITIMATE SKIP.....	2933	5.29
(PR13)		On average, how many days each week during the past 12 months did you use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		
PRDAYPWK	2	# DAYS PER WK USED PAIN RELIEVER "NM" PAST 12 MOS		
		RANGE = 1 - 7	722	1.30
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16
		85 = BAD DATA Logically assigned.....	14	0.03
		89 = LEGITIMATE SKIP Logically assigned.....	5	0.01
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	4609	8.31
		94 = DON'T KNOW.....	76	0.14
		97 = REFUSED.....	21	0.04
		98 = BLANK (NO ANSWER).....	485	0.87
		99 = LEGITIMATE SKIP.....	3278	5.91
(PR14)		NOTE: Although the Food and Drug Administration (FDA) did not approve OxyContin for medical use in the United States until late 1995, no editing was done to OXYCAGE when respondents reported first using OxyContin at ages that would indicate nonmedical use prior to FDA approval. Although no editing was done for these cases, caution is advised in interpreting data from these respondents, and particularly the farther that OXYCAGE would be from first use in 1995.		
		Now think only about your use of Oxycontin that was not prescribed for you or that you took only for the experience or feeling it caused. How old were you the first time you used Oxycontin in either of these ways?		
		How old were you the first time you used Oxycontin that was not prescribed for you or that you took only for the experience or feeling it caused?		
OXYCAGE	3	AGE WHEN FIRST USED OXYCONTIN NONMEDICALLY		
		RANGE = 1 - 58	1579	2.85
		981 = NEVER USED OXYCONTIN Logically assigned.....	2406	4.34
		985 = BAD DATA Logically assigned.....	8	0.01
		991 = NEVER USED OXYCONTIN.....	51237	92.43
		994 = DON'T KNOW.....	12	0.02
		997 = REFUSED.....	43	0.08
		998 = BLANK (NO ANSWER).....	150	0.27

PAIN RELIEVERS			PAGE:	80
LABEL	LEN	DESCRIPTION	FREQ	%
(PR15)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions PR15, PR16, PR17, PR18, and associated consistency checks were used to create the following two variables.		-
OXYCYFU	4	YEAR OF FIRST OXYCONTIN USE - RECODE		
		RANGE = 2005 - 2007	402	0.73
		9981 = NEVER USED OXYCONTIN Logically assigned.....	2406	4.34
		9985 = BAD DATA Logically assigned.....	33	0.06
		9989 = LEGITIMATE SKIP Logically assn.....	11	0.02
		9991 = NEVER USED OXYCONTIN.....	51237	92.43
		9994 = DON'T KNOW.....	15	0.03
		9997 = REFUSED.....	43	0.08
		9998 = BLANK (NO ANSWER).....	150	0.27
		9999 = LEGITIMATE SKIP.....	1138	2.05
OXYCMFU	2	MONTH OF FIRST OXYCONTIN USE - RECODE		
		1 = January.....	38	0.07
		2 = February.....	30	0.05
		3 = March.....	30	0.05
		4 = April.....	28	0.05
		5 = May.....	30	0.05
		6 = June.....	22	0.04
		7 = July.....	34	0.06
		8 = August.....	34	0.06
		9 = September.....	38	0.07
		10 = October.....	32	0.06
		11 = November.....	25	0.05
		12 = December.....	23	0.04
		81 = NEVER USED OXYCONTIN Logically assigned.....	2406	4.34
		85 = BAD DATA Logically assigned.....	35	0.06
		89 = LEGITIMATE SKIP Logically assn.....	11	0.02
		91 = NEVER USED OXYCONTIN.....	51237	92.43
		94 = DON'T KNOW.....	50	0.09
		97 = REFUSED.....	44	0.08
		98 = BLANK (NO ANSWER).....	150	0.27
		99 = LEGITIMATE SKIP.....	1138	2.05
(PR19)		How long has it been since you last used OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused?		
OXYCREC	2	TIME SINCE LAST USED OXYCONTIN NONMEDICALLY		
		1 = Within the past 30 days.....	150	0.27
		2 = More than 30 days ago but within the past 12 mos..	422	0.76
		3 = More than 12 months ago.....	980	1.77
		8 = Used at some point in the past 12 mos LOG ASSN....	12	0.02
		9 = Used at some point in lifetime LOG ASSN.....	56	0.10
		11 = Used in the past 30 days LOGICALLY ASSIGNED.....	3	0.01
		81 = NEVER USED OXYCONTIN Logically assigned.....	2406	4.34
		91 = NEVER USED OXYCONTIN.....	51237	92.43
		97 = REFUSED.....	43	0.08
		98 = BLANK (NO ANSWER).....	126	0.23

PAIN RELIEVERS			PAGE:	81
LABEL	LEN	DESCRIPTION	FREQ	%
OXYYRTOT	3	TOTAL # DAYS USED OXYCONTIN PAST 12 MONTHS		-
RANGE		= 1 - 365	563	1.02
981		= NEVER USED OXYCONTIN Logically assigned.....	2406	4.34
985		= BAD DATA Logically assigned.....	8	0.01
991		= NEVER USED OXYCONTIN.....	51237	92.43
993		= DID NOT USE OXYCONTIN IN THE PAST 12 MOS.....	980	1.77
994		= DON'T KNOW.....	8	0.01
997		= REFUSED.....	44	0.08
998		= BLANK (NO ANSWER).....	189	0.34
OXTOTFG	2	TRIMMING INDICATOR FOR OXYYRTOT		
		1 = Trimmed to 365 days (no further editing).....	1	0.00
		98 = BLANK (NO ANSWER).....	55434	100.0
OXFQFLG	2	TRIMMED OXYYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use....	84	0.15
		98 = BLANK (NO ANSWER).....	55351	99.85
(PR20)		Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.		
		What would be the easiest way for you to tell us how many days you used OxyContin in either of these ways?		
OXBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED OXYCONTIN		
		1 = Prefer to answer in days per week.....	96	0.17
		2 = Prefer to answer in days per month.....	158	0.29
		3 = Prefer to answer in days per year.....	313	0.56
		12 = Prefer to ans in days per mo LOG ASSN.....	1	0.00
		13 = Prefer to ans in days per yr LOG ASSN.....	3	0.01
		81 = NEVER USED OXYCONTIN Logically assigned.....	2406	4.34
		85 = BAD DATA Logically assigned.....	8	0.01
		91 = NEVER USED OXYCONTIN.....	51237	92.43
		93 = DID NOT USE OXYCONTIN IN THE PAST 12 MOS.....	980	1.77
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	43	0.08
		98 = BLANK (NO ANSWER).....	189	0.34
(PR21)		On how many days in the past 12 months did you use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused?		
OXDAYPYR	3	# DAYS USED OXYCONTIN "NM" PAST 12 MONTHS		
RANGE		= 1 - 300	312	0.56
981		= NEVER USED OXYCONTIN Logically assigned.....	2406	4.34
985		= BAD DATA Logically assigned.....	3	0.01
989		= LEGITIMATE SKIP Logically assigned.....	1	0.00
991		= NEVER USED OXYCONTIN.....	51237	92.43
993		= DID NOT USE OXYCONTIN IN THE PAST 12 MOS.....	980	1.77
994		= DON'T KNOW.....	5	0.01
997		= REFUSED.....	43	0.08
998		= BLANK (NO ANSWER).....	194	0.35
999		= LEGITIMATE SKIP.....	254	0.46

PAIN RELIEVERS			PAGE:	82
LABEL	LEN	DESCRIPTION	FREQ	%
(PR22)		On average, how many days each month during the past 12 months did you use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused?		-
OXDAYPMO	2	# DAYS PER MO USED OXYCONTIN "NM" PAST 12 MOS		
	RANGE =	1 - 31	158	0.29
	81 =	NEVER USED OXYCONTIN Logically assigned.....	2406	4.34
	85 =	BAD DATA Logically assigned.....	1	0.00
	91 =	NEVER USED OXYCONTIN.....	51237	92.43
	93 =	DID NOT USE OXYCONTIN IN THE PAST 12 MOS.....	980	1.77
	94 =	DON'T KNOW.....	6	0.01
	97 =	REFUSED.....	43	0.08
	98 =	BLANK (NO ANSWER).....	196	0.35
	99 =	LEGITIMATE SKIP.....	408	0.74
(PR23)		On average, how many days each week during the past 12 months did you use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused?		
OXDAYPWK	2	# DAYS PER WK USED OXYCONTIN "NM" PAST 12 MOS		
	RANGE =	1 - 7	93	0.17
	81 =	NEVER USED OXYCONTIN Logically assigned.....	2406	4.34
	85 =	BAD DATA Logically assigned.....	4	0.01
	91 =	NEVER USED OXYCONTIN.....	51237	92.43
	93 =	DID NOT USE OXYCONTIN IN THE PAST 12 MOS.....	980	1.77
	94 =	DON'T KNOW.....	8	0.01
	97 =	REFUSED.....	44	0.08
	98 =	BLANK (NO ANSWER).....	193	0.35
	99 =	LEGITIMATE SKIP.....	470	0.85

LABEL	LEN	DESCRIPTION	PAGE:	83
			FREQ	%
<hr/>				
(TR01) TRANQUILIZERS				
<hr/>				
These next questions ask about the use of tranquilizers. Tranquilizers are usually prescribed to relax people, to calm people down, to relieve anxiety, or to relax muscle spasms. Some people call tranquilizers "nerve pills."				
<hr/>				
Card B shows pictures of some different kinds of prescription tranquilizers. These pictures show only pills, but we are interested in your use of any form of prescription tranquilizers that were not prescribed for you, or that you took only for the experience or feeling they caused.				
<hr/>				
Please look at Card B carefully as you answer the next questions.				
<hr/>				
Have you ever, even once, used Klonopin or Clonazepam that was not prescribed for you or that you took only for the experience or feeling it caused?				
<hr/>				
KLONOPIN	2	EVER USED KLONOPIN OR CLONAZEPAM		
		1 = Yes.....	1141	2.06
		2 = No.....	3482	6.28
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55
		94 = DON'T KNOW.....	37	0.07
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	1	0.00
<hr/>				
(TR02)		Have you ever, even once, used Xanax, Alprazolam, Ativan, or Lorazepam that was not prescribed for you or that you took only for the experience or feeling it caused?		
<hr/>				
XNAXATVN	2	EVER USED XANAX, ALPRAZOLAM, ATIVAN, OR LORAZEPAM		
		1 = Yes.....	2912	5.25
		2 = No.....	1711	3.09
		3 = Yes LOGICALLY ASSIGNED.....	2	0.00
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55
		94 = DON'T KNOW.....	35	0.06
		97 = REFUSED.....	13	0.02
		98 = BLANK (NO ANSWER).....	1	0.00

LABEL	LEN	DESCRIPTION	PAGE:	84
			FREQ	%
(TR03)		Have you ever, even once, used Valium or Diazepam that was not prescribed for you or that you took only for the experience or feeling it caused?		-
VALMDIAZ	2	EVER USED VALIUM OR DIAZEPAM		
		1 = Yes.....	2649	4.78
		2 = No.....	1973	3.56
		3 = Yes LOGICALLY ASSIGNED.....	3	0.01
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55
		94 = DON'T KNOW.....	33	0.06
		97 = REFUSED.....	15	0.03
		98 = BLANK (NO ANSWER).....	1	0.00
(TR04)		Please look at the tranquilizers shown below the red line on Card B.		
		Have you ever, even once, used any of these tranquilizers when they were not prescribed for you or that you took only for the experience or feeling they caused?		
TRNCARD	2	EVER USED ANY TRANQ BELOW RED LINE ON CARD B		
		1 = Yes.....	1395	2.52
		2 = No.....	3211	5.79
		3 = Yes LOGICALLY ASSIGNED.....	13	0.02
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55
		94 = DON'T KNOW.....	37	0.07
		97 = REFUSED.....	17	0.03
		98 = BLANK (NO ANSWER).....	1	0.00
(TR04A)		Which of the tranquilizers shown below the red line on Card B have you used when they were not prescribed for you or that you took only for the experience or feeling they caused?		
ATARAX	2	EVER USED ATARAX NONMEDICALLY		
		1 = Response entered.....	55	0.10
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	1313	2.37
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55
		94 = DON'T KNOW.....	29	0.05
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	39	0.07
		99 = LEGITIMATE SKIP.....	3211	5.79
BUSPAR	2	EVER USED BUSPAR NONMEDICALLY		
		1 = Response entered.....	157	0.28
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
		6 = Response not entered.....	1210	2.18
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55
		94 = DON'T KNOW.....	29	0.05
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	39	0.07
		99 = LEGITIMATE SKIP.....	3211	5.79

TRANQUILIZERS			PAGE:	85
LABEL	LEN	DESCRIPTION	FREQ	%
EQUANIL	2	EVER USED EQUANIL NONMEDICALLY		-
		1 = Response entered.....	23	0.04
		6 = Response not entered.....	1346	2.43
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55
		94 = DON'T KNOW.....	29	0.05
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	39	0.07
		99 = LEGITIMATE SKIP.....	3211	5.79
FLEXERIL	2	EVER USED FLEXERIL NONMEDICALLY		
		1 = Response entered.....	612	1.10
		3 = Response entered LOGICALLY ASSIGNED.....	5	0.01
		6 = Response not entered.....	752	1.36
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55
		94 = DON'T KNOW.....	29	0.05
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	39	0.07
		99 = LEGITIMATE SKIP.....	3211	5.79
LIBRIUM	2	EVER USED LIBRIUM NONMEDICALLY		
		1 = Response entered.....	100	0.18
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	1268	2.29
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55
		94 = DON'T KNOW.....	29	0.05
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	39	0.07
		99 = LEGITIMATE SKIP.....	3211	5.79
LIMBITROL	2	EVER USED LIMBITROL NONMEDICALLY		
		1 = Response entered.....	25	0.05
		6 = Response not entered.....	1344	2.42
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55
		94 = DON'T KNOW.....	29	0.05
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	39	0.07
		99 = LEGITIMATE SKIP.....	3211	5.79
MEPROB	2	EVER USED MEPROBAMATE NONMEDICALLY		
		1 = Response entered.....	32	0.06
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	1336	2.41
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55
		94 = DON'T KNOW.....	29	0.05
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	39	0.07
		99 = LEGITIMATE SKIP.....	3211	5.79

TRANQUILIZERS			PAGE:	86
LABEL	LEN	DESCRIPTION	FREQ	%
MILTOWN	2	EVER USED MILTOWN NONMEDICALLY		-
		1 = Response entered.....	15	0.03
		6 = Response not entered.....	1354	2.44
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55
		94 = DON'T KNOW.....	29	0.05
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	39	0.07
		99 = LEGITIMATE SKIP.....	3211	5.79
ROHYPNOL	2	EVER USED ROHYPNOL NONMEDICALLY		
		1 = Response entered.....	85	0.15
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	1283	2.31
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55
		94 = DON'T KNOW.....	29	0.05
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	39	0.07
		99 = LEGITIMATE SKIP.....	3211	5.79
SERAX	2	EVER USED SERAX NONMEDICALLY		
		1 = Response entered.....	27	0.05
		6 = Response not entered.....	1342	2.42
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55
		94 = DON'T KNOW.....	29	0.05
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	39	0.07
		99 = LEGITIMATE SKIP.....	3211	5.79
SOMA	2	EVER USED SOMA NONMEDICALLY		
		1 = Response entered.....	766	1.38
		3 = Response entered LOGICALLY ASSIGNED.....	3	0.01
		6 = Response not entered.....	600	1.08
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55
		94 = DON'T KNOW.....	29	0.05
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	39	0.07
		99 = LEGITIMATE SKIP.....	3211	5.79
TRANXENE	2	EVER USED TRANXENE NONMEDICALLY		
		1 = Response entered.....	41	0.07
		6 = Response not entered.....	1328	2.40
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55
		94 = DON'T KNOW.....	29	0.05
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	39	0.07
		99 = LEGITIMATE SKIP.....	3211	5.79

TRANQUILIZERS			PAGE:	87
LABEL	LEN	DESCRIPTION	FREQ	%
VISTAR	2	EVER USED VISTARIL NONMEDICALLY		-
		1 = Response entered.....	69	0.12
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	1299	2.34
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55
		94 = DON'T KNOW.....	29	0.05
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	39	0.07
		99 = LEGITIMATE SKIP.....	3211	5.79
(TR05)		Have you ever, even once, used any other prescription tranquilizer, besides the ones shown on Card B, when it was not prescribed for you or that you took only for the experience or feeling it caused?		
TRNOLST	2	EVER USED ANY OTHER TRANQUILIZER NONMEDICALLY		
		1 = Yes.....	328	0.59
		2 = No.....	4263	7.69
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55
		94 = DON'T KNOW.....	64	0.12
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	1	0.00

TRANQUILIZERS			PAGE:	88
LABEL	LEN	DESCRIPTION	FREQ	%
TRNEWA	4	OTHER TRANQUILIZER - SPECIFY 1	-	-
		101 = Butisol.....	1	0.00
		105 = Placidyl, Ethchlorvynol.....	1	0.00
		109 = Seconal.....	2	0.00
		112 = Restoril, Temazepam.....	1	0.00
		115 = Phenobarbital.....	5	0.01
		116 = Methaqualone, Sopor, Quaalude.....	10	0.02
		129 = Reds.....	2	0.00
		131 = Haldol, Haloperidol.....	1	0.00
		174 = Ambien, Stilnox, Zolpidem.....	9	0.02
		178 = Quetiapine, Seroquel.....	15	0.03
		189 = Sonata.....	1	0.00
		201 = Valium, Diazepam.....	10	0.02
		202 = Librium, Chlordiazepoxide HCl.....	1	0.00
		207 = Ativan, Lorazepam, Orfidal.....	4	0.01
		209 = Xanax, Alprazolam, Tafil, Xanax bars.....	20	0.04
		211 = BuSpar, Buspirone.....	2	0.00
		215 = Vistaril.....	1	0.00
		216 = Atarax, Hydroxyzine.....	1	0.00
		220 = Meprobamate.....	1	0.00
		221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED.....	4	0.01
		222 = USED TRANQUILLIZER, DON'T KNOW NAME.....	50	0.09
		223 = Carbacot, Marbaxin, Methocarbamol, Robaxin.....	1	0.00
		225 = Desyrel, Trazodone hydrochloride.....	5	0.01
		226 = Stelazine, Trifluoperazine HCl.....	1	0.00
		227 = Thorazine.....	1	0.00
		228 = Amitriptyline, Elavil.....	3	0.01
		232 = Mellaril.....	1	0.00
		234 = Flexeril, Cyclobenzaprine.....	5	0.01
		240 = Lithium carbonate, Lithonate.....	1	0.00
		241 = Prozac, Fluoxetine.....	1	0.00
		246 = Clonazepam, Diocam, Klonopin, Rivotril.....	3	0.01
		268 = Rohypnol, Flunitrazepam, roche, roofies.....	1	0.00
		271 = Zoloft.....	1	0.00
		283 = Paroxetine, Paxil.....	1	0.00
		285 = Risperdal, Risperidol, Resperidone.....	1	0.00
		289 = Olanzapine, Zyprexa.....	2	0.00
		290 = Skelaxin.....	2	0.00
		295 = Mirtazapine, Remeron.....	1	0.00
		374 = Christmas tree(s).....	1	0.00
		377 = Albuterol, Proventil, Ventolin.....	1	0.00
		413 = Talacen.....	1	0.00
		434 = Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic.....	4	0.01
		477 = Melumbrina, Neo-Melumbrina.....	1	0.00
		658 = Special K, Ketamine.....	21	0.04
		663 = Animal tranquilizer, horse tranquilizer.....	2	0.00
		807 = Alcohol, beer, ethanol, EtOH, pink champagne.....	1	0.00
		848 = Liquid vitamin, vitamin pills <OTC>.....	1	0.00
		1013 = Ambien CR.....	1	0.00
		2001 = Sanoma, Soma, Carisoprodol.....	4	0.01
		2002 = Muscle relaxers.....	3	0.01
		2018 = 4 Bar, Quad Bar.....	1	0.00
		3023 = Adderall.....	4	0.01
		4033 = Vicoprofen.....	1	0.00
		4043 = Tramadol.....	1	0.00
		4067 = OxyContin.....	2	0.00
		4082 = Analgin, Dipyrone, Metamizol, Metamizole, Prodolin	2	0.00
		8007 = Gabapentin, Neurontin.....	1	0.00
		8011 = Herb, flower, plant; type unspecified.....	1	0.00
		8097 = Zanaflex.....	2	0.00
		8228 = Boldo.....	1	0.00
		9981 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		9985 = BAD DATA Logically assigned.....	3	0.01

TRANQUILIZERS			PAGE:	89
LABEL	LEN	DESCRIPTION	FREQ	%
		-----	-----	-
		9991 = NEVER USED TRANQUILIZERS.....	50753	91.55
		9997 = REFUSED.....	25	0.05
		9998 = BLANK (NO ANSWER).....	155	0.28
		9999 = LEGITIMATE SKIP.....	4263	7.69
TRNEWB	4	OTHER TRANQUILIZER - SPECIFY 2		
		116 = Methaqualone, Sopor, Quaalude.....	3	0.01
		124 = Yellow jackets.....	1	0.00
		178 = Quetiapine, Seroquel.....	3	0.01
		189 = Sonata.....	1	0.00
		201 = Valium, Diazepam.....	1	0.00
		209 = Xanax, Alprazolam, Tafil, Xanax bars.....	4	0.01
		222 = USED TRANQUILIZER, DON'T KNOW NAME.....	3	0.01
		225 = Desyrel, Trazodone hydrochloride.....	3	0.01
		234 = Flexeril, Cyclobenzaprine.....	2	0.00
		241 = Prozac, Fluoxetine.....	1	0.00
		658 = Special K, Ketamine.....	1	0.00
		2017 = Motival.....	1	0.00
		4067 = OxyContin.....	1	0.00
		9981 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		9985 = BAD DATA Logically assigned.....	1	0.00
		9991 = NEVER USED TRANQUILIZERS.....	50753	91.55
		9997 = REFUSED.....	18	0.03
		9998 = BLANK (NO ANSWER).....	369	0.67
		9999 = LEGITIMATE SKIP.....	4263	7.69
TRNEWC	4	OTHER TRANQUILIZER - SPECIFY 3		
		201 = Valium, Diazepam.....	1	0.00
		227 = Thorazine.....	1	0.00
		234 = Flexeril, Cyclobenzaprine.....	1	0.00
		2017 = Motival.....	1	0.00
		9981 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		9991 = NEVER USED TRANQUILIZERS.....	50753	91.55
		9997 = REFUSED.....	18	0.03
		9998 = BLANK (NO ANSWER).....	391	0.71
		9999 = LEGITIMATE SKIP.....	4263	7.69
TRNEWD	4	OTHER TRANQUILIZER - SPECIFY 4		
		222 = USED TRANQUILIZER, DON'T KNOW NAME.....	1	0.00
		9981 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		9991 = NEVER USED TRANQUILIZERS.....	50753	91.55
		9997 = REFUSED.....	18	0.03
		9998 = BLANK (NO ANSWER).....	394	0.71
		9999 = LEGITIMATE SKIP.....	4263	7.69
TRNEWE	4	OTHER TRANQUILIZER - SPECIFY 5		
		221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED.....	1	0.00
		9981 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		9991 = NEVER USED TRANQUILIZERS.....	50753	91.55
		9997 = REFUSED.....	18	0.03
		9998 = BLANK (NO ANSWER).....	394	0.71
		9999 = LEGITIMATE SKIP.....	4263	7.69

LABEL	LEN	DESCRIPTION	PAGE:	90
			FREQ	%
(TRREF)		The answers that people give us about their use of prescription tranquilizers are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.		-
		Please think again about answering this question: Have you ever, even once, used any type of prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
		NOTE: This variable was coded as 1 if respondents answered yes to the above question and 91 if respondents answered the above question as no (see below). This variable also was coded as 1 if the questions corresponding to any of the following variables were answered as yes: KLOPIN, XNAXATVN, VALMDIAZ, TRNCARD, or TRNOLST. This variable also was coded as 81 or 91 if all of the above variables were coded as 81 or 91, respectively.		
TRNEVER	2	EVER USED TRANQUILIZERS NONMEDICALLY		
		1 = Yes.....	4561	8.23
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	106	0.19
(TR06)		How old were you the first time you used any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TRANAGE	3	AGE WHEN FIRST USED TRANQUILIZERS NONMEDICALLY		
		RANGE = 1 - 85	4424	7.98
		981 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		985 = BAD DATA Logically assigned.....	28	0.05
		991 = NEVER USED TRANQUILIZERS.....	50753	91.55
		994 = DON'T KNOW.....	90	0.16
		997 = REFUSED.....	30	0.05
		998 = BLANK (NO ANSWER).....	104	0.19
(TR07A)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions TR07a, TR07b, TR08a, TR08b, and associated consistency checks were used to create the following two variables.		
TRANFYU	4	YEAR OF FIRST TRANQUILIZER USE - RECODE		
		RANGE = 2005 - 2007	689	1.24
		9981 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		9985 = BAD DATA Logically assigned.....	67	0.12
		9989 = LEGITIMATE SKIP Logically assn.....	22	0.04
		9991 = NEVER USED TRANQUILIZERS.....	50753	91.55
		9994 = DON'T KNOW.....	93	0.17
		9997 = REFUSED.....	31	0.06
		9998 = BLANK (NO ANSWER).....	106	0.19
		9999 = LEGITIMATE SKIP.....	3668	6.62

TRANQUILIZERS			PAGE:	91
LABEL	LEN	DESCRIPTION	FREQ	%
TRANMFU	2	MONTH OF FIRST TRANQUILIZER USE - RECODE		-
		1 = January.....	58	0.10
		2 = February.....	43	0.08
		3 = March.....	56	0.10
		4 = April.....	43	0.08
		5 = May.....	53	0.10
		6 = June.....	69	0.12
		7 = July.....	60	0.11
		8 = August.....	60	0.11
		9 = September.....	48	0.09
		10 = October.....	63	0.11
		11 = November.....	40	0.07
		12 = December.....	40	0.07
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	67	0.12
		89 = LEGITIMATE SKIP Logically assn.....	22	0.04
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55
		94 = DON'T KNOW.....	148	0.27
		97 = REFUSED.....	32	0.06
		98 = BLANK (NO ANSWER).....	106	0.19
		99 = LEGITIMATE SKIP.....	3668	6.62
(TR09)		NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.		
		How long has it been since you last used any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TRANREC	2	TIME SINCE LAST USED TRANQUILIZERS NONMEDICALLY		
		1 = Within the past 30 days.....	513	0.93
		2 = More than 30 days ago but within the past 12 mos..	1021	1.84
		3 = More than 12 months ago.....	2935	5.29
		8 = Used at some point in the past 12 mos LOG ASSN.....	8	0.01
		9 = Used at some point in lifetime LOG ASSN.....	83	0.15
		11 = Used in the past 30 days LOGICALLY ASSIGNED.....	1	0.00
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	104	0.19
TRNYRTOT	3	TOTAL # DAYS USED TRANQUILIZERS PAST 12 MONTHS		
		RANGE = 1 - 365	1508	2.72
		981 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		985 = BAD DATA Logically assigned.....	14	0.03
		991 = NEVER USED TRANQUILIZERS.....	50753	91.55
		993 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2935	5.29
		994 = DON'T KNOW.....	18	0.03
		997 = REFUSED.....	13	0.02
		998 = BLANK (NO ANSWER).....	188	0.34
TRTOTFG	2	TRIMMING INDICATOR FOR TRNYRTOT		
		98 = BLANK (NO ANSWER).....	55435	100.0
TRFQFLG	2	TRIMMED TRNYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use....	104	0.19
		98 = BLANK (NO ANSWER).....	55331	99.81

LABEL	LEN	DESCRIPTION	PAGE:	92
			FREQ	%
(TR10)		Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.		-
		What would be the easiest way for you to tell us how many days you used a prescription tranquilizer in either of these ways?		
TRBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED TRANQUILIZER		
		1 = Prefer to answer in days per week.....	227	0.41
		2 = Prefer to answer in days per month.....	417	0.75
		3 = Prefer to answer in days per year.....	860	1.55
		11 = Prefer to ans in days per wk LOG ASSN.....	2	0.00
		12 = Prefer to ans in days per mo LOG ASSN.....	5	0.01
		13 = Prefer to ans in days per yr LOG ASSN.....	9	0.02
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	14	0.03
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2935	5.29
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	11	0.02
		98 = BLANK (NO ANSWER).....	188	0.34
(TR11)		On how many days in the past 12 months did you use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TRDAYPYR	3	# DAYS USED TRANQUILIZERS "NM" PAST 12 MONTHS		
		RANGE = 1 - 365	866	1.56
		981 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		985 = BAD DATA Logically assigned.....	6	0.01
		989 = LEGITIMATE SKIP Logically assigned.....	6	0.01
		991 = NEVER USED TRANQUILIZERS.....	50753	91.55
		993 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2935	5.29
		994 = DON'T KNOW.....	11	0.02
		997 = REFUSED.....	11	0.02
		998 = BLANK (NO ANSWER).....	196	0.35
		999 = LEGITIMATE SKIP.....	645	1.16
(TR12)		On average, how many days each month during the past 12 months did you use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TRDAYPMO	2	# DAYS PER MO USED TRANQUILIZERS "NM" PAST 12 MOS		
		RANGE = 1 - 30	415	0.75
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	7	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2935	5.29
		94 = DON'T KNOW.....	16	0.03
		97 = REFUSED.....	13	0.02
		98 = BLANK (NO ANSWER).....	195	0.35
		99 = LEGITIMATE SKIP.....	1093	1.97

LABEL	LEN	DESCRIPTION	PAGE:	93
			FREQ	%
(TR13)		On average, how many days each week during the past 12 months did you use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		-
TRDAYPWK	2	# DAYS PER WK USED TRANQUILIZERS "NM" PAST 12 MOS		
RANGE = 1 - 7			227	0.41
81 = NEVER USED TRANQUILIZERS Logically assigned.....			6	0.01
85 = BAD DATA Logically assigned.....			1	0.00
91 = NEVER USED TRANQUILIZERS.....			50753	91.55
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....			2935	5.29
94 = DON'T KNOW.....			18	0.03
97 = REFUSED.....			13	0.02
98 = BLANK (NO ANSWER).....			201	0.36
99 = LEGITIMATE SKIP.....			1281	2.31

LABEL	LEN	DESCRIPTION	STIMULANTS	PAGE:	94
				FREQ	%

(ST01) STIMULANTS

These next questions ask about the use of drugs such as amphetamines that are known as stimulants, "uppers," or "speed." People sometimes take these drugs to lose weight, to stay awake, or for attention deficit disorders. We are not interested in the use of "over-the-counter" stimulants such as Dexatrim or No-Doz that can be bought in drug stores or grocery stores without a doctor's prescription.

Card C shows pictures of some different kinds of prescription stimulants and lists the names of some others. These pictures show only pills, but we are interested in your use of any form of prescription stimulants that were not prescribed for you, or that you took only for the experience or feeling they caused. Please look at Card C carefully as you answer the next questions.

Have you ever, even once, used Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused? Methamphetamine is also known as crank, crystal, ice, or speed.

NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.

METHDES	2	EVER USED METHAMPHETAMINE, DESOXYN, OR METHEDRINE			
		1 = Yes.....	2064	3.72	
		2 = No.....	2154	3.89	
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00	
		81 = NEVER USED STIMULANTS Logically assigned.....	11	0.02	
		85 = BAD DATA Logically assigned.....	2	0.00	
		91 = NEVER USED STIMULANTS.....	51147	92.26	
		94 = DON'T KNOW.....	40	0.07	
		97 = REFUSED.....	14	0.03	
		98 = BLANK (NO ANSWER).....	2	0.00	

(ST02) Have you ever, even once, used prescription diet pills, such as Amphetamines, Benzedrine, Biphetamine, Fastin, or Phentermine, that was not prescribed for you or that you took only for the experience or feeling it caused?

DIETPILS	2	EVER USED DIET PILLS SUCH AS AMPHETAMINES, ETC			
		1 = Yes.....	1226	2.21	
		2 = No.....	2992	5.40	
		3 = Yes LOGICALLY ASSIGNED.....	4	0.01	
		81 = NEVER USED STIMULANTS Logically assigned.....	11	0.02	
		85 = BAD DATA Logically assigned.....	2	0.00	
		91 = NEVER USED STIMULANTS.....	51147	92.26	
		94 = DON'T KNOW.....	38	0.07	
		97 = REFUSED.....	13	0.02	
		98 = BLANK (NO ANSWER).....	2	0.00	

LABEL	LEN	DESCRIPTION	STIMULANTS	PAGE:	95
				FREQ	%
(ST03)		Have you ever, even once, used Ritalin or Methylphenidate that was not prescribed for you or that you took only for the experience or feeling it caused?			-
RITMPHEN	2	EVER USED RITALIN OR METHYLPHENIDATE			
		1 = Yes.....	1594	2.88	
		2 = No.....	2627	4.74	
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00	
		81 = NEVER USED STIMULANTS Logically assigned.....	11	0.02	
		85 = BAD DATA Logically assigned.....	2	0.00	
		91 = NEVER USED STIMULANTS.....	51147	92.26	
		94 = DON'T KNOW.....	39	0.07	
		97 = REFUSED.....	12	0.02	
		98 = BLANK (NO ANSWER).....	2	0.00	
(ST04)		Please look at the stimulants shown below the red line on Card C.			
		Have you ever, even once, used any of these stimulants when they were not prescribed for you or that you took only for the experience or feeling they caused?			
STMCARD	2	EVER USED ANY STIMULANT BELOW RED LINE ON CARD C			
		1 = Yes.....	601	1.08	
		2 = No.....	3608	6.51	
		3 = Yes LOGICALLY ASSIGNED.....	5	0.01	
		81 = NEVER USED STIMULANTS Logically assigned.....	11	0.02	
		85 = BAD DATA Logically assigned.....	2	0.00	
		91 = NEVER USED STIMULANTS.....	51147	92.26	
		94 = DON'T KNOW.....	46	0.08	
		97 = REFUSED.....	13	0.02	
		98 = BLANK (NO ANSWER).....	2	0.00	
(ST04A)		Which of the stimulants shown below the red line on Card C have you used when they were not prescribed for you or that you took only for the experience or feeling they caused?			
CYLERT	2	EVER USED CYLERT NONMEDICALLY			
		1 = Response entered.....	46	0.08	
		6 = Response not entered.....	517	0.93	
		81 = NEVER USED STIMULANTS Logically assigned.....	11	0.02	
		91 = NEVER USED STIMULANTS.....	51147	92.26	
		94 = DON'T KNOW.....	31	0.06	
		97 = REFUSED.....	25	0.05	
		98 = BLANK (NO ANSWER).....	50	0.09	
		99 = LEGITIMATE SKIP.....	3608	6.51	
DEXED	2	EVER USED DEXEDRINE NONMEDICALLY			
		1 = Response entered.....	326	0.59	
		6 = Response not entered.....	237	0.43	
		81 = NEVER USED STIMULANTS Logically assigned.....	11	0.02	
		91 = NEVER USED STIMULANTS.....	51147	92.26	
		94 = DON'T KNOW.....	31	0.06	
		97 = REFUSED.....	25	0.05	
		98 = BLANK (NO ANSWER).....	50	0.09	
		99 = LEGITIMATE SKIP.....	3608	6.51	

LABEL	LEN	DESCRIPTION	STIMULANTS		PAGE: FREQ	96 %
			-----	-----		
DETAMP	2	EVER USED DEXTROAMPHETAMINE NONMEDICALLY				-
		1 = Response entered.....	139	0.25		
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00		
		6 = Response not entered.....	423	0.76		
		81 = NEVER USED STIMULANTS Logically assigned.....	11	0.02		
		91 = NEVER USED STIMULANTS.....	51147	92.26		
		94 = DON'T KNOW.....	31	0.06		
		97 = REFUSED.....	25	0.05		
		98 = BLANK (NO ANSWER).....	50	0.09		
		99 = LEGITIMATE SKIP.....	3608	6.51		
DIDREX	2	EVER USED DIDREX NONMEDICALLY				
		1 = Response entered.....	36	0.06		
		6 = Response not entered.....	527	0.95		
		81 = NEVER USED STIMULANTS Logically assigned.....	11	0.02		
		91 = NEVER USED STIMULANTS.....	51147	92.26		
		94 = DON'T KNOW.....	31	0.06		
		97 = REFUSED.....	25	0.05		
		98 = BLANK (NO ANSWER).....	50	0.09		
		99 = LEGITIMATE SKIP.....	3608	6.51		
ESKAT	2	EVER USED ESKATROL NONMEDICALLY				
		1 = Response entered.....	27	0.05		
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00		
		6 = Response not entered.....	535	0.97		
		81 = NEVER USED STIMULANTS Logically assigned.....	11	0.02		
		91 = NEVER USED STIMULANTS.....	51147	92.26		
		94 = DON'T KNOW.....	31	0.06		
		97 = REFUSED.....	25	0.05		
		98 = BLANK (NO ANSWER).....	50	0.09		
		99 = LEGITIMATE SKIP.....	3608	6.51		
IONAMIN	2	EVER USED IONAMIN NONMEDICALLY				
		1 = Response entered.....	39	0.07		
		6 = Response not entered.....	524	0.95		
		81 = NEVER USED STIMULANTS Logically assigned.....	11	0.02		
		91 = NEVER USED STIMULANTS.....	51147	92.26		
		94 = DON'T KNOW.....	31	0.06		
		97 = REFUSED.....	25	0.05		
		98 = BLANK (NO ANSWER).....	50	0.09		
		99 = LEGITIMATE SKIP.....	3608	6.51		
MAZANOR	2	EVER USED MAZANOR NONMEDICALLY				
		1 = Response entered.....	18	0.03		
		6 = Response not entered.....	545	0.98		
		81 = NEVER USED STIMULANTS Logically assigned.....	11	0.02		
		91 = NEVER USED STIMULANTS.....	51147	92.26		
		94 = DON'T KNOW.....	31	0.06		
		97 = REFUSED.....	25	0.05		
		98 = BLANK (NO ANSWER).....	50	0.09		
		99 = LEGITIMATE SKIP.....	3608	6.51		
OBLA	2	EVER USED OBEDRIN-LA NONMEDICALLY				
		1 = Response entered.....	5	0.01		
		6 = Response not entered.....	558	1.01		
		81 = NEVER USED STIMULANTS Logically assigned.....	11	0.02		
		91 = NEVER USED STIMULANTS.....	51147	92.26		
		94 = DON'T KNOW.....	31	0.06		
		97 = REFUSED.....	25	0.05		
		98 = BLANK (NO ANSWER).....	50	0.09		
		99 = LEGITIMATE SKIP.....	3608	6.51		

LABEL	LEN	DESCRIPTION	STIMULANTS		PAGE: FREQ	97 %
			-----	-----		
PLEGINE	2	EVER USED PLEGINE NONMEDICALLY				-
		1 = Response entered.....		18	0.03	
		6 = Response not entered.....		545	0.98	
		81 = NEVER USED STIMULANTS Logically assigned.....		11	0.02	
		91 = NEVER USED STIMULANTS.....		51147	92.26	
		94 = DON'T KNOW.....		31	0.06	
		97 = REFUSED.....		25	0.05	
		98 = BLANK (NO ANSWER).....		50	0.09	
		99 = LEGITIMATE SKIP.....		3608	6.51	
PRELUDIN	2	EVER USED PRELUDIN NONMEDICALLY				
		1 = Response entered.....		45	0.08	
		3 = Response entered LOGICALLY ASSIGNED.....		1	0.00	
		6 = Response not entered.....		517	0.93	
		81 = NEVER USED STIMULANTS Logically assigned.....		11	0.02	
		91 = NEVER USED STIMULANTS.....		51147	92.26	
		94 = DON'T KNOW.....		31	0.06	
		97 = REFUSED.....		25	0.05	
		98 = BLANK (NO ANSWER).....		50	0.09	
		99 = LEGITIMATE SKIP.....		3608	6.51	
SANOREX	2	EVER USED SANOREX NONMEDICALLY				
		1 = Response entered.....		35	0.06	
		3 = Response entered LOGICALLY ASSIGNED.....		2	0.00	
		6 = Response not entered.....		526	0.95	
		81 = NEVER USED STIMULANTS Logically assigned.....		11	0.02	
		91 = NEVER USED STIMULANTS.....		51147	92.26	
		94 = DON'T KNOW.....		31	0.06	
		97 = REFUSED.....		25	0.05	
		98 = BLANK (NO ANSWER).....		50	0.09	
		99 = LEGITIMATE SKIP.....		3608	6.51	
TENUATE	2	EVER USED TENUATE NONMEDICALLY				
		1 = Response entered.....		19	0.03	
		6 = Response not entered.....		544	0.98	
		81 = NEVER USED STIMULANTS Logically assigned.....		11	0.02	
		91 = NEVER USED STIMULANTS.....		51147	92.26	
		94 = DON'T KNOW.....		31	0.06	
		97 = REFUSED.....		25	0.05	
		98 = BLANK (NO ANSWER).....		50	0.09	
		99 = LEGITIMATE SKIP.....		3608	6.51	
(ST05)		Have you ever, even once, used any other prescription stimulant, besides the ones shown on Card C when it was not prescribed for you or that you took only for the experience or feeling it caused?				
STMNOLST	2	EVER USED ANY OTHER STIMULANT NONMEDICALLY				
		1 = Yes.....		674	1.22	
		2 = No.....		3512	6.34	
		4 = No LOGICALLY ASSIGNED.....		6	0.01	
		81 = NEVER USED STIMULANTS Logically assigned.....		11	0.02	
		85 = BAD DATA Logically assigned.....		2	0.00	
		91 = NEVER USED STIMULANTS.....		51147	92.26	
		94 = DON'T KNOW.....		68	0.12	
		97 = REFUSED.....		13	0.02	
		98 = BLANK (NO ANSWER).....		2	0.00	

STIMULANTS			PAGE:	98
LABEL	LEN	DESCRIPTION	FREQ	%
STIMNEWA	4	OTHER STIMULANT - SPECIFY 1	-	-
105		Placidyl, Ethchlorvynol.....	1	0.00
109		Seconal.....	1	0.00
124		Yellow jackets.....	1	0.00
129		Reds.....	1	0.00
139		Black widows.....	1	0.00
209		Xanax, Alprazolam, Tafil, Xanax bars.....	5	0.01
240		Lithium carbonate, Lithonate.....	1	0.00
241		Prozac, Fluoxetine.....	1	0.00
271		Zoloft.....	2	0.00
302		Dexamyl.....	1	0.00
303		Eskatrol.....	1	0.00
311		Preludin.....	1	0.00
313		Fastin, Phentermine, Adipex-P.....	10	0.02
316		Sanorex.....	2	0.00
318		Ritalin, Methylphenidate.....	2	0.00
319		Cylert.....	1	0.00
320		Dextroamphetamine.....	1	0.00
322		Methamphetamine ("ice" or "crank"), Meth.....	6	0.01
324		Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED..	8	0.01
325		USED STIMULANT, DON'T KNOW NAME.....	38	0.07
326		White cross.....	12	0.02
327		Black beauties, black beauty.....	19	0.03
329		Bird's eggs, robin's eggs, speckled eggs.....	3	0.01
331		Blancs, whites.....	1	0.00
332		Ephedrine.....	4	0.01
333		357 Magnum, Magnum 44 <OTC>.....	1	0.00
334		Crossroads, cross tops.....	5	0.01
336		Diet pills.....	2	0.00
339		Amphetamines.....	2	0.00
344		Bennies.....	1	0.00
345		Black molly.....	3	0.01
346		Marax.....	1	0.00
349		Bontril, Melfiat, Phendimetrazine.....	2	0.00
354		Vivarin <OTC>.....	1	0.00
355		Crystal meth.....	1	0.00
377		Albuterol, Proventil, Ventolin.....	1	0.00
423		Percocet.....	1	0.00
442		Ibuprofen.....	1	0.00
606		"Ecstasy" (MDMA), X-TC, "X".....	1	0.00
802		THC, cannabinol, marinol, tetrahydrocannabinol....	1	0.00
2002		Muscle relaxers.....	1	0.00
2011		Lexapro.....	1	0.00
3007		Nasal inhalant.....	1	0.00
3015		Fen-Phen (fenfluramine and phentermine).....	1	0.00
3023		Adderall.....	381	0.69
3026		Bupropion, Wellbutrin, Zyban.....	1	0.00
3027		Energy pills.....	1	0.00
3050		Mini thins.....	2	0.00
3052		Speed; otherwise unspecified.....	18	0.03
3064		Ephedra, Ma Huang.....	2	0.00
3069		DextroStat.....	1	0.00
3077		Concerta.....	10	0.02
3086		Adderall XR.....	2	0.00
3087		Strattera.....	1	0.00
3090		Provigil, Modafinil.....	5	0.01
3094		Dexmethylphenidate, Focalin.....	4	0.01
8011		Herb, flower, plant; type unspecified.....	1	0.00
8058		Cough medicine/syrup; type unspecified.....	1	0.00
8093		Stacker 2/Stacker 3 <OTC>.....	1	0.00
8238		Decongestant; type unspecified.....	1	0.00
9981		NEVER USED STIMULANTS Logically assigned.....	11	0.02
9985		BAD DATA Logically assigned.....	4	0.01

LABEL	LEN	DESCRIPTION	STIMULANTS		PAGE:	99
			FREQ	%		
		9989 = LEGITIMATE SKIP Logically assigned.....	6	0.01		
		9991 = NEVER USED STIMULANTS.....	51147	92.26		
		9997 = REFUSED.....		0.04		
		9998 = BLANK (NO ANSWER).....		0.27		
		9999 = LEGITIMATE SKIP.....	3512	6.34		
STIMNEWB 4 OTHER STIMULANT - SPECIFY 2						
		115 = Phenobarbital.....	1	0.00		
		120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED..	1	0.00		
		201 = Valium, Diazepam.....	1	0.00		
		291 = Celexa.....	1	0.00		
		313 = Fastin, Phentermine, Adipex-P.....	1	0.00		
		318 = Ritalin, Methylphenidate.....	1	0.00		
		325 = USED STIMULANT, DON'T KNOW NAME.....	3	0.01		
		326 = White cross.....	4	0.01		
		327 = Black beauties, black beauty.....	4	0.01		
		328 = Pink hearts.....	1	0.00		
		332 = Ephedrine.....	2	0.00		
		333 = 357 Magnum, Magnum 44 <OTC>.....	1	0.00		
		339 = Amphetamines.....	1	0.00		
		353 = No-Doz <OTC>.....	1	0.00		
		374 = Christmas tree(s).....	1	0.00		
		442 = Ibuprofen.....	1	0.00		
		3001 = Brown and clear.....	1	0.00		
		3023 = Adderall.....	16	0.03		
		3050 = Mini thins.....	1	0.00		
		3052 = Speed; otherwise unspecified.....	3	0.01		
		3077 = Concerta.....	9	0.02		
		3087 = Straterra.....	3	0.01		
		3090 = Provigil, Modafinil.....	1	0.00		
		3094 = Dexmethylphenidate, Focalin.....	1	0.00		
		3108 = Wellbutrin XL.....	1	0.00		
		9981 = NEVER USED STIMULANTS Logically assigned.....	11	0.02		
		9985 = BAD DATA Logically assigned.....	4	0.01		
		9989 = LEGITIMATE SKIP Logically assigned.....	1	0.00		
		9991 = NEVER USED STIMULANTS.....	51147	92.26		
		9997 = REFUSED.....		0.03		
		9998 = BLANK (NO ANSWER).....	680	1.23		
		9999 = LEGITIMATE SKIP.....	3517	6.34		
STIMNEWC 4 OTHER STIMULANT - SPECIFY 3						
		209 = Xanax, Alprazolam, Tafil, Xanax bars.....	1	0.00		
		324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED..	1	0.00		
		332 = Ephedrine.....	1	0.00		
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4.....	1	0.00		
		3023 = Adderall.....	4	0.01		
		3077 = Concerta.....	1	0.00		
		3087 = Straterra.....	1	0.00		
		3187 = Greenies.....	1	0.00		
		8140 = Anamine.....	1	0.00		
		9981 = NEVER USED STIMULANTS Logically assigned.....	11	0.02		
		9985 = BAD DATA Logically assigned.....	1	0.00		
		9991 = NEVER USED STIMULANTS.....	51147	92.26		
		9997 = REFUSED.....		0.02		
		9998 = BLANK (NO ANSWER).....	733	1.32		
		9999 = LEGITIMATE SKIP.....	3518	6.35		

STIMULANTS			PAGE:	100
LABEL	LEN	DESCRIPTION	FREQ	%
STIMNEWD	4	OTHER STIMULANT - SPECIFY 4		-
		324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED..	1	0.00
		417 = Morphine, Roxanol.....	1	0.00
		3023 = Adderall.....	1	0.00
		3055 = Clenbuterol.....	1	0.00
		3086 = Adderall XR.....	1	0.00
		9981 = NEVER USED STIMULANTS Logically assigned.....	11	0.02
		9991 = NEVER USED STIMULANTS.....	51147	92.26
		9997 = REFUSED.....	13	0.02
		9998 = BLANK (NO ANSWER).....	741	1.34
		9999 = LEGITIMATE SKIP.....	3518	6.35

STIMNEWE	4	OTHER STIMULANT - SPECIFY 5		
		415 = Codeine.....	1	0.00
		9981 = NEVER USED STIMULANTS Logically assigned.....	11	0.02
		9991 = NEVER USED STIMULANTS.....	51147	92.26
		9997 = REFUSED.....	13	0.02
		9998 = BLANK (NO ANSWER).....	745	1.34
		9999 = LEGITIMATE SKIP.....	3518	6.35

(STREF2) The answers that people give us about their use of prescription stimulants are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.

Please think again about answering this question:
Have you ever, even once, used any type of prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?

NOTE: This variable was coded as 1 if respondents answered yes to the above question and 91 if respondents answered the above question as no (see below). This variable also was coded as 1 if the questions corresponding to any of the following variables were answered as yes: METHDES, DIETPILS, RITMPHEN, STMCARD, or STMNOLST. This variable also was coded as 81 or 91 if all of the above variables were coded as 81 or 91, respectively.

STMEVER	2	EVER USED STIMULANTS NONMEDICALLY		
		1 = Yes.....	4162	7.51
		81 = NEVER USED STIMULANTS Logically assigned.....	11	0.02
		91 = NEVER USED STIMULANTS.....	51147	92.26
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	107	0.19

(ST06) How old were you the first time you used any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?

STIMAGE	3	AGE WHEN FIRST USED STIMULANTS NONMEDICALLY		
		RANGE = 1 - 55	4053	7.31
		981 = NEVER USED STIMULANTS Logically assigned.....	11	0.02
		985 = BAD DATA Logically assigned.....	20	0.04
		991 = NEVER USED STIMULANTS.....	51147	92.26
		994 = DON'T KNOW.....	70	0.13
		997 = REFUSED.....	25	0.05
		998 = BLANK (NO ANSWER).....	109	0.20

LABEL	LEN	DESCRIPTION	STIMULANTS	PAGE:	101
				FREQ	%
(ST07A) NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions ST07a, ST07b, ST08a, ST08b, and associated consistency checks were used to create the following two variables.					
STIMYFU	4	YEAR OF FIRST STIMULANT USE - RECODE			
		RANGE = 2005 - 2007		460	0.83
		9981 = NEVER USED STIMULANTS Logically assigned.....		11	0.02
		9985 = BAD DATA Logically assigned.....		50	0.09
		9989 = LEGITIMATE SKIP Logically assn.....		31	0.06
		9991 = NEVER USED STIMULANTS.....		51147	92.26
		9994 = DON'T KNOW.....		72	0.13
		9997 = REFUSED.....		25	0.05
		9998 = BLANK (NO ANSWER).....		112	0.20
		9999 = LEGITIMATE SKIP.....		3527	6.36
STIMMFU	2	MONTH OF FIRST STIMULANT USE - RECODE			
		1 = January.....		34	0.06
		2 = February.....		41	0.07
		3 = March.....		31	0.06
		4 = April.....		34	0.06
		5 = May.....		37	0.07
		6 = June.....		38	0.07
		7 = July.....		24	0.04
		8 = August.....		29	0.05
		9 = September.....		34	0.06
		10 = October.....		43	0.08
		11 = November.....		41	0.07
		12 = December.....		30	0.05
		81 = NEVER USED STIMULANTS Logically assigned.....		11	0.02
		85 = BAD DATA Logically assigned.....		50	0.09
		89 = LEGITIMATE SKIP Logically assn.....		31	0.06
		91 = NEVER USED STIMULANTS.....		51147	92.26
		94 = DON'T KNOW.....		113	0.20
		97 = REFUSED.....		28	0.05
		98 = BLANK (NO ANSWER).....		112	0.20
		99 = LEGITIMATE SKIP.....		3527	6.36
(ST09)		NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.			
		How long has it been since you last used any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?			
STIMREC	2	TIME SINCE LAST USED STIMULANTS NONMEDICALLY			
		1 = Within the past 30 days.....		330	0.60
		2 = More than 30 days ago but within the past 12 mos..		677	1.22
		3 = More than 12 months ago.....		3034	5.47
		8 = Used at some point in the past 12 mos LOG ASSN....		20	0.04
		9 = Used at some point in lifetime LOG ASSN.....		81	0.15
		11 = Used in the past 30 days LOGICALLY ASSIGNED.....		13	0.02
		12 = Used >30 days ago but within pst 12 mos LOG ASSN..		7	0.01
		81 = NEVER USED STIMULANTS Logically assigned.....		11	0.02
		85 = BAD DATA Logically assigned.....		2	0.00
		91 = NEVER USED STIMULANTS.....		51147	92.26
		97 = REFUSED.....		8	0.01
		98 = BLANK (NO ANSWER).....		105	0.19

LABEL	LEN	DESCRIPTION	STIMULANTS		PAGE: FREQ	102 %
			-----	-----		
NOTE: The variables STMYRTOT, STBSTWAY, STDAYPYR, STDAYPMO, and STDAYPWK incorporate values from follow-up questions that were asked if respondents previously reported that they last used any stimulant more than 12 months ago but subsequently reported more recent use of any stimulant or methamphetamine.						
STMYRTOT	3	TOTAL # DAYS USED STIMULANTS PAST 12 MONTHS				
		RANGE = 1 - 364			1018	1.84
		981 = NEVER USED STIMULANTS Logically assigned.....			11	0.02
		985 = BAD DATA Logically assigned.....			13	0.02
		991 = NEVER USED STIMULANTS.....			51147	92.26
		993 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....			3034	5.47
		994 = DON'T KNOW.....			13	0.02
		997 = REFUSED.....			11	0.02
		998 = BLANK (NO ANSWER).....			188	0.34
STTOTFG	2	TRIMMING INDICATOR FOR STMYRTOT			55435	100.0
		98 = BLANK (NO ANSWER).....				
STFQFLG	2	TRIMMED STMYRTOT IF R USED < 12 MOS			84	0.15
		1 = Trimmed to be consistent with mo/yr of 1st use....			55351	99.85
		98 = BLANK (NO ANSWER).....				
(ST10)		Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.				
		What would be the easiest way for you to tell us how many days you used a prescription stimulant in either of these ways?				
STBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED STIMULANT				
		1 = Prefer to answer in days per week.....			160	0.29
		2 = Prefer to answer in days per month.....			252	0.45
		3 = Prefer to answer in days per year.....			562	1.01
		11 = Prefer to ans in days per wk LOG ASSN.....			2	0.00
		12 = Prefer to ans in days per mo LOG ASSN.....			4	0.01
		13 = Prefer to ans in days per yr LOG ASSN.....			6	0.01
		21 = Prefer to ans in days per wk (MTBSTWAY=1,11).....			10	0.02
		22 = Prefer to ans in days per mo (MTBSTWAY=2,12).....			17	0.03
		23 = Prefer to ans in days per yr (MTBSTWAY=3,13).....			14	0.03
		81 = NEVER USED STIMULANTS Logically assigned.....			11	0.02
		85 = BAD DATA Logically assigned.....			13	0.02
		91 = NEVER USED STIMULANTS.....			51147	92.26
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....			3034	5.47
		94 = DON'T KNOW.....			6	0.01
		97 = REFUSED.....			9	0.02
		98 = BLANK (NO ANSWER).....			188	0.34

LABEL	LEN	DESCRIPTION	STIMULANTS	PAGE:	103
				FREQ	%
(ST11)		On how many days in the past 12 months did you use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		-	-
STDAYPYR	3	# DAYS USED STIMULANT "NM" PAST 12 MONTHS			
	RANGE	= 1 - 355		581	1.05
	981	= NEVER USED STIMULANTS Logically assigned.....		11	0.02
	985	= BAD DATA Logically assigned.....		3	0.01
	989	= LEGITIMATE SKIP Logically assigned.....		20	0.04
	991	= NEVER USED STIMULANTS.....		51147	92.26
	993	= DID NOT USE STIMULANTS IN THE PAST 12 MOS.....		3034	5.47
	994	= DON'T KNOW.....		6	0.01
	997	= REFUSED.....		10	0.02
	998	= BLANK (NO ANSWER).....		198	0.36
	999	= LEGITIMATE SKIP.....		425	0.77
(ST12)		On average, how many days each month during the past 12 months did you use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?			
STDAYPMO	2	# DAYS PER MO USED STIMULANT "NM" PAST 12 MONTHS			
	RANGE	= 1 - 30		268	0.48
	81	= NEVER USED STIMULANTS Logically assigned.....		11	0.02
	85	= BAD DATA Logically assigned.....		4	0.01
	89	= LEGITIMATE SKIP Logically assigned.....		7	0.01
	91	= NEVER USED STIMULANTS.....		51147	92.26
	93	= DID NOT USE STIMULANTS IN THE PAST 12 MOS.....		3034	5.47
	94	= DON'T KNOW.....		10	0.02
	97	= REFUSED.....		11	0.02
	98	= BLANK (NO ANSWER).....		197	0.36
	99	= LEGITIMATE SKIP.....		746	1.35
(ST13)		On average, how many days each week during the past 12 months did you use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?			
STDAYPWK	2	# DAYS PER WEEK USED STIMULANT "NM" PAST 12 MONTHS			
	RANGE	= 1 - 7		169	0.30
	81	= NEVER USED STIMULANTS Logically assigned.....		11	0.02
	85	= BAD DATA Logically assigned.....		6	0.01
	91	= NEVER USED STIMULANTS.....		51147	92.26
	93	= DID NOT USE STIMULANTS IN THE PAST 12 MOS.....		3034	5.47
	94	= DON'T KNOW.....		13	0.02
	97	= REFUSED.....		11	0.02
	98	= BLANK (NO ANSWER).....		195	0.35
	99	= LEGITIMATE SKIP.....		849	1.53
(ST14)		Now think only about your use of Methamphetamine, Desoxyn, or Methedrine. How old were you the first time you used Methamphetamine, Desoxyn, or Methedrine?			
METHAGE	3	AGE WHEN 1ST USED METHAMPH, DESOXYN, METHEDRINE			
	RANGE	= 1 - 48		2033	3.67
	981	= NEVER USED METHAMPHETAMINE Logically assigned.....		11	0.02
	985	= BAD DATA Logically assigned.....		8	0.01
	991	= NEVER USED METHAMPHETAMINE.....		53301	96.15
	994	= DON'T KNOW.....		21	0.04
	997	= REFUSED.....		18	0.03
	998	= BLANK (NO ANSWER).....		43	0.08

LABEL	LEN	DESCRIPTION	STIMULANTS	PAGE:	104
				FREQ	%
(ST15)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions ST15, ST16, ST17, ST18, and associated consistency checks were used to create the following two variables.		-	-
METHYFU	4	YEAR OF FIRST METHAMPHETAMINE USE - RECODE			
		RANGE = 2005 - 2007		117	0.21
		9981 = NEVER USED METHAMPHETAMINE Logically assigned.....		11	0.02
		9985 = BAD DATA Logically assigned.....		15	0.03
		9989 = LEGITIMATE SKIP Logically assn.....		6	0.01
		9991 = NEVER USED METHAMPHETAMINE.....		53301	96.15
		9994 = DON'T KNOW.....		23	0.04
		9997 = REFUSED.....		18	0.03
		9998 = BLANK (NO ANSWER).....		45	0.08
		9999 = LEGITIMATE SKIP.....		1899	3.43
METHMFU	2	MONTH OF FIRST METHAMPHETAMINE USE - RECODE			
		1 = January.....		17	0.03
		2 = February.....		7	0.01
		3 = March.....		12	0.02
		4 = April.....		5	0.01
		5 = May.....		5	0.01
		6 = June.....		10	0.02
		7 = July.....		4	0.01
		8 = August.....		12	0.02
		9 = September.....		7	0.01
		10 = October.....		9	0.02
		11 = November.....		13	0.02
		12 = December.....		5	0.01
		81 = NEVER USED METHAMPHETAMINE Logically assigned.....		11	0.02
		85 = BAD DATA Logically assigned.....		15	0.03
		89 = LEGITIMATE SKIP Logically assn.....		6	0.01
		91 = NEVER USED METHAMPHETAMINE.....		53301	96.15
		94 = DON'T KNOW.....		34	0.06
		97 = REFUSED.....		18	0.03
		98 = BLANK (NO ANSWER).....		45	0.08
		99 = LEGITIMATE SKIP.....		1899	3.43
(ST19)		How long has it been since you last used Methamphetamine, Desoxyn, or Methedrine?			
METHREC	2	TIME SINCE LAST USED METHAMPHETAMINE			
		1 = Within the past 30 days.....		109	0.20
		2 = More than 30 days ago but within the past 12 mos..		225	0.41
		3 = More than 12 months ago.....		1691	3.05
		8 = Used at some point in the past 12 mos LOG ASSN....		10	0.02
		9 = Used at some point in lifetime LOG ASSN.....		30	0.05
		81 = NEVER USED METHAMPHETAMINE Logically assigned.....		11	0.02
		85 = BAD DATA Logically assigned.....		1	0.00
		91 = NEVER USED METHAMPHETAMINE.....		53301	96.15
		97 = REFUSED.....		14	0.03
		98 = BLANK (NO ANSWER).....		43	0.08
MTHYRTOT	3	TOTAL # DAYS USED METHAMPHETAMINE PAST 12 MONTHS			
		RANGE = 1 - 364		331	0.60
		981 = NEVER USED METHAMPHETAMINE Logically assigned.....		11	0.02
		985 = BAD DATA Logically assigned.....		8	0.01
		991 = NEVER USED METHAMPHETAMINE.....		53301	96.15
		993 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS....		1691	3.05
		994 = DON'T KNOW.....		3	0.01
		997 = REFUSED.....		14	0.03
		998 = BLANK (NO ANSWER).....		76	0.14

LABEL	LEN	DESCRIPTION	PAGE:	105
			FREQ	%
MTTOTFG	2	TRIMMING INDICATOR FOR MTHYRTOT 98 = BLANK (NO ANSWER).....	55435	100.0
MTFQFLG	2	TRIMMED MTHYRTOT IF R USED < 12 MOS 1 = Trimmed to be consistent with mo/yr of 1st use.... 98 = BLANK (NO ANSWER).....	26	0.05
			55409	99.95
(ST20)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.		
		What would be the easiest way for you to tell us how many days you used Methamphetamine, Desoxyn, or Methedrine in either of these ways?		
MTBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED METHAMPHETAMINE 1 = Prefer to answer in days per week..... 2 = Prefer to answer in days per month..... 3 = Prefer to answer in days per year..... 11 = Prefer to ans in days per wk LOG ASSN..... 12 = Prefer to ans in days per mo LOG ASSN..... 13 = Prefer to ans in days per yr LOG ASSN..... 81 = NEVER USED METHAMPHETAMINE Logically assigned..... 85 = BAD DATA Logically assigned..... 91 = NEVER USED METHAMPHETAMINE..... 93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS..... 94 = DON'T KNOW..... 97 = REFUSED..... 98 = BLANK (NO ANSWER).....	80 93 155 2 1 1 11 8 53301 1691 2 14 76	0.14 0.17 0.28 0.00 0.00 0.00 0.02 0.01 96.15 3.05 0.00 0.03 0.14
(ST21)		On how many days in the past 12 months did you use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused?		
MTDAYPYR	3	# DAYS USED METHAMPHETAMINE "NM" PAST 12 MONTHS RANGE = 1 - 355 981 = NEVER USED METHAMPHETAMINE Logically assigned..... 985 = BAD DATA Logically assigned..... 989 = LEGITIMATE SKIP Logically assigned..... 991 = NEVER USED METHAMPHETAMINE..... 993 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS..... 994 = DON'T KNOW..... 997 = REFUSED..... 998 = BLANK (NO ANSWER)..... 999 = LEGITIMATE SKIP.....	156 11 1 3 53301 1691 2 14 83 173	0.28 0.02 0.00 0.01 96.15 3.05 0.00 0.03 0.15 0.31

LABEL	LEN	DESCRIPTION	STIMULANTS		PAGE: FREQ	106 %
			-----	-----		
(ST22)		On average, how many days each month during the past 12 months did you use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused?				-
MTDAYPMO	2	# DAYS PER MO USED METHAMPHETAMINE "NM" PST 12 MOS				
	RANGE =	1 - 30			94	0.17
	81 =	NEVER USED METHAMPHETAMINE Logically assigned.....			11	0.02
	85 =	BAD DATA Logically assigned.....			3	0.01
	89 =	LEGITIMATE SKIP Logically assigned.....			2	0.00
	91 =	NEVER USED METHAMPHETAMINE.....			53301	96.15
	93 =	DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS....			1691	3.05
	94 =	DON'T KNOW.....			2	0.00
	97 =	REFUSED.....			14	0.03
	98 =	BLANK (NO ANSWER).....			81	0.15
	99 =	LEGITIMATE SKIP.....			236	0.43
(ST23)		On average, how many days each week during the past 12 months did you use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused?				
MTDAYPWK	2	# DAYS PER WK USED METHAMPHETAMINE "NM" PST 12 MOS				
	RANGE =	1 - 7			81	0.15
	81 =	NEVER USED METHAMPHETAMINE Logically assigned.....			11	0.02
	85 =	BAD DATA Logically assigned.....			4	0.01
	91 =	NEVER USED METHAMPHETAMINE.....			53301	96.15
	93 =	DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS....			1691	3.05
	94 =	DON'T KNOW.....			3	0.01
	97 =	REFUSED.....			14	0.03
	98 =	BLANK (NO ANSWER).....			80	0.14
	99 =	LEGITIMATE SKIP.....			250	0.45

LABEL	LEN	DESCRIPTION	SEDATIVES	PAGE:	107
				FREQ	%
(SV01)		SEDDATIVES	-----	-	-
			These next questions ask about the use of sedatives or barbiturates. These drugs are also called "downers," or "sleeping pills." People take these drugs to help them relax or to help them sleep. We are not interested in the use of "over-the-counter" sedatives such as Sominex, Unisom, Nyquil, or Benadryl that can be bought in drug stores or grocery stores without a doctor's prescription.		
			Card D shows pictures of some different kinds of prescription sedatives and lists the names of some others. These pictures show only pills, but we are interested in your use of any form of prescription sedatives that were not prescribed for you, or that you took only for the experience or feeling they caused. Please look at Card D carefully as you answer the next questions.		
			Have you ever, even once, used Methaqualone, Sopor, or Quaalude that was not prescribed for you or that you took only for the experience or feeling it caused?		
METHAQ	2	EVER USED METHAQUALONE, SOPOR, OR QUAALUDE	1 = Yes.....	659	1.19
			2 = No.....	608	1.10
			81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03
			85 = BAD DATA Logically assigned.....	1	0.00
			91 = NEVER USED SEDATIVES.....	54087	97.57
			94 = DON'T KNOW.....	44	0.08
			97 = REFUSED.....	15	0.03
			98 = BLANK (NO ANSWER).....	3	0.01
(SV02)		Have you ever, even once, used barbiturates such as Nembutal, Pentobarbital, Seconal, Secobarbital, or Butalbital that were not prescribed for you or that you took only for the experience or feeling they caused?			
NEMBBARB	2	EVER USED BARBITURATES SUCH AS NEMBUTAL, ETC	1 = Yes.....	288	0.52
			2 = No.....	984	1.78
			81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03
			85 = BAD DATA Logically assigned.....	1	0.00
			91 = NEVER USED SEDATIVES.....	54087	97.57
			94 = DON'T KNOW.....	39	0.07
			97 = REFUSED.....	15	0.03
			98 = BLANK (NO ANSWER).....	3	0.01

LABEL	LEN	DESCRIPTION	SEDATIVES	PAGE:	108
				FREQ	%
(SV03)		Have you ever, even once, used Restoril or Temazepam that was not prescribed for you or that you took only for the experience or feeling it caused?		-	-
RESTTMAZ	2	EVER USED RESTORIL OR TEMAZEPAM			
		1 = Yes.....	205	0.37	
		2 = No.....	1069	1.93	
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00	
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED SEDATIVES.....	54087	97.57	
		94 = DON'T KNOW.....	37	0.07	
		97 = REFUSED.....	14	0.03	
		98 = BLANK (NO ANSWER).....	3	0.01	
(SV04)		Please look at the sedatives shown below the red line on Card D.			
		Have you ever, even once, used any of these sedatives when they were not prescribed for you or that you took only for the experience or feeling they caused?			
SEDCARD	2	EVER USED ANY SEDATIVES BELOW RED LINE ON CARD D			
		1 = Yes.....	343	0.62	
		2 = No.....	922	1.66	
		3 = Yes LOGICALLY ASSIGNED.....	2	0.00	
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED SEDATIVES.....	54087	97.57	
		94 = DON'T KNOW.....	43	0.08	
		97 = REFUSED.....	16	0.03	
		98 = BLANK (NO ANSWER).....	3	0.01	
(SV04A)		Which of the sedatives shown below the red line on Card D have you used when they were not prescribed for you or that you took only for the experience or feeling they caused?			
AMYTAL	2	EVER USED AMYTAL NONMEDICALLY			
		1 = Response entered.....	35	0.06	
		6 = Response not entered.....	289	0.52	
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03	
		91 = NEVER USED SEDATIVES.....	54087	97.57	
		94 = DON'T KNOW.....	12	0.02	
		97 = REFUSED.....	25	0.05	
		98 = BLANK (NO ANSWER).....	47	0.08	
		99 = LEGITIMATE SKIP.....	922	1.66	
BUTISOL	2	EVER USED BUTISOL NONMEDICALLY			
		1 = Response entered.....	24	0.04	
		6 = Response not entered.....	300	0.54	
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03	
		91 = NEVER USED SEDATIVES.....	54087	97.57	
		94 = DON'T KNOW.....	12	0.02	
		97 = REFUSED.....	25	0.05	
		98 = BLANK (NO ANSWER).....	47	0.08	
		99 = LEGITIMATE SKIP.....	922	1.66	

LABEL	LEN	DESCRIPTION	PAGE:	109
			FREQ	%
CHHYD	2	EVER USED CHLORAL HYDRATE NONMEDICALLY		-
		1 = Response entered.....	21	0.04
		6 = Response not entered.....	303	0.55
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03
		91 = NEVER USED SEDATIVES.....	54087	97.57
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	25	0.05
		98 = BLANK (NO ANSWER).....	47	0.08
		99 = LEGITIMATE SKIP.....	922	1.66
DALMANE	2	EVER USED DALMANE NONMEDICALLY		
		1 = Response entered.....	46	0.08
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
		6 = Response not entered.....	276	0.50
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03
		91 = NEVER USED SEDATIVES.....	54087	97.57
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	25	0.05
		98 = BLANK (NO ANSWER).....	47	0.08
		99 = LEGITIMATE SKIP.....	922	1.66
HALCION	2	EVER USED HALCION NONMEDICALLY		
		1 = Response entered.....	64	0.12
		6 = Response not entered.....	260	0.47
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03
		91 = NEVER USED SEDATIVES.....	54087	97.57
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	25	0.05
		98 = BLANK (NO ANSWER).....	47	0.08
		99 = LEGITIMATE SKIP.....	922	1.66
PHENOBAR	2	EVER USED PHENOBARBITAL NONMEDICALLY		
		1 = Response entered.....	129	0.23
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	194	0.35
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03
		91 = NEVER USED SEDATIVES.....	54087	97.57
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	25	0.05
		98 = BLANK (NO ANSWER).....	47	0.08
		99 = LEGITIMATE SKIP.....	922	1.66
PLACIDYL	2	EVER USED PLACIDYL NONMEDICALLY		
		1 = Response entered.....	64	0.12
		6 = Response not entered.....	260	0.47
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03
		91 = NEVER USED SEDATIVES.....	54087	97.57
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	25	0.05
		98 = BLANK (NO ANSWER).....	47	0.08
		99 = LEGITIMATE SKIP.....	922	1.66
TUINAL	2	EVER USED TUINAL NONMEDICALLY		
		1 = Response entered.....	63	0.11
		6 = Response not entered.....	261	0.47
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03
		91 = NEVER USED SEDATIVES.....	54087	97.57
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	25	0.05
		98 = BLANK (NO ANSWER).....	47	0.08
		99 = LEGITIMATE SKIP.....	922	1.66

LABEL	LEN	DESCRIPTION	SEDATIVES	PAGE:	110
				FREQ	%
(SV05)		Have you ever, even once, used any other prescription sedative, besides the ones shown on Card D when it was not prescribed for you or that you took only for the experience or feeling it caused?		-	-
SEDNOLST	2	EVER USED ANY OTHER SEDATIVE NONMEDICALLY			
	1	= Yes.....	281	0.51	
	2	= No.....	958	1.73	
	81	= NEVER USED SEDATIVES Logically assigned.....	18	0.03	
	85	= BAD DATA Logically assigned.....	1	0.00	
	91	= NEVER USED SEDATIVES.....	54087	97.57	
	94	= DON'T KNOW.....	70	0.13	
	97	= REFUSED.....	16	0.03	
	98	= BLANK (NO ANSWER).....	4	0.01	
SEDNEWA	4	OTHER SEDATIVES - SPECIFY 1			
	106	= Doriden.....	1	0.00	
	111	= Dalmane, Flurazepam.....	1	0.00	
	112	= Restoril, Temazepam.....	1	0.00	
	115	= Phenobarbital.....	1	0.00	
	120	= Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED..	9	0.02	
	121	= USED SEDATIVE, DON'T KNOW NAME.....	51	0.09	
	131	= Haldol, Haloperidol.....	1	0.00	
	153	= Luminal.....	1	0.00	
	174	= Ambien, Stilnox, Zolpidem.....	62	0.11	
	178	= Quetiapine, Seroquel.....	24	0.04	
	189	= Sonata.....	3	0.01	
	201	= Valium, Diazepam.....	7	0.01	
	209	= Xanax, Alprazolam, Tafil, Xanax bars.....	5	0.01	
	221	= OTHER Tranquilizer, NOT OTHERWISE SPECIFIED.....	1	0.00	
	225	= Desyrel, Trazodone hydrochloride.....	11	0.02	
	228	= Amitriptyline, Elavil.....	4	0.01	
	234	= Flexeril, Cyclobenzaprine.....	1	0.00	
	246	= Clonazepam, Diocam, Klonopin, Rivotril.....	1	0.00	
	247	= Adapin, Doxepin, Sinequan.....	1	0.00	
	283	= Paroxetine, Paxil.....	1	0.00	
	291	= Celexa.....	1	0.00	
	295	= Mirtazapine, Remeron.....	2	0.00	
	409	= Tylenol with Codeine, Tylenol 3, Tylenol 4.....	1	0.00	
	418	= Methadone, Dolophine.....	2	0.00	
	430	= Aspirin, Ecotrin, Empirin <OTC>.....	1	0.00	
	434	= Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic.....	2	0.00	
	442	= Ibuprofen.....	1	0.00	
	658	= Special K, Ketamine.....	3	0.01	
	896	= Catapres, Clonidine.....	1	0.00	
	1011	= Lunesta.....	7	0.01	
	1013	= Ambien CR.....	2	0.00	
	2001	= Soma, Soma, Carisoprodol.....	2	0.00	
	2019	= Soma Compound.....	1	0.00	
	3023	= Adderall.....	1	0.00	
	3052	= Speed; otherwise unspecified.....	1	0.00	
	4044	= Hydrocodone.....	1	0.00	
	4046	= Oxycodone or unspecified oxycodone products.....	1	0.00	
	4109	= Suboxone.....	1	0.00	
	8009	= Allergy pills/antihistamine; type unspecified.....	1	0.00	
	8011	= Herb, flower, plant; type unspecified.....	1	0.00	
	8058	= Cough medicine/syrup; type unspecified.....	1	0.00	
	9981	= NEVER USED SEDATIVES Logically assigned.....	18	0.03	
	9985	= BAD DATA Logically assigned.....	5	0.01	
	9991	= NEVER USED SEDATIVES.....	54087	97.57	
	9997	= REFUSED.....	25	0.05	
	9998	= BLANK (NO ANSWER).....	121	0.22	
	9999	= LEGITIMATE SKIP.....	958	1.73	

LABEL	LEN	DESCRIPTION	PAGE:	111
			FREQ	%
SEDNEWB	4	OTHER SEDATIVES - SPECIFY 2		-
		111 = Dalmane, Flurazepam.....	1	0.00
		120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED..	1	0.00
		121 = USED SEDATIVE, DON'T KNOW NAME.....	2	0.00
		174 = Ambien, Stilnox, Zolpidem.....	7	0.01
		178 = Quetiapine, Seroquel.....	3	0.01
		201 = Valium, Diazepam.....	1	0.00
		225 = Desyrel, Trazodone hydrochloride.....	2	0.00
		234 = Flexeril, Cyclobenzaprine.....	1	0.00
		289 = Olanzapine, Zyprexa.....	1	0.00
		295 = Mirtazapine, Remeron.....	1	0.00
		327 = Black beauties, black beauty.....	1	0.00
		821 = Amoxicillin, Ampicillin, Pentrexly.....	1	0.00
		1011 = Lunesta.....	1	0.00
		1013 = Ambien CR.....	1	0.00
		4046 = Oxycodone or unspecified oxycodone products.....	1	0.00
		8011 = Herb, flower, plant; type unspecified.....	1	0.00
		9981 = NEVER USED SEDATIVES Logically assigned.....	18	0.03
		9985 = BAD DATA Logically assigned.....	2	0.00
		9991 = NEVER USED SEDATIVES.....	54087	97.57
		9997 = REFUSED.....	18	0.03
		9998 = BLANK (NO ANSWER).....	326	0.59
		9999 = LEGITIMATE SKIP.....	958	1.73
SEDNEWC	4	OTHER SEDATIVES - SPECIFY 3		
		111 = Dalmane, Flurazepam.....	1	0.00
		174 = Ambien, Stilnox, Zolpidem.....	4	0.01
		178 = Quetiapine, Seroquel.....	1	0.00
		207 = Ativan, Lorazepam, Orfidal.....	1	0.00
		246 = Clonazepam, Diocam, Klonopin, Rivotril.....	1	0.00
		289 = Olanzapine, Zyprexa.....	1	0.00
		8007 = Gabapentin, Neurontin.....	1	0.00
		9981 = NEVER USED SEDATIVES Logically assigned.....	18	0.03
		9991 = NEVER USED SEDATIVES.....	54087	97.57
		9997 = REFUSED.....	16	0.03
		9998 = BLANK (NO ANSWER).....	346	0.62
		9999 = LEGITIMATE SKIP.....	958	1.73
SEDNEWD	4	OTHER SEDATIVES - SPECIFY 4		
		174 = Ambien, Stilnox, Zolpidem.....	1	0.00
		2019 = Soma Compound.....	1	0.00
		9981 = NEVER USED SEDATIVES Logically assigned.....	18	0.03
		9991 = NEVER USED SEDATIVES.....	54087	97.57
		9997 = REFUSED.....	17	0.03
		9998 = BLANK (NO ANSWER).....	353	0.64
		9999 = LEGITIMATE SKIP.....	958	1.73
SEDNEWE	4	OTHER SEDATIVES - SPECIFY 5		
		4011 = Atretol, Carbamazepine, Carbatrol, Epitol,Tegretol	1	0.00
		9981 = NEVER USED SEDATIVES Logically assigned.....	18	0.03
		9991 = NEVER USED SEDATIVES.....	54087	97.57
		9997 = REFUSED.....	16	0.03
		9998 = BLANK (NO ANSWER).....	355	0.64
		9999 = LEGITIMATE SKIP.....	958	1.73

LABEL	LEN	DESCRIPTION	PAGE:	112
			FREQ	%
(SVREF)		The answers that people give us about their use of prescription sedatives are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.		-
		Please think again about answering this question: Have you ever, even once, used any type of prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
		NOTE: This variable was coded as 1 if respondents answered yes to the above question and 91 if respondents answered the above question as no (see below). This variable also was coded as 1 if the questions corresponding to any of the following variables were answered as yes: METHAQ, NEMBBARB, RESTTMAZ, SEDCARD, or SEDNOLST. This variable also was coded as 81 or 91 if all of the above variables were coded as 81 or 91, respectively.		
SEDEVER	2	EVER USED SEDATIVES NONMEDICALLY		
		1 = Yes.....	1203	2.17
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03
		91 = NEVER USED SEDATIVES.....	54087	97.57
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	117	0.21
(SV06)		How old were you the first time you used any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SEDAGE	3	AGE WHEN FIRST USED SEDATIVES NONMEDICALLY		
		RANGE = 1 - 52	1138	2.05
		981 = NEVER USED SEDATIVES Logically assigned.....	18	0.03
		985 = BAD DATA Logically assigned.....	5	0.01
		991 = NEVER USED SEDATIVES.....	54087	97.57
		994 = DON'T KNOW.....	45	0.08
		997 = REFUSED.....	26	0.05
		998 = BLANK (NO ANSWER).....	116	0.21
(SV07A)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions SV07a, SV07b, SV08a, SV08b, and associated consistency checks were used to create the following two variables.		
SEDYFU	4	YEAR OF FIRST SEDATIVE USE - RECODE		
		RANGE = 2005 - 2007	132	0.24
		9981 = NEVER USED SEDATIVES Logically assigned.....	18	0.03
		9985 = BAD DATA Logically assigned.....	13	0.02
		9989 = LEGITIMATE SKIP Logically assn.....	7	0.01
		9991 = NEVER USED SEDATIVES.....	54087	97.57
		9994 = DON'T KNOW.....	45	0.08
		9997 = REFUSED.....	26	0.05
		9998 = BLANK (NO ANSWER).....	118	0.21
		9999 = LEGITIMATE SKIP.....	989	1.78

LABEL	LEN	DESCRIPTION	PAGE:	113
			FREQ	%
SEDMFU	2	MONTH OF FIRST SEDATIVE USE - RECODE		-
		1 = January.....	12	0.02
		2 = February.....	13	0.02
		3 = March.....	8	0.01
		4 = April.....	8	0.01
		5 = May.....	6	0.01
		6 = June.....	10	0.02
		7 = July.....	11	0.02
		8 = August.....	15	0.03
		9 = September.....	5	0.01
		10 = October.....	11	0.02
		11 = November.....	8	0.01
		12 = December.....	7	0.01
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03
		85 = BAD DATA Logically assigned.....	13	0.02
		89 = LEGITIMATE SKIP Logically assn.....	7	0.01
		91 = NEVER USED SEDATIVES.....	54087	97.57
		94 = DON'T KNOW.....	63	0.11
		97 = REFUSED.....	26	0.05
		98 = BLANK (NO ANSWER).....	118	0.21
		99 = LEGITIMATE SKIP.....	989	1.78
(SV09)		NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.		
		How long has it been since you last used any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SEDREC	2	TIME SINCE LAST USED SEDATIVES NONMEDICALLY		
		1 = Within the past 30 days.....	89	0.16
		2 = More than 30 days ago but within the past 12 mos..	166	0.30
		3 = More than 12 months ago.....	925	1.67
		8 = Used at some point in the past 12 mos LOG ASSN....	1	0.00
		9 = Used at some point in lifetime LOG ASSN.....	22	0.04
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED SEDATIVES.....	54087	97.57
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	116	0.21
SEDYRTOT	3	TOTAL # OF DAYS USED SEDATIVES PAST 12 MONTHS		
		RANGE = 1 - 364	247	0.45
		981 = NEVER USED SEDATIVES Logically assigned.....	18	0.03
		985 = BAD DATA Logically assigned.....	2	0.00
		991 = NEVER USED SEDATIVES.....	54087	97.57
		993 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	925	1.67
		994 = DON'T KNOW.....	7	0.01
		997 = REFUSED.....	10	0.02
		998 = BLANK (NO ANSWER).....	139	0.25
SVTOTFG	2	TRIMMING INDICATOR FOR SEDYRTOT		
		98 = BLANK (NO ANSWER).....	55435	100.0
SVFQFLG	2	TRIMMED SEDYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use....	17	0.03
		98 = BLANK (NO ANSWER).....	55418	99.97

LABEL	LEN	DESCRIPTION	SEDATIVES	PAGE:	114
				FREQ	%
(SV10)		Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.		-	-
		What would be the easiest way for you to tell us how many days you used a prescription sedative in either of these ways?			
SVBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED SEDATIVE			
		1 = Prefer to answer in days per week.....	41	0.07	
		2 = Prefer to answer in days per month.....	59	0.11	
		3 = Prefer to answer in days per year.....	144	0.26	
		12 = Prefer to ans in days per mo LOG ASSN.....	1	0.00	
		13 = Prefer to ans in days per yr LOG ASSN.....	5	0.01	
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03	
		85 = BAD DATA Logically assigned.....	2	0.00	
		91 = NEVER USED SEDATIVES.....	54087	97.57	
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	925	1.67	
		94 = DON'T KNOW.....	4	0.01	
		97 = REFUSED.....	10	0.02	
		98 = BLANK (NO ANSWER).....	139	0.25	
(SV11)		On how many days in the past 12 months did you use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?			
SVDAYPYR	3	# DAYS USED SEDATIVE "NM" PAST 12 MONTHS			
		RANGE = 1 - 250	148	0.27	
		981 = NEVER USED SEDATIVES Logically assigned.....	18	0.03	
		985 = BAD DATA Logically assigned.....	1	0.00	
		989 = LEGITIMATE SKIP Logically assigned.....	1	0.00	
		991 = NEVER USED SEDATIVES.....	54087	97.57	
		993 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	925	1.67	
		994 = DON'T KNOW.....	5	0.01	
		997 = REFUSED.....	10	0.02	
		998 = BLANK (NO ANSWER).....	140	0.25	
		999 = LEGITIMATE SKIP.....	100	0.18	
(SV12)		On average, how many days each month during the past 12 months did you use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?			
SVDAYPMO	2	# DAYS PER MONTH USED SEDATIVE "NM" PAST 12 MONTHS			
		RANGE = 1 - 23	60	0.11	
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03	
		91 = NEVER USED SEDATIVES.....	54087	97.57	
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	925	1.67	
		94 = DON'T KNOW.....	5	0.01	
		97 = REFUSED.....	10	0.02	
		98 = BLANK (NO ANSWER).....	141	0.25	
		99 = LEGITIMATE SKIP.....	189	0.34	

LABEL	LEN	DESCRIPTION	PAGE:	115
			FREQ	%
(SV13)		On average, how many days each week during the past 12 months did you use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		-
SVDAYPWK	2	# DAYS PER WEEK USED SEDATIVE "NM" PAST 12 MONTHS		
RANGE	=	1 - 7	39	0.07
81	=	NEVER USED SEDATIVES Logically assigned.....	18	0.03
85	=	BAD DATA Logically assigned.....	1	0.00
91	=	NEVER USED SEDATIVES.....	54087	97.57
93	=	DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	925	1.67
94	=	DON'T KNOW.....	7	0.01
97	=	REFUSED.....	10	0.02
98	=	BLANK (NO ANSWER).....	140	0.25
99	=	LEGITIMATE SKIP.....	208	0.38

RECENCY OF DRUG USE			PAGE:	116
LABEL	LEN	DESCRIPTION	FREQ	%
		----- RECENCY OF DRUG USE -----		-
IRCIGRC	1	CIGARETTE RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	14260	25.72
		2 = More than 30 days ago but within the past 12 mos..	3311	5.97
		3 = More than 12 months ago but within the past 3 yrs.	2887	5.21
		4 = More than 3 years ago.....	9972	17.99
		9 = Never smoked cigarettes.....	25005	45.11
IICIGRC	1	CIGARETTE RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55056	99.32
		2 = Logically assigned data.....	2	0.00
		3 = Statistically imputed data.....	377	0.68
II2CIGRC	1	CIGARETTE RECENCY - DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55056	99.32
		2 = Logically assigned data.....	2	0.00
		4 = Statistically imputed data - edited recency = 9...	10	0.02
		5 = Statistically imputed data - edited recency = 8...	12	0.02
		6 = Statistically imputed data - edited recency = 19..	87	0.16
		7 = Statistically imputed data - edited recency = 14..	160	0.29
		8 = Statistically imputed data - edited recency = 29..	105	0.19
		9 = Statistically imputed data - edited recency = 39..	3	0.01
IRCGRRC	1	CIGAR RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	3879	7.00
		2 = More than 30 days ago but within the past 12 mos..	4068	7.34
		3 = More than 12 months ago but within the past 3 yrs.	3626	6.54
		4 = More than 3 years ago.....	6012	10.85
		9 = Never smoked cigars.....	37850	68.28
IICGRRC	1	CIGAR RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55132	99.45
		2 = Logically assigned data.....	3	0.01
		3 = Statistically imputed data.....	300	0.54
II2CGRRC	1	CIGAR RECENCY - DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55132	99.45
		2 = Logically assigned data.....	3	0.01
		3 = Statistically imputed data - lifetime use imputed.	9	0.02
		4 = Statistically imputed data - edited recency = 9...	6	0.01
		5 = Statistically imputed data - edited recency = 8...	9	0.02
		6 = Statistically imputed data - edited recency = 19..	54	0.10
		7 = Statistically imputed data - edited recency = 14..	115	0.21
		8 = Statistically imputed data - edited recency = 29..	106	0.19
		9 = Statistically imputed data - edited recency = 39..	1	0.00
IRPIPLF	1	LIFETIME PIPE USE - IMPUTATION REVISED		
		1 = Ever used pipes.....	4602	8.30
		9 = Never smoked pipes.....	50833	91.70
IIPIPLF	1	LIFETIME PIPE USE - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55427	99.99
		3 = Statistically imputed data.....	8	0.01
IRPIPBMN	1	PAST MONTH PIPE USE - IMPUTATION REVISED		
		1 = Within the past 30 days.....	499	0.90
		2 = More than 30 days ago but within lifetime.....	4103	7.40
		9 = Never smoked pipes.....	50833	91.70

LABEL	LEN	DESCRIPTION	RECENCY OF DRUG USE		PAGE:	117
			FREQ	%		
IIPIPMN	1	PAST MONTH PIPE USE - IMPUTATION INDICATOR				-
		1 = Questionnaire data.....	4601	8.30		
		3 = Statistically imputed data.....	9	0.02		
		9 = Legitimate skip - not a lifetime user.....	50825	91.68		
IRSLTRC	1	SMOKELESS TOBACCO RECENCY - IMPUTATION REVISED				
		1 = Within the past 30 days.....	2225	4.01		
		2 = More than 30 days ago but within the past 12 mos..	1308	2.36		
		3 = More than 12 months ago but within the past 3 yrs.	1347	2.43		
		4 = More than 3 years ago.....	4587	8.27		
		9 = Never used smokeless tobacco.....	45968	82.92		
IISLTRC	1	SMOKELESS TOBACCO RECENCY - IMPUTATION INDICATOR				
		1 = Questionnaire data.....	55201	99.58		
		2 = Logically assigned data.....	1	0.00		
		3 = Statistically imputed data.....	233	0.42		
II2SLTRC	1	SMOKELESS TOBACCO RECENCY - DETAILED IMP INDICATOR				
		1 = Questionnaire data.....	55201	99.58		
		2 = Logically assigned data.....	1	0.00		
		3 = Statistically imputed data - lifetime use imputed.	23	0.04		
		4 = Statistically imputed data - edited recency = 9...	3	0.01		
		5 = Statistically imputed data - edited recency = 8...	7	0.01		
		6 = Statistically imputed data - edited recency = 19..	56	0.10		
		7 = Statistically imputed data - edited recency = 14..	63	0.11		
		8 = Statistically imputed data - edited recency = 29..	80	0.14		
		9 = Statistically imputed data - edited recency = 39..	1	0.00		
IRCHWRC	1	CHEWING TOBACCO RECENCY - IMPUTATION REVISED				
		1 = Within the past 30 days.....	844	1.52		
		2 = More than 30 days ago but within the past 12 mos..	865	1.56		
		3 = More than 12 months ago but within the past 3 yrs.	974	1.76		
		4 = More than 3 years ago.....	3602	6.50		
		9 = Never used chewing tobacco.....	49150	88.66		
IICHWRC	1	CHEWING TOBACCO RECENCY - IMPUTATION INDICATOR				
		1 = Questionnaire data.....	55307	99.77		
		2 = Logically assigned data.....	1	0.00		
		3 = Statistically imputed data.....	127	0.23		
II2CHWRC	1	CHEWING TOBACCO RECENCY - DETAILED IMP INDICATOR				
		1 = Questionnaire data.....	55307	99.77		
		2 = Logically assigned data.....	1	0.00		
		3 = Statistically imputed data - lifetime use imputed.	10	0.02		
		4 = Statistically imputed data - edited recency = 9...	1	0.00		
		5 = Statistically imputed data - edited recency = 8...	3	0.01		
		6 = Statistically imputed data - edited recency = 19..	34	0.06		
		7 = Statistically imputed data - edited recency = 14..	41	0.07		
		8 = Statistically imputed data - edited recency = 29..	36	0.06		
		9 = Statistically imputed data - edited recency = 39..	2	0.00		
IRSNFRC	1	SNUFF RECENCY - IMPUTATION REVISED				
		1 = Within the past 30 days.....	1927	3.48		
		2 = More than 30 days ago but within the past 12 mos..	1095	1.98		
		3 = More than 12 months ago but within the past 3 yrs.	1083	1.95		
		4 = More than 3 years ago.....	3474	6.27		
		9 = Never used snuff.....	47856	86.33		
IISNFRC	1	SNUFF RECENCY - IMPUTATION INDICATOR				
		1 = Questionnaire data.....	55256	99.68		
		3 = Statistically imputed data.....	179	0.32		

RECENCY OF DRUG USE			PAGE:	118
LABEL	LEN	DESCRIPTION	FREQ	%
II2SNFRC	1	SNUFF RECENCY - DETAILED IMPUTATION INDICATOR		-
		1 = Questionnaire data.....	55256	99.68
		3 = Statistically imputed data - lifetime use imputed.	21	0.04
		4 = Statistically imputed data - edited recency = 9...	3	0.01
		5 = Statistically imputed data - edited recency = 8...	4	0.01
		6 = Statistically imputed data - edited recency = 19..	39	0.07
		7 = Statistically imputed data - edited recency = 14..	54	0.10
		8 = Statistically imputed data - edited recency = 29..	57	0.10
		9 = Statistically imputed data - edited recency = 39..	1	0.00
IRALCRC	1	ALCOHOL RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	24908	44.93
		2 = More than 30 days ago but within the past 12 mos..	9048	16.32
		3 = More than 12 months ago.....	6271	11.31
		9 = Never used alcohol.....	15208	27.43
IIALCRC	1	ALCOHOL RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	54704	98.68
		2 = Logically assigned data.....	15	0.03
		3 = Statistically imputed data.....	716	1.29
II2ALCRC	1	ALCOHOL RECENCY - DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	54704	98.68
		2 = Logically assigned data.....	15	0.03
		3 = Statistically imputed data - lifetime use imputed.	28	0.05
		4 = Statistically imputed data - edited recency = 9...	343	0.62
		5 = Statistically imputed data - edited recency = 8...	345	0.62
IRMJRC	1	MARIJUANA RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	5272	9.51
		2 = More than 30 days ago but within the past 12 mos..	3863	6.97
		3 = More than 12 months ago.....	12592	22.71
		9 = Never used marijuana.....	33708	60.81
IIMJRC	1	MARIJUANA RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55089	99.38
		2 = Logically assigned data.....	6	0.01
		3 = Statistically imputed data.....	340	0.61
II2MJRC	1	MARIJUANA RECENCY - DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55089	99.38
		2 = Logically assigned data.....	6	0.01
		3 = Statistically imputed data - lifetime use imputed.	37	0.07
		4 = Statistically imputed data - edited recency = 9...	155	0.28
		5 = Statistically imputed data - edited recency = 8...	148	0.27
IRCOCRC	1	COCAINE RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	592	1.07
		2 = More than 30 days ago but within the past 12 mos..	1259	2.27
		3 = More than 12 months ago.....	4811	8.68
		9 = Never used cocaine.....	48773	87.98
IICOCRC	1	COCAINE RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55228	99.63
		2 = Logically assigned data.....	59	0.11
		3 = Statistically imputed data.....	148	0.27
II2COCRC	1	COCAINE RECENCY - DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55228	99.63
		2 = Logically assigned data.....	59	0.11
		3 = Statistically imputed data - lifetime use imputed.	30	0.05
		4 = Statistically imputed data - edited recency = 9...	74	0.13
		5 = Statistically imputed data - edited recency = 8...	44	0.08

LABEL	LEN	DESCRIPTION	RECENCY OF DRUG USE	PAGE:	119
				FREQ	%
IICRKRC	1	CRACK RECENCY - IMPUTATION REVISED			-
		1 = Within the past 30 days.....	129	0.23	
		2 = More than 30 days ago but within the past 12 mos..	226	0.41	
		3 = More than 12 months ago.....	1300	2.35	
		9 = Never used crack.....	53780	97.01	
IICRKRC	1	CRACK RECENCY - IMPUTATION INDICATOR			
		1 = Questionnaire data.....	55374	99.89	
		2 = Logically assigned data.....	1	0.00	
		3 = Statistically imputed data.....	60	0.11	
II2CRKRC	1	CRACK RECENCY - DETAILED IMPUTATION INDICATOR			
		1 = Questionnaire data.....	55374	99.89	
		2 = Logically assigned data.....	1	0.00	
		3 = Statistically imputed data - lifetime use imputed.	32	0.06	
		4 = Statistically imputed data - edited recency = 9...	17	0.03	
		5 = Statistically imputed data - edited recency = 8...	11	0.02	
IRHERRC	1	HEROIN RECENCY - IMPUTATION REVISED			
		1 = Within the past 30 days.....	45	0.08	
		2 = More than 30 days ago but within the past 12 mos..	85	0.15	
		3 = More than 12 months ago.....	564	1.02	
		9 = Never used heroin.....	54741	98.75	
IIHERRC	1	HEROIN RECENCY - IMPUTATION INDICATOR			
		1 = Questionnaire data.....	55392	99.92	
		2 = Logically assigned data.....	1	0.00	
		3 = Statistically imputed data.....	42	0.08	
II2HERRC	1	HEROIN RECENCY - DETAILED IMPUTATION INDICATOR			
		1 = Questionnaire data.....	55392	99.92	
		2 = Logically assigned data.....	1	0.00	
		3 = Statistically imputed data - lifetime use imputed.	28	0.05	
		4 = Statistically imputed data - edited recency = 9...	8	0.01	
		5 = Statistically imputed data - edited recency = 8...	6	0.01	
IRHALRC	1	HALLUCINOGEN RECENCY - IMPUTATION REVISED			
		1 = Within the past 30 days.....	480	0.87	
		2 = More than 30 days ago but within the past 12 mos..	1321	2.38	
		3 = More than 12 months ago.....	5748	10.37	
		9 = Never used hallucinogens.....	47886	86.38	
IIHALRC	1	HALLUCINOGEN RECENCY - IMPUTATION INDICATOR			
		1 = Questionnaire data.....	55004	99.22	
		2 = Logically assigned data.....	47	0.08	
		3 = Statistically imputed data.....	384	0.69	
II2HALRC	1	HALLUCINOGEN RECENCY - DETAILED IMPUTATION INDICATOR			
		1 = Questionnaire data.....	55004	99.22	
		2 = Logically assigned data.....	47	0.08	
		3 = Statistically imputed data - lifetime use imputed.	171	0.31	
		4 = Statistically imputed data - edited recency = 9...	163	0.29	
		5 = Statistically imputed data - edited recency = 8...	50	0.09	
IRLSDRC	1	LSD RECENCY - IMPUTATION REVISED			
		1 = Within the past 30 days.....	76	0.14	
		2 = More than 30 days ago but within the past 12 mos..	286	0.52	
		3 = More than 12 months ago.....	3665	6.61	
		9 = Never used LSD.....	51408	92.74	
IILSDRC	1	LSD RECENCY - IMPUTATION INDICATOR			
		1 = Questionnaire data.....	55319	99.79	
		3 = Statistically imputed data.....	116	0.21	

LABEL	LEN	DESCRIPTION	RECENCY OF DRUG USE		PAGE:	120
			FREQ	%		
II2LSDRC	1	LSD RECENCY - DETAILED IMPUTATION INDICATOR				-
		1 = Questionnaire data.....	55319	99.79		
		3 = Statistically imputed data - lifetime use imputed.	48	0.09		
		4 = Statistically imputed data - edited recency = 9...	55	0.10		
		5 = Statistically imputed data - edited recency = 8...	13	0.02		
IRPCPRC	1	PCP RECENCY - IMPUTATION REVISED				
		1 = Within the past 30 days.....	17	0.03		
		2 = More than 30 days ago but within the past 12 mos..	64	0.12		
		3 = More than 12 months ago.....	948	1.71		
		9 = Never used PCP.....	54406	98.14		
IIPCPRC	1	PCP RECENCY - IMPUTATION INDICATOR				
		1 = Questionnaire data.....	55358	99.86		
		3 = Statistically imputed data.....	77	0.14		
II2PCPRC	1	PCP RECENCY - DETAILED IMPUTATION INDICATOR				
		1 = Questionnaire data.....	55358	99.86		
		3 = Statistically imputed data - lifetime use imputed.	46	0.08		
		4 = Statistically imputed data - edited recency = 9...	27	0.05		
		5 = Statistically imputed data - edited recency = 8...	4	0.01		
IRECSRC	1	ECSTASY RECENCY - IMPUTATION REVISED				
		1 = Within the past 30 days.....	205	0.37		
		2 = More than 30 days ago but within the past 12 mos..	722	1.30		
		3 = More than 12 months ago.....	2752	4.96		
		9 = Never used ecstasy.....	51756	93.36		
IIECSRC	1	ECSTASY RECENCY - IMPUTATION INDICATOR				
		1 = Questionnaire data.....	55295	99.75		
		2 = Logically assigned data.....	1	0.00		
		3 = Statistically imputed data.....	139	0.25		
II2ECSRC	1	ECSTASY RECENCY - DETAILED IMPUTATION INDICATOR				
		1 = Questionnaire data.....	55295	99.75		
		2 = Logically assigned data.....	1	0.00		
		3 = Statistically imputed data - lifetime use imputed.	57	0.10		
		4 = Statistically imputed data - edited recency = 9...	74	0.13		
		5 = Statistically imputed data - edited recency = 8...	8	0.01		
IRINHRC	1	INHALANT RECENCY - IMPUTATION REVISED				
		1 = Within the past 30 days.....	311	0.56		
		2 = More than 30 days ago but within the past 12 mos..	793	1.43		
		3 = More than 12 months ago.....	4866	8.78		
		9 = Never used inhalants.....	49465	89.23		
IIINHRC	1	INHALANT RECENCY - IMPUTATION INDICATOR				
		1 = Questionnaire data.....	55086	99.37		
		2 = Logically assigned data.....	3	0.01		
		3 = Statistically imputed data.....	346	0.62		
II2INHRC	1	INHALANT RECENCY - DETAILED IMPUTATION INDICATOR				
		1 = Questionnaire data.....	55086	99.37		
		2 = Logically assigned data.....	3	0.01		
		3 = Statistically imputed data - lifetime use imputed.	90	0.16		
		4 = Statistically imputed data - edited recency = 9...	237	0.43		
		5 = Statistically imputed data - edited recency = 8...	19	0.03		
IRANLRC	1	PAIN RELIEVER RECENCY - IMPUTATION REVISED				
		1 = Within the past 30 days.....	1666	3.01		
		2 = More than 30 days ago but within the past 12 mos..	2613	4.71		
		3 = More than 12 months ago.....	4756	8.58		
		9 = Never used pain relievers.....	46400	83.70		

RECENCY OF DRUG USE			PAGE:	121
LABEL	LEN	DESCRIPTION	FREQ	%
I1ANLRC	1	PAIN RELIEVER RECENCY - IMPUTATION INDICATOR		-
		1 = Questionnaire data.....	54815	98.88
		2 = Logically assigned data.....	102	0.18
		3 = Statistically imputed data.....	518	0.93
I12ANLRC	1	PAIN RELIEVER RECENCY - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	54815	98.88
		2 = Logically assigned data.....	102	0.18
		3 = Statistically imputed data - lifetime use imputed.	194	0.35
		4 = Statistically imputed data - edited recency = 9...	286	0.52
		5 = Statistically imputed data - edited recency = 8...	38	0.07
IROXYRC	1	OXYCONTIN RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	163	0.29
		2 = More than 30 days ago but within the past 12 mos..	453	0.82
		3 = More than 12 months ago.....	1022	1.84
		9 = NEVER USED OXYCONTIN.....	53797	97.05
IIOXYRC	1	OXYCONTIN RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55108	99.41
		2 = Logically assigned data.....	90	0.16
		3 = Statistically imputed data.....	237	0.43
I12OXYRC	1	OXYCONTIN RECENCY - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	55108	99.41
		2 = Logically assigned data.....	90	0.16
		3 = Statistically imputed data - lifetime use imputed.	169	0.30
		4 = Statistically imputed data - edited recency = 9...	56	0.10
		5 = Statistically imputed data - edited recency = 8...	12	0.02
IRTRNRC	1	TRANQUILIZER RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	529	0.95
		2 = More than 30 days ago but within the past 12 mos..	1068	1.93
		3 = More than 12 months ago.....	2971	5.36
		9 = Never used tranquilizers.....	50867	91.76
IITRNRC	1	TRANQUILIZER RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55222	99.62
		2 = Logically assigned data.....	7	0.01
		3 = Statistically imputed data.....	206	0.37
I12TRNRC	1	TRANQUILIZER RECENCY - DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55222	99.62
		2 = Logically assigned data.....	7	0.01
		3 = Statistically imputed data - lifetime use imputed.	115	0.21
		4 = Statistically imputed data - edited recency = 9...	83	0.15
		5 = Statistically imputed data - edited recency = 8...	8	0.01
IRSTMRC	1	STIMULANT RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	355	0.64
		2 = More than 30 days ago but within the past 12 mos..	725	1.31
		3 = More than 12 months ago.....	3086	5.57
		9 = Never used stimulants.....	51269	92.48
IISTMRC	1	STIMULANT RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55188	99.55
		2 = Logically assigned data.....	31	0.06
		3 = Statistically imputed data.....	216	0.39

RECENCY OF DRUG USE			PAGE:	122
LABEL	LEN	DESCRIPTION	FREQ	%
II2STMRC	1	STIMULANT RECENCY - DETAILED IMPUTATION INDICATOR		-
		1 = Questionnaire data.....	55188	99.55
		2 = Logically assigned data.....	31	0.06
		3 = Statistically imputed data - lifetime use imputed.	115	0.21
		4 = Statistically imputed data - edited recency = 9...	81	0.15
		5 = Statistically imputed data - edited recency = 8...	20	0.04
IRMTHRC	1	METHAMPHETAMINE RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	111	0.20
		2 = More than 30 days ago but within the past 12 mos..	244	0.44
		3 = More than 12 months ago.....	1713	3.09
		9 = NEVER USED METHAMPHETAMINE.....	53367	96.27
IIMTHRC	1	METHAMPHETAMINE RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55326	99.80
		2 = Logically assigned data.....	11	0.02
		3 = Statistically imputed data.....	98	0.18
II2MTHRC	1	METHAMPHETAMINE RECENCY - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	55326	99.80
		2 = Logically assigned data.....	11	0.02
		3 = Statistically imputed data - lifetime use imputed.	58	0.10
		4 = Statistically imputed data - edited recency = 9...	30	0.05
		5 = Statistically imputed data - edited recency = 8...	10	0.02
IRSEDRC	1	SEDATIVE RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	91	0.16
		2 = More than 30 days ago but within the past 12 mos..	171	0.31
		3 = More than 12 months ago.....	943	1.70
		9 = Never used sedatives.....	54230	97.83
IISEDRC	1	SEDATIVE RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55267	99.70
		2 = Logically assigned data.....	18	0.03
		3 = Statistically imputed data.....	150	0.27
II2SEDRC	1	SEDATIVE RECENCY - DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55267	99.70
		2 = Logically assigned data.....	18	0.03
		3 = Statistically imputed data - lifetime use imputed.	127	0.23
		4 = Statistically imputed data - edited recency = 9...	22	0.04
		5 = Statistically imputed data - edited recency = 8...	1	0.00

LABEL	LEN	DESCRIPTION	PAST YEAR FREQUENCY OF USE		PAGE: FREQ	123 %
			-----	-----		
PAST YEAR FREQUENCY OF USE						

IRALCFY	3	ALCOHOL FREQUENCY PAST YEAR - IMPUTATION REVISED				
		RANGE = 1 - 365			33956	61.25
		991 = NEVER USED ALCOHOL.....			15208	27.43
		993 = DID NOT USE ALCOHOL PAST YEAR.....			6271	11.31
IIALCFY	1	ALCOHOL FREQUENCY PAST YEAR - IMPUTATION INDICATOR				
		1 = Questionnaire data.....			32095	57.90
		2 = Logically assigned data.....			1167	2.11
		3 = Statistically imputed data.....			807	1.46
		9 = Legitimate skip - not a lifetime/past year user...			21366	38.54
II2ALCFY	1	ALCOHOL FREQ PAST YEAR - DETAILED IMP INDICATOR				
		1 = Questionnaire data.....			32095	57.90
		2 = Logically assigned data.....			1167	2.11
		3 = Statistically imputed data - lifetime use imputed.			28	0.05
		4 = Statistically imputed data - lifetime use known...			779	1.41
		9 = Legitimate skip - not a lifetime/past year user...			21366	38.54
IRMJFY	3	MARIJUANA FREQUENCY PAST YEAR - IMPUTATION REVISED				
		RANGE = 1 - 365			9135	16.48
		991 = NEVER USED MARIJUANA.....			33708	60.81
		993 = DID NOT USE MARIJUANA PAST YEAR.....			12592	22.71
IIMJFY	1	MARIJUANA FREQUENCY PAST YEAR - IMP INDICATOR				
		1 = Questionnaire data.....			8233	14.85
		2 = Logically assigned data.....			614	1.11
		3 = Statistically imputed data.....			379	0.68
		9 = Legitimate skip - not a lifetime/past year user...			46209	83.36
II2MJFY	1	MARIJUANA FREQ PAST YEAR - DETAILED IMP INDICATOR				
		1 = Questionnaire data.....			8233	14.85
		2 = Logically assigned data.....			614	1.11
		3 = Statistically imputed data - lifetime use imputed.			37	0.07
		4 = Statistically imputed data - lifetime use known...			342	0.62
		9 = Legitimate skip - not a lifetime/past year user...			46209	83.36
IRCOCFY	3	COCAINE FREQUENCY PAST YEAR - IMPUTATION REVISED				
		RANGE = 1 - 365			1851	3.34
		991 = NEVER USED COCAINE.....			48773	87.98
		993 = DID NOT USE COCAINE PAST YEAR.....			4811	8.68
IICOCFY	1	COCAINE FREQUENCY PAST YEAR - IMPUTATION INDICATOR				
		1 = Questionnaire data.....			1561	2.82
		2 = Logically assigned data.....			187	0.34
		3 = Statistically imputed data.....			176	0.32
		9 = Legitimate skip - not a lifetime/past year user...			53511	96.53
II2COCFY	1	COCAINE FREQ PAST YEAR - DETAILED IMP INDICATOR				
		1 = Questionnaire data.....			1561	2.82
		2 = Logically assigned data.....			187	0.34
		3 = Statistically imputed data - lifetime use imputed.			30	0.05
		4 = Statistically imputed data - lifetime use known...			146	0.26
		9 = Legitimate skip - not a lifetime/past year user...			53511	96.53
IRCRKFY	3	CRACK FREQUENCY PAST YEAR - IMPUTATION REVISED				
		RANGE = 1 - 365			355	0.64
		991 = NEVER USED CRACK.....			53780	97.01
		993 = DID NOT USE CRACK PAST YEAR.....			1300	2.35

LABEL	LEN	DESCRIPTION	PAST YEAR FREQUENCY OF USE		PAGE:	124
			FREQ	%		
IICRKFY	1	CRACK FREQUENCY PAST YEAR - IMPUTATION INDICATOR				-
		1 = Questionnaire data.....	303	0.55		
		2 = Logically assigned data.....	32	0.06		
		3 = Statistically imputed data.....	62	0.11		
		9 = Legitimate skip - not a lifetime/past year user...	55038	99.28		
II2CRKFY	1	CRACK FREQ PAST YEAR - DETAILED IMP INDICATOR				
		1 = Questionnaire data.....	303	0.55		
		2 = Logically assigned data.....	32	0.06		
		3 = Statistically imputed data - lifetime use imputed.	32	0.06		
		4 = Statistically imputed data - lifetime use known...	30	0.05		
		9 = Legitimate skip - not a lifetime/past year user...	55038	99.28		
IRHERFY	3	HEROIN FREQUENCY PAST YEAR - IMPUTATION REVISED				
		RANGE = 1 - 364	130	0.23		
		991 = NEVER USED HEROIN.....	54741	98.75		
		993 = DID NOT USE HEROIN PAST YEAR.....	564	1.02		
IIHERFY	1	HEROIN FREQUENCY PAST YEAR - IMPUTATION INDICATOR				
		1 = Questionnaire data.....	99	0.18		
		2 = Logically assigned data.....	20	0.04		
		3 = Statistically imputed data.....	45	0.08		
		9 = Legitimate skip - not a lifetime/past year user...	55271	99.70		
II2HERFY	1	HEROIN FREQ PAST YEAR - DETAILED IMP INDICATOR				
		1 = Questionnaire data.....	99	0.18		
		2 = Logically assigned data.....	20	0.04		
		3 = Statistically imputed data - lifetime use imputed.	28	0.05		
		4 = Statistically imputed data - lifetime use known...	17	0.03		
		9 = Legitimate skip - not a lifetime/past year user...	55271	99.70		
IRHALFY	3	HALL FREQUENCY PAST YEAR - IMPUTATION REVISED				
		RANGE = 1 - 365	1801	3.25		
		991 = NEVER USED HALLUCINOGENS.....	47886	86.38		
		993 = DID NOT USE HALLUCINOGENS PAST YEAR.....	5748	10.37		
IIHALFY	1	HALL FREQUENCY PAST YEAR - IMPUTATION INDICATOR				
		1 = Questionnaire data.....	1587	2.86		
		2 = Logically assigned data.....	127	0.23		
		3 = Statistically imputed data.....	364	0.66		
		9 = Legitimate skip - not a lifetime/past year user...	53357	96.25		
II2HALFY	1	HALL FREQ PAST YEAR - DETAILED IMP INDICATOR				
		1 = Questionnaire data.....	1587	2.86		
		2 = Logically assigned data.....	127	0.23		
		3 = Statistically imputed data - lifetime use imputed.	171	0.31		
		4 = Statistically imputed data - lifetime use known...	193	0.35		
		9 = Legitimate skip - not a lifetime/past year user...	53357	96.25		
IRINHFY	3	INHALANT FREQUENCY PAST YEAR - IMPUTATION REVISED				
		RANGE = 1 - 360	1104	1.99		
		991 = NEVER USED INHALANTS.....	49465	89.23		
		993 = DID NOT USE INHALANTS PAST YEAR.....	4866	8.78		
IIINHFY	1	INHALANT FREQUENCY PAST YEAR - IMP INDICATOR				
		1 = Questionnaire data.....	857	1.55		
		2 = Logically assigned data.....	128	0.23		
		3 = Statistically imputed data.....	382	0.69		
		9 = Legitimate skip - not a lifetime/past year user...	54068	97.53		

PAST YEAR FREQUENCY OF USE			PAGE:	125
LABEL	LEN	DESCRIPTION	FREQ	%
II2INHFY	1	INHALANT FREQ PAST YEAR - DETAILED IMP INDICATOR		-
		1 = Questionnaire data.....	857	1.55
		2 = Logically assigned data.....	128	0.23
		3 = Statistically imputed data - lifetime use imputed.	90	0.16
		4 = Statistically imputed data - lifetime use known...	292	0.53
		9 = Legitimate skip - not a lifetime/past year user...	54068	97.53
IRANLFY	3	PAIN RELIEVER FREQ PAST YEAR - IMPUTATION REVISED		
		RANGE = 1 - 365	4279	7.72
		991 = NEVER USED PAIN RELIEVERS.....	46400	83.70
		993 = DID NOT USE PAIN RELIEVERS PAST YEAR.....	4756	8.58
IIANLFY	1	PAIN RELIEVER FREQ PAST YEAR - IMP INDICATOR		
		1 = Questionnaire data.....	3694	6.66
		2 = Logically assigned data.....	311	0.56
		3 = Statistically imputed data.....	596	1.08
		9 = Legitimate skip - not a lifetime/past year user...	50834	91.70
II2ANLFY	1	PAIN RELIEVER FREQ PAST YR-DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	3694	6.66
		2 = Logically assigned data.....	311	0.56
		3 = Statistically imputed data - lifetime use imputed.	194	0.35
		4 = Statistically imputed data - lifetime use known...	402	0.73
		9 = Legitimate skip - not a lifetime/past year user...	50834	91.70
IROXYFY	3	OXYCONTIN FREQUENCY PAST YEAR - IMPUTATION REVISED		
		RANGE = 1 - 365	616	1.11
		991 = NEVER USED OXYCONTIN.....	53797	97.05
		993 = DID NOT USE OXYCONTIN PAST YEAR.....	1022	1.84
IIOXYFY	1	OXY FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	479	0.86
		2 = Logically assigned data.....	84	0.15
		3 = Statistically imputed data.....	249	0.45
		9 = Legitimate skip - not a lifetime/past year user...	54623	98.54
II2OXYFY	1	OXYCONTIN FREQ PAST YEAR - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	479	0.86
		2 = Logically assigned data.....	84	0.15
		3 = Statistically imputed data - lifetime use imputed.	169	0.30
		4 = Statistically imputed data - lifetime use known...	80	0.14
		9 = Legitimate skip - not a lifetime/past year user...	54623	98.54
IRTRNFY	3	TRANQUILIZER FREQ PAST YEAR - IMPUTATION REVISED		
		RANGE = 1 - 365	1597	2.88
		991 = NEVER USED TRANQUILIZERS.....	50867	91.76
		993 = DID NOT USE TRANQUILIZERS PAST YEAR.....	2971	5.36
IITRNFY	1	TRAN FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	1404	2.53
		2 = Logically assigned data.....	104	0.19
		3 = Statistically imputed data.....	233	0.42
		9 = Legitimate skip - not a lifetime/past year user...	53694	96.86
II2TRNFY	1	TRAN FREQ PAST YEAR - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	1404	2.53
		2 = Logically assigned data.....	104	0.19
		3 = Statistically imputed data - lifetime use imputed.	115	0.21
		4 = Statistically imputed data - lifetime use known...	118	0.21
		9 = Legitimate skip - not a lifetime/past year user...	53694	96.86

LABEL	LEN	DESCRIPTION	PAST YEAR FREQUENCY OF USE		PAGE:	126
			FREQ	%		
IRSTMFY	3	STIMULANT FREQUENCY PAST YEAR - IMPUTATION REVISED		-		-
		RANGE = 1 - 365	1080	1.95		
		991 = NEVER USED STIMULANTS.....	51269	92.48		
		993 = DID NOT USE STIMULANTS PAST YEAR.....	3086	5.57		
IISTMFY	1	STIM FREQUENCY PAST YEAR - IMPUTATION INDICATOR				
		1 = Questionnaire data.....	894	1.61		
		2 = Logically assigned data.....	124	0.22		
		3 = Statistically imputed data.....	225	0.41		
		9 = Legitimate skip - not a lifetime/past year user...	54192	97.76		
II2STMFY	1	STIM FREQ PAST YEAR - DETAILED IMP INDICATOR				
		1 = Questionnaire data.....	894	1.61		
		2 = Logically assigned data.....	124	0.22		
		3 = Statistically imputed data - lifetime use imputed.	115	0.21		
		4 = Statistically imputed data - lifetime use known...	110	0.20		
		9 = Legitimate skip - not a lifetime/past year user...	54192	97.76		
IRMTHFY	3	METH FREQUENCY PAST YEAR - IMPUTATION REVISED				
		RANGE = 1 - 364	355	0.64		
		991 = NEVER USED METHAMPHETAMINE.....	53367	96.27		
		993 = DID NOT USE METHAMPHETAMINE PAST YEAR.....	1713	3.09		
IIMTHFY	1	METH FREQUENCY PAST YEAR - IMPUTATION INDICATOR				
		1 = Questionnaire data.....	305	0.55		
		2 = Logically assigned data.....	26	0.05		
		3 = Statistically imputed data.....	101	0.18		
		9 = Legitimate skip - not a lifetime/past year user...	55003	99.22		
II2MTHFY	1	METH FREQ PAST YEAR - DETAILED IMP INDICATOR				
		1 = Questionnaire data.....	305	0.55		
		2 = Logically assigned data.....	26	0.05		
		3 = Statistically imputed data - lifetime use imputed.	58	0.10		
		4 = Statistically imputed data - lifetime use known...	43	0.08		
		9 = Legitimate skip - not a lifetime/past year user...	55003	99.22		
IRSEDFY	3	SEDATIVE FREQUENCY PAST YEAR - IMPUTATION REVISED				
		RANGE = 1 - 364	262	0.47		
		991 = NEVER USED SEDATIVES.....	54230	97.83		
		993 = DID NOT USE SEDATIVES PAST YEAR.....	943	1.70		
IISEDFY	1	SEDATIVE FREQUENCY PAST YEAR - IMP INDICATOR				
		1 = Questionnaire data.....	230	0.41		
		2 = Logically assigned data.....	17	0.03		
		3 = Statistically imputed data.....	158	0.29		
		9 = Legitimate skip - not a lifetime/past year user...	55030	99.27		
II2SEDFY	1	SEDATIVE FREQ PAST YEAR - DETAILED IMP INDICATOR				
		1 = Questionnaire data.....	230	0.41		
		2 = Logically assigned data.....	17	0.03		
		3 = Statistically imputed data - lifetime use imputed.	127	0.23		
		4 = Statistically imputed data - lifetime use known...	31	0.06		
		9 = Legitimate skip - not a lifetime/past year user...	55030	99.27		

LABEL	LEN	DESCRIPTION	PAST MONTH FREQUENCY OF USE		PAGE: FREQ	127 %
			-----	-----		
PAST MONTH FREQUENCY OF USE						

IRCIGFM	2	CIG FREQUENCY PAST MONTH - IMPUTATION REVISED				
RANGE = 1 - 30					14260	25.72
91 = NEVER USED CIGARETTES.....					25005	45.11
93 = DID NOT USE CIGARETTES PAST MONTH.....					16170	29.17
IICIGFM	1	CIG FREQUENCY PAST MONTH - IMPUTATION INDICATOR				
1 = Questionnaire data.....					14082	25.40
2 = Logically assigned data.....					147	0.27
3 = Statistically imputed data.....					47	0.08
9 = Legitimate skip - not a lifetime/past month user..					41159	74.25
II2CIGFM	1	CIG FREQUENCY PAST MONTH - DETAILED IMP INDICATOR				
1 = Questionnaire data.....					14082	25.40
2 = Logically assigned data.....					147	0.27
4 = Statistically imputed data - lifetime use known...					47	0.08
9 = Legitimate skip - not a lifetime/past month user..					41159	74.25
IRCGRFM	2	CIGAR FREQUENCY PAST MONTH - IMPUTATION REVISED				
RANGE = 1 - 30					3879	7.00
91 = NEVER USED CIGARS.....					37850	68.28
93 = DID NOT USE CIGARS PAST MONTH.....					13706	24.72
IICGRFM	1	CIGAR FREQUENCY PAST MONTH - IMPUTATION INDICATOR				
1 = Questionnaire data.....					3833	6.91
2 = Logically assigned data.....					28	0.05
3 = Statistically imputed data.....					38	0.07
9 = Legitimate skip - not a lifetime/past month user..					51536	92.97
II2CGRFM	1	CIGAR FREQUENCY PST MONTH - DETAILED IMP INDICATOR				
1 = Questionnaire data.....					3833	6.91
2 = Logically assigned data.....					28	0.05
3 = Statistically imputed data - lifetime use imputed.					9	0.02
4 = Statistically imputed data - lifetime use known...					29	0.05
9 = Legitimate skip - not a lifetime/past month user..					51536	92.97
IRCHWFM	2	CHEWING TOB FREQUENCY PST MON - IMPUTATION REVISED				
RANGE = 1 - 30					844	1.52
91 = NEVER USED CHEWING TOBACCO.....					49150	88.66
93 = DID NOT USE CHEWING TOBACCO PAST MONTH.....					5441	9.82
IICHWFM	1	CHEWING TOB FREQ PAST MONTH - IMPUTATION INDICATOR				
1 = Questionnaire data.....					830	1.50
2 = Logically assigned data.....					10	0.02
3 = Statistically imputed data.....					19	0.03
9 = Legitimate skip - not a lifetime/past month user..					54576	98.45
II2CHWFM	1	CHEWING TOB FREQ PST MONTH-DETAILED IMP INDICATOR				
1 = Questionnaire data.....					830	1.50
2 = Logically assigned data.....					10	0.02
3 = Statistically imputed data - lifetime use imputed.					10	0.02
4 = Statistically imputed data - lifetime use known...					9	0.02
9 = Legitimate skip - not a lifetime/past month user..					54576	98.45
IRSNFFM	2	SNUFF FREQUENCY PAST MONTH - IMPUTATION REVISED				
RANGE = 1 - 30					1927	3.48
91 = NEVER USED SNUFF.....					47856	86.33
93 = DID NOT USE SNUFF PAST MONTH.....					5652	10.20

LABEL	LEN	DESCRIPTION	PAST MONTH FREQUENCY OF USE		PAGE:	128
			FREQ	%		
IISNFFM	1	SNUFF FREQUENCY PAST MONTH - IMPUTATION INDICATOR				-
		1 = Questionnaire data.....	1898	3.42		
		2 = Logically assigned data.....	23	0.04		
		3 = Statistically imputed data.....	32	0.06		
		9 = Legitimate skip - not a lifetime/past month user..	53482	96.48		
II2SNFFM	1	SNUFF FREQUENCY PST MONTH - DETAILED IMP INDICATOR				
		1 = Questionnaire data.....	1898	3.42		
		2 = Logically assigned data.....	23	0.04		
		3 = Statistically imputed data - lifetime use imputed.	21	0.04		
		4 = Statistically imputed data - lifetime use known...	11	0.02		
		9 = Legitimate skip - not a lifetime/past month user..	53482	96.48		
IRALCFM	2	ALCOHOL FREQUENCY PAST MONTH - IMPUTATION REVISED				
		RANGE = 1 - 30	24908	44.93		
		91 = NEVER USED ALCOHOL.....	15208	27.43		
		93 = DID NOT USE ALCOHOL PAST MONTH.....	15319	27.63		
IIALCFM	1	ALCOHOL FREQ PAST MONTH - IMPUTATION INDICATOR				
		1 = Questionnaire data.....	24190	43.64		
		2 = Logically assigned data.....	163	0.29		
		3 = Statistically imputed data.....	954	1.72		
		9 = Legitimate skip - not a lifetime/past month user..	30128	54.35		
II2ALCFM	1	ALCOHOL FREQ PST MONTH - DETAILED IMP INDICATOR				
		1 = Questionnaire data.....	24190	43.64		
		2 = Logically assigned data.....	163	0.29		
		3 = Statistically imputed data - lifetime use imputed.	28	0.05		
		4 = Statistically imputed data - lifetime use known...	926	1.67		
		9 = Legitimate skip - not a lifetime/past month user..	30128	54.35		
IRALCD5	2	5+ ALC DRNKS PAST MONTH - IMP REVISED (DR5DAY)				
		RANGE = 0 - 30	24908	44.93		
		91 = NEVER USED ALCOHOL.....	15208	27.43		
		93 = DID NOT HAVE 5+ ALC DRNKS PAST MONTH.....	15319	27.63		
IIALCD5	1	5+ ALC DRNKS PAST MONTH - IMPUTATION INDICATOR				
		1 = Questionnaire data.....	23963	43.23		
		2 = Logically assigned data.....	62	0.11		
		3 = Statistically imputed data.....	1282	2.31		
		9 = Legitimate skip - not a lifetime/past month user..	30128	54.35		
II2ALCD5	1	5+ ALC DRINKS PAST MONTH - DETAILED IMP INDICATOR				
		1 = Questionnaire data.....	23963	43.23		
		2 = Logically assigned data.....	62	0.11		
		3 = Statistically imputed data - lifetime use imputed.	28	0.05		
		4 = Statistically imputed data - lifetime use known...	1254	2.26		
		9 = Legitimate skip - not a lifetime/past month user..	30128	54.35		
IRMJFM	2	MARIJUANA FREQUENCY PAST MONTH - IMP REVISED				
		RANGE = 1 - 30	5272	9.51		
		91 = NEVER USED MARIJUANA.....	33708	60.81		
		93 = DID NOT USE MARIJUANA PAST MONTH.....	16455	29.68		
IIMJFM	1	MARIJUANA FREQUENCY PAST MONTH - IMP INDICATOR				
		1 = Questionnaire data.....	5082	9.17		
		2 = Logically assigned data.....	37	0.07		
		3 = Statistically imputed data.....	359	0.65		
		9 = Legitimate skip - not a lifetime/past month user..	49957	90.12		

PAST MONTH FREQUENCY OF USE			PAGE:	129
LABEL	LEN	DESCRIPTION	FREQ	%
II2MJFM	1	MARIJUANA FREQ PAST MONTH - DETAILED IMP INDICATOR		-
		1 = Questionnaire data.....	5082	9.17
		2 = Logically assigned data.....	37	0.07
		3 = Statistically imputed data - lifetime use imputed.	37	0.07
		4 = Statistically imputed data - lifetime use known...	322	0.58
		9 = Legitimate skip - not a lifetime/past month user..	49957	90.12
IRCOCFM	2	COCAINE FREQUENCY PAST MONTH - IMPUTATION REVISED		
		RANGE = 1 - 30	592	1.07
		91 = NEVER USED COCAINE.....	48773	87.98
		93 = DID NOT USE COCAINE PAST MONTH.....	6070	10.95
IICOCFM	1	COCAINE FREQ PAST MONTH - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	524	0.95
		2 = Logically assigned data.....	16	0.03
		3 = Statistically imputed data.....	179	0.32
		9 = Legitimate skip - not a lifetime/past month user..	54716	98.70
II2COCFM	1	COCAINE FREQ PAST MONTH - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	524	0.95
		2 = Logically assigned data.....	16	0.03
		3 = Statistically imputed data - lifetime use imputed.	30	0.05
		4 = Statistically imputed data - lifetime use known...	149	0.27
		9 = Legitimate skip - not a lifetime/past month user..	54716	98.70
IRCRKFM	2	CRACK FREQUENCY PAST MONTH - IMPUTATION REVISED		
		RANGE = 1 - 30	129	0.23
		91 = NEVER USED CRACK.....	53780	97.01
		93 = DID NOT USE CRACK PAST MONTH.....	1526	2.75
IICRKFM	1	CRACK FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	123	0.22
		2 = Logically assigned data.....	2	0.00
		3 = Statistically imputed data.....	61	0.11
		9 = Legitimate skip - not a lifetime/past month user..	55249	99.66
II2CRKFM	1	CRACK FREQ PAST MONTH - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	123	0.22
		2 = Logically assigned data.....	2	0.00
		3 = Statistically imputed data - lifetime use imputed.	32	0.06
		4 = Statistically imputed data - lifetime use known...	29	0.05
		9 = Legitimate skip - not a lifetime/past month user..	55249	99.66
IRHERFM	2	HEROIN FREQUENCY PAST MONTH - IMPUTATION REVISED		
		RANGE = 1 - 30	45	0.08
		91 = NEVER USED HEROIN.....	54741	98.75
		93 = DID NOT USE HEROIN PAST MONTH.....	649	1.17
IIHERFM	1	HEROIN FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	44	0.08
		3 = Statistically imputed data.....	43	0.08
		9 = Legitimate skip - not a lifetime/past month user..	55348	99.84
II2HERFM	1	HEROIN FREQ PAST MONTH - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	44	0.08
		3 = Statistically imputed data - lifetime use imputed.	28	0.05
		4 = Statistically imputed data - lifetime use known...	15	0.03
		9 = Legitimate skip - not a lifetime/past month user..	55348	99.84
IRHALFM	2	HALLUCINOGEN FREQ PAST MONTH - IMPUTATION REVISED		
		RANGE = 1 - 30	480	0.87
		91 = NEVER USED HALLUCINOGENS.....	47886	86.38
		93 = DID NOT USE HALLUCINOGENS PAST MONTH.....	7069	12.75

LABEL	LEN	DESCRIPTION	PAST MONTH FREQUENCY OF USE		PAGE:	130
			FREQ	%		
I1HALFM	1	HALL FREQUENCY PAST MONTH - IMPUTATION INDICATOR			---	-
		1 = Questionnaire data.....	440	0.79		
		2 = Logically assigned data.....	4	0.01		
		3 = Statistically imputed data.....	390	0.70		
		9 = Legitimate skip - not a lifetime/past month user..	54601	98.50		
I12HALFM	1	HALL FREQ PAST MONTH - DETAILED IMP INDICATOR				
		1 = Questionnaire data.....	440	0.79		
		2 = Logically assigned data.....	4	0.01		
		3 = Statistically imputed data - lifetime use imputed.	171	0.31		
		4 = Statistically imputed data - lifetime use known...	219	0.40		
		9 = Legitimate skip - not a lifetime/past month user..	54601	98.50		
IRINHFM	2	INHALANT FREQUENCY PAST MONTH - IMP REVISED				
		RANGE = 1 - 30	311	0.56		
		91 = NEVER USED INHALANTS.....	49465	89.23		
		93 = DID NOT USE INHALANTS PAST MONTH.....	5659	10.21		
IIINHFM	1	INHALANT FREQUENCY PAST MONTH - IMP INDICATOR				
		1 = Questionnaire data.....	266	0.48		
		2 = Logically assigned data.....	13	0.02		
		3 = Statistically imputed data.....	354	0.64		
		9 = Legitimate skip - not a lifetime/past month user..	54802	98.86		
II2INHFM	1	INHALANT FREQ PAST MONTH - DETAILED IMP INDICATOR				
		1 = Questionnaire data.....	266	0.48		
		2 = Logically assigned data.....	13	0.02		
		3 = Statistically imputed data - lifetime use imputed.	90	0.16		
		4 = Statistically imputed data - lifetime use known...	264	0.48		
		9 = Legitimate skip - not a lifetime/past month user..	54802	98.86		

LABEL	LEN	DESCRIPTION	AGE/DATE OF FIRST DRUG USE	PAGE:	131
				FREQ	%
<hr/> AGE/DATE OF FIRST DRUG USE <hr/>					
IRCGAGE	3	IMPUTATION-REVISED CIGARETTE AGE OF FIRST USE			
		RANGE = 1 - 65		30430	54.89
		991 = NEVER USED.....		25005	45.11
IICGAGE	1	IRCGAGE IMPUTATION INDICATOR			
		1 = Questionnaire data.....		29998	54.11
		2 = Logically assigned data.....		14	0.03
		3 = Statistically imputed data.....		418	0.75
		9 = Legitimate skip - not a lifetime user.....		25005	45.11
IRCGYFU	4	IMPUTATION-REVISED CIGARETTE YEAR OF FIRST USE			
		RANGE = 1919 - 2007		30430	54.89
		9999 = NEVER USED.....		25005	45.11
IICGYFU	1	IRCGYFU IMPUTATION INDICATOR			
		1 = Questionnaire data.....		2135	3.85
		2 = Logically assigned data.....		3	0.01
		3 = Statistically imputed data.....		28292	51.04
		9 = Legitimate skip - not a lifetime user.....		25005	45.11
IRCDUAGE	3	IMPUTATION-REVISED DAILY CIG AGE OF FIRST USE			
		RANGE = 1 - 56		15675	28.28
		991 = NEVER USED.....		25005	45.11
		993 = NEVER A DAILY USER.....		14755	26.62
IICDUAGE	1	IRCDUAGE IMPUTATION INDICATOR			
		1 = Questionnaire data.....		15555	28.06
		3 = Statistically imputed data.....		131	0.24
		9 = Legitimate skip - not a lifetime/daily cig user...		39749	71.70
IRCD2YFU	4	IMP-REVISED CIG DAILY YFU - USING CIGDLYFU			
		RANGE = 1926 - 2007		15675	28.28
		9993 = NEVER A DAILY USER.....		14755	26.62
		9999 = NEVER USED.....		25005	45.11
IICD2YFU	1	IRCD2YFU IMPUTATION INDICATOR			
		1 = Questionnaire data.....		972	1.75
		3 = Statistically imputed data.....		14714	26.54
		9 = Legitimate skip - not a lifetime/daily cig user...		39749	71.70
IRCGRAGE	3	IMPUTATION-REVISED CIGAR AGE OF FIRST USE			
		RANGE = 1 - 69		17585	31.72
		991 = NEVER USED.....		37850	68.28
IICGRAGE	1	IRCGRAGE IMPUTATION INDICATOR			
		1 = Questionnaire data.....		17177	30.99
		3 = Statistically imputed data.....		414	0.75
		9 = Legitimate skip - not a lifetime user.....		37844	68.27
IRCGRYFU	4	IMPUTATION-REVISED CIGAR YEAR OF FIRST USE			
		RANGE = 1929 - 2007		17585	31.72
		9999 = NEVER USED.....		37850	68.28
IICGRYFU	1	IRCGRYFU IMPUTATION INDICATOR			
		1 = Questionnaire data.....		2426	4.38
		3 = Statistically imputed data.....		15165	27.36
		9 = Legitimate skip - not a lifetime user.....		37844	68.27

LABEL	LEN	DESCRIPTION	AGE/DATE OF FIRST DRUG USE		PAGE:	132
			FREQ	%		
IRSLTAGE	3	IMPUTATION-REVISED SMOKELESS TOB AGE FIRST USE		-		-
		RANGE = 1 - 67	9467	17.08		
		991 = NEVER USED.....	45968	82.92		
IISLTAGE	1	IRSLTAGE IMPUTATION INDICATOR				
		1 = Questionnaire data.....	9211	16.62		
		3 = Statistically imputed data.....	277	0.50		
		9 = Legitimate skip - not a lifetime user.....	45947	82.88		
IRSLTYFU	4	IMPUTATION-REVISED SMOKELESS TOB YEAR OF FIRST USE				
		RANGE = 1923 - 2007	9467	17.08		
		9999 = NEVER USED.....	45968	82.92		
IISLYFU	1	IRSLTYFU IMPUTATION INDICATOR				
		1 = Questionnaire data.....	1128	2.03		
		3 = Statistically imputed data.....	8360	15.08		
		9 = Legitimate skip - not a lifetime user.....	45947	82.88		
IRCHWAGE	3	IMPUTATION-REVISED CHEWING TOB AGE FIRST USE				
		RANGE = 1 - 67	6285	11.34		
		991 = NEVER USED.....	49150	88.66		
IICHWAGE	1	IRCHWAGE IMPUTATION INDICATOR				
		1 = Questionnaire data.....	6140	11.08		
		3 = Statistically imputed data.....	151	0.27		
		9 = Legitimate skip - not a lifetime user.....	49144	88.65		
IRCHWYFU	4	IMPUTATION-REVISED CHEWING TOB YEAR FIRST USE				
		RANGE = 1924 - 2007	6285	11.34		
		9999 = NEVER USED.....	49150	88.66		
IICHWYFU	1	IRCHWYFU IMPUTATION INDICATOR				
		1 = Questionnaire data.....	617	1.11		
		3 = Statistically imputed data.....	5674	10.24		
		9 = Legitimate skip - not a lifetime user.....	49144	88.65		
IRSNFAGE	3	IMPUTATION-REVISED SNUFF AGE OF FIRST USE				
		RANGE = 1 - 60	7579	13.67		
		991 = NEVER USED.....	47856	86.33		
IISNFAGE	1	IRSNFAGE IMPUTATION INDICATOR				
		1 = Questionnaire data.....	7431	13.40		
		3 = Statistically imputed data.....	166	0.30		
		9 = Legitimate skip - not a lifetime user.....	47838	86.30		
IRSNFYFU	4	IMPUTATION-REVISED SNUFF YEAR OF FIRST USE				
		RANGE = 1923 - 2007	7579	13.67		
		9999 = NEVER USED.....	47856	86.33		
IISNFYFU	1	IRSNFYFU IMPUTATION INDICATOR				
		1 = Questionnaire data.....	987	1.78		
		3 = Statistically imputed data.....	6610	11.92		
		9 = Legitimate skip - not a lifetime user.....	47838	86.30		
IRALCAGE	3	IMPUTATION-REVISED ALCOHOL AGE OF FIRST USE				
		RANGE = 1 - 78	40227	72.57		
		991 = NEVER USED.....	15208	27.43		
IIALCAGE	1	IRALCAGE IMPUTATION INDICATOR				
		1 = Questionnaire data.....	39592	71.42		
		3 = Statistically imputed data.....	654	1.18		
		9 = Legitimate skip - not a lifetime user.....	15189	27.40		

AGE/DATE OF FIRST DRUG USE			PAGE:	133
LABEL	LEN	DESCRIPTION	FREQ	%
IRALCYFU	4	IMPUTATION-REVISED ALCOHOL YEAR OF FIRST USE		-
		RANGE = 1924 - 2007	40227	72.57
		9999 = NEVER USED.....	15208	27.43
IIALCYFU	1	IRALCYFU IMPUTATION INDICATOR		
		1 = Questionnaire data.....	4402	7.94
		3 = Statistically imputed data.....	35844	64.66
		9 = Legitimate skip - not a lifetime user.....	15189	27.40
IRMJAGE	3	IMPUTATION-REVISED MARIJUANA AGE OF FIRST USE		
		RANGE = 1 - 73	21727	39.19
		991 = NEVER USED.....	33708	60.81
IIMJAGE	1	IRMJAGE IMPUTATION INDICATOR		
		1 = Questionnaire data.....	21546	38.87
		3 = Statistically imputed data.....	199	0.36
		9 = Legitimate skip - not a lifetime user.....	33690	60.77
IRMJYFU	4	IMPUTATION-REVISED MARIJUANA YEAR OF FIRST USE		
		RANGE = 1939 - 2007	21727	39.19
		9999 = NEVER USED.....	33708	60.81
IIMJYFU	1	IRMJYFU IMPUTATION INDICATOR		
		1 = Questionnaire data.....	2043	3.69
		3 = Statistically imputed data.....	19702	35.54
		9 = Legitimate skip - not a lifetime user.....	33690	60.77
IRCOCAGE	3	IMPUTATION-REVISED COCAINE AGE OF FIRST USE		
		RANGE = 1 - 58	6662	12.02
		991 = NEVER USED.....	48773	87.98
IICOCAGE	1	IRCOCAGE IMPUTATION INDICATOR		
		1 = Questionnaire data.....	6502	11.73
		2 = Logically assigned data.....	109	0.20
		3 = Statistically imputed data.....	74	0.13
		9 = Legitimate skip - not a lifetime user.....	48750	87.94
IRCOCYFU	4	IMPUTATION-REVISED COCAINE YEAR OF FIRST USE		
		RANGE = 1941 - 2007	6662	12.02
		9999 = NEVER USED.....	48773	87.98
IICOCYFU	1	IRCOCYFU IMPUTATION INDICATOR		
		1 = Questionnaire data.....	718	1.30
		2 = Logically assigned data.....	1	0.00
		3 = Statistically imputed data.....	5966	10.76
		9 = Legitimate skip - not a lifetime user.....	48750	87.94
IRCRKAGE	3	IMPUTATION-REVISED CRACK AGE OF FIRST USE		
		RANGE = 3 - 60	1655	2.99
		991 = NEVER USED.....	53780	97.01
IICRKAGE	1	IRCRKAGE IMPUTATION INDICATOR		
		1 = Questionnaire data.....	1639	2.96
		3 = Statistically imputed data.....	46	0.08
		9 = Legitimate skip - not a lifetime user.....	53750	96.96
IRCRKYFU	4	IMPUTATION-REVISED CRACK YEAR OF FIRST USE		
		RANGE = 1941 - 2007	1655	2.99
		9999 = NEVER USED.....	53780	97.01
IICRKYFU	1	IRCRKYFU IMPUTATION INDICATOR		
		1 = Questionnaire data.....	179	0.32
		3 = Statistically imputed data.....	1506	2.72
		9 = Legitimate skip - not a lifetime user.....	53750	96.96

AGE/DATE OF FIRST DRUG USE			PAGE:	134
LABEL	LEN	DESCRIPTION	FREQ	%
IRHERAGE	3	IMPUTATION-REVISED HEROIN AGE OF FIRST USE		-
		RANGE = 2 - 49	694	1.25
		991 = NEVER USED.....	54741	98.75
IIHERAGE	1	IRHERAGE IMPUTATION INDICATOR		
		1 = Questionnaire data.....	687	1.24
		3 = Statistically imputed data.....	35	0.06
		9 = Legitimate skip - not a lifetime user.....	54713	98.70
IRHERYFU	4	IMPUTATION-REVISED HEROIN YEAR OF FIRST USE		
		RANGE = 1958 - 2007	694	1.25
		9999 = NEVER USED.....	54741	98.75
IIHERYFU	1	IRHERYFU IMPUTATION INDICATOR		
		1 = Questionnaire data.....	85	0.15
		3 = Statistically imputed data.....	637	1.15
		9 = Legitimate skip - not a lifetime user.....	54713	98.70
IRHALAGE	3	IMPUTATION-REVISED HALLUCINOGEN AGE OF FIRST USE		
		RANGE = 1 - 55	7549	13.62
		991 = NEVER USED.....	47886	86.38
IIHALAGE	1	IRHALAGE IMPUTATION INDICATOR		
		1 = Questionnaire data.....	7356	13.27
		2 = Logically assigned data.....	68	0.12
		3 = Statistically imputed data.....	289	0.52
		9 = Legitimate skip - not a lifetime user.....	47722	86.09
IRHALYFU	4	IMPUTATION-REVISED HALLUCINOGEN YEAR OF FIRST USE		
		RANGE = 1945 - 2007	7549	13.62
		9999 = NEVER USED.....	47886	86.38
IIHALYFU	1	IRHALYFU IMPUTATION INDICATOR		
		1 = Questionnaire data.....	921	1.66
		2 = Logically assigned data.....	10	0.02
		3 = Statistically imputed data.....	6782	12.23
		9 = Legitimate skip - not a lifetime user.....	47722	86.09
IRLSDAGE	3	IMPUTATION-REVISED LSD AGE OF FIRST USE		
		RANGE = 1 - 56	4027	7.26
		991 = NEVER USED.....	51408	92.74
IILSDAGE	1	IRLSDAGE IMPUTATION INDICATOR		
		1 = Questionnaire data.....	3932	7.09
		2 = Logically assigned data.....	6	0.01
		3 = Statistically imputed data.....	132	0.24
		9 = Legitimate skip - not a lifetime user.....	51365	92.66
IRLSDYFU	4	IMPUTATION-REVISED LSD YEAR OF FIRST USE		
		RANGE = 1945 - 2007	4027	7.26
		9999 = NEVER USED.....	51408	92.74
IILSDYFU	1	IRLSDYFU IMPUTATION INDICATOR		
		1 = Questionnaire data.....	262	0.47
		3 = Statistically imputed data.....	3808	6.87
		9 = Legitimate skip - not a lifetime user.....	51365	92.66
IRPCPAGE	3	IMPUTATION-REVISED PCP AGE OF FIRST USE		
		RANGE = 6 - 42	1029	1.86
		991 = NEVER USED.....	54406	98.14

LABEL	LEN	DESCRIPTION	AGE/DATE OF FIRST DRUG USE	PAGE:	135
				FREQ	%
IIPCPAGE	1	IRPCPAGE IMPUTATION INDICATOR		-----	-
		1 = Questionnaire data.....	993	1.79	
		2 = Logically assigned data.....	1	0.00	
		3 = Statistically imputed data.....	81	0.15	
		9 = Legitimate skip - not a lifetime user.....	54360	98.06	
IRPCPYFU	4	IMPUTATION-REVISED PCP YEAR OF FIRST USE			
		RANGE = 1945 - 2007	1029	1.86	
		9999 = NEVER USED.....	54406	98.14	
IIPCPYFU	1	IRPCPYFU IMPUTATION INDICATOR			
		1 = Questionnaire data.....	57	0.10	
		3 = Statistically imputed data.....	1018	1.84	
		9 = Legitimate skip - not a lifetime user.....	54360	98.06	
IRECSAGE	3	IMPUTATION-REVISED ECSTASY AGE OF FIRST USE			
		RANGE = 6 - 60	3679	6.64	
		991 = NEVER USED.....	51756	93.36	
IIECSAGE	1	IRECSAGE IMPUTATION INDICATOR			
		1 = Questionnaire data.....	3621	6.53	
		3 = Statistically imputed data.....	114	0.21	
		9 = Legitimate skip - not a lifetime user.....	51700	93.26	
IRECSYFU	4	IMPUTATION-REVISED ECSTASY YEAR OF FIRST USE			
		RANGE = 1962 - 2007	3679	6.64	
		9999 = NEVER USED.....	51756	93.36	
IIECSYFU	1	IRECSYFU IMPUTATION INDICATOR			
		1 = Questionnaire data.....	634	1.14	
		3 = Statistically imputed data.....	3101	5.59	
		9 = Legitimate skip - not a lifetime user.....	51700	93.26	
IRINHAGE	3	IMPUTATION-REVISED INHALANTS AGE OF FIRST USE			
		RANGE = 1 - 56	5970	10.77	
		991 = NEVER USED.....	49465	89.23	
IIINHAGE	1	IRINHAGE IMPUTATION INDICATOR			
		1 = Questionnaire data.....	5588	10.08	
		3 = Statistically imputed data.....	468	0.84	
		9 = Legitimate skip - not a lifetime user.....	49379	89.08	
IRINHYFU	4	IMPUTATION-REVISED INHALANTS YEAR OF FIRST USE			
		RANGE = 1937 - 2007	5970	10.77	
		9999 = NEVER USED.....	49465	89.23	
IIINHYFU	1	IRINHYFU IMPUTATION INDICATOR			
		1 = Questionnaire data.....	740	1.33	
		3 = Statistically imputed data.....	5316	9.59	
		9 = Legitimate skip - not a lifetime user.....	49379	89.08	
IRANLAGE	3	IMPUTATION-REVISED PAIN RELIEVERS AGE OF FIRST USE			
		RANGE = 1 - 69	9035	16.30	
		991 = NEVER USED.....	46400	83.70	
IIANLAGE	1	IRANLAGE IMPUTATION INDICATOR			
		1 = Questionnaire data.....	8496	15.33	
		2 = Logically assigned data.....	5	0.01	
		3 = Statistically imputed data.....	709	1.28	
		9 = Legitimate skip - not a lifetime user.....	46225	83.39	
IRANLYFU	4	IMPUTATION-REVISED PAIN RELIEVER YEAR OF FIRST USE			
		RANGE = 1944 - 2007	9035	16.30	
		9999 = NEVER USED.....	46400	83.70	

Codebook Creation Date: September 20, 2012

LABEL	LEN	DESCRIPTION	AGE/DATE OF FIRST DRUG USE	PAGE:	136
				FREQ	%
IIANLYFU	1	IRANLYFU IMPUTATION INDICATOR			-
		1 = Questionnaire data.....	1486	2.68	
		2 = Logically assigned data.....	7	0.01	
		3 = Statistically imputed data.....	7717	13.92	
		9 = Legitimate skip - not a lifetime user.....	46225	83.39	
NOTE: See the note preceding the OXYCAGE variable. No special editing or imputation procedures were done to prevent IROXXYFU from having a value earlier than 1995, even though OxyContin was not approved for medical use by the US Food and Drug Administration until 1995. Caution is advised in interpreting OxyContin age/date of first use data from respondents with IROXXYFU<1995.					
IROXYAGE	3	IMPUTATION-REVISED OXYCONTIN AGE FIRST USE			
		RANGE = 1 - 58	1638	2.95	
		991 = NEVER USED.....	53797	97.05	
IIOXYAGE	1	IROXYAGE IMPUTATION INDICATOR			
		1 = Questionnaire data.....	1579	2.85	
		2 = Logically assigned data.....	1	0.00	
		3 = Statistically imputed data.....	212	0.38	
		9 = Legitimate skip - not a lifetime user.....	53643	96.77	
IROXXYFU	4	IMPUTATION-REVISED OXYCONTIN YEAR FIRST USE			
		RANGE = 1969 - 2007	1638	2.95	
		9999 = NEVER USED.....	53797	97.05	
IIOXXYFU	1	IROXXYFU IMPUTATION INDICATOR			
		1 = Questionnaire data.....	402	0.73	
		3 = Statistically imputed data.....	1390	2.51	
		9 = Legitimate skip - not a lifetime user.....	53643	96.77	
IRTRNAGE	3	IMPUTATION-REVISED TRANQUILIZER AGE OF FIRST USE			
		RANGE = 1 - 85	4568	8.24	
		991 = NEVER USED.....	50867	91.76	
IITRNAGE	1	IRTRNAGE IMPUTATION INDICATOR			
		1 = Questionnaire data.....	4424	7.98	
		3 = Statistically imputed data.....	252	0.45	
		9 = Legitimate skip - not a lifetime user.....	50759	91.56	
IRTRNYFU	4	IMPUTATION-REVISED TRANQUILIZER YEAR OF FIRST USE			
		RANGE = 1949 - 2007	4568	8.24	
		9999 = NEVER USED.....	50867	91.76	
IITRNYFU	1	IRTRNYFU IMPUTATION INDICATOR			
		1 = Questionnaire data.....	689	1.24	
		3 = Statistically imputed data.....	3987	7.19	
		9 = Legitimate skip - not a lifetime user.....	50759	91.56	
IRSTMAGE	3	IMPUTATION-REVISED STIMULANTS AGE OF FIRST USE			
		RANGE = 1 - 55	4166	7.52	
		991 = NEVER USED.....	51269	92.48	
IISTMAGE	1	IRSTMAGE IMPUTATION INDICATOR			
		1 = Questionnaire data.....	4034	7.28	
		2 = Logically assigned data.....	19	0.03	
		3 = Statistically imputed data.....	224	0.40	
		9 = Legitimate skip - not a lifetime user.....	51158	92.28	
IRSTMYFU	4	IMPUTATION-REVISED STIMULANTS YEAR OF FIRST USE			
		RANGE = 1929 - 2007	4166	7.52	
		9999 = NEVER USED.....	51269	92.48	

Codebook Creation Date: September 20, 2012

LABEL	LEN	DESCRIPTION	AGE/DATE OF FIRST DRUG USE		PAGE:	137
			FREQ	%		
IISTMYFU	1	IRSTMYFU IMPUTATION INDICATOR		-		
		1 = Questionnaire data.....	459	0.83		
		2 = Logically assigned data.....	1	0.00		
		3 = Statistically imputed data.....	3817	6.89		
		9 = Legitimate skip - not a lifetime user.....	51158	92.28		
IRMTHAGE	3	IMPUTATION-REVISED METHAMPHETAMINE AGE FIRST USE				
		RANGE = 1 - 48	2068	3.73		
		991 = NEVER USED.....	53367	96.27		
IIMTHAGE	1	IRMTHAGE IMPUTATION INDICATOR				
		1 = Questionnaire data.....	2031	3.66		
		2 = Logically assigned data.....	5	0.01		
		3 = Statistically imputed data.....	87	0.16		
		9 = Legitimate skip - not a lifetime user.....	53312	96.17		
IRMTHYFU	4	IMPUTATION-REVISED METHAMPHETAMINE YEAR FIRST USE				
		RANGE = 1945 - 2007	2068	3.73		
		9999 = NEVER USED.....	53367	96.27		
IIMTHYFU	1	IRMTHYFU IMPUTATION INDICATOR				
		1 = Questionnaire data.....	116	0.21		
		2 = Logically assigned data.....	1	0.00		
		3 = Statistically imputed data.....	2006	3.62		
		9 = Legitimate skip - not a lifetime user.....	53312	96.17		
IRSEDAGE	3	IMPUTATION-REVISED SEDATIVES AGE OF FIRST USE				
		RANGE = 1 - 52	1205	2.17		
		991 = NEVER USED.....	54230	97.83		
IISEDAGE	1	IRSEDAGE IMPUTATION INDICATOR				
		1 = Questionnaire data.....	1138	2.05		
		3 = Statistically imputed data.....	192	0.35		
		9 = Legitimate skip - not a lifetime user.....	54105	97.60		
IRSEDYFU	4	IMPUTATION-REVISED SEDATIVES YEAR OF FIRST USE				
		RANGE = 1935 - 2007	1205	2.17		
		9999 = NEVER USED.....	54230	97.83		
IISEDYFU	1	IRSEDYFU IMPUTATION INDICATOR				
		1 = Questionnaire data.....	132	0.24		
		3 = Statistically imputed data.....	1198	2.16		
		9 = Legitimate skip - not a lifetime user.....	54105	97.60		

RECODED DRUG USE			PAGE:	138
LABEL	LEN	DESCRIPTION	FREQ	%
		-----	-----	-
		RECODED DRUG USE		

CIGFLAG	1	CIGARETTES - EVER USED 0 = Never used (IRCIGRC = 9)..... 1 = Ever used (IRCIGRC = 1-4).....	25005 30430	45.11 54.89
CIGYR	1	CIGARETTES - PAST YEAR USE 0 = Did not use in the past year (IRCIGRC = 3,4,9).... 1 = Used within the past year (IRCIGRC = 1,2).....	37864 17571	68.30 31.70
CIGMON	1	CIGARETTES - PAST MONTH USE 0 = Did not use in the past month (IRCIGRC = 2-4,9)... 1 = Used within the past month (IRCIGRC = 1).....	41175 14260	74.28 25.72
CGRFLAG	1	CIGARS - EVER USED 0 = Never used (IRCGRRC = 9)..... 1 = Ever used (IRCGRRC = 1-4).....	37850 17585	68.28 31.72
CGRYR	1	CIGARS - PAST YEAR USE 0 = Did not use in the past year (IRCGRRC = 3,4,9).... 1 = Used within the past year (IRCGRRC = 1,2).....	47488 7947	85.66 14.34
CGRMON	1	CIGARS - PAST MONTH USE 0 = Did not use in the past month (IRCGRRC = 2-4,9)... 1 = Used within the past month (IRCGRRC = 1).....	51556 3879	93.00 7.00
PIPFLAG	1	PIPES - EVER USED 0 = Never Used (IRPIPLF = 9)..... 1 = Ever Used (IRPIPLF = 1).....	50833 4602	91.70 8.30
PIPMON	1	PIPES - PAST MONTH USE 0 = Did not use in the past month (IRPIPMN = 2,9).... 1 = Used within the past month (IRPIPMN = 1).....	54936 499	99.10 0.90
SMKFLAG	1	SMOKELESS TOBACCO - EVER USED 0 = Never used (IRSLTRC = 9)..... 1 = Ever used (IRSLTRC = 1-4).....	45968 9467	82.92 17.08
SMKYR	1	SMOKELESS TOBACCO - PAST YEAR USE 0 = Did not use in the past year (IRSLTRC = 3,4,9).... 1 = Used within the past year (IRSLTRC = 1,2).....	51902 3533	93.63 6.37
SMKMON	1	SMOKELESS TOBACCO - PAST MONTH USE 0 = Did not use in the past month (IRSLTRC = 2-4,9)... 1 = Used within the past month (IRSLTRC = 1).....	53210 2225	95.99 4.01
CHWFLAG	1	CHEWING TOBACCO - EVER USED 0 = Never Used (IRCHWRC = 9)..... 1 = Ever Used (IRCHWRC = 1-4).....	49150 6285	88.66 11.34
CHWYR	1	CHEWING TOBACCO - PAST YEAR USE 0 = Did not use in the past year (IRCHWRC = 3,4,9).... 1 = Used within the past year (IRCHWRC = 1,2).....	53726 1709	96.92 3.08
CHWMON	1	CHEWING TOBACCO - PAST MONTH USE 0 = Did not use in the past month (IRCHWRC = 2-4,9)... 1 = Used within the past month (IRCHWRC = 1).....	54591 844	98.48 1.52
SNFFLAG	1	SNUFF - EVER USED 0 = Never used (IRSNFRC = 9)..... 1 = Ever used (IRSNFRC = 1-4).....	47856 7579	86.33 13.67

LABEL	LEN	DESCRIPTION	RECODED DRUG USE		PAGE:	139
			FREQ	%		
SNFYR	1	SNUFF - PAST YEAR USE			-----	-
		0 = Did not use in the past year (IRSNFRC = 3,4,9)....	52413	94.55		
		1 = Used within the past year (IRSNFRC = 1,2).....	3022	5.45		
SNFMON	1	SNUFF - PAST MONTH USE				
		0 = Did not use in the past month (IRSNFRC = 2-4,9)...	53508	96.52		
		1 = Used within the past month (IRSNFRC = 1).....	1927	3.48		
The following three any tobacco variables were created by the examination of IRCIGRC, IRCGRRC, IRSLTRC, and IRPIPBMN.						
TOBFLAG	1	ANY TOBACCO - EVER USED				
		0 = Never Used (all source vars = 9).....	22429	40.46		
		1 = Ever Used (any source var = 1-4).....	33006	59.54		
TOBYR	1	ANY TOBACCO - PAST YEAR USE				
		0 = Not use pst yr (IRPIPBMN=2,9 & oth src vars=3,4,9).	34660	62.52		
		1 = Used pst yr (IRPIPBMN = 1 or any oth src var = 1,2)	20775	37.48		
TOBMON	1	ANY TOBACCO - PAST MONTH USE				
		0 = Did not use in pst month (all source vars=2-4,9)..	38780	69.96		
		1 = Used in past month (any source var=1).....	16655	30.04		

RECODED DRUG USE			PAGE:	140
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
<p>The following three variables, BRNCIG05, BRNCGR05, BRSMK5_2, were created with the intent to show the 25 (Cigarette and Cigar) and 15 (Smokeless Tobacco) most used brands in alphabetical order within the overall population. The most widely used brands for each tobacco product and the ranking of these brands were determined by examining weighted frequencies of the respective source variables among all users of that tobacco product. Once the brand ordering was determined, the top 25 or 15 were chosen and the analysis variables were created as defined below. The brand ordering was determined using the 2005 weighted data.</p> <p>For each of these tobacco brand variables, all persons who indicated no past month use were set to the SAS missing code. The category "Other Brands" contains all past month users who reported other valid brands not otherwise defined in one of the other levels. The category "Unknown Brands" contains past month users who did not specify a specific tobacco brand.</p>				
BRNCIG05	2	CIGARETTE BRAND USED MOST OFTEN IN PAST MONTH		
.		Not Past Month Cigarette User (CIGMON=0).....	41175	74.28
1		American Spirit (CIG30BR2=161).....	164	0.30
2		Basic (CIG30BR2=101).....	405	0.73
3		Benson & Hedges (CIG30BR2=102).....	61	0.11
4		Camel (CIG30BR2=104).....	1775	3.20
5		Capri (CIG30BR2=105).....	50	0.09
6		Carlton (CIG30BR2=106).....	10	0.02
7		Doral (CIG30BR2=107).....	208	0.38
8		GPC (CIG30BR2=109).....	63	0.11
9		Kent (CIG30BR2=110).....	10	0.02
10		Kool (CIG30BR2=111).....	409	0.74
11		Liggett Select (CIG30BR2=1083).....	39	0.07
12		Marlboro (CIG30BR2=112).....	6510	11.74
13		Merit (CIG30BR2=113).....	18	0.03
14		Misty (CIG30BR2=114).....	90	0.16
15		Monarch (CIG30BR2=115).....	21	0.04
16		Newport (CIG30BR2=118).....	2371	4.28
17		Old Gold (CIG30BR2=147).....	18	0.03
18		Pall Mall (CIG30BR2=119).....	146	0.26
19		Parliament (CIG30BR2=120).....	344	0.62
20		Salem (CIG30BR2=122).....	136	0.25
21		Top (roll own) (CIG30BR2=158).....	47	0.08
22		USA Gold (CIG30BR2=1018).....	258	0.47
23		Viceroy (CIG30BR2=124).....	6	0.01
24		Virginia Slims (CIG30BR2=125).....	132	0.24
25		Winston (CIG30BR2=126).....	145	0.26
26		Other Brnd (CIG30BR2=other 100-199,1001-1999)....	620	1.12
27		Unkwn Brnd (CIG30BR2=200-999,2000-9990,9994-9998).	204	0.37

RECODED DRUG USE			PAGE:	141
LABEL	LEN	DESCRIPTION	FREQ	%

		See additional coding information included above the cigarette brand recode variable (BRNCIG05).		-
BRNCGR05	2	CIGAR BRAND USED MOST OFTEN IN PAST MONTH		
		. = Not Past Month Cigar User (CGRMON=0).....	51556	93.00
		1 = Al Capone (CGR30BR2=429).....	83	0.15
		2 = Antonio y Cleopatra (CGR30BR2=401).....	9	0.02
		3 = Arturo Fuente (CGR30BR2=431).....	57	0.10
		4 = Backwoods (CGR30BR2=402).....	92	0.17
		5 = Black & Mild (CGR30BR2=404).....	1229	2.22
		6 = Blackstone (CGR30BR2=437).....	16	0.03
		7 = Captain Black (CGR30BR2=405).....	20	0.04
		8 = Cohiba (CGR30BR2=443).....	84	0.15
		9 = Dutch Masters (CGR30BR2=408).....	126	0.23
		10 = Garcia y Vega (CGR30BR2=411).....	62	0.11
		11 = Havatampa (CGR30BR2=412).....	17	0.03
		12 = King Edward (CGR30BR2=413).....	19	0.03
		13 = La Corona (CGR30BR2=414).....	23	0.04
		14 = Macanudos (CGR30BR2=416).....	72	0.13
		15 = Montecristo (CGR30BR2=486).....	46	0.08
		16 = Muriel (CGR30BR2=417).....	3	0.01
		17 = Partagas (CGR30BR2=418).....	12	0.02
		18 = Phillies (CGR30BR2=419).....	268	0.48
		19 = Prime Time Mini Cigars (CGR30BR2=492).....	48	0.09
		20 = Punch (CGR30BR2=494).....	15	0.03
		21 = Romeo y Julieta (CGR30BR2=496).....	92	0.17
		22 = Swisher Sweets (CGR30BR2=423).....	711	1.28
		23 = Thompson (CGR30BR2=4005).....	17	0.03
		24 = White Owl (CGR30BR2=426).....	125	0.23
		25 = Winchester (CGR30BR2=428).....	16	0.03
		26 = Other Brnd (CGR30BR2=other 400-499,4000-4999)....	389	0.70
		27 = Unkwn Brnd (CGR30BR2=<399,501-1999,9000-9998)....	228	0.41

		See additional coding information included above the cigarette brand recode variable (BRNCIG05).		
BRSMK5_2	2	SMOKELESS TOBACCO BRAND USED MOST OFTEN IN PST MON		
		. = Not Past Month Smokeless Tobacco User (SMKMON=0)...	53210	95.99
		1 = Beech-Nut (SLT30BR2=201).....	26	0.05
		3 = Copenhagen (SLT30BR2=301).....	495	0.89
		4 = Day's Work (SLT30BR2=203).....	6	0.01
		6 = Grizzly (SLT30BR2=332).....	475	0.86
		7 = Hawken (SLT30BR2=304).....	8	0.01
		8 = Kodiak (SLT30BR2=305).....	100	0.18
		9 = Levi Garrett (SLT30BR2=206).....	47	0.08
		10 = Longhorn (SLT30BR2=338).....	24	0.04
		11 = Red Man (SLT30BR2=208).....	89	0.16
		12 = Red Seal (SLT30BR2=316).....	71	0.13
		13 = Skoal (SLT30BR2=308).....	662	1.19
		15 = Timber Wolf (SLT30BR2=309).....	75	0.14
		16 = Other Brand (SLT30BR2=other 200-399,2999-3999)....	111	0.20
		17 = Unkwn Brnd (SLT30BR2=<200,400-707,4044,9000-9998)....	36	0.06

ALCFLAG	1	ALCOHOL - EVER USED		
		0 = Never used (IRALCRC = 9).....	15208	27.43
		1 = Ever used (IRALCRC = 1-3).....	40227	72.57

ALCYR	1	ALCOHOL - PAST YEAR USE		
		0 = Did not use in the past year (IRALCRC = 3,9).....	21479	38.75
		1 = Used within the past year (IRALCRC = 1,2).....	33956	61.25

ALCMON	1	ALCOHOL - PAST MONTH USE		
		0 = Did not use in the past month (IRALCRC = 2-3,9)...	30527	55.07
		1 = Used within the past month (IRALCRC = 1).....	24908	44.93

RECODED DRUG USE			PAGE:	142
LABEL	LEN	DESCRIPTION	FREQ	%
MRJFLAG	1	MARIJUANA - EVER USED 0 = Never used (IRMJRC = 9)..... 1 = Ever used (IRMJRC = 1-3).....	33708	60.81
			21727	39.19
MRJYR	1	MARIJUANA - PAST YEAR USE 0 = Did not use in the past year (IRMJRC = 3,9)..... 1 = Used within the past year (IRMJRC = 1,2).....	46300	83.52
			9135	16.48
MRJMON	1	MARIJUANA - PAST MONTH USE 0 = Did not use in the past month (IRMJRC = 2-3,9).... 1 = Used within the past month (IRMJRC = 1).....	50163	90.49
			5272	9.51
COCFLAG	1	COCAINE - EVER USED 0 = Never used (IRCOCRC = 9)..... 1 = Ever used (IRCOCRC = 1-3).....	48773	87.98
			6662	12.02
COCYR	1	COCAINE - PAST YEAR USE 0 = Did not use in the past year (IRCOCRC = 3,9)..... 1 = Used within the past year (IRCOCRC = 1,2).....	53584	96.66
			1851	3.34
COCMON	1	COCAINE - PAST MONTH USE 0 = Did not use in the past month (IRCOCRC = 2-3,9)... 1 = Used within the past month (IRCOCRC = 1).....	54843	98.93
			592	1.07
CRKFLAG	1	"CRACK" - EVER USED 0 = Never used (IRCRKRC = 9)..... 1 = Ever used (IRCRKRC = 1-3).....	53780	97.01
			1655	2.99
CRKYR	1	"CRACK" - PAST YEAR USE 0 = Did not use in the past year (IRCRKRC = 3,9)..... 1 = Used within the past year (IRCRKRC = 1,2).....	55080	99.36
			355	0.64
CRKMON	1	"CRACK" - PAST MONTH USE 0 = Did not use in the past month (IRCRKRC = 2-3,9)... 1 = Used within the past month (IRCRKRC = 1).....	55306	99.77
			129	0.23
HERFLAG	1	HEROIN - EVER USED 0 = Never used (IRHERRC = 9)..... 1 = Ever used (IRHERRC = 1-3).....	54741	98.75
			694	1.25
HERYR	1	HEROIN - PAST YEAR USE 0 = Did not use in the past year (IRHERRC = 3,9)..... 1 = Used within the past year (IRHERRC = 1,2).....	55305	99.77
			130	0.23
HERMON	1	HEROIN - PAST MONTH USE 0 = Did not use in the past month (IRHERRC = 2-3,9)... 1 = Used within the past month (IRHERRC = 1).....	55390	99.92
			45	0.08
HALFLAG	1	HALLUCINOGENS - EVER USED 0 = Never used (IRHALRC = 9)..... 1 = Ever used (IRHALRC = 1-3).....	47886	86.38
			7549	13.62
HALYR	1	HALLUCINOGENS - PAST YEAR USE 0 = Did not use in the past year (IRHALRC = 3,9)..... 1 = Used within the past year (IRHALRC = 1,2).....	53634	96.75
			1801	3.25
HALMON	1	HALLUCINOGENS - PAST MONTH USE 0 = Did not use in the past month (IRHALRC = 2-3,9)... 1 = Used within the past month (IRHALRC = 1).....	54955	99.13
			480	0.87
LSDFLAG	1	LSD - EVER USED 0 = Never used (IRLSDRC = 9)..... 1 = Ever used (IRLSDRC = 1-3).....	51408	92.74
			4027	7.26

RECODED DRUG USE			PAGE:	143
LABEL	LEN	DESCRIPTION	FREQ	%
LSDYR	1	LSD - PAST YEAR USE 0 = Did not use in the past year (IRLSDRC = 3,9)..... 1 = Used within the past year (IRLSDRC = 1,2).....	55073	99.35
			362	0.65
LSDMON	1	LSD - PAST MONTH USE 0 = Did not use in the past month (IRLSDRC = 2-3,9)... 1 = Used within the past month (IRLSDRC = 1).....	55359	99.86
			76	0.14
PCPFLAG	1	PCP - EVER USED 0 = Never used (IRPCPRC = 9)..... 1 = Ever used (IRPCPRC = 1-3).....	54406	98.14
			1029	1.86
PCPYR	1	PCP - PAST YEAR USE 0 = Did not use in the past year (IRPCPRC = 3,9)..... 1 = Used within the past year (IRPCPRC = 1,2).....	55354	99.85
			81	0.15
PCPMON	1	PCP - PAST MONTH USE 0 = Did not use in the past month (IRPCPRC = 2-3,9)... 1 = Used within the past month (IRPCPRC = 1).....	55418	99.97
			17	0.03
ECSFLAG	1	ECSTASY - EVER USED 0 = Never used (IRECSRC = 9)..... 1 = Ever used (IRECSRC = 1-3).....	51756	93.36
			3679	6.64
ECSYR	1	ECSTASY - PAST YEAR USE 0 = Did not use in the past year (IRECSRC = 3,9)..... 1 = Used within the past year (IRECSRC = 1,2).....	54508	98.33
			927	1.67
ECSMON	1	ECSTASY - PAST MONTH USE 0 = Did not use in the past month (IRECSRC = 2-3,9)... 1 = Used within the past month (IRECSRC = 1).....	55230	99.63
			205	0.37
INHFLAG	1	INHALANTS - EVER USED 0 = Never used (IRINHRC = 9)..... 1 = Ever used (IRINHRC = 1-3).....	49465	89.23
			5970	10.77
INHYR	1	INHALANTS - PAST YEAR USE 0 = Did not use in the past year (IRINHRC = 3,9)..... 1 = Used within the past year (IRINHRC = 1,2).....	54331	98.01
			1104	1.99
INHMON	1	INHALANTS - PAST MONTH USE 0 = Did not use in the past month (IRINHRC = 2-3,9)... 1 = Used within the past month (IRINHRC = 1).....	55124	99.44
			311	0.56
ANLFLAG	1	PAIN RELIEVERS - EVER USED 0 = Never used (IRANLRC = 9)..... 1 = Ever used (IRANLRC = 1-3).....	46400	83.70
			9035	16.30
ANLYR	1	PAIN RELIEVERS - PAST YEAR USE 0 = Did not use in the past year (IRANLRC = 3,9)..... 1 = Used within the past year (IRANLRC = 1,2).....	51156	92.28
			4279	7.72
ANLMON	1	PAIN RELIEVERS - PAST MONTH USE 0 = Did not use in the past month (IRANLRC = 2-3,9)... 1 = Used within the past month (IRANLRC = 1).....	53769	96.99
			1666	3.01
OXYFLAG	1	OXYCONTIN - EVER USED 0 = Never Used (IROXYRC = 9)..... 1 = Ever Used (IROXYRC = 1-3).....	53797	97.05
			1638	2.95
OXYYR	1	OXYCONTIN - PAST YEAR USE 0 = Did not use in the past year (IROXYRC = 3,9)..... 1 = Used within the past year (IROXYRC = 1,2).....	54819	98.89
			616	1.11

RECODED DRUG USE			PAGE:	144
LABEL	LEN	DESCRIPTION	FREQ	%
OXYMON	1	OXYCONTIN - PAST MONTH USE 0 = Did not use in the past month (IROXYRC = 2-3,9)... 1 = Used within the past month (IROXYRC = 1).....	55272	99.71
			163	0.29
TRQFLAG	1	TRANQUILIZERS - EVER USED 0 = Never used (IRTRNRC = 9)..... 1 = Ever used (IRTRNRC = 1-3).....	50867	91.76
			4568	8.24
TRQYR	1	TRANQUILIZERS - PAST YEAR USE 0 = Did not use in the past year (IRTRNRC = 3,9)..... 1 = Used within the past year (IRTRNRC = 1,2).....	53838	97.12
			1597	2.88
TRQMON	1	TRANQUILIZERS - PAST MONTH USE 0 = Did not use in the past month (IRTRNRC = 2-3,9)... 1 = Used within the past month (IRTRNRC = 1).....	54906	99.05
			529	0.95
STMFLAG	1	STIMULANTS - EVER USED 0 = Never used (IRSTMRC = 9)..... 1 = Ever used (IRSTMRC = 1-3).....	51269	92.48
			4166	7.52
STMYR	1	STIMULANTS - PAST YEAR USE 0 = Did not use in the past year (IRSTMRC = 3,9)..... 1 = Used within the past year (IRSTMRC = 1,2).....	54355	98.05
			1080	1.95
STMMON	1	STIMULANTS - PAST MONTH USE 0 = Did not use in the past month (IRSTMRC = 2-3,9)... 1 = Used within the past month (IRSTMRC = 1).....	55080	99.36
			355	0.64
<p>The following three variables (CPNSTMFG, CPNSTMYR, CPNSTMMN), like the preceding three variables (STMFLAG, STMYR, STMMON), report lifetime, past year, and past month stimulant use. However, whereas STMFLAG, STMYR, and STMMON used the core-only methamphetamine variables MTHFLAG, MTHYR, and MTHMON in their construction, these three variables use the core-plus-noncore methamphetamine variables CPNMTHFG, CPNMTHFG, and CPNMTHMN. For details on the core-plus-noncore methamphetamine variables, please see Appendix B.4.6 of the 2007 Summary of Findings Report. (NOTE: CPN is an abbreviation for Core-Plus-Noncore.)</p>				
CPNSTMFG	1	CPN STIMULANTS - EVER USED 0 = Never Used..... 1 = Ever Used.....	50847	91.72
			4588	8.28
CPNSTMYR	1	CPN STIMULANTS - PAST YEAR USE 0 = Did not use in the past year..... 1 = Used within the past year.....	54286	97.93
			1149	2.07
CPNSTMMN	1	CPN STIMULANTS - PAST MONTH USE 0 = Did not use in the past month..... 1 = Used within the past month.....	55051	99.31
			384	0.69

LABEL	LEN	DESCRIPTION	RECODED DRUG USE	PAGE:	145
				FREQ	%

			The following three variables (MTHFLAG, MTHYR, MTHMON), report recency of use for methamphetamine using only core data from the Stimulants module of the questionnaire, unlike the next three variables (CPNMTHFG, CPNMTHYR, CPNMTHMN), which use additional methamphetamine use data from the Special Drugs module. Methamphetamine use data were first added to the Special Drugs module in 2005, then were augmented in 2006 to include further clarifications. For details, please see Appendix B.4.6 of the Results from the 2007 NSDUH: National Findings Report.		-
MTHFLAG	1	METHAMPHETAMINE - EVER USED			
		0 = Never Used (IRMTHRC = 9).....	53367	96.27	
		1 = Ever Used (IRMTHRC = 1-3).....	2068	3.73	
MTHYR	1	METHAMPHETAMINE - PAST YEAR USE			
		0 = Did not use in the past year (IRMTHRC = 3,9).....	55080	99.36	
		1 = Used within the past year (IRMTHRC = 1,2).....	355	0.64	
MTHMON	1	METHAMPHETAMINE - PAST MONTH USE			
		0 = Did not use in the past month (IRMTHRC = 2-3,9)...	55324	99.80	
		1 = Used within the past month (IRMTHRC = 1).....	111	0.20	
The following three variables (CPNMTHFG, CPNMTHYR, CPNMTHMN), like the preceding three variables (MTHFLAG, MTHYR, MTHMON), report lifetime, past year, and past month methamphetamine use. However, MTHFLAG, MTHYR, and MTHMON are based only on data from the methamphetamine questions in the stimulants section of the prescription drug module of the core questionnaire. In 2005 new methamphetamine items were added to the non-core Special Drugs module to capture methamphetamine users who failed to report the drug in the prescription stimulants module. These were augmented in 2007 to include clarifications. The new non-core Special Drugs items were used to construct the final CPNMTHFG, CPNMTHYR, and CPNMTHMN variables in 2007. For details, please see Appendix B.4.6 of the 2007 Summary of Findings Report. (NOTE: CPN is an abbreviation for Core-Plus-Noncore.)					
CPNMTHFG	1	CPN METHAMPHETAMINE - EVER USED			
		0 = Never Used.....	52851	95.34	
		1 = Ever Used.....	2584	4.66	
CPNMTHYR	1	CPN METHAMPHETAMINE - PAST YEAR USE			
		0 = Did not use in the past year.....	55009	99.23	
		1 = Used within the past year.....	426	0.77	
CPNMTHMN	1	CPN METHAMPHETAMINE - PAST MONTH USE			
		0 = Did not use in the past month.....	55301	99.76	
		1 = Used within the past month.....	134	0.24	
SEDFLAG	1	SEDATIVES - EVER USED			
		0 = Never used (IRSEDRD = 9).....	54230	97.83	
		1 = Ever used (IRSEDRD = 1-3).....	1205	2.17	
SEDYR	1	SEDATIVES - PAST YEAR USE			
		0 = Did not use in the past year (IRSEDRD = 3,9).....	55173	99.53	
		1 = Used within the past year (IRSEDRD = 1,2).....	262	0.47	
SEDMON	1	SEDATIVES - PAST MONTH USE			
		0 = Did not use in the past month (IRSEDRD = 2-3,9)...	55344	99.84	
		1 = Used within the past month (IRSEDRD = 1).....	91	0.16	

LABEL	LEN	DESCRIPTION	RECODED DRUG USE	PAGE:	146
				FREQ	%

		The following three any psychotherapeutic variables were created by examination of IRSEDRC, IRTRNRC, IRSTMRC, and IRANLRC.			-
PSYFLAG2	1	ANY PSYCHOTHERAPEUTICS - EVER USED			
		0 = Never used (ALL SOURCE VARIABLES = 9).....	43719	78.87	
		1 = Ever used (ANY SOURCE VARIABLE < 9).....	11716	21.13	
PSYYR2	1	ANY PSYCHOTHERAPEUTICS - PAST YEAR USE			
		0 = Did not use within past year (ALL SOURCE VARS > 2)	50178	90.52	
		1 = Used in past year (ANY SOURCE VARIABLE < 3).....	5257	9.48	
PSYMON2	1	ANY PSYCHOTHERAPEUTICS - PAST MONTH USE			
		0 = Did not use in past month (ALL SOURCE VARS > 1)...	53328	96.20	
		1 = Used in past month (ANY SOURCE VARIABLE = 1).....	2107	3.80	
The following two "any psychotherapeutics" variables were created by examination of the age and date of first use variables for sedatives, tranquilizers, stimulants, and analgesics.					
PSYAGE2	3	ANY PSYCHOTHERAPEUTICS - AGE FIRST USE			
		RANGE = 1 - 85	11716	21.13	
		991 = NEVER USED.....	43719	78.87	
PSYYFU2	4	ANY PSYCHOTHERAPEUTICS - YEAR FIRST USE			
		RANGE = 1929 - 2007	11716	21.13	
		9999 = NEVER USED.....	43719	78.87	
The following three variables (CPNPSYFG, CPNPSYR, CPNPSYMN), like the preceding three variables (PSYFLAG2, PSYYR2, PSYMON2), report lifetime, past year, and past month psychotherapeutic use. However, whereas PSYFLAG2, PSYYR2, and PSYMON2 use only core data, CPNPSYFG, CPNPSYR, CPNPSYMN use core plus noncore data.					
CPNPSYFG	1	CPN PSYCHOTHERAPEUTIC - EVER USED			
		0 = Never Used.....	43555	78.57	
		1 = Ever Used.....	11880	21.43	
CPNPSYR	1	CPN PSYCHOTHERAPEUTIC - PAST YEAR USE			
		0 = Did not use in the past year.....	50146	90.46	
		1 = Used within the past year.....	5289	9.54	
CPNPSYMN	1	CPN PSYCHOTHERAPEUTIC - PAST MONTH USE			
		0 = Did not use in the past month.....	53310	96.17	
		1 = Used within the past month.....	2125	3.83	
The following variable, SUMFLAG, was created by examination of HALFLAG, HERFLAG, MRJFLAG, COCFLAG, INHFLAG, and PSYFLAG2.					
SUMFLAG	1	ANY ILLICIT DRUG - EVER USED			
		0 = Never used (ALL SOURCE VARIABLES = 0).....	29764	53.69	
		1 = Ever used (ANY SOURCE VARIABLE = 1).....	25671	46.31	
The following variable, SUMYR, was created by examination of HALYR, HERYR, MRJYR, COCYR, INHYR, and PSYYR2.					
SUMYR	1	ANY ILLICIT DRUG - PAST YEAR USE			
		0 = Did not use in past year (ALL SOURCE VARS = 0)....	43330	78.16	
		1 = Used in past year (ANY SOURCE VARIABLE = 1).....	12105	21.84	

LABEL	LEN	DESCRIPTION	RECODED DRUG USE		PAGE:	147
			FREQ	%		
<hr/>						
The following variable, SUMMON, was created by examination of HALMON, HERMON, MRJMON, COCMON, INHMON, and PSYMON2.						
SUMMON	1	ANY ILLICIT DRUG - PAST MONTH USE				
		0 = Did not use in past month (ALL SOURCE VARS = 0)...	48635	87.73		
		1 = Used in past month (ANY SOURCE VARIABLE = 1).....	6800	12.27		
 The following two "any illicit drug" variables were created by examination of the age and date of first use variables for marijuana and "any illicit drug except for marijuana."						
SUMAGE	3	ANY ILLICIT DRUG - AGE FIRST USE				
		RANGE = 1 - 85	25671	46.31		
		991 = NEVER USED.....	29764	53.69		
SUMYFU	4	ANY ILLICIT DRUG - YEAR FIRST USE				
		RANGE = 1929 - 2007	25671	46.31		
		9999 = NEVER USED.....	29764	53.69		
 The following variable, MJOFLAG, was created by examination of MRJFLAG and then HALFLAG, HERFLAG, COCFLAG, INHFLAG, and PSYFLAG2.						
MJOFLAG	1	MARIJUANA ONLY - EVER USED				
		0 = Never used MJ/has used both MJ & another illicit drug	46626	84.11		
		1 = Marijuana is only (illicit) drug ever used.....	8809	15.89		
 The following variable, MJOYR2, was created by examination of MRJYR and then HALYR, HERYR, COCYR, INHYR, and PSYYR2.						
MJOYR2	1	MARIJUANA ONLY - PAST YEAR USE				
		0 = MJ not used past yr/Used MJ & other drug past yr...	50444	91.00		
		1 = Marijuana is only (illicit) drug in past year.....	4991	9.00		
 The following variable, MJOMON2, was created by examination of MRJMON and then HALMON, HERMON, COCMON, INHMON, and PSYMON2.						
MJOMON2	1	MARIJUANA ONLY - PAST MONTH USE				
		0 = MJ not used past mnth/Used MJ & other drug past mo.	51612	93.10		
		1 = Marijuana only (illicit) drug in past month.....	3823	6.90		
 The following variable, IEMFLAG, was created by examination of HALFLAG, HERFLAG, COCFLAG, INHFLAG, and PSYFLAG2.						
IEMFLAG	1	ILLICIT DRUG OTHER THAN MARIJUANA - EVER USED				
		0 = Never used drug/used only marijuana.....	38573	69.58		
		1 = Illicit drug except for marijuana are ever used...	16862	30.42		
 The following variable, IEMYR, was created by examination of HALYR, HERYR, COCYR, INHYR, and PSYYR2.						
IEMYR	1	ILLICIT DRUG OTHER THAN MARIJUANA - PAST YEAR USED				
		0 = Never used drug/used only marijuana past year.....	48321	87.17		
		1 = Illicit drug except for marijuana used past year..	7114	12.83		
 The following variable, IEMMON, was created by examination of HALMON, HERMON, COCMON, INHMON, and PSYMON2.						
IEMMON	1	ILLICIT DRUG OTHER THAN MARIJUANA-PAST MONTH USED				
		0 = Never used drug/used only marijuana past month....	52458	94.63		
		1 = Illicit drug except for marijuana used past month.	2977	5.37		

LABEL	LEN	DESCRIPTION	RECODED DRUG USE		PAGE: FREQ	148 %
			-----	-----		
The following two "any illicit drug except for marijuana" variables were created by examination of the age and date of first use variables for inhalants, hallucinogens, cocaine, heroin, and "any psychotherapeutics."						
IEMAGE	3	ILLICIT DRUG EXCEPT FOR MARIJUANA - AGE FIRST USE				
		RANGE = 1 - 85			16862	30.42
		991 = NEVER USED.....			38573	69.58
IEEMYFU	4	ILLICIT DRUG OTHER THAN MARIJUANA - YEAR FIRST USE				
		RANGE = 1929 - 2007			16862	30.42
		9999 = NEVER USED.....			38573	69.58
CDUFLAG	1	CIGARETTES DAILY - EVER USED				
		0 = Never Used (IRCDUAGE=991,993).....			39760	71.72
		1 = Ever Used (IRCDUAGE=1-56).....			15675	28.28
DCIGMON	1	PAST MONTH DAILY CIGARETTE USE				
		0 = Did not use daily in past mon (IRCIGFM=1-29,91,93)			47746	86.13
		1 = Used daily in the past month (IRCIGFM=30).....			7689	13.87
CDCGMO	1	EVER USED CIG DAILY AND PAST MONTH CIG USE				
		0 = No (Otherwise).....			44592	80.44
		1 = Yes (CDUFLAG=1 and CIGMON=1).....			10843	19.56
CDNOCGMO	1	EVER USED CIG DAILY AND NO PAST MONTH CIG USE				
		0 = No (Otherwise).....			50603	91.28
		1 = Yes (CDUFLAG =1 and CIGMON=0).....			4832	8.72
CIGALCMO	1	PAST MONTH CIGARETTE/ALCOHOL USE				
		1 = PAST MON USE OF CIG & ALC (CIGMON=1 & ALCMON=1)...			10096	18.21
		2 = PAST MON USE OF CIG & NO ALC (CIGMON=1 & ALCMON=0)			4164	7.51
		3 = PAST MON USE OF ALC & NO CIG (ALCMON=1 & CIGMON=0)			14812	26.72
		4 = NO PAST MON USE OF CIG/ALC (CIGMON=0 & ALCMON=0)..			26363	47.56
"Binge" Alcohol Use, BINGEDRK, is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. For this variable, "occasion" means at the same time or within a couple hours of each other.						
BINGEDRK	1	BINGE ALCOHOL USE PAST 30 DAYS				
		0 = Never/No "Binge" alcohol use (IRALCD5 = 0).....			41078	74.10
		1 = "Binge" alcohol use (IRALCD5 = 1-30).....			14357	25.90
Heavy Alcohol Use, HVYDRK2, is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days. For this variable, "occasion" means at the same time or within a couple hours of each other. All Heavy Alcohol Users are also "Binge" Alcohol Users.						
HVYDRK2	1	HEAVY ALCOHOL USE PAST 30 DAYS				
		0 = Never/No heavy alcohol use (IRALCD5 = 0-4).....			50972	91.95
		1 = Heavy alcohol use (IRALCD5 = 5-30).....			4463	8.05

RECODED DRUG USE			PAGE:	149
LABEL	LEN	DESCRIPTION	FREQ	%

		The following variable, BINGEHVY, was created by examination of BINGEDRK, HVYDRK2, and ALCMON. To be considered a past month "binge" or heavy alcohol user, a respondent must have used alcohol in the past month. Further, to be a past month heavy alcohol drinker, a respondent must also be a past month "binge" alcohol user.		-
BINGEHVY	1	LEVEL OF ALCOHOL USE PAST MONTH		
		1 = Heavy Alcohol Use (HVYDRK2=1).....	4463	8.05
		2 = "Binge" But Not Heavy Use (BINGEDRK=1 & HVYDRK2=0)	9894	17.85
		3 = Past Month But Not "Binge" (ALCMON=1 & BINGEDRK=0)	10551	19.03
		4 = Did Not Use Alcohol in Pst Month (All source=0)...	30527	55.07
NILALMON	1	NO ILLICIT DRUG OR ALCOHOL USE IN THE PAST 30 DAYS		
		0 = Alc or Drg Use (Otherwise).....	26412	47.64
		1 = No Alc or Drg Use (ALCMON=0 & SUMMON=0).....	29023	52.36
PEYOTE2	1	EVER USED PEYOTE		
		0 = No/Unknown (PEYOTE=2,91,94,97).....	54579	98.46
		1 = Yes (PEYOTE=1,3).....	856	1.54
MESC2	1	EVER USED MESCALINE		
		0 = No/Unknown (MESC=2,91,94,97).....	54394	98.12
		1 = Yes (MESC=1).....	1041	1.88
PSILCY2	1	EVER USED PSILOCYBIN (MUSHROOMS)		
		0 = No/Unknown (PSILCY=2,91,94,97).....	51107	92.19
		1 = Yes (PSILCY=1,3).....	4328	7.81
AMYLNIT2	1	EVER INHALED AMYL NITRITE, "POPPERS," RUSH, ETC.		
		0 = No/Unknown (AMYLNIT=2,85,91,94,97).....	53970	97.36
		1 = Yes (AMYLNIT=1,3).....	1465	2.64
CLEFLU2	1	EVER INHALED CORRECTION FLUID, DEGREASER, ETC.		
		0 = No/Unknown (CLEFLU=2,85,91,94,97).....	54678	98.63
		1 = Yes (CLEFLU=1,3).....	757	1.37
GAS2	1	EVER INHALED GASOLINE OR LIGHTER FLUID		
		0 = No/Unknown (GAS=2,85,91,94,97).....	54096	97.58
		1 = Yes (GAS=1,3).....	1339	2.42
GLUE2	1	EVER INHALED GLUE, SHOE POLISH, OR TOLUENE		
		0 = No/Unknown (GLUE=2,85,91,94,97).....	54086	97.57
		1 = Yes (GLUE=1,3).....	1349	2.43
ETHER2	1	EVER INHALED HALOTHANE, ETHER, OR OTHER ANESTHETIC		
		0 = No/Unknown (ETHER=2,85,91,94,97).....	55143	99.47
		1 = Yes (ETHER=1).....	292	0.53
SOLVENT2	1	EVER INHALED LACQUER THINNER, OTHER PAINT SOLVENTS		
		0 = No/Unknown (SOLVENT=2,85,91,94,97).....	54742	98.75
		1 = Yes (SOLVENT=1).....	693	1.25
LGAS2	1	EVER INHALED LIGHTER GASES (BUTANE, PROPANE)		
		0 = No/Unknown (LGAS=2,85,91,94,97).....	55058	99.32
		1 = Yes (LGAS=1,3).....	377	0.68
NITOXID2	1	EVER INHALED NITROUS OXIDE OR "WHIPPETS"		
		0 = No/Unknown (NITOXID=2,85,91,94,97).....	52686	95.04
		1 = Yes (NITOXID=1,3).....	2749	4.96
SPPAINT2	1	EVER INHALED SPRAY PAINTS		
		0 = No/Unknown (SPPAINT=2,85,91,94,97).....	54492	98.30
		1 = Yes (SPPAINT=1).....	943	1.70

LABEL	LEN	DESCRIPTION	RECODED DRUG USE		PAGE:	150
			FREQ	%		
AEROS2	1	EVER INHALED OTHER AEROSOL SPRAYS 0 = No/Unknown (AEROS=2,85,91,94,97)..... 1 = Yes (AEROS=1,3).....	54530	98.37		
			905	1.63		
DARVTYL2	1	EVER USED DARVO CET, DARVON, TYLENOL W/CODEINE 0 = No/Unknown (DARVTYLC=2,81,85,91,94,97,98)..... 1 = Yes (DARVTYLC=1,3).....	50809	91.66		
			4626	8.34		
PERCTYL2	1	EVER USED PERCO CET, PERCODAN, TYLOX 0 = No/Unknown (PERCTY LX=2,81,85,91,94,97,98)..... 1 = Yes (PERCTY LX=1,3).....	52301	94.35		
			3134	5.65		
VICOLOR2	1	EVER USED VICODIN, LORTAB, LORCET 0 = No/Unknown (VICOLOR=2,81,85,91,94,97,98)..... 1 = Yes (VICOLOR=1,3).....	49669	89.60		
			5766	10.40		
CODEINE2	1	EVER USED CODEINE 0 = No/Unknown (CODEINE=6,81,91,94,97,98,99)..... 1 = Yes (CODEINE=1,3).....	53538	96.58		
			1897	3.42		
DEMEROL2	1	EVER USED DEMEROL 0 = No/Unknown (DEMEROL=6,81,91,94,97,98,99)..... 1 = Yes (DEMEROL=1,3).....	54817	98.89		
			618	1.11		
DILAUD2	1	EVER USED DILAUDID 0 = No/Unknown (DILAUD=6,81,91,94,97,98,99)..... 1 = Yes (DILAUD=1,3).....	55207	99.59		
			228	0.41		
FIORICT2	1	EVER USED FIORICET 0 = No/Unknown (FIORICET=6,81,91,94,97,98,99)..... 1 = Yes (FIORICET=1).....	55313	99.78		
			122	0.22		
FIORINL2	1	EVER USED FIORINAL 0 = No/Unknown (FIORINAL=6,81,91,94,97,98,99)..... 1 = Yes (FIORINAL=1).....	55376	99.89		
			59	0.11		
HYDROCD2	1	EVER USED HYDROCODONE 0 = No/Unknown (HYDROCOD=6,81,85,91,94,97,98,99)..... 1 = Yes (HYDROCOD=1,3).....	53054	95.70		
			2381	4.30		
METHDON2	1	EVER USED METHADONE 0 = No/Unknown (METHDON=6,81,91,94,97,98,99)..... 1 = Yes (METHDON=1,3).....	54793	98.84		
			642	1.16		
MORPHIN2	1	EVER USED MORPHINE 0 = No/Unknown (MORPHINE=6,81,91,94,97,98,99)..... 1 = Yes (MORPHINE=1,3).....	54542	98.39		
			893	1.61		
PHENCOD2	1	EVER USED PHENAPHEN WITH CODEINE 0 = No/Unknown (PHENCOD=6,81,91,94,97,98,99)..... 1 = Yes (PHENCOD=1).....	55237	99.64		
			198	0.36		
PROPOXY2	1	EVER USED PROPOXYPHENE 0 = No/Unknown (PROPOXY=6,81,91,94,97,98,99)..... 1 = Yes (PROPOXY=1).....	55324	99.80		
			111	0.20		
SK65A2	1	EVER USED SK65 0 = No/Unknown (SK65A=6,81,91,94,97,98,99)..... 1 = Yes (SK65A=1).....	55405	99.95		
			30	0.05		
STADOL2	1	EVER USED STADOL 0 = No/Unknown (STADOL=6,81,91,94,97,98,99)..... 1 = Yes (STADOL=1,3).....	55390	99.92		
			45	0.08		

LABEL	LEN	DESCRIPTION	RECODED DRUG USE		PAGE:	151
			FREQ	%		
TALACEN2	1	EVER USED TALACEN				-
		0 = No/Unknown (TALACEN=6,81,91,94,97,98,99).....	55418	99.97		
		1 = Yes (TALACEN=1).....	17	0.03		
TALWIN2	1	EVER USED TALWIN				
		0 = No/Unknown (TALWIN=6,81,91,94,97,98,99).....	55374	99.89		
		1 = Yes (TALWIN=1).....	61	0.11		
TALWINX2	1	EVER USED TALWIN NX				
		0 = No/Unknown (TALWINNX=6,81,91,94,97,98,99).....	55404	99.94		
		1 = Yes (TALWINNX=1).....	31	0.06		
TRAMADL2	1	EVER USED TRAMADOL				
		0 = No/Unknown (TRAMADOL=6,81,91,94,97,98,99).....	55167	99.52		
		1 = Yes (TRAMADOL=1,3).....	268	0.48		
ULTRAM2	1	EVER USED ULTRAM				
		0 = No/Unknown (ULTRAM=6,81,91,94,97,98,99).....	55099	99.39		
		1 = Yes (ULTRAM=1,3).....	336	0.61		
OTHANL	1	EVER USED OTHER PAIN RELIEVERS				
		0 = No/Unknown (Otherwise).....	50688	91.44		
		1 = Yes (ANLCARD or ANLNOLST=1,3).....	4747	8.56		
<p>The following variable, PROCODNP, was assigned a positive response if a respondent indicated ever using darvocet, darvon, or tylenol with codeine (DARVTYL2=1), codeine (CODEINE2=1), phenaphen with codeine (PHENCOD2=1), propoxyphene (PROPOXY2=1), SK-65 (SK65A2=1), or other-specify drug responses that are not asked about explicitly in the Pain Relievers module but fall into this category (ANALNEWA, ANALNEWB, ANALNEWC, ANALNEWD, or ANALNEWE in (439,444,4031,4093)).</p>						
PROCODNP	1	PROPOXYPHENE/CODEINE PRODUCTS				
		0 = No/Unknown (Otherwise).....	50275	90.69		
		1 = Yes (See comment above).....	5160	9.31		
<p>The following variable, OXYCODP2, is similar to the variable OXYCODOP which was created in previous NSDUHs. The only difference is the use of the imputed variable OXYFLAG instead of the edited variable OXYCONT2 in determining lifetime use of OxyContin. OXYCODP2 was assigned a positive response if a respondent indicated ever using percocet, percodan or tylox (PERCTYL2=1), OxyContin (OXYFLAG=1), or other-specify drug responses that are not asked about explicitly in the Pain Relievers module but fall into this category (ANALNEWA, ANALNEWB, ANALNEWC, ANALNEWD, or ANALNEWE in (4046,4047,4052,4065,4072,4117)).</p>						
OXYCODP2	1	OXYCODONE PRODUCTS				
		0 = No/Unknown (Otherwise).....	51682	93.23		
		1 = Yes (See comment above).....	3753	6.77		
<p>The following variable, HYDCODOP, was assigned a positive response if a respondent indicated ever using vicodin, lortab, or loracet (VICOLOR2=1) or hydrocodone (HYDROCD2=1).</p>						
HYDCODOP	1	HYDROCODONE PRODUCTS				
		0 = No/Unknown (Otherwise).....	49270	88.88		
		1 = Yes (See comment above).....	6165	11.12		

LABEL	LEN	DESCRIPTION	RECODED DRUG USE	PAGE:	152
				FREQ	%

		The following variable, TRAMADP, was assigned a positive response if a respondent indicated ever using tramadol (TRAMADL2=1), ultram (ULTRAM2=1), or other-specify drug responses that are not asked about explicitly in the Pain Relievers module but fall into this category (ANALNEWA, ANALNEWB, ANALNEWC, ANALNEWD, or ANALNEWE = 4083).			-
TRAMADP	1	TRAMADOL PRODUCTS			
		0 = No/Unknown (otherwise).....	54949	99.12	
		1 = Yes (See comment above).....	486	0.88	
KLONOPI2	1	EVER USED KLONOPI OR CLONAZEPAM			
		0 = No/Unknown (KLONOPIN=2,81,85,91,94,97,98).....	54293	97.94	
		1 = Yes (KLONOPIN=1,3).....	1142	2.06	
XNAXATV2	1	EVER USED XANAX, ALPRAZOLAM, ATIVAN			
		0 = No/Unknown (XNAXATVN=2,81,85,91,94,97,98).....	52521	94.74	
		1 = Yes (XNAXATVN=1,3).....	2914	5.26	
VALMDIA2	1	EVER USED VALIUM OR DIAZEPAM FOR FEELING			
		0 = No/Unknown (VALMDIAZ=2,81,85,91,94,97,98).....	52783	95.22	
		1 = Yes (VALMDIAZ=1,3).....	2652	4.78	
ATARAX2	1	EVER USED ATARAX			
		0 = No/Unknown (ATARAX=6,81,85,91,94,97,98,99).....	55379	99.90	
		1 = Yes (ATARAX=1,3).....	56	0.10	
BUSPAR2	1	EVER USED BUSPAR			
		0 = No/Unknown (BUSPAR=6,81,85,91,94,97,98,99).....	55276	99.71	
		1 = Yes (BUSPAR=1,3).....	159	0.29	
EQUANIL2	1	EVER USED EQUANIL			
		0 = No/Unknown (EQUANIL=6,81,85,91,94,97,98,99).....	55412	99.96	
		1 = Yes (EQUANIL=1).....	23	0.04	
FLEXERIL2	1	EVER USED FLEXERIL			
		0 = No/Unknown (FLEXERIL=6,81,85,91,94,97,98,99).....	54818	98.89	
		1 = Yes (FLEXERIL=1,3).....	617	1.11	
LIBRIUM2	1	EVER USED LIBRIUM			
		0 = No/Unknown (LIBRIUM=6,81,85,91,94,97,98,99).....	55334	99.82	
		1 = Yes (LIBRIUM=1,3).....	101	0.18	
LIMBTRL2	1	EVER USED LIMBITROL			
		0 = No/Unknown (LIMBTROL=6,81,85,91,94,97,98,99).....	55410	99.95	
		1 = Yes (LIMBTROL=1).....	25	0.05	
MEPROB2	1	EVER USED MEPROBAMATE			
		0 = No/Unknown (MEPROB=6,81,85,91,94,97,98,99).....	55402	99.94	
		1 = Yes (MEPROB=1,3).....	33	0.06	
MILTOWN2	1	EVER USED MILTOWN			
		0 = No/Unknown (MILTOWN=6,81,85,91,94,97,98,99).....	55420	99.97	
		1 = Yes (MILTOWN=1).....	15	0.03	
ROHYPNL2	1	EVER USED ROHYPNOL			
		0 = No/Unknown (ROHYPNOL=6,81,85,91,94,97,98,99).....	55349	99.84	
		1 = Yes (ROHYPNOL=1,3).....	86	0.16	
SERAX2	1	EVER USED SERAX			
		0 = No/Unknown (SERAX=6,81,85,91,94,97,98,99).....	55408	99.95	
		1 = Yes (SERAX=1).....	27	0.05	

LABEL	LEN	DESCRIPTION	RECODED DRUG USE		PAGE:	153
			FREQ	%		
SOMA2	1	EVER USED SOMA				-
		0 = No/Unknown (SOMA=6,81,85,91,94,97,98,99).....	54666	98.61		
		1 = Yes (SOMA=1,3).....	769	1.39		
TRANXEN2	1	EVER USED TRANXENE				
		0 = No/Unknown (TRANXENE=6,81,85,91,94,97,98,99).....	55394	99.93		
		1 = Yes (TRANXENE=1).....	41	0.07		
VISTAR2	1	EVER USED VISTARIL				
		0 = No/Unknown (VISTAR=6,81,85,91,94,97,98,99).....	55365	99.87		
		1 = Yes (VISTAR=1,3).....	70	0.13		
OTHTRN	1	EVER USED OTHER TRANQUILIZERS				
		0 = No/Unknown (Otherwise).....	53856	97.15		
		1 = Yes (TRNCARD or TRNOLST=1,3).....	1579	2.85		
<p>The following variable, BENZOS, was assigned a positive response if a respondent indicated ever using klonopin or clonazepam (KLONOP12=1), xanax, alprazolam, or lorazepam (XNAXATV2=1), ativan, valium or diazepam (VALMDIA2=1), librium (LIBRIUM2=1), limbitrol (LIMBTRL2=1), rohypnol (ROHYPNL2=1), serax (SERAX2=1), or tranaxene (TRANXEN2=1).</p>						
BENZOS	1	BENZODIAZEPINES PRODUCTS				
		0 = No/Unknown (Otherwise).....	51173	92.31		
		1 = Yes (See comment above).....	4262	7.69		
<p>The following variable, MEPROBD, was assigned a positive response if a respondent indicated ever using equanil (EQUANIL2=1), meprobamate (MEPROB2=1), or miltown (MILTOWN2=1).</p>						
MEPROBPD	1	MEPROBAMATE PRODUCTS				
		0 = No/Unknown (Otherwise).....	55372	99.89		
		1 = Yes (See comment above).....	63	0.11		
<p>The following variable, MUSCRELX, was assigned a positive response if a respondent indicated ever using flexeril (FLEXERL2=1), soma (SOMA2=1), and other-specify drug responses that are not asked about explicitly in the Tranquilizers module but fall into this category (TRNEWA, TRNEWB, TRNEWC, TRNEWD, TRNEWE in (223,290)).</p>						
MUSCRELX	1	MUSCLE RELAXANTS				
		0 = No/Unknown (Otherwise).....	54301	97.95		
		1 = Yes (See comment above).....	1134	2.05		
METHDES2	1	EVER USED METHAMPHETAMINE, DESOXYN, OR METHEDRINE				
		0 = No/Unknown (METHDES=2,81,85,91,94,97,98).....	53370	96.27		
		1 = Yes (METHDES=1,3).....	2065	3.73		
DIETPIL2	1	EVER USED DIET PILLS FOR FEELING CAUSED				
		0 = No/Unknown (DIETPILS=2,81,85,91,94,97,98).....	54205	97.78		
		1 = Yes (DIETPILS=1,3).....	1230	2.22		
RITMPHE2	1	EVER USED RITALIN FOR FEELING CAUSED				
		0 = No/Unknown (RITMPHEN=2,81,85,91,94,97,98).....	53840	97.12		
		1 = Yes (RITMPHEN=1,3).....	1595	2.88		
CYLERT2	1	EVER USED CYLERT				
		0 = No/Unknown (CYLERT=6,81,91,94,97,98,99).....	55389	99.92		
		1 = Yes (CYLERT=1).....	46	0.08		

LABEL	LEN	DESCRIPTION	RECODED DRUG USE		PAGE:	154
			FREQ	%		
DEXED2	1	EVER USED DEXEDRINE				
		0 = No/Unknown (DEXED=6,81,91,94,97,98,99).....	55109	99.41		
		1 = Yes (DEXED=1,3).....	326	0.59		
DETAMP2	1	EVER USED DEXTROAMPHETAMINE				
		0 = No/Unknown (DETAMP=6,81,91,94,97,98,99).....	55295	99.75		
		1 = Yes (DETAMP=1,3).....	140	0.25		
DIDREX2	1	EVER USED DIDREX				
		0 = No/Unknown (DIDREX=6,81,91,94,97,98,99).....	55399	99.94		
		1 = Yes (DIDREX=1).....	36	0.06		
ESKAT2	1	EVER USED ESKATROL				
		0 = No/Unknown (ESKAT=6,81,91,94,97,98,99).....	55407	99.95		
		1 = Yes (ESKAT=1,3).....	28	0.05		
IONAMIN2	1	EVER USED IONAMIN				
		0 = No/Unknown (IONAMIN=6,81,91,94,97,98,99).....	55396	99.93		
		1 = Yes (IONAMIN=1).....	39	0.07		
MAZANOR2	1	EVER USED MAZANOR				
		0 = No/Unknown (MAZANOR=6,81,91,94,97,98,99).....	55417	99.97		
		1 = Yes (MAZANOR=1).....	18	0.03		
OBLA2	1	EVER USED OBEDRIN-LA				
		0 = No/Unknown (OBLA=6,81,91,94,97,98,99).....	55430	99.99		
		1 = Yes (OBLA=1).....	5	0.01		
PLEGINE2	1	EVER USED PLEGINE				
		0 = No/Unknown (PLEGINE=6,81,91,94,97,98,99).....	55417	99.97		
		1 = Yes (PLEGINE=1).....	18	0.03		
PRELUDN2	1	EVER USED PRELUDIN				
		0 = No/Unknown (PRELUDIN=6,81,91,94,97,98,99).....	55389	99.92		
		1 = Yes (PRELUDIN=1,3).....	46	0.08		
SANOREX2	1	EVER USED SANOREX				
		0 = No/Unknown (SANOREX=6,81,91,94,97,98,99).....	55398	99.93		
		1 = Yes (SANOREX=1,3).....	37	0.07		
TENUATE2	1	EVER USED TENUATE				
		0 = No/Unknown (TENUATE=6,81,91,94,97,98,99).....	55416	99.97		
		1 = Yes (TENUATE=1).....	19	0.03		
OTHSTM	1	EVER USED OTHER STIMULANTS				
		0 = No/Unknown (Otherwise).....	54278	97.91		
		1 = Yes (STMCARD or STMNOLST=1,3).....	1157	2.09		
<p>The following variable, AMDXPHEN, was assigned a positive response if a respondent indicated ever using prescription diet pills (DIETPIL2=1), dexedrine (DEXED2=1), dextroamphetamine (DETAMP2=1), ionamin (IONAMIN2=1), or other-specify drug responses that are not asked about explicitly in the Stimulants module but fall into this category (STIMNEWA, STIMNEWB, STIMNEWC, STIMNEWD, or STIMNEWE in (302,3015,3023,3069,3086)).</p>						
AMDXPHEN	1	AMPHETAMINE, DEXTROAMPHETAMINE, & PHENTERMINE PROD				
		0 = No/Unknown (Otherwise).....	53666	96.81		
		1 = Yes (See comment above).....	1769	3.19		
MAZINDOL	1	MAZINDOL PRODUCTS				
		0 = No/Unknown (Otherwise).....	55385	99.91		
		1 = Yes (MAZANOR2=1 OR SANOREX2=1).....	50	0.09		

LABEL	LEN	DESCRIPTION	RECODED DRUG USE	PAGE:	155
				FREQ	%

			The following variable, METHDEXM, was assigned a positive response if a respondent indicated ever using ritalin (RITMPHE2=1) or other-specify drug responses that are not asked about explicitly in the Stimulants module but fall into this category (STIMNEWA, STIMNEWB, STIMNEWC, STIMNEWD, or STIMNEWE in (3077,3094)).		-
METHDEXM	1	METHYLPHENIDATE/DEXMETHYLPHENIDATE PRODUCTS			
		0 = No/Unknown (Otherwise).....	53833	97.11	
		1 = Yes (See comment above).....	1602	2.89	
METHAQ2	1	EVER USED METHAQUALONE, SOPOR, QUALLUDE			
		0 = No/Unknown (METHAQ=2,81,85,91,94,97,98).....	54776	98.81	
		1 = Yes (METHAQ=1).....	659	1.19	
NEMBBAR2	1	EVER USED BARBITURATES FOR FEELING			
		0 = No/Unknown (NEMBBARB=2,81,85,91,94,97,98).....	55147	99.48	
		1 = Yes (NEMBBARB=1).....	288	0.52	
RESTTMA2	1	EVER USED RESTORIL OR TEMAZEPAM			
		0 = No/Unknown (RESTTMAZ=2,81,85,91,94,97,98).....	55229	99.63	
		1 = Yes (RESTTMAZ=1,3).....	206	0.37	
AMYTAL2	1	EVER USED AMYTAL			
		0 = No/Unknown (AMYTAL=6,81,91,94,97,98,99).....	55400	99.94	
		1 = Yes (AMYTAL=1).....	35	0.06	
BUTISOL2	1	EVER USED BUTISOL			
		0 = No/Unknown (BUTISOL=6,81,91,94,97,98,99).....	55411	99.96	
		1 = Yes (BUTISOL=1).....	24	0.04	
CHHYD2	1	EVER USED CHLORAL HYDRATE			
		0 = No/Unknown (CHHYD=6,81,91,94,97,98,99).....	55414	99.96	
		1 = Yes (CHHYD=1).....	21	0.04	
DALMANE2	1	EVER USED DALMANE			
		0 = No/Unknown (DALMANE=6,81,91,94,97,98,99).....	55387	99.91	
		1 = Yes (DALMANE=1,3).....	48	0.09	
HALCION2	1	EVER USED HALCION			
		0 = No/Unknown (HALCION=6,81,91,94,97,98,99).....	55371	99.88	
		1 = Yes (HALCION=1).....	64	0.12	
PHENOBR2	1	EVER USED PHENOBARBITAL			
		0 = No/Unknown (PHENOBAR=6,81,91,94,97,98,99).....	55305	99.77	
		1 = Yes (PHENOBAR=1,3).....	130	0.23	
PLACIDY2	1	EVER USED PLACIDYL			
		0 = No/Unknown (PLACIDYL=6,81,91,94,97,98,99).....	55371	99.88	
		1 = Yes (PLACIDYL=1).....	64	0.12	
TUINAL2	1	EVER USED TUINAL			
		0 = No/Unknown (TUINAL=6,81,91,94,97,98,99).....	55372	99.89	
		1 = Yes (TUINAL=1).....	63	0.11	
OTHSED	1	EVER USED OTHER SEDATIVES			
		0 = No/Unknown (Otherwise).....	54852	98.95	
		1 = Yes (SEDCARD or SEDNOLST=1,3).....	583	1.05	
RTDALHAL	1	RESTORIL/TEMAZEPAM/DALMANE/HALCION			
		0 = No/Unknown (Otherwise).....	55151	99.49	
		1 = Yes (RESTTMA2=1 OR DALMANE2=1 OR HALCION2=1).....	284	0.51	

RECODED DRUG USE			PAGE:	156
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
<p>The following variable, ANYBARB, was assigned a positive response if a respondent indicated ever using barbiturates (NEMBBAR2=1), amytal (AMYTAL2=1), butisol (BUTISOL2=1), phenobarbital (PHENOB2=1), or tuinal (TUINAL2=1) or other-specify drug responses that are not asked about explicitly in the Sedatives module but fall into this category (SEDNEWA, SEDNEWB, SEDNEWC, SEDNEWD, or SEDNEWE=153).</p>				
ANYBARB	1	ANY BARBITURATES		
		0 = No/Unknown (Otherwise).....	55040	99.29
		1 = Yes (See comment above).....	395	0.71
CIGAFU	1	CIGARETTE AGE OF FIRST USE - CATEGORIZED RECODE		
		1 = 14 Years or Younger (IRCIGAGE=1-14).....	13876	25.03
		2 = 15-17 Years Old (IRCIGAGE=15-17).....	10384	18.73
		3 = 18 Years or Older (IRCIGAGE=18+).....	6170	11.13
		4 = Non Users (IRCIGAGE=991).....	25005	45.11
DCIGAFU	1	DAILY CIG AGE OF FIRST USE - CATEGORIZED RECODE		
		1 = 14 Years or Younger (IRCDUAGE=1-14).....	3121	5.63
		2 = 15-17 Years Old (IRCDUAGE=15-17).....	6207	11.20
		3 = 18 Years or Older (IRCDUAGE=18+).....	6347	11.45
		4 = Non Users or Non Daily Users (IRCDUAGE=991,993)....	39760	71.72
ALCAFU	1	ALCOHOL AGE OF FIRST USE - CATEGORIZED RECODE		
		1 = 14 Years or Younger (IRALCAGE=1-14).....	12963	23.38
		2 = 15-17 Years Old (IRALCAGE=15-17).....	15762	28.43
		3 = 18 Years or Older (IRALCAGE=18+).....	11502	20.75
		4 = Non Users (IRALCAGE=991).....	15208	27.43
ALCAFU2	1	ALCOHOL AGE OF FIRST USE - CATEGORIZED RECODE 2		
		1 = 13 Years or Younger (IRALCAGE=1-13).....	8625	15.56
		2 = 14-17 Years Old (IRALCAGE=14-17).....	20100	36.26
		3 = 18-20 Years Old (IRALCAGE=18-20).....	7619	13.74
		4 = 21 Years or Older (IRALCAGE=21+).....	3883	7.00
		5 = Non Users (IRALCAGE=991).....	15208	27.43
ALCAFU3	1	ALCOHOL AGE OF FIRST USE - CATEGORIZED RECODE 3		
		1 = 14 Years or Younger (IRALCAGE=1-14).....	12963	23.38
		2 = 15-17 Years Old (IRALCAGE=15-17).....	15762	28.43
		3 = 18-20 Years Old (IRALCAGE=18-20).....	7619	13.74
		4 = 21 Years or Older (IRALCAGE=21+).....	3883	7.00
		5 = Non Users (IRALCAGE=991).....	15208	27.43
MJAFU	1	MARIJUANA AGE OF FIRST USE - CATEGORIZED RECODE		
		1 = 14 Years or Younger (IRMJAGE=1-14).....	6426	11.59
		2 = 15-17 Years Old (IRMJAGE=15-17).....	9074	16.37
		3 = 18 Years or Older (IRMJAGE=18+).....	6227	11.23
		4 = Non Users (IRMJAGE=991).....	33708	60.81
ALCYDAYS	1	# OF DAYS USED ALCOHOL IN PAST YEAR		
		1 = 1-11 Days (IRALCFY=1-11).....	8733	15.75
		2 = 12-49 Days (IRALCFY=12-49).....	9055	16.33
		3 = 50-99 Days (IRALCFY=50-99).....	5484	9.89
		4 = 100-299 Days (IRALCFY=100-299).....	9375	16.91
		5 = 300-365 Days (IRALCFY=300-365).....	1309	2.36
		6 = Non User or No Past Year Use (IRALCFY=991,993)....	21479	38.75

RECODED DRUG USE			PAGE:	157
LABEL	LEN	DESCRIPTION	FREQ	%
MRJYDAYS	1	# OF DAYS USED MARIJUANA IN PAST YEAR		-
		1 = 1-11 Days (IRMJFY=1-11).....	3012	5.43
		2 = 12-49 Days (IRMJFY=12-49).....	1765	3.18
		3 = 50-99 Days (IRMJFY=50-99).....	946	1.71
		4 = 100-299 Days (IRMJFY=100-299).....	2133	3.85
		5 = 300-365 Days (IRMJFY=300-365).....	1279	2.31
		6 = Non User or No Past Year Use (IRMJFY=991,993)....	46300	83.52
COCYDAYS	1	# OF DAYS USED COCAINE IN PAST YEAR		
		1 = 1-11 Days (IRCOCFY=1-11).....	1002	1.81
		2 = 12-49 Days (IRCOCFY=12-49).....	451	0.81
		3 = 50-99 Days (IRCOCFY=50-99).....	171	0.31
		4 = 100-299 Days (IRCOCFY=100-299).....	193	0.35
		5 = 300-365 Days (IRCOCFY=300-365).....	34	0.06
		6 = Non User or No Past Year Use (IRCOCFY=991,993)....	53584	96.66
HALYDAYS	1	# OF DAYS USED HALLUCINOGENS IN PAST YEAR		
		1 = 1-11 Days (IRHALFY=1-11).....	1282	2.31
		2 = 12-49 Days (IRHALFY=12-49).....	305	0.55
		3 = 50-99 Days (IRHALFY=50-99).....	124	0.22
		4 = 100-299 Days (IRHALFY=100-299).....	81	0.15
		5 = 300-365 Days (IRHALFY=300-365).....	9	0.02
		6 = Non User or No Past Year Use (IRHALFY=991,993)....	53634	96.75
INHYDAYS	1	# OF DAYS USED INHALANTS IN PAST YEAR		
		1 = 1-11 Days (IRINHFY=1-11).....	694	1.25
		2 = 12-49 Days (IRINHFY=12-49).....	221	0.40
		3 = 50-99 Days (IRINHFY=50-99).....	100	0.18
		4 = 100-299 Days (IRINHFY=100-299).....	80	0.14
		5 = 300-365 Days (IRINHFY=300-365).....	9	0.02
		6 = Non User or No Past Year Use (IRINHFY=991,993)....	54331	98.01
STMYDAYS	1	# OF DAYS USED STIMULANTS IN PAST YEAR		
		1 = 1-11 Days (IRSTMFY=1-11).....	514	0.93
		2 = 12-49 Days (IRSTMFY=12-49).....	255	0.46
		3 = 50-99 Days (IRSTMFY=50-99).....	110	0.20
		4 = 100-299 Days (IRSTMFY=100-299).....	169	0.30
		5 = 300-365 Days (IRSTMFY=300-365).....	32	0.06
		6 = Non User or No Past Year Use (IRSTMFY=991,993)....	54355	98.05
CIGMDAYS	1	# OF DAYS USED CIG IN PAST MONTH		
		1 = 1-2 Days (IRCIGFM=1-2).....	1699	3.06
		2 = 3-5 Days (IRCIGFM=3-5).....	1352	2.44
		3 = 6-19 Days (IRCIGFM=6-19).....	1833	3.31
		4 = 20-29 Days (IRCIGFM=20-29).....	1687	3.04
		5 = 30 Days (IRCIGFM=30).....	7689	13.87
		6 = Non User or No Past Month Use (IRCIGFM=91,93)....	41175	74.28
ALCMDAYS	1	# OF DAYS USED ALCOHOL IN PAST MONTH		
		1 = 1-2 Days (IRALCFM=1-2).....	7557	13.63
		2 = 3-5 Days (IRALCFM=3-5).....	6950	12.54
		3 = 6-19 Days (IRALCFM=6-19).....	7518	13.56
		4 = 20-30 Days (IRALCFM=20-30).....	2883	5.20
		5 = Non User or No Past Month Use (IRALCFM=91,93)....	30527	55.07
MRJMDAYS	1	# OF DAYS USED MARIJUANA PAST MONTH		
		1 = 1-2 Days (IRMJFM=1-2).....	1359	2.45
		2 = 3-5 Days (IRMJFM=3-5).....	879	1.59
		3 = 6-19 Days (IRMJFM=6-19).....	1121	2.02
		4 = 20-30 Days (IRMJFM=20-30).....	1913	3.45
		5 = Non User or No Past Month Use (IRMJFM=91,93)....	50163	90.49

RECODED DRUG USE			PAGE:	158
LABEL	LEN	DESCRIPTION	FREQ	%
COCMDAYS	1	# OF DAYS USED COCAINE IN PAST MONTH		-
		1 = 1-2 Days (IRCOCFM=1-2).....	313	0.56
		2 = 3-5 Days (IRCOCFM=3-5).....	139	0.25
		3 = 6-19 Days (IRCOCFM=6-19).....	97	0.17
		4 = 20-30 Days (IRCOCFM=20-30).....	43	0.08
		5 = Non User or No Past Month Use (IRCOCFM=91,93).....	54843	98.93
HALMDAYS	1	# OF DAYS USED HALLUCINOGENS IN PAST MONTH		
		1 = 1-2 Days (IRHALFM=1-2).....	342	0.62
		2 = 3-5 Days (IRHALFM=3-5).....	85	0.15
		3 = 6-19 Days (IRHALFM=6-19).....	38	0.07
		4 = 20-30 Days (IRHALFM=20-30).....	15	0.03
		5 = Non User or No Past Month Use (IRHALFM=91,93).....	54955	99.13
INHMDAYS	1	# OF DAYS USED INHALANTS IN PAST MONTH		
		1 = 1-2 Days (IRINHFM=1-2).....	187	0.34
		2 = 3-5 Days (IRINHFM=3-5).....	67	0.12
		3 = 6-19 Days (IRINHFM=6-19).....	39	0.07
		4 = 20-30 Days (IRINHFM=20-30).....	18	0.03
		5 = Non User or No Past Month Use (IRINHFM=91,93).....	55124	99.44
CIGPDAY	1	# OF CIGARETTES SMOKED PER DAY AMONG DAILY SMOKERS		
		1 = Fewer Than 6 (CIG30AV=1,2,3 AND IRCIGFM=30).....	1541	2.78
		2 = 6-15 (CIG30AV=4 AND IRCIGFM=30).....	2942	5.31
		3 = 16-25 (CIG30AV=5 AND IRCIGFM=30).....	2442	4.41
		4 = 26 or More (CIG30AV=6,7 AND IRCIGFM=30).....	752	1.36
		5 = Not Reported (CIG30AV=94,97,98 AND IRCIGFM=30)....	12	0.02
		6 = No Daily Use(CIG30AV=91,93 OR IRCIGFM=1-29,91,93). .	47746	86.13
The following variable, CIGAVGD, was defined as the midpoint of the range the respondent reported as the average number of cigarettes smoked per day on the days cigarettes were smoked in the past month (CIG30AV).				
CIGAVGD	4	AVG NUMBER OF CIGARETTES SMOKED PER DAY		
		. = Not Used/Unknown (CIG30AV=91,93,94,97,98).....	41219	74.36
		0.5 = Less than 1 cigarette (CIG30AV=1).....	1482	2.67
		1 = 1 cigarette (CIG30AV=2).....	1652	2.98
		3.5 = 2 to 5 cigarettes (CIG30AV=3).....	3824	6.90
		10.5 = 6 to 15 cigarettes (CIG30AV=4).....	3713	6.70
		20.5 = 16 to 25 cigarettes (CIG30AV=5).....	2687	4.85
		30.5 = 26 to 35 cigarettes (CIG30AV=6).....	602	1.09
		50 = More than 35 cigarettes (CIG30AV=7).....	256	0.46
The following variable, CIGAVGM, was defined as the product of the number of days a user smoked cigarettes in the past month (IRCIGFM) and the average number of cigarettes smoked per day on the days cigarettes were smoked in the past month (CIGAVGD).				
CIGAVGM	6	NUMBER OF CIGARETTES SMOKED PER USER IN PAST MONTH		
		RANGE = 0.5 - 1500	14216	25.64
		. = Not Used/Unknown (CIGAVGD=. or IRCIGFM=91,93).....	41219	74.36

RECODED DRUG USE			PAGE:	159
LABEL	LEN	DESCRIPTION	FREQ	%

		The following variable, ALCAVGM, was defined as the product of the number of days a user consumed alcohol in the past month (IRALCFM) and the average number of drinks consumed per day on the days alcohol was used in the past month (NODR30A). A value of missing was assigned whenever a respondent said that they had not used alcohol in the past month or the average number of drinks consumed per day on the days alcohol was used in the past month was unknown (NODR30A=975,985,991,993, 994,997,998 or IRALCFM=91,93).		-
ALCAVGM	4	NUMBER OF ALC BEVS DRANK PER USER IN PAST MONTH		
		RANGE = 1 - 1800	23269	41.98
		. = Not Used/Unknown (See comment above).....	32166	58.02
FUCIG18	1	FIRST USED CIGARETTES PRIOR TO AGE 18		
		1 = Yes (IRCIGAGE < 18).....	24260	43.76
		2 = No (IRCIGAGE >= 18).....	31175	56.24
FUCIG21	1	FIRST USED CIGARETTES PRIOR TO AGE 21		
		1 = Yes (IRCIGAGE < 21).....	28795	51.94
		2 = No (IRCIGAGE >= 21).....	26640	48.06
FUCD218	1	FIRST USED DAILY CIG PRIOR TO AGE 18		
		1 = Yes (IRCDUAGE < 18).....	9328	16.83
		2 = No (IRCDUAGE >= 18).....	46107	83.17
FUCD221	1	FIRST USED DAILY CIG PRIOR TO AGE 21		
		1 = Yes (IRCDUAGE < 21).....	13754	24.81
		2 = No (IRCDUAGE >= 21).....	41681	75.19
FUCGR18	1	FIRST USED CIGARS PRIOR TO AGE 18		
		1 = Yes (IRCGRAGE < 18).....	8567	15.45
		2 = No (IRCGRAGE >= 18).....	46868	84.55
FUCGR21	1	FIRST USED CIGARS PRIOR TO AGE 21		
		1 = Yes (IRCGRAGE < 21).....	13609	24.55
		2 = No (IRCGRAGE >= 21).....	41826	75.45
FUSLT18	1	FIRST USED SMOKELESS TOBACCO PRIOR TO AGE 18		
		1 = Yes (IRSLTAGE < 18).....	6697	12.08
		2 = No (IRSLTAGE >= 18).....	48738	87.92
FUSLT21	1	FIRST USED SMOKELESS TOBACCO PRIOR TO AGE 21		
		1 = Yes (IRSLTAGE < 21).....	8528	15.38
		2 = No (IRSLTAGE >= 21).....	46907	84.62
FUALC18	1	FIRST USED ALCOHOL PRIOR TO AGE 18		
		1 = Yes (IRALCAGE < 18).....	28725	51.82
		2 = No (IRALCAGE >= 18).....	26710	48.18
FUALC21	1	FIRST USED ALCOHOL PRIOR TO AGE 21		
		1 = Yes (IRALCAGE < 21).....	36344	65.56
		2 = No (IRALCAGE >= 21).....	19091	34.44
FUMJ18	1	FIRST USED MARIJUANA PRIOR TO AGE 18		
		1 = Yes (IRMJAGE < 18).....	15500	27.96
		2 = No (IRMJAGE >= 18).....	39935	72.04
FUMJ21	1	FIRST USED MARIJUANA PRIOR TO AGE 21		
		1 = Yes (IRMJAGE < 21).....	19728	35.59
		2 = No (IRMJAGE >= 21).....	35707	64.41

RECODED DRUG USE			PAGE:	160
LABEL	LEN	DESCRIPTION	FREQ	%
FUCOC18	1	FIRST USED COCAINE PRIOR TO AGE 18		-
		1 = Yes (IRCOGAGE < 18).....	2264	4.08
		2 = No (IRCOGAGE >= 18).....	53171	95.92
FUCOC21	1	FIRST USED COCAINE PRIOR TO AGE 21		
		1 = Yes (IRCOGAGE < 21).....	4549	8.21
		2 = No (IRCOGAGE >= 21).....	50886	91.79
FUCRK18	1	FIRST USED CRACK PRIOR TO AGE 18		
		1 = Yes (IRCRKAGE < 18).....	430	0.78
		2 = No (IRCRKAGE >= 18).....	55005	99.22
FUCRK21	1	FIRST USED CRACK PRIOR TO AGE 21		
		1 = Yes (IRCRKAGE < 21).....	885	1.60
		2 = No (IRCRKAGE >= 21).....	54550	98.40
FUHER18	1	FIRST USED HEROIN PRIOR TO AGE 18		
		1 = Yes (IRHERAGE < 18).....	222	0.40
		2 = No (IRHERAGE >= 18).....	55213	99.60
FUHER21	1	FIRST USED HEROIN PRIOR TO AGE 21		
		1 = Yes (IRHERAGE < 21).....	447	0.81
		2 = No (IRHERAGE >= 21).....	54988	99.19
FUHAL18	1	FIRST USED HALLUCINOGENS PRIOR TO AGE 18		
		1 = Yes (IRHALAGE < 18).....	4010	7.23
		2 = No (IRHALAGE >= 18).....	51425	92.77
FUHAL21	1	FIRST USED HALLUCINOGENS PRIOR TO AGE 21		
		1 = Yes (IRHALAGE < 21).....	6328	11.42
		2 = No (IRHALAGE >= 21).....	49107	88.58
FULSD18	1	FIRST USED LSD PRIOR TO AGE 18		
		1 = Yes (IRLSDAGE < 18).....	2151	3.88
		2 = No (IRLSDAGE >= 18).....	53284	96.12
FULSD21	1	FIRST USED LSD PRIOR TO AGE 21		
		1 = Yes (IRLSDAGE < 21).....	3402	6.14
		2 = No (IRLSDAGE >= 21).....	52033	93.86
FUPCP18	1	FIRST USED PCP PRIOR TO AGE 18		
		1 = Yes (IRPCPAGE < 18).....	568	1.02
		2 = No (IRPCPAGE >= 18).....	54867	98.98
FUPCP21	1	FIRST USED PCP PRIOR TO AGE 21		
		1 = Yes (IRPCPAGE < 21).....	855	1.54
		2 = No (IRPCPAGE >= 21).....	54580	98.46
FUECS18	1	FIRST USED ECSTASY PRIOR TO AGE 18		
		1 = Yes (IRECSAGE < 18).....	1395	2.52
		2 = No (IRECSAGE >= 18).....	54040	97.48
FUECS21	1	FIRST USED ECSTASY PRIOR TO AGE 21		
		1 = Yes (IRECSAGE < 21).....	2744	4.95
		2 = No (IRECSAGE >= 21).....	52691	95.05
FUINH18	1	FIRST USED INHALANTS PRIOR TO AGE 18		
		1 = Yes (IRINHAGE < 18).....	4444	8.02
		2 = No (IRINHAGE >= 18).....	50991	91.98
FUINH21	1	FIRST USED INHALANTS PRIOR TO AGE 21		
		1 = Yes (IRINHAGE < 21).....	5416	9.77
		2 = No (IRINHAGE >= 21).....	50019	90.23

RECODED DRUG USE			PAGE:	161
LABEL	LEN	DESCRIPTION	FREQ	%
FUANL18	1	FIRST USED PAIN RELIEVERS PRIOR TO AGE 18		-
		1 = Yes (IRANLAGE < 18).....	4703	8.48
		2 = No (IRANLAGE >= 18).....	50732	91.52
FUANL21	1	FIRST USED PAIN RELIEVERS PRIOR TO AGE 21		
		1 = Yes (IRANLAGE < 21).....	6901	12.45
		2 = No (IRANLAGE >= 21).....	48534	87.55
FUOXY18	1	FIRST USED OXYCONTIN PRIOR TO AGE 18		
		1 = Yes (IROXYAGE < 18).....	739	1.33
		2 = No (IROXYAGE >= 18).....	54696	98.67
FUOXY21	1	FIRST USED OXYCONTIN PRIOR TO AGE 21		
		1 = Yes (IROXYAGE < 21).....	1201	2.17
		2 = No (IROXYAGE >= 21).....	54234	97.83
FUTRN18	1	FIRST USED TRANQUILIZERS PRIOR TO AGE 18		
		1 = Yes (IRTRNAGE < 18).....	2016	3.64
		2 = No (IRTRNAGE >= 18).....	53419	96.36
FUTRN21	1	FIRST USED TRANQUILIZERS PRIOR TO AGE 21		
		1 = Yes (IRTRNAGE < 21).....	3200	5.77
		2 = No (IRTRNAGE >= 21).....	52235	94.23
FUSTM18	1	FIRST USED STIMULANTS PRIOR TO AGE 18		
		1 = Yes (IRSTMAGE < 18).....	2182	3.94
		2 = No (IRSTMAGE >= 18).....	53253	96.06
FUSTM21	1	FIRST USED STIMULANTS PRIOR TO AGE 21		
		1 = Yes (IRSTMAGE < 21).....	3314	5.98
		2 = No (IRSTMAGE >= 21).....	52121	94.02
FUMTH18	1	FIRST USED METHAMPHETAMINE PRIOR TO AGE 18		
		1 = Yes (IRMTHAGE < 18).....	992	1.79
		2 = No (IRMTHAGE >= 18).....	54443	98.21
FUMTH21	1	FIRST USED METHAMPHETAMINE PRIOR TO AGE 21		
		1 = Yes (IRMTHAGE < 21).....	1576	2.84
		2 = No (IRMTHAGE >= 21).....	53859	97.16
FUSED18	1	FIRST USED SEDATIVES PRIOR TO AGE 18		
		1 = Yes (IRSEDAge < 18).....	575	1.04
		2 = No (IRSEDAge >= 18).....	54860	98.96
FUSED21	1	FIRST USED SEDATIVES PRIOR TO AGE 21		
		1 = Yes (IRSEDAge < 21).....	895	1.61
		2 = No (IRSEDAge >= 21).....	54540	98.39
FUPSY18	1	FIRST USED PSYCHOTHERAPEUTICS PRIOR TO AGE 18		
		1 = Yes (PSYAGE2 < 18).....	6272	11.31
		2 = No (PSYAGE2 >= 18).....	49163	88.69
FUPSY21	1	FIRST USED PSYCHOTHERAPEUTICS PRIOR TO AGE 21		
		1 = Yes (PSYAGE2 < 21).....	9098	16.41
		2 = No (PSYAGE2 >= 21).....	46337	83.59
FUSUM18	1	FIRST USED ILLICIT DRUGS PRIOR TO AGE 18		
		1 = Yes (SUMAGE < 18).....	18730	33.79
		2 = No (SUMAGE >= 18).....	36705	66.21
FUSUM21	1	FIRST USED ILLICIT DRUGS PRIOR TO AGE 21		
		1 = Yes (SUMAGE < 21).....	23165	41.79
		2 = No (SUMAGE >= 21).....	32270	58.21

LABEL	LEN	DESCRIPTION	RECODED DRUG USE		PAGE:	162
			FREQ	%		
FUIEM18	1	FIRST USED ILL DRG OTH THAN MJ PRIOR TO AGE 18		-		
		1 = Yes (IEMAGE < 18).....	10504	18.95		
		2 = No (IEMAGE >= 18).....	44931	81.05		
FUIEM21	1	FIRST USED ILL DRG OTH THAN MJ PRIOR TO AGE 21				
		1 = Yes (IEMAGE < 21).....	14139	25.51		
		2 = No (IEMAGE >= 21).....	41296	74.49		

SELECTED UNEDITED VARIABLES			PAGE:	163
LABEL	LEN	DESCRIPTION	FREQ	%
(CG05) SELECTED UNEDITED VARIABLES				

		Now think about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, have you smoked part or all of a cigarette?		
CG05	2	HAVE YOU SMOKED CIG IN PAST 30 DAYS		
		1 = Yes.....	14249	25.70
		2 = No.....	16171	29.17
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	25005	45.11
(CG06)		How long has it been since you last smoked part or all of a cigarette?		
CG06	2	TIME SINCE LAST SMOKE A CIG (IF NOT PAST MO)		
		1 = More than 30 days ago but within the past 12 mos..	3220	5.81
		2 = More than 12 months ago but within the past 3 yrs.	2875	5.19
		3 = More than 3 years ago.....	10016	18.07
		94 = DON'T KNOW.....	38	0.07
		97 = REFUSED.....	22	0.04
		98 = BLANK (NO ANSWER).....	39264	70.83
(CG06DK)		What is your best guess of how long it has been since you last smoked part or all of a cigarette?		
CG06DK	2	BEST GUESS TIME SINCE LAST SMOKE A CIGARETTE		
		1 = More than 30 days ago but within the past 12 mos..	6	0.01
		2 = More than 12 months ago but within the past 3 yrs.	3	0.01
		3 = More than 3 years ago.....	11	0.02
		94 = DON'T KNOW.....	18	0.03
		98 = BLANK (NO ANSWER).....	55397	99.93
(CG06RE)		The answers that people give us about their cigarette smoking are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.		
		Please think again about answering this question: How long has it been since you last smoked part or all of a cigarette?		
CG06RE	2	THINK AGAIN ABOUT ANS TIME SINCE LAST SMOKE A CIG		
		1 = More than 30 days ago but within the past 12 mos..	2	0.00
		2 = More than 12 months ago but within the past 3 yrs.	1	0.00
		3 = More than 3 years ago.....	3	0.01
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	55413	99.96
(CG27)		Now think about the past 30 days, that is, from [DATEFILL] up to and including today. During the past 30 days, have you used snuff, even once?		
CG27	2	HAVE YOU USED SNUFF IN PAST 30 DAYS		
		1 = Yes.....	1924	3.47
		2 = No.....	5648	10.19
		94 = DON'T KNOW.....	4	0.01
		98 = BLANK (NO ANSWER).....	47859	86.33

SELECTED UNEDITED VARIABLES			PAGE:	164
LABEL	LEN	DESCRIPTION	FREQ	%
(CG28)		How long has it been since you last used snuff?		-
CG28	2	TIME SINCE LAST USE SNUFF (IF NOT PAST MO)		
		1 = More than 30 days ago but within the past 12 mos..	1046	1.89
		2 = More than 12 months ago but within the past 3 yrs.	1087	1.96
		3 = More than 3 years ago.....	3486	6.29
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	49787	89.81
(CG28DK)		What is your best guess of how long it has been since you last used snuff?		
CG28DK	2	BEST GUESS TIME SINCE LAST USE SNUFF		
		1 = More than 30 days ago but within the past 12 mos..	2	0.00
		2 = More than 12 months ago but within the past 3 yrs.	1	0.00
		3 = More than 3 years ago.....	8	0.01
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	55416	99.97
(CG28RE)		The answers that people give us about their use of snuff are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.		
		Please think again about answering this question: How long has it been since you last used snuff?		
CG28RE	2	THINK AGAIN ABOUT ANSWER TIME SINCE LAST USE SNUFF		
		2 = More than 12 months ago but within the past 3 yrs.	1	0.00
		3 = More than 3 years ago.....	2	0.00
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	55425	99.98
(CG19)		Now think about the past 30 days, that is, from [DATEFILL] up to and including today. During the past 30 days, have you used chewing tobacco, even once?		
CG19	2	HAVE YOU USED CHEW IN PAST 30 DAYS		
		1 = Yes.....	843	1.52
		2 = No.....	5436	9.81
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	49153	88.67
(CG20)		How long has it been since you last used chewing tobacco?		
CG20	2	TIME SINCE LAST USED CHEW (IF NOT PAST MO)		
		1 = More than 30 days ago but within the past 12 mos..	828	1.49
		2 = More than 12 months ago but within the past 3 yrs.	971	1.75
		3 = More than 3 years ago.....	3613	6.52
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	49999	90.19

SELECTED UNEDITED VARIABLES			PAGE:	165
LABEL	LEN	DESCRIPTION	FREQ	%
(CG20DK)		What is your best guess of how long it has been since you last used chewing tobacco?		-
CG20DK	2	BEST GUESS HOW LONG SINCE USED CHEWING TOBACCO 1 = More than 30 days ago but within the past 12 mos.. 2 = More than 12 months ago but within the past 3 yrs. 3 = More than 3 years ago..... 94 = DON'T KNOW..... 97 = REFUSED..... 98 = BLANK (NO ANSWER).....	2 5 1 8 1 55418	0.00 0.01 0.00 0.01 0.00 99.97
(CG20RE)		The answers that people give us about their use of chewing tobacco are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.		
		Please think again about answering this question: How long has it been since you last used chewing tobacco?		
CG20RE	2	THINK AGAIN ABOUT ANSWER HOW LONG SINCE USED CHEW 3 = More than 3 years ago..... 94 = DON'T KNOW..... 97 = REFUSED..... 98 = BLANK (NO ANSWER).....	1 2 4 55428	0.00 0.00 0.01 99.99
(CG36)		Now think about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, have you smoked part or all of any type of cigar?		
CG36	2	HAVE YOU SMOKED CIGAR IN PAST 30 DAYS 1 = Yes..... 2 = No..... 94 = DON'T KNOW..... 97 = REFUSED..... 98 = BLANK (NO ANSWER).....	3871 13705 5 2 37852	6.98 24.72 0.01 0.00 68.28
(CG37)		How long has it been since you last smoked part or all of any type of cigar?		
CG37	2	TIME SINCE LAST SMOKED CIGAR (IF NOT PAST MO) 1 = More than 30 days ago but within the past 12 mos.. 2 = More than 12 months ago but within the past 3 yrs. 3 = More than 3 years ago..... 94 = DON'T KNOW..... 97 = REFUSED..... 98 = BLANK (NO ANSWER).....	3961 3620 6085 34 5 41730	7.15 6.53 10.98 0.06 0.01 75.28
(CG37DK)		What is your best guess of how long it has been since you last smoked part or all of any type of cigar?		
CG37DK	2	BEST GUESS TIME SINCE LAST SMOKED CIGAR 1 = More than 30 days ago but within the past 12 mos.. 2 = More than 12 months ago but within the past 3 yrs. 3 = More than 3 years ago..... 94 = DON'T KNOW..... 97 = REFUSED..... 98 = BLANK (NO ANSWER).....	10 4 9 9 2 55401	0.02 0.01 0.02 0.02 0.00 99.94

SELECTED UNEDITED VARIABLES			PAGE:	166
LABEL	LEN	DESCRIPTION	FREQ	%
(CG37RE) The answers that people give us about their cigar smoking are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.				
Please think again about answering this question: How long has it been since you last smoked part or all of any type of cigar?				
CG37RE 2 THINK AGAIN ABOUT ANS TIME SINCE LAST SMOKED CIGAR				
1 = More than 30 days ago but within the past 12 mos..				
2 = More than 12 months ago but within the past 3 yrs.				
97 = REFUSED.....				
98 = BLANK (NO ANSWER).....				
55430 99.99				
(CG43) During the past 30 days, that is since [DATEFILL], have you smoked tobacco in a pipe, even once?				
CG43 2 HAVE YOU SMOKED PIPE TOBACCO IN PAST 30 DAYS				
1 = Yes.....				
2 = No.....				
94 = DON'T KNOW.....				
98 = BLANK (NO ANSWER).....				
50832 91.70				
(ALLLAST3) How long has it been since you last drank an alcoholic beverage?				
ALLLAST3 2 TIME SINCE LAST DRANK ALCOHOLIC BEVERAGE				
1 = Within past 30 days -- that is, since [DATEFILL]..				
2 = More than 30 days ago but within the past 12 mos..				
3 = More than 12 months ago.....				
94 = DON'T KNOW.....				
97 = REFUSED.....				
98 = BLANK (NO ANSWER).....				
15215 27.45				
(ALRECDK) What is your best guess of how long it has been since you last drank an alcoholic beverage?				
ALRECDK 2 BEST GUESS TIME SINCE LAST DRANK ALCOHOLIC BEV				
1 = Within past 30 days -- that is, since [DATEFILL]..				
2 = More than 30 days ago but within the past 12 mos..				
3 = More than 12 months ago.....				
94 = DON'T KNOW.....				
97 = REFUSED.....				
98 = BLANK (NO ANSWER).....				
55349 99.84				
(ALRECRE) The answers that people give us about their use of alcohol are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.				
Please think again about answering this question: How long has it been since you last drank an alcoholic beverage?				
ALRECRE 2 THINK AGAIN ABOUT ANS TIME SINCE LST DRANK ALCOHOL				
1 = Within past 30 days -- that is, since [DATEFILL]..				
2 = More than 30 days ago but within the past 12 mos..				
3 = More than 12 months ago.....				
94 = DON'T KNOW.....				
97 = REFUSED.....				
98 = BLANK (NO ANSWER).....				
55385 99.91				

SELECTED UNEDITED VARIABLES			PAGE:	167
LABEL	LEN	DESCRIPTION	FREQ	%
TOTDRINK	3	TOTAL # OF DAYS USED ALCOHOL IN PAST 12 MOS		-
RANGE		= 1 - 372	33389	60.23
		= DON'T KNOW.....	241	0.43
		= REFUSED.....	70	0.13
		= BLANK (NO ANSWER).....	21735	39.21
(ALFRAME3)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've had a drink of an alcoholic beverage during the past 12 months.		
		What would be the easiest way for you to tell us how many days you drank alcoholic beverages?		
ALFRAME3	2	EASIEST WAY TO TELL US # DAYS DRANK ALCOHOL		
		= Average # days per week during the pst 12 mos.....	11114	20.05
		= Average # days per month during the pst 12 mos.....	11792	21.27
		= Total number of days during the past 12 months.....	10193	18.39
		= DON'T KNOW.....	440	0.79
		= REFUSED.....	161	0.29
		= BLANK (NO ANSWER).....	21735	39.21
(ALYRAVE)		On how many days in the past 12 months did you drink an alcoholic beverage?		
ALYRAVE	3	NUMBER DAYS DRANK ALCOHOL IN PAST 12 MOS		
RANGE		= 1 - 365	10506	18.95
		= DON'T KNOW.....	239	0.43
		= REFUSED.....	49	0.09
		= BLANK (NO ANSWER).....	44641	80.53
(ALMONAVE)		On average, how many days did you drink an alcoholic beverage each month during the past 12 months?		
ALMONAVE	2	# DAYS PER MONTH DRANK ALCOHOL IN PAST 12 MOS		
RANGE		= 1 - 31	11813	21.31
		= DON'T KNOW.....	219	0.40
		= REFUSED.....	48	0.09
		= BLANK (NO ANSWER).....	43355	78.21
(ALWKAVE)		On average, how many days did you drink an alcoholic beverage each week during the past 12 months?		
ALWKAVE	2	# DAYS PER WEEK DRANK ALCOHOL IN PAST 12 MOS		
RANGE		= 1 - 7	11070	19.97
		= DON'T KNOW.....	241	0.43
		= REFUSED.....	70	0.13
		= BLANK (NO ANSWER).....	44054	79.47
(MJLAST3)		How long has it been since you last used marijuana or hashish?		
MJLAST3	2	TIME SINCE LAST USED MARIJUANA/HASHISH		
		= Within past 30 days -- that is, since [DATEFILL]..	5177	9.34
		= More than 30 days ago but within the pst 12 mos..	3823	6.90
		= More than 12 months ago.....	12610	22.75
		= DON'T KNOW.....	41	0.07
		= REFUSED.....	58	0.10
		= BLANK (NO ANSWER).....	33726	60.84

SELECTED UNEDITED VARIABLES			PAGE:	168
LABEL	LEN	DESCRIPTION	FREQ	%
(MJRECDK)		What is your best guess of how long it has been since you last used marijuana or hashish?		-
MJRECDK	2	BEST GUESS TIME SINCE LAST USED MARIJUANA/HASHISH		
		1 = Within past 30 days -- that is, since [DATEFILL]..	5	0.01
		2 = More than 30 days ago but within the pst 12 mos...	3	0.01
		3 = More than 12 months ago.....	13	0.02
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	55394	99.93
(MJRECRE)		The answers that people give us about their use of marijuana and hashish are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.		
		Please think again about answering this question: How long has it been since you last used marijuana or hashish?		
MJRECRE	2	THINK AGAIN ABOUT ANS TIME SINCE LAST USED MJ/HASH		
		1 = Within past 30 days -- that is, since [DATEFILL]..	23	0.04
		2 = More than 30 days ago but within the pst 12 mos...	4	0.01
		3 = More than 12 months ago.....	8	0.01
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	21	0.04
		98 = BLANK (NO ANSWER).....	55377	99.90
TOTMJ	3	TOTAL # OF DAYS USED MARIJUANA IN PAST 12 MOS		
RANGE =		1 - 372	8939	16.13
994 =		DON'T KNOW.....	69	0.12
997 =		REFUSED.....	27	0.05
998 =		BLANK (NO ANSWER).....	46400	83.70
(MJFRAME3)		Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used marijuana or hashish during the past 12 months.		
		What would be the easiest way for you to tell us how many days you've used it?		
MJFRAME3	2	EASIEST WAY TO TELL US # DAYS USED MARIJUANA/HASH		
		1 = Avg num of days per week during pst 12 mos.....	3081	5.56
		2 = Avg num of days per month during pst 12 mos.....	2296	4.14
		3 = Total number of days during the past 12 months....	3537	6.38
		94 = DON'T KNOW.....	89	0.16
		97 = REFUSED.....	32	0.06
		98 = BLANK (NO ANSWER).....	46400	83.70
(MJYRAVE)		On how many days in the past 12 months did you use marijuana or hashish?		
MJYRAVE	3	# DAYS USED MARIJUANA/HASHISH PAST 12 MONTHS		
RANGE =		1 - 365	3584	6.47
994 =		DON'T KNOW.....	55	0.10
997 =		REFUSED.....	19	0.03
998 =		BLANK (NO ANSWER).....	51777	93.40

SELECTED UNEDITED VARIABLES			PAGE:	169
LABEL	LEN	DESCRIPTION	FREQ	%
(MJMONAVE)		On average, how many days did you use marijuana or hashish each month during the past 12 months?		-
MJMONAVE	2	# DAYS PER MOS USED MARIJUANA/HASHISH PAST 12 MOS		
	RANGE =	1 - 31	2282	4.12
		94 = DON'T KNOW.....	66	0.12
		97 = REFUSED.....	22	0.04
		98 = BLANK (NO ANSWER).....	53065	95.72
(MJWKAVE)		On average, how many days did you use marijuana or hashish each week during the past 12 months?		
MJWKAVE	2	# DAYS PER WEEK USED MARIJUANA/HASHISH PAST 12 MOS		
	RANGE =	1 - 7	3073	5.54
		94 = DON'T KNOW.....	69	0.12
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	52266	94.28
(CCLAST3)		How long has it been since you last used cocaine?		
CCLAST3	2	TIME SINCE LAST USED COCAINE		
		1 = Within past 30 days -- that is, since [DATEFILL]..	565	1.02
		2 = More than 30 days ago but within the past 12 mos..	1212	2.19
		3 = More than 12 months ago.....	4857	8.76
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	48779	87.99
(CCRECDK)		What is your best guess of how long it has been since you last used cocaine?		
CCRECDK	2	BEST GUESS TIME SINCE LAST USED COCAINE		
		2 = More than 30 days ago but within the past 12 mos..	2	0.00
		3 = More than 12 months ago.....	8	0.01
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	55420	99.97
(CCRECRE)		The answers that people give us about their use of cocaine are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.		
		Please think again about answering this question: How long has it been since you last used cocaine?		
CCRECRE	2	THINK AGAIN ABOUT ANS TIME SINCE LAST USED COCAINE		
		1 = Within past 30 days -- that is, since [DATEFILL]..	2	0.00
		2 = More than 30 days ago but within the past 12 mos..	1	0.00
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	55428	99.99
TOTCOKE	3	TOTAL # OF DAYS USED COCAINE IN PAST 12 MONTHS		
	RANGE =	1 - 372	1769	3.19
		994 = DON'T KNOW.....	12	0.02
		997 = REFUSED.....	1	0.00
		998 = BLANK (NO ANSWER).....	53653	96.79

SELECTED UNEDITED VARIABLES			PAGE:	170
LABEL	LEN	DESCRIPTION	FREQ	%
(CCFRAME3)		Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used cocaine during the past 12 months.		-
		What would be the easiest way for you to tell us how many days you've used it?		
CCFRAME3	2	EASIEST WAY TO TELL US # DAYS USED COCAINE		
		1 = Avg num of days per week during pst 12 mos.....	252	0.45
		2 = Avg num of days per month during pst 12 mos.....	440	0.79
		3 = Total number of days during the past 12 months....	1073	1.94
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	53653	96.79
(CCYRAVE)		On how many days in the past 12 months did you use cocaine?		
CCYRAVE	3	# DAYS USED COCAINE PAST 12 MONTHS		
		RANGE = 1 - 365	1085	1.96
		994 = DON'T KNOW.....	2	0.00
		997 = REFUSED.....	3	0.01
		998 = BLANK (NO ANSWER).....	54345	98.03
(CCMONAVE)		On average, how many days did you use cocaine each month during the past 12 months?		
CCMONAVE	2	# DAYS PER MONTH USED COCAINE PAST 12 MONTHS		
		RANGE = 1 - 31	436	0.79
		94 = DON'T KNOW.....	9	0.02
		98 = BLANK (NO ANSWER).....	54990	99.20
(CCWKAVE)		On average, how many days did you use cocaine each week during the past 12 months?		
CCWKAVE	2	# DAYS PER WEEK USED COCAINE PAST 12 MONTHS		
		RANGE = 1 - 7	248	0.45
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	55174	99.53
(CKLAST3)		How long has it been since you last used 'crack'?		
CKLAST3	2	TIME SINCE LAST USED CRACK		
		1 = Within past 30 days -- that is, since [DATEFILL]..	128	0.23
		2 = More than 30 days ago but within the pst 12 mos...	219	0.40
		3 = More than 12 months ago.....	1300	2.35
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	53781	97.02
(KRECDK)		What is your best guess of how long it has been since you last used 'crack'?		
CKRECDK	2	BEST GUESS TIME SINCE LAST USED CRACK		
		1 = Within past 30 days -- that is, since [DATEFILL]..	1	0.00
		3 = More than 12 months ago.....	3	0.01
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	55429	99.99

SELECTED UNEDITED VARIABLES			PAGE:	171
LABEL	LEN	DESCRIPTION	FREQ	%
(CKRECRE)		The answers that people give us about their use of 'crack' are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.		-
		Please think again about answering this question: How long has it been since you last used 'crack'?		
CKRECRE	2	THINK AGAIN ABOUT ANSWER TIME SINCE LAST USE CRACK		
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	55434	100.0
TOTCRACK	3	TOTAL # DAYS USED CRACK IN PAST 12 MONTHS		
		RANGE = 1 - 372	342	0.62
		994 = DON'T KNOW.....	5	0.01
		997 = REFUSED.....	1	0.00
		998 = BLANK (NO ANSWER).....	55087	99.37
(CKFRAME3)		Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used 'crack' during the past 12 months.		
		What would be the easiest way for you to tell us how many days you've used it?		
CKFRAME3	2	EASIEST WAY TO TELL US # DAYS USED CRACK		
		1 = Avg num of days per week during pst 12 mos.....	95	0.17
		2 = Avg num of days per month during pst 12 mos.....	77	0.14
		3 = Total number of days during the past 12 months....	171	0.31
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	55087	99.37
(CKYRAVE)		On how many days in the past 12 months did you use 'crack'?		
CKYRAVE	3	# DAYS USED CRACK PAST 12 MONTHS		
		RANGE = 1 - 300	173	0.31
		994 = DON'T KNOW.....	1	0.00
		997 = REFUSED.....	2	0.00
		998 = BLANK (NO ANSWER).....	55259	99.68
(CKMONAVE)		On average, how many days did you use 'crack' each month during the past 12 months?		
CKMONAVE	2	# DAYS PER MONTH USED CRACK PAST 12 MONTHS		
		RANGE = 1 - 31	76	0.14
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	55355	99.86
(CKWKAVE)		On average, how many days did you use 'crack' each week during the past 12 months?		
CKWKAVE	2	# DAYS PER WEEK USED CRACK PAST 12 MONTHS		
		RANGE = 1 - 7	93	0.17
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	55336	99.82

SELECTED UNEDITED VARIABLES			PAGE:	172
LABEL	LEN	DESCRIPTION	FREQ	%
(HELAST3)		How long has it been since you last used heroin?	-	-
HELAST3	2	TIME SINCE LAST USED HEROIN		
		1 = Within past 30 days -- that is, since [DATEFILL]..	44	0.08
		2 = More than 30 days ago but within the pst 12 mos...	84	0.15
		3 = More than 12 months ago.....	561	1.01
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	54741	98.75
(HERECDK)		What is your best guess of how long it has been since you last used heroin?		
HERECDK	2	BEST GUESS TIME SINCE LAST USED HEROIN		
		3 = More than 12 months ago.....	1	0.00
		94 = DON'T KNOW.....	1	0.00
		98 = BLANK (NO ANSWER).....	55433	100.0
(HERECRE)		The answers that people give us about their use of heroin are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.		
		Please think again about answering this question: How long has it been since you last used heroin?		
HERECRE	2	THINK AGAIN ABOUT ANS TIME SINCE LAST USED HEROIN		
		3 = More than 12 months ago.....	1	0.00
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	55432	99.99
TOTHERO	3	TOTAL # OF DAYS USED HEROIN IN PAST 12 MONTHS		
		RANGE = 1 - 372	127	0.23
		994 = DON'T KNOW.....	1	0.00
		998 = BLANK (NO ANSWER).....	55307	99.77
(HEFRAME3)		Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used heroin during the past 12 months.		
		What would be the easiest way for you to tell us how many days you've used it?		
HEFRAME3	2	EASIEST WAY TO TELL US # DAYS USED HEROIN		
		1 = Avg num of days per week during pst 12 mos.....	42	0.08
		2 = Avg num of days per month during pst 12 mos.....	27	0.05
		3 = Total number of days during the past 12 months....	59	0.11
		98 = BLANK (NO ANSWER).....	55307	99.77
(HEYRAVE)		On how many days in the past 12 months did you use heroin?		
HEYRAVE	3	# DAYS USED HEROIN PAST 12 MONTHS		
		RANGE = 1 - 350	59	0.11
		998 = BLANK (NO ANSWER).....	55376	99.89
(HEMONAVE)		On average, how many days did you use heroin each month during the past 12 months?		
HEMONAVE	2	# DAYS PER MONTH USED HEROIN PAST 12 MONTHS		
		RANGE = 1 - 31	27	0.05
		98 = BLANK (NO ANSWER).....	55408	99.95

SELECTED UNEDITED VARIABLES			PAGE:	173
LABEL	LEN	DESCRIPTION	FREQ	%
(HEWKAVE)		On average, how many days did you use heroin each week during the past 12 months?		-
HEWKAVE	2	# DAYS PER WEEK USED HEROIN PAST 12 MONTHS		
		RANGE = 1 - 7	41	0.07
		94 = DON'T KNOW.....	1	0.00
		98 = BLANK (NO ANSWER).....	55393	99.92
(LSLAST)		How long has it been since you last used [LSFILL]?		
LSLAST	2	TIME SINCE LAST USED HALLUCINOGEN		
		1 = Within past 30 days -- that is, since [DATEFILL]..	410	0.74
		2 = More than 30 days ago but within the pst 12 mos...	1214	2.19
		3 = More than 12 months ago.....	5867	10.58
		94 = DON'T KNOW.....	36	0.06
		97 = REFUSED.....	15	0.03
		98 = BLANK (NO ANSWER).....	47893	86.39
(LSRECDK)		What is your best guess of how long it has been since you last used [LSFILL]?		
LSRECDK	2	BEST GUESS TIME SINCE LAST USED HALLUCINOGEN		
		2 = More than 30 days ago but within the pst 12 mos...	5	0.01
		3 = More than 12 months ago.....	6	0.01
		94 = DON'T KNOW.....	23	0.04
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	55399	99.94
(LSRECRE)		The answers that people give us about their use of hallucinogens are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.		
		Please think again about answering this question: How long has it been since you last used [LSFILL]?		
LSRECRE	2	THINK AGAIN ABOUT ANS TIME SINCE LAST USED HALLUC		
		3 = More than 12 months ago.....	5	0.01
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	55420	99.97
TOTHALL	3	TOTAL # OF DAYS USED HALLUCINOGENS IN PAST 12 MOS		
		RANGE = 1 - 372	1728	3.12
		994 = DON'T KNOW.....	14	0.03
		997 = REFUSED.....	3	0.01
		998 = BLANK (NO ANSWER).....	53690	96.85
(LSFRAME3)		Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used [LSFILL] during the past 12 months. What would be the easiest way for you to tell us how many days you've used it?		
LSFRAME3	2	EASIEST WAY TO TELL US # DAYS USED HALLUCINOGEN		
		1 = Avg num of days per week during pst 12 mos.....	180	0.32
		2 = Avg num of days per month during pst 12 mos.....	273	0.49
		3 = Total number of days during the past 12 months....	1149	2.07
		94 = DON'T KNOW.....	21	0.04
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	53806	97.06

SELECTED UNEDITED VARIABLES			PAGE:	174
LABEL	LEN	DESCRIPTION	FREQ	%

(LSYRAVE) On how many days in the past 12 months did you use [LSFILL]?				
LSYRAVE	3	# DAYS USED HALLUCINOGEN PAST 12 MONTHS		
RANGE = 1 - 365			1166	2.10
994 = DON'T KNOW.....			9	0.02
997 = REFUSED.....			1	0.00
998 = BLANK (NO ANSWER).....			54259	97.88
(LSMONAVE) On average, how many days did you use [LSFILL] each month during the past 12 months?				
LSMONAVE	2	# DAYS PER MONTH USED HALLUCINOGEN PAST 12 MONTHS		
RANGE = 1 - 31			269	0.49
94 = DON'T KNOW.....			13	0.02
97 = REFUSED.....			1	0.00
98 = BLANK (NO ANSWER).....			55152	99.49
(LSWKAVE) On average, how many days did you use [LSFILL] each week during the past 12 months?				
LSWKAVE	2	# DAYS PER WEEK USED HALLUCINOGEN PAST 12 MONTHS		
RANGE = 1 - 7			178	0.32
94 = DON'T KNOW.....			14	0.03
97 = REFUSED.....			2	0.00
98 = BLANK (NO ANSWER).....			55241	99.65
(LS10) How long has it been since you last used LSD?				
LS10	2	TIME SINCE LAST USED LSD		
1 = Within past 30 days -- that is, since [DATEFILL]..			73	0.13
2 = More than 30 days ago but within the past 12 mos..			239	0.43
3 = More than 12 months ago.....			2971	5.36
94 = DON'T KNOW.....			10	0.02
97 = REFUSED.....			10	0.02
98 = BLANK (NO ANSWER).....			52132	94.04
(LS16) How long has it been since you last used PCP?				
LS16	2	TIME SINCE LAST USED PCP		
1 = Within past 30 days -- that is, since [DATEFILL]..			12	0.02
2 = More than 30 days ago but within the pst 12 mos...			46	0.08
3 = More than 12 months ago.....			838	1.51
94 = DON'T KNOW.....			5	0.01
97 = REFUSED.....			5	0.01
98 = BLANK (NO ANSWER).....			54529	98.37
(LS22) How long has it been since you last used 'Ecstasy', also known as MDMA?				
LS22	2	TIME SINCE LAST USED ECSTASY		
1 = Within past 30 days -- that is, since [DATEFILL]..			135	0.24
2 = More than 30 days ago but within the pst 12 mos...			457	0.82
3 = More than 12 months ago.....			1969	3.55
94 = DON'T KNOW.....			7	0.01
97 = REFUSED.....			2	0.00
98 = BLANK (NO ANSWER).....			52865	95.36

SELECTED UNEDITED VARIABLES			PAGE:	175
LABEL	LEN	DESCRIPTION	FREQ	%
(INLAST)		How long has it been since you last used any inhalant for kicks or to get high?		-
INLAST	2	TIME SINCE LAST USED INHALANTS		
		1 = Within past 30 days -- that is, since [DATEFILL]..	296	0.53
		2 = More than 30 days ago but within the past 12 mos..	724	1.31
		3 = More than 12 months ago.....	4763	8.59
		94 = DON'T KNOW.....	104	0.19
		97 = REFUSED.....	81	0.15
		98 = BLANK (NO ANSWER).....	49467	89.23
(INRECDK)		What is your best guess of how long it has been since you last used any inhalant for kicks or to get high?		
INRECDK	2	BEST GUESS TIME SINCE LAST USED INHALANTS		
		1 = Within past 30 days -- that is, since [DATEFILL]..	3	0.01
		2 = More than 30 days ago but within the past 12 mos..	10	0.02
		3 = More than 12 months ago.....	28	0.05
		94 = DON'T KNOW.....	55	0.10
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	55331	99.81
(INRECRE)		The answers that people give us about their use of inhalants are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.		
		Please think again about answering this question: How long has it been since you last used any inhalant for kicks or to get high?		
INRECRE	2	THINK AGAIN ABOUT ANS TIME SINCE LST USE INHALANTS		
		1 = Within past 30 days -- that is, since [DATEFILL]..	3	0.01
		2 = More than 30 days ago but within the past 12 mos..	6	0.01
		3 = More than 12 months ago.....	22	0.04
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED.....	35	0.06
		98 = BLANK (NO ANSWER).....	55354	99.85
TOTINHAL	3	TOTAL # OF DAYS USED INHALANT PAST 12 MONTHS		
		RANGE = 1 - 364	1001	1.81
		994 = DON'T KNOW.....	27	0.05
		997 = REFUSED.....	14	0.03
		998 = BLANK (NO ANSWER).....	54393	98.12
(INFRAME3)		Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used an inhalant of any kind for kicks or to get high during the past 12 months.		
		What would be the easiest way for you to tell us how many days you've done this?		
INFRAME3	2	EASIEST WAY TO TELL US # DAYS USED INHALANT		
		1 = Avg num of days per week during pst 12 mos.....	163	0.29
		2 = Avg num of days per month during pst 12 mos.....	208	0.38
		3 = Total number of days during the past 12 months....	618	1.11
		94 = DON'T KNOW.....	37	0.07
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	54393	98.12

SELECTED UNEDITED VARIABLES			PAGE:	176		
LABEL	LEN	DESCRIPTION	FREQ	%		
<hr/>						
(INYRAVE) On how many days in the past 12 months did you use an inhalant of any kind for kicks or to get high?						
 INYRAVE 3 # DAYS USED INHALANT PAST 12 MONTHS						
RANGE = 1 - 234						
994 = DON'T KNOW.....					636	1.15
997 = REFUSED.....					25	0.05
998 = BLANK (NO ANSWER).....					10	0.02
					54764	98.79
 (INMONAVE) On average, how many days did you use an inhalant of any kind for kicks or to get high each month during the past 12 months?						
 INMONAVE 2 # DAYS PER MONTH USED INHALANT PAST 12 MONTHS						
RANGE = 1 - 30						
94 = DON'T KNOW.....					200	0.36
97 = REFUSED.....					33	0.06
98 = BLANK (NO ANSWER).....					10	0.02
					55192	99.56
 (INWKAVE) On average, how many days did you use an inhalant of any kind for kicks or to get high each week during the past 12 months?						
 INWKAVE 2 # DAYS PER WEEK USED INHALANT PAST 12 MONTHS						
RANGE = 1 - 7						
94 = DON'T KNOW.....					165	0.30
97 = REFUSED.....					27	0.05
98 = BLANK (NO ANSWER).....					14	0.03
					55229	99.63
 (PR09) How long has it been since you last used any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?						
 PR09 2 TIME SINCE LAST USED PAIN RELIEVER NONMEDICALLY						
1 = Within past 30 days -- that is, since [DATEFILL]..					1568	2.83
2 = More than 30 days ago but within the past 12 mos..					2521	4.55
3 = More than 12 months ago.....					4750	8.57
94 = DON'T KNOW.....					139	0.25
97 = REFUSED.....					69	0.12
98 = BLANK (NO ANSWER).....					46388	83.68
 (PRRECDK) What is your best guess of how long it has been since you last used any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?						
 PRRECDK 2 BEST GUESS LAST USED PAIN RELIEVER NONMEDICALLY						
1 = Within past 30 days -- that is, since [DATEFILL]..					7	0.01
2 = More than 30 days ago but within the past 12 month					15	0.03
3 = More than 12 months ago.....					21	0.04
94 = DON'T KNOW.....					87	0.16
97 = REFUSED.....					9	0.02
98 = BLANK (NO ANSWER).....					55296	99.75

SELECTED UNEDITED VARIABLES			PAGE:	177
LABEL	LEN	DESCRIPTION	FREQ	%
(PRRECRE)		The answers that people give us about their use of prescription pain relievers are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.		-
		Please think again about answering this question: How long has it been since you last used any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		
PRRECRE	2	THINK AGAIN ABOUT ANS LAST USED PAIN RLRV NONMED		
		1 = Within past 30 days -- that is, since [DATEFILL]..	4	0.01
		2 = More than 30 days ago but within the past 12 month	6	0.01
		3 = More than 12 months ago.....	13	0.02
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	39	0.07
		98 = BLANK (NO ANSWER).....	55366	99.88
(PR10)		Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.		
		What would be the easiest way for you to tell us how many days you used a prescription pain reliever in either of these ways?		
PR10	2	EASIEST WAY TO TELL US # DAYS USED PAIN RELIEVER		
		1 = Avg num of days per week during pst 12 mos.....	748	1.35
		2 = Avg num of days per month during pst 12 mos.....	1093	1.97
		3 = Total number of days during the past 12 mos.....	2180	3.93
		94 = DON'T KNOW.....	76	0.14
		97 = REFUSED.....	24	0.04
		98 = BLANK (NO ANSWER).....	51314	92.57
(PR11)		On how many days in the past 12 months did you use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		
PR11	3	# DAYS USED PAIN RELIEVER "NM" PAST 12 MONTHS		
		RANGE = 1 - 365	2208	3.98
		994 = DON'T KNOW.....	57	0.10
		997 = REFUSED.....	15	0.03
		998 = BLANK (NO ANSWER).....	53155	95.89
(PR12)		On average, how many days each month during the past 12 months did you use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		
PR12	2	# DAYS PER MOS USED PAIN RELIEVER "NM" PAST 12 MOS		
		RANGE = 1 - 31	1083	1.95
		94 = DON'T KNOW.....	64	0.12
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	54270	97.90

SELECTED UNEDITED VARIABLES			PAGE:	178
LABEL	LEN	DESCRIPTION	FREQ	%
(PR13)		On average, how many days each week during the past 12 months did you use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		-
PR13	2	# DAYS PER WK USED PAIN RELIEVER "NM" PAST 12 MOS	735	1.33
	RANGE =	1 - 7	79	0.14
	94 =	DON'T KNOW.....	16	0.03
	97 =	REFUSED.....	54605	98.50
	98 =	BLANK (NO ANSWER).....		
(PR19)		How long has it been since you last used OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused?		
PR19	2	TIME SINCE LAST USED OXYCONTIN NONMEDICALLY	151	0.27
	1 =	Within past 30 days -- that is, since [DATEFILL]..	432	0.78
	2 =	More than 30 days ago but within the past 12 mos..	1001	1.81
	3 =	More than 12 months ago.....	11	0.02
	94 =	DON'T KNOW.....	1	0.00
	97 =	REFUSED.....	53839	97.12
	98 =	BLANK (NO ANSWER).....		
(PR20)		Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.		
	What would be the easiest way for you to tell us how many days you used OxyContin in either of these ways?			
PR20	2	EASIEST WAY TO TELL US # DAYS USED OXYCONTIN	100	0.18
	1 =	Avg num of days per week during pst 12 mos.....	159	0.29
	2 =	Avg num of days per month during pst 12 mos.....	314	0.57
	3 =	Total number of days during the past 12 mos.....	5	0.01
	94 =	DON'T KNOW.....	1	0.00
	97 =	REFUSED.....	54856	98.96
	98 =	BLANK (NO ANSWER).....		
(PR21)		On how many days in the past 12 months did you use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused?		
PR21	3	# DAYS USED OXYCONTIN "NM" PAST 12 MONTHS	314	0.57
	RANGE =	1 - 300	6	0.01
	994 =	DON'T KNOW.....	55115	99.42
	998 =	BLANK (NO ANSWER).....		
(PR22)		On average, how many days each month during the past 12 months did you use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused?		
PR22	2	# DAYS PER MOS USED OXYCONTIN "NM" PAST 12 MOS	159	0.29
	RANGE =	1 - 31	6	0.01
	94 =	DON'T KNOW.....	55270	99.70
	98 =	BLANK (NO ANSWER).....		

SELECTED UNEDITED VARIABLES			PAGE:	179
LABEL	LEN	DESCRIPTION	FREQ	%
(PR23)		On average, how many days each week during the past 12 months did you use OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused?		-
PR23	2	# DAYS PER WK USED OXYCONTIN "NM" PAST 12 MOS		
		RANGE = 1 - 7	97	0.17
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	55329	99.81
(TR09)		How long has it been since you last used any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TR09	2	TIME SINCE LAST USED TRANQUILIZER NONMEDICALLY		
		1 = Within past 30 days -- that is, since [DATEFILL]..	508	0.92
		2 = More than 30 days ago but within the past 12 mos..	1030	1.86
		3 = More than 12 months ago.....	2989	5.39
		94 = DON'T KNOW.....	26	0.05
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	50866	91.76
(TRRECDK)		What is your best guess of how long it has been since you last used any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TRRECDK	2	BEST GUESS LAST USED TRANQUILIZER "NM"		
		1 = Within past 30 days -- that is, since [DATEFILL]..	3	0.01
		2 = More than 30 days ago but within the past 12 mos..	2	0.00
		3 = More than 12 months ago.....	3	0.01
		94 = DON'T KNOW.....	16	0.03
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	55409	99.95
(TRRECRE)		The answers that people give us about their use of prescription tranquilizers are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.		
		Please think again about answering this question: How long has it been since you last used any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TRRECRE	2	THINK AGAIN ABOUT ANS LAST USED TRANQUILIZER "NM"		
		1 = Within past 30 days -- that is, since [DATEFILL]..	3	0.01
		2 = More than 30 days ago but within the past 12 mos..	1	0.00
		3 = More than 12 months ago.....	1	0.00
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	55419	99.97

SELECTED UNEDITED VARIABLES			PAGE:	180
LABEL	LEN	DESCRIPTION	FREQ	%
(TR10)		Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.		-
		What would be the easiest way for you to tell us how many days you used a prescription tranquilizer in either of these ways?		
TR10	2	EASIEST WAY TO TELL US # DAYS USED TRANQUILIZER		
		1 = Avg num of days per week during pst 12 mos.....	229	0.41
		2 = Avg num of days per month during pst 12 mos.....	427	0.77
		3 = Total number of days during the past 12 months....	868	1.57
		94 = DON'T KNOW.....	20	0.04
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	53888	97.21
(TR11)		On how many days in the past 12 months did you use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TR11	3	# DAYS USED TRANQUILIZERS "NM" PAST 12 MONTHS		
		RANGE = 1 - 365	872	1.57
		994 = DON'T KNOW.....	15	0.03
		997 = REFUSED.....	4	0.01
		998 = BLANK (NO ANSWER).....	54544	98.39
(TR12)		On average, how many days each month during the past 12 months did you use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TR12	2	# DAYS PER MOS USED TRANQUILIZERS "NM" PAST 12 MOS		
		RANGE = 1 - 31	424	0.76
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	54989	99.20
(TR13)		On average, how many days each week during the past 12 months did you use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TR13	2	# DAYS USED PER WK TRANQUILIZERS "NM" PAST 12 MOS		
		RANGE = 1 - 7	229	0.41
		94 = DON'T KNOW.....	18	0.03
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	55184	99.55
(ST09)		How long has it been since you last used any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		
ST09	2	TIME SINCE LAST USED STIMULANT NONMEDICALLY		
		1 = Within past 30 days -- that is, since [DATEFILL]..	278	0.50
		2 = More than 30 days ago but within the past 12 mos..	569	1.03
		3 = More than 12 months ago.....	2156	3.89
		94 = DON'T KNOW.....	28	0.05
		97 = REFUSED.....	11	0.02
		98 = BLANK (NO ANSWER).....	52393	94.51

SELECTED UNEDITED VARIABLES			PAGE:	181
LABEL	LEN	DESCRIPTION	FREQ	%
(STRECDK)		What is your best guess of how long it has been since you last used any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		-
STRECDK	2	BEST GUESS TIME SINCE LAST USED STIMULANTS "NM"		
		2 = More than 30 days ago but within the past 12 mos..	2	0.00
		3 = More than 12 months ago.....	7	0.01
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	55407	99.95
(STRECRE)		The answers that people give us about their use of prescription stimulants are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.		
		Please think again about answering this question: How long has it been since you last used any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		
STRECRE	2	THINK AGAIN ABOUT ANSWER LAST USED STIMULANTS "NM"		
		2 = More than 30 days ago but within the past 12 mos..	3	0.01
		3 = More than 12 months ago.....	3	0.01
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	55424	99.98
(ST10)		Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.		
		What would be the easiest way for you to tell us how many days you used a prescription stimulant in either of these ways?		
ST10	2	EASIEST WAY TO TELL US # DAYS USED STIMULANT		
		1 = Avg num of days per week during pst 12 mos.....	127	0.23
		2 = Avg num of days per month during pst 12 mos.....	212	0.38
		3 = Total number of days during the past 12 months....	497	0.90
		94 = DON'T KNOW.....	14	0.03
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	54583	98.46
(ST11)		On how many days in the past 12 months did you use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		
ST11	3	# DAYS USED STIMULANT "NM" PAST 12 MONTHS		
		RANGE = 1 - 254	502	0.91
		994 = DON'T KNOW.....	9	0.02
		997 = REFUSED.....	2	0.00
		998 = BLANK (NO ANSWER).....	54922	99.07

SELECTED UNEDITED VARIABLES			PAGE:	182
LABEL	LEN	DESCRIPTION	FREQ	%
(ST12)		On average, how many days each month during the past 12 months did you use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		-
ST12	2	# DAYS PER MOS USED STIMULANT "NM" PAST 12 MONTHS		
	RANGE =	1 - 30	210	0.38
	94 =	DON'T KNOW.....	9	0.02
	97 =	REFUSED.....	4	0.01
	98 =	BLANK (NO ANSWER).....	55212	99.60
(ST13)		On average, how many days each week during the past 12 months did you use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		
ST13	2	# DAYS PER WEEK USED STIMULANT "NM" PAST 12 MONTHS		
	RANGE =	1 - 7	127	0.23
	94 =	DON'T KNOW.....	10	0.02
	97 =	REFUSED.....	3	0.01
	98 =	BLANK (NO ANSWER).....	55295	99.75
(ST19)		How long has it been since you last used Methamphetamine, Desoxyn, or Methedrine?		
ST19	2	HOW LONG SINCE USED METHAMPH, DESOXYN, METHEDRINE		
	1 =	Within past 30 days -- that is, since [DATEFILL]..	114	0.21
	2 =	More than 30 days ago but within the past 12 mos..	238	0.43
	3 =	More than 12 months ago.....	1695	3.06
	94 =	DON'T KNOW.....	13	0.02
	97 =	REFUSED.....	5	0.01
	98 =	BLANK (NO ANSWER).....	53370	96.27
(ST20)		Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.		
	What would be the easiest way for you to tell us how many days you used Methamphetamine, Desoxyn, or Methedrine in either of these ways?			
ST20	2	EASIEST WAY TO TELL US # DAYS USED METHAMP/DESO		
	1 =	Avg num of days per week during pst 12 mos.....	84	0.15
	2 =	Avg num of days per month during pst 12 mos.....	96	0.17
	3 =	Total number of days during the past 12 months....	155	0.28
	94 =	DON'T KNOW.....	5	0.01
	97 =	REFUSED.....	1	0.00
	98 =	BLANK (NO ANSWER).....	55094	99.38
(ST21)		On how many days in the past 12 months did you use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused?		
ST21	3	# DAYS USED METHAMP/DESO/METHD PAST 12 MONTHS		
	RANGE =	1 - 355	156	0.28
	994 =	DON'T KNOW.....	4	0.01
	997 =	REFUSED.....	1	0.00
	998 =	BLANK (NO ANSWER).....	55274	99.71

SELECTED UNEDITED VARIABLES			PAGE:	183
LABEL	LEN	DESCRIPTION	FREQ	%
(ST22)		On average, how many days each month during the past 12 months did you use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused?		-
ST22	2	# DAYS PER MOS USED METHAMP/DESO/M PAST 12 MONTHS		
	RANGE =	1 - 30	97	0.17
	94 =	DON'T KNOW.....	3	0.01
	97 =	REFUSED.....	1	0.00
	98 =	BLANK (NO ANSWER).....	55334	99.82
(ST23)		On average, how many days each week during the past 12 months did you use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused?		
ST23	2	# DAYS PER WEEK USED METHAMP/DESO/M PAST 12 MONTHS		
	RANGE =	1 - 7	85	0.15
	94 =	DON'T KNOW.....	3	0.01
	98 =	BLANK (NO ANSWER).....	55347	99.84
(SV09)		How long has it been since you last used any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SV09	2	TIME SINCE LAST USED SEDATIVE NONMEDICALLY		
	1 =	Within past 30 days -- that is, since [DATEFILL]..	90	0.16
	2 =	More than 30 days ago but within the past 12 mos..	170	0.31
	3 =	More than 12 months ago.....	935	1.69
	94 =	DON'T KNOW.....	16	0.03
	97 =	REFUSED.....	11	0.02
	98 =	BLANK (NO ANSWER).....	54213	97.80
(SVRECDK)		What is your best guess of how long it has been since you last used any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SVRECDK	2	BEST GUESS TIME SINCE LAST USED SEDATIVE "NM"		
	1 =	Within past 30 days -- that is, since [DATEFILL]..	2	0.00
	2 =	More than 30 days ago but within the past 12 mos..	2	0.00
	3 =	More than 12 months ago.....	4	0.01
	94 =	DON'T KNOW.....	8	0.01
	98 =	BLANK (NO ANSWER).....	55419	99.97
(SVRECRE)		The answers that people give us about their use of prescription sedatives are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.		
	<p>Please think again about answering this question: How long has it been since you last used any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?</p>			
SVRECRE	2	THINK AGAIN ABOUT ANS LAST USED SEDATIVE NONMED		
	1 =	Within past 30 days -- that is, since [DATEFILL]..	1	0.00
	2 =	More than 30 days ago but within the past 12 mos..	1	0.00
	3 =	More than 12 months ago.....	4	0.01
	97 =	REFUSED.....	5	0.01
	98 =	BLANK (NO ANSWER).....	55424	99.98

SELECTED UNEDITED VARIABLES			PAGE:	184
LABEL	LEN	DESCRIPTION	FREQ	%
(SV10)		Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.		-
		What would be the easiest way for you to tell us how many days you used a prescription sedative in either of these ways?		
SV10	2	EASIEST WAY TO TELL US # DAYS USED SEDATIVE		
		1 = Avg num of days per week during pst 12 mos.....	43	0.08
		2 = Avg num of days per month during pst 12 mos.....	63	0.11
		3 = Total number of days during the past 12 months....	149	0.27
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	55169	99.52
(SV11)		On how many days in the past 12 months did you use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SV11	3	# DAYS USED SEDATIVE "NM" PAST 12 MONTHS		
		RANGE = 1 - 250	152	0.27
		994 = DON'T KNOW.....	8	0.01
		998 = BLANK (NO ANSWER).....	55275	99.71
(SV12)		On average, how many days each month during the past 12 months did you use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SV12	2	# DAYS PER MONTH USED SEDATIVE "NM" PAST 12 MONTHS		
		RANGE = 1 - 23	64	0.12
		94 = DON'T KNOW.....	7	0.01
		98 = BLANK (NO ANSWER).....	55364	99.87
(SV13)		On average, how many days each week during the past 12 months did you use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SV13	2	# DAYS PER WEEK USED SEDATIVE "NM" PAST 12 MONTHS		
		RANGE = 1 - 7	41	0.07
		94 = DON'T KNOW.....	9	0.02
		98 = BLANK (NO ANSWER).....	55385	99.91

LABEL	LEN	DESCRIPTION	SPECIAL DRUGS	PAGE:	185
				FREQ	%
(SD01)		SPECIAL DRUGS			-

		These next questions are about the different ways that certain drugs can be used.			

		Have you ever, even once, smoked heroin?			
HERSMOKE	2	1EVER SMOKED HEROIN			
		1 = Yes.....	229	0.41	
		2 = No.....	459	0.83	
		3 = Yes LOGICALLY ASSIGNED.....	5	0.01	
		91 = NEVER USED HEROIN.....	54709	98.69	
		97 = REFUSED.....	3	0.01	
		98 = BLANK (NO ANSWER).....	30	0.05	
(SD02)		How long has it been since you last smoked heroin?			
HRSMKREC	2	1TIME SINCE LAST SMOKED HEROIN			
		1 = Within the past 30 days.....	10	0.02	
		2 = More than 30 days ago but within the past 12 mos..	24	0.04	
		3 = More than 12 months ago.....	200	0.36	
		91 = NEVER USED HEROIN.....	54709	98.69	
		93 = USED HEROIN BUT NEVER SMOKED IT.....	459	0.83	
		97 = REFUSED.....	3	0.01	
		98 = BLANK (NO ANSWER).....	30	0.05	
(SD03)		Have you ever, even once, sniffed or "snorted" heroin powder through your nose?			
HERSNIFF	2	1EVER SNIFFED HEROIN			
		1 = Yes.....	467	0.84	
		2 = No.....	208	0.38	
		3 = Yes LOGICALLY ASSIGNED.....	16	0.03	
		91 = NEVER USED HEROIN.....	54709	98.69	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	4	0.01	
		98 = BLANK (NO ANSWER).....	30	0.05	
(SD04)		How long has it been since you last sniffed or "snorted" heroin powder through your nose?			
HRSNFREC	2	1TIME SINCE LAST SNIFFED HEROIN			
		1 = Within the past 30 days.....	25	0.05	
		2 = More than 30 days ago but within the past 12 mos..	59	0.11	
		3 = More than 12 months ago.....	395	0.71	
		13 = More than 12 months ago LOGICALLY ASSIGNED.....	4	0.01	
		91 = NEVER USED HEROIN.....	54709	98.69	
		93 = USED HEROIN BUT NEVER SNIFFED IT.....	208	0.38	
		97 = REFUSED.....	4	0.01	
		98 = BLANK (NO ANSWER).....	31	0.06	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	SPECIAL DRUGS DESCRIPTION	PAGE: FREQ	186 %
(SD08)		Have you ever, even once, used a needle to inject heroin?		-
HERNEEDL	2	1EVER USED NEEDLE TO INJECT HEROIN		
		1 = Yes.....	311	0.56
		2 = No.....	372	0.67
		3 = Yes LOGICALLY ASSIGNED.....	12	0.02
		91 = NEVER USED HEROIN.....	54709	98.69
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	26	0.05
(SDHEUSE)		Earlier the computer recorded that you had used heroin. In what way have you used heroin?		
HEOTSMK	2	1HOW USED HEROIN: SMOKED IT		
		1 = Response entered.....	5	0.01
		6 = Response not entered.....	34	0.06
		91 = NEVER USED HEROIN.....	54709	98.69
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	32	0.06
		99 = LEGITIMATE SKIP.....	650	1.17
HEOTSNF	2	1HOW USED HEROIN: SNIFFED IT		
		1 = Response entered.....	16	0.03
		6 = Response not entered.....	23	0.04
		91 = NEVER USED HEROIN.....	54709	98.69
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	32	0.06
		99 = LEGITIMATE SKIP.....	650	1.17
HEOTNDL	2	1HOW USED HEROIN: INJECTED IT WITH A NEEDLE		
		1 = Response entered.....	7	0.01
		6 = Response not entered.....	32	0.06
		91 = NEVER USED HEROIN.....	54709	98.69
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	32	0.06
		99 = LEGITIMATE SKIP.....	650	1.17
HEOTOTH	2	1HOW USED HEROIN: SOME OTHER WAY		
		1 = Response entered.....	12	0.02
		6 = Response not entered.....	27	0.05
		91 = NEVER USED HEROIN.....	54709	98.69
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	32	0.06
		99 = LEGITIMATE SKIP.....	650	1.17
HEOTSP	2	1HOW USED HEROIN: SPECIFY		
		5 = You took it orally/by mouth/in pill form.....	5	0.01
		10 = You combined it w/ecstasy (no othr drug mentioned)	4	0.01
		19 = Another analgesic mentiond; combo w/heroin unspcfed	2	0.00
		91 = NEVER USED HEROIN.....	54709	98.69
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	34	0.06
		99 = LEGITIMATE SKIP.....	677	1.22

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		SPECIAL DRUGS	PAGE:	187
LABEL	LEN	DESCRIPTION	FREQ	%
(SD09)		How long has it been since you last used a needle to inject heroin?		-
HRNDLREC	2	1TIME SINCE LAST USED NEEDLE TO INJECT HEROIN		
		1 = Within the past 30 days.....	24	0.04
		2 = More than 30 days ago but within the past 12 mos..	42	0.08
		3 = More than 12 months ago.....	252	0.45
		9 = At some point in the lifetime LOG ASSN.....	5	0.01
		91 = NEVER USED HEROIN.....	54709	98.69
		93 = USED HEROIN BUT NEVER WITH A NEEDLE.....	372	0.67
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	26	0.05
(SD10A)		NOTE: MTHNEEDL and MTNDLREC were edited in a manner that was consistent with how these variables were created prior to 2005.		
		Have you ever, even once, used a needle to inject Methamphetamine, Desoxyn, or Methedrine when it was not prescribed for you or that you took only for the experience or feeling it caused?		
MTHNEEDL	2	1EVER USED NEEDLE TO INJECT METHAMPHETAMINE		
		1 = Yes.....	261	0.47
		2 = No.....	1799	3.25
		3 = Yes LOGICALLY ASSIGNED.....	15	0.03
		4 = No LOGICALLY ASSIGNED.....	1	0.00
		81 = NEVER USED METHAMPHETAMINE Logically assigned.....	11	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED METHAMPHETAMINE.....	53288	96.13
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	43	0.08
(SD10B)		How long has it been since you last used a needle to inject Methamphetamine, Desoxyn, or Methedrine when it was not prescribed for you or that you took only for the experience or feeling it caused?		
MTNDLREC	2	1TIME SINCE LAST USED NEEDLE TO INJECT METH		
		1 = Within the past 30 days.....	20	0.04
		2 = More than 30 days ago but within the past 12 mos..	31	0.06
		3 = More than 12 months ago.....	209	0.38
		9 = At some point in the lifetime LOG ASSN.....	14	0.03
		13 = More than 12 months ago LOGICALLY ASSIGNED.....	2	0.00
		81 = NEVER USED METHAMPHETAMINE Logically assigned.....	11	0.02
		91 = NEVER USED METHAMPHETAMINE.....	53288	96.13
		93 = USED METHAMPH BUT NEVER WITH A NEEDLE.....	1800	3.25
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	44	0.08

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL DRUGS			PAGE:	188
LABEL	LEN	DESCRIPTION	FREQ	%
(SD17A) NOTE: Questions corresponding to MTHAMP through MTADYPWK were follow-up questions that were asked only of respondents who had not previously reported lifetime nonmedical use of methamphetamine in the core STIMULANTS module.				
Methamphetamine, also known as crank, ice, crystal meth, speed, glass, and many other names, is a stimulant that usually comes in crystal or powder forms. It can be smoked, "snorted," swallowed or injected. Have you ever, even once, used methamphetamine?				
MTHAMP 2 1EVER USED METHAMPHETAMINE				
1 = Yes..... 775 1.40				
2 = No..... 52280 94.31				
4 = NO LOGICALLY ASSIGNED..... 255 0.46				
85 = BAD DATA Logically assigned..... 3 0.01				
94 = DON'T KNOW..... 29 0.05				
97 = REFUSED..... 9 0.02				
98 = BLANK (NO ANSWER)..... 20 0.04				
99 = LEGITIMATE SKIP (METHDES=1)..... 2064 3.72				
(SD17B) How long has it been since you last used methamphetamine?				
MTHAREC 2 1TIME SINCE LAST USED METHAMPHETAMINE				
1 = Within the past 30 days..... 36 0.06				
2 = More than 30 days ago but within the past 12 mos.. 77 0.14				
3 = More than 12 months ago..... 661 1.19				
9 = At some point in the lifetime LOG ASN..... 1 0.00				
81 = NEVER USED METHAMPHETAMINE Logically assigned..... 255 0.46				
85 = BAD DATA Logically assigned..... 2 0.00				
91 = NEVER USED METHAMPHETAMINE (MTHAMP=2)..... 52280 94.31				
97 = REFUSED..... 9 0.02				
98 = BLANK (NO ANSWER)..... 50 0.09				
99 = LEGITIMATE SKIP (METHDES=1)..... 2064 3.72				
(SD18A) Have you ever, even once, used a needle to inject methamphetamine?				
MTHANEDL 2 1EVER USED NEEDLE TO INJECT METHAMPHETAMINE				
1 = Yes..... 62 0.11				
2 = No..... 713 1.29				
81 = NEVER USED METHAMPHETAMINE Logically assigned..... 255 0.46				
85 = BAD DATA Logically assigned..... 2 0.00				
91 = NEVER USED METHAMPHETAMINE (MTHAMP=2)..... 52280 94.31				
97 = REFUSED..... 9 0.02				
98 = BLANK (NO ANSWER)..... 50 0.09				
99 = LEGITIMATE SKIP (METHDES=1)..... 2064 3.72				

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		SPECIAL DRUGS	PAGE:	189
LABEL	LEN	DESCRIPTION	FREQ	%
(SD18B)		How long has it been since you last used a needle to inject methamphetamine?		-
MTANDLRC	2	1TIME SINCE LAST USED NEEDLE TO INJECT METHAMP		
		1 = Within the past 30 days.....	1	0.00
		2 = More than 30 days ago but within the past 12 mos..	2	0.00
		3 = More than 12 months ago.....	58	0.10
		13 = More than 12 months ago LOGICALLY ASSIGNED.....	1	0.00
		81 = NEVER USED METHAMPHETAMINE Logically assigned.....	255	0.46
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED METHAMPHETAMINE (MTHAMP=2).....	52280	94.31
		93 = USED METH BUT NEVER W/NEEDLE (MTHANEDL=2).....	713	1.29
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	50	0.09
		99 = LEGITIMATE SKIP (METHDES=1).....	2064	3.72
(SD17A1)		Earlier, the computer recorded that you have never used Methamphetamine, Desoxyn or Methedrine. Which answer is correct?		
MTHEVCK	2	1COMPUTER RECORDED NEVER USED METH, CORRECT		
		1 = I have never used Methamp/Desoxyn/Meth.....	255	0.46
		2 = I last used Methamphetamine [SD17B FILL].....	763	1.38
		85 = BAD DATA Logically assigned.....	6	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
		98 = BLANK (NO ANSWER).....	59	0.11
		99 = LEGITIMATE SKIP.....	54350	98.04
(SD17A2)		Why did you report earlier that you had never used Methamphetamine?		
MTHNORSN	2	1REASON REPORTED NEVER USED METHAMP		
		1 = Didnt think of Methamphetamine as prescrip drug... .	494	0.89
		2 = Made a mistake when I answered the earlier quest..	228	0.41
		3 = Some other reason.....	33	0.06
		11 = Didnt think of Methamphetamine as Rx drug LOG ASSN	2	0.00
		12 = Made a mistake when answered earlier ques LOG ASSN	6	0.01
		98 = BLANK (NO ANSWER).....	65	0.12
		99 = LEGITIMATE SKIP.....	54607	98.51
MTHNOSP	2	1OTHIER REASON NEVER USED METHAMPHETAMINE		
		1 = Didnt think of Methamphetamine as prescrip drug... .	2	0.00
		2 = Made a mistake when I answered the earlier quest..	6	0.01
		4 = Didnt recognize crank/crystal/ice/speed as mthamp.	7	0.01
		5 = Didnt recognize earlier names/knew mth by another.	2	0.00
		6 = Didnt think of mthamp as a pill; Rx unspecified...	4	0.01
		9 = Misunderstood earlier quest; reason unspecified...	3	0.01
		10 = Used methamphetamine only rarely.....	4	0.01
		70 = Reported use of a prescribed stimulant.....	4	0.01
		85 = BAD DATA Logically assigned.....	5	0.01
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	65	0.12
		99 = LEGITIMATE SKIP.....	55329	99.81

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL DRUGS			PAGE:	190
LABEL	LEN	DESCRIPTION	FREQ	%
(SDME01) NOTE: A small number of respondents who reported in the core STIMULANTS module that did not know whether they ever used methamphetamine nonmedically were not asked the question corresponding to MTHAAGE. These cases were assigned a code of 990 (see below).				
How old were you the first time you used Methamphetamine?				
MTHAAGE	3	1AGE WHEN FIRST USED METHAMPHETAMINE		
RANGE =	6 - 54		759	1.37
981 =	NEVER USED METHAMPHETAMINE	Logically assigned.....	255	0.46
990 =	NOT ASKED THE QUESTION	Logically assigned.....	6	0.01
991 =	NEVER USED METHAMPHETAMINE.....		52280	94.31
994 =	DON'T KNOW.....		2	0.00
997 =	REFUSED.....		11	0.02
998 =	BLANK (NO ANSWER).....		58	0.10
999 =	LEGITIMATE SKIP.....		2064	3.72
(SDME02)	NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions SDME02, SDME03, SDME04, SDME05, and associated consistency checks were used to create the following two variables.			
MTHAYFU	4	1YEAR OF FIRST METHAMPHETAMINE USE - RECODE		
RANGE =	2005 - 2007		79	0.14
9981 =	NEVER USED METHAMPHETAMINE	Logically assigned.....	255	0.46
9985 =	BAD DATA	Logically assigned.....	1	0.00
9989 =	LEGITIMATE SKIP	Logically assigned.....	8	0.01
9991 =	NEVER USED METHAMPHETAMINE.....		52280	94.31
9994 =	DON'T KNOW.....		3	0.01
9997 =	REFUSED.....		11	0.02
9998 =	BLANK (NO ANSWER).....		64	0.12
9999 =	LEGITIMATE SKIP.....		2734	4.93
MTHAMFU	2	1MONTH OF FIRST METHAMPHETAMINE USE - RECODE		
1 =	January.....		5	0.01
2 =	February.....		3	0.01
3 =	March.....		8	0.01
4 =	April.....		8	0.01
5 =	May.....		2	0.00
6 =	June.....		7	0.01
7 =	July.....		9	0.02
8 =	August.....		10	0.02
9 =	September.....		6	0.01
10 =	October.....		5	0.01
11 =	November.....		7	0.01
12 =	December.....		6	0.01
81 =	NEVER USED METHAMPHETAMINE	Logically assigned.....	255	0.46
85 =	BAD DATA	Logically assigned.....	1	0.00
89 =	LEGITIMATE SKIP	Logically assigned.....	8	0.01
91 =	NEVER USED METHAMPHETAMINE.....		52280	94.31
94 =	DON'T KNOW.....		6	0.01
97 =	REFUSED.....		11	0.02
98 =	BLANK (NO ANSWER).....		64	0.12
99 =	LEGITIMATE SKIP.....		2734	4.93

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL DRUGS			PAGE:	191
LABEL	LEN	DESCRIPTION	FREQ	%
MTHAYTOT	3	1TOTAL # DAYS USED METHAMPHETAMINE PAST 12 MONTHS		-
RANGE	=	1 - 365	109	0.20
981	= NEVER USED METHAMPHETAMINE Logically assigned.....	255	0.46	
991	= NEVER USED METHAMPHETAMINE.....	52280	94.31	
993	= DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS....	661	1.19	
994	= DON'T KNOW.....	2	0.00	
997	= REFUSED.....	11	0.02	
998	= BLANK (NO ANSWER).....	53	0.10	
999	= LEGITIMATE SKIP.....	2064	3.72	
MTAFQFLG	2	TRIMMED MTHAYTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use....	13	0.02
		98 = BLANK (NO ANSWER).....	55422	99.98
(SDME06)		Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used Methamphetamine during the past 12 months.		
		What would be the easiest way for you to tell us how many days you used Methamphetamine?		
MTABSTWY	2	1EASIEST WAY TO TELL US # DAYS USED METH		
		1 = Prefer to answer in days per week.....	18	0.03
		2 = Prefer to answer in days per month.....	25	0.05
		3 = Prefer to answer in days per year.....	66	0.12
		81 = NEVER USED METHAMPHETAMINE Logically assigned.....	255	0.46
		91 = NEVER USED METHAMPHETAMINE.....	52280	94.31
		93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS....	661	1.19
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	11	0.02
		98 = BLANK (NO ANSWER).....	53	0.10
		99 = LEGITIMATE SKIP.....	2064	3.72
(SDME07)		On how many days in the past 12 months did you use Methamphetamine?		
MTADYPYR	3	1# DAYS USED METHAMPHETAMINE PAST 12 MOS		
RANGE	=	1 - 365	66	0.12
981	= NEVER USED METHAMPHETAMINE Logically assigned.....	255	0.46	
991	= NEVER USED METHAMPHETAMINE.....	52280	94.31	
993	= DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS....	661	1.19	
994	= DON'T KNOW.....	2	0.00	
997	= REFUSED.....	11	0.02	
998	= BLANK (NO ANSWER).....	53	0.10	
999	= LEGITIMATE SKIP.....	2107	3.80	
(SDME08)		On average, how many days each month during the past 12 months did you use Methamphetamine?		
MTADYPMO	2	1# DAYS PER MO USED METHAMPHETAMINE PAST 12 MOS		
RANGE	=	1 - 20	25	0.05
81	= NEVER USED METHAMPHETAMINE Logically assigned.....	255	0.46	
91	= NEVER USED METHAMPHETAMINE.....	52280	94.31	
93	= DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS....	661	1.19	
94	= DON'T KNOW.....	2	0.00	
97	= REFUSED.....	11	0.02	
98	= BLANK (NO ANSWER).....	53	0.10	
99	= LEGITIMATE SKIP.....	2148	3.87	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL DRUGS			PAGE:	192
LABEL	LEN	DESCRIPTION	FREQ	%
(SDME09)		On average, how many days each week during the past 12 months did you use Methamphetamine?		-
MTADYPWK	2	1# DAYS PER WK USED METHAMPHETAMINE PAST 12 MOS		
		RANGE = 1 - 7	18	0.03
		81 = NEVER USED METHAMPHETAMINE Logically assigned.....	255	0.46
		91 = NEVER USED METHAMPHETAMINE.....	52280	94.31
		93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS....	661	1.19
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	11	0.02
		98 = BLANK (NO ANSWER).....	53	0.10
		99 = LEGITIMATE SKIP.....	2155	3.89
(SD10C)		NOTE: OSTNEEDL and OSTNLREC were edited in a manner that was consistent with how these variables were created prior to 2005.		
		Have you ever, even once, used a needle to inject any other stimulant/a stimulant when it was not prescribed for you or that you took only for the experience or feeling it caused?		
OSTNEEDL	2	1EVER USED NEEDLE TO INJECT (OTHER) STIMULANT		
		1 = Yes.....	116	0.21
		2 = No.....	2904	5.24
		3 = Yes LOGICALLY ASSIGNED.....	3	0.01
		81 = NEVER USED STIMULANTS Log assn.....	11	0.02
		85 = BAD DATA Logically assigned.....	2	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	5	0.01
		91 = NEVER USED STIMULANTS.....	51134	92.24
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	122	0.22
		99 = LEGITIMATE SKIP.....	1126	2.03
(SD11)		How long has it been since you last used a needle to inject (any other stimulant / any stimulant) when it was not prescribed for you or that you took only for the experience or feeling it caused?		
OSTNLREC	2	1TIME SINCE LAST USED NEEDLE TO INJECT (OTH) STIM		
		1 = Within the past 30 days.....	14	0.03
		2 = More than 30 days ago but within the past 12 mos..	15	0.03
		3 = More than 12 months ago.....	86	0.16
		9 = At some point in the lifetime LOG ASSN.....	2	0.00
		13 = More than 12 months ago LOGICALLY ASSIGNED.....	2	0.00
		81 = NEVER USED STIMULANTS Logically assigned.....	11	0.02
		91 = NEVER USED STIMULANTS.....	51134	92.24
		93 = USED STIM/OTHR STIMULANT BUT NEVER WITH A NEEDLE..	2904	5.24
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	126	0.23
		99 = LEGITIMATE SKIP.....	1131	2.04

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:		193
			FREQ	%	-
(SD06)		Have you ever, even once, used a needle to inject cocaine?			
COCNEEDL	2	1 EVER USED NEEDLE TO INJECT COCAINE			
		1 = Yes.....	326	0.59	
		2 = No.....	6325	11.41	
		3 = Yes LOGICALLY ASSIGNED.....	6	0.01	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED COCAINE.....	48746	87.93	
		97 = REFUSED.....	19	0.03	
		98 = BLANK (NO ANSWER).....	12	0.02	
(SD07)		How long has it been since you last used a needle to inject cocaine?			
CONDREC	2	1 TIME SINCE LAST USED NEEDLE TO INJECT COCAINE			
		1 = Within the past 30 days.....	13	0.02	
		2 = More than 30 days ago but within the past 12 mos..	35	0.06	
		3 = More than 12 months ago.....	276	0.50	
		9 = At some point in the lifetime LOG ASSN.....	6	0.01	
		13 = More than 12 months ago LOGICALLY ASSIGNED.....	2	0.00	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED COCAINE.....	48746	87.93	
		93 = USED COCAINE BUT NEVER WITH A NEEDLE.....	6325	11.41	
		97 = REFUSED.....	19	0.03	
		98 = BLANK (NO ANSWER).....	12	0.02	
(SD05)		Have you ever, even once, used a needle to inject any other drug/any drug that was not prescribed for you or that you took only for the experience or feeling it caused?			
OTDGNEEDL	2	1 EVER USED NEEDLE TO INJECT ANY OTHER DRUG			
		1 = Yes.....	244	0.44	
		2 = No.....	55158	99.50	
		4 = No LOGICALLY ASSIGNED.....	3	0.01	
		94 = DON'T KNOW.....	14	0.03	
		97 = REFUSED.....	11	0.02	
		98 = BLANK (NO ANSWER).....	5	0.01	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL DRUGS			PAGE:	194
LABEL	LEN	DESCRIPTION	FREQ	%
OTDGNDLA	4	10 OTHER DRUG INJECTED - SPECIFY 1		-
109		Seconal.....	1	0.00
116		Methaqualone, Sopor, Quaalude.....	3	0.01
131		Haldol, Haloperidol.....	1	0.00
201		Valium, Diazepam.....	1	0.00
202		Librium, Chlordiazepoxide HCl.....	1	0.00
209		Xanax, Alprazolam, Tafil, Xanax bars.....	1	0.00
227		Thorazine.....	1	0.00
246		Clonazepam, Diocam, Klonopin, Rivotril.....	2	0.00
311		Preludin.....	2	0.00
322		Methamphetamine ("ice" or "crank"), Meth.....	25	0.05
348		Crystal.....	1	0.00
355		Crystal meth.....	4	0.01
406		Percodan, Roxiprin.....	1	0.00
407		Demerol, Meperidine.....	5	0.01
408		Dilaudid, Hydromorphone.....	13	0.02
411		Talwin.....	1	0.00
417		Morphine, Roxanol.....	16	0.03
418		Methadone, Dolophine.....	2	0.00
419		Stadol, Stadol NS.....	1	0.00
434		Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic.....	1	0.00
457		T's and blues, tee's and b's, tops and bottoms.....	1	0.00
601		LSD ("acid").....	1	0.00
605		PCP ("angel dust," phencyclidine).....	5	0.01
606		"Ecstasy" (MDMA), X-TC, "X".....	1	0.00
614		MDA, Methyleneoxy amphetamine.....	1	0.00
658		Special K, Ketamine.....	3	0.01
701		OTHER Opiates, NOT OTHERWISE SPECIFIED.....	1	0.00
702		Heroin.....	30	0.05
703		Opium.....	1	0.00
704		Dope.....	1	0.00
707		Black tar heroin.....	1	0.00
801		OTHER Drugs, NOT OTHERWISE SPECIFIED.....	4	0.01
802		THC, cannabinol, marinol, tetrahydrocannabinol.....	2	0.00
805		Cocaine, coca, cocaina, coke.....	12	0.02
806		Crack, rock.....	2	0.00
824		Steroids.....	11	0.02
3023		Adderall.....	1	0.00
3052		Speed; otherwise unspecified.....	5	0.01
4037		Kadian, MS Contin.....	1	0.00
4046		Oxycodone or unspecified oxycodone products.....	3	0.01
4067		OxyContin.....	46	0.08
4073		Temgesic.....	1	0.00
8067		Testosterone.....	6	0.01
8072		Deca-Durabolin, Nandrolone decanoate.....	1	0.00
8076		Winstrol.....	2	0.00
8079		Insulin.....	1	0.00
8088		Dianabol.....	1	0.00
8090		Sustanon, Sostenon.....	1	0.00
8212		Finaplix Gold, Trembolona QV75, Trenbolone.....	1	0.00
9985		BAD DATA Logically assigned.....	3	0.01
9989		LEGITIMATE SKIP Logically assigned.....	3	0.01
9994		DON'T KNOW.....	7	0.01
9997		REFUSED.....	15	0.03
9998		BLANK (NO ANSWER).....	19	0.03
9999		LEGITIMATE SKIP.....	55158	99.50

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL DRUGS			PAGE:	195
LABEL	LEN	DESCRIPTION	FREQ	%
OTDGNDLB	4	10THER DRUG INJECTED - SPECIFY 2		-
110		Tuinal.....	1	0.00
174		Ambien, Stilnox, Zolpidem.....	1	0.00
178		Quetiapine, Seroquel.....	1	0.00
209		Xanax, Alprazolam, Tafil, Xanax bars.....	2	0.00
306		Desoxyn.....	1	0.00
318		Ritalin, Methylphenidate.....	1	0.00
322		Methamphetamine ("ice" or "crank"), Meth.....	5	0.01
332		Ephedrine.....	1	0.00
355		Crystal meth.....	1	0.00
408		Dilauidid, Hydromorphone.....	6	0.01
411		Talwin.....	1	0.00
417		Morphine, Roxanol.....	6	0.01
418		Methadone, Dolophine.....	2	0.00
419		Stadol, Stadol NS.....	1	0.00
423		Percocet.....	1	0.00
434		Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic.....	1	0.00
465		Fentanyl, Duragesic, Sublimaze.....	1	0.00
511		Markers, felt-tip pens, ink pens.....	1	0.00
601		LSD ("acid").....	2	0.00
702		Heroin.....	6	0.01
805		Cocaine, coca, cocaina, coke.....	11	0.02
806		Crack, rock.....	2	0.00
848		Liquid vitamin, vitamin pills <OTC>.....	1	0.00
3035		Blacks.....	1	0.00
4046		Oxycodone or unspecified oxycodone products.....	1	0.00
4067		OxyContin.....	4	0.01
8079		Insulin.....	1	0.00
8090		Sustanon, Sostenon.....	1	0.00
8129		Equipoise, Equipose.....	1	0.00
9985		BAD DATA Logically assigned.....	2	0.00
9989		LEGITIMATE SKIP Logically assigned.....	1	0.00
9994		DON'T KNOW.....	1	0.00
9997		REFUSED.....	13	0.02
9998		BLANK (NO ANSWER).....	193	0.35
9999		LEGITIMATE SKIP.....	55160	99.50
OTDGNDLC	4	10THER DRUG INJECTED - SPECIFY 3		
108		Nembutal.....	1	0.00
209		Xanax, Alprazolam, Tafil, Xanax bars.....	1	0.00
311		Preludin.....	1	0.00
322		Methamphetamine ("ice" or "crank"), Meth.....	2	0.00
355		Crystal meth.....	1	0.00
417		Morphine, Roxanol.....	5	0.01
418		Methadone, Dolophine.....	1	0.00
702		Heroin.....	4	0.01
801		OTHER Drugs, NOT OTHERWISE SPECIFIED.....	1	0.00
805		Cocaine, coca, cocaina, coke.....	3	0.01
824		Steroids.....	1	0.00
3023		Adderall.....	1	0.00
3052		Speed; otherwise unspecified.....	1	0.00
4067		OxyContin.....	2	0.00
9985		BAD DATA Logically assigned.....	3	0.01
9997		REFUSED.....	11	0.02
9998		BLANK (NO ANSWER).....	235	0.42
9999		LEGITIMATE SKIP.....	55161	99.51

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL DRUGS			PAGE:	196
LABEL	LEN	DESCRIPTION	FREQ	%
OTDGNDLD	4	1OTHER DRUG INJECTED - SPECIFY 4		-
		174 = Ambien, Stilnox, Zolpidem.....	1	0.00
		207 = Ativan, Lorazepam, Orfidal.....	1	0.00
		407 = Demerol, Meperidine.....	1	0.00
		417 = Morphine, Roxanol.....	1	0.00
		802 = THC, cannabinol, marinol, tetrahydrocannabinol....	1	0.00
		806 = Crack, rock.....	1	0.00
		3035 = Blacks.....	1	0.00
		4067 = OxyContin.....	2	0.00
		4109 = Suboxone.....	2	0.00
		9997 = REFUSED.....	11	0.02
		9998 = BLANK (NO ANSWER).....	252	0.45
		9999 = LEGITIMATE SKIP.....	55161	99.51
OTDGNDLE	4	1OTHER DRUG INJECTED - SPECIFY 5		
		407 = Demerol, Meperidine.....	1	0.00
		805 = Cocaine, coca, cocaina, coke.....	2	0.00
		4109 = Suboxone.....	1	0.00
		9997 = REFUSED.....	11	0.02
		9998 = BLANK (NO ANSWER).....	259	0.47
		9999 = LEGITIMATE SKIP.....	55161	99.51
(SD12)		Think about the last time you used a needle for injecting drugs. The last time you used a needle for injecting drugs, were you reusing a needle that you had used before?		
GNNDREUS	2	1LAST TIME REUSED NEEDLE USED BEFORE		
		1 = Yes.....	246	0.44
		2 = No.....	440	0.79
		89 = LEGITIMATE SKIP Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	11	0.02
		98 = BLANK (NO ANSWER).....	19	0.03
		99 = LEGITIMATE SKIP.....	54708	98.69
(SD13)		The last time you used a needle for injecting drugs, did you use a needle that you knew or suspected someone else had used before?		
GNNDLSH1	2	1LAST NEEDLE HAD BEEN USED BY SOMEONE ELSE		
		1 = Yes.....	117	0.21
		2 = No.....	575	1.04
		89 = LEGITIMATE SKIP Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	11	0.02
		98 = BLANK (NO ANSWER).....	19	0.03
		99 = LEGITIMATE SKIP.....	54708	98.69

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL DRUGS			PAGE:	197
LABEL	LEN	DESCRIPTION	FREQ	%
(SD14)		The last time you used a needle for injecting drugs, did you use bleach to clean the needle before you used it?		-
GNNDCLEN	2	1USED BLEACH TO CLEAN LAST NEEDLE BEFORE USE		
		1 = Yes.....	162	0.29
		2 = No.....	528	0.95
		89 = LEGITIMATE SKIP Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	11	0.02
		98 = BLANK (NO ANSWER).....	19	0.03
		99 = LEGITIMATE SKIP.....	54708	98.69
(SD15)		The last time you used a needle for injecting drugs, did someone else use the needle after you?		
GNNDLSH2	2	1SOMEONE ELSE USED LAST NEEDLE AFTER YOU		
		1 = Yes.....	118	0.21
		2 = No.....	564	1.02
		89 = LEGITIMATE SKIP Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	11	0.02
		98 = BLANK (NO ANSWER).....	19	0.03
		99 = LEGITIMATE SKIP.....	54708	98.69
(SD16)		NOTE: In situations where respondents reported getting their last needle "some other way" and specified where they got the needle, the variable GNNDGET2 incorporates these "OTHER, Specify" data.		
		The last time you used a needle for injecting drugs, how did you get the needle?		
GNNDGET2	2	1HOW DID YOU GET THE NEEDLE LAST TIME		
		1 = I bought the needle from pharmacy.....	350	0.63
		2 = I got the needle from a needle exchange.....	37	0.07
		3 = I bought the needle on the street.....	51	0.09
		4 = I got the needle in a shooting gallery.....	4	0.01
		5 = I got the needle some other way.....	27	0.05
		41 = Given by, stolen frm friend/acquaint of frnd or R.	126	0.23
		42 = Given by, stolen from a relative.....	12	0.02
		43 = Given by, stolen from someone, relation unspecifd.	32	0.06
		44 = From drug dealer/came with drugs.....	5	0.01
		45 = Found it/got from a waste can/trash.....	3	0.01
		46 = Given by, stolen from medical facility/professionl	13	0.02
		47 = Given by, stolen from work.....	6	0.01
		48 = Given by, stolen from a pharmacy or store.....	3	0.01
		49 = Bought, given, stolen from place/location unspecfd	12	0.02
		89 = LEGITIMATE SKIP Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	19	0.03
		99 = LEGITIMATE SKIP.....	54708	98.69

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL DRUGS			PAGE:	198
LABEL	LEN	DESCRIPTION	FREQ	%
(SD19)		The next question is about GHB, also called "G," "Georgia Home Boy," "Grievous Bodily Harm," "Liquid G," or gamma hydroxybutyrate. Have you ever, even once, used GHB?		-
GHB	2	1 EVER USED GHB		
		1 = Yes.....	307	0.55
		2 = No.....	55045	99.30
		94 = DON'T KNOW.....	73	0.13
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	5	0.01
(SD20)		Adderall is a prescription stimulant that comes in tablet or capsule form. Adderall tablets and capsules are shown below. Have you ever, even once, used Adderall that was not prescribed for you or that you took only for the experience or feeling it caused?		
ADDERALL	2	1 EVER USED ADDERALL THAT WAS NOT PRESCRIBED		
		1 = Yes.....	2315	4.18
		2 = No.....	53075	95.74
		94 = DON'T KNOW.....	31	0.06
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	5	0.01
(SD21)		Ambien is a prescription sedative or sleeping pill that comes in tablet form. Ambien tablets are shown below. Have you ever, even once, used Ambien that was not prescribed for you or that you took only for the experience or feeling it caused?		
AMBIEN	2	1 EVER USED AMBIEN THAT WAS NOT PRESCRIBED		
		1 = Yes.....	1250	2.25
		2 = No.....	54137	97.66
		94 = DON'T KNOW.....	30	0.05
		97 = REFUSED.....	13	0.02
		98 = BLANK (NO ANSWER).....	5	0.01
(SD22A)		The last two questions were about prescription drugs. The next question is about non-prescription cough or cold medicines, also known as over the counter medicines. Have you ever, even once, taken a non-prescription cough or cold medicine just to get high?		
COLDMEDS	2	1 TAKEN A NONPRESCRIPTION COUGH MED TO GET HIGH		
		1 = Yes.....	2336	4.21
		2 = No.....	53049	95.70
		94 = DON'T KNOW.....	35	0.06
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	5	0.01

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL DRUGS			PAGE:	199
LABEL	LEN	DESCRIPTION	FREQ	%
(SD23A)		Earlier, the computer asked you questions about your use of hallucinogens. These drugs often cause people to see or experience things that are not real. The next questions are about hallucinogens you were not specifically asked about earlier.		-
		Have you ever, even once, used Ketamine, also called "Special K" or "Super K"?		
KETAMINE	2	1EVER USED KETAMINE		
		1 = Yes.....	698	1.26
		2 = No.....	54665	98.61
		94 = DON'T KNOW.....	58	0.10
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	5	0.01
(SD23B)		Have you ever, even once, used any of the following: DMT, also called dimethyltryptamine, AMT, also called alpha-methyltryptamine, or Foxy, also called 5-MeO-DIPT?		
TRYPTMN	2	1EVER USED DMT, AMT, FOXY		
		1 = Yes.....	250	0.45
		2 = No.....	55096	99.39
		94 = DON'T KNOW.....	77	0.14
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	5	0.01
(SD23C)		Have you ever, even once, used Salvia divinorum?		
SALVDIV	2	1EVER USED SALVIA DIVINORUM		
		1 = Yes.....	1233	2.22
		2 = No.....	54072	97.54
		94 = DON'T KNOW.....	119	0.21
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	5	0.01
(SD24)		Earlier, the computer recorded that you have used GHB. How long has it been since you last used GHB?		
GHBREC	2	1TIME SINCE LAST USED GHB		
		1 = Within the past 30 days.....	12	0.02
		2 = More than 30 days ago but within the past 12 mos..	17	0.03
		3 = More than 12 months ago.....	277	0.50
		9 = At some point in the lifetime LOG ASSN.....	1	0.00
		91 = NEVER USED GHB.....	55045	99.30
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	78	0.14

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL DRUGS			PAGE:	200
LABEL	LEN	DESCRIPTION	FREQ	%

(SD25) Earlier, the computer recorded that you have used Adderall that was not prescribed for you or that you took only for the experience or feeling it caused. How long has it been since you last used Adderall in either of these ways?				
ADDEREC 2 1TIME SINCE LAST USED ADDERALL				
1 = Within the past 30 days..... 303 0.55				
2 = More than 30 days ago but within the past 12 mos.. 745 1.34				
3 = More than 12 months ago..... 1260 2.27				
9 = At some point in the lifetime LOG ASSN..... 7 0.01				
91 = NEVER USED ADDERALL..... 53075 95.74				
97 = REFUSED..... 9 0.02				
98 = BLANK (NO ANSWER)..... 36 0.06				
(SD26) Earlier the computer recorded that you have used Ambien that was not prescribed for you or that you took only for the experience or feeling it caused. How long has it been since you last used Ambien in either of these ways?				
AMBIREC 2 1TIME SINCE LAST USED AMBIEN				
1 = Within the past 30 days..... 120 0.22				
2 = More than 30 days ago but within the past 12 mos.. 393 0.71				
3 = More than 12 months ago..... 730 1.32				
9 = At some point in the lifetime LOG ASSN..... 7 0.01				
91 = NEVER USED AMBIEN..... 54137 97.66				
97 = REFUSED..... 13 0.02				
98 = BLANK (NO ANSWER)..... 35 0.06				
(SD27) Earlier, the computer recorded that you have taken a non-prescription cough or cold medicine just to get high. How long has it been since you last took one of these cough or cold medicines to get high?				
COLDREC 2 1TIME SINCE LAST USED COUGH/COLD MED				
1 = Within the past 30 days..... 201 0.36				
2 = More than 30 days ago but within the past 12 mos.. 529 0.95				
3 = More than 12 months ago..... 1571 2.83				
9 = At some point in the lifetime LOG ASSN..... 35 0.06				
91 = NEVER USED COUGH/COLD MED..... 53049 95.70				
97 = REFUSED..... 10 0.02				
98 = BLANK (NO ANSWER)..... 40 0.07				

¹The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL DRUGS			PAGE:	201
LABEL	LEN	DESCRIPTION	FREQ	%
COLDYR1	6	10THER COUGH/COLD MED USED PAST 12 MOS - SPECIFY 1	-	-
		122.0 = Over-the-counter sleep aid; not specified <OTC>...	1	0.00
		123.0 = Unisom <OTC>.....	1	0.00
		127.0 = Nytol, no other information <OTC>.....	1	0.00
		130.0 = Phenergan, Promethazine.....	5	0.01
		136.0 = Dimetapp, no other information <OTC>.....	3	0.01
		171.0 = NyQuil, no other information <OTC>.....	155	0.28
		171.1 = NyQuil cold medicine; no other information <OTC>..	1	0.00
		171.2 = NyQuil D <OTC>.....	1	0.00
		180.0 = Tylenol P.M. <OTC>.....	5	0.01
		181.0 = Excedrin P.M. <OTC>.....	1	0.00
		332.0 = Ephedrine.....	1	0.00
		353.0 = No-Doz <OTC>.....	1	0.00
		409.0 = Tylenol with Codeine, Tylenol 3, Tylenol 4.....	1	0.00
		415.0 = Codeine.....	13	0.02
		422.0 = Motrin, no other information <OTC>.....	1	0.00
		425.0 = Advil, no other information <OTC>.....	7	0.01
		430.0 = Aspirin, Ecotrin, Empirin <OTC>.....	8	0.01
		435.0 = Tylenol/Children's Tylenol; otherwise unspcfed<OTC>	38	0.07
		442.0 = Ibuprofen.....	3	0.01
		450.0 = Acetaminophen, incl. non-Tylenol brands <OTC>....	1	0.00
		466.0 = Midol <OTC>.....	1	0.00
		468.0 = Excedrin; no other information <OTC>.....	4	0.01
		477.0 = Melumbrina, Neo-Melumbrina.....	1	0.00
		499.0 = Aleve <OTC>.....	1	0.00
		815.0 = Coffee <OTC>.....	1	0.00
		821.0 = Amoxicillin, Ampicillin.....	1	0.00
		829.0 = Robutussin, no other information <OTC>.....	99	0.18
		829.3 = Robutussin Cough and Cold <OTC>.....	1	0.00
		829.4 = Robutussin PM <OTC>.....	1	0.00
		840.0 = Cough med, generic/unspec, contents unspec <OTC>..	15	0.03
		843.0 = Cold medicine/tabs, brand unspfd or generic <OTC>.	3	0.01
		848.0 = Liquid vitamin, vitamin pills <OTC>.....	1	0.00
		1001.0 = Benadryl, Diphenhydramine, no other info <OTC>....	16	0.03
		1002.0 = Dimenhydrinate,Dramamine,sea/motion sickness <OTC>	2	0.00
		3017.0 = Dayquil medication, no other information <OTC>....	7	0.01
		3023.0 = Adderall.....	1	0.00
		3047.0 = Sudafed, no other information <OTC>.....	8	0.01
		4044.0 = Hydrocodone.....	5	0.01
		4076.0 = OTC Pain reliever; not otherwise specified <OTC>..	1	0.00
		4097.0 = Tussionex.....	3	0.01
		4111.1 = Histinex HC.....	1	0.00
		4112.0 = Atuss.....	1	0.00
		4113.1 = Hydro-Tussin HC.....	1	0.00
		4114.0 = Phenergan w/Codeine, Promethazine w/Codeine.....	2	0.00
		6029.0 = DXM <OTC>.....	2	0.00
		6083.0 = CCC, "Triple C," C3 <OTC>.....	31	0.06
		6127.0 = Skittles <OTC>.....	1	0.00
		8009.0 = Allergy pills/antihistamine; type unspfd <OTC>....	2	0.00
		8010.0 = Zyrtec, Cetirizine.....	1	0.00
		8011.0 = Herb, flower, plant; type unspecified <OTC>.....	2	0.00
		8012.0 = Coricidin, no other information <OTC>.....	51	0.09
		8012.1 = Coricidin Cough and Cold <OTC>.....	24	0.04
		8025.1 = Claritin D <OTC>.....	1	0.00
		8042.0 = Alka Seltzer, no other information <OTC>.....	1	0.00
		8056.0 = Vicks, no other information <OTC>.....	6	0.01
		8056.1 = Vicks 44 <OTC>.....	2	0.00
		8056.2 = Vicks VapoRub <OTC>.....	1	0.00

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SPECIAL DRUGS	PAGE:	202
				FREQ	%
			-----	-----	-
			8056.5 = Vicks cough medication, no other info <OTC>.....	1	0.00
			8056.6 = Vicks 44D <OTC>.....	3	0.01
			8064.0 = Triaminic, no other information <OTC>.....	2	0.00
			8065.0 = Tylenol Cold medication, no other info <OTC>.....	7	0.01
			8110.0 = Over-the-counter drug/pills; type unspecified<OTC>	20	0.04
			8123.0 = Tylenol Sinus medication, no other info <OTC>.....	1	0.00
			8169.0 = TheraFlu <OTC>.....	5	0.01
			8192.0 = Delsym <OTC>.....	3	0.01
			8200.0 = Tylenol Cold and Flu medication,no othr info <OTC>	2	0.00
			8201.0 = Tylenol Cough medication, no othr info <OTC>.....	3	0.01
			8202.0 = Tussin, no other information.....	5	0.01
			8202.6 = Tussin DM, no other information <OTC>.....	1	0.00
			8202.7 = Q-Tussin CF <OTC>.....	1	0.00
			8205.0 = Mucinex, no other information <OTC>.....	1	0.00
			8212.2 = Zicam Cough Max <OTC>.....	1	0.00
			8214.0 = Tylenol Nighttime, no other information <OTC>.....	2	0.00
			8223.0 = Afrinex <OTC>.....	1	0.00
			9985.0 = BAD DATA Logically assigned.....	39	0.07
			9991.0 = NEVER USED COUGH/COLD MED.....	53049	95.70
			9993.0 = DID NOT USE COUGH/COLD MED IN THE PAST 12 MOS.....	1571	2.83
			9994.0 = DON'T KNOW.....	63	0.11
			9997.0 = REFUSED.....	29	0.05
			9998.0 = BLANK (NO ANSWER).....	75	0.14

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL DRUGS			PAGE:	203
LABEL	LEN	DESCRIPTION	FREQ	%
COLDYR2	6	10THER COUGH/COLD MED USED PAST 12 MOS - SPECIFY 2	-	-
		130.0 = Phenergan, Promethazine.....	2	0.00
		136.0 = Dimetapp, no other information <OTC>.....	2	0.00
		171.0 = NyQuil, no other information <OTC>.....	26	0.05
		180.0 = Tylenol P.M. <OTC>.....	5	0.01
		185.0 = Tylenol Simply Sleep <OTC>.....	1	0.00
		415.0 = Codeine.....	1	0.00
		425.0 = Advil, no other information <OTC>.....	7	0.01
		430.0 = Aspirin, Ecotrin, Empirin <OTC>.....	2	0.00
		435.0 = Tylenol/Children's Tylenol; otherwise unspcfed<OTC>	7	0.01
		442.0 = Ibuprofen.....	4	0.01
		807.0 = Alcohol, beer, ethanol, EtOH, pink champagne.....	1	0.00
		820.0 = Penicillin.....	1	0.00
		829.0 = Robitussin, no other information <OTC>.....	29	0.05
		840.0 = Cough med, generic/unspec, contents unspec <OTC>..	2	0.00
		843.0 = Cold medicine/tabs, brand unspfd or generic <OTC>.	7	0.01
		1001.0 = Benadryl, Diphenhydramine, no other info <OTC>....	6	0.01
		3017.0 = Dayquil medication, no other information <OTC>....	8	0.01
		3047.0 = Sudafed, no other information <OTC>.....	3	0.01
		4031.0 = Cough medicine with Codeine <OTC>.....	1	0.00
		4044.0 = Hydrocodone.....	2	0.00
		4076.0 = OTC Pain reliever; not otherwise specified <OTC>..	1	0.00
		4113.0 = Hydrotussin.....	1	0.00
		4114.0 = Phenergan w/Codeine, Promethazine w/Codeine.....	1	0.00
		6083.0 = CCC, "Triple C," C3 <OTC>.....	6	0.01
		6127.0 = Skittles <OTC>.....	1	0.00
		8012.0 = Coriciden, no other information <OTC>.....	13	0.02
		8012.1 = Coricidin Cough and Cold <OTC>.....	4	0.01
		8056.0 = Vicks, no other information <OTC>.....	1	0.00
		8065.0 = Tylenol Cold medication, no other info <OTC>.....	3	0.01
		8110.0 = Over-the-counter drug/pills; type unspecified<OTC>	8	0.01
		8169.0 = TheraFlu <OTC>.....	1	0.00
		8192.0 = Delsym <OTC>.....	1	0.00
		8202.0 = Tussin, no other information.....	2	0.00
		8203.0 = Sinus medication, no other information <OTC>.....	1	0.00
		8205.1 = Mucinex DM <OTC>.....	1	0.00
		8211.0 = Halls drops/lozenges, no other info <OTC>.....	1	0.00
		8214.0 = Tylenol Nighttime, no other information <OTC>.....	1	0.00
		8221.0 = D'Cold; otherwise unspecified <OTC>.....	1	0.00
		8222.0 = Dexalone <OTC>.....	1	0.00
		9985.0 = BAD DATA Logically assigned.....	9	0.02
		9991.0 = NEVER USED COUGH/COLD MED.....	53049	95.70
		9993.0 = DID NOT USE COUGH/COLD MED IN THE PAST 12 MOS.....	1571	2.83
		9994.0 = DON'T KNOW.....	10	0.02
		9997.0 = REFUSED.....	11	0.02
		9998.0 = BLANK (NO ANSWER).....	619	1.12

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL DRUGS			PAGE:	204
LABEL	LEN	DESCRIPTION	FREQ	%
COLDYR3	6	10THER COUGH/COLD MED USED PAST 12 MOS - SPECIFY 3	-	-
		171.0 = NyQuil, no other information <OTC>.....	4	0.01
		415.0 = Codeine.....	2	0.00
		425.0 = Advil, no other information <OTC>.....	2	0.00
		430.0 = Aspirin, Ecotrin, Empirin <OTC>.....	2	0.00
		435.0 = Tylenol/Children's Tylenol; otherwise unspcfed<OTC>	2	0.00
		450.0 = Acetaminophen, incl. non-Tylenol brands <OTC>....	1	0.00
		829.0 = Robitussin, no other information <OTC>.....	3	0.01
		840.0 = Cough med, generic/unspec, contents unspec <OTC>..	2	0.00
		1001.0 = Benadryl, Diphenhydramine, no other info <OTC>....	2	0.00
		3017.0 = Dayquil medication, no other information <OTC>....	3	0.01
		3047.0 = Sudafed, no other information <OTC>.....	1	0.00
		4067.0 = Oxycontin.....	1	0.00
		6083.0 = CCC, "Triple C," C3 <OTC>.....	1	0.00
		8012.0 = Coricidin, no other information <OTC>.....	3	0.01
		8025.0 = Claritin, no other information <OTC>.....	1	0.00
		8056.0 = Vicks, no other information <OTC>.....	1	0.00
		8069.0 = Decadron, Dexameth, Dexamethasone.....	1	0.00
		8110.0 = Over-the-counter drug/pills; type unspecified<OTC>	2	0.00
		8192.0 = Delsym <OTC>.....	1	0.00
		8205.0 = Mucinex, no other information <OTC>.....	2	0.00
		8208.0 = Robo.....	1	0.00
		8212.0 = Zicam medication, no other information <OTC>....	1	0.00
		8216.0 = Advil Cold, no other information <OTC>.....	1	0.00
		8220.0 = Cola soft drinks.....	1	0.00
		9985.0 = BAD DATA Logically assigned.....	1	0.00
		9991.0 = NEVER USED COUGH/COLD MED.....	53049	95.70
		9993.0 = DID NOT USE COUGH/COLD MED IN THE PAST 12 MOS....	1571	2.83
		9994.0 = DON'T KNOW.....	2	0.00
		9997.0 = REFUSED.....	11	0.02
		9998.0 = BLANK (NO ANSWER).....	760	1.37
COLDYR4	6	10THER COUGH/COLD MED USED PAST 12 MOS - SPECIFY 4		
		180.0 = Tylenol P.M. <OTC>.....	1	0.00
		425.0 = Advil, no other information <OTC>.....	1	0.00
		435.0 = Tylenol/Children's Tylenol; otherwise unspcfed<OTC>	1	0.00
		442.0 = Ibuprofen.....	1	0.00
		829.0 = Robitussin, no other information <OTC>.....	3	0.01
		829.6 = Robotussin CoughGels <OTC>.....	1	0.00
		840.0 = Cough med, generic/unspec, contents unspec <OTC>..	1	0.00
		843.0 = Cold medicine/tabs, brand unspfd or generic <OTC>.	1	0.00
		1001.0 = Benadryl, Diphenhydramine, no other info <OTC>....	2	0.00
		3023.0 = Adderall.....	1	0.00
		8211.0 = Halls drops/lozenges, no other info <OTC>.....	1	0.00
		9985.0 = BAD DATA Logically assigned.....	1	0.00
		9991.0 = NEVER USED COUGH/COLD MED.....	53049	95.70
		9993.0 = DID NOT USE COUGH/COLD MED IN THE PAST 12 MOS....	1571	2.83
		9994.0 = DON'T KNOW.....	1	0.00
		9997.0 = REFUSED.....	10	0.02
		9998.0 = BLANK (NO ANSWER).....	789	1.42

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL DRUGS			PAGE:	205
LABEL	LEN	DESCRIPTION	FREQ	%
COLDYR5	6	10OTHER COUGH/COLD MED USED PAST 12 MOS - SPECIFY 5		-
		171.0 = NyQuil, no other information <OTC>.....	1	0.00
		425.0 = Advil, no other information <OTC>.....	1	0.00
		829.0 = Robitussin, no other information <OTC>.....	1	0.00
		3017.0 = Dayquil medication, no other information <OTC>....	1	0.00
		8110.0 = Over-the-counter drug/pills; type unspecified<OTC>	1	0.00
		9991.0 = NEVER USED COUGH/COLD MED.....	53049	95.70
		9993.0 = DID NOT USE COUGH/COLD MED IN THE PAST 12 MOS.....	1571	2.83
		9997.0 = REFUSED.....	10	0.02
		9998.0 = BLANK (NO ANSWER).....	800	1.44

NOTE: OTCFLAG is a "flag" variable that has a value of 1 when respondents reported use of an over-the-counter (OTC) cold medication to get high in the past year, but the only drugs that they specified were prescription-type ones. OTCFLAG has a value of 2 when respondents reported use of OTC cold medications to get high but their "OTHER, Specify" variables COLDYR1 through COLDYR5 all had codes of "bad data" or "blank."

OTCFLAG	2	1INCONSISTENCY FLAG FOR REPORT OF OTC COLD MEDS		
		1 = Specified use only of prescrip-type drugs, past yr	36	0.06
		2 = Bad data or blank in COLDYR1-COLDYR5.....	22	0.04
		98 = BLANK (OTHERWISE).....	55377	99.90
(SD28)		Earlier, the computer recorded that you have used Ketamine. How long has it been since you last used Ketamine?		
KETAREC	2	1TIME SINCE LAST USED KETAMINE		
		1 = Within the past 30 days.....	20	0.04
		2 = More than 30 days ago but within the past 12 mos..	80	0.14
		3 = More than 12 months ago.....	593	1.07
		9 = Used at some point in the lifetime LOG ASSN.....	5	0.01
		91 = NEVER USED KETAMINE.....	54665	98.61
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	63	0.11
(SD29)		Earlier, the computer recorded that you have used DMT, AMT, or Foxy. How long has it been since you last used any of these drugs?		
TRYPREC	2	1TIME SINCE LAST USED DMT/AMT/FOXY		
		1 = Within the past 30 days.....	6	0.01
		2 = More than 30 days ago but within the past 12 mos..	40	0.07
		3 = More than 12 months ago.....	202	0.36
		9 = Used at some point in the lifetime LOG ASSN.....	2	0.00
		91 = NEVER USED DMT/AMT/FOXY.....	55096	99.39
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	82	0.15

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SPECIAL DRUGS	PAGE:	206
				FREQ	%
(SD30)		Earlier, the computer recorded that you have used Salvia divinorum. How long has it been since you last used Salvia divinorum?		-	-
SALVREC	2	1TIME SINCE LAST USED SALVIA DIVINORUM			
		1 = Within the past 30 days.....	104	0.19	
		2 = More than 30 days ago but within the past 12 mos..	444	0.80	
		3 = More than 12 months ago.....	683	1.23	
		9 = Used at some point in the lifetime LOG ASSN.....	2	0.00	
		91 = NEVER USED SALVIA DIVINORUM.....	54072	97.54	
		97 = REFUSED.....	6	0.01	
		98 = BLANK (NO ANSWER).....	124	0.22	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	207
			FREQ	%
RECODED SPECIAL DRUGS				

RECODED SPECIAL DRUGS				

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.				
NOTE: The variables STNEEDLR, STNLRECR, and NEDLRECR were created to be consistent with data from corresponding variables prior to 2005. STNEEDLR was derived from the variables MTHNEEDL and OSTNEEDL. STNLRECR was derived from the variables MTNDLREC and OSTNLREC. NEDLRECR was derived from the variables HRNDLREC, CONDLREC, and STNLRECR. The variables STNEDL06, STNLRC06, and NDLREC06 also took into account data from the methamphetamine variables MTHANEDL, MTANDLRC, and MTHEVCK from the SPECIAL DRUGS module. STNEDL06 was derived from STNEEDLR and MTHANEDL. STNLRC06 was derived from STNLRECR and MTANDLRC. NDLREC06 was derived from NEDLRECR and STNLRC06.				
STNEEDLR	2	1EVER USED NEEDLE TO INJECT STIMULANT - RECODE		
		1 = Yes.....	328	0.59
		2 = No.....	3840	6.93
		81 = NEVER USED STIMULANTS Logically assigned.....	11	0.02
		91 = NEVER USED STIMULANTS.....	51134	92.24
		97 = REFUSED.....	15	0.03
		98 = MISSING (BUT NOT REFUSED).....	107	0.19
STNLRECR	2	1MOST RECENT TIME USED STIMULANT W/NEEDLE - RECODE		
		1 = Within the past 30 days.....	26	0.05
		2 = More than 30 days ago but within the past 12 mos..	39	0.07
		3 = More than 12 months ago.....	243	0.44
		9 = At some point in the lifetime LOG ASSN.....	18	0.03
		13 = More than 12 months ago LOGICALLY ASSIGNED.....	2	0.00
		81 = NEVER USED STIMULANTS Logically assigned.....	11	0.02
		91 = NEVER USED STIMULANTS.....	51134	92.24
		93 = USED STIMULANTS BUT NEVER WITH A NEEDLE.....	3840	6.93
		97 = REFUSED.....	15	0.03
		98 = MISSING (BUT NOT REFUSED).....	107	0.19
NEDLRECR	2	1MOST RECENT TIME USED COC/HER/STM WITH A NEEDLE		
		1 = Within the past 30 days.....	51	0.09
		2 = More than 30 days ago but within the past 12 mos..	69	0.12
		3 = More than 12 months ago.....	469	0.85
		8 = At some point in the past 12 months LOG ASSN.....	4	0.01
		9 = At some point in the lifetime LOG ASSN.....	27	0.05
		81 = NEVER USED COC/HER/STM W/NEEDLE Log assn.....	10	0.02
		91 = NEVER USED COC/HER/STM WITH A NEEDLE.....	54638	98.56
		97 = REFUSED.....	32	0.06
		98 = MISSING (BUT NOT REFUSED).....	135	0.24
STNEDL06	2	1EVER USE NEEDL TO INJECT STIM (INCL METH 06 DATA)		
		1 = Yes.....	354	0.64
		2 = No.....	4222	7.62
		81 = NEVER USED STIMULANTS Logically assigned.....	10	0.02
		91 = NEVER USED STIMULANTS.....	50727	91.51
		97 = REFUSED.....	15	0.03
		98 = MISSING (BUT NOT REFUSED).....	107	0.19

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

RECODED SPECIAL DRUGS			PAGE:	208
LABEL	LEN	DESCRIPTION	FREQ	%
STNLRC06	2	1MOST RECENT USE STIM W/NEEDLE (INCL METH 06 DATA)		-
		1 = Within the past 30 days.....	26	0.05
		2 = More than 30 days ago but within the past 12 mos..	40	0.07
		3 = More than 12 months ago.....	267	0.48
		8 = At some point in the past 12 months LOG ASSN.....	1	0.00
		9 = At some point in the lifetime LOG ASSN.....	16	0.03
		13 = More than 12 months ago LOGICALLY ASSIGNED.....	4	0.01
		81 = NEVER USED STIMULANTS Logically assigned.....	10	0.02
		91 = NEVER USED STIMULANTS (AND MTHAMP=2).....	50727	91.51
		93 = USED STIMULANTS BUT NEVER WITH A NEEDLE.....	4222	7.62
		97 = REFUSED.....	15	0.03
		98 = MISSING (BUT NOT REFUSED).....	107	0.19
NDLREC06	2	1MOST RECENT COC/HER/STM W/NEDL (INC METH 06 DATA)		
		1 = Within the past 30 days.....	51	0.09
		2 = More than 30 days ago but within the past 12 mos..	70	0.13
		3 = More than 12 months ago.....	478	0.86
		8 = At some point in the past 12 months LOG ASSN.....	4	0.01
		9 = At some point in the lifetime LOG ASSN.....	26	0.05
		13 = More than 12 months ago LOGICALLY ASSIGNED.....	2	0.00
		81 = NEVER USED COC/HER/STM W/NEEDLE Log assn.....	10	0.02
		91 = NEVER USED COC/HER/STM WITH A NEEDLE.....	54627	98.54
		97 = REFUSED.....	32	0.06
		98 = MISSING (BUT NOT REFUSED).....	135	0.24
NOTE: The following eight variables indicate whether a respondent has ever used a needle to inject heroin, cocaine, stimulants, methamphetamine or any of these drugs. NEDFLG01, NEDSTM, and NEDMTH are based only on data from the methamphetamine questions in the stimulants section of the prescription drug module of the core questionnaire. In 2005 new methamphetamine items were added to the non-core Special Drugs module to capture methamphetamine users who failed to report the drug in the prescription stimulants module. These were augmented in 2006 to include clarifications. The new non-core Special Drugs items were used to create CPNNDFLG, CPNNNDSTM, and CPNNDMTH. For details, please see Appendix B.4.6 of the 2007 Summary of Findings Report. (NOTE: CPN is an abbreviation for Core-Plus-Noncore.)				
A respondent was defined as having used a needle to inject drugs based on the core questions (NEDFLG01) if they indicated at least one of the following: using a needle to inject heroin (HERNEEDL), cocaine (COCNEEDL), stimulants (STNEEDLR), or any other drug (OTDGNEEDL). Otherwise a respondent was defined as never using needles to inject drugs.				
NEDFLG01	1	NEEDLE USE (ANY DRUG) - EVER USED		
		0 = Never Used/Unknown (Otherwise).....	54762	98.79
		1 = Ever Used (Any source var=1,3).....	673	1.21

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

RECODED SPECIAL DRUGS			PAGE:	209
LABEL	LEN	DESCRIPTION	FREQ	%
<p>A respondent was defined as having used a needle to inject drugs based on the core-plus-noncore questions (CPNNDFLG) if they indicated at least one of the following: using a needle to inject heroin (HERNEIDL), cocaine (COCNEEDL), stimulants (STNEDL06), or any other drug (OTDGNEDL). Otherwise a respondent was defined as never using needles to inject drugs.</p>				
CPNNDFLG	1	CPN: NEEDLE USE (ANY DRUG) - EVER USED 0 = Never Used/Unknown (Otherwise)..... 1 = Ever Used (Any source var=1,3).....	54751	98.77
			684	1.23
NEDHER	1	EVER USED A NEEDLE TO INJECT HEROIN 0 = No/Unknown (HERNEIDL=2,91,97,98)..... 1 = Yes (HERNEIDL=1,3).....	55112	99.42
			323	0.58
NEDCOC	1	EVER USED A NEEDLE TO INJECT COCAINE 0 = No/Unknown (COCNEEDL=2,85,91,97,98)..... 1 = Yes (COCNEEDL=1,3).....	55103	99.40
			332	0.60
NEDSTM	1	EVER USED A NEEDLE TO INJECT STIMULANT 0 = No/Unknown (STNEEDLR=2,81,91,97,98)..... 1 = Yes (STNEEDLR=1).....	55107	99.41
			328	0.59
CPNNNDSTM	1	CPN: EVER USED A NEEDLE TO INJECT STIMULANT 0 = No/Unknown (STNEDL06=2,81,91,97,98)..... 1 = Yes (STNEDL06=1).....	55081	99.36
			354	0.64
NEDMTH	1	EVER USED A NEEDLE TO INJECT METHAMPHETAMINE 0 = No/Unknown (MTHNEEDL=2,4,81,85,91,97,98)..... 1 = YES (MTHNEEDL=1,3).....	55159	99.50
			276	0.50
<p>The following variable, CPNNNDMTH, was defined as ever using a needle to inject methamphetamine if a respondent reported methamphetamine use in the core stimulant module or if they reported methamphetamine use in the noncore Special Drugs module because they did not consider methamphetamine to be a prescription drug, and they reported using a needle to inject methamphetamine.</p>				
CPNNNDMTH	1	CPN: EVER USED A NEEDLE TO INJECT METHAMPHETAMINE 0 = No/Unknown (Otherwise)..... 1 = Yes (See comment above).....	55131	99.45
			304	0.55
HERSMOK2	1	EVER SMOKED HEROIN 0 = No/Unknown (HERSMOKE=2,91,97,98)..... 1 = Yes (HERSMOKE=1,3).....	55201	99.58
			234	0.42
HERSNIF2	1	EVER SNIFFED HEROIN 0 = No/Unknown (HERSNIFF=2,91,94,97,98)..... 1 = Yes (HERSNIFF=1,3).....	54952	99.13
			483	0.87
ADDEFLGR	1	LIFETIME NONMEDICAL USE OF ADDERALL 0 = No (Otherwise)..... 1 = Yes (ADDEREC=1,2,3,9).....	53120	95.82
			2315	4.18
ADDEYRR	1	PAST YEAR NONMEDICAL USE OF ADDERALL 0 = No (Otherwise)..... 1 = Yes (ADDEREC=1,2).....	54387	98.11
			1048	1.89

LABEL	LEN	DESCRIPTION	RECODED SPECIAL DRUGS		PAGE:	210
			FREQ	%		
ADDEMONR	1	PAST MONTH NONMEDICAL USE OF ADDERALL 0 = No (Otherwise)..... 1 = Yes (ADDEREC=1).....	55132	99.45		-
			303	0.55		
AMBIFLGR	1	LIFETIME NONMEDICAL USE OF AMBIEN 0 = No (Otherwise)..... 1 = Yes (AMBIREC=1,2,3,9).....	54185	97.75		-
			1250	2.25		
AMBIYRR	1	PAST YEAR NONMEDICAL USE OF AMBIEN 0 = No (Otherwise)..... 1 = Yes (AMBIREC=1,2).....	54922	99.07		-
			513	0.93		
AMBIMONR	1	PAST MONTH NONMEDICAL USE OF AMBIEN 0 = No (Otherwise)..... 1 = Yes (AMBIREC=1).....	55315	99.78		-
			120	0.22		
COLDFLGR	1	LIFETIME USE OF NON-RX COUGH OR COLD MEDICINES 0 = No (Otherwise)..... 1 = Yes (COLDREC=1,2,3,9).....	53099	95.79		-
			2336	4.21		
COLDYRR	1	PAST YEAR USE OF NON-RX COUGH OR COLD MEDICINES 0 = No (Otherwise)..... 1 = Yes (COLDREC=1,2 and OTCFLAG=98).....	54763	98.79		-
			672	1.21		
COLDMONR	1	PAST MONTH USE OF NON-RX COUGH OR COLD MEDICINES 0 = No (Otherwise)..... 1 = Yes (COLDREC=1 and OTCFLAG=98).....	55262	99.69		-
			173	0.31		
GHBFLGR	1	LIFETIME USE OF GHB 0 = No (Otherwise)..... 1 = Yes (GHBREC=1,2,3,9).....	55128	99.45		-
			307	0.55		
GHBYRR	1	PAST YEAR USE OF GHB 0 = No (Otherwise)..... 1 = Yes (GHBREC=1,2).....	55406	99.95		-
			29	0.05		
GHBMONR	1	PAST MONTH USE OF GHB 0 = No (Otherwise)..... 1 = Yes (GHBREC=1).....	55423	99.98		-
			12	0.02		
KETAFLGR	1	LIFETIME USE OF KETAMINE 0 = No (Otherwise)..... 1 = Yes (KETAREC=1,2,3,9).....	54737	98.74		-
			698	1.26		
KETAYRR	1	PAST YEAR USE OF KETAMINE 0 = No (Otherwise)..... 1 = Yes (KETAREC=1,2).....	55335	99.82		-
			100	0.18		
KETAMONR	1	PAST MONTH USE OF KETAMINE 0 = No (Otherwise)..... 1 = Yes (KETAREC=1).....	55415	99.96		-
			20	0.04		
SALVFLGR	1	LIFETIME USE OF SALVIA DIVINORUM 0 = No (Otherwise)..... 1 = Yes (SALVREC=1,2,3,9).....	54202	97.78		-
			1233	2.22		
SALVYRR	1	PAST YEAR USE OF SALVIA DIVINORUM 0 = No (Otherwise)..... 1 = Yes (SALVREC=1,2).....	54887	99.01		-
			548	0.99		

RECODED SPECIAL DRUGS			PAGE:	211
LABEL	LEN	DESCRIPTION	FREQ	%
<hr/>				
SALVMONR	1	PAST MONTH USE OF SALVIA DIVINORUM		-
		0 = No (Otherwise).....	55331	99.81
		1 = Yes (SALVREC=1).....	104	0.19
TRYPFLGR	1	LIFETIME USE OF DMT, AMT, FOXY		
		0 = No (Otherwise).....	55185	99.55
		1 = Yes (TRYPREC=1,2,3,9).....	250	0.45
TRYPYRR	1	PAST YEAR USE OF DMT, AMT, FOXY		
		0 = No (Otherwise).....	55389	99.92
		1 = Yes (TRYPREC=1,2).....	46	0.08
TRYPMONR	1	PAST MONTH USE OF DMT, AMT, FOXY		
		0 = No (Otherwise).....	55429	99.99
		1 = Yes (TRYPREC=1).....	6	0.01

LABEL	LEN	DESCRIPTION	RISK/AVAILABILITY	PAGE:	212
				FREQ	%
<hr/>					
(RK01A) RISK/AVAILABILITY					
<hr/>					
We are interested in your opinion about the effects of using certain drugs and other substances, about whether it's difficult or easy to get drugs, and the extent to which drugs are available in your neighborhood.					
<hr/>					
Please indicate how much you think people risk harming themselves physically and in other ways when they do each of the following activities.					
<hr/>					
If you're not sure, choose an answer for the amount of risk that comes closest to what you think might be true for that activity.					
<hr/>					
How much do people risk harming themselves physically and in other ways when they smoke one or more packs of cigarettes per day?					
<hr/>					
RSKPKCIG	2	1RISK SMOKING 1 OR MORE PACKS CIGARETTES PER DAY			
		1 = No risk.....	957	1.73	
		2 = Slight risk.....	2726	4.92	
		3 = Moderate risk.....	12286	22.16	
		4 = Great risk.....	39096	70.53	
		94 = DON'T KNOW.....	292	0.53	
		97 = REFUSED.....	73	0.13	
		98 = BLANK (NO ANSWER).....	5	0.01	
<hr/>					
(RK01B)		How much do people risk harming themselves physically and in other ways when they smoke marijuana once a month?			
<hr/>					
RSKMJOC	2	1RISK SMOKING MARIJUANA ONCE A MONTH			
		1 = No risk.....	6780	12.23	
		2 = Slight risk.....	14907	26.89	
		3 = Moderate risk.....	15178	27.38	
		4 = Great risk.....	17864	32.23	
		94 = DON'T KNOW.....	644	1.16	
		97 = REFUSED.....	57	0.10	
		98 = BLANK (NO ANSWER).....	5	0.01	
<hr/>					
(RK01C)		How much do people risk harming themselves physically and in other ways when they smoke marijuana once or twice a week?			
<hr/>					
RSKMJREG	2	1RISK SMOKING MARIJUANA ONCE OR TWICE A WEEK			
		1 = No risk.....	4262	7.69	
		2 = Slight risk.....	10042	18.11	
		3 = Moderate risk.....	14891	26.86	
		4 = Great risk.....	25569	46.12	
		94 = DON'T KNOW.....	610	1.10	
		97 = REFUSED.....	56	0.10	
		98 = BLANK (NO ANSWER).....	5	0.01	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	RISK/AVAILABILITY DESCRIPTION	PAGE:	213
			FREQ	%
(RK01D)		How much do people risk harming themselves physically and in other ways when they try LSD once or twice?		-
RKTRYLSD	2	1RISK TRYING LSD ONCE OR TWICE		
		1 = No risk.....	1300	2.35
		2 = Slight risk.....	6528	11.78
		3 = Moderate risk.....	11716	21.13
		4 = Great risk.....	34163	61.63
		94 = DON'T KNOW.....	1654	2.98
		97 = REFUSED.....	69	0.12
		98 = BLANK (NO ANSWER).....	5	0.01
(RK01E)		How much do people risk harming themselves physically and in other ways when they use LSD once or twice a week?		
RKLSDREG	2	1RISK USING LSD ONCE OR TWICE A WEEK		
		1 = No risk.....	571	1.03
		2 = Slight risk.....	1581	2.85
		3 = Moderate risk.....	6775	12.22
		4 = Great risk.....	44831	80.87
		94 = DON'T KNOW.....	1592	2.87
		97 = REFUSED.....	80	0.14
		98 = BLANK (NO ANSWER).....	5	0.01
(RK01F)		How much do people risk harming themselves physically and in other ways when they try heroin once or twice?		
RKTRYHER	2	1RISK TRYING HEROIN ONCE OR TWICE		
		1 = No risk.....	779	1.41
		2 = Slight risk.....	4233	7.64
		3 = Moderate risk.....	9204	16.60
		4 = Great risk.....	40247	72.60
		94 = DON'T KNOW.....	897	1.62
		97 = REFUSED.....	70	0.13
		98 = BLANK (NO ANSWER).....	5	0.01
(RK01G)		How much do people risk harming themselves physically and in other ways when they use heroin once or twice a week?		
RKHERREG	2	1RISK USING HEROIN ONCE OR TWICE A WEEK		
		1 = No risk.....	483	0.87
		2 = Slight risk.....	871	1.57
		3 = Moderate risk.....	3952	7.13
		4 = Great risk.....	49235	88.82
		94 = DON'T KNOW.....	823	1.48
		97 = REFUSED.....	66	0.12
		98 = BLANK (NO ANSWER).....	5	0.01

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	RISK/AVAILABILITY DESCRIPTION	PAGE:	214
			FREQ	%
(RK01H)		How much do people risk harming themselves physically and in other ways when they use cocaine once a month?		-
RKCOCCOC	2	1RISK USING COCAINE ONCE A MONTH		
		1 = No risk.....	1018	1.84
		2 = Slight risk.....	6118	11.04
		3 = Moderate risk.....	13103	23.64
		4 = Great risk.....	34365	61.99
		94 = DON'T KNOW.....	765	1.38
		97 = REFUSED.....	61	0.11
		98 = BLANK (NO ANSWER).....	5	0.01
(RK01I)		How much do people risk harming themselves physically and in other ways when they use cocaine once or twice a week?		
RKCOCREG	2	1RISK USING COCAINE ONCE OR TWICE A WEEK		
		1 = No risk.....	503	0.91
		2 = Slight risk.....	1377	2.48
		3 = Moderate risk.....	6093	10.99
		4 = Great risk.....	46696	84.24
		94 = DON'T KNOW.....	698	1.26
		97 = REFUSED.....	63	0.11
		98 = BLANK (NO ANSWER).....	5	0.01
(RK01J)		How much do people risk harming themselves physically and in other ways when they have four or five drinks of an alcoholic beverage nearly every day?		
RK5ALDLY	2	1RISK HAVING 4 OR 5 DRINKS NEARLY EVERY DAY		
		1 = No risk.....	760	1.37
		2 = Slight risk.....	4399	7.94
		3 = Moderate risk.....	13875	25.03
		4 = Great risk.....	36016	64.97
		94 = DON'T KNOW.....	326	0.59
		97 = REFUSED.....	54	0.10
		98 = BLANK (NO ANSWER).....	5	0.01
(RK01K)		How much do people risk harming themselves physically and in other ways when they have five or more drinks of an alcoholic beverage once or twice a week?		
RK5ALWK	2	1RISK HAVING 5 OR MORE DRINKS ONCE OR TWICE A WEEK		
		1 = No risk.....	2063	3.72
		2 = Slight risk.....	11025	19.89
		3 = Moderate risk.....	20849	37.61
		4 = Great risk.....	21079	38.02
		94 = DON'T KNOW.....	360	0.65
		97 = REFUSED.....	54	0.10
		98 = BLANK (NO ANSWER).....	5	0.01

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

RISK/AVAILABILITY			PAGE:	215
LABEL	LEN	DESCRIPTION	FREQ	%
(RK02A)		The next questions ask how difficult you think it would be for you to get each of the following types of drugs, if you wanted some.		-
		How difficult or easy would it be for you to get some marijuana, if you wanted some?		
RSKDIFMJ	2	1HOW DIFFICULT TO GET MARIJUANA		
		1 = Probably impossible.....	7784	14.04
		2 = Very difficult.....	5874	10.60
		3 = Fairly difficult.....	7020	12.66
		4 = Fairly easy.....	15348	27.69
		5 = Very easy.....	17791	32.09
		94 = DON'T KNOW.....	1453	2.62
		97 = REFUSED.....	158	0.29
		98 = BLANK (NO ANSWER).....	7	0.01
(RK02B)		How difficult or easy would it be for you to get some LSD, if you wanted some?		
RKDIFLSD	2	1HOW DIFFICULT TO GET LSD		
		1 = Probably impossible.....	18820	33.95
		2 = Very difficult.....	12708	22.92
		3 = Fairly difficult.....	11500	20.75
		4 = Fairly easy.....	6485	11.70
		5 = Very easy.....	2615	4.72
		94 = DON'T KNOW.....	3130	5.65
		97 = REFUSED.....	170	0.31
		98 = BLANK (NO ANSWER).....	7	0.01
(RK02C)		How difficult or easy would it be for you to get some cocaine, if you wanted some?		
RKDIFCOC	2	1HOW DIFFICULT TO GET COCAINE		
		1 = Probably impossible.....	14815	26.72
		2 = Very difficult.....	10931	19.72
		3 = Fairly difficult.....	10177	18.36
		4 = Fairly easy.....	10278	18.54
		5 = Very easy.....	6684	12.06
		94 = DON'T KNOW.....	2386	4.30
		97 = REFUSED.....	157	0.28
		98 = BLANK (NO ANSWER).....	7	0.01
(RK02D)		How difficult or easy would it be for you to get some 'crack', if you wanted some?		
RKDIFCRK	2	1HOW DIFFICULT TO GET "CRACK"		
		1 = Probably impossible.....	16235	29.29
		2 = Very difficult.....	11531	20.80
		3 = Fairly difficult.....	9667	17.44
		4 = Fairly easy.....	8853	15.97
		5 = Very easy.....	6518	11.76
		94 = DON'T KNOW.....	2466	4.45
		97 = REFUSED.....	158	0.29
		98 = BLANK (NO ANSWER).....	7	0.01

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	RISK/AVAILABILITY DESCRIPTION	PAGE: FREQ	216 %
(RK02E)		How difficult or easy would it be for you to get some heroin, if you wanted some?		-
RKDIFHER	2	1HOW DIFFICULT TO GET HEROIN		
		1 = Probably impossible.....	20505	36.99
		2 = Very difficult.....	13385	24.15
		3 = Fairly difficult.....	9526	17.18
		4 = Fairly easy.....	5632	10.16
		5 = Very easy.....	3477	6.27
		94 = DON'T KNOW.....	2748	4.96
		97 = REFUSED.....	155	0.28
		98 = BLANK (NO ANSWER).....	7	0.01
(RK03)		In the past 30 days, has anyone approached you to sell you an illegal drug?		
RSKSELL	2	1APPROACHED BY SOMEONE SELLING ILL DRUG PST 30 DYS		
		1 = Yes.....	6969	12.57
		2 = No.....	48394	87.30
		94 = DON'T KNOW.....	41	0.07
		97 = REFUSED.....	24	0.04
		98 = BLANK (NO ANSWER).....	7	0.01
(RK04A)		How often do you get a real kick out of doing things that are a little dangerous?		
RKFQDNGR	2	1GET A REAL KICK OUT OF DOING DANGEROUS THINGS		
		1 = Never.....	21813	39.35
		2 = Seldom.....	17112	30.87
		3 = Sometimes.....	13470	24.30
		4 = Always.....	2652	4.78
		94 = DON'T KNOW.....	293	0.53
		97 = REFUSED.....	88	0.16
		98 = BLANK (NO ANSWER).....	7	0.01
(RK04B)		How often do you like to test yourself by doing something a little risky?		
RKFQRSKY	2	1LIKE TO TEST YOURSELF BY DOING RISKY THINGS		
		1 = Never.....	21584	38.94
		2 = Seldom.....	19954	36.00
		3 = Sometimes.....	11622	20.97
		4 = Always.....	2055	3.71
		94 = DON'T KNOW.....	154	0.28
		97 = REFUSED.....	59	0.11
		98 = BLANK (NO ANSWER).....	7	0.01
(RK04C)		How often do you wear a seatbelt when you ride in the front passenger seat of a car?		
RKFQPBLT	2	1WEAR A SEATBELT WHEN RIDE FRONT PASS SEAT OF CAR		
		1 = Never.....	2139	3.86
		2 = Seldom.....	3330	6.01
		3 = Sometimes.....	8612	15.54
		4 = Always.....	41287	74.48
		94 = DON'T KNOW.....	32	0.06
		97 = REFUSED.....	28	0.05
		98 = BLANK (NO ANSWER).....	7	0.01

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	RISK/AVAILABILITY		PAGE:	217
			FREQ	%		
(RK04D)		How often do you wear a seatbelt when you drive a car?			-----	-
RKFQDBLT	2	1WEAR A SEATBELT WHEN YOU DRIVE A CAR				
		1 = Never.....	1826	3.29		
		2 = Seldom.....	2114	3.81		
		3 = Sometimes.....	4682	8.45		
		4 = Always.....	33633	60.67		
		5 = I don't drive.....	13064	23.57		
		94 = DON'T KNOW.....	61	0.11		
		97 = REFUSED.....	48	0.09		
		98 = BLANK (NO ANSWER).....	7	0.01		

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	RECODED RISK/AVAILABILITY	PAGE:	218
				FREQ	%
RECODED RISK/AVAILABILITY					
NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.					
GRSKPKCG	1	GREAT RISK: SMOKE 1+ PACKS CIGARETTES PER DAY			
		. = Unknown (RSKPKCIG=94,97,98).....	370	0.67	
		0 = Otherwise (RSKPKCIG=1,2,3).....	15969	28.81	
		1 = Great Risk (RSKPKCIG=4).....	39096	70.53	
GRSKMOC	1	GREAT RISK: USE MARIJUANA ONCE A MONTH			
		. = Unknown (RSKMJOCC=94,97,98).....	706	1.27	
		0 = Otherwise (RSKMJOCC=1,2,3).....	36865	66.50	
		1 = Great Risk (RSKMJOCC=4).....	17864	32.23	
GRSKMREG	1	GREAT RISK: USE MARIJUANA 1-2 TIMES PER WEEK			
		. = Unknown (RSKMREG=94,97,98).....	671	1.21	
		0 = Otherwise (RSKMREG=1,2,3).....	29195	52.67	
		1 = Great Risk (RSKMREG=4).....	25569	46.12	
GRSKCOCC	1	GREAT RISK: USE COCAINE ONCE A MONTH			
		. = Unknown (RKCOCOCC=94,97,98).....	831	1.50	
		0 = Otherwise (RKCOCOCC=1,2,3).....	20239	36.51	
		1 = Great Risk (RKCOCOCC=4).....	34365	61.99	
GRSKCREG	1	GREAT RISK: USE COCAINE 1-2 TIMES PER WEEK			
		. = Unknown (RKCOCREG=94,97,98).....	766	1.38	
		0 = Otherwise (RKCOCREG=1,2,3).....	7973	14.38	
		1 = Great Risk (RKCOCREG=4).....	46696	84.24	
GRSKHTRY	1	GREAT RISK: TRYING HEROIN ONCE OR TWICE			
		. = Unknown (RKTRYHER=94,97,98).....	972	1.75	
		0 = Otherwise (RKTRYHER=1,2,3).....	14216	25.64	
		1 = Great Risk (RKTRYHER=4).....	40247	72.60	
GRSKHREG	1	GREAT RISK: USE HEROIN 1-2 TIMES PER WEEK			
		. = Unknown (RKHERREG=94,97,98).....	894	1.61	
		0 = Otherwise (RKHERREG=1,2,3).....	5306	9.57	
		1 = Great Risk (RKHERREG=4).....	49235	88.82	
GRSKLTRY	1	GREAT RISK: TRYING LSD ONCE OR TWICE			
		. = Unknown (RKTRYLSD=94,97,98).....	1728	3.12	
		0 = Otherwise (RKTRYLSD=1,2,3).....	19544	35.26	
		1 = Great Risk (RKTRYLSD=4).....	34163	61.63	
GRSKLREG	1	GREAT RISK: USE LSD 1-2 TIMES PER WEEK			
		. = Unknown (RKLSDREG=94,97,98).....	1677	3.03	
		0 = Otherwise (RKLSDREG=1,2,3).....	8927	16.10	
		1 = Great Risk (RKLSDREG=4).....	44831	80.87	
GRSKD4_5	1	GREAT RISK: HAVE 4-5 ALC DRINKS PER DAY			
		. = Unknown (RK5ALDLY=94,97,98).....	385	0.69	
		0 = Otherwise (RK5ALDLY=1,2,3).....	19034	34.34	
		1 = Great Risk (RK5ALDLY=4).....	36016	64.97	

RECODED RISK/AVAILABILITY			PAGE:	219
LABEL	LEN	DESCRIPTION	FREQ	%
GRSKD5WK	1	GREAT RISK: HAVE 5+ ALC DRINKS 1-2 TIMES PER WEEK		-
		. = Unknown (RK5ALWK=94,97,98).....	419	0.76
		0 = Otherwise (RK5ALWK=1,2,3).....	33937	61.22
		1 = Great Risk (RK5ALWK=4).....	21079	38.02
RDIFMJ	1	MARIJUANA FAIRLY OR EASY TO OBTAIN		
		. = Unknown (RSKDIFMJ=94,97,98).....	1618	2.92
		0 = Otherwise (RSKDIFMJ=1,2,3).....	20678	37.30
		1 = Fairly or very easy (RSKDIFMJ=4,5).....	33139	59.78
RDIFCOC	1	COCAINE FAIRLY OR EASY TO OBTAIN		
		. = Unknown (RKDIFCOC=94,97,98).....	2550	4.60
		0 = Otherwise (RKDIFCOC=1,2,3).....	35923	64.80
		1 = Fairly or very easy (RKDIFCOC=4,5).....	16962	30.60
RDIFCRK	1	CRACK FAIRLY OR EASY TO OBTAIN		
		. = Unknown (RKDIFCRK=94,97,98).....	2631	4.75
		0 = Otherwise (RKDIFCRK=1,2,3).....	37433	67.53
		1 = Fairly or very easy (RKDIFCRK=4,5).....	15371	27.73
RDIFHER	1	HEROIN FAIRLY OR EASY TO OBTAIN		
		. = Unknown (RKDIFHER=94,97,98).....	2910	5.25
		0 = Otherwise (RKDIFHER=1,2,3).....	43416	78.32
		1 = Fairly or very easy (RKDIFHER=4,5).....	9109	16.43
RDIFLSD	1	LSD FAIRLY OR EASY TO OBTAIN		
		. = Unknown (RKDIFLSD=94,97,98).....	3307	5.97
		0 = Otherwise (RKDIFLSD=1,2,3).....	43028	77.62
		1 = Fairly or very easy (RKDIFLSD=4,5).....	9100	16.42
APPSELDG	1	APPROACHED BY SOMEONE SELLING DRUGS		
		. = Unknown (RSKSELL=94,97,98).....	72	0.13
		0 = No (RSKSELL=2).....	48394	87.30
		1 = Yes (RSKSELL=1).....	6969	12.57

LABEL	LEN	DESCRIPTION	BLUNTS	PAGE:	220
				FREQ	%
(BL01)		BLUNTS	-----		-
			Sometimes people take some tobacco out of a cigar and replace it with marijuana. This is sometimes called a 'blunt'.		
			NOTE: When respondents previously reported never using marijuana but reported lifetime use of cigars with marijuana in them (i.e., 'blunts'), a consistency check was triggered only when respondents reported using blunts in the past 30 days. Therefore, BLNTEVER was assigned a code of 11 when respondents reported using blunts but they did not report use in the past 30 days, and they previously had reported never using marijuana.		
			Have you ever smoked part or all of a cigar with marijuana in it?		
BLNTEVER	2	1EVER SMOKED CIGAR WITH MARIJUANA IN IT	-----		
		1 = Yes.....	11440	20.64	
		2 = No.....	43575	78.61	
		4 = No LOGICALLY ASSIGNED.....	15	0.03	
		11 = Yes (see note).....	318	0.57	
		94 = DON'T KNOW.....	39	0.07	
		97 = REFUSED.....	41	0.07	
		98 = BLANK (NO ANSWER).....	7	0.01	
(BL08)		How old were you the first time you smoked part or all of a cigar with marijuana in it?	-----		
BLNTAGE	3	1AGE WHEN FIRST SMOKED CIGAR WITH MJ IN IT	-----		
		RANGE = 1 - 60	11618	20.96	
		981 = NEVER USED BLUNTS Logically assigned.....	15	0.03	
		985 = BAD DATA Logically assigned.....	4	0.01	
		991 = NEVER USED BLUNTS.....	43575	78.61	
		994 = DON'T KNOW.....	110	0.20	
		997 = REFUSED.....	67	0.12	
		998 = BLANK (NO ANSWER).....	46	0.08	
(BL08A)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions BL08a, BL08b, BL08c, BL08d, and associated consistency checks were used to create the following two variables.	-----		
BLNTYFU	4	1YEAR OF FIRST USE OF CIGAR WITH MJ IN IT - RECODE	-----		
		RANGE = 2005 - 2007	1878	3.39	
		9981 = NEVER USED BLUNTS Logically assigned.....	15	0.03	
		9985 = BAD DATA Logically assigned.....	43	0.08	
		9989 = LEGITIMATE SKIP Logically assn.....	69	0.12	
		9991 = NEVER USED BLUNTS.....	43575	78.61	
		9994 = DON'T KNOW.....	120	0.22	
		9997 = REFUSED.....	71	0.13	
		9998 = BLANK (NO ANSWER).....	50	0.09	
		9999 = LEGITIMATE SKIP.....	9614	17.34	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

BLUNTS			PAGE:	221
LABEL	LEN	DESCRIPTION	FREQ	%
BLNTMFU	2	1MONTH OF FIRST USE OF CIGAR W/MJ IN IT - RECODE		-
		1 = January.....	161	0.29
		2 = February.....	117	0.21
		3 = March.....	149	0.27
		4 = April.....	155	0.28
		5 = May.....	139	0.25
		6 = June.....	201	0.36
		7 = July.....	193	0.35
		8 = August.....	126	0.23
		9 = September.....	122	0.22
		10 = October.....	133	0.24
		11 = November.....	116	0.21
		12 = December.....	110	0.20
		81 = NEVER USED BLUNTS Logically assigned.....	15	0.03
		85 = BAD DATA Logically assigned.....	43	0.08
		89 = LEGITIMATE SKIP Logically assn.....	69	0.12
		91 = NEVER USED BLUNTS.....	43575	78.61
		94 = DON'T KNOW.....	261	0.47
		97 = REFUSED.....	72	0.13
		98 = BLANK (NO ANSWER).....	64	0.12
		99 = LEGITIMATE SKIP.....	9614	17.34

(BL02) NOTE: When respondents previously reported using marijuana but reported less recent use of marijuana than they reported for blunts, a consistency check was triggered only when respondents reported using blunts in the past 30 days. Therefore, BLNTREC was assigned a code of 12 when respondents reported last using marijuana more than 12 months ago but reported using blunts more than 30 days ago but within the past 12 months.

How long has it been since you last smoked part or all of a cigar with marijuana in it?

BLNTREC	2	1TIME SINCE LAST SMOKED CIGAR WITH MJ IN IT		
		1 = Within the past 30 days.....	2801	5.05
		2 = More than 30 days ago but within the past 12 mos..	2585	4.66
		3 = More than 12 months ago.....	5994	10.81
		9 = Used at some point in lifetime LOG ASSN.....	98	0.18
		12 = More than 30 dys ago but in pst 12 mos (see note).	192	0.35
		19 = More than 30 days ago LOGICALLY ASSIGNED.....	88	0.16
		81 = NEVER USED BLUNTS Logically assigned.....	15	0.03
		91 = NEVER USED BLUNTS.....	43575	78.61
		97 = REFUSED.....	41	0.07
		98 = BLANK (NO ANSWER).....	46	0.08

NOTE: BLRECF2 has nonblank values when data on initiation of use from BLNTAGE, BLNTYFU, or BLNTMFU indicate more recent use of blunts than was reported in BLNTREC.

BLRECF2	2	1INCONSISTENCY BETW BLNTREC AND INCIDENCE DATA		
		1 = Incidence data suggest more recent use.....	168	0.30
		98 = BLANK (NO ANSWER).....	55267	99.70

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

BLUNTS			PAGE:	222
LABEL	LEN	DESCRIPTION	FREQ	%
(BL02A)		On how many of the past 30 days, that is, since [DATEFILL], did you smoke part or all of a cigar with marijuana in it?		-
BLNT30DY	2	1# DAYS USED CIGAR WITH MJ IN IT PAST 30 DAYS		
		RANGE = 1 - 30	2758	4.98
		91 = NEVER USED BLUNTS.....	43590	78.63
		93 = DID NOT USE BLUNTS IN THE PAST 30 DAYS.....	8859	15.98
		94 = DON'T KNOW.....	27	0.05
		97 = REFUSED.....	51	0.09
		98 = BLANK (NO ANSWER).....	150	0.27
(BL03)		The answer to the last question and an earlier question disagree. Which is correct?		
BLNT30C1	2	1BL02/MJ01 DISAGREE, WHICH IS CORRECT		
		1 = I have never used marijuana or hashish.....	15	0.03
		2 = I smoked cigar w/mj in it during the past 30 days.	39	0.07
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	87	0.16
		99 = LEGITIMATE SKIP.....	55293	99.74
(BL04)		The answer to the last question and an earlier question disagree. Which answer is correct?		
BLNT30C2	2	1BL02 AND MJ RECENTY DISAGREE, WHICH IS CORRECT		
		1 = I last used marijuana or hashish [MJREC FILL]....	91	0.16
		2 = I smoked cigar w/mj in it during the past 30 days.	116	0.21
		98 = BLANK (NO ANSWER).....	160	0.29
		99 = LEGITIMATE SKIP.....	55068	99.34
(BL05)		Why did you report earlier that you had never used marijuana or hashish?		
RSNOMRJ	2	1WHY REPORT EARLIER THAT NEVER USED MJ OR HASHISH		
		1 = I didn't consider a 'blunt' to be mj or hashish...	16	0.03
		2 = I made mistake answering earlier question about mj	19	0.03
		3 = Some other reason.....	3	0.01
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	87	0.16
		99 = LEGITIMATE SKIP.....	55308	99.77
(BL06)		Why did you report earlier that you did not use marijuana or hashish during the past 30 days?		
RSNMRJMO	2	1WHY REPRT EARLIER NOT USE MJ OR HASH PAST 30 DAYS		
		1 = I didn't consider a 'blunt' to be mj or hashish...	16	0.03
		2 = I made mistake answering earlier question about mj	97	0.17
		3 = Some other reason.....	3	0.01
		98 = BLANK (NO ANSWER).....	160	0.29
		99 = LEGITIMATE SKIP.....	55159	99.50

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	BLUNTS	PAGE:	223
				FREQ	%
(BL07)		NOTE: The variable BLNTNOMJ was assigned a code of 5 if respondents were not asked this question because they reported in the TOBACCO module that they smoked cigars in the past 30 days but reported in the BLUNTS module that they did not smoke cigars with marijuana in them in the past 30 days. It could be logically inferred that all of the cigars that these respondents smoked in the past 30 days did not have marijuana in them. BLNTNOMJ was assigned codes of 14 or 24 if respondents were not asked this question and they reported in the BLUNTS module that they smoked a cigar with marijuana in it in the past 30 days. A code of 14 was assigned if respondents reported in the TOBACCO module that they had smoked cigars but not in the past 30 days. A code of 24 was assigned if respondents reported in the TOBACCO module that they had never smoked part or all of a cigar.			-
		Earlier, you reported that you had smoked part or all of a cigar during the past 30 days. During the past 30 days, did you smoke any cigars that did not have marijuana in them?			
BLNTNOMJ	2	1SMOKE CIGARS WITH NO MARIJUANA PAST 30 DAYS			
		1 = Yes.....	574	1.04	
		2 = No.....	403	0.73	
		5 = Yes LOGICALLY ASSIGNED (from skip pattern).....	2863	5.16	
		14 = USED BLUNTS PST 30 DY/DIDNT USE CIGARS PST 30 DY..	925	1.67	
		24 = USED BLUNTS PST 30 DY/NEVER USED CIGARS.....	879	1.59	
		91 = NEVER USED CIGARS/BLUNTS.....	33671	60.74	
		93 = DID NOT USE CIGARS/BLUNTS IN THE PAST 30 DAYS....	15806	28.51	
		94 = DON'T KNOW.....	2	0.00	
		98 = BLANK (NO ANSWER).....	312	0.56	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	224
				FREQ	%
(DRCGE01) SUBSTANCE DEPENDENCE AND ABUSE					

Think about your use of cigarettes during the past 30 days as you answer these next questions.					

Please think about how true each statement is of you.					

After not smoking for a while, you need to smoke in order to feel less restless and irritable.					

CIGIRRTL	2	1NEED TO SMOKE TO FEEL LESS IRRITABLE			
		1 = Not at all true.....	4113	7.42	
		2 = Somewhat true.....	3425	6.18	
		3 = Moderately true.....	2686	4.85	
		4 = Very true.....	2507	4.52	
		5 = Extremely true.....	1456	2.63	
		91 = NEVER USED CIGARETTES.....	25005	45.11	
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	16157	29.15	
		94 = DON'T KNOW.....	41	0.07	
		97 = REFUSED.....	20	0.04	
		98 = BLANK (NO ANSWER).....	25	0.05	
(DRCGE02)		When you don't smoke for a few hours, you start to crave cigarettes.			
CIGCRAVE	2	1START TO CRAVE CIGS WHEN DON'T SMOKE FOR FEW HRS			
		1 = Not at all true.....	4558	8.22	
		2 = Somewhat true.....	2879	5.19	
		3 = Moderately true.....	1937	3.49	
		4 = Very true.....	2953	5.33	
		5 = Extremely true.....	1882	3.39	
		91 = NEVER USED CIGARETTES.....	25005	45.11	
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	16157	29.15	
		94 = DON'T KNOW.....	21	0.04	
		97 = REFUSED.....	18	0.03	
		98 = BLANK (NO ANSWER).....	25	0.05	
(DRCGE03)		You sometimes have strong cravings for a cigarette where it feels like you're in the grip of a force you can't control.			
CIGCRAGP	2	1CRAVING OF CIGS LIKE STRONG FORCE CAN'T CONTROL			
		1 = Not at all true.....	6102	11.01	
		2 = Somewhat true.....	2752	4.96	
		3 = Moderately true.....	2101	3.79	
		4 = Very true.....	1944	3.51	
		5 = Extremely true.....	1307	2.36	
		91 = NEVER USED CIGARETTES.....	25005	45.11	
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	16157	29.15	
		94 = DON'T KNOW.....	22	0.04	
		97 = REFUSED.....	20	0.04	
		98 = BLANK (NO ANSWER).....	25	0.05	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	225
LABEL	LEN	DESCRIPTION	FREQ	%
(DRCGE04)		You feel a sense of control over your smoking - that is, you can "take it or leave it" at any time.	-	-
CIGINCTL	2	1FEEL A SENSE OF CONTROL OVER YOUR SMOKING		
		1 = Not at all true.....	3710	6.69
		2 = Somewhat true.....	3787	6.83
		3 = Moderately true.....	2048	3.69
		4 = Very true.....	2019	3.64
		5 = Extremely true.....	2638	4.76
		91 = NEVER USED CIGARETTES.....	25005	45.11
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	16157	29.15
		94 = DON'T KNOW.....	26	0.05
		97 = REFUSED.....	20	0.04
		98 = BLANK (NO ANSWER).....	25	0.05
(DRCGE05)		You tend to avoid places that don't allow smoking, even if you would otherwise enjoy them.		
CIGAVOID	2	1TEND TO AVOID PLACES THAT DON'T ALLOW SMOKING		
		1 = Not at all true.....	9082	16.38
		2 = Somewhat true.....	2122	3.83
		3 = Moderately true.....	1360	2.45
		4 = Very true.....	991	1.79
		5 = Extremely true.....	630	1.14
		91 = NEVER USED CIGARETTES.....	25005	45.11
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	16157	29.15
		94 = DON'T KNOW.....	45	0.08
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	25	0.05
(DRCGE06A)		Do you have any friends who do not smoke cigarettes?		
CIGFNSMK	2	1HAVE FRIENDS WHO DO NOT SMOKE CIGARETTES		
		1 = Yes.....	13350	24.08
		2 = No.....	884	1.59
		91 = NEVER USED CIGARETTES.....	25005	45.11
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	16157	29.15
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	25	0.05

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	226
				FREQ	%
(DRCGE06B)		There are times when you choose not to be around your friends who don't smoke because they won't like it if you smoke.		-	-
CIGFNLKE	2	1CHOOSE NOT TO BE AROUND FRIENDS WHO DON'T SMOKE			
		1 = Not at all true.....	10017	18.07	
		2 = Somewhat true.....	1601	2.89	
		3 = Moderately true.....	817	1.47	
		4 = Very true.....	531	0.96	
		5 = Extremely true.....	349	0.63	
		91 = NEVER USED CIGARETTES.....	25005	45.11	
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	16157	29.15	
		94 = DON'T KNOW.....	23	0.04	
		97 = REFUSED.....	21	0.04	
		98 = BLANK (NO ANSWER).....	30	0.05	
		99 = LEGITIMATE SKIP.....	884	1.59	
(DRCGE07)		Even if you're traveling a long distance, you'd rather not travel by airplane because you wouldn't be allowed to smoke.			
CIGPLANE	2	1RATHER NOT TRAVEL BY AIRPLANE B/C NO SMOKING			
		1 = Not at all true.....	11800	21.29	
		2 = Somewhat true.....	989	1.78	
		3 = Moderately true.....	550	0.99	
		4 = Very true.....	435	0.78	
		5 = Extremely true.....	404	0.73	
		91 = NEVER USED CIGARETTES.....	25005	45.11	
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	16157	29.15	
		94 = DON'T KNOW.....	51	0.09	
		97 = REFUSED.....	19	0.03	
		98 = BLANK (NO ANSWER).....	25	0.05	
(DRCGE08)		You sometimes worry that you will run out of cigarettes.			
CIGRNOUT	2	1SOMETIMES WORRY THAT YOU WILL RUN OUT OF CIGS			
		1 = Not at all true.....	7220	13.02	
		2 = Somewhat true.....	2842	5.13	
		3 = Moderately true.....	1547	2.79	
		4 = Very true.....	1578	2.85	
		5 = Extremely true.....	1029	1.86	
		91 = NEVER USED CIGARETTES.....	25005	45.11	
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	16157	29.15	
		94 = DON'T KNOW.....	15	0.03	
		97 = REFUSED.....	17	0.03	
		98 = BLANK (NO ANSWER).....	25	0.05	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE		PAGE: FREQ	227 %
			-----	-----		
(DRCGE09)		You smoke cigarettes fairly regularly throughout the day.				-
CIGREGDY	2	1SMOKE CIGS FAIRLY REGULARLY THROUGHOUT THE DAY				
		1 = Not at all true.....	4895	8.83		
		2 = Somewhat true.....	2443	4.41		
		3 = Moderately true.....	1849	3.34		
		4 = Very true.....	2889	5.21		
		5 = Extremely true.....	2138	3.86		
		91 = NEVER USED CIGARETTES.....	25005	45.11		
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	16157	29.15		
		94 = DON'T KNOW.....	12	0.02		
		97 = REFUSED.....	22	0.04		
		98 = BLANK (NO ANSWER).....	25	0.05		
(DRCGE10)		You smoke about the same amount on weekends as on weekdays.				
CIGREGWK	2	1SMOKE SAME AMOUNT ON WEEKENDS AS ON WEEKDAYS				
		1 = Not at all true.....	5246	9.46		
		2 = Somewhat true.....	2576	4.65		
		3 = Moderately true.....	1821	3.28		
		4 = Very true.....	2723	4.91		
		5 = Extremely true.....	1827	3.30		
		91 = NEVER USED CIGARETTES.....	25005	45.11		
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	16157	29.15		
		94 = DON'T KNOW.....	30	0.05		
		97 = REFUSED.....	25	0.05		
		98 = BLANK (NO ANSWER).....	25	0.05		
(DRCGE11)		You smoke just about the same number of cigarettes from day to day.				
CIGREGNM	2	1SMOKE SAME NUMBER OF CIGS FROM DAY TO DAY				
		1 = Not at all true.....	4346	7.84		
		2 = Somewhat true.....	2490	4.49		
		3 = Moderately true.....	2074	3.74		
		4 = Very true.....	3314	5.98		
		5 = Extremely true.....	1965	3.54		
		91 = NEVER USED CIGARETTES.....	25005	45.11		
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	16157	29.15		
		94 = DON'T KNOW.....	32	0.06		
		97 = REFUSED.....	27	0.05		
		98 = BLANK (NO ANSWER).....	25	0.05		

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	228
				FREQ	%
(DRCGE12)		It's hard to say how many cigarettes you smoke per day because the number often changes.		-	-
CIGNMCHG	2	1NUMBER OF CIGS SMOKE PER DAY OFTEN CHANGES			
		1 = Not at all true.....	5095	9.19	
		2 = Somewhat true.....	3526	6.36	
		3 = Moderately true.....	1975	3.56	
		4 = Very true.....	2168	3.91	
		5 = Extremely true.....	1420	2.56	
		91 = NEVER USED CIGARETTES.....	25005	45.11	
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	16157	29.15	
		94 = DON'T KNOW.....	36	0.06	
		97 = REFUSED.....	28	0.05	
		98 = BLANK (NO ANSWER).....	25	0.05	
(DRCGE13)		It's normal for you to smoke several cigarettes in an hour, then not have another one until hours later.			
CIGSVLHR	2	1HAVE MANY CIGS IN HR, THEN NO CIGS TIL HRS LATER			
		1 = Not at all true.....	7151	12.90	
		2 = Somewhat true.....	2781	5.02	
		3 = Moderately true.....	1904	3.43	
		4 = Very true.....	1551	2.80	
		5 = Extremely true.....	776	1.40	
		91 = NEVER USED CIGARETTES.....	25005	45.11	
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	16157	29.15	
		94 = DON'T KNOW.....	53	0.10	
		97 = REFUSED.....	32	0.06	
		98 = BLANK (NO ANSWER).....	25	0.05	
(DRCGE14)		The number of cigarettes you smoke per day is often influenced by other things - how you're feeling, or what you're doing, for example.			
CIGINFLU	2	1# OF CIGS SMOKE PER DAY INFLUENCED BY OTHER THINGS			
		1 = Not at all true.....	2617	4.72	
		2 = Somewhat true.....	2621	4.73	
		3 = Moderately true.....	2459	4.44	
		4 = Very true.....	3682	6.64	
		5 = Extremely true.....	2803	5.06	
		91 = NEVER USED CIGARETTES.....	25005	45.11	
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	16157	29.15	
		94 = DON'T KNOW.....	38	0.07	
		97 = REFUSED.....	28	0.05	
		98 = BLANK (NO ANSWER).....	25	0.05	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE		PAGE: FREQ	229 %
			-----	-----		
(DRCGE15)		Your smoking is not affected much by other things. For example, you smoke about the same amount whether you're relaxing or working, happy or sad, alone or with others.				-
CIGNOINF	2	1SMOKING NOT AFFECTED BY OTHER THINGS				
		1 = Not at all true.....	5649	10.19		
		2 = Somewhat true.....	3481	6.28		
		3 = Moderately true.....	2434	4.39		
		4 = Very true.....	1617	2.92		
		5 = Extremely true.....	998	1.80		
		91 = NEVER USED CIGARETTES.....	25005	45.11		
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	16157	29.15		
		94 = DON'T KNOW.....	41	0.07		
		97 = REFUSED.....	28	0.05		
		98 = BLANK (NO ANSWER).....	25	0.05		
(DRCGE16)		Since you started smoking, the amount you smoke has increased.				
CIGINCRS	2	1AMOUNT OF SMOKING HAS INCR. SINCE STARTED SMOKING				
		1 = Not at all true.....	4920	8.88		
		2 = Somewhat true.....	2797	5.05		
		3 = Moderately true.....	1968	3.55		
		4 = Very true.....	2473	4.46		
		5 = Extremely true.....	2045	3.69		
		91 = NEVER USED CIGARETTES.....	25005	45.11		
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	16157	29.15		
		94 = DON'T KNOW.....	24	0.04		
		97 = REFUSED.....	21	0.04		
		98 = BLANK (NO ANSWER).....	25	0.05		
(DRCGE17)		Compared to when you first started smoking, you need to smoke a lot more now in order to be satisfied.				
CIGSATIS	2	1NEED TO SMOKE A LOT MORE TO BE SATISFIED				
		1 = Not at all true.....	7262	13.10		
		2 = Somewhat true.....	2663	4.80		
		3 = Moderately true.....	1760	3.17		
		4 = Very true.....	1460	2.63		
		5 = Extremely true.....	1057	1.91		
		91 = NEVER USED CIGARETTES.....	25005	45.11		
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	16157	29.15		
		94 = DON'T KNOW.....	23	0.04		
		97 = REFUSED.....	23	0.04		
		98 = BLANK (NO ANSWER).....	25	0.05		

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	230
LABEL	LEN	DESCRIPTION	FREQ	%
(DRCGE18)		Compared to when you first started smoking, you can smoke much, much more now before you start to feel anything.	-	-
CIGLOTMR	2	1SMOKE MUCH MORE NOW BEFORE FEEL ANYTHING		
		1 = Not at all true.....	7345	13.25
		2 = Somewhat true.....	2875	5.19
		3 = Moderately true.....	1839	3.32
		4 = Very true.....	1240	2.24
		5 = Extremely true.....	859	1.55
		91 = NEVER USED CIGARETTES.....	25005	45.11
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	16157	29.15
		94 = DON'T KNOW.....	60	0.11
		97 = REFUSED.....	30	0.05
		98 = BLANK (NO ANSWER).....	25	0.05
(DRCGE19A)		How soon after you wake up do you have your first cigarette?		
		On the days that you smoke, how soon after you wake up do you have your first cigarette?		
CIGWAKE	2	1HOW SOON AFTER WAKING DO YOU HAVE YOUR FIRST CIG		
		1 = Within the first 5 minutes after you wake up.....	2448	4.42
		2 = Between 6 and 30 minutes after you wake up.....	3482	6.28
		3 = Between 31 and 60 minutes after you wake up.....	2194	3.96
		4 = More than 60 minutes after you wake up.....	5640	10.17
		91 = NEVER USED CIGARETTES.....	25005	45.11
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	16157	29.15
		94 = DON'T KNOW.....	234	0.42
		97 = REFUSED.....	237	0.43
		98 = BLANK (NO ANSWER).....	38	0.07
(DRALC01)		Think about your use of alcohol during the past 12 months as you answer these next questions.		
		During the past 12 months, was there a month or more when you spent a lot of your time getting or drinking alcohol?		
ALCLOTTM	2	1SPENT MONTH/MORE GETTING/DRNKG ALC PAST 12 MOS		
		1 = Yes.....	5969	10.77
		2 = No.....	21543	38.86
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	128	0.23
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED ALCOHOL.....	15189	27.40
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	12133	21.89
		94 = DON'T KNOW.....	32	0.06
		97 = REFUSED.....	24	0.04
		98 = BLANK (NO ANSWER).....	415	0.75

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	231
LABEL	LEN	DESCRIPTION	FREQ	%
(DRALC02)		During the past 12 months, was there a month or more when you spent a lot of time getting over the effects of the alcohol you drank?		-
ALCGTOVR	2	1MONTH+ SPENT GETTING OVER ALC EFFECTS PST 12 MOS		
		1 = Yes.....	678	1.22
		2 = No.....	20878	37.66
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	128	0.23
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED ALCOHOL.....	15189	27.40
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	12133	21.89
		94 = DON'T KNOW.....	23	0.04
		97 = REFUSED.....	20	0.04
		98 = BLANK (NO ANSWER).....	416	0.75
		99 = LEGITIMATE SKIP.....	5969	10.77
(DRALC04)		During the past 12 months, did you try to set limits on how often or how much alcohol you would drink?		
ALCLIMIT	2	1SET LIMITS ON ALCOHOL USE PAST 12 MONTHS		
		1 = Yes.....	10224	18.44
		2 = No.....	17260	31.14
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	128	0.23
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED ALCOHOL.....	15189	27.40
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	12133	21.89
		94 = DON'T KNOW.....	52	0.09
		97 = REFUSED.....	32	0.06
		98 = BLANK (NO ANSWER).....	415	0.75
(DRALC05)		Were you able to keep to the limits you set, or did you often drink more than you intended to?		
ALCKPLMT	2	1TABLE TO KEEP LIMITS OR DRANK MORE PAST 12 MOS		
		1 = Usually kept to the limits set.....	8666	15.63
		2 = Often drank more than intended.....	1544	2.79
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	128	0.23
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED ALCOHOL.....	15189	27.40
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	12133	21.89
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	36	0.06
		98 = BLANK (NO ANSWER).....	468	0.84
		99 = LEGITIMATE SKIP.....	17260	31.14

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	232
LABEL	LEN	DESCRIPTION	FREQ	%
<hr/>				
(DRALC06) During the past 12 months, did you need to drink more alcohol than you used to in order to get the effect you wanted?				
ALCNDMOR	2	1NEEDED MORE ALC TO GET SAME EFFECT PST 12 MOS		
1	= Yes.....		3851	6.95
2	= No.....		23652	42.67
83	= DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.		128	0.23
85	= BAD DATA Logically assigned.....		2	0.00
91	= NEVER USED ALCOHOL.....		15189	27.40
93	= DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....		12133	21.89
94	= DON'T KNOW.....		34	0.06
97	= REFUSED.....		31	0.06
98	= BLANK (NO ANSWER).....		415	0.75
<hr/>				
(DRALC07) During the past 12 months, did you notice that drinking the same amount of alcohol had less effect on you than it used to?				
ALCLSEFX	2	1DRNKG SAME AMT ALC HAD LESS EFFECT PAST 12 MOS		
1	= Yes.....		2916	5.26
2	= No.....		20645	37.24
83	= DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.		128	0.23
85	= BAD DATA Logically assigned.....		1	0.00
91	= NEVER USED ALCOHOL.....		15189	27.40
93	= DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....		12133	21.89
94	= DON'T KNOW.....		108	0.19
97	= REFUSED.....		48	0.09
98	= BLANK (NO ANSWER).....		416	0.75
99	= LEGITIMATE SKIP.....		3851	6.95
<hr/>				
(DRALC08) During the past 12 months, did you want to or try to cut down or stop drinking alcohol?				
ALCCUTDN	2	1WANT/TRY TO CUT DOWN/STOP DRNKG PAST 12 MOS		
1	= Yes.....		8628	15.56
2	= No.....		18760	33.84
83	= DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.		128	0.23
85	= BAD DATA Logically assigned.....		2	0.00
91	= NEVER USED ALCOHOL.....		15189	27.40
93	= DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....		12133	21.89
94	= DON'T KNOW.....		96	0.17
97	= REFUSED.....		84	0.15
98	= BLANK (NO ANSWER).....		415	0.75

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	233
				FREQ	%
(DRALC09)		During the past 12 months, were you able to cut down or stop drinking alcohol every time you wanted to or tried to?		-	-
ALCCUTEV	2	1TABLE TO CUT/STOP DRNKG EVERY TIME PAST 12 MOS			
		1 = Yes.....	7335	13.23	
		2 = No.....	1281	2.31	
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	128	0.23	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED ALCOHOL.....	15189	27.40	
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	12133	21.89	
		94 = DON'T KNOW.....	6	0.01	
		97 = REFUSED.....	90	0.16	
		98 = BLANK (NO ANSWER).....	512	0.92	
		99 = LEGITIMATE SKIP.....	18760	33.84	
(DRALC10)		During the past 12 months, did you cut down or stop drinking at least one time?			
ALCCUT1X	2	1CUT DOWN OR STOP DRNKG AT LEAST ONCE PAST 12 MOS			
		1 = Yes.....	6912	12.47	
		2 = No.....	13123	23.67	
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	128	0.23	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED ALCOHOL.....	15189	27.40	
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	12133	21.89	
		94 = DON'T KNOW.....	112	0.20	
		97 = REFUSED.....	86	0.16	
		98 = BLANK (NO ANSWER).....	416	0.75	
		99 = LEGITIMATE SKIP.....	7335	13.23	
(DRALC11)		Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms after you cut back or stopped drinking alcohol?			
		- Sweating or feeling that your heart was beating fast			
		- Having your hands tremble			
		- Having trouble sleeping			
		- Vomiting or feeling nauseous			
		- Seeing, hearing, or feeling things that weren't really there			
		- Feeling like you couldn't sit still			
		- Feeling anxious			
		- Having seizures or fits			
ALCWD2SX	2	1HAD 2+ ALC WITHDRAWAL SYMPTOMS PST 12 MOS			
		1 = Yes.....	1997	3.60	
		2 = No.....	12206	22.02	
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	128	0.23	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED ALCOHOL.....	15189	27.40	
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	12133	21.89	
		94 = DON'T KNOW.....	27	0.05	
		97 = REFUSED.....	103	0.19	
		98 = BLANK (NO ANSWER).....	528	0.95	
		99 = LEGITIMATE SKIP.....	13123	23.67	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	234
				FREQ	%
(DRALC12)		Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped drinking alcohol?			-
		- Sweating or feeling that your heart was beating fast - Having your hands tremble - Having trouble sleeping - Vomiting or feeling nauseous - Seeing, hearing, or feeling things that weren't really there - Feeling like you couldn't sit still - Feeling anxious - Having seizures or fits			
ALCWDSMT	2	1HAD 2+ ALC WDRAW SYM AT SAME TIME PST 12 MOS			
		1 = Yes.....	956	1.72	
		2 = No.....	1037	1.87	
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	128	0.23	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED ALCOHOL.....	15189	27.40	
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	12133	21.89	
		94 = DON'T KNOW.....	3	0.01	
		97 = REFUSED.....	104	0.19	
		98 = BLANK (NO ANSWER).....	555	1.00	
		99 = LEGITIMATE SKIP.....	25329	45.69	
(DRALC13)		During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by drinking alcohol?			
ALCEMOPB	2	1ALC CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS			
		1 = Yes.....	2504	4.52	
		2 = No.....	24968	45.04	
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	128	0.23	
		85 = BAD DATA Logically assigned.....	2	0.00	
		91 = NEVER USED ALCOHOL.....	15189	27.40	
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	12133	21.89	
		94 = DON'T KNOW.....	53	0.10	
		97 = REFUSED.....	43	0.08	
		98 = BLANK (NO ANSWER).....	415	0.75	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	235
				FREQ	%
(DRALC14)		Did you continue to drink alcohol even though you thought drinking was causing you to have problems with your emotions, nerves, or mental health?		-	-
ALCEMCTD	2	1CONTD TO DRINK ALC DESPITE EMOT PRBS			
		1 = Yes.....	1531	2.76	
		2 = No.....	969	1.75	
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	128	0.23	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED ALCOHOL.....	15189	27.40	
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	12133	21.89	
		94 = DON'T KNOW.....	2	0.00	
		97 = REFUSED.....	45	0.08	
		98 = BLANK (NO ANSWER).....	469	0.85	
		99 = LEGITIMATE SKIP.....	24968	45.04	
(DRALC15)		During the past 12 months, did you have any physical health problems that were probably caused or made worse by drinking alcohol?			
ALCPHLPB	2	1ANY PHYS PRBS CAUSED/WORSND BY ALC PST 12 MOS			
		1 = Yes.....	765	1.38	
		2 = No.....	25185	45.43	
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	128	0.23	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED ALCOHOL.....	15189	27.40	
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	12133	21.89	
		94 = DON'T KNOW.....	47	0.08	
		97 = REFUSED.....	40	0.07	
		98 = BLANK (NO ANSWER).....	416	0.75	
		99 = LEGITIMATE SKIP.....	1531	2.76	
(DRALC16)		Did you continue to drink alcohol even though you thought drinking was causing you to have physical problems?			
ALCPHCTD	2	1CONTD TO DRINK ALC DESPITE PHYS PRBS			
		1 = Yes.....	318	0.57	
		2 = No.....	444	0.80	
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	128	0.23	
		91 = NEVER USED ALCOHOL.....	15189	27.40	
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	12133	21.89	
		94 = DON'T KNOW.....	3	0.01	
		97 = REFUSED.....	40	0.07	
		98 = BLANK (NO ANSWER).....	464	0.84	
		99 = LEGITIMATE SKIP.....	26716	48.19	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	236
LABEL	LEN	DESCRIPTION	FREQ	%
(DRALC17)		This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.		-
		During the past 12 months, did drinking alcohol cause you to give up or spend less time doing these types of important activities?		
ALCLSACT	2	1LESS ACTIVITIES B/C OF ALC USE PAST 12 MOS		
		1 = Yes.....	1802	3.25
		2 = No.....	25698	46.36
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	128	0.23
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED ALCOHOL.....	15189	27.40
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	12133	21.89
		94 = DON'T KNOW.....	33	0.06
		97 = REFUSED.....	35	0.06
		98 = BLANK (NO ANSWER).....	415	0.75

(DRALC18) Sometimes people who drink alcohol have serious problems at home, work or school - such as:

- neglecting their children
- missing work or school
- doing a poor job at work or school
- losing a job or dropping out of school

During the past 12 months, did drinking alcohol cause you to have serious problems like this either at home, work, or school?

ALCSERPB	2	1ALC CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS		
		1 = Yes.....	1357	2.45
		2 = No.....	26148	47.17
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	128	0.23
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED ALCOHOL.....	15189	27.40
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	12133	21.89
		94 = DON'T KNOW.....	22	0.04
		97 = REFUSED.....	41	0.07
		98 = BLANK (NO ANSWER).....	415	0.75

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	237
LABEL	LEN	DESCRIPTION	FREQ	%

(DRALC19) During the past 12 months, did you regularly drink alcohol and then do something where being drunk might have put you in physical danger?				

ALCPDANG	2	1DRNK ALC AND DO DANGEROUS ACTIVITIES PST 12 MOS		
1 = Yes.....				
2 = No.....				
83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.				
85 = BAD DATA Logically assigned.....				
91 = NEVER USED ALCOHOL.....				
93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....				
94 = DON'T KNOW.....				
97 = REFUSED.....				
98 = BLANK (NO ANSWER).....				
3738 6.74				
23762 42.86				
128 0.23				
2 0.00				
15189 27.40				
12133 21.89				
33 0.06				
35 0.06				
415 0.75				
(DRALC20) During the past 12 months, did drinking alcohol cause you to do things that repeatedly got you in trouble with the law?				

ALCLAWTR	2	1DRNK ALC CAUSE PRBS WITH LAW PAST 12 MOS		
1 = Yes.....				
2 = No.....				
83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.				
85 = BAD DATA Logically assigned.....				
91 = NEVER USED ALCOHOL.....				
93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....				
94 = DON'T KNOW.....				
97 = REFUSED.....				
98 = BLANK (NO ANSWER).....				
745 1.34				
26770 48.29				
128 0.23				
2 0.00				
15189 27.40				
12133 21.89				
18 0.03				
35 0.06				
415 0.75				
(DRALC21) During the past 12 months, did you have any problems with family or friends that were probably caused by your drinking?				

ALCFMFPB	2	1DRNK ALC CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS		
1 = Yes.....				
2 = No.....				
83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.				
85 = BAD DATA Logically assigned.....				
91 = NEVER USED ALCOHOL.....				
93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....				
94 = DON'T KNOW.....				
97 = REFUSED.....				
98 = BLANK (NO ANSWER).....				
2182 3.94				
25336 45.70				
128 0.23				
2 0.00				
15189 27.40				
12133 21.89				
19 0.03				
31 0.06				
415 0.75				

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	238
				FREQ	%
(DRALC22)		Did you continue to drink alcohol even though you thought your drinking caused problems with family or friends?		-	-
ALCFMCTD	2	1CONTD TO DRINK ALC DESPITE PRBS W/ FAM/FRNDS			
		1 = Yes.....	1380	2.49	
		2 = No.....	797	1.44	
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	128	0.23	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED ALCOHOL.....	15189	27.40	
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	12133	21.89	
		94 = DON'T KNOW.....	2	0.00	
		97 = REFUSED.....	34	0.06	
		98 = BLANK (NO ANSWER).....	435	0.78	
		99 = LEGITIMATE SKIP.....	25336	45.70	
(DRMJ01)		Think about your use of marijuana or hashish during the past 12 months as you answer these next questions.			
		During the past 12 months, was there a month or more when you spent a lot of your time getting or using marijuana or hashish?			
MRJLOTTM	2	1SPENT MONTH/MORE GETTING/USING MJ PAST 12 MOS			
		1 = Yes.....	3110	5.61	
		2 = No.....	3530	6.37	
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS Log asn..	55	0.10	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED MARIJUANA.....	33690	60.77	
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	14822	26.74	
		94 = DON'T KNOW.....	8	0.01	
		97 = REFUSED.....	36	0.06	
		98 = BLANK (NO ANSWER).....	183	0.33	
(DRMJ02)		During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the marijuana or hashish you used?			
MRJGTOVR	2	1MONTH+ SPENT GETTING OVER MJ EFFECTS PST 12 MOS			
		1 = Yes.....	96	0.17	
		2 = No.....	3435	6.20	
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	55	0.10	
		91 = NEVER USED MARIJUANA.....	33690	60.77	
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	14822	26.74	
		94 = DON'T KNOW.....	10	0.02	
		97 = REFUSED.....	33	0.06	
		98 = BLANK (NO ANSWER).....	184	0.33	
		99 = LEGITIMATE SKIP.....	3110	5.61	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	239
				FREQ	%
(DRMJ04)		During the past 12 months, did you try to set limits on how often or how much marijuana or hashish you would use?		-	-
MRJLIMIT	2	ISET LIMITS ON MARIJUANA USE PAST 12 MONTHS			
		1 = Yes.....	2502	4.51	
		2 = No.....	4138	7.46	
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	55	0.10	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED MARIJUANA.....	33690	60.77	
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	14822	26.74	
		94 = DON'T KNOW.....	8	0.01	
		97 = REFUSED.....	36	0.06	
		98 = BLANK (NO ANSWER).....	183	0.33	
(DRMJ05)		Were you able to keep to the limits you set, or did you often use marijuana or hashish more than you intended to?			
MRJKPLMT	2	IABLE TO KEEP LIMITS OR USE MORE MJ PAST 12 MOS			
		1 = Usually kept to the limits set.....	1948	3.51	
		2 = Often used more than intended.....	548	0.99	
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	55	0.10	
		91 = NEVER USED MARIJUANA.....	33690	60.77	
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	14822	26.74	
		94 = DON'T KNOW.....	4	0.01	
		97 = REFUSED.....	38	0.07	
		98 = BLANK (NO ANSWER).....	192	0.35	
		99 = LEGITIMATE SKIP.....	4138	7.46	
(DRMJ06)		During the past 12 months, did you need to use more marijuana or hashish than you used to in order to get the effect you wanted?			
MRJNDMOR	2	1NEEDED MORE MJ TO GET SAME EFFECT PST 12 MOS			
		1 = Yes.....	1752	3.16	
		2 = No.....	4885	8.81	
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	55	0.10	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED MARIJUANA.....	33690	60.77	
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	14822	26.74	
		94 = DON'T KNOW.....	8	0.01	
		97 = REFUSED.....	39	0.07	
		98 = BLANK (NO ANSWER).....	183	0.33	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	240
				FREQ	%
(DRMJ07)		During the past 12 months, did you notice that using the same amount of marijuana or hashish had less effect on you than it used to?		-	-
MRJLSEFX	2	1USING SAME AMT MJ HAD LESS EFFECT PAST 12 MOS			
		1 = Yes.....	578	1.04	
		2 = No.....	4301	7.76	
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	55	0.10	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED MARIJUANA.....	33690	60.77	
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	14822	26.74	
		94 = DON'T KNOW.....	17	0.03	
		97 = REFUSED.....	36	0.06	
		98 = BLANK (NO ANSWER).....	183	0.33	
		99 = LEGITIMATE SKIP.....	1752	3.16	
(DRMJ08)		During the past 12 months, did you want to or try to cut down or stop using marijuana or hashish?			
MRJCUTDN	2	1WANT/TRY TO CUT DOWN/STOP USING MJ PST 12 MOS			
		1 = Yes.....	2991	5.40	
		2 = No.....	3647	6.58	
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	55	0.10	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED MARIJUANA.....	33690	60.77	
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	14822	26.74	
		94 = DON'T KNOW.....	6	0.01	
		97 = REFUSED.....	40	0.07	
		98 = BLANK (NO ANSWER).....	183	0.33	
(DRMJ09)		During the past 12 months, were you able to cut down or stop using marijuana or hashish every time you wanted to or tried to?			
MRJCUTEV	2	1ABLE TO CUT/STOP USING MJ EVERY TIME PST 12 MOS			
		1 = Yes.....	2512	4.53	
		2 = No.....	477	0.86	
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	55	0.10	
		91 = NEVER USED MARIJUANA.....	33690	60.77	
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	14822	26.74	
		97 = REFUSED.....	42	0.08	
		98 = BLANK (NO ANSWER).....	190	0.34	
		99 = LEGITIMATE SKIP.....	3647	6.58	
(DRMJ13)		During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of marijuana or hashish?			
MRJEMOPB	2	1MJ CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS			
		1 = Yes.....	821	1.48	
		2 = No.....	5820	10.50	
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	55	0.10	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED MARIJUANA.....	33690	60.77	
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	14822	26.74	
		94 = DON'T KNOW.....	9	0.02	
		97 = REFUSED.....	34	0.06	
		98 = BLANK (NO ANSWER).....	183	0.33	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	241
				FREQ	%
(DRMJ14)		Did you continue to use marijuana or hashish even though you thought it was causing you to have problems with your emotions, nerves, or mental health?		-	-
MRJEMCTD	2	1CONTD USING MARIJUANA DESPITE EMOT PRBS			
		1 = Yes.....	536	0.97	
		2 = No.....	284	0.51	
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	55	0.10	
		91 = NEVER USED MARIJUANA.....	33690	60.77	
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	14822	26.74	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	34	0.06	
		98 = BLANK (NO ANSWER).....	193	0.35	
		99 = LEGITIMATE SKIP.....	5820	10.50	
(DRMJ15)		During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of marijuana or hashish?			
MRJPHLPB	2	1ANY PHYS PRBS CAUSED/WORSND BY MJ PST 12 MOS			
		1 = Yes.....	252	0.45	
		2 = No.....	5856	10.56	
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	55	0.10	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED MARIJUANA.....	33690	60.77	
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	14822	26.74	
		94 = DON'T KNOW.....	6	0.01	
		97 = REFUSED.....	34	0.06	
		98 = BLANK (NO ANSWER).....	183	0.33	
		99 = LEGITIMATE SKIP.....	536	0.97	
(DRMJ16)		Did you continue to use marijuana or hashish even though you thought it was causing you to have physical problems?			
MRJPHCTD	2	1CONTD TO USE MARIJUANA DESPITE PHYS PRBS			
		1 = Yes.....	144	0.26	
		2 = No.....	108	0.19	
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	55	0.10	
		91 = NEVER USED MARIJUANA.....	33690	60.77	
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	14822	26.74	
		97 = REFUSED.....	34	0.06	
		98 = BLANK (NO ANSWER).....	190	0.34	
		99 = LEGITIMATE SKIP.....	6392	11.53	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	242
				FREQ	%
(DRMJ17)		This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.		-	-
		During the past 12 months, did using marijuana or hashish cause you to give up or spend less time doing these types of important activities?			
MRJL叙述	2	1LESS ACTIVITIES B/C OF MJ USE PAST 12 MOS			
		1 = Yes.....	961	1.73	
		2 = No.....	5684	10.25	
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	55	0.10	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED MARIJUANA.....	33690	60.77	
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	14822	26.74	
		94 = DON'T KNOW.....	5	0.01	
		97 = REFUSED.....	34	0.06	
		98 = BLANK (NO ANSWER).....	183	0.33	
(DRMJ18)		Sometimes people who use marijuana or hashish have serious problems at home, work or school - such as:			
		- neglecting their children			
		- missing work or school			
		- doing a poor job at work or school			
		- losing a job or dropping out of school			
		During the past 12 months, did using marijuana or hashish cause you to have serious problems like this either at home, work, or school?			
MRJSERPB	2	1MJ CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS			
		1 = Yes.....	678	1.22	
		2 = No.....	5967	10.76	
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	55	0.10	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED MARIJUANA.....	33690	60.77	
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	14822	26.74	
		94 = DON'T KNOW.....	4	0.01	
		97 = REFUSED.....	35	0.06	
		98 = BLANK (NO ANSWER).....	183	0.33	
(DRMJ19)		During the past 12 months, did you regularly use marijuana or hashish and then do something where using marijuana or hashish might have put you in physical danger?			
MRJPDANG	2	1USING MJ AND DO DANGEROUS ACTIVITIES PST 12 MOS			
		1 = Yes.....	651	1.17	
		2 = No.....	5994	10.81	
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	55	0.10	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED MARIJUANA.....	33690	60.77	
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	14822	26.74	
		94 = DON'T KNOW.....	5	0.01	
		97 = REFUSED.....	34	0.06	
		98 = BLANK (NO ANSWER).....	183	0.33	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE		PAGE:	243
			FREQ	%		
(DRMJ20) During the past 12 months, did using marijuana or hashish cause you to do things that repeatedly got you in trouble with the law?						
MRJLAWTR	2	1USING MJ CAUSE PRBS WITH LAW PAST 12 MOS				
		1 = Yes.....	320	0.58		
		2 = No.....	6328	11.42		
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	55	0.10		
		85 = BAD DATA Logically assigned.....	1	0.00		
		91 = NEVER USED MARIJUANA.....	33690	60.77		
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	14822	26.74		
		94 = DON'T KNOW.....	3	0.01		
		97 = REFUSED.....	33	0.06		
		98 = BLANK (NO ANSWER).....	183	0.33		
(DRMJ21) During the past 12 months, did you have any problems with family or friends that were probably caused by your use of marijuana or hashish?						
MRJFMFPB	2	1USING MJ CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS				
		1 = Yes.....	640	1.15		
		2 = No.....	6010	10.84		
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	55	0.10		
		85 = BAD DATA Logically assigned.....	1	0.00		
		91 = NEVER USED MARIJUANA.....	33690	60.77		
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	14822	26.74		
		94 = DON'T KNOW.....	2	0.00		
		97 = REFUSED.....	32	0.06		
		98 = BLANK (NO ANSWER).....	183	0.33		
(DRMJ22) Did you continue to use marijuana or hashish even though you thought it caused problems with family or friends?						
MRJFMCTD	2	1CONTD TO USE MJ DESPITE PRBS W/ FAM/FRNDS				
		1 = Yes.....	466	0.84		
		2 = No.....	173	0.31		
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	55	0.10		
		91 = NEVER USED MARIJUANA.....	33690	60.77		
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	14822	26.74		
		94 = DON'T KNOW.....	1	0.00		
		97 = REFUSED.....	32	0.06		
		98 = BLANK (NO ANSWER).....	186	0.34		
		99 = LEGITIMATE SKIP.....	6010	10.84		

¹The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	244
				FREQ	%
(DRCC01)		Think about your use of cocaine, (including the form of cocaine called "crack") during the past 12 months as you answer these next questions.		-	-
		During the past 12 months, was there a month or more when you spent a lot of your time getting or using [COKEFILL]?			
COCLOTTM	2	1SPENT MONTH/MORE GETTING/USING COC PAST 12 MOS			
		1 = Yes.....	363	0.65	
		2 = No.....	1461	2.64	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED COCAINE.....	48746	87.93	
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	4755	8.58	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	19	0.03	
		98 = BLANK (NO ANSWER).....	89	0.16	
(DRCC02)		During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the [COKEFILL] you used?			
COCGTOVR	2	1MONTH+ SPENT GETTING OVER COC EFFECTS PST 12 MOS			
		1 = Yes.....	75	0.14	
		2 = No.....	1384	2.50	
		91 = NEVER USED COCAINE.....	48746	87.93	
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	4755	8.58	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	21	0.04	
		98 = BLANK (NO ANSWER).....	90	0.16	
		99 = LEGITIMATE SKIP.....	363	0.65	
(DRCC04)		During the past 12 months, did you try to set limits on how often or how much [COKEFILL] you would use?			
COCLIMIT	2	1SET LIMITS ON COCAINE USE PAST 12 MONTHS			
		1 = Yes.....	756	1.36	
		2 = No.....	1059	1.91	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED COCAINE.....	48746	87.93	
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	4755	8.58	
		94 = DON'T KNOW.....	5	0.01	
		97 = REFUSED.....	24	0.04	
		98 = BLANK (NO ANSWER).....	89	0.16	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	245
				FREQ	%
(DRCC05)		Were you able to keep to the limits you set, or did you often use [COKEFILL] more than you intended to?		-	-
COCKPLMT	2	1TABLE TO KEEP LIMITS OR USED MORE COC PST 12 MOS			
		1 = Usually kept to the limits set.....	558	1.01	
		2 = Often used more than intended.....	198	0.36	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED COCAINE.....	48746	87.93	
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	4755	8.58	
		97 = REFUSED.....	24	0.04	
		98 = BLANK (NO ANSWER).....	94	0.17	
		99 = LEGITIMATE SKIP.....	1059	1.91	
(DRCC06)		During the past 12 months, did you need to use more [COKEFILL] than you used to in order to get the effect you wanted?			
COCNDMOR	2	1NEEDED MORE COC TO GET SAME EFFECT PST 12 MOS			
		1 = Yes.....	338	0.61	
		2 = No.....	1482	2.67	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED COCAINE.....	48746	87.93	
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	4755	8.58	
		94 = DON'T KNOW.....	5	0.01	
		97 = REFUSED.....	19	0.03	
		98 = BLANK (NO ANSWER).....	89	0.16	
(DRCC07)		During the past 12 months, did you notice that using the same amount of [COKEFILL] had less effect on you than it used to?			
COCLSEFX	2	1USING SAME AMT COC HAD LESS EFFECT PAST 12 MOS			
		1 = Yes.....	120	0.22	
		2 = No.....	1359	2.45	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED COCAINE.....	48746	87.93	
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	4755	8.58	
		94 = DON'T KNOW.....	5	0.01	
		97 = REFUSED.....	22	0.04	
		98 = BLANK (NO ANSWER).....	89	0.16	
		99 = LEGITIMATE SKIP.....	338	0.61	
(DRCC08)		During the past 12 months, did you want to or try to cut down or stop using [COKEFILL]?			
COCCUTDN	2	1WANT/TRY TO CUT DOWN/STOP USING COC PAST 12 MOS			
		1 = Yes.....	976	1.76	
		2 = No.....	844	1.52	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED COCAINE.....	48746	87.93	
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	4755	8.58	
		94 = DON'T KNOW.....	2	0.00	
		97 = REFUSED.....	22	0.04	
		98 = BLANK (NO ANSWER).....	89	0.16	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE		PAGE: FREQ	246 %
			-----	-----		
(DRCC09)		During the past 12 months, were you able to cut down or stop using [COKEFILL] every time you wanted to or tried to?				-
COCCUTEV	2	1TABLE TO CUT/STOP USING COC EVERY TIME PAST 12 MOS				
		1 = Yes.....	833	1.50		
		2 = No.....	141	0.25		
		91 = NEVER USED COCAINE.....	48746	87.93		
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	4755	8.58		
		94 = DON'T KNOW.....	1	0.00		
		97 = REFUSED.....	23	0.04		
		98 = BLANK (NO ANSWER).....	92	0.17		
		99 = LEGITIMATE SKIP.....	844	1.52		
(DRCC10)		During the past 12 months, did you cut down or stop using [COKEFILL] at least one time?				
COCCUT1X	2	1CUT DOWN/STOP USING COC AT LEAST 1X PST 12 MOS				
		1 = Yes.....	418	0.75		
		2 = No.....	564	1.02		
		85 = BAD DATA Logically assigned.....	1	0.00		
		91 = NEVER USED COCAINE.....	48746	87.93		
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	4755	8.58		
		94 = DON'T KNOW.....	6	0.01		
		97 = REFUSED.....	23	0.04		
		98 = BLANK (NO ANSWER).....	89	0.16		
		99 = LEGITIMATE SKIP.....	833	1.50		
(DRCC10A)		During the past 12 months, have you felt kind of blue or down when you cut down or stopped using [COKEFILL]?				
COCFLBLU	2	1WHEN CUT DOWN ON COC, FELT BLUE PAST 12 MONTHS				
		1 = Yes.....	310	0.56		
		2 = No.....	940	1.70		
		91 = NEVER USED COCAINE.....	48746	87.93		
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	4755	8.58		
		97 = REFUSED.....	24	0.04		
		98 = BLANK (NO ANSWER).....	96	0.17		
		99 = LEGITIMATE SKIP.....	564	1.02		

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	247
				FREQ	%
(DRCC11)		Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms after you cut back or stopped using [COKEFILL]?		-	-
		- Feeling tired or exhausted - Having bad dreams - Having trouble sleeping or sleeping more than you normally do - Feeling hungry more often - Feeling either very slowed down or like you couldn't sit still			
COCWDSX	2	1HAD 2+ COC WITHDRAWAL SYMPTOMS PST 12 MOS			
		1 = Yes.....		250	0.45
		2 = No.....		60	0.11
		91 = NEVER USED COCAINE.....		48746	87.93
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....		4755	8.58
		97 = REFUSED.....		24	0.04
		98 = BLANK (NO ANSWER).....		96	0.17
		99 = LEGITIMATE SKIP.....		1504	2.71
(DRCC12)		Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped using [COKEFILL]?			
		- Feeling tired or exhausted - Having bad dreams - Having trouble sleeping or sleeping more than you normally do - Feeling hungry more often - Feeling either very slowed down or like you couldn't sit still			
COCWDSMT	2	1HAD 2+ COC WDRAW SYM AT SAME TIME PAST 12 MOS			
		1 = Yes.....		200	0.36
		2 = No.....		50	0.09
		91 = NEVER USED COCAINE.....		48746	87.93
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....		4755	8.58
		97 = REFUSED.....		24	0.04
		98 = BLANK (NO ANSWER).....		96	0.17
		99 = LEGITIMATE SKIP.....		1564	2.82
(DRCC13)		During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of [COKEFILL]?			
COCEMOPB	2	1COC CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS			
		1 = Yes.....		362	0.65
		2 = No.....		1459	2.63
		85 = BAD DATA Logically assigned.....		1	0.00
		91 = NEVER USED COCAINE.....		48746	87.93
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....		4755	8.58
		94 = DON'T KNOW.....		4	0.01
		97 = REFUSED.....		19	0.03
		98 = BLANK (NO ANSWER).....		89	0.16

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	248
				FREQ	%
(DRCC14)		Did you continue to use [COKEFILL] even though you thought it was causing you to have problems with your emotions, nerves, or mental health?		-	-
COCEMCTD	2	1CONTD TO USE COC DESPITE EMOT PRBS			
		1 = Yes.....	201	0.36	
		2 = No.....	160	0.29	
		91 = NEVER USED COCAINE.....	48746	87.93	
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	4755	8.58	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	19	0.03	
		98 = BLANK (NO ANSWER).....	94	0.17	
		99 = LEGITIMATE SKIP.....	1459	2.63	
(DRCC15)		During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of [COKEFILL]?			
COCPHLPB	2	1ANY PHYS PRBS CAUSED/WORSND BY COC PST 12 MOS			
		1 = Yes.....	87	0.16	
		2 = No.....	1532	2.76	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED COCAINE.....	48746	87.93	
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	4755	8.58	
		94 = DON'T KNOW.....	5	0.01	
		97 = REFUSED.....	19	0.03	
		98 = BLANK (NO ANSWER).....	89	0.16	
		99 = LEGITIMATE SKIP.....	201	0.36	
(DRCC16)		Did you continue to use [COKEFILL] even though you thought it was causing you to have physical problems?			
COCPHCTD	2	1CONTD TO USE COC DESPITE PHYS PRBS			
		1 = Yes.....	35	0.06	
		2 = No.....	52	0.09	
		91 = NEVER USED COCAINE.....	48746	87.93	
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	4755	8.58	
		97 = REFUSED.....	19	0.03	
		98 = BLANK (NO ANSWER).....	95	0.17	
		99 = LEGITIMATE SKIP.....	1733	3.13	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	249
				FREQ	%
(DRCC17)		This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.		-	-
		During the past 12 months, did using [COKEFILL] cause you to give up or spend less time doing these types of important activities?			
COCLSACT	2	1LESS ACTIVITIES B/C OF COC USE PAST 12 MOS			
		1 = Yes.....	282	0.51	
		2 = No.....	1538	2.77	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED COCAINE.....	48746	87.93	
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	4755	8.58	
		94 = DON'T KNOW.....	4	0.01	
		97 = REFUSED.....	20	0.04	
		98 = BLANK (NO ANSWER).....	89	0.16	
(DRCC18)		Sometimes people who use [COKEFILL] have serious problems at home, work or school - such as:			
		- neglecting their children			
		- missing work or school			
		- doing a poor job at work or school			
		- losing a job or dropping out of school			
		During the past 12 months, did using [COKEFILL] cause you to have serious problems like this either at home, work, or school?			
COCSERPB	2	1COC CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS			
		1 = Yes.....	250	0.45	
		2 = No.....	1572	2.84	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED COCAINE.....	48746	87.93	
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	4755	8.58	
		94 = DON'T KNOW.....	3	0.01	
		97 = REFUSED.....	19	0.03	
		98 = BLANK (NO ANSWER).....	89	0.16	
(DRCC19)		During the past 12 months, did you regularly use [COKEFILL] and then do something where using [COKEFILL] might have put you in physical danger?			
COCPDANG	2	1USING COC AND DO DANGEROUS ACTIVITIES PST 12 MOS			
		1 = Yes.....	242	0.44	
		2 = No.....	1580	2.85	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED COCAINE.....	48746	87.93	
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	4755	8.58	
		94 = DON'T KNOW.....	3	0.01	
		97 = REFUSED.....	19	0.03	
		98 = BLANK (NO ANSWER).....	89	0.16	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	250
				FREQ	%
(DRCC20)		During the past 12 months, did using [COKEFILL] cause you to do things that repeatedly got you in trouble with the law?		-	-
COCLAWTR	2	1USING COC CAUSE PRBS WITH LAW PAST 12 MOS			
		1 = Yes.....	84	0.15	
		2 = No.....	1739	3.14	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED COCAINE.....	48746	87.93	
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	4755	8.58	
		94 = DON'T KNOW.....	3	0.01	
		97 = REFUSED.....	18	0.03	
		98 = BLANK (NO ANSWER).....	89	0.16	
(DRCC21)		During the past 12 months, did you have any problems with family or friends that were probably caused by your use of [COKEFILL]?			
COCFMFPB	2	1USING COC CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS			
		1 = Yes.....	277	0.50	
		2 = No.....	1544	2.79	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED COCAINE.....	48746	87.93	
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	4755	8.58	
		94 = DON'T KNOW.....	3	0.01	
		97 = REFUSED.....	20	0.04	
		98 = BLANK (NO ANSWER).....	89	0.16	
(DRCC22)		Did you continue to use [COKEFILL] even though you thought it caused problems with family or friends?			
COCFMCTD	2	1CONTD TO USE COC DESPITE PRBS W/ FAM/FRNDS			
		1 = Yes.....	187	0.34	
		2 = No.....	90	0.16	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED COCAINE.....	48746	87.93	
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	4755	8.58	
		97 = REFUSED.....	20	0.04	
		98 = BLANK (NO ANSWER).....	92	0.17	
		99 = LEGITIMATE SKIP.....	1544	2.79	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	251
				FREQ	%
(DRHE01)		NOTE: The heroin variables in the SUBSTANCE DEPENDENCE AND ABUSE module take into account information from follow-up questions that were added to the SPECIAL DRUGS module in 2002 for the variables HRSMKREC and HRSNFREC. Respondents who had not previously reported heroin use in the past 12 months but who reported on follow-up that they smoked or sniffed heroin in the past 12 months were asked the heroin questions in the SUBSTANCE DEPENDENCE AND ABUSE module.			-
		Think about your use of heroin during the past 12 months as you answer these next questions.			
		During the past 12 months, was there a month or more when you spent a lot of your time getting or using heroin?			
HERLOTTM	2	1SPENT MON/MORE GETTING/USING HEROIN PST 12 MOS			
		1 = Yes.....	58	0.10	
		2 = No.....	87	0.16	
		91 = NEVER USED HEROIN.....	54709	98.69	
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	540	0.97	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	2	0.00	
		98 = BLANK (NO ANSWER).....	38	0.07	
(DRHE02)		During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the heroin you used?			
HERGTOVR	2	1MONTH+ SPENT GETTING OVR HEROIN EFFECTS PST 12 MO			
		1 = Yes.....	4	0.01	
		2 = No.....	82	0.15	
		91 = NEVER USED HEROIN.....	54709	98.69	
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	540	0.97	
		94 = DON'T KNOW.....	2	0.00	
		97 = REFUSED.....	2	0.00	
		98 = BLANK (NO ANSWER).....	38	0.07	
		99 = LEGITIMATE SKIP.....	58	0.10	
(DRHE04)		During the past 12 months, did you try to set limits on how often or how much heroin you would use?			
HERLIMIT	2	1SET LIMITS ON HEROIN USE PAST 12 MONTHS			
		1 = Yes.....	65	0.12	
		2 = No.....	79	0.14	
		91 = NEVER USED HEROIN.....	54709	98.69	
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	540	0.97	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	3	0.01	
		98 = BLANK (NO ANSWER).....	38	0.07	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE		PAGE: FREQ	252 %
			-----	-----		
(DRHE05)		Were you able to keep to the limits you set, or did you often use heroin more than you intended to?				-
HERKPLMT	2	1 TABLE TO KEEP LIMT OR USE MORE HEROIN PST 12 MOS				
		1 = Usually kept to the limits set.....	29	0.05		
		2 = Often used more than intended.....	36	0.06		
		91 = NEVER USED HEROIN.....	54709	98.69		
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	540	0.97		
		97 = REFUSED.....	3	0.01		
		98 = BLANK (NO ANSWER).....	39	0.07		
		99 = LEGITIMATE SKIP.....	79	0.14		
(DRHE06)		During the past 12 months, did you need to use more heroin than you used to in order to get the effect you wanted?				
HERNDMOR	2	1NEEDED MORE HEROIN TO GET SME EFFECT PST 12 MOS				
		1 = Yes.....	52	0.09		
		2 = No.....	92	0.17		
		91 = NEVER USED HEROIN.....	54709	98.69		
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	540	0.97		
		94 = DON'T KNOW.....	1	0.00		
		97 = REFUSED.....	3	0.01		
		98 = BLANK (NO ANSWER).....	38	0.07		
(DRHE07)		During the past 12 months, did you notice that using the same amount of heroin had less effect on you than it used to?				
HERLSEFX	2	1USING SME AMT HEROIN HAD LESS EFFECT PST 12 MOS				
		1 = Yes.....	9	0.02		
		2 = No.....	83	0.15		
		91 = NEVER USED HEROIN.....	54709	98.69		
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	540	0.97		
		94 = DON'T KNOW.....	1	0.00		
		97 = REFUSED.....	3	0.01		
		98 = BLANK (NO ANSWER).....	38	0.07		
		99 = LEGITIMATE SKIP.....	52	0.09		
(DRHE08)		During the past 12 months, did you want to or try to cut down or stop using heroin?				
HERCUTDN	2	1WANT/TRY CUT DOWN/STOP USNG HEROIN PST 12 MOS				
		1 = Yes.....	84	0.15		
		2 = No.....	60	0.11		
		91 = NEVER USED HEROIN.....	54709	98.69		
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	540	0.97		
		94 = DON'T KNOW.....	1	0.00		
		97 = REFUSED.....	3	0.01		
		98 = BLANK (NO ANSWER).....	38	0.07		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	253
LABEL	LEN	DESCRIPTION	FREQ	%
(DRHE09)		During the past 12 months, were you able to cut down or stop using heroin every time you wanted to or tried to?		-
HERCUTEV	2	1TABLE TO CUT/STOP USNG HEROIN EVRY TIME PST 12 MOS		
		1 = Yes.....	55	0.10
		2 = No.....	29	0.05
		91 = NEVER USED HEROIN.....	54709	98.69
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	540	0.97
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	39	0.07
		99 = LEGITIMATE SKIP.....	60	0.11
(DRHE10)		During the past 12 months, did you cut down or stop using heroin at least one time?		
HERCUT1X	2	1CUT DOWN/STOP USNG HEROIN AT LEAST 1X PST 12 MOS		
		1 = Yes.....	35	0.06
		2 = No.....	54	0.10
		91 = NEVER USED HEROIN.....	54709	98.69
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	540	0.97
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	38	0.07
		99 = LEGITIMATE SKIP.....	55	0.10
(DRHE11)		Please look at the symptoms listed below. During the past 12 months, did you have 3 or more of these symptoms after you cut back or stopped using heroin?		
		- Feeling kind of blue or down		
		- Vomiting or feeling nauseous		
		- Having cramps or muscle aches		
		- Having teary eyes or a runny nose		
		- Feeling sweaty, having enlarged eye pupils, or having body hair standing up on your skin		
		- Having diarrhea		
		- Yawning		
		- Having a fever		
		- Having trouble sleeping		
HERWD3SX	2	1HAD 3+ HEROIN WITHDRAWAL SYMPTOMS PST 12 MOS		
		1 = Yes.....	56	0.10
		2 = No.....	34	0.06
		91 = NEVER USED HEROIN.....	54709	98.69
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	540	0.97
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	39	0.07
		99 = LEGITIMATE SKIP.....	54	0.10

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	254
				FREQ	%
(DRHE12)		Please look at the symptoms listed below. During the past 12 months, did you have 3 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped using heroin?		-	-
		- Feeling kind of blue or down - Vomiting or feeling nauseous - Having cramps or muscle aches - Having teary eyes or a runny nose - Feeling sweaty, having enlarged eye pupils, or having body hair standing up on your skin - Having diarrhea - Yawning - Having a fever - Having trouble sleeping			
HERWDSMT	2	1HAD 3+ HEROIN WDRAW SYM SAME TIME PST 12 MOS			
		1 = Yes.....	51	0.09	
		2 = No.....	5	0.01	
		91 = NEVER USED HEROIN.....	54709	98.69	
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	540	0.97	
		97 = REFUSED.....	3	0.01	
		98 = BLANK (NO ANSWER).....	39	0.07	
		99 = LEGITIMATE SKIP.....	88	0.16	
(DRHE13)		During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of heroin?			
HEREMOPB	2	1HEROIN CAUSE PRBS W/EMOT/NERVES PAST 12 MOS			
		1 = Yes.....	50	0.09	
		2 = No.....	93	0.17	
		91 = NEVER USED HEROIN.....	54709	98.69	
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	540	0.97	
		94 = DON'T KNOW.....	2	0.00	
		97 = REFUSED.....	3	0.01	
		98 = BLANK (NO ANSWER).....	38	0.07	
(DRHE14)		Did you continue to use heroin even though you thought it was causing you to have problems with your emotions, nerves, or mental health?			
HEREMCTD	2	1CONTD TO USE HEROIN DESPITE EMOT PRBS			
		1 = Yes.....	39	0.07	
		2 = No.....	11	0.02	
		91 = NEVER USED HEROIN.....	54709	98.69	
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	540	0.97	
		97 = REFUSED.....	3	0.01	
		98 = BLANK (NO ANSWER).....	40	0.07	
		99 = LEGITIMATE SKIP.....	93	0.17	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	255
LABEL	LEN	DESCRIPTION	FREQ	%
(DRHE15)		During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of heroin?		-
HERPHLPR	2	1 ANY PHYS PRBS CAUSED/WORSND BY HEROIN PST 12 MOS		
		1 = Yes.....	7	0.01
		2 = No.....	97	0.17
		91 = NEVER USED HEROIN.....	54709	98.69
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	540	0.97
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	38	0.07
		99 = LEGITIMATE SKIP.....	39	0.07
(DRHE16)		Did you continue to use heroin even though you thought it was causing you to have physical problems?		
HERPHCTD	2	1CONTD TO USE HEROIN DESPITE PHYS PRBS		
		1 = Yes.....	2	0.00
		2 = No.....	5	0.01
		91 = NEVER USED HEROIN.....	54709	98.69
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	540	0.97
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	40	0.07
		99 = LEGITIMATE SKIP.....	136	0.25
(DRHE17)		This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.		
		During the past 12 months, did using heroin cause you to give up or spend less time doing these types of important activities?		
HERLSACT	2	1LESS ACTIVITIES B/C OF HEROIN USE PAST 12 MOS		
		1 = Yes.....	53	0.10
		2 = No.....	90	0.16
		91 = NEVER USED HEROIN.....	54709	98.69
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	540	0.97
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	38	0.07

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	256
				FREQ	%
(DRHE18)		Sometimes people who use heroin have serious problems at home, work or school - such as:		-	-
		- neglecting their children - missing work or school - doing a poor job at work or school - losing a job or dropping out of school			
		During the past 12 months, did using heroin cause you to have serious problems like this either at home, work, or school?			
HERSERPB	2	1HEROIN CAUSE SER PRB AT HOM/WRK/SCH PST 12 MOS			
		1 = Yes.....	45	0.08	
		2 = No.....	99	0.18	
		91 = NEVER USED HEROIN.....	54709	98.69	
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	540	0.97	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	3	0.01	
		98 = BLANK (NO ANSWER).....	38	0.07	
(DRHE19)		During the past 12 months, did you regularly use heroin and then do something where using heroin might have put you in physical danger?			
HERPDANG	2	1USING HEROIN & DO DANGEROUS ACTIVS PST 12 MOS			
		1 = Yes.....	43	0.08	
		2 = No.....	101	0.18	
		91 = NEVER USED HEROIN.....	54709	98.69	
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	540	0.97	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	3	0.01	
		98 = BLANK (NO ANSWER).....	38	0.07	
(DRHE20)		During the past 12 months, did using heroin cause you to do things that repeatedly got you in trouble with the law?			
HERLAWTR	2	1USING HEROIN CAUSE PRBS WITH LAW PAST 12 MOS			
		1 = Yes.....	26	0.05	
		2 = No.....	118	0.21	
		91 = NEVER USED HEROIN.....	54709	98.69	
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	540	0.97	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	3	0.01	
		98 = BLANK (NO ANSWER).....	38	0.07	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	257
				FREQ	%
(DRHE21)		During the past 12 months, did you have any problems with family or friends that were probably caused by your use of heroin?		-	-
HERFMFPB	2	1USING HEROIN CAUSE PRBS W/FAM/FRNDS PST 12 MOS			
		1 = Yes.....	50	0.09	
		2 = No.....	93	0.17	
		91 = NEVER USED HEROIN.....	54709	98.69	
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	540	0.97	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	4	0.01	
		98 = BLANK (NO ANSWER).....	38	0.07	
(DRHE22)		Did you continue to use heroin even though you thought it caused problems with family or friends?			
HERFMCTD	2	1CONTD TO USE HEROIN DESPITE PRBS W/FAM/FRNDS			
		1 = Yes.....	40	0.07	
		2 = No.....	10	0.02	
		91 = NEVER USED HEROIN.....	54709	98.69	
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	540	0.97	
		97 = REFUSED.....	4	0.01	
		98 = BLANK (NO ANSWER).....	39	0.07	
		99 = LEGITIMATE SKIP.....	93	0.17	
(DRLS01)		Think about your use of hallucinogens, such as LSD, "acid", PCP, "Ecstasy", psilocybin (mushrooms), mescaline, or peyote during the past 12 months as you answer these next questions.			
		During the past 12 months, was there a month or more when you spent a lot of your time getting or using hallucinogens?			
HALLOTTM	2	1SPENT MON/MORE GETTING/USING HALLUC PST 12 MOS			
		1 = Yes.....	129	0.23	
		2 = No.....	1610	2.90	
		91 = NEVER USED HALLUCINOGENS.....	47722	86.09	
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	5635	10.17	
		94 = DON'T KNOW.....	2	0.00	
		97 = REFUSED.....	4	0.01	
		98 = BLANK (NO ANSWER).....	333	0.60	
(DRLS02)		During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the hallucinogens you used?			
HALGTOVR	2	1MONTH+ SPENT GETTING OVR HALLUC EFFECTS PST 12 MO			
		1 = Yes.....	45	0.08	
		2 = No.....	1562	2.82	
		91 = NEVER USED HALLUCINOGENS.....	47722	86.09	
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	5635	10.17	
		94 = DON'T KNOW.....	4	0.01	
		97 = REFUSED.....	5	0.01	
		98 = BLANK (NO ANSWER).....	333	0.60	
		99 = LEGITIMATE SKIP.....	129	0.23	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE		PAGE: FREQ	258 %
			-----	-----		
(DRLS04)		During the past 12 months, did you try to set limits on how often or how much hallucinogens you would use?				-
HALLLIMIT	2	1SET LIMITS ON HALLUCINOGEN USE PAST 12 MONTHS				
		1 = Yes.....	403	0.73		
		2 = No.....	1328	2.40		
		91 = NEVER USED HALLUCINOGENS.....	47722	86.09		
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	5635	10.17		
		94 = DON'T KNOW.....	7	0.01		
		97 = REFUSED.....	7	0.01		
		98 = BLANK (NO ANSWER).....	333	0.60		
(DRLS05)		Were you able to keep to the limits you set, or did you often use hallucinogens more than you intended to?				
HALKPLMT	2	1TABLE TO KEEP LIMT OR USE MORE HALLUC PST 12 MOS				
		1 = Usually kept to the limits set.....	372	0.67		
		2 = Often used more than intended.....	31	0.06		
		91 = NEVER USED HALLUCINOGENS.....	47722	86.09		
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	5635	10.17		
		97 = REFUSED.....	7	0.01		
		98 = BLANK (NO ANSWER).....	340	0.61		
		99 = LEGITIMATE SKIP.....	1328	2.40		
(DRLS06)		During the past 12 months, did you need to use more hallucinogens than you used to in order to get the effect you wanted?				
HALNDMOR	2	1NEEDED MORE HALLUC TO GET SME EFFECT PST 12 MOS				
		1 = Yes.....	132	0.24		
		2 = No.....	1602	2.89		
		91 = NEVER USED HALLUCINOGENS.....	47722	86.09		
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	5635	10.17		
		94 = DON'T KNOW.....	6	0.01		
		97 = REFUSED.....	5	0.01		
		98 = BLANK (NO ANSWER).....	333	0.60		
(DRLS07)		During the past 12 months, did you notice that using the same amount of hallucinogens had less effect on you than it used to?				
HALLSEFX	2	1USING SME AMT HALLUC HAD LESS EFFECT PAST 12 MOS				
		1 = Yes.....	70	0.13		
		2 = No.....	1527	2.75		
		91 = NEVER USED HALLUCINOGENS.....	47722	86.09		
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	5635	10.17		
		94 = DON'T KNOW.....	7	0.01		
		97 = REFUSED.....	9	0.02		
		98 = BLANK (NO ANSWER).....	333	0.60		
		99 = LEGITIMATE SKIP.....	132	0.24		

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	259
				FREQ	%
(DRLS08)		During the past 12 months, did you want to or try to cut down or stop using hallucinogens?		-	-
HALCUTDN	2	1WANT/TRY CUT DOWN/STOP USING HALLUC PST 12 MOS			
		1 = Yes.....	499	0.90	
		2 = No.....	1230	2.22	
		91 = NEVER USED HALLUCINOGENS.....	47722	86.09	
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	5635	10.17	
		94 = DON'T KNOW.....	4	0.01	
		97 = REFUSED.....	12	0.02	
		98 = BLANK (NO ANSWER).....	333	0.60	
(DRLS09)		During the past 12 months, were you able to cut down or stop using hallucinogens every time you wanted to or tried to?			
HALCUTEV	2	1ABLE TO CUT/STOP USING HALLUC EVRY TIME PST 12 MO			
		1 = Yes.....	462	0.83	
		2 = No.....	36	0.06	
		91 = NEVER USED HALLUCINOGENS.....	47722	86.09	
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	5635	10.17	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	12	0.02	
		98 = BLANK (NO ANSWER).....	337	0.61	
		99 = LEGITIMATE SKIP.....	1230	2.22	
(DRLS13)		During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of hallucinogens?			
HALEMOPB	2	1HALLUC CAUSE PRBS W/EMOT/NERVES PAST 12 MOS			
		1 = Yes.....	155	0.28	
		2 = No.....	1576	2.84	
		91 = NEVER USED HALLUCINOGENS.....	47722	86.09	
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	5635	10.17	
		94 = DON'T KNOW.....	5	0.01	
		97 = REFUSED.....	9	0.02	
		98 = BLANK (NO ANSWER).....	333	0.60	
(DRLS14)		Did you continue to use hallucinogens even though you thought this was causing you to have problems with your emotions, nerves, or mental health?			
HALEMCTD	2	1CONTD TO USE HALLUC DESPITE EMOT PRBS			
		1 = Yes.....	80	0.14	
		2 = No.....	75	0.14	
		91 = NEVER USED HALLUCINOGENS.....	47722	86.09	
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	5635	10.17	
		97 = REFUSED.....	9	0.02	
		98 = BLANK (NO ANSWER).....	338	0.61	
		99 = LEGITIMATE SKIP.....	1576	2.84	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	260
				FREQ	%
(DRLS15)		During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of hallucinogens?		-	-
HALPHLPB	2	1ANY PHYS PRBS CAUSED/WORSND BY HALLUC PST 12 MOS			
		1 = Yes.....	29	0.05	
		2 = No.....	1621	2.92	
		91 = NEVER USED HALLUCINOGENS.....	47722	86.09	
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	5635	10.17	
		94 = DON'T KNOW.....	6	0.01	
		97 = REFUSED.....	9	0.02	
		98 = BLANK (NO ANSWER).....	333	0.60	
		99 = LEGITIMATE SKIP.....	80	0.14	
(DRLS16)		Did you continue to use hallucinogens even though you thought this was causing you to have physical problems?			
HALPHCTD	2	1CONTD TO USE HALLUC DESPITE PHYS PRBS			
		1 = Yes.....	8	0.01	
		2 = No.....	21	0.04	
		91 = NEVER USED HALLUCINOGENS.....	47722	86.09	
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	5635	10.17	
		97 = REFUSED.....	9	0.02	
		98 = BLANK (NO ANSWER).....	339	0.61	
		99 = LEGITIMATE SKIP.....	1701	3.07	
(DRLS17)		This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.			
		During the past 12 months, did using hallucinogens cause you to give up or spend less time doing these types of important activities?			
HALLSACT	2	1LESS ACTIVITES B/C OF HALLUC USE PAST 12 MOS			
		1 = Yes.....	85	0.15	
		2 = No.....	1650	2.98	
		91 = NEVER USED HALLUCINOGENS.....	47722	86.09	
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	5635	10.17	
		94 = DON'T KNOW.....	4	0.01	
		97 = REFUSED.....	6	0.01	
		98 = BLANK (NO ANSWER).....	333	0.60	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	261
				FREQ	%
(DRLS18)		Sometimes people who use hallucinogens have serious problems at home, work or school - such as:		-	-
		- neglecting their children - missing work or school - doing a poor job at work or school - losing a job or dropping out of school			
		During the past 12 months, did using hallucinogens cause you to have serious problems like this either at home, work, or school?			
HALSERPB	2	1HALLUC CAUSE SER PRBS AT HOM/WRK/SCH PST 12 MOS			
		1 = Yes.....	90	0.16	
		2 = No.....	1645	2.97	
		91 = NEVER USED HALLUCINOGENS.....	47722	86.09	
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	5635	10.17	
		94 = DON'T KNOW.....	3	0.01	
		97 = REFUSED.....	7	0.01	
		98 = BLANK (NO ANSWER).....	333	0.60	
(DRLS19)		During the past 12 months, did you regularly use hallucinogens and then do something where using hallucinogens put you in physical danger?			
HALPDANG	2	1USING HALLUC & DO DANGEROUS ACTIVS PST 12 MOS			
		1 = Yes.....	111	0.20	
		2 = No.....	1626	2.93	
		91 = NEVER USED HALLUCINOGENS.....	47722	86.09	
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	5635	10.17	
		94 = DON'T KNOW.....	3	0.01	
		97 = REFUSED.....	5	0.01	
		98 = BLANK (NO ANSWER).....	333	0.60	
(DRLS20)		During the past 12 months, did using hallucinogens cause you to do things that repeatedly got you in trouble with the law?			
HALLAWTR	2	1USING HALLUC CAUSE PRBS WITH LAW PAST 12 MOS			
		1 = Yes.....	38	0.07	
		2 = No.....	1696	3.06	
		91 = NEVER USED HALLUCINOGENS.....	47722	86.09	
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	5635	10.17	
		94 = DON'T KNOW.....	6	0.01	
		97 = REFUSED.....	5	0.01	
		98 = BLANK (NO ANSWER).....	333	0.60	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	262
				FREQ	%
(DRLS21)		During the past 12 months, did you have any problems with family or friends that were probably caused by your use of hallucinogens?		-	-
HALFMFPB	2	1USING HALLUC CAUSE PRBS W/FAM/FRNDS PST 12 MOS			
		1 = Yes.....	90	0.16	
		2 = No.....	1645	2.97	
		91 = NEVER USED HALLUCINOGENS.....	47722	86.09	
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	5635	10.17	
		94 = DON'T KNOW.....	5	0.01	
		97 = REFUSED.....	5	0.01	
		98 = BLANK (NO ANSWER).....	333	0.60	
(DRLS22)		Did you continue to use hallucinogens even though you thought this caused problems with family or friends?			
HALFMCTD	2	1CONTD TO USE HALLUC DESPITE PRBS W/FAM/FRNDS			
		1 = Yes.....	54	0.10	
		2 = No.....	36	0.06	
		91 = NEVER USED HALLUCINOGENS.....	47722	86.09	
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	5635	10.17	
		97 = REFUSED.....	5	0.01	
		98 = BLANK (NO ANSWER).....	338	0.61	
		99 = LEGITIMATE SKIP.....	1645	2.97	
(DRIN01)		Think about your use of inhalants, such as amyl nitrite, "poppers," nitrous oxide, gasoline or lighter fluids, glue, spray paints or correction fluids during the past 12 months as you answer these next questions.			
		During the past 12 months, was there a month or more when you spent a lot of your time getting or using inhalants?			
INHLOTTM	2	1SPENT MONTH/MORE GETTING/USING INH PAST 12 MOS			
		1 = Yes.....	85	0.15	
		2 = No.....	947	1.71	
		85 = BAD DATA Logically assigned.....	2	0.00	
		91 = NEVER USED INHALANTS.....	49379	89.08	
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	4689	8.46	
		94 = DON'T KNOW.....	3	0.01	
		97 = REFUSED.....	5	0.01	
		98 = BLANK (NO ANSWER).....	325	0.59	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	263
				FREQ	%
(DRIN02)		During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the inhalants you used?		-	-
INHGTOVR	2	1MONTH+ SPENT GETTING OVER INH EFFECTS PST 12 MOS			
		1 = Yes.....	15	0.03	
		2 = No.....	929	1.68	
		85 = BAD DATA Logically assigned.....	2	0.00	
		91 = NEVER USED INHALANTS.....	49379	89.08	
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	4689	8.46	
		94 = DON'T KNOW.....	5	0.01	
		97 = REFUSED.....	6	0.01	
		98 = BLANK (NO ANSWER).....	325	0.59	
		99 = LEGITIMATE SKIP.....	85	0.15	
(DRIN04)		During the past 12 months, did you try to set limits on how often or how much inhalants you would use?			
INHLIMIT	2	1SET LIMITS ON INHALANT USE PAST 12 MONTHS			
		1 = Yes.....	232	0.42	
		2 = No.....	780	1.41	
		85 = BAD DATA Logically assigned.....	2	0.00	
		91 = NEVER USED INHALANTS.....	49379	89.08	
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	4689	8.46	
		94 = DON'T KNOW.....	17	0.03	
		97 = REFUSED.....	11	0.02	
		98 = BLANK (NO ANSWER).....	325	0.59	
(DRIN05)		Were you able to keep to the limits you set, or did you often use inhalants more than you intended to?			
INHKPLMT	2	1TABLE TO KEEP LIMITS OR USE MORE INH PAST 12 MOS			
		1 = Usually kept to the limits set.....	216	0.39	
		2 = Often used more than intended.....	16	0.03	
		91 = NEVER USED INHALANTS.....	49379	89.08	
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	4689	8.46	
		97 = REFUSED.....	11	0.02	
		98 = BLANK (NO ANSWER).....	344	0.62	
		99 = LEGITIMATE SKIP.....	780	1.41	
(DRIN06)		During the past 12 months, did you need to use more inhalants than you used to in order to get the effect you wanted?			
INHNDMOR	2	1NEEDED MORE INH TO GET SAME EFFECT PST 12 MOS			
		1 = Yes.....	60	0.11	
		2 = No.....	961	1.73	
		85 = BAD DATA Logically assigned.....	2	0.00	
		91 = NEVER USED INHALANTS.....	49379	89.08	
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	4689	8.46	
		94 = DON'T KNOW.....	9	0.02	
		97 = REFUSED.....	10	0.02	
		98 = BLANK (NO ANSWER).....	325	0.59	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	264
				FREQ	%
(DRIN07)		During the past 12 months, did you notice that using the same amount of inhalants had less effect on you than it used to?			-
INHLSEFX	2	1USING SAME AMT INH HAD LESS EFFECT PAST 12 MOS			
		1 = Yes.....	73	0.13	
		2 = No.....	877	1.58	
		85 = BAD DATA Logically assigned.....	2	0.00	
		91 = NEVER USED INHALANTS.....	49379	89.08	
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	4689	8.46	
		94 = DON'T KNOW.....	18	0.03	
		97 = REFUSED.....	12	0.02	
		98 = BLANK (NO ANSWER).....	325	0.59	
		99 = LEGITIMATE SKIP.....	60	0.11	
(DRIN08)		During the past 12 months, did you want to or try to cut down or stop using inhalants?			
INHCUTDN	2	1WANT/TRY TO CUT DOWN/STOP USING INH PAST 12 MOS			
		1 = Yes.....	383	0.69	
		2 = No.....	614	1.11	
		85 = BAD DATA Logically assigned.....	2	0.00	
		91 = NEVER USED INHALANTS.....	49379	89.08	
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	4689	8.46	
		94 = DON'T KNOW.....	22	0.04	
		97 = REFUSED.....	21	0.04	
		98 = BLANK (NO ANSWER).....	325	0.59	
(DRIN09)		During the past 12 months, were you able to cut down or stop using inhalants every time you wanted to or tried to?			
INHCUTEV	2	1ABLE TO CUT/STOP USING INH EVERY TIME PAST 12 MOS			
		1 = Yes.....	351	0.63	
		2 = No.....	30	0.05	
		91 = NEVER USED INHALANTS.....	49379	89.08	
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	4689	8.46	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	22	0.04	
		98 = BLANK (NO ANSWER).....	349	0.63	
		99 = LEGITIMATE SKIP.....	614	1.11	
(DRIN13)		During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of inhalants?			
INHEMOPB	2	1INH CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS			
		1 = Yes.....	80	0.14	
		2 = No.....	936	1.69	
		85 = BAD DATA Logically assigned.....	2	0.00	
		91 = NEVER USED INHALANTS.....	49379	89.08	
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	4689	8.46	
		94 = DON'T KNOW.....	12	0.02	
		97 = REFUSED.....	12	0.02	
		98 = BLANK (NO ANSWER).....	325	0.59	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	265
				FREQ	%
(DRIN14)		Did you continue to use inhalants even though you thought this was causing you to have problems with your emotions, nerves, or mental health?		-	-
INHEMCTD	2	1CONTD TO USE INHALANTS DESPITE EMOT PRBS			
		1 = Yes.....	30	0.05	
		2 = No.....	50	0.09	
		91 = NEVER USED INHALANTS.....	49379	89.08	
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	4689	8.46	
		97 = REFUSED.....	12	0.02	
		98 = BLANK (NO ANSWER).....	339	0.61	
		99 = LEGITIMATE SKIP.....	936	1.69	
(DRIN15)		During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of inhalants?			
INPHHLPB	2	1ANY PHYS PRBS CAUSED/WORSND BY INH PST 12 MOS			
		1 = Yes.....	26	0.05	
		2 = No.....	962	1.74	
		85 = BAD DATA Logically assigned.....	2	0.00	
		91 = NEVER USED INHALANTS.....	49379	89.08	
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	4689	8.46	
		94 = DON'T KNOW.....	10	0.02	
		97 = REFUSED.....	12	0.02	
		98 = BLANK (NO ANSWER).....	325	0.59	
		99 = LEGITIMATE SKIP.....	30	0.05	
(DRIN16)		Did you continue to use inhalants even though you thought this was causing you to have physical problems?			
INPHHCTD	2	1CONTD TO USE INHALANTS DESPITE PHYS PRBS			
		1 = Yes.....	8	0.01	
		2 = No.....	18	0.03	
		91 = NEVER USED INHALANTS.....	49379	89.08	
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	4689	8.46	
		97 = REFUSED.....	12	0.02	
		98 = BLANK (NO ANSWER).....	337	0.61	
		99 = LEGITIMATE SKIP.....	992	1.79	
(DRIN17)		This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.			
		During the past 12 months, did using inhalants cause you to give up or spend less time doing these types of important activities?			
INHLSACT	2	1LESS ACTIVITIES B/C OF INH USE PAST 12 MOS			
		1 = Yes.....	43	0.08	
		2 = No.....	979	1.77	
		85 = BAD DATA Logically assigned.....	2	0.00	
		91 = NEVER USED INHALANTS.....	49379	89.08	
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	4689	8.46	
		94 = DON'T KNOW.....	8	0.01	
		97 = REFUSED.....	10	0.02	
		98 = BLANK (NO ANSWER).....	325	0.59	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	266
				FREQ	%
(DRIN18)		Sometimes people who use inhalants have serious problems at home, work or school - such as:		-	-
		- neglecting their children - missing work or school - doing a poor job at work or school - losing a job or dropping out of school			
		During the past 12 months, did using inhalants cause you to have serious problems like this either at home, work, or school?			
INHSERPB	2	1INH CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS			
		1 = Yes.....	49	0.09	
		2 = No.....	970	1.75	
		85 = BAD DATA Logically assigned.....	2	0.00	
		91 = NEVER USED INHALANTS.....	49379	89.08	
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	4689	8.46	
		94 = DON'T KNOW.....	8	0.01	
		97 = REFUSED.....	13	0.02	
		98 = BLANK (NO ANSWER).....	325	0.59	
(DRIN19)		During the past 12 months, did you regularly use inhalants and then do something where using inhalants might have put you in physical danger?			
INHPDANG	2	1USING INH AND DO DANGEROUS ACTIVITIES PST 12 MOS			
		1 = Yes.....	44	0.08	
		2 = No.....	980	1.77	
		85 = BAD DATA Logically assigned.....	2	0.00	
		91 = NEVER USED INHALANTS.....	49379	89.08	
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	4689	8.46	
		94 = DON'T KNOW.....	5	0.01	
		97 = REFUSED.....	11	0.02	
		98 = BLANK (NO ANSWER).....	325	0.59	
(DRIN20)		During the past 12 months, did using inhalants cause you to do things that repeatedly got you in trouble with the law?			
INHLAWTR	2	1USING INH CAUSE PRBS WITH LAW PAST 12 MOS			
		1 = Yes.....	14	0.03	
		2 = No.....	1011	1.82	
		85 = BAD DATA Logically assigned.....	2	0.00	
		91 = NEVER USED INHALANTS.....	49379	89.08	
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	4689	8.46	
		94 = DON'T KNOW.....	6	0.01	
		97 = REFUSED.....	9	0.02	
		98 = BLANK (NO ANSWER).....	325	0.59	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	267
				FREQ	%
(DRIN21)		During the past 12 months, did you have any problems with family or friends that were probably caused by your use of inhalants?		-	-
INHFMFPB	2	1USING INH CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS			
		1 = Yes.....	44	0.08	
		2 = No.....	980	1.77	
		85 = BAD DATA Logically assigned.....	2	0.00	
		91 = NEVER USED INHALANTS.....	49379	89.08	
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	4689	8.46	
		94 = DON'T KNOW.....	8	0.01	
		97 = REFUSED.....	8	0.01	
		98 = BLANK (NO ANSWER).....	325	0.59	
(DRIN22)		Did you continue to use inhalants even though you thought this caused problems with family or friends?			
INHFMCTD	2	1CONTD TO USE INH DESPITE PRBS W/ FAM/FRNDS			
		1 = Yes.....	16	0.03	
		2 = No.....	27	0.05	
		91 = NEVER USED INHALANTS.....	49379	89.08	
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	4689	8.46	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	8	0.01	
		98 = BLANK (NO ANSWER).....	335	0.60	
		99 = LEGITIMATE SKIP.....	980	1.77	
(DRPR01)		Think about your use of prescription pain relievers during the past 12 months as you answer these next questions. Remember, we are only interested in your use of prescription pain relievers that were not prescribed for you or that you used only for the experience or feeling they caused.			
		During the past 12 months, was there a month or more when you spent a lot of your time getting or using prescription pain relievers?			
ANLLOTTM	2	1SPENT MON/MORE GETTNG/USNG PN RLVR PST 12 MOS			
		1 = Yes.....	662	1.19	
		2 = No.....	3449	6.22	
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23	
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	4609	8.31	
		94 = DON'T KNOW.....	6	0.01	
		97 = REFUSED.....	10	0.02	
		98 = BLANK (NO ANSWER).....	473	0.85	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	268
				FREQ	%
(DRPR02)		During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the prescription pain relievers you used?		-	-
ANLGTOVR	2	1MON+ SPNT GETTING OVER PN RLVR EFFECTS PST 12 MOS			
		1 = Yes.....	58	0.10	
		2 = No.....	3388	6.11	
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23	
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	4609	8.31	
		94 = DON'T KNOW.....	10	0.02	
		97 = REFUSED.....	9	0.02	
		98 = BLANK (NO ANSWER).....	473	0.85	
		99 = LEGITIMATE SKIP.....	662	1.19	
(DRPR04)		During the past 12 months, did you try to set limits on how often or how much prescription pain relievers you would use?			
ANLLIMIT	2	1SET LIMITS ON PAIN RELIEVER USE PAST 12 MONTHS			
		1 = Yes.....	992	1.79	
		2 = No.....	3099	5.59	
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23	
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	4609	8.31	
		94 = DON'T KNOW.....	21	0.04	
		97 = REFUSED.....	15	0.03	
		98 = BLANK (NO ANSWER).....	473	0.85	
(DRPR05)		Were you able to keep to the limits you set, or did you often use prescription pain relievers more than you intended to?			
ANLKPLMT	2	1TABLE TO KEEP LIMT/USE MORE PN RLVR PST 12 MOS			
		1 = Usually kept to the limits set.....	813	1.47	
		2 = Often used more than intended.....	175	0.32	
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16	
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23	
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	4609	8.31	
		94 = DON'T KNOW.....	3	0.01	
		97 = REFUSED.....	16	0.03	
		98 = BLANK (NO ANSWER).....	495	0.89	
		99 = LEGITIMATE SKIP.....	3099	5.59	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	269
				FREQ	%
(DRPR06)		During the past 12 months, did you need to use more prescription pain relievers than you used to in order to get the effect you wanted?		-	-
ANLNNDMOR	2	1NEEDED MORE PN RLVR TO GET SME EFFECT PST 12 MOS			
		1 = Yes.....	647	1.17	
		2 = No.....	3442	6.21	
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23	
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	4609	8.31	
		94 = DON'T KNOW.....	22	0.04	
		97 = REFUSED.....	16	0.03	
		98 = BLANK (NO ANSWER).....	473	0.85	
(DRPR07)		During the past 12 months, did you notice that using the same amount of prescription pain relievers had less effect on you than it used to?			
ANLLSEFX	2	1USING SME AMT PN RLVR HAD LESS EFFECT PST 12 MOS			
		1 = Yes.....	236	0.43	
		2 = No.....	3189	5.75	
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23	
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	4609	8.31	
		94 = DON'T KNOW.....	35	0.06	
		97 = REFUSED.....	20	0.04	
		98 = BLANK (NO ANSWER).....	473	0.85	
		99 = LEGITIMATE SKIP.....	647	1.17	
(DRPR08)		During the past 12 months, did you want to or try to cut down or stop using prescription pain relievers?			
ANLCUTDN	2	1WANT/TRY CUT DOWN/STOP USNG PN RLVR PST 12 MOS			
		1 = Yes.....	1315	2.37	
		2 = No.....	2738	4.94	
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23	
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	4609	8.31	
		94 = DON'T KNOW.....	38	0.07	
		97 = REFUSED.....	36	0.06	
		98 = BLANK (NO ANSWER).....	473	0.85	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	270
				FREQ	%
(DRPR09)		During the past 12 months, were you able to cut down or stop using prescription pain relievers every time you wanted to or tried to?		-	-
ANLCUTEV	2	1TABLE TO CUT/STOP USNG PN RLVR EVRY TIME PST 12 MO			
		1 = Yes.....	1150	2.07	
		2 = No.....	159	0.29	
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16	
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23	
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	4609	8.31	
		94 = DON'T KNOW.....	4	0.01	
		97 = REFUSED.....	38	0.07	
		98 = BLANK (NO ANSWER).....	512	0.92	
		99 = LEGITIMATE SKIP.....	2738	4.94	
(DRPR10)		During the past 12 months, did you cut down or stop using prescription pain relievers at least one time?			
ANLCUT1X	2	1CUT DOWN/STOP USNG PN RLVR AT LEAST 1X PST 12 MOS			
		1 = Yes.....	841	1.52	
		2 = No.....	2066	3.73	
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23	
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	4609	8.31	
		94 = DON'T KNOW.....	38	0.07	
		97 = REFUSED.....	32	0.06	
		98 = BLANK (NO ANSWER).....	473	0.85	
		99 = LEGITIMATE SKIP.....	1150	2.07	
(DRPR11)		Please look at the symptoms listed below. During the past 12 months, did you have 3 or more of these symptoms after you cut back or stopped using prescription pain relievers?			
		- Feeling kind of blue or down			
		- Vomiting or feeling nauseous			
		- Having cramps or muscle aches			
		- Having teary eyes or a runny nose			
		- Feeling sweaty, having enlarged eye pupils, or having body hair standing up on your skin			
		- Having diarrhea			
		- Yawning			
		- Having a fever			
		- Having trouble sleeping			
ANLWD3SX	2	1HAD 3+ PN RLVR WITHDRAWAL SYMPTOMS PST 12 MOS			
		1 = Yes.....	617	1.11	
		2 = No.....	1368	2.47	
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16	
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23	
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	4609	8.31	
		94 = DON'T KNOW.....	5	0.01	
		97 = REFUSED.....	33	0.06	
		98 = BLANK (NO ANSWER).....	512	0.92	
		99 = LEGITIMATE SKIP.....	2066	3.73	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	271
				FREQ	%
(DRPR12)		Please look at the symptoms listed below. During the past 12 months, did you have 3 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped using prescription pain relievers?		-	-
		- Feeling kind of blue or down - Vomiting or feeling nauseous - Having cramps or muscle aches - Having teary eyes or a runny nose - Feeling sweaty, having enlarged eye pupils, or having body hair standing up on your skin - Having diarrhea - Yawning - Having a fever - Having trouble sleeping			
ANLWDSMT	2	1HAD 3+ PN RLVR WDRAW SYM SAME TIME PST 12 MOS			
		1 = Yes.....	387	0.70	
		2 = No.....	230	0.41	
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16	
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23	
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	4609	8.31	
		97 = REFUSED.....	33	0.06	
		98 = BLANK (NO ANSWER).....	517	0.93	
		99 = LEGITIMATE SKIP.....	3434	6.19	
(DRPR13)		During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of prescription pain relievers?			
ANLEMOPB	2	1PN RLVR CAUSE PRBS W/EMOT/NERVES PST 12 MOS			
		1 = Yes.....	426	0.77	
		2 = No.....	3654	6.59	
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23	
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	4609	8.31	
		94 = DON'T KNOW.....	23	0.04	
		97 = REFUSED.....	24	0.04	
		98 = BLANK (NO ANSWER).....	473	0.85	
(DRPR14)		Did you continue to use prescription pain relievers even though you thought this was causing you to have problems with your emotions, nerves, or mental health?			
ANLEMCTD	2	1CONTD TO USE PN RLVR DESPITE EMOT PRBS			
		1 = Yes.....	283	0.51	
		2 = No.....	143	0.26	
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16	
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23	
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	4609	8.31	
		97 = REFUSED.....	24	0.04	
		98 = BLANK (NO ANSWER).....	497	0.90	
		99 = LEGITIMATE SKIP.....	3654	6.59	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	272
				FREQ	%
(DRPR15)		During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of prescription pain relievers?		-	-
ANLPHLPB	2	1ANY PHYS PRBS CAUSD/WORSND BY PN RLVR PST 12 MOS			
		1 = Yes.....	78	0.14	
		2 = No.....	3726	6.72	
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23	
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	4609	8.31	
		94 = DON'T KNOW.....	18	0.03	
		97 = REFUSED.....	22	0.04	
		98 = BLANK (NO ANSWER).....	473	0.85	
		99 = LEGITIMATE SKIP.....	283	0.51	
(DRPR16)		Did you continue to use prescription pain relievers even though you thought this was causing you to have physical problems?			
ANLPHCTD	2	1CONTD TO USE PN RLVR DESPITE PHYS PRBS			
		1 = Yes.....	28	0.05	
		2 = No.....	50	0.09	
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16	
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23	
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	4609	8.31	
		97 = REFUSED.....	22	0.04	
		98 = BLANK (NO ANSWER).....	492	0.89	
		99 = LEGITIMATE SKIP.....	4009	7.23	
(DRPR17)		This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.			
		During the past 12 months, did using prescription pain relievers cause you to give up or spend less time doing these types of important activities?			
ANLLSACT	2	1LESS ACTIVITIES B/C OF PN RLVR USE PAST 12 MOS			
		1 = Yes.....	286	0.52	
		2 = No.....	3801	6.86	
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23	
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	4609	8.31	
		94 = DON'T KNOW.....	18	0.03	
		97 = REFUSED.....	22	0.04	
		98 = BLANK (NO ANSWER).....	473	0.85	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	273
LABEL	LEN	DESCRIPTION	FREQ	%
(DRPR18)		Sometimes people who use prescription pain relievers have serious problems at home, work or school - such as:		-
		- neglecting their children - missing work or school - doing a poor job at work or school - losing a job or dropping out of school		
		During the past 12 months, did using prescription pain relievers cause you to have serious problems like this either at home, work, or school?		
ANL SERPB	2	1PN RLRV CAUSE SER PRB AT HOM/WRK/SCH PST 12 MOS		
		1 = Yes.....	248	0.45
		2 = No.....	3836	6.92
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	4609	8.31
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	26	0.05
		98 = BLANK (NO ANSWER).....	473	0.85
(DRPR19)		During the past 12 months, did you regularly use prescription pain relievers and then do something where using prescription pain relievers might have put you in physical danger?		
ANLPDANG	2	1USING PN RLRV & DO DANGEROUS ACTIVS PST 12 MOS		
		1 = Yes.....	296	0.53
		2 = No.....	3794	6.84
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	4609	8.31
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	24	0.04
		98 = BLANK (NO ANSWER).....	473	0.85
(DRPR20)		During the past 12 months, did using prescription pain relievers cause you to do things that repeatedly got you in trouble with the law?		
ANLLAWTR	2	1USING PN RLRV CAUSE PRBS WITH LAW PAST 12 MOS		
		1 = Yes.....	84	0.15
		2 = No.....	4009	7.23
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	4609	8.31
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	25	0.05
		98 = BLANK (NO ANSWER).....	473	0.85

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	274
LABEL	LEN	DESCRIPTION	FREQ	%
(DRPR21)		During the past 12 months, did you have any problems with family or friends that were probably caused by your use of prescription pain relievers?		-
ANLFMFPB	2	1USING PN RLVR CAUSE PRBS W/FAM/FRNDS PST 12 MOS		
		1 = Yes.....	241	0.43
		2 = No.....	3857	6.96
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	4609	8.31
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	20	0.04
		98 = BLANK (NO ANSWER).....	473	0.85
(DRPR22)		Did you continue to use prescription pain relievers even though you thought this caused problems with family or friends?		
ANLFMCTD	2	1CONTD TO USE PN RLVR DESPITE PRBS W/FAM/FRNDS		
		1 = Yes.....	173	0.31
		2 = No.....	67	0.12
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	4609	8.31
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	20	0.04
		98 = BLANK (NO ANSWER).....	483	0.87
		99 = LEGITIMATE SKIP.....	3857	6.96
(DRTR01)		Think about your use of prescription tranquilizers during the past 12 months as you answer these next questions. Remember, we are only interested in your use of prescription tranquilizers that were not prescribed for you or that you used only for the experience or feeling they caused.		
		During the past 12 months, was there a month or more when you spent a lot of your time getting or using prescription tranquilizers?		
TRNLLOTTM	2	1SPENT MONTH/MORE GETTING/USING TRN PAST 12 MOS		
		1 = Yes.....	104	0.19
		2 = No.....	1434	2.59
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2935	5.29
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	11	0.02
		98 = BLANK (NO ANSWER).....	188	0.34

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE		PAGE: FREQ	275 %
			-----	-----		
(DRTR02)		During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the prescription tranquilizers you used?				-
TRNGTOVR	2	1MONTH+ SPENT GETTING OVER TRN EFFECTS PAST 12 MOS				
		1 = Yes.....	22	0.04		
		2 = No.....	1411	2.55		
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01		
		85 = BAD DATA Logically assigned.....	1	0.00		
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55		
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2935	5.29		
		94 = DON'T KNOW.....	4	0.01		
		97 = REFUSED.....	11	0.02		
		98 = BLANK (NO ANSWER).....	188	0.34		
		99 = LEGITIMATE SKIP.....	104	0.19		
(DRTR04)		During the past 12 months, did you try to set limits on how often or how much prescription tranquilizers you would use?				
TRNLIMIT	2	1SET LIMITS ON TRANQUILIZER USE PAST 12 MONTHS				
		1 = Yes.....	290	0.52		
		2 = No.....	1237	2.23		
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01		
		85 = BAD DATA Logically assigned.....	1	0.00		
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55		
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2935	5.29		
		94 = DON'T KNOW.....	11	0.02		
		97 = REFUSED.....	14	0.03		
		98 = BLANK (NO ANSWER).....	188	0.34		
(DRTR05)		Were you able to keep to the limits you set, or did you often use prescription tranquilizers more than you intended to?				
TRNKPLMT	2	1ABLE TO KEEP LIMITS OR USE MORE TRN PAST 12 MOS				
		1 = Usually kept to the limits set.....	269	0.49		
		2 = Often used more than intended.....	21	0.04		
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01		
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55		
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2935	5.29		
		97 = REFUSED.....	14	0.03		
		98 = BLANK (NO ANSWER).....	200	0.36		
		99 = LEGITIMATE SKIP.....	1237	2.23		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	276
LABEL	LEN	DESCRIPTION	FREQ	%
(DRTR06)		During the past 12 months, did you need to use more prescription tranquilizers than you used to in order to get the effect you wanted?		-
TRNNNDMOR	2	1NEEDED MORE TRN TO GET SAME EFFECT PST 12 MOS		
		1 = Yes.....	104	0.19
		2 = No.....	1426	2.57
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2935	5.29
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	14	0.03
		98 = BLANK (NO ANSWER).....	188	0.34
(DRTR07)		During the past 12 months, did you notice that using the same amount of prescription tranquilizers had less effect on you than it used to?		
TRNLSEFX	2	1USING SAME AMT TRN HAD LESS EFFECT PAST 12 MOS		
		1 = Yes.....	58	0.10
		2 = No.....	1367	2.47
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2935	5.29
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	188	0.34
		99 = LEGITIMATE SKIP.....	104	0.19
(DRTR08)		During the past 12 months, did you want to or try to cut down or stop using prescription tranquilizers?		
TRNCUTDN	2	1WANT/TRY TO CUT DOWN/STOP USING TRN PAST 12 MOS		
		1 = Yes.....	412	0.74
		2 = No.....	1111	2.00
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2935	5.29
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	17	0.03
		98 = BLANK (NO ANSWER).....	188	0.34

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	277
				FREQ	%

(DRTR09)		During the past 12 months, were you able to cut down or stop using prescription tranquilizers every time you wanted to or tried to?			-
TRNCUTEV	2	1ABLE TO CUT/STOP USING TRN EVERY TIME PAST 12 MOS			
		1 = Yes.....	376	0.68	
		2 = No.....	36	0.06	
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55	
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2935	5.29	
		97 = REFUSED.....	17	0.03	
		98 = BLANK (NO ANSWER).....	201	0.36	
		99 = LEGITIMATE SKIP.....	1111	2.00	
(DRTR13)		During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of prescription tranquilizers?			
TRNEMOPB	2	1TRN CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS			
		1 = Yes.....	92	0.17	
		2 = No.....	1438	2.59	
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55	
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2935	5.29	
		94 = DON'T KNOW.....	8	0.01	
		97 = REFUSED.....	14	0.03	
		98 = BLANK (NO ANSWER).....	188	0.34	
(DRTR14)		Did you continue to use prescription tranquilizers even though you thought this was causing you to have problems with your emotions, nerves, or mental health?			
TRNEMCTD	2	1CONTD TO USE TRN DESPITE EMOT PRBS			
		1 = Yes.....	46	0.08	
		2 = No.....	46	0.08	
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55	
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2935	5.29	
		97 = REFUSED.....	14	0.03	
		98 = BLANK (NO ANSWER).....	196	0.35	
		99 = LEGITIMATE SKIP.....	1438	2.59	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	278
				FREQ	%
(DRTR15)		During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of prescription tranquilizers?		-	-
TRNPHLPI	2	1ANY PHYS PRBS CAUSED/WORSND BY TRN PST 12 MOS			
		1 = Yes.....	18	0.03	
		2 = No.....	1467	2.65	
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55	
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2935	5.29	
		94 = DON'T KNOW.....	6	0.01	
		97 = REFUSED.....	15	0.03	
		98 = BLANK (NO ANSWER).....	189	0.34	
		99 = LEGITIMATE SKIP.....	46	0.08	
(DRTR16)		Did you continue to use prescription tranquilizers even though you thought this was causing you to have physical problems?			
TRNPHTCD	2	1CONTD TO USE TRN DESPITE PHYS PRBS			
		1 = Yes.....	7	0.01	
		2 = No.....	11	0.02	
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55	
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2935	5.29	
		97 = REFUSED.....	15	0.03	
		98 = BLANK (NO ANSWER).....	195	0.35	
		99 = LEGITIMATE SKIP.....	1513	2.73	
(DRTR17)		This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.			
		During the past 12 months, did using prescription tranquilizers cause you to give up or spend less time doing these types of important activities?			
TRNLSSACT	2	1LESS ACTIVITIES B/C OF TRN USE PAST 12 MOS			
		1 = Yes.....	63	0.11	
		2 = No.....	1469	2.65	
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55	
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2935	5.29	
		94 = DON'T KNOW.....	6	0.01	
		97 = REFUSED.....	14	0.03	
		98 = BLANK (NO ANSWER).....	188	0.34	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	279
				FREQ	%
(DRTR18)		Sometimes people who use prescription tranquilizers have serious problems at home, work or school - such as:		-	-
		- neglecting their children - missing work or school - doing a poor job at work or school - losing a job or dropping out of school			
		During the past 12 months, did using prescription tranquilizers cause you to have serious problems like this either at home, work, or school?			
TRNSERPB	2	1TRN CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS			
		1 = Yes.....	75	0.14	
		2 = No.....	1460	2.63	
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55	
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2935	5.29	
		94 = DON'T KNOW.....	5	0.01	
		97 = REFUSED.....	12	0.02	
		98 = BLANK (NO ANSWER).....	188	0.34	
(DRTR19)		During the past 12 months, did you regularly use prescription tranquilizers and then do something where using prescription tranquilizers might have put you in physical danger?			
TRNPDANG	2	1USING TRN AND DO DANGEROUS ACTIVITIES PST 12 MOS			
		1 = Yes.....	89	0.16	
		2 = No.....	1446	2.61	
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55	
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2935	5.29	
		94 = DON'T KNOW.....	6	0.01	
		97 = REFUSED.....	11	0.02	
		98 = BLANK (NO ANSWER).....	188	0.34	
(DRTR20)		During the past 12 months, did using prescription tranquilizers cause you to do things that repeatedly got you in trouble with the law?			
TRNLAWTR	2	1USING TRN CAUSE PRBS WITH LAW PAST 12 MOS			
		1 = Yes.....	31	0.06	
		2 = No.....	1506	2.72	
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55	
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2935	5.29	
		94 = DON'T KNOW.....	5	0.01	
		97 = REFUSED.....	10	0.02	
		98 = BLANK (NO ANSWER).....	188	0.34	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	280
				FREQ	%
(DRTR21)		During the past 12 months, did you have any problems with family or friends that were probably caused by your use of prescription tranquilizers?		-	-
TRNFMFPB	2	1USING TRN CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS			
		1 = Yes.....	72	0.13	
		2 = No.....	1466	2.64	
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55	
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2935	5.29	
		94 = DON'T KNOW.....	4	0.01	
		97 = REFUSED.....	10	0.02	
		98 = BLANK (NO ANSWER).....	188	0.34	
(DRTR22)		Did you continue to use prescription tranquilizers even though you thought this caused problems with family or friends?			
TRNFMCTD	2	1CONTD TO USE TRN DESPITE PRBS W/ FAM/FRNDS			
		1 = Yes.....	45	0.08	
		2 = No.....	27	0.05	
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55	
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2935	5.29	
		97 = REFUSED.....	10	0.02	
		98 = BLANK (NO ANSWER).....	193	0.35	
		99 = LEGITIMATE SKIP.....	1466	2.64	
(DRST01)		NOTE: The logic for asking the stimulant dependence and abuse questions was updated in 2003 to administer these questions to lifetime stimulant users who reported past year use of methamphetamine with a needle but had not already reported past year stimulant use anywhere else in the interview.			
		Think about your use of prescription stimulants during the past 12 months as you answer these next questions. Remember, we are only interested in your use of prescription stimulants that were not prescribed for you or that you used only for the experience or feeling they caused.			
		During the past 12 months, was there a month or more when you spent a lot of your time getting or using prescription stimulants?			
STMLOTTM	2	1SPENT MONTH/MORE GETTING/USING STM PAST 12 MOS			
		1 = Yes.....	128	0.23	
		2 = No.....	1021	1.84	
		81 = NEVER USED STIMULANTS Logically assigned.....	10	0.02	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED STIMULANTS.....	50489	91.08	
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3540	6.39	
		94 = DON'T KNOW.....	2	0.00	
		97 = REFUSED.....	12	0.02	
		98 = BLANK (NO ANSWER).....	232	0.42	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	281
				FREQ	%
(DRST02)		During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the prescription stimulants you used?		-	-
STMGTOVR	2	1MONTH+ SPENT GETTING OVER STM EFFECTS PAST 12 MOS			
		1 = Yes.....	24	0.04	
		2 = No.....	997	1.80	
		81 = NEVER USED STIMULANTS Logically assigned.....	10	0.02	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED STIMULANTS.....	50489	91.08	
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3540	6.39	
		94 = DON'T KNOW.....	2	0.00	
		97 = REFUSED.....	12	0.02	
		98 = BLANK (NO ANSWER).....	232	0.42	
		99 = LEGITIMATE SKIP.....	128	0.23	
(DRST04)		During the past 12 months, did you try to set limits on how often or how much prescription stimulants you would use?			
STMLIMIT	2	1SET LIMITS ON STIMULANT USE PAST 12 MONTHS			
		1 = Yes.....	245	0.44	
		2 = No.....	901	1.63	
		81 = NEVER USED STIMULANTS Logically assigned.....	10	0.02	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED STIMULANTS.....	50489	91.08	
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3540	6.39	
		94 = DON'T KNOW.....	4	0.01	
		97 = REFUSED.....	13	0.02	
		98 = BLANK (NO ANSWER).....	232	0.42	
(DRST05)		Were you able to keep to the limits you set, or did you often use prescription stimulants more than you intended to?			
STMKPLMT	2	1ABLE TO KEEP LIMITS OR USE MORE STM PAST 12 MOS			
		1 = Usually kept to the limits set.....	201	0.36	
		2 = Often used more than intended.....	44	0.08	
		81 = NEVER USED STIMULANTS Logically assigned.....	10	0.02	
		91 = NEVER USED STIMULANTS.....	50489	91.08	
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3540	6.39	
		97 = REFUSED.....	13	0.02	
		98 = BLANK (NO ANSWER).....	237	0.43	
		99 = LEGITIMATE SKIP.....	901	1.63	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	282
LABEL	LEN	DESCRIPTION	FREQ	%
(DRST06)		During the past 12 months, did you need to use more prescription stimulants than you used to in order to get the effect you wanted?		-
STMNDMOR	2	1NEEDED MORE STM TO GET SAME EFFECT PST 12 MOS		
		1 = Yes.....	143	0.26
		2 = No.....	1001	1.81
		81 = NEVER USED STIMULANTS Logically assigned.....	10	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED STIMULANTS.....	50489	91.08
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3540	6.39
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	13	0.02
		98 = BLANK (NO ANSWER).....	232	0.42
(DRST07)		During the past 12 months, did you notice that using the same amount of prescription stimulants had less effect on you than it used to?		
STMLSEFX	2	1USING SAME AMT STM HAD LESS EFFECT PAST 12 MOS		
		1 = Yes.....	65	0.12
		2 = No.....	933	1.68
		81 = NEVER USED STIMULANTS Logically assigned.....	10	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED STIMULANTS.....	50489	91.08
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3540	6.39
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	15	0.03
		98 = BLANK (NO ANSWER).....	233	0.42
		99 = LEGITIMATE SKIP.....	143	0.26
(DRST08)		During the past 12 months, did you want to or try to cut down or stop using prescription stimulants?		
STMCUTDN	2	1WANT/TRY TO CUT DOWN/STOP USING STM PAST 12 MOS		
		1 = Yes.....	338	0.61
		2 = No.....	804	1.45
		81 = NEVER USED STIMULANTS Logically assigned.....	10	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED STIMULANTS.....	50489	91.08
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3540	6.39
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	14	0.03
		98 = BLANK (NO ANSWER).....	233	0.42

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	283
				FREQ	%
(DRST09)		During the past 12 months, were you able to cut down or stop using prescription stimulants every time you wanted to or tried to?		-	-
STMCTEV	2	1ABLE TO CUT/STOP USING STM EVERY TIME PAST 12 MOS			
		1 = Yes.....	302	0.54	
		2 = No.....	35	0.06	
		81 = NEVER USED STIMULANTS Logically assigned.....	10	0.02	
		91 = NEVER USED STIMULANTS.....	50489	91.08	
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3540	6.39	
		97 = REFUSED.....	15	0.03	
		98 = BLANK (NO ANSWER).....	240	0.43	
		99 = LEGITIMATE SKIP.....	804	1.45	
(DRST10)		During the past 12 months, did you cut down or stop using prescription stimulants at least one time?			
STMCT1X	2	1CUT DOWN OR STOP USING STM AT LEAST 1X PST 12 MOS			
		1 = Yes.....	155	0.28	
		2 = No.....	683	1.23	
		81 = NEVER USED STIMULANTS Logically assigned.....	10	0.02	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED STIMULANTS.....	50489	91.08	
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3540	6.39	
		94 = DON'T KNOW.....	6	0.01	
		97 = REFUSED.....	16	0.03	
		98 = BLANK (NO ANSWER).....	233	0.42	
		99 = LEGITIMATE SKIP.....	302	0.54	
(DRST10A)		During the past 12 months, have you felt kind of blue or down when you cut down or stopped using prescription stimulants?			
STMFLBLU	2	1WHEN CUT DOWN ON STM, FELT BLUE PAST 12 MONTHS			
		1 = Yes.....	139	0.25	
		2 = No.....	317	0.57	
		81 = NEVER USED STIMULANTS Logically assigned.....	10	0.02	
		91 = NEVER USED STIMULANTS.....	50489	91.08	
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3540	6.39	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	16	0.03	
		98 = BLANK (NO ANSWER).....	240	0.43	
		99 = LEGITIMATE SKIP.....	683	1.23	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE		PAGE:	284
			FREQ	%		
(DRST11)		Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms after you cut back or stopped using prescription stimulants?				-
		- Feeling tired or exhausted - Having bad dreams - Having trouble sleeping or sleeping more than you normally do - Feeling hungry more often - Feeling either very slowed down or like you couldn't sit still				
STMWD2SX	2	1HAD 2+ STM WITHDRAWAL SYMPTOMS PST 12 MOS				
		1 = Yes.....	122	0.22		
		2 = No.....	17	0.03		
		81 = NEVER USED STIMULANTS Logically assigned.....	10	0.02		
		91 = NEVER USED STIMULANTS.....	50489	91.08		
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3540	6.39		
		97 = REFUSED.....	16	0.03		
		98 = BLANK (NO ANSWER).....	241	0.43		
		99 = LEGITIMATE SKIP.....	1000	1.80		
(DRST12)		Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped using prescription stimulants?				
		- Feeling tired or exhausted - Having bad dreams - Having trouble sleeping or sleeping more than you normally do - Feeling hungry more often - Feeling either very slowed down or like you couldn't sit still				
STMWDSMT	2	1HAD 2+ STM WDRAW SYM AT SAME TIME PAST 12 MOS				
		1 = Yes.....	102	0.18		
		2 = No.....	20	0.04		
		81 = NEVER USED STIMULANTS Logically assigned.....	10	0.02		
		91 = NEVER USED STIMULANTS.....	50489	91.08		
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3540	6.39		
		97 = REFUSED.....	16	0.03		
		98 = BLANK (NO ANSWER).....	241	0.43		
		99 = LEGITIMATE SKIP.....	1017	1.83		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	285
				FREQ	%
(DRST13)		During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of prescription stimulants?			-
STMEMOPB	2	1STM CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS			
		1 = Yes.....	138	0.25	
		2 = No.....	1003	1.81	
		81 = NEVER USED STIMULANTS Logically assigned.....	10	0.02	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED STIMULANTS.....	50489	91.08	
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3540	6.39	
		94 = DON'T KNOW.....	7	0.01	
		97 = REFUSED.....	14	0.03	
		98 = BLANK (NO ANSWER).....	233	0.42	
(DRST14)		Did you continue to use prescription stimulants even though you thought this was causing you to have problems with your emotions, nerves, or mental health?			
STMEMCTD	2	1CONTD TO USE STM DESPITE EMOT PRBS			
		1 = Yes.....	81	0.15	
		2 = No.....	57	0.10	
		81 = NEVER USED STIMULANTS Logically assigned.....	10	0.02	
		91 = NEVER USED STIMULANTS.....	50489	91.08	
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3540	6.39	
		97 = REFUSED.....	14	0.03	
		98 = BLANK (NO ANSWER).....	241	0.43	
		99 = LEGITIMATE SKIP.....	1003	1.81	
(DRST15)		During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of prescription stimulants?			
STMPHLPB	2	1ANY PHYS PRBS CAUSED/WORSND BY STM PST 12 MOS			
		1 = Yes.....	31	0.06	
		2 = No.....	1032	1.86	
		81 = NEVER USED STIMULANTS Logically assigned.....	10	0.02	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED STIMULANTS.....	50489	91.08	
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3540	6.39	
		94 = DON'T KNOW.....	4	0.01	
		97 = REFUSED.....	14	0.03	
		98 = BLANK (NO ANSWER).....	233	0.42	
		99 = LEGITIMATE SKIP.....	81	0.15	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	286
				FREQ	%
(DRST16)		Did you continue to use prescription stimulants even though this was causing you to have physical problems?		-	-
STMPHCTD	2	1CONTD TO USE STM DESPITE PHYS PRBS			
		1 = Yes.....	7	0.01	
		2 = No.....	24	0.04	
		81 = NEVER USED STIMULANTS Logically assigned.....	10	0.02	
		91 = NEVER USED STIMULANTS.....	50489	91.08	
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3540	6.39	
		97 = REFUSED.....	14	0.03	
		98 = BLANK (NO ANSWER).....	238	0.43	
		99 = LEGITIMATE SKIP.....	1113	2.01	
(DRST17)		This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.			
		During the past 12 months, did using prescription stimulants cause you to give up or spend less time doing these types of important activities?			
STMLSACT	2	1LESS ACTIVITIES B/C OF STM USE PAST 12 MOS			
		1 = Yes.....	79	0.14	
		2 = No.....	1065	1.92	
		81 = NEVER USED STIMULANTS Logically assigned.....	10	0.02	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED STIMULANTS.....	50489	91.08	
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3540	6.39	
		94 = DON'T KNOW.....	4	0.01	
		97 = REFUSED.....	14	0.03	
		98 = BLANK (NO ANSWER).....	233	0.42	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	287
LABEL	LEN	DESCRIPTION	FREQ	%
(DRST18)		Sometimes people who use prescription stimulants have serious problems at home, work or school - such as:		-
		- neglecting their children - missing work or school - doing a poor job at work or school - losing a job or dropping out of school		
		During the past 12 months, did using prescription stimulants cause you to have serious problems like this either at home, work, or school?		
STMSERPB	2	1STM CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS		
		1 = Yes.....	83	0.15
		2 = No.....	1060	1.91
		81 = NEVER USED STIMULANTS Logically assigned.....	10	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED STIMULANTS.....	50489	91.08
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3540	6.39
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	13	0.02
		98 = BLANK (NO ANSWER).....	233	0.42
(DRST19)		During the past 12 months, did you regularly use prescription stimulants and then do something where using prescription stimulants might have put you in physical danger?		
STMPDANG	2	1USING STM AND DO DANGEROUS ACTIVITIES PST 12 MOS		
		1 = Yes.....	74	0.13
		2 = No.....	1074	1.94
		81 = NEVER USED STIMULANTS Logically assigned.....	10	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED STIMULANTS.....	50489	91.08
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3540	6.39
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	11	0.02
		98 = BLANK (NO ANSWER).....	233	0.42
(DRST20)		During the past 12 months, did using prescription stimulants cause you to do things that repeatedly got you in trouble with the law?		
STMLAWTR	2	1USING STM CAUSE PRBS WITH LAW PAST 12 MOS		
		1 = Yes.....	37	0.07
		2 = No.....	1110	2.00
		81 = NEVER USED STIMULANTS Logically assigned.....	10	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED STIMULANTS.....	50489	91.08
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3540	6.39
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	233	0.42

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	288
				FREQ	%
(DRST21)		During the past 12 months, did you have any problems with family or friends that were probably caused by your use of prescription stimulants?		-	-
STMFMFPB	2	1USING STM CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS			
		1 = Yes.....	84	0.15	
		2 = No.....	1063	1.92	
		81 = NEVER USED STIMULANTS Logically assigned.....	10	0.02	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED STIMULANTS.....	50489	91.08	
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3540	6.39	
		94 = DON'T KNOW.....	3	0.01	
		97 = REFUSED.....	12	0.02	
		98 = BLANK (NO ANSWER).....	233	0.42	
(DRST22)		Did you continue to use prescription stimulants even though you thought this caused problems with family or friends?			
STMFMCTD	2	1CONTD TO USE STM DESPITE PRBS W/ FAM/FRNDS			
		1 = Yes.....	58	0.10	
		2 = No.....	26	0.05	
		81 = NEVER USED STIMULANTS Logically assigned.....	10	0.02	
		91 = NEVER USED STIMULANTS.....	50489	91.08	
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3540	6.39	
		97 = REFUSED.....	12	0.02	
		98 = BLANK (NO ANSWER).....	237	0.43	
		99 = LEGITIMATE SKIP.....	1063	1.92	
NOTE: STMDAFLG is a flag variable that indicates differences in how the stimulant variables in the SUBSTANCE DEPENDENCE AND ABUSE MODULE would have been edited based only on the variables that existed in 2004 and how these stimulant variables were edited due to the presence of the methamphetamine recency variables MTHAREC and MTANDLRC (for most recent use with a needle) that were added to the SPECIAL DRUGS module in 2005, as well as the consistency check variable MTHEVCK that was added to the SPECIAL DRUGS module in 2006 (referred to as "Now" in the documentation below).					
STMDAFLG	2	1EDITING FLAG FOR STIM DEPENDENCE & ABUSE VARS			
		1 = Never used based on 04/Now: Not past yr user.....	526	0.95	
		3 = Never used based on 04/Now: Blank.....	36	0.06	
		4 = Blank based on 04/Now: Past yr user.....	4	0.01	
		5 = Not past yr user based on 04/Now: Past yr user....	10	0.02	
		6 = Never used based on 04/Now: Past yr user.....	84	0.15	
		98 = BLANK (NO DIFF BETWEEN 04 VARIABLES & NOW).....	54775	98.81	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	289
				FREQ	%
(DRSV01)		Think about your use of prescription sedatives during the past 12 months as you answer these next questions. Remember, we are only interested in your use of prescription sedatives that were not prescribed for you or that you used only for the experience or feeling they caused.		-	-
		During the past 12 months, was there a month or more when you spent a lot of your time getting or using prescription sedatives?			
SEDLOTTM	2	1SPENT MONTH/MORE GETTING/USING SED PAST 12 MOS			
		1 = Yes.....		39	0.07
		2 = No.....		215	0.39
		81 = NEVER USED SEDATIVES Logically assigned.....		18	0.03
		91 = NEVER USED SEDATIVES.....		54087	97.57
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....		925	1.67
		94 = DON'T KNOW.....		1	0.00
		97 = REFUSED.....		11	0.02
		98 = BLANK (NO ANSWER).....		139	0.25
(DRSV02)		During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the prescription sedatives you used?			
SEDGTOVR	2	1MONTH+ SPENT GETTING OVER SED EFFECTS PST 12 MOS			
		1 = Yes.....		8	0.01
		2 = No.....		207	0.37
		81 = NEVER USED SEDATIVES Logically assigned.....		18	0.03
		91 = NEVER USED SEDATIVES.....		54087	97.57
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....		925	1.67
		94 = DON'T KNOW.....		1	0.00
		97 = REFUSED.....		11	0.02
		98 = BLANK (NO ANSWER).....		139	0.25
		99 = LEGITIMATE SKIP.....		39	0.07
(DRSV04)		During the past 12 months, did you try to set limits on how often or how much prescription sedatives you would use?			
SEDLIMIT	2	1SET LIMITS ON SEDATIVE USE PAST 12 MONTHS			
		1 = Yes.....		60	0.11
		2 = No.....		193	0.35
		81 = NEVER USED SEDATIVES Logically assigned.....		18	0.03
		91 = NEVER USED SEDATIVES.....		54087	97.57
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....		925	1.67
		94 = DON'T KNOW.....		2	0.00
		97 = REFUSED.....		11	0.02
		98 = BLANK (NO ANSWER).....		139	0.25

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	290
				FREQ	%
(DRSV05)		Were you able to keep to the limits you set, or did you often use prescription sedatives more than you intended to?		-	-
SEDKPLMT	2	1TABLE TO KEEP LIMITS OR USE MORE SED PAST 12 MOS			
		1 = Usually kept to the limits set.....	51	0.09	
		2 = Often used more than intended.....	9	0.02	
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03	
		91 = NEVER USED SEDATIVES.....	54087	97.57	
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	925	1.67	
		97 = REFUSED.....	11	0.02	
		98 = BLANK (NO ANSWER).....	141	0.25	
		99 = LEGITIMATE SKIP.....	193	0.35	
(DRSV06)		During the past 12 months, did you need to use more prescription sedatives than you used to in order to get the effect you wanted?			
SEDNDMOR	2	1NEEDED MORE SED TO GET SAME EFFECT PST 12 MOS			
		1 = Yes.....	46	0.08	
		2 = No.....	206	0.37	
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03	
		91 = NEVER USED SEDATIVES.....	54087	97.57	
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	925	1.67	
		94 = DON'T KNOW.....	3	0.01	
		97 = REFUSED.....	11	0.02	
		98 = BLANK (NO ANSWER).....	139	0.25	
(DRSV07)		During the past 12 months, did you notice that using the same amount of prescription sedatives had less effect on you than it used to?			
SEDLSEFX	2	1USING SAME AMT SED HAD LESS EFFECT PAST 12 MOS			
		1 = Yes.....	17	0.03	
		2 = No.....	186	0.34	
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03	
		91 = NEVER USED SEDATIVES.....	54087	97.57	
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	925	1.67	
		94 = DON'T KNOW.....	5	0.01	
		97 = REFUSED.....	12	0.02	
		98 = BLANK (NO ANSWER).....	139	0.25	
		99 = LEGITIMATE SKIP.....	46	0.08	
(DRSV08)		During the past 12 months, did you want to or try to cut down or stop using prescription sedatives?			
SEDCUTDN	2	1WANT/TRY TO CUT DOWN/STOP USING SED PAST 12 MOS			
		1 = Yes.....	75	0.14	
		2 = No.....	173	0.31	
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03	
		91 = NEVER USED SEDATIVES.....	54087	97.57	
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	925	1.67	
		94 = DON'T KNOW.....	5	0.01	
		97 = REFUSED.....	13	0.02	
		98 = BLANK (NO ANSWER).....	139	0.25	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	291
				FREQ	%
(DRSV09)		During the past 12 months, were you able to cut down or stop using prescription sedatives every time you wanted to or tried to?		-	-
SEDCUTEV	2	1ABLE TO CUT/STOP USING SED EVERY TIME PAST 12 MOS			
		1 = Yes.....	65	0.12	
		2 = No.....	10	0.02	
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03	
		91 = NEVER USED SEDATIVES.....	54087	97.57	
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	925	1.67	
		97 = REFUSED.....	13	0.02	
		98 = BLANK (NO ANSWER).....	144	0.26	
		99 = LEGITIMATE SKIP.....	173	0.31	
(DRSV10)		During the past 12 months, did you cut down or stop using prescription sedatives at least one time?			
SEDCUT1X	2	1CUT DOWN OR STOP USING SED AT LEAST 1X PST 12 MOS			
		1 = Yes.....	43	0.08	
		2 = No.....	140	0.25	
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03	
		91 = NEVER USED SEDATIVES.....	54087	97.57	
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	925	1.67	
		94 = DON'T KNOW.....	5	0.01	
		97 = REFUSED.....	13	0.02	
		98 = BLANK (NO ANSWER).....	139	0.25	
		99 = LEGITIMATE SKIP.....	65	0.12	
(DRSV11)		Please look at the symptoms listed below. During the past 12 months, did you have 1 or more of these symptoms after you cut back or stopped using prescription sedatives?			
		- Sweating or feeling that your heart was beating fast			
		- Having your hands tremble			
		- Having trouble sleeping or sleeping more than you normally do			
		- Vomiting or feeling nauseous			
		- Seeing, hearing, or feeling things that weren't really there			
		- Feeling like you couldn't sit still			
		- Feeling anxious			
		- Having seizures or fits			
SEDWD1SX	2	1HAD 1+ SED WITHDRAWAL SYMPTOM PST 12 MOS			
		1 = Yes.....	40	0.07	
		2 = No.....	68	0.12	
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03	
		91 = NEVER USED SEDATIVES.....	54087	97.57	
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	925	1.67	
		97 = REFUSED.....	13	0.02	
		98 = BLANK (NO ANSWER).....	144	0.26	
		99 = LEGITIMATE SKIP.....	140	0.25	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	292
				FREQ	%
(DRSV12)		Please look at the symptoms listed below. During the past 12 months, did you have 1 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped using prescription sedatives?		-	-
		- Sweating or feeling that your heart was beating fast - Having your hands tremble - Having trouble sleeping or sleeping more than you normally do - Vomiting or feeling nauseous - Seeing, hearing, or feeling things that weren't really there - Feeling like you couldn't sit still - Feeling anxious - Having seizures or fits			
SEDWDSMT	2	1HAD 1+ SED WDRAW SYM AT SAME TIME PAST 12 MOS			
		1 = Yes.....	26	0.05	
		2 = No.....	14	0.03	
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03	
		91 = NEVER USED SEDATIVES.....	54087	97.57	
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	925	1.67	
		97 = REFUSED.....	13	0.02	
		98 = BLANK (NO ANSWER).....	144	0.26	
		99 = LEGITIMATE SKIP.....	208	0.38	
(DRSV13)		During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of prescription sedatives?			
SEDEMOPB	2	1SED CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS			
		1 = Yes.....	41	0.07	
		2 = No.....	208	0.38	
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03	
		91 = NEVER USED SEDATIVES.....	54087	97.57	
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	925	1.67	
		94 = DON'T KNOW.....	5	0.01	
		97 = REFUSED.....	12	0.02	
		98 = BLANK (NO ANSWER).....	139	0.25	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	293
				FREQ	%
(DRSV14)		Did you continue to use prescription sedatives even though you thought this was causing you to have problems with your emotions, nerves, or mental health?		-	-
SEDEMCTD	2	1CONTD TO USE SED DESPITE EMOT PRBS			
		1 = Yes.....	25	0.05	
		2 = No.....	16	0.03	
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03	
		91 = NEVER USED SEDATIVES.....	54087	97.57	
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	925	1.67	
		97 = REFUSED.....	12	0.02	
		98 = BLANK (NO ANSWER).....	144	0.26	
		99 = LEGITIMATE SKIP.....	208	0.38	
(DRSV15)		During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of prescription sedatives?			
SEDPHLPB	2	1ANY PHYS PRBS CAUSED/WORSND BY SED PST 12 MOS			
		1 = Yes.....	8	0.01	
		2 = No.....	220	0.40	
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03	
		91 = NEVER USED SEDATIVES.....	54087	97.57	
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	925	1.67	
		94 = DON'T KNOW.....	2	0.00	
		97 = REFUSED.....	11	0.02	
		98 = BLANK (NO ANSWER).....	139	0.25	
		99 = LEGITIMATE SKIP.....	25	0.05	
(DRSV16)		Did you continue to use prescription sedatives even though you thought this was causing you to have physical problems?			
SEDPHCTD	2	1CONTD TO USE SED DESPITE PHYS PRBS			
		1 = Yes.....	2	0.00	
		2 = No.....	6	0.01	
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03	
		91 = NEVER USED SEDATIVES.....	54087	97.57	
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	925	1.67	
		97 = REFUSED.....	11	0.02	
		98 = BLANK (NO ANSWER).....	141	0.25	
		99 = LEGITIMATE SKIP.....	245	0.44	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	294
				FREQ	%
(DRSV17)		This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.		-	-
		During the past 12 months, did using prescription sedatives cause you to give up or spend less time doing these types of important activities?			
SEDLSACT	2	1LESS ACTIVITIES B/C OF SED USE PAST 12 MOS			
		1 = Yes.....	22	0.04	
		2 = No.....	229	0.41	
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03	
		91 = NEVER USED SEDATIVES.....	54087	97.57	
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	925	1.67	
		94 = DON'T KNOW.....	3	0.01	
		97 = REFUSED.....	12	0.02	
		98 = BLANK (NO ANSWER).....	139	0.25	
(DRSV18)		Sometimes people who use prescription sedatives have serious problems at home, work or school - such as:			
		- neglecting their children			
		- missing work or school			
		- doing a poor job at work or school			
		- losing a job or dropping out of school			
		During the past 12 months, did using prescription sedatives cause you to have serious problems like this either at home, work, or school?			
SEDSERPB	2	1SED CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS			
		1 = Yes.....	28	0.05	
		2 = No.....	224	0.40	
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03	
		91 = NEVER USED SEDATIVES.....	54087	97.57	
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	925	1.67	
		94 = DON'T KNOW.....	3	0.01	
		97 = REFUSED.....	11	0.02	
		98 = BLANK (NO ANSWER).....	139	0.25	
(DRSV19)		During the past 12 months, did you regularly use prescription sedatives and then do something where using prescription sedatives might have put you in physical danger?			
SEDPDANG	2	1USING SED AND DO DANGEROUS ACTIVITIES PST 12 MOS			
		1 = Yes.....	24	0.04	
		2 = NO.....	230	0.41	
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03	
		91 = NEVER USED SEDATIVES.....	54087	97.57	
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	925	1.67	
		97 = REFUSED.....	12	0.02	
		98 = BLANK (NO ANSWER).....	139	0.25	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	295
				FREQ	%
(DRSV20)		During the past 12 months, did using prescription sedatives cause you to do things that repeatedly got you in trouble with the law?		-	-
SEDLAWTR	2	1USING SED CAUSE PRBS WITH LAW PAST 12 MOS			
		1 = Yes.....	10	0.02	
		2 = No.....	242	0.44	
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03	
		91 = NEVER USED SEDATIVES.....	54087	97.57	
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	925	1.67	
		94 = DON'T KNOW.....	2	0.00	
		97 = REFUSED.....	12	0.02	
		98 = BLANK (NO ANSWER).....	139	0.25	
(DRSV21)		During the past 12 months, did you have any problems with family or friends that were probably caused by your use of prescription sedatives?			
SEDFMFPB	2	1USING SED CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS			
		1 = Yes.....	31	0.06	
		2 = No.....	221	0.40	
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03	
		91 = NEVER USED SEDATIVES.....	54087	97.57	
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	925	1.67	
		94 = DON'T KNOW.....	3	0.01	
		97 = REFUSED.....	11	0.02	
		98 = BLANK (NO ANSWER).....	139	0.25	
(DRSV22)		Did you continue to use prescription sedatives even though you thought this caused problems with family or friends?			
SEDFMCTD	2	1CONTD TO USE SED DESPITE PRBS W/ FAM/FRNDS			
		1 = Yes.....	25	0.05	
		2 = No.....	6	0.01	
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03	
		91 = NEVER USED SEDATIVES.....	54087	97.57	
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	925	1.67	
		97 = REFUSED.....	11	0.02	
		98 = BLANK (NO ANSWER).....	142	0.26	
		99 = LEGITIMATE SKIP.....	221	0.40	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	IMPUTED SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	296
				FREQ	%
<hr/>					
IMPUTED SUBSTANCE DEPENDENCE AND ABUSE					
<hr/>					
NOTE: What follows are the imputation-revised versions of the 17 nicotine dependence variables that make up the Nicotine Dependence Syndrome Scale (NDSS). Missing values were only imputed if only one of the 17 variables had a missing value. Users should note that the imputed values for these variables are predicted values from regression models. These predicted values are not integers, and do not correspond directly to the integer responses from the questionnaire. It would be advisable to make the necessary adjustments (such as rounding or otherwise making the non-integer values into integers) when doing cross-tabulations.					
<hr/>					
IRCGIRTB	12	IMP REVISED - NEED TO SMOKE TO FEEL LESS IRRITABLE			
		RANGE = 1 - 5		14203	25.62
		91 = NEVER USED.....		25005	45.11
		93 = DID NOT USE CIGARETTES PAST MONTH.....		16157	29.15
		94 = DON'T KNOW.....		29	0.05
		97 = REFUSED.....		16	0.03
		98 = BLANK/DID NOT ANSWER.....		25	0.05
IICGIRTB	2	IMPUTATION INDICATOR - IRCGIRTB			
		1 = QUESTIONNAIRE DATA.....		14187	25.59
		3 = STATISTICALLY IMPUTED, OTHER 16 NDSS VARS NONMSNG.		16	0.03
		9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS		41162	74.25
		98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG..		70	0.13
IRCGCRV	12	IMP REV - CRAVE CIGS WHEN DON'T SMOKE FOR FEW HRS			
		RANGE = 1 - 5		14212	25.64
		91 = NEVER USED.....		25005	45.11
		93 = DID NOT USE CIGARETTES PAST MONTH.....		16157	29.15
		94 = DON'T KNOW.....		19	0.03
		97 = REFUSED.....		17	0.03
		98 = BLANK/DID NOT ANSWER.....		25	0.05
IICGCRV	2	IMPUTATION INDICATOR - IRCGCRV			
		1 = QUESTIONNAIRE DATA.....		14209	25.63
		3 = STATISTICALLY IMPUTED, OTHER 16 NDSS VARS NONMSNG.		3	0.01
		9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS		41162	74.25
		98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG..		61	0.11
IRCGCRGP	12	IMP REV - CRAVINGS OF CIGS LIKE FORCE CAN'T CNTRL			
		RANGE = 1 - 5		14208	25.63
		91 = NEVER USED.....		25005	45.11
		93 = DID NOT USE CIGARETTES PAST MONTH.....		16157	29.15
		94 = DON'T KNOW.....		20	0.04
		97 = REFUSED.....		20	0.04
		98 = BLANK/DID NOT ANSWER.....		25	0.05
IICGCRGP	2	IMPUTATION INDICATOR - IRCGCRGP			
		1 = QUESTIONNAIRE DATA.....		14206	25.63
		3 = STATISTICALLY IMPUTED, OTHER 16 NDSS VARS NONMSNG.		2	0.00
		9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS		41162	74.25
		98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG..		65	0.12

LABEL	LEN	DESCRIPTION	IMPUTED SUBSTANCE DEPENDENCE AND ABUSE		PAGE:	297
			FREQ	%		
IRCGNCTL	12	IMP REVISED - FEEL A SENSE OF CNTRL OVER SMOKING		-		
		RANGE = 1 - 5	14212	25.64		
		91 = NEVER USED.....	25005	45.11		
		93 = DID NOT USE CIGARETTES PAST MONTH.....	16157	29.15		
		94 = DON'T KNOW.....	18	0.03		
		97 = REFUSED.....	18	0.03		
		98 = BLANK/DID NOT ANSWER.....	25	0.05		
IICGNCTL	2	IMPUTATION INDICATOR - IRCGNCTL				
		1 = QUESTIONNAIRE DATA.....	14202	25.62		
		3 = STATISTICALLY IMPUTED, OTHER 16 NDSS VARS NONMSNG.	10	0.02		
		9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	41162	74.25		
		98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG..	61	0.11		
IRCGAVD	12	IMP REV - TEND TO AVOID PLACES DON'T ALLOW SMOKING				
		RANGE = 1 - 5	14198	25.61		
		91 = NEVER USED.....	25005	45.11		
		93 = DID NOT USE CIGARETTES PAST MONTH.....	16157	29.15		
		94 = DON'T KNOW.....	32	0.06		
		97 = REFUSED.....	18	0.03		
		98 = BLANK/DID NOT ANSWER.....	25	0.05		
IICGAVD	2	IMPUTATION INDICATOR - IRCGAVD				
		1 = QUESTIONNAIRE DATA.....	14185	25.59		
		3 = STATISTICALLY IMPUTED, OTHER 16 NDSS VARS NONMSNG.	13	0.02		
		9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	41162	74.25		
		98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG..	75	0.14		
IRCGPLN	12	IMP REVISED - NO TRAVEL BY AIRPLANE B/C NO SMOKING				
		RANGE = 0.8535737874 - 5	14201	25.62		
		91 = NEVER USED.....	25005	45.11		
		93 = DID NOT USE CIGARETTES PAST MONTH.....	16157	29.15		
		94 = DON'T KNOW.....	28	0.05		
		97 = REFUSED.....	19	0.03		
		98 = BLANK/DID NOT ANSWER.....	25	0.05		
IICGPLN	2	IMPUTATION INDICATOR - IRCGPLN				
		1 = QUESTIONNAIRE DATA.....	14178	25.58		
		3 = STATISTICALLY IMPUTED, OTHER 16 NDSS VARS NONMSNG.	23	0.04		
		9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	41162	74.25		
		98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG..	72	0.13		
IRCGROUT	12	IMP REVISED - WORRY THAT YOU WILL RUN OUT OF CIGS				
		RANGE = 1 - 5	14216	25.64		
		91 = NEVER USED.....	25005	45.11		
		93 = DID NOT USE CIGARETTES PAST MONTH.....	16157	29.15		
		94 = DON'T KNOW.....	15	0.03		
		97 = REFUSED.....	17	0.03		
		98 = BLANK/DID NOT ANSWER.....	25	0.05		
IICGROUT	2	IMPUTATION INDICATOR - IRCGROUT				
		1 = QUESTIONNAIRE DATA.....	14216	25.64		
		9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	41162	74.25		
		98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG..	57	0.10		

IMPUTED SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	298
LABEL	LEN	DESCRIPTION	FREQ	%
IRCGRGDY	12	IMP REVISED - SMOKE CIGS REGULARLY THROUGH DAY		-
	RANGE =	1 - 5	14219	25.65
	91	= NEVER USED.....	25005	45.11
	93	= DID NOT USE CIGARETTES PAST MONTH.....	16157	29.15
	94	= DON'T KNOW.....	10	0.02
	97	= REFUSED.....	19	0.03
	98	= BLANK/DID NOT ANSWER.....	25	0.05
IICGRGDY	2	IMPUTATION INDICATOR - IRCGRGDY		
	1	= QUESTIONNAIRE DATA.....	14214	25.64
	3	= STATISTICALLY IMPUTED, OTHER 16 NDSS VARS NONMSNG.	5	0.01
	9	= NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	41162	74.25
	98	= MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG..	54	0.10
IRCGRGWK	12	IMP PREVISED - SMOKE SAME ON WEEKENDS AND WEEKDAYS		
	RANGE =	1 - 5	14197	25.61
	91	= NEVER USED.....	25005	45.11
	93	= DID NOT USE CIGARETTES PAST MONTH.....	16157	29.15
	94	= DON'T KNOW.....	26	0.05
	97	= REFUSED.....	25	0.05
	98	= BLANK/DID NOT ANSWER.....	25	0.05
IICGRGWK	2	IMPUTATION INDICATOR - IRCRGW WK		
	1	= QUESTIONNAIRE DATA.....	14193	25.60
	3	= STATISTICALLY IMPUTED, OTHER 16 NDSS VARS NONMSNG.	4	0.01
	9	= NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	41162	74.25
	98	= MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG..	76	0.14
IRCGRGNM	12	IMP REVISED - SMOKE SAME # OF CIGS FROM DAY TO DAY		
	RANGE =	1 - 5	14200	25.62
	91	= NEVER USED.....	25005	45.11
	93	= DID NOT USE CIGARETTES PAST MONTH.....	16157	29.15
	94	= DON'T KNOW.....	23	0.04
	97	= REFUSED.....	25	0.05
	98	= BLANK/DID NOT ANSWER.....	25	0.05
IICGRGNM	2	IMPUTATION INDICATOR - IRCGRGNM		
	1	= QUESTIONNAIRE DATA.....	14189	25.60
	3	= STATISTICALLY IMPUTED, OTHER 16 NDSS VARS NONMSNG.	11	0.02
	9	= NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	41162	74.25
	98	= MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG..	73	0.13
IRCGNCG	12	IMP REVISED - # CIGS SMOKE PER DAY OFTEN CHANGES		
	RANGE =	1 - 5	14196	25.61
	91	= NEVER USED.....	25005	45.11
	93	= DID NOT USE CIGARETTES PAST MONTH.....	16157	29.15
	94	= DON'T KNOW.....	27	0.05
	97	= REFUSED.....	25	0.05
	98	= BLANK/DID NOT ANSWER.....	25	0.05
IICGNCG	2	IMPUTATION INDICATOR - IRCGNCG		
	1	= QUESTIONNAIRE DATA.....	14184	25.59
	3	= STATISTICALLY IMPUTED, OTHER 16 NDSS VARS NONMSNG.	12	0.02
	9	= NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	41162	74.25
	98	= MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG..	77	0.14

LABEL	LEN	DESCRIPTION	IMPUTED SUBSTANCE DEPENDENCE AND ABUSE		PAGE:	299
			FREQ	%		
IRCGSLHR	12	IMP REV - HAVE LOT CIGS IN HR, NO CIGS TIL LATER		-		
	RANGE =	1 - 5	14189	25.60		
	91 =	NEVER USED.....	25005	45.11		
	93 =	DID NOT USE CIGARETTES PAST MONTH.....	16157	29.15		
	94 =	DON'T KNOW.....	35	0.06		
	97 =	REFUSED.....	24	0.04		
	98 =	BLANK/DID NOT ANSWER.....	25	0.05		
IICGSLHR	2	IMPUTATION INDICATOR - IRCGSLHR				
	1 =	QUESTIONNAIRE DATA.....	14163	25.55		
	3 =	STATISTICALLY IMPUTED, OTHER 16 NDSS VARS NONMSNG.	26	0.05		
	9 =	NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	41162	74.25		
	98 =	MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG..	84	0.15		
IRCGINFL	12	IMP REV - # CIGS SMOKE A DAY INFLU BY OTH THINGS				
	RANGE =	1 - 5	14187	25.59		
	91 =	NEVER USED.....	25005	45.11		
	93 =	DID NOT USE CIGARETTES PAST MONTH.....	16157	29.15		
	94 =	DON'T KNOW.....	35	0.06		
	97 =	REFUSED.....	26	0.05		
	98 =	BLANK/DID NOT ANSWER.....	25	0.05		
IICGINFL	2	IMPUTATION INDICATOR - IRCGINFL				
	1 =	QUESTIONNAIRE DATA.....	14182	25.58		
	3 =	STATISTICALLY IMPUTED, OTHER 16 NDSS VARS NONMSNG.	5	0.01		
	9 =	NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	41162	74.25		
	98 =	MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG..	86	0.16		
IRCGNINF	12	IMP REVISED - SMOKING NOT AFFECTED BY OTH THINGS				
	RANGE =	1 - 5	14192	25.60		
	91 =	NEVER USED.....	25005	45.11		
	93 =	DID NOT USE CIGARETTES PAST MONTH.....	16157	29.15		
	94 =	DON'T KNOW.....	29	0.05		
	97 =	REFUSED.....	27	0.05		
	98 =	BLANK/DID NOT ANSWER.....	25	0.05		
IICGNINF	2	IMPUTATION INDICATOR - IRCGNINF				
	1 =	QUESTIONNAIRE DATA.....	14179	25.58		
	3 =	STATISTICALLY IMPUTED, OTHER 16 NDSS VARS NONMSNG.	13	0.02		
	9 =	NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	41162	74.25		
	98 =	MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG..	81	0.15		
IRCGINCR	12	IMP REV - AMT OF SMOKING INCR. SINCE START SMOKING				
	RANGE =	1 - 5	14209	25.63		
	91 =	NEVER USED.....	25005	45.11		
	93 =	DID NOT USE CIGARETTES PAST MONTH.....	16157	29.15		
	94 =	DON'T KNOW.....	19	0.03		
	97 =	REFUSED.....	20	0.04		
	98 =	BLANK/DID NOT ANSWER.....	25	0.05		
IICGINCR	2	IMPUTATION INDICATOR - IRCGINCR				
	1 =	QUESTIONNAIRE DATA.....	14203	25.62		
	3 =	STATISTICALLY IMPUTED, OTHER 16 NDSS VARS NONMSNG.	6	0.01		
	9 =	NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	41162	74.25		
	98 =	MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG..	64	0.12		

LABEL	LEN	DESCRIPTION	IMPUTED SUBSTANCE DEPENDENCE AND ABUSE		PAGE:	300
			FREQ	%		
IRCGSAT	12	IMP REV - NEED TO SMOKE A LOT MORE TO BE SATISFIED		-		
		RANGE = 1 - 5	14210	25.63		
		91 = NEVER USED.....	25005	45.11		
		93 = DID NOT USE CIGARETTES PAST MONTH.....	16157	29.15		
		94 = DON'T KNOW.....	18	0.03		
		97 = REFUSED.....	20	0.04		
		98 = BLANK/DID NOT ANSWER.....	25	0.05		
IICGSAT	2	IMPUTATION INDICATOR - IRCGSAT				
		1 = QUESTIONNAIRE DATA.....	14202	25.62		
		3 = STATISTICALLY IMPUTED, OTHER 16 NDSS VARS NONMSNG.	8	0.01		
		9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	41162	74.25		
		98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG..	63	0.11		
IRCGLMR	12	IMP REV - SMOKE MUCH MORE NOW BEFORE FEEL ANYTHING				
		RANGE = 1 - 5	14188	25.59		
		91 = NEVER USED.....	25005	45.11		
		93 = DID NOT USE CIGARETTES PAST MONTH.....	16157	29.15		
		94 = DON'T KNOW.....	35	0.06		
		97 = REFUSED.....	25	0.05		
		98 = BLANK/DID NOT ANSWER.....	25	0.05		
IICGLMR	2	IMPUTATION INDICATOR - IRCGLMR				
		1 = QUESTIONNAIRE DATA.....	14158	25.54		
		3 = STATISTICALLY IMPUTED, OTHER 16 NDSS VARS NONMSNG.	30	0.05		
		9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	41162	74.25		
		98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG..	85	0.15		

LABEL	LEN	DESCRIPTION	RECODED SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	301
				FREQ	%
<hr/>					
RECODED SUBSTANCE DEPENDENCE AND ABUSE					
<hr/>					
NOTE: The variables in this section are recoded variables that were created from one or more of the variables from the following two sections: Substance Dependence and Abuse or Imputed Substance Dependence and Abuse.					
 NOTE: The following recoded dependence variables were defined based on the dependence criteria according to the Nicotine Dependence Syndrome Scale (NDSS) and the Fagerstrom Test of Nicotine Dependence (FTND) for respondents who reported smoking cigarettes in the past month. The NDSS score, NDSSANS, is calculated as the average score over 17 questions pertaining to five aspects of dependence. This average score was only computed for those respondents who answered all 17 questions. Respondents who did not have valid responses for all 17 questions were coded as SAS missing. Based on the NDSS score a respondent was defined as having nicotine dependence, NDSSDNP, if their average score was greater than or equal to 2.75. The FTND measure is defined by assessing how soon after waking a respondent had their first cigarette (CIGWAKE). Based on the FTND scale, a respondent was defined as having nicotine dependence, FTNDDNP, if the first cigarette was smoked within 30 minutes of waking up on the days they smoked and the respondent reported smoking cigarettes in the past month. Based on the NDSS and the FTND, a respondent who reported smoking cigarettes was defined as having nicotine dependence in the past month, DNICNP, if they met either the NDSS or the FTND criteria for dependence. Specific details for each of the nicotine dependence related variables are provided in the Recoded Substance Dependence and Abuse Variable Documentation Appendix.					
NDSSANS	12	NDSS SCORE			
		RANGE = 1 - 5		14111	25.46
		. = Unknown (See comment above).....		41324	74.54
NDSSDNP	1	NICOTINE DEPENDENCE BASED ON NDSS SCORE			
		0 = No/Unknown (NDSSANS<2.75 or missing).....		50213	90.58
		1 = Yes (NDSSANS>=2.75).....		5222	9.42
FTNDDNP	1	NICOTINE DEPENDENCE BASED ON FTND SCALE			
		0 = No (Otherwise).....		49505	89.30
		1 = Yes (CIGWAKE=1 or 2).....		5930	10.70
DNICNP	1	NICOTINE (CIG) DEPENDENCE IN PAST MONTH			
		0 = No (NDSSDNP=0 and FTNDDNP=0).....		48127	86.82
		1 = Yes (NDSSDNP=1 or FTNDDNP=1).....		7308	13.18

LABEL	LEN	DESCRIPTION	PAGE:	302
			FREQ	%
NOTE: The following recoded dependence variables were defined based on the dependence criteria listed in the Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition (DSM-IV). Specific details for each of the 10 individual drug dependence variables are provided in the Recoded Substance Dependence and Abuse Variable Documentation Appendix.				
A respondent was defined as having marijuana, inhalant, hallucinogen, or tranquilizer dependence (DEPNDMRJ, DEPNDINH, DEPNDHAL, DEPNDTRN) if the respondent reported a positive response to 3 or more of these 6 dependence criteria:				
<ul style="list-style-type: none"> (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of the substance (XXXLOTTM=1 or XXXGTOVR=1) (2) Unable to keep set limits on substance use or used more often than intended (XXXKPLMT=2) (3) Needed to use substance more than before to get desired effects or noticed that using the same amount had less effect than before (XXXNDMOR=1 or XXXLSEFX=1) (4) Unable to cut down or stop using the substance every time he or she tried or wanted to (XXXCUTEV=2) (5) Continued to use substance even though it was causing problems with emotions, nerves, mental health, or physical problems (XXXEMCTD=1 or XXXPHCTD=1) (6) Reduced or gave up participation in important activities due to substance use (XXXLSACT=1) 				
An additional question pertaining to withdrawal symptoms was asked for the following 6 drugs: alcohol, pain relievers, cocaine, heroin, sedatives, and stimulants. The withdrawal question asked the respondent if they had experienced substance specific withdrawal symptoms at one time that lasted for longer than a day after they cut back or stopped using. The specific number and type of listed withdrawal symptoms varied by substance. A respondent was defined as having alcohol, pain reliever, cocaine, heroin, sedative, or stimulant dependence (DEPNDALC, DEPNDANL, DEPNDCC, DEPNDHER, DEPNDSED, DEPNDSTM) if the respondent reported a positive response to 3 or more of the 7 dependence criteria (including the six standard criteria listed above plus a seventh withdrawal symptom criteria).				
Given the current editing and imputation procedures, along with the use of both core and non-core questions to determine whether or not a respondent was asked the substance dependence and withdrawal questions, it is possible for these dependence recode variables to be inconsistent with the imputed substance use and frequency of use variables. The types of inconsistencies that can occur differ by substance since different combinations of the skip logic criteria were used for each substance. Specific details about these inconsistencies are included in the Recoded Substance Dependence and Abuse Variable Documentation Appendix.				
DEPNDALC	1	ALCOHOL DEPENDENCE IN THE PAST YEAR		
		0 = No/Unknown (Otherwise).....	52960	95.54
		1 = Yes (See comment above).....	2475	4.46

LABEL	LEN	DESCRIPTION	RECODED SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	303
				FREQ	%
DEPNDANL	1	PAIN RELIEVER DEPENDENCE IN THE PAST YEAR	0 = No/Unknown (Otherwise)..... 1 = Yes (See comment above).....	55013 422	99.24 0.76
DEPNDCCOC	1	COCAINE DEPENDENCE IN THE PAST YEAR	0 = No/Unknown (Otherwise)..... 1 = Yes (See comment above).....	55119 316	99.43 0.57
DEPNDHAL	1	HALLUCINOGEN DEPENDENCE IN THE PAST YEAR	0 = No/Unknown (Otherwise)..... 1 = Yes (See comment above).....	55360 75	99.86 0.14
DEPNDHER	1	HEROIN DEPENDENCE IN THE PAST YEAR	0 = No/Unknown (Otherwise)..... 1 = Yes (See comment above).....	55381 54	99.90 0.10
DEPNDINH	1	INHALANT DEPENDENCE IN THE PAST YEAR	0 = No/Unknown (Otherwise)..... 1 = Yes (See comment above).....	55404 31	99.94 0.06
DEPNDMRJ	1	MARIJUANA DEPENDENCE IN THE PAST YEAR	0 = No/Unknown (Otherwise)..... 1 = Yes (See comment above).....	54329 1106	98.00 2.00
DEPNDSED	1	SEDATIVE DEPENDENCE IN THE PAST YEAR	0 = No/Unknown (Otherwise)..... 1 = Yes (See comment above).....	55402 33	99.94 0.06
A respondent was defined with dependence on stimulants, DEPNDSTM, if the respondent was classified as being dependent (see dependence criteria listed above DEPNDALC) on stimulants and was routed to the dependence and abuse questions in 2007 based on variables that existed ONLY in the 2004 questionnaire (STMDAFLG=98). Respondents who only reported stimulant dependence based on the Special Drugs module questions added in 2005 and 2006 were defined as not having dependence on stimulants. See Recoded Substance Dependence and Abuse Variable Documentation Appendix for further details.					
DEPNDSTM	1	STIMULANT DEPENDENCE IN THE PAST YEAR	0 = No/Unknown (Otherwise)..... 1 = Yes (See comment above).....	55339 96	99.83 0.17
DEPNDTRN	1	TRANQUILIZER DEPENDENCE IN THE PAST YEAR	0 = No/Unknown (Otherwise)..... 1 = Yes (See comment above DEPNDALC).....	55380 55	99.90 0.10
A respondent was defined as having illicit drug dependence, DEPNDILL, if the respondent was classified as dependent (see dependence criteria listed above) on any of these following substances: marijuana (DEPNDMRJ), hallucinogens (DEPNDHAL), inhalants (DEPNDINH), tranquilizers (DEPNDTRN), cocaine (DEPNDCCOC), heroin (DEPNDHER), pain relievers (DEPNDANL), stimulants (DEPNDSTM), or sedatives (DEPNDSED).					
DEPNDILL	1	ILLICIT DRUG DEPENDENCE IN THE PAST YEAR	0 = No/Unknown (Otherwise)..... 1 = Yes (Any source variable listed above=1).....	53672 1763	96.82 3.18

LABEL	LEN	DESCRIPTION	RECODED SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	304
				FREQ	%
-----	-----	-----	-----	-----	-
			A respondent was defined with dependence on any illicit drug other than marijuana, DEPNDIEM, if the respondent was classified as being dependent (see dependence criteria listed above) on any one of these following substances: hallucinogens (DEPNDHAL), inhalants (DEPNDINH), tranquilizers (DEPNDTRN), cocaine (DEPNDCC), heroin (DEPNDHER), pain relievers (DEPNDANL), stimulants (DEPNDSTM), or sedatives (DEPNDSED). A respondent's marijuana dependency status is not considered in the creation of this variable.		
DEPNDIEM	1	ILLICIT DRUG OTHER THAN MARIJUANA DEP IN PAST YR			
		0 = No/Unknown (Otherwise).....	54585	98.47	
		1 = Yes (Any source variable listed above=1).....	850	1.53	
			A respondent was defined with dependence on any illicit drug excluding marijuana and not dependent on marijuana, DEPNDXMJ, if the respondent was classified as being not marijuana dependent (DEPNDMRJ=0), but being dependent (see dependence criteria listed above) on any one of these following substances: hallucinogens (DEPNDHAL), inhalants (DEPNDINH), tranquilizers (DEPNDTRN), cocaine (DEPNDCC), heroin (DEPNDHER), pain relievers (DEPNDANL), stimulants (DEPNDSTM), or sedatives (DEPNDSED).		
DEPNDXMJ	1	ILLICIT DRUG EXCLUDING MARIJUANA DEP IN PAST YR			
		0 = No/Unknown (Otherwise).....	54778	98.81	
		1 = Yes (DEPNDMRJ=0 & any other source variable=1)....	657	1.19	
DEPNDPSY	1	PSYCHOTHERAPEUTIC DEPENDENCE IN THE PAST YR			
		0 = No/Unknown (Otherwise).....	54918	99.07	
		1 = Yes (DEPNDTRN, DEPNDANL, DEPNDSTM, OR DEPNDSED=1). .	517	0.93	
DPILLALC	1	ILLICIT DRUG OR ALCOHOL DEPENDENCE IN PAST YR			
		0 = No/Unknown (DEPNDILL=0 and DEPNDALC=0).....	51693	93.25	
		1 = Yes (DEPNDILL=1 or DEPNDALC=1).....	3742	6.75	
DPILANAL	1	ILLICIT DRUGS AND ALCOHOL DEPENDENCE IN PAST YR			
		0 = No/Unknown (DEPNDILL=0 or DEPNDALC=0).....	54939	99.11	
		1 = Yes (DEPNDILL=1 and DEPNDALC=1).....	496	0.89	

LABEL	LEN	DESCRIPTION	RECODED SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	305
				FREQ	%

NOTE: The following abuse variables were defined based on the abuse criteria listed in the Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition (DSM-IV). Specific details for each of the 10 individual substance abuse variables are provided in the Recoded Substance Dependence and Abuse Variable Documentation Appendix. A respondent was defined as having alcohol, marijuana, cocaine, heroin, hallucinogen, inhalant, pain reliever, tranquilizer, stimulant, or sedative abuse (ABUSEALC, ABUSEMRJ, ABUSECOC, ABUSEHER, ABUSEHAL, ABUSEINH, ABUSEANL, ABUSETRN, ABUSESTM, ABUSESED) if they reported a positive response to one or more of the following four abuse criteria:					
<ul style="list-style-type: none"> (1) Respondent reported having serious problems due to substance use at home, work or school (XXXSERPB=1) (2) Respondent reported using substance regularly and then did something where substance use might have put them in physical danger (XXXPDANG=1) (3) Respondent reporting substance use causing actions that repeatedly got them in trouble with the law (XXXLAWTR=1) (4) Respondent reported having problems caused by substance use with family or friends (XXXFMPB=1) and continued to use substance even though it was thought to be causing problems with family and friends (XXXFMTD=1) 					
<p>Given the current editing and imputation procedures, along with the use of both core and non-core questions to determine whether or not a respondent was asked the abuse questions, it is possible for these abuse recode variables to be inconsistent with the imputed substance use and frequency of use variables. The types of inconsistencies that can occur differ by substance since different combinations of the skip logic criteria were used for each substance. Specific details about these inconsistencies are included in the Recoded Substance Dependence and Abuse Variable Documentation Appendix.</p>					
ABUSEALC 1 ALCOHOL ABUSE - PAST YEAR 0 = No/Unknown (Otherwise)..... 52285 94.32 1 = Yes (Any one of above criteria and DEPNDALC=0).... 3150 5.68					
ABUSEANL 1 PRESCRIPTION PAIN RELIEVER ABUSE - PAST YEAR 0 = No/Unknown (Otherwise)..... 55228 99.63 1 = Yes (Any one of above criteria and DEPNDANL=0).... 207 0.37					
ABUSECOC 1 COCAINE ABUSE - PAST YEAR 0 = No/Unknown (Otherwise)..... 55287 99.73 1 = Yes (Any one of above criteria and DEPNDCCOC=0).... 148 0.27					
ABUSEHAL 1 HALLUCINOGEN ABUSE - PAST YEAR 0 = No/Unknown (Otherwise)..... 55305 99.77 1 = Yes (Any one of above criteria and DEPNDHAL=0).... 130 0.23					

LABEL	LEN	DESCRIPTION	RECODED SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	306
				FREQ	%
ABUSEHER	1	HEROIN ABUSE - PAST YEAR	0 = No/Unknown (Otherwise)..... 1 = Yes (Any one of above criteria and DEPNDHER=0)....	55421 14	99.97 0.03
ABUSEINH	1	INHALANT ABUSE - PAST YEAR	0 = No/Unknown (Otherwise)..... 1 = Yes (Any one of above criteria and DEPNDINH=0)....	55373 62	99.89 0.11
ABUSEMRJ	1	MARIJUANA ABUSE - PAST YEAR	0 = No/Unknown (Otherwise)..... 1 = Yes (Any one of above criteria and DEPNDMRJ=0)....	54708 727	98.69 1.31
ABUSESED	1	SEDATIVE ABUSE - PAST YEAR	0 = No/Unknown (Otherwise)..... 1 = Yes (Any one of above criteria and DEPNDSED=0)....	55415 20	99.96 0.04
A respondent was defined with abuse of stimulants, ABUSESTM, if the respondent was classified as abusing (see criteria listed above ABUSEALC) stimulants and was routed to the dependence and abuse questions in 2007 based on variables that existed in ONLY in the 2004 questionnaire (STMDAFLG=98). Respondents who only reported abusing stimulants based on the Special Drugs module questions added in 2005 and 2006 were defined as not abusing stimulants. See Recoded Substance Dependence and Abuse Variable Documentation Appendix for further details.					
ABUSESTM	1	STIMULANT ABUSE - PAST YEAR	0 = No/Unknown (Otherwise)..... 1 = Yes (Any one of above criteria and DEPNDSTM=0)....	55382 53	99.90 0.10
ABUSETRN	1	TRANQUILIZER ABUSE - PAST YEAR	0 = No/Unknown (Otherwise)..... 1 = Yes (Any one of above criteria and DEPNDTRN=0)....	55333 102	99.82 0.18
Any illicit drug abuse, ABUSEILL, is defined as abusing (see abuse criteria listed above) any of the following substances: marijuana (ABUSEMRJ), hallucinogens (ABUSEHAL), inhalants (ABUSEINH), tranquilizers (ABUSETRN), cocaine (ABUSECOC), heroin (ABUSEHER), pain relievers (ABUSEANL), stimulants (ABUSESTM), or sedatives (ABUSESED).					
ABUSEILL	1	ANY ILLICIT DRUG ABUSE - PAST YEAR	0 = No/Unknown (Otherwise)..... 1 = Yes (Any source variable above=1 & DEPNDILL=0)....	54474 961	98.27 1.73

LABEL	LEN	DESCRIPTION	RECODED SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	307
				FREQ	%

			Any illicit drug abuse other than marijuana abuse, ABUSEIEM, is defined as abusing (see abuse criteria listed above) any one of the following illicit drugs: hallucinogens (ABUSEHAL), inhalants (ABUSEINH), tranquilizers (ABUSETRN), cocaine (ABUSECOC), heroin (ABUSEHER), pain relievers (ABUSEANL), stimulants (ABUSESTM), or sedatives (ABUSESED). A respondent's marijuana abuse status is not considered in the creation of this variable.		-
ABUSEIEM	1	ANY ILLICIT DRG OTHER THAN MARIJUANA ABUSE-PST YR			
		0 = No/Unknown (Otherwise).....	54960	99.14	
		1 = Yes (Any source variable above=1 & DEPNDIEM=0)....	475	0.86	
Any illicit drug excluding marijuana abuse, ABUSEXMJ, is defined as abusing (see abuse criteria listed above) any one of the following illicit drugs excluding marijuana: hallucinogens (ABUSEHAL), inhalants (ABUSEINH), tranquilizers (ABUSETRN), cocaine (ABUSECOC), heroin (ABUSEHER), pain relievers (ABUSEANL), stimulants (ABUSESTM), or sedatives (ABUSESED).					
ABUSEXMJ	1	ANY ILLICIT DRG EXCLUDING MARIJUANA ABUSE-PST YR			
		0 = No/Unknown (Otherwise).....	54996	99.21	
		1 = Yes (Any above var=1 & ABUSEMRJ=0 & DEPNDXMJ=0)...	439	0.79	
Non-medical prescription psychotherapeutic drug abuse, ABUSEPSY, is defined as abusing (see abuse criteria listed above) any one of the following drugs: pain relievers (ABUSEANL), tranquilizers (ABUSETRN), stimulants (ABUSESTM), or sedatives (ABUSESED).					
ABUSEPSY	1	NON-MEDICAL PSYCHOTHERAPEUTIC DRUG ABUSE - PST YR			
		0 = No/Unknown (Otherwise).....	55159	99.50	
		1 = Yes (Any source variable above=1 & DEPNDPSY=0)....	276	0.50	
ABILLALC	1	ANY ILLICIT DRUG OR ALCOHOL ABUSE - PAST YEAR			
		0 = No/Unknown (ABUSEILL=0 and ABUSEALC=0).....	51597	93.08	
		1 = Yes (ABUSEILL=1 or ABUSEALC=1).....	3838	6.92	
ABILANAL	1	ANY ILLICIT DRUG AND ALCOHOL ABUSE - PAST YEAR			
		0 = No/Unknown (Otherwise).....	55162	99.51	
		1 = Yes (ABUSEILL=1 & ABUSEALC=1 & DPILLALC=0).....	273	0.49	
NOTE: The following variables were created by using a combination of the abuse and dependence variables. Specifications on how the individual abuse and dependence variables were defined can be found on the previous pages and in the Recoded Substance Dependence and Abuse Variable Documentation Appendix.					
ABODALC	1	ALCOHOL ABUSE OR DEPENDENCE - PAST YEAR			
		0 = No/Unknown (ABUSEALC=0 and DEPNDALC=0).....	49810	89.85	
		1 = Yes (ABUSEALC=1 or DEPNDALC=1).....	5625	10.15	
ABODANL	1	PAIN RELIEVER ABUSE OR DEPENDENCE - PAST YEAR			
		0 = No/Unknown (ABUSEANL=0 and DEPNDANL=0).....	54806	98.87	
		1 = Yes (ABUSEANL=1 or DEPNDANL=1).....	629	1.13	

LABEL	LEN	DESCRIPTION	RECODED SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	308
				FREQ	%
ABODCOC	1	COCAINE ABUSE OR DEPENDENCE - PAST YEAR 0 = No/Unknown (ABUSECOC=0 and DEPNDCCOC=0)..... 1 = Yes (ABUSECOC=1 or DEPNDCCOC=1).....		54971	99.16
				464	0.84
ABODHAL	1	HALLUCINOGEN ABUSE OR DEPENDENCE - PAST YEAR 0 = No/Unknown (ABUSEHAL=0 and DEPNDHAL=0)..... 1 = Yes (ABUSEHAL=1 or DEPNDHAL=1).....		55230	99.63
				205	0.37
ABODHER	1	HEROIN ABUSE OR DEPENDENCE - PAST YEAR 0 = No/Unknown (ABUSEHER=0 and DEPNDHER=0)..... 1 = Yes (ABUSEHER=1 or DEPNDHER=1).....		55367	99.88
				68	0.12
ABODINH	1	INHALANT ABUSE OR DEPENDENCE - PAST YEAR 0 = No/Unknown (ABUSEINH=0 and DEPNDINH=0)..... 1 = Yes (ABUSEINH=1 or DEPNDINH=1).....		55342	99.83
				93	0.17
ABODMRJ	1	MARIJUANA ABUSE OR DEPENDENCE - PAST YEAR 0 = No/Unknown (ABUSEMRJ=0 and DEPNDMRJ=0)..... 1 = Yes (ABUSEMRJ=1 or DEPNDMRJ=1).....		53602	96.69
				1833	3.31
ABODSED	1	SEDATIVE ABUSE OR DEPENDENCE - PAST YEAR 0 = No/Unknown (ABUSESED=0 and DEPNDSED=0)..... 1 = Yes (ABUSESED=1 or DEPNDSED=1).....		55382	99.90
				53	0.10
ABODSTM	1	STIMULANT ABUSE OR DEPENDENCE - PAST YEAR 0 = No/Unknown (ABUSESTM=0 and DEPNDSTM=0)..... 1 = Yes (ABUSESTM=1 or DEPNDSTM=1).....		55286	99.73
				149	0.27
ABODTRN	1	TRANQUILIZER ABUSE OR DEPENDENCE - PAST YEAR 0 = No/Unknown (ABUSETRN=0 and DEPNDTRN=0)..... 1 = Yes (ABUSETRN=1 or DEPNDTRN=1).....		55278	99.72
				157	0.28
ABODILL	1	ANY ILLICIT DRUG ABUSE OR DEPENDENCE - PAST YEAR 0 = No/Unknown (ABUSEILL=0 and DEPNDILL=0)..... 1 = Yes (ABUSEILL=1 or DEPNDILL=1).....		52711	95.09
				2724	4.91
ABODIEM	1	ANY ILL DRG OTHER THAN MRJ ABUSE OR DEP - PST YR 0 = No/Unknown (DEPNDIEM=0 and ABUSEIEM=0)..... 1 = Yes (DEPNDIEM=1 or ABUSEIEM=1).....		54110	97.61
				1325	2.39
ABODPSY	1	PSYCHOTHERAPEUTIC ABUSE OR DEPENDENCE - PAST YEAR 0 = No/Unknown (ABUSEPSY=0 and DEPNDPSY=0)..... 1 = Yes (ABUSEPSY=1 or DEPNDPSY=1).....		54642	98.57
				793	1.43
ABODILAL	1	ANY ILLICIT DRUG OR ALCOHOL ABUSE OR DEP - PST YR 0 = No/Unknown (ABILLALC=0 and DPILLALC=0)..... 1 = Yes (ABILLALC=1 or DPILLALC=1).....		48393	87.30
				7042	12.70
ABDILAAL	1	ANY ILLICIT DRUG AND ALCOHOL ABUSE OR DEP - PST YR 0 = No/Unknown (ABODILL=0 or ABODALC=0)..... 1 = Yes (ABODILL=1 and ABODALC=1).....		54128	97.64
				1307	2.36

LABEL	LEN	DESCRIPTION	SPECIAL TOPICS	PAGE:	309
				FREQ	%
(SP01) SPECIAL TOPICS					

The next questions are about encounters with the police or the court system.					
Not counting minor traffic violations, have you ever been arrested and booked for breaking the law?					
Being 'booked' means that you were taken into custody and processed by the police or by someone connected with the courts, even if you were then released.					
BOOKED	2	1 EVER ARRESTED AND BOOKED FOR BREAKING THE LAW			
		1 = Yes.....	8057	14.53	
		2 = No.....	46591	84.05	
		3 = Yes LOGICALLY ASSIGNED.....	618	1.11	
		85 = BAD DATA Logically assigned.....	1	0.00	
		94 = DON'T KNOW.....	59	0.11	
		97 = REFUSED.....	101	0.18	
		98 = BLANK (NO ANSWER).....	8	0.01	
(SP02)		Not counting minor traffic violations, how many times during the past 12 months have you been arrested and booked for breaking a law?			
NOBOOKY2	3	1# TIMES ARRESTED AND BOOKED PAST 12 MONTHS			
		0 = None.....	5412	9.76	
		1 = One time.....	1834	3.31	
		2 = Two times.....	439	0.79	
		3 = Three or more times.....	303	0.55	
		985 = BAD DATA Logically assigned.....	4	0.01	
		994 = DON'T KNOW.....	42	0.08	
		997 = REFUSED.....	125	0.23	
		998 = BLANK (NO ANSWER).....	685	1.24	
		999 = LEGITIMATE SKIP (BOOKED=2).....	46591	84.05	
(SP03A)		The next questions are about offenses that are against the law. As you read each question, please answer whether you were arrested and booked for that offense during the past 12 months.			
In the past 12 months, were you arrested and booked for motor vehicle theft?					
BKMVTHFT	2	1ARRSTD & BOOKED FOR MOT VEH THEFT PAST 12 MONTHS			
		1 = Yes.....	88	0.16	
		2 = No.....	2548	4.60	
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00	
		85 = BAD DATA Logically assigned.....	7	0.01	
		89 = LEGITIMATE SKIP Logically assigned.....	287	0.52	
		97 = REFUSED.....	103	0.19	
		98 = BLANK (NO ANSWER).....	685	1.24	
		99 = LEGITIMATE SKIP.....	51716	93.29	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	SPECIAL TOPICS DESCRIPTION	PAGE:	310
			FREQ	%
(SP03B)		In the past 12 months, were you arrested and booked for larceny or theft? Do not include motor vehicle theft.		-
BKLARCNY	2	1ARRSTD & BOOKED FOR LARCENY/THEFT PAST 12 MONTHS		
		1 = Yes.....	318	0.57
		2 = No.....	2295	4.14
		3 = Yes LOGICALLY ASSIGNED.....	21	0.04
		85 = BAD DATA Logically assigned.....	7	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	287	0.52
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	104	0.19
		98 = BLANK (NO ANSWER).....	685	1.24
		99 = LEGITIMATE SKIP.....	51716	93.29
(SP03C)		In the past 12 months, were you arrested and booked for burglary or breaking and entering?		
BKBURGL	2	1ARRSTD & BOOKED FOR BURGLARY/B & E PAST 12 MOS		
		1 = Yes.....	173	0.31
		2 = No.....	2461	4.44
		3 = Yes LOGICALLY ASSIGNED.....	3	0.01
		85 = BAD DATA Logically assigned.....	7	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	287	0.52
		97 = REFUSED.....	103	0.19
		98 = BLANK (NO ANSWER).....	685	1.24
		99 = LEGITIMATE SKIP.....	51716	93.29
(SP03D)		In the past 12 months, were you arrested and booked for aggravated assault?		
BKAGASLT	2	1ARRSTD & BOOKED FOR AGGRAVATED ASSAULT PAST 12 MOS		
		1 = Yes.....	250	0.45
		2 = No.....	2376	4.29
		3 = Yes LOGICALLY ASSIGNED.....	4	0.01
		85 = BAD DATA Logically assigned.....	7	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	287	0.52
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	103	0.19
		98 = BLANK (NO ANSWER).....	685	1.24
		99 = LEGITIMATE SKIP.....	51716	93.29
(SP03E)		In the past 12 months, were you arrested and booked for other assault, such as simple assault or battery?		
BKSMASLT	2	1ARRSTD & BOOKED FOR OTHER ASSAULT PAST 12 MONTHS		
		1 = Yes.....	443	0.80
		2 = No.....	2150	3.88
		3 = Yes LOGICALLY ASSIGNED.....	43	0.08
		85 = BAD DATA Logically assigned.....	7	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	287	0.52
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	103	0.19
		98 = BLANK (NO ANSWER).....	685	1.24
		99 = LEGITIMATE SKIP.....	51716	93.29

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL TOPICS			PAGE:	311
LABEL	LEN	DESCRIPTION	FREQ	%
(SP03F)		In the past 12 months, were you arrested and booked for robbery?		-
BKROB	2	1ARRSTD & BOOKED FOR ROBBERY PAST 12 MONTHS		
		1 = Yes.....	103	0.19
		2 = No.....	2533	4.57
		85 = BAD DATA Logically assigned.....	7	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	287	0.52
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	103	0.19
		98 = BLANK (NO ANSWER).....	685	1.24
		99 = LEGITIMATE SKIP.....	51716	93.29
(SP03G)		In the past 12 months, were you arrested and booked for forcible rape?		
BKRAPE	2	1ARRSTD & BOOKED FOR FORCIBLE RAPE PAST 12 MONTHS		
		1 = Yes.....	9	0.02
		2 = No.....	2626	4.74
		3 = Yes LOGICALLY ASSIGNED.....	2	0.00
		85 = BAD DATA Logically assigned.....	7	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	287	0.52
		97 = REFUSED.....	103	0.19
		98 = BLANK (NO ANSWER).....	685	1.24
		99 = LEGITIMATE SKIP.....	51716	93.29
(SP03H)		In the past 12 months, were you arrested and booked for murder, homicide, or nonnegligent manslaughter?		
BKMURDER	2	1ARRSTD & BOOKED FOR MURDER/HOMICIDE PAST 12 MONTHS		
		1 = Yes.....	11	0.02
		2 = No.....	2625	4.74
		85 = BAD DATA Logically assigned.....	7	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	287	0.52
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	103	0.19
		98 = BLANK (NO ANSWER).....	685	1.24
		99 = LEGITIMATE SKIP.....	51716	93.29
(SP03I)		In the past 12 months, were you arrested and booked for arson?		
BKARSON	2	1ARRSTD & BOOKED FOR ARSON PAST 12 MONTHS		
		1 = Yes.....	19	0.03
		2 = No.....	2614	4.72
		85 = BAD DATA Logically assigned.....	7	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	287	0.52
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	104	0.19
		98 = BLANK (NO ANSWER).....	685	1.24
		99 = LEGITIMATE SKIP.....	51716	93.29

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SPECIAL TOPICS	PAGE:	312
				FREQ	%
(SP03J)		In the past 12 months, were you arrested and booked for driving under the influence of alcohol or drugs?			-
BKDRVINF	2	1ARRSTD & BOOKED FOR DUI PAST 12 MONTHS			
		1 = Yes.....	454	0.82	
		2 = No.....	2172	3.92	
		3 = Yes LOGICALLY ASSIGNED.....	9	0.02	
		85 = BAD DATA Logically assigned.....	7	0.01	
		89 = LEGITIMATE SKIP Logically assigned.....	287	0.52	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	104	0.19	
		98 = BLANK (NO ANSWER).....	685	1.24	
		99 = LEGITIMATE SKIP.....	51716	93.29	
(SP03K)		In the past 12 months, were you arrested and booked for drunkenness or other liquor law violations?			
BKDRUNK	2	1ARRSTD & BOOKED FOR DRUNKENNESS PAST 12 MONTHS			
		1 = Yes.....	445	0.80	
		2 = No.....	2173	3.92	
		3 = Yes LOGICALLY ASSIGNED.....	16	0.03	
		85 = BAD DATA Logically assigned.....	7	0.01	
		89 = LEGITIMATE SKIP Logically assigned.....	287	0.52	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	105	0.19	
		98 = BLANK (NO ANSWER).....	685	1.24	
		99 = LEGITIMATE SKIP.....	51716	93.29	
(SP03L)		In the past 12 months, were you arrested and booked for possession of tobacco?			
BKPOSTTOB	2	1ARRSTD & BOOKED FOR POSSES OF TOB PAST 12 MOS			
		1 = Yes.....	55	0.10	
		2 = No.....	676	1.22	
		3 = Yes LOGICALLY ASSIGNED.....	2	0.00	
		85 = BAD DATA Logically assigned.....	4	0.01	
		89 = LEGITIMATE SKIP Logically assigned.....	25	0.05	
		97 = REFUSED.....	21	0.04	
		98 = BLANK (NO ANSWER).....	320	0.58	
		99 = LEGITIMATE SKIP.....	54332	98.01	
(SP03M)		In the past 12 months, were you arrested and booked for possession, manufacture, or sale of drugs?			
BKDRUG	2	1ARRSTD & BOOKED FOR POSSES/SALE DRUGS PAST 12 MOS			
		1 = Yes.....	408	0.74	
		2 = No.....	2209	3.98	
		3 = Yes LOGICALLY ASSIGNED.....	18	0.03	
		85 = BAD DATA Logically assigned.....	7	0.01	
		89 = LEGITIMATE SKIP Logically assigned.....	287	0.52	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	104	0.19	
		98 = BLANK (NO ANSWER).....	685	1.24	
		99 = LEGITIMATE SKIP.....	51716	93.29	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL TOPICS			PAGE:	313
LABEL	LEN	DESCRIPTION	FREQ	%
<hr/>				
(SP03N)		In the past 12 months, were you arrested and booked for prostitution or commercialized sex?	<hr/>	
BKPROS	2	1ARRSTD & BOOKED FOR PROSTITUTION PAST 12 MONTHS		
		1 = Yes.....	10	0.02
		2 = No.....	2626	4.74
		85 = BAD DATA Logically assigned.....	7	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	287	0.52
		97 = REFUSED.....	104	0.19
		98 = BLANK (NO ANSWER).....	685	1.24
		99 = LEGITIMATE SKIP.....	51716	93.29
(SP03O)		In the past 12 months, were you arrested and booked for any other sexual offense, not including rape or prostitution?	<hr/>	
BKSEXOFF	2	1ARRSTD & BOOKED FOR OTH SEX OFFENSE PST 12 MOS		
		1 = Yes.....	26	0.05
		2 = No.....	2611	4.71
		85 = BAD DATA Logically assigned.....	7	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	287	0.52
		97 = REFUSED.....	103	0.19
		98 = BLANK (NO ANSWER).....	685	1.24
		99 = LEGITIMATE SKIP.....	51716	93.29
(SP03P)		In the past 12 months, were you arrested and booked for fraud, possessing stolen goods, or vandalism?	<hr/>	
BKFRAUD	2	1ARRSTD & BOOKED FOR FRAUD/STOL GOODS PAST 12 MOS		
		1 = Yes.....	178	0.32
		2 = No.....	2425	4.37
		3 = Yes LOGICALLY ASSIGNED.....	32	0.06
		85 = BAD DATA Logically assigned.....	7	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	287	0.52
		97 = REFUSED.....	105	0.19
		98 = BLANK (NO ANSWER).....	685	1.24
		99 = LEGITIMATE SKIP.....	51716	93.29

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	SPECIAL TOPICS DESCRIPTION	PAGE:	314
			FREQ	%
(SP03Q)		NOTE: For the variable BKOTH, a code of 3 indicates that respondents did not originally answer "yes" to any of the questions about specific offenses for which they were arrested/booked in the past 12 months, including the question about "some other offense." However, these respondents subsequently specified a valid response for an offense in the past 12 months. A code of 5 in BKOTH indicates that respondents reported being arrested/booked at least once in the past 12 months but did not indicate at least one offense for which they were arrested in that period.		-
		In the past 12 months, were you arrested and booked for some other offense besides these that have been named? Please do not include minor traffic violations.		
BKOTH	2	1ARRSTD & BOOKED FOR SOME OTHER OFF PAST 12 MOS		
		1 = Yes.....	633	1.14
		2 = No.....	1734	3.13
		3 = Yes LOGICALLY ASSIGNED.....	121	0.22
		5 = Offense unknown.....	145	0.26
		85 = BAD DATA Logically assigned.....	7	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	287	0.52
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	104	0.19
		98 = BLANK (NO ANSWER).....	685	1.24
		99 = LEGITIMATE SKIP.....	51716	93.29

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SPECIAL TOPICS		PAGE:	315
			FREQ	%		
BKOTHOF2	2	10 OTHER OFFENSE PAST 12 MONTHS - SPECIFY				-
		1 = Motor vehicle theft.....	2	0.00		
		2 = Larceny or theft.....	25	0.05		
		3 = Burglary or breaking and entering.....	3	0.01		
		4 = Aggravated assault.....	4	0.01		
		5 = Other assault, such as simple assault or battery..	52	0.09		
		7 = Forcible rape.....	2	0.00		
		10 = Driving under the influence of alcohol or drugs..	9	0.02		
		11 = Drunkenness or other liquor law violation.....	23	0.04		
		12 = Possession of tobacco.....	2	0.00		
		13 = Possession, manufacture, or sale of drugs.....	21	0.04		
		16 = Fraud, possessing stolen goods, vandalism.....	35	0.06		
		17 = Some other offense.....	3	0.01		
		18 = Weapons law violations.....	28	0.05		
		19 = Counterfeiting/Forgery.....	6	0.01		
		20 = Viol of court order/probation/parole, perjury....	85	0.15		
		21 = Disorderly conduct.....	55	0.10		
		22 = Juvenile status offenses.....	11	0.02		
		23 = All oth offns: crimes agnst persons/prpty/society	19	0.03		
		24 = Traffic violations.....	82	0.15		
		25 = Bad checks.....	12	0.02		
		26 = Curfew/loitering/vagrancy violations.....	27	0.05		
		27 = Trespass of real property.....	27	0.05		
		28 = Runaway.....	20	0.04		
		29 = Family offenses, nonviolent.....	14	0.03		
		31 = Intimidation.....	10	0.02		
		36 = Possession of drug paraphernalia.....	5	0.01		
		37 = Fireworks law/code violation.....	4	0.01		
		38 = Evading/hindering/obstructing police.....	24	0.04		
		39 = False report/statement/alarm.....	9	0.02		
		45 = Child endangermnt/neglect/abandonmt; abuse unspcfcd	3	0.01		
		46 = Theft of/nonpayment for services.....	3	0.01		
		85 = BAD DATA Logically assigned.....	54	0.10		
		94 = DON'T KNOW.....	10	0.02		
		97 = REFUSED.....	127	0.23		
		98 = BLANK (NO ANSWER).....	882	1.59		
		99 = LEGITIMATE SKIP.....	53737	96.94		

(SP04) Were you on probation at any time during the past 12 months?

PROBATON	2	1 ON PROBATION AT ANY TIME PAST 12 MONTHS				
		1 = Yes.....	2100	3.79		
		2 = No.....	53134	95.85		
		85 = BAD DATA Logically assigned.....	1	0.00		
		94 = DON'T KNOW.....	118	0.21		
		97 = REFUSED.....	74	0.13		
		98 = BLANK (NO ANSWER).....	8	0.01		

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SPECIAL TOPICS	PAGE:	316
				FREQ	%
(SP05)		Were you on parole, supervised release, or other conditional release from prison at any time during the past 12 months?			-
PAROLREL	2	1ON PAROLE/SUPRV RELEASE PAST 12 MONTHS			
		1 = Yes.....	595	1.07	
		2 = No.....	54705	98.68	
		85 = BAD DATA Logically assigned.....	1	0.00	
		94 = DON'T KNOW.....	64	0.12	
		97 = REFUSED.....	62	0.11	
		98 = BLANK (NO ANSWER).....	8	0.01	
(SP06A)		NOTE: The variables DRVALDR, DRVAONLY, and DRVDONLY take into account data from the methamphetamine questions that were added to the Special Drugs module in 2005.			
		During the past 12 months, have you driven a vehicle while you were under the influence of a combination of alcohol and illegal drugs used together?			
DRVALDR	2	1DROVE UNDER INFLU OF ALC & ILL DRUGS PAST 12 MOS			
		1 = Yes.....	2334	4.21	
		2 = No.....	8208	14.81	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		85 = BAD DATA Logically assigned.....	2	0.00	
		89 = LEGITIMATE SKIP Logically assigned.....	18	0.03	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13394	24.16	
		94 = DON'T KNOW.....	3	0.01	
		97 = REFUSED.....	16	0.03	
		98 = BLANK (NO ANSWER).....	497	0.90	
		99 = LEGITIMATE SKIP.....	30928	55.79	
(SP06B)		During the past 12 months, have you driven a vehicle while you were under the influence of alcohol/alcohol only?			
DRVAONLY	2	1DROVE UNDER INFLU OF ALC/ALC ONLY PST 12 MOS			
		1 = Yes.....	7250	13.08	
		2 = No.....	26396	47.62	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		85 = BAD DATA Logically assigned.....	3	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13394	24.16	
		94 = DON'T KNOW.....	14	0.03	
		97 = REFUSED.....	32	0.06	
		98 = BLANK (NO ANSWER).....	374	0.67	
		99 = LEGITIMATE SKIP.....	7937	14.32	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SPECIAL TOPICS	PAGE:	317
				FREQ	%
(SP06C)		During the past 12 months, have you driven a vehicle while you were under the influence of illegal drugs/illegal drugs only?		-	-
DRVONLY	2	1DROVE UNDER INFLU OF DRUGS/DRUGS ONLY PST 12 MOS			
		1 = Yes.....	2911	5.25	
		2 = No.....	8955	16.15	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		85 = BAD DATA Logically assigned.....	4	0.01	
		89 = LEGITIMATE SKIP Logically assigned.....	34	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13394	24.16	
		94 = DON'T KNOW.....	5	0.01	
		97 = REFUSED.....	16	0.03	
		98 = BLANK (NO ANSWER).....	962	1.74	
		99 = LEGITIMATE SKIP.....	29119	52.53	
DRVFLAG	2	1ONLY PAST YEAR METHAMP USER FROM SPECIAL DRUGS			
		1 = Only methamphet user from Special Drugs (see note)	16	0.03	
		98 = BLANK (NO ANSWER).....	55419	99.97	
(SP07)		NOTE: MXMJPNLT is a renamed version of the variable MXMJPENL from prior years. In 2006 a new level (6 - No penalty) was added to the answer categories. Therefore, data from the previous variable MXMJPENL may not be comparable to data from the current variable MXMJPNLT.			
MXMJPNLT	2	1MAX PENALTY FOR 1ST MJ POSS < OUNCE IN YOUR STATE			
		1 = A fine.....	9363	16.89	
		2 = Probation.....	7874	14.20	
		3 = Community service.....	3729	6.73	
		4 = Possible prison sentence.....	13362	24.10	
		5 = Mandatory prison sentence.....	3251	5.86	
		6 = No penalty.....	1328	2.40	
		85 = BAD DATA Logically assigned.....	26	0.05	
		94 = DON'T KNOW.....	16204	29.23	
		97 = REFUSED.....	290	0.52	
		98 = BLANK (NO ANSWER).....	8	0.01	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	318
			FREQ	%

RECODED SPECIAL TOPICS				

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.				

DRIVALC2	1	DROVE VEHICLE WHILE UNDER INFLUENCE OF ALCOHOL		
		1 = Yes (DRVVALDR=1 OR DRVAONLY=1).....	7584	13.68
		2 = No (DRVVALDR=2,89,99 AND DRVAONLY=2).....	25711	46.38
		3 = Unknown (OTHERWISE).....	774	1.40
		4 = Never/No Use (DRVVALDR AND DRVAONLY=81,91,99).....	21366	38.54

DRIVDRG2	1	DROVE VEHICLE UNDER INFLUENCE OF ILLICIT DRUGS		
		1 = Yes (DRVFLAG=98 & {DRVVALDR=1 OR DRVDONLY=1}).....	3563	6.43
		2 = No (DRVFLAG=1 or {DRVVALDR=2,99 AND DRVDONLY=2})....	8261	14.90
		3 = Unknown (OTHERWISE).....	1029	1.86
		4 = Never/No Use (DRVVALDR AND DRVDONLY=81,89,91,99)...	42582	76.81

DRIVALD2	1	DROVE VEHICLE UNDER INFLUENCE OF ALC OR ILL DRUGS		
		1 = Yes (DRIVALC2=1 OR DRIVDRG2=1).....	8403	15.16
		2 = No (OTHERWISE).....	26173	47.21
		3 = Unknown (DRIVALC2=3 OR DRIVDRG2=3).....	1286	2.32
		4 = Never/No Use (DRIVALC2=4 AND DRIVDRG2=4).....	19573	35.31

PAROL	1	PAROLE/SUPERVISED RELEASE STATUS IN THE PAST YEAR		
		. = Unknown Status (PAROLREL=85,94,97,98).....	135	0.24
		1 = On Parole/Supervised Release (PAROLREL=1).....	595	1.07
		2 = Not on Parole/Supervised Release (PAROLREL=2).....	54705	98.68

PROB	1	PROBATION STATUS IN THE PAST YEAR		
		. = Unknown Probation Status (PROBATON=85,94,97,98)...	201	0.36
		1 = On Probation (PROBATON=1).....	2100	3.79
		2 = Not on Probation (PROBATON=2).....	53134	95.85

LABEL	LEN	DESCRIPTION	MARIJUANA PURCHASES	PAGE:	319
				FREQ	%
<hr/>					
(MJE01) MARIJUANA PURCHASES					
<hr/>					
Now think about the last time you used marijuana. How did you get this marijuana?					
MMGETMJ	2	1HOW DID YOU GET LAST MARIJUANA USED			
		1 = You bought it.....	3577	6.45	
		2 = You traded something else for it.....	125	0.23	
		3 = You got it for free or shared someone else's.....	5151	9.29	
		4 = You grew it yourself.....	71	0.13	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED MARIJUANA.....	33690	60.77	
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12519	22.58	
		94 = DON'T KNOW.....	41	0.07	
		97 = REFUSED.....	90	0.16	
		98 = BLANK (NO ANSWER).....	170	0.31	
(MJE02)		How long has it been since you last bought any marijuana?			
MMBTREC1	2	1TIME SINCE YOU LAST BOUGHT MARIJUANA			
		1 = Within past 30 days -- that is, since [DATEFILL]..	2157	3.89	
		2 = More than 30 days ago, but within the past 12 mos.	1032	1.86	
		3 = More than 12 months ago.....	376	0.68	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED MARIJUANA.....	33690	60.77	
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12519	22.58	
		94 = DON'T KNOW.....	9	0.02	
		97 = REFUSED.....	52	0.09	
		98 = BLANK (NO ANSWER).....	240	0.43	
		99 = LEGITIMATE SKIP.....	5359	9.67	
(MJE03)		During the past 12 months, that is, since [DATE FILL], did you buy any marijuana?			
MMBTPYR	2	1BOUGHT MARIJUANA PAST 12 MONTHS			
		1 = Yes.....	1541	2.78	
		2 = No.....	3874	6.99	
		91 = NEVER USED MARIJUANA.....	33690	60.77	
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12519	22.58	
		94 = DON'T KNOW.....	11	0.02	
		97 = REFUSED.....	52	0.09	
		98 = BLANK (NO ANSWER).....	171	0.31	
		99 = LEGITIMATE SKIP.....	3577	6.45	
(MJE04)		How long has it been since you last bought any marijuana?			
MMBTREC2	2	1TIME SINCE YOU LAST BOUGHT MARIJUANA			
		1 = Within past 30 days -- that is, since [DATEFILL]..	536	0.97	
		2 = More than 30 days ago, but within the past 12 mos.	1001	1.81	
		91 = NEVER USED MARIJUANA.....	33690	60.77	
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12519	22.58	
		94 = DON'T KNOW.....	2	0.00	
		97 = REFUSED.....	51	0.09	
		98 = BLANK (NO ANSWER).....	185	0.33	
		99 = LEGITIMATE SKIP.....	7451	13.44	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	MARIJUANA PURCHASES	PAGE:	320
				FREQ	%
(MJE05)	During the past 30 days, that is, since [DATEFILL], on how many days did you buy marijuana?				
MMBT30DY	2	1# DAYS BOUGHT MARIJUANA PAST 30 DAYS			
	RANGE	= 1 - 30	2659	4.80	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED MARIJUANA.....	33690	60.77	
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12519	22.58	
		94 = DON'T KNOW.....	27	0.05	
		97 = REFUSED.....	59	0.11	
		98 = BLANK (NO ANSWER).....	197	0.36	
		99 = LEGITIMATE SKIP.....	6283	11.33	
(MJE06)	Think about the last time you bought marijuana. Did you buy marijuana that had already been rolled into joints or did you buy the marijuana in loose form?				
MMJNTLOO	2	1LAST MARIJUANA BOUGHT IN JOINTS OR LOOSE			
		1 = You bought joints.....	157	0.28	
		2 = You bought the marijuana in loose form.....	4934	8.90	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED MARIJUANA.....	33690	60.77	
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12519	22.58	
		94 = DON'T KNOW.....	5	0.01	
		97 = REFUSED.....	62	0.11	
		98 = BLANK (NO ANSWER).....	253	0.46	
		99 = LEGITIMATE SKIP.....	3814	6.88	
(MJE07)	How many joints did you buy the last time you bought marijuana?				
MMJNTNUM	3	1# MARIJUANA JOINTS BOUGHT LAST TIME			
	RANGE	= 1 - 465	155	0.28	
		991 = NEVER USED MARIJUANA.....	33690	60.77	
		993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12519	22.58	
		994 = DON'T KNOW.....	1	0.00	
		997 = REFUSED.....	63	0.11	
		998 = BLANK (NO ANSWER).....	259	0.47	
		999 = LEGITIMATE SKIP.....	8748	15.78	
(MJE08)	How much did you pay for the joints/joint you bought this last time?				
MMJNPCTB	2	1AMOUNT PAID FOR LAST MARIJUANA JOINTS BOUGHT			
		1 = Less than \$5.00.....	50	0.09	
		2 = \$5.00 to \$10.99.....	52	0.09	
		3 = \$11.00 to \$20.99.....	28	0.05	
		4 = \$21.00 to \$50.99.....	15	0.03	
		5 = \$51.00 to \$100.99.....	4	0.01	
		6 = \$101.00 to \$150.99.....	2	0.00	
		8 = \$201.00 to \$250.99.....	1	0.00	
		9 = \$251.00 to \$300.99.....	2	0.00	
		11 = \$501.00 to \$1000.99.....	1	0.00	
		91 = NEVER USED MARIJUANA.....	33690	60.77	
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12519	22.58	
		94 = DON'T KNOW.....	2	0.00	
		97 = REFUSED.....	62	0.11	
		98 = BLANK (NO ANSWER).....	259	0.47	
		99 = LEGITIMATE SKIP.....	8748	15.78	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	MARIJUANA PURCHASES	PAGE:	321
				FREQ	%
(MJE08)		More specifically, which of these categories includes the price you paid for the joint/joints you bought this last time?		-	-
MMJNPAT	3	1PRICE CATEGORY OF LAST MARIJUANA JOINTS BOUGHT			
		1 = Less than \$5.00.....	50	0.09	
		2 = \$5.00 to \$10.99.....	52	0.09	
		3 = \$11.00 to \$20.99.....	28	0.05	
		41 = \$21.00 to \$30.99.....	8	0.01	
		42 = \$31.00 to \$40.99.....	2	0.00	
		43 = \$41.00 to \$50.99.....	5	0.01	
		51 = \$51.00 to \$60.99.....	2	0.00	
		54 = \$81.00 to \$90.99.....	1	0.00	
		55 = \$91.00 to \$100.99.....	1	0.00	
		61 = \$101.00 to \$110.99.....	1	0.00	
		63 = \$121.00 to \$130.99.....	1	0.00	
		80 = \$201.00 to \$250.99.....	1	0.00	
		90 = \$251.00 to \$300.99.....	2	0.00	
		111 = \$501.00 to \$550.99.....	1	0.00	
		991 = NEVER USED MARIJUANA.....	33690	60.77	
		993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12519	22.58	
		994 = DON'T KNOW.....	2	0.00	
		997 = REFUSED.....	62	0.11	
		998 = BLANK (NO ANSWER).....	259	0.47	
		999 = LEGITIMATE SKIP.....	8748	15.78	
(MJE14)		Now we want to know how much marijuana you bought the last time you bought marijuana.			
		Do you want to give your answer in grams, ounces, or pounds?			
MMLSUNIT	2	1AMT OF MARIJUANA BOUGHT LAST TIME: GRMS,OZ,LBS			
		1 = Grams.....	3440	6.21	
		2 = Ounces.....	1244	2.24	
		3 = Pounds.....	104	0.19	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED MARIJUANA.....	33690	60.77	
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12519	22.58	
		94 = DON'T KNOW.....	81	0.15	
		97 = REFUSED.....	127	0.23	
		98 = BLANK (NO ANSWER).....	258	0.47	
		99 = LEGITIMATE SKIP.....	3971	7.16	
(MJE15)		The last time you bought marijuana, how many grams did you buy?			
MMLSGMS	2	1AMT OF MARIJUANA BOUGHT LAST TIME - GRAMS			
		1 = At least 1 but less than 5 grams.....	2161	3.90	
		2 = At least 5 but less than 10 grams.....	949	1.71	
		3 = 10 grams or more.....	295	0.53	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED MARIJUANA.....	33690	60.77	
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12519	22.58	
		94 = DON'T KNOW.....	28	0.05	
		97 = REFUSED.....	134	0.24	
		98 = BLANK (NO ANSWER).....	339	0.61	
		99 = LEGITIMATE SKIP.....	5319	9.60	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

MARIJUANA PURCHASES			PAGE:	322
LABEL	LEN	DESCRIPTION	FREQ	%
<hr/>				
(MJE16) How many grams of marijuana did you buy?				
MMLS10GM	3	1AMT OF MARIJUANA BOUGHT LAST TIME - OVER 10 GRAMS		
RANGE = 10 - 99			284	0.51
991 = NEVER USED MARIJUANA.....			33690	60.77
993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....			12519	22.58
994 = DON'T KNOW.....			8	0.01
997 = REFUSED.....			137	0.25
998 = BLANK (NO ANSWER).....			368	0.66
999 = LEGITIMATE SKIP.....			8429	15.21
<hr/>				
(MJE17) The last time you bought marijuana, how many ounces did you buy?				
MMLSOZS	2	1AMT OF MARIJUANA BOUGHT LAST TIME - OUNCES		
1 = At least 1/8, but less than 1/4 of an ounce.....			330	0.60
2 = At least 1/4 but less than 1/3 of an ounce.....			178	0.32
3 = At least 1/3 but less than 1/2 of an ounce.....			68	0.12
4 = At least 1/2 but less than 1 ounce.....			281	0.51
5 = At least 1 but less than 5 ounces.....			304	0.55
6 = At least 5 but less than 10 ounces.....			45	0.08
7 = At least 10 but less than 16 ounces.....			19	0.03
91 = NEVER USED MARIJUANA.....			33690	60.77
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....			12519	22.58
94 = DON'T KNOW.....			16	0.03
97 = REFUSED.....			130	0.23
98 = BLANK (NO ANSWER).....			340	0.61
99 = LEGITIMATE SKIP.....			7515	13.56
<hr/>				
(MJE18) The last time you bought marijuana, how many pounds did you buy?				
MMLSLBS	2	1AMT OF MARIJUANA BOUGHT LAST TIME - POUNDS		
1 = At least 1 but less than 2 pounds.....			51	0.09
2 = At least 2 but less than 3 pounds.....			14	0.03
3 = At least 3 but less than 4 pounds.....			9	0.02
4 = At least 4 but less than 5 pounds.....			4	0.01
5 = 5 or more pounds.....			26	0.05
91 = NEVER USED MARIJUANA.....			33690	60.77
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....			12519	22.58
97 = REFUSED.....			127	0.23
98 = BLANK (NO ANSWER).....			340	0.61
99 = LEGITIMATE SKIP.....			8655	15.61
<hr/>				
(MJE19) How many pounds of marijuana did you buy?				
MMLS5LBS	3	1AMT OF MARIJUANA BOUGHT LAST TIME - OVER 5 POUNDS		
RANGE = 5 - 50			25	0.05
991 = NEVER USED MARIJUANA.....			33690	60.77
993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....			12519	22.58
994 = DON'T KNOW.....			1	0.00
997 = REFUSED.....			127	0.23
998 = BLANK (NO ANSWER).....			340	0.61
999 = LEGITIMATE SKIP.....			8733	15.75

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	323
			FREQ	%
(MJE20)		How much did you pay for the marijuana you bought this last time?		-
MMLSPCTB	2	1AMOUNT PAID FOR MARIJUANA BOUGHT LAST TIME		
		1 = Less than \$5.00.....	238	0.43
		2 = \$5.00 to \$10.99.....	933	1.68
		3 = \$11.00 to \$20.99.....	1020	1.84
		4 = \$21.00 to \$50.99.....	1575	2.84
		5 = \$51.00 to \$100.99.....	596	1.08
		6 = \$101.00 to \$150.99.....	166	0.30
		7 = \$151.00 to \$200.99.....	91	0.16
		8 = \$201.00 to \$250.99.....	55	0.10
		9 = \$251.00 to \$300.99.....	43	0.08
		10 = \$301.00 to \$500.99.....	60	0.11
		11 = \$501.00 to \$1000.99.....	46	0.08
		12 = More than \$1000.99.....	26	0.05
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED MARIJUANA.....	33690	60.77
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12519	22.58
		94 = DON'T KNOW.....	28	0.05
		97 = REFUSED.....	119	0.21
		98 = BLANK (NO ANSWER).....	258	0.47
		99 = LEGITIMATE SKIP.....	3971	7.16

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	MARIJUANA PURCHASES		PAGE: FREQ	324 %
			-----	-----		
(MJE20)		More specifically, which of these categories includes the price you paid for the marijuana you bought this last time?				-
MMLSPCAT	3	1PRICE CATEGORY OF LAST LOOSE MARIJUANA BOUGHT				
		1 = Less than \$5.00.....			238	0.43
		2 = \$5.00 to \$10.99.....			933	1.68
		3 = \$11.00 to \$20.99.....			1020	1.84
		40 = \$21.00 to \$50.99 (No further detail).....			2	0.00
		41 = \$21.00 to \$30.99.....			643	1.16
		42 = \$31.00 to \$40.99.....			439	0.79
		43 = \$41.00 to \$50.99.....			491	0.89
		51 = \$51.00 to \$60.99.....			291	0.52
		52 = \$61.00 to \$70.99.....			73	0.13
		53 = \$71.00 to \$80.99.....			89	0.16
		54 = \$81.00 to \$90.99.....			38	0.07
		55 = \$91.00 to \$100.99.....			105	0.19
		60 = \$101.00 to \$150.99 (No further detail).....			1	0.00
		61 = \$101.00 to \$110.99.....			39	0.07
		62 = \$111.00 to \$120.99.....			45	0.08
		63 = \$121.00 to \$130.99.....			29	0.05
		64 = \$131.00 to \$140.99.....			17	0.03
		65 = \$141.00 to \$150.99.....			35	0.06
		70 = \$151.00 to \$200.99.....			91	0.16
		80 = \$201.00 to \$250.99.....			55	0.10
		90 = \$251.00 to \$300.99.....			43	0.08
		101 = \$301.00 to \$350.99.....			18	0.03
		102 = \$351.00 to \$400.99.....			18	0.03
		103 = \$401.00 to \$450.99.....			13	0.02
		104 = \$451.00 to \$500.99.....			11	0.02
		111 = \$501.00 to \$550.99.....			9	0.02
		112 = \$551.00 to \$600.99.....			2	0.00
		113 = \$601.00 to \$650.99.....			4	0.01
		114 = \$651.00 to \$700.99.....			1	0.00
		115 = \$701.00 to \$750.99.....			2	0.00
		116 = \$751.00 to \$800.99.....			3	0.01
		117 = \$801.00 to \$850.99.....			1	0.00
		118 = \$851.00 to \$900.99.....			2	0.00
		119 = \$901.00 to \$950.99.....			5	0.01
		120 = \$951.00 to \$1000.99.....			17	0.03
		121 = More than \$1000.99.....			26	0.05
		985 = BAD DATA Logically assigned.....			1	0.00
		991 = NEVER USED MARIJUANA.....			33690	60.77
		993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....			12519	22.58
		994 = DON'T KNOW.....			28	0.05
		997 = REFUSED.....			119	0.21
		998 = BLANK (NO ANSWER).....			258	0.47
		999 = LEGITIMATE SKIP.....			3971	7.16

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	MARIJUANA PURCHASES		PAGE: FREQ	325 %
			-----	-----		
(MJE26)		The last time you bought marijuana, who did you buy it from?			-----	-
MMBUYWHO	2	1WHO SOLD YOU LAST MARIJUANA BOUGHT				
		1 = A friend.....	3875	6.99		
		2 = A relative or family member.....	223	0.40		
		3 = Someone I had just met or didn't know well.....	832	1.50		
		85 = BAD DATA Logically assigned.....	1	0.00		
		91 = NEVER USED MARIJUANA.....	33690	60.77		
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12519	22.58		
		94 = DON'T KNOW.....	33	0.06		
		97 = REFUSED.....	195	0.35		
		98 = BLANK (NO ANSWER).....	253	0.46		
		99 = LEGITIMATE SKIP.....	3814	6.88		
(MJE27)		The last time you bought marijuana, where were you when you bought it?				
MMPLACE	2	1WHERE YOU WERE LAST TIME BOUGHT MARIJUANA				
		1 = Inside a public bldg, such as a store, restaurant.	223	0.40		
		2 = Inside a school building.....	122	0.22		
		3 = Outside on school property.....	93	0.17		
		4 = Inside a home, apartment, or dorm.....	2521	4.55		
		5 = Outside in a public area, such as a parking lot...	991	1.79		
		6 = Some other place.....	447	0.81		
		11 = Inside a public building LOGICALLY ASSIGNED.....	51	0.09		
		12 = Inside a school building LOGICALLY ASSIGNED.....	1	0.00		
		14 = Inside a home, apartment, or dorm LOG ASSN.....	244	0.44		
		15 = Outside in a public area LOGICALLY ASSIGNED.....	235	0.42		
		85 = BAD DATA Logically assigned.....	1	0.00		
		91 = NEVER USED MARIJUANA.....	33690	60.77		
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12519	22.58		
		94 = DON'T KNOW.....	37	0.07		
		97 = REFUSED.....	193	0.35		
		98 = BLANK (NO ANSWER).....	253	0.46		
		99 = LEGITIMATE SKIP.....	3814	6.88		

¹The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

MARIJUANA PURCHASES			PAGE:	326
LABEL	LEN	DESCRIPTION	FREQ	%
MMBPLOSS2	2	1 OTHER PLACE BOUGHT MJ THE LAST TIME		-
		1 = Inside a public bldg (eg store/restaurant/arena)...	51	0.09
		2 = Inside a school building.....	1	0.00
		4 = Inside a home, apartment, or dorm.....	244	0.44
		5 = Outside in public area (eg parkng lot/street/park)	235	0.42
		6 = Some other place.....	8	0.01
		7 = At respondent's workplace.....	22	0.04
		8 = At a party, location not specified.....	10	0.02
		9 = From friend(s),/family; no other information.....	16	0.03
		10 = In respondent's car/motor vhicle;location not spfd.	9	0.02
		12 = In a car/motor vehicle; owner or location unspcfed.	38	0.07
		13 = At school, no other information.....	4	0.01
		14 = Outside on private property (home, yard, apt).....	26	0.05
		15 = Medical marijuana dispensary/club.....	3	0.01
		16 = In a private/designtd locatn/place; otherwise unspd	7	0.01
		19 = Restroom/bathroom, location unspecified.....	4	0.01
		21 = In/on a bus/train/plane/pub transport.....	3	0.01
		22 = At concert/festival/sports event; location unspec.	5	0.01
		23 = A building; otherwise unspecified.....	3	0.01
		24 = Individual/person; otherwise unspecified.....	11	0.02
		70 = Specific city/state/country or vacation.....	69	0.12
		85 = BAD DATA Logically assigned.....	51	0.09
		91 = NEVER USED MARIJUANA.....	33690	60.77
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12519	22.58
		94 = DON'T KNOW.....	39	0.07
		97 = REFUSED.....	311	0.56
		98 = BLANK (NO ANSWER).....	292	0.53
		99 = LEGITIMATE SKIP.....	7764	14.01
(MJE28)		The last time you bought marijuana were you at work at your job or business?		
MMBATJOB	2	1 AT JOB OR BUSINESS LAST TIME BOUGHT MARIJUANA		
		1 = Yes.....	160	0.29
		2 = No.....	4042	7.29
		3 = Do not work at a job or business.....	661	1.19
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED MARIJUANA.....	33690	60.77
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12519	22.58
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	122	0.22
		98 = BLANK (NO ANSWER).....	251	0.45
		99 = LEGITIMATE SKIP.....	3972	7.17
(MJE29)		The last time you bought marijuana, where did you buy it?		
MMBCLOSE	2	1 HOW NEAR YOU WHEN BOUGHT MARIJUANA LAST TIME		
		1 = Near where you are now living.....	2076	3.74
		2 = Somewhere else.....	2895	5.22
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED MARIJUANA.....	33690	60.77
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12519	22.58
		94 = DON'T KNOW.....	23	0.04
		97 = REFUSED.....	164	0.30
		98 = BLANK (NO ANSWER).....	253	0.46
		99 = LEGITIMATE SKIP.....	3814	6.88

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

MARIJUANA PURCHASES			PAGE:	327
LABEL	LEN	DESCRIPTION	FREQ	%
(MJE30)		Did you sell any of the marijuana you bought this last time?		-
MMBSELL	2	1SELL ANY MARIJUANA BOUGHT LAST TIME		
		1 = Yes.....	545	0.98
		2 = No.....	4502	8.12
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED MARIJUANA.....	33690	60.77
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12519	22.58
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	106	0.19
		98 = BLANK (NO ANSWER).....	253	0.46
		99 = LEGITIMATE SKIP.....	3814	6.88
(MJE31)		Did you give away or share any of the marijuana you bought this last time?		
MMBGIVE	2	1GIVE AWAY/SHARE MARIJUANA BOUGHT LAST TIME		
		1 = Yes.....	3587	6.47
		2 = No.....	1472	2.66
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED MARIJUANA.....	33690	60.77
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12519	22.58
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	93	0.17
		98 = BLANK (NO ANSWER).....	253	0.46
		99 = LEGITIMATE SKIP.....	3814	6.88
(MJE32)		During the past 12 months, that is, since [DATE FILL], did you trade something for marijuana?		
MMTRADE	2	1TRADED SOMETHING FOR MARIJUANA PAST 12 MOS		
		1 = Yes.....	55	0.10
		2 = No.....	3752	6.77
		91 = NEVER USED MARIJUANA.....	33690	60.77
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12519	22.58
		97 = REFUSED.....	49	0.09
		98 = BLANK (NO ANSWER).....	185	0.33
		99 = LEGITIMATE SKIP.....	5185	9.35
(MJE33)		During the past 30 days, that is, since [DATEFILL], did you trade something for marijuana?		
MMTRD30D	2	1TRADED SOMETHING FOR MARIJUANA PAST 30 DAYS		
		1 = Yes.....	19	0.03
		2 = No.....	36	0.06
		91 = NEVER USED MARIJUANA.....	33690	60.77
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12519	22.58
		97 = REFUSED.....	49	0.09
		98 = BLANK (NO ANSWER).....	245	0.44
		99 = LEGITIMATE SKIP.....	8877	16.01

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	MARIJUANA PURCHASES	PAGE:	328
				FREQ	%
(MJE34)		How long has it been since you last traded something for marijuana?		-	-
MMTRDREC	2	1TIME SINCE LAST TRADED SOMETHING FOR MARIJUANA			
		1 = Within past 30 days -- that is, since [DATEFILL]..	9	0.02	
		2 = More than 30 days ago, but within the past 12 mos.	41	0.07	
		3 = More than 12 months ago.....	15	0.03	
		91 = NEVER USED MARIJUANA.....	33690	60.77	
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12519	22.58	
		94 = DON'T KNOW.....	2	0.00	
		97 = REFUSED.....	49	0.09	
		98 = BLANK (NO ANSWER).....	245	0.44	
		99 = LEGITIMATE SKIP.....	8865	15.99	
(MJE35)		During the past 30 days, that is, since [DATEFILL], on how many days did you trade something for marijuana?			
MMT30FRQ	2	1# DAYS TRADED FOR MARIJUANA PAST 30 DAYS			
		RANGE = 1 - 30	28	0.05	
		91 = NEVER USED MARIJUANA.....	33690	60.77	
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12519	22.58	
		97 = REFUSED.....	49	0.09	
		98 = BLANK (NO ANSWER).....	247	0.45	
		99 = LEGITIMATE SKIP.....	8902	16.06	
(MJE36)		Think about the last time you traded something for marijuana. Did you get marijuana that had already been rolled into joints or did you get the marijuana in loose form?			
MMTJNTLS	2	1LAST MARIJUANA TRADED FOR IN JOINTS OR LOOSE			
		1 = You got joints.....	19	0.03	
		2 = You got the marijuana in loose form.....	85	0.15	
		91 = NEVER USED MARIJUANA.....	33690	60.77	
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12519	22.58	
		97 = REFUSED.....	50	0.09	
		98 = BLANK (NO ANSWER).....	247	0.45	
		99 = LEGITIMATE SKIP.....	8825	15.92	
(MJE37)		How many joints did you get the last time you traded something for marijuana?			
MMTJNTNM	3	1# MARIJUANA JOINTS TRADED FOR LAST TIME			
		RANGE = 1 - 6	19	0.03	
		991 = NEVER USED MARIJUANA.....	33690	60.77	
		993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12519	22.58	
		997 = REFUSED.....	49	0.09	
		998 = BLANK (NO ANSWER).....	248	0.45	
		999 = LEGITIMATE SKIP.....	8910	16.07	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	MARIJUANA PURCHASES		PAGE: FREQ	329 %
			-----	-----		
(MJE38)		How much do you think the marijuana in these joints/this joint was worth?				-
MMTJWRCB	2	1AMOUNT WORTH LAST MARIJUANA JOINTS TRADED FOR				
		1 = Less than \$5.00.....			4	0.01
		2 = \$5.00 to \$10.99.....			7	0.01
		3 = \$11.00 to \$20.99.....			5	0.01
		4 = \$21.00 to \$50.99.....			2	0.00
		12 = More than \$1000.99.....			1	0.00
		91 = NEVER USED MARIJUANA.....			33690	60.77
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....			12519	22.58
		97 = REFUSED.....			49	0.09
		98 = BLANK (NO ANSWER).....			248	0.45
		99 = LEGITIMATE SKIP.....			8910	16.07
(MJE38)		More specifically, which of these categories includes the price you think the marijuana in these joints/this joint was worth?				
MMTJWRTH	3	1PRICE CATEGORY OF LAST MARIJUANA JOINTS TRADED FOR				
		1 = Less than \$5.00.....			4	0.01
		2 = \$5.00 to \$10.99.....			7	0.01
		3 = \$11.00 to \$20.99.....			5	0.01
		43 = \$41.00 to \$50.99.....			2	0.00
		121 = More than \$1000.99.....			1	0.00
		991 = NEVER USED MARIJUANA.....			33690	60.77
		993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....			12519	22.58
		997 = REFUSED.....			49	0.09
		998 = BLANK (NO ANSWER).....			248	0.45
		999 = LEGITIMATE SKIP.....			8910	16.07
(MJE44)		Now we want to know how much marijuana you got the last time you traded something for marijuana.				
		Do you want to give your answer in grams, ounces, or pounds?				
MMTLUNIT	2	1AMT OF MARIJUANA TRADED FOR LAST TIME: GRMS,OZ,LBS				
		1 = Grams.....			51	0.09
		2 = Ounces.....			29	0.05
		3 = Pounds.....			2	0.00
		91 = NEVER USED MARIJUANA.....			33690	60.77
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....			12519	22.58
		94 = DON'T KNOW.....			2	0.00
		97 = REFUSED.....			50	0.09
		98 = BLANK (NO ANSWER).....			248	0.45
		99 = LEGITIMATE SKIP.....			8844	15.95

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	MARIJUANA PURCHASES		PAGE:	330
			FREQ	%		
(MJE45)		The last time you traded something for marijuana, how many grams did you get?				-
MMTLGMS	2	1AMT OF MARIJUANA TRADED FOR LAST TIME - GRAMS				
		1 = At least 1 but less than 5 grams.....	32	0.06		
		2 = At least 5 but less than 10 grams.....	15	0.03		
		3 = 10 grams or more.....	2	0.00		
		91 = NEVER USED MARIJUANA.....	33690	60.77		
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12519	22.58		
		94 = DON'T KNOW.....	1	0.00		
		97 = REFUSED.....	51	0.09		
		98 = BLANK (NO ANSWER).....	250	0.45		
		99 = LEGITIMATE SKIP.....	8875	16.01		
(MJE47)		The last time you traded something for marijuana, how many ounces did you get?				
MMTLOZS	2	1AMT OF MARIJUANA TRADED FOR LAST TIME - OUNCES				
		1 = At least 1/8, but less than 1/4 of an ounce.....	4	0.01		
		2 = At least 1/4 but less than 1/3 of an ounce.....	20	0.04		
		4 = At least 1/2 but less than 1 ounce.....	1	0.00		
		5 = At least 1 but less than 5 ounces.....	4	0.01		
		91 = NEVER USED MARIJUANA.....	33690	60.77		
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12519	22.58		
		97 = REFUSED.....	50	0.09		
		98 = BLANK (NO ANSWER).....	250	0.45		
		99 = LEGITIMATE SKIP.....	8897	16.05		
(MJE50)		How much do you think the marijuana you got this last time was worth?				
MMTLWRCB	2	1AMOUNT THE LAST MARIJUANA TRADED FOR WAS WORTH				
		1 = Less than \$5.00.....	21	0.04		
		2 = \$5.00 to \$10.99.....	23	0.04		
		3 = \$11.00 to \$20.99.....	12	0.02		
		4 = \$21.00 to \$50.99.....	11	0.02		
		5 = \$51.00 to \$100.99.....	7	0.01		
		6 = \$101.00 to \$150.99.....	1	0.00		
		7 = \$151.00 to \$200.99.....	2	0.00		
		8 = \$201.00 to \$250.99.....	3	0.01		
		9 = \$251.00 to \$300.99.....	1	0.00		
		11 = \$501.00 to \$1000.99.....	1	0.00		
		12 = More than \$1000.99.....	1	0.00		
		91 = NEVER USED MARIJUANA.....	33690	60.77		
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12519	22.58		
		94 = DON'T KNOW.....	1	0.00		
		97 = REFUSED.....	50	0.09		
		98 = BLANK (NO ANSWER).....	248	0.45		
		99 = LEGITIMATE SKIP.....	8844	15.95		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

MARIJUANA PURCHASES			PAGE:	331
LABEL	LEN	DESCRIPTION	FREQ	%
(MJE50)		More specifically, which of these categories includes the price you think the marijuana you got this last time was worth?		-
MMTLWRTH	3	1PRICE CATEGORY OF LAST LOOSE MARIJUANA TRADED FOR		
		1 = Less than \$5.00.....	21	0.04
		2 = \$5.00 to \$10.99.....	23	0.04
		3 = \$11.00 to \$20.99.....	12	0.02
		41 = \$21.00 to \$30.99.....	4	0.01
		42 = \$31.00 to \$40.99.....	2	0.00
		43 = \$41.00 to \$50.99.....	5	0.01
		51 = \$51.00 to \$60.99.....	1	0.00
		52 = \$61.00 to \$70.99.....	1	0.00
		53 = \$71.00 to \$80.99.....	4	0.01
		55 = \$91.00 to \$100.99.....	1	0.00
		65 = \$141.00 to \$150.99.....	1	0.00
		70 = \$151.00 to \$200.99.....	2	0.00
		80 = \$201.00 to \$250.99.....	3	0.01
		90 = \$251.00 to \$300.99.....	1	0.00
		120 = \$951.00 to \$1000.99.....	1	0.00
		121 = More than \$1000.99.....	1	0.00
		991 = NEVER USED MARIJUANA.....	33690	60.77
		993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12519	22.58
		994 = DON'T KNOW.....		0.00
		997 = REFUSED.....	50	0.09
		998 = BLANK (NO ANSWER).....	248	0.45
		999 = LEGITIMATE SKIP.....	8844	15.95
(MJE56)		The last time you traded something for marijuana, who did you get it from?		
MMTRDWHO	2	1WHO GAVE YOU LAST MARIJUANA TRADED FOR		
		1 = A friend.....	78	0.14
		2 = A relative or family member.....	17	0.03
		3 = Someone I had just met or didn't know well.....	23	0.04
		91 = NEVER USED MARIJUANA.....	33690	60.77
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12519	22.58
		94 = DON'T KNOW.....		0.00
		97 = REFUSED.....	52	0.09
		98 = BLANK (NO ANSWER).....	245	0.44
		99 = LEGITIMATE SKIP.....	8810	15.89

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	MARIJUANA PURCHASES		PAGE:	332
			FREQ	%		
(MJE57)		The last time you traded something for marijuana, where were you when you got it?				-
MMTPLACE	2	1WHERE YOU WERE LAST TIME TRADED FOR MARIJUANA				
		1 = Inside a public bldg, such as a store, restaurant.	12	0.02		
		2 = Inside a school building.....	17	0.03		
		3 = Outside on school property.....	5	0.01		
		4 = Inside a home, apartment, or dorm.....	31	0.06		
		5 = Outside in a public area, such as a parking lot...	20	0.04		
		6 = Some other place.....	16	0.03		
		11 = Inside a public building LOGICALLY ASSIGNED.....	1	0.00		
		14 = Inside a home, apartment, or dorm LOG ASSN.....	4	0.01		
		15 = Outside in a public area LOGICALLY ASSIGNED.....	7	0.01		
		91 = NEVER USED MARIJUANA.....	33690	60.77		
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12519	22.58		
		94 = DON'T KNOW.....	2	0.00		
		97 = REFUSED.....	56	0.10		
		98 = BLANK (NO ANSWER).....	245	0.44		
		99 = LEGITIMATE SKIP.....	8810	15.89		
MMTPLOS2	2	10THER PLACE TRADED FOR MJ THE LAST TIME				
		1 = Inside a public bldg (eg store/restaurant/arena)..	1	0.00		
		4 = Inside a home, apartment, or dorm.....	4	0.01		
		5 = Outside in public area (eg parkng lot/street/park)	7	0.01		
		6 = Some other place.....	5	0.01		
		70 = Specific city/state/country or vacation.....	2	0.00		
		85 = BAD DATA Logically assigned.....	2	0.00		
		91 = NEVER USED MARIJUANA.....	33690	60.77		
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12519	22.58		
		94 = DON'T KNOW.....	3	0.01		
		97 = REFUSED.....	60	0.11		
		98 = BLANK (NO ANSWER).....	247	0.45		
		99 = LEGITIMATE SKIP.....	8895	16.05		
(MJE58)		The last time you traded something for marijuana, where did you get it?				
MMTCLOSE	2	1HOW NEAR YOU WHEN TRADED FOR MARIJUANA LAST TIME				
		1 = Near where you are now living.....	38	0.07		
		2 = Somewhere else.....	76	0.14		
		91 = NEVER USED MARIJUANA.....	33690	60.77		
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12519	22.58		
		94 = DON'T KNOW.....	1	0.00		
		97 = REFUSED.....	56	0.10		
		98 = BLANK (NO ANSWER).....	245	0.44		
		99 = LEGITIMATE SKIP.....	8810	15.89		
(MJE59)		The last time you traded something for marijuana, did you keep it all for yourself?				
MMTKEEP	2	1KEEP ALL OF LAST MARIJUANA TRADED FOR				
		1 = Yes.....	41	0.07		
		2 = No.....	77	0.14		
		91 = NEVER USED MARIJUANA.....	33690	60.77		
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12519	22.58		
		97 = REFUSED.....	53	0.10		
		98 = BLANK (NO ANSWER).....	245	0.44		
		99 = LEGITIMATE SKIP.....	8810	15.89		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	MARIJUANA PURCHASES		PAGE:	333
			FREQ	%		
(MJE60)		Did you sell any of the marijuana you got this last time?			-----	-
MMTSELL	2	1SELL ANY MARIJUANA YOU TRADED FOR LAST TIME				
		1 = Yes.....	9	0.02		
		2 = No.....	66	0.12		
		91 = NEVER USED MARIJUANA.....	33690	60.77		
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12519	22.58		
		97 = REFUSED.....	55	0.10		
		98 = BLANK (NO ANSWER).....	245	0.44		
		99 = LEGITIMATE SKIP.....	8851	15.97		
(MJE61)		Did you give away any of the marijuana you got this last time?				
MMTGIVE	2	1GIVE AWAY ANY MARIJUANA YOU TRADED FOR LAST TIME				
		1 = Yes.....	33	0.06		
		2 = No.....	42	0.08		
		91 = NEVER USED MARIJUANA.....	33690	60.77		
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12519	22.58		
		97 = REFUSED.....	55	0.10		
		98 = BLANK (NO ANSWER).....	245	0.44		
		99 = LEGITIMATE SKIP.....	8851	15.97		
(MJE62)		The last time you grew marijuana, did you keep it all for yourself?				
MMGKEEP	2	1KEEP ALL MARIJUANA LAST TIME YOU GREW IT				
		1 = Yes.....	25	0.05		
		2 = No.....	14	0.03		
		91 = NEVER USED MARIJUANA.....	33690	60.77		
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12519	22.58		
		97 = REFUSED.....	49	0.09		
		98 = BLANK (NO ANSWER).....	241	0.43		
		99 = LEGITIMATE SKIP.....	8897	16.05		
(MJE63)		Did you sell any of the marijuana you grew this last time?				
MMGSELL	2	1SELL ANY MARIJUANA LAST TIME YOU GREW IT				
		1 = Yes.....	4	0.01		
		2 = No.....	10	0.02		
		91 = NEVER USED MARIJUANA.....	33690	60.77		
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12519	22.58		
		97 = REFUSED.....	49	0.09		
		98 = BLANK (NO ANSWER).....	241	0.43		
		99 = LEGITIMATE SKIP.....	8922	16.09		
(MJE64)		The last time you grew marijuana, did you give any of it away for free?				
MMGGIVE	2	1GIVE AWAY ANY MARIJUANA LAST TIME YOU GREW IT				
		1 = Yes.....	6	0.01		
		2 = No.....	8	0.01		
		91 = NEVER USED MARIJUANA.....	33690	60.77		
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12519	22.58		
		97 = REFUSED.....	49	0.09		
		98 = BLANK (NO ANSWER).....	241	0.43		
		99 = LEGITIMATE SKIP.....	8922	16.09		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	MARIJUANA PURCHASES		PAGE: FREQ	334 %
			-----	-----		
(MJE65)		The last time you got marijuana for free, who did you get it from?			-----	-
MMFREWHO	2	1WHO GAVE YOU LAST FREE MARIJUANA				
		1 = A friend.....	3068	5.53		
		2 = A relative or family member.....	325	0.59		
		3 = Someone I had just met or didn't know well.....	210	0.38		
		91 = NEVER USED MARIJUANA.....	33690	60.77		
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12519	22.58		
		94 = DON'T KNOW.....	16	0.03		
		97 = REFUSED.....	83	0.15		
		98 = BLANK (NO ANSWER).....	245	0.44		
		99 = LEGITIMATE SKIP.....	5279	9.52		
(MJE66)		The last time you got marijuana for free, where were you when you got it?				
MMPLACE	2	1WHERE WERE YOU LAST TIME GOT FREE MARIJUANA				
		1 = Inside a public bldg, such as a store, restaurant.	102	0.18		
		2 = Inside a school building.....	34	0.06		
		3 = Outside on school property.....	62	0.11		
		4 = Inside a home, apartment, or dorm.....	2246	4.05		
		5 = Outside in a public area, such as a parking lot...	496	0.89		
		6 = Some other place.....	334	0.60		
		11 = Inside a public building LOGICALLY ASSIGNED.....	14	0.03		
		12 = Inside a school building LOGICALLY ASSIGNED.....	1	0.00		
		13 = Outside on school property LOGICALLY ASSIGNED.....	1	0.00		
		14 = Inside a home, apartment, or dorm LOG ASSN.....	186	0.34		
		15 = Outside in a public area LOGICALLY ASSIGNED.....	120	0.22		
		91 = NEVER USED MARIJUANA.....	33690	60.77		
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12519	22.58		
		94 = DON'T KNOW.....	26	0.05		
		97 = REFUSED.....	80	0.14		
		98 = BLANK (NO ANSWER).....	245	0.44		
		99 = LEGITIMATE SKIP.....	5279	9.52		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

MARIJUANA PURCHASES			PAGE:	335
LABEL	LEN	DESCRIPTION	FREQ	%
MMFPLOSS2	2	1OTHER PLACE GOT MJ FOR FREE THE LAST TIME		-
		1 = Inside a public bldg (eg store/restaurant/arena)...	14	0.03
		2 = Inside a school building.....	1	0.00
		3 = Outside on school property.....	1	0.00
		4 = Inside a home, apartment, or dorm.....	186	0.34
		5 = Outside in public area (eg parkng lot/street/park)	120	0.22
		6 = Some other place.....	9	0.02
		7 = At respondent's workplace.....	12	0.02
		8 = At a party, location not specified.....	40	0.07
		9 = From friend(s),/family; no other information.....	19	0.03
		11 = In someone else's car/mtr vhcle;location not spfd.	13	0.02
		12 = In a car/motor vehicle; owner or location unspcfed.	52	0.09
		14 = Outside on private property (home, yard, apt).....	23	0.04
		22 = At concert/festival/sports event; location unspec.	12	0.02
		23 = A building; otherwise unspecified.....	5	0.01
		24 = Individual/person; otherwise unspecified.....	7	0.01
		25 = In a hotel/motel room (or public area unspecfd)...	12	0.02
		70 = Specific city/state/country or vacation.....	29	0.05
		85 = BAD DATA Logically assigned.....	14	0.03
		91 = NEVER USED MARIJUANA.....	33690	60.77
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12519	22.58
		94 = DON'T KNOW.....	41	0.07
		97 = REFUSED.....	126	0.23
		98 = BLANK (NO ANSWER).....	271	0.49
		99 = LEGITIMATE SKIP.....	8219	14.83
(MJE67)		The last time you got marijuana for free, where did you get it?		
MMFCLOSE	2	1HOW NEAR YOU WHEN YOU GOT LAST FREE MARIJUANA		
		1 = Near where you are now living.....	1454	2.62
		2 = Somewhere else.....	2136	3.85
		91 = NEVER USED MARIJUANA.....	33690	60.77
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12519	22.58
		94 = DON'T KNOW.....	26	0.05
		97 = REFUSED.....	86	0.16
		98 = BLANK (NO ANSWER).....	245	0.44
		99 = LEGITIMATE SKIP.....	5279	9.52
(MJE68)		The last time you got marijuana for free, did you keep it all for yourself?		
MMFKEEP	2	1KEEP ALL MARIJUANA GOT LAST TIME FOR FREE		
		1 = Yes.....	318	0.57
		2 = No.....	3307	5.97
		91 = NEVER USED MARIJUANA.....	33690	60.77
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12519	22.58
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED.....	66	0.12
		98 = BLANK (NO ANSWER).....	245	0.44
		99 = LEGITIMATE SKIP.....	5279	9.52

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	MARIJUANA PURCHASES		PAGE: FREQ	336 %
			-----	-----		
(MJE69)		Did you sell any of the marijuana you got this last time?			-----	-
MMFSELL	2	1SELL ANY MARIJUANA GOT LAST TIME FOR FREE				
		1 = Yes.....	60	0.11		
		2 = No.....	3245	5.85		
		91 = NEVER USED MARIJUANA.....	33690	60.77		
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12519	22.58		
		97 = REFUSED.....	68	0.12		
		98 = BLANK (NO ANSWER).....	256	0.46		
		99 = LEGITIMATE SKIP.....	5597	10.10		
(MJE70)		Did you give away any of the marijuana you got this last time?				
MMFGIVE	2	1GIVE AWAY ANY MARIJUANA GOT LAST TIME FOR FREE				
		1 = Yes.....	1154	2.08		
		2 = No.....	2145	3.87		
		91 = NEVER USED MARIJUANA.....	33690	60.77		
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12519	22.58		
		94 = DON'T KNOW.....	5	0.01		
		97 = REFUSED.....	69	0.12		
		98 = BLANK (NO ANSWER).....	256	0.46		
		99 = LEGITIMATE SKIP.....	5597	10.10		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	337
			FREQ	%

RECODED MARIJUANA PURCHASES				

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.				

MJPGOT	1	METHOD OF OBTAINING LAST USED MARIJUANA		
		1 = Bought it (MMGETMJ=1).....	3577	6.45
		2 = Traded for it (MMGETMJ=2).....	125	0.23
		3 = Got it for free/shared (MMGETMJ=3).....	5151	9.29
		4 = Grew it yourself (MMGETMJ=4).....	71	0.13
		5 = Method Unspecified (MMGETMJ=85,94,97,98).....	302	0.54
		6 = Never Used MJ (MMGETMJ=91,93).....	46209	83.36

NOTE: The following "source of last used marijuana bought" variable (MJPBTFRM) is defined so that respondents with unknown data for whether they obtained marijuana in the past year by buying it (MMGETMJ) or if they bought marijuana (MMBTPYR) in the past year are included in the "Source Unspecified" level (MJPBTFRM=4). This differs from the "location where last used marijuana was bought" variable (MJPBTPL2) where these unknown cases are defined as SAS missing (MJPBTPL2=.). To produce estimates among respondents who reported last obtaining marijuana by buying it or buying marijuana in the past year, the analysis should be restricted to MMGETMJ=1 or MMBTPYR=1.				

MJPBTFRM	1	SOURCE OF LAST USED MARIJUANA BOUGHT		
		1 = Friend (MMBUYWHO=1).....	3875	6.99
		2 = Relative or Family Member (MMBUYWHO=2).....	223	0.40
		3 = Someone Just Met/Did Not Know (MMBUYWHO=3).....	832	1.50
		4 = Source Unspecified (MMBUYWHO=85,94,97,98).....	482	0.87
		5 = Nevr Use MJ/Didn't Buy Last MJ (MMBUYWHO=91,93,99)	50023	90.24

The following variable MJPBTPL2 was assigned a positive response if the respondent reported buying their last used marijuana or buying marijuana in the past 12 months (MMGETMJ=1 OR MMBTPYR=1) and reported the corresponding location of buying the marijuana as noted in the level statements below (MMBPLACE/MMBPLOSP). MJPBTPL2 was assigned missing if a respondent did not report buying their last used marijuana (MMGETMJ=2,3,4,85,91,93,94,97,98) and the respondent did not report buying marijuana in the past year (MMBTPYR=2,91,93,94,97,98).				

MJPBTPL2	1	LOCATION WHERE LAST USED MARIJUANA WAS BOUGHT		
		. = Didn't Buy Last MJ or MJ in PY (See comment above)	50317	90.77
		1 = Inside a Public Building (MMBPLACE=1,11).....	274	0.49
		2 = Outside in Public Area (MMBPLACE=5,15).....	1226	2.21
		3 = Inside School (MMBPLACE=2,12).....	123	0.22
		4 = Outside on School Property (MMBPLACE=3).....	93	0.17
		5 = Inside Home/Apt/Dorm (MMBPLACE=4,14).....	2765	4.99
		6 = Some Oth Place (MMBPLACE=6 & MMBPLOSP=7,14,15,21).....	58	0.10
		7 = Location Unspecified (Otherwise).....	579	1.04

LABEL	LEN	DESCRIPTION	PAGE:	338
			FREQ	%

		NOTE: The following "source of last used free marijuana" variable (MJPFRREGT) is defined so that respondents with unknown data for how they got their last used marijuana (MMGETMJ) or whether they bought (MMBTPYR) or traded something (MMTRADE) for marijuana in the past year are included in the "Source Unspecified" level (MFPFREGT=4). This differs from the "location where last used free marijuana was received" variable (MJPFRPL2) where these unknown cases are defined as SAS missing (MJPFRPL2=.). To produce estimates among respondents who reported obtaining their last used marijuana for free and reported not buying or not trading something for marijuana in the past year, the analysis should be restricted to MMGETMJ=3 and MMBTPYR=2 and MMTRADE=2.		-
MJPFRREGT	1	SOURCE OF LAST USED FREE MARIJUANA		
		1 = Friend (MMFREWHO=1).....	3068	5.53
		2 = Relative or Family Member (MMFREWHO=2).....	325	0.59
		3 = Someone Just Met/Did Not Know (MMFREWHO=3).....	210	0.38
		4 = Source Unspecified (MMFREWHO=94,97,98).....	344	0.62
		5 = Nevr Use MJ/Didn't Get Free MJ (MMFREWHO=91,93,99)	51488	92.88
The following variable MJPFRPL2 was assigned a positive response if the respondent reported getting their last used marijuana for free and reported not buying or trading something for marijuana in the past 12 months (MMGETMJ=3 AND MMBTPYR=2 AND MMTRADE=2) and reported the corresponding location of getting the marijuana for free as noted in the level statements below (MMFPLACE/MMFPLOSP). MJPFRPL2 was assigned missing if any one of the three criteria mentioned above was not met (MMGETMJ=1,2,3,4,85,91,93,94,97,98 OR MMBTPYR=1,2,91,93,94,97,98,99 OR MMTRADE=1,2,91,93,97,98,99).				
MJPFRPL2	1	LOCATION WHERE LAST USED FREE MRJ WAS RECEIVED		
		. = Didn't Get Free MJ (See comment above).....	51782	93.41
		1 = Inside a Public Building (MMFPLACE=1,11).....	116	0.21
		2 = Outside in Public Area (MMFPLACE=5,15).....	616	1.11
		3 = Inside School (MMFPLACE=2,12).....	35	0.06
		4 = Outside on School Property (MMFPLACE=3,13).....	63	0.11
		5 = Inside Home/Apt/Dorm (MMFPLACE=4,14).....	2432	4.39
		6 = Some Oth Plc (MMFPLACE=6 & MMFPLOSP=7,14,25).....	51	0.09
		7 = Location Unspecified (Otherwise).....	340	0.61

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	339
				FREQ	%
(LU01) PRIOR SUBSTANCE USE					

NOTE: The variables MRJYRBFR and MRJAGLST were not edited with respect to one another. Therefore, inconsistencies could exist between these two variables.					
Earlier questions were about the past 12 months. This question is about the year before that, that is, from [DATEFILL - 12 MONTHS] to [DATEFILL]. During that year, beginning [DATEFILL - 12 MONTHS] and ending [DATEFILL], did you use marijuana or hashish, even once?					
MRJYRBFR 2 1USE MJ OR HASHISH EVEN ONCE YR BEFORE LAST					
1 = Yes.....					
2 = No.....					
85 = BAD DATA Logically assigned.....					
91 = NEVER USED MARIJUANA.....					
94 = DON'T KNOW.....					
97 = REFUSED.....					
98 = BLANK (NO ANSWER).....					
8493 15.32					
13073 23.58					
1 0.00					
33690 60.77					
94 0.17					
68 0.12					
16 0.03					
(LU02) The computer recorded that you last used marijuana or hashish [MJREC FILL]. How old were you the last time you used marijuana or hashish?					
MRJAGLST 3 1HOW OLD WERE YOU THE LAST TIME USED MARIJUANA					
RANGE = 1 - 78					
985 = BAD DATA Logically assigned.....					
989 = LEGITIMATE SKIP Logically assigned.....					
991 = NEVER USED MARIJUANA.....					
994 = DON'T KNOW.....					
997 = REFUSED.....					
998 = BLANK (NO ANSWER).....					
999 = LEGITIMATE SKIP.....					
15606 28.15					
509 0.92					
6 0.01					
33690 60.77					
272 0.49					
89 0.16					
131 0.24					
5132 9.26					
(LU02A) NOTE: For respondents whose age at last use was equal to or 1 year less than their current age, responses from questions LU02a, LU02b, LU02c, LU02d, and associated consistency checks were used to create the following two variables.					
MRJYLU 4 1YEAR OF LAST MARIJUANA/HASHISH USE - RECODE					
RANGE = 2005 - 2007					
9985 = BAD DATA Logically assigned.....					
9989 = LEGITIMATE SKIP Logically assn.....					
9991 = NEVER USED MARIJUANA.....					
9994 = DON'T KNOW.....					
9997 = REFUSED.....					
9998 = BLANK (NO ANSWER).....					
9999 = LEGITIMATE SKIP.....					
4907 8.85					
87 0.16					
153 0.28					
33690 60.77					
289 0.52					
94 0.17					
639 1.15					
15576 28.10					

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	340
				FREQ	%
MRJMLU	2	1MONTH OF LAST MARIJUANA/HASHISH USE - RECODE			-
		1 = January.....	454	0.82	
		2 = February.....	303	0.55	
		3 = March.....	399	0.72	
		4 = April.....	337	0.61	
		5 = May.....	351	0.63	
		6 = June.....	402	0.73	
		7 = July.....	458	0.83	
		8 = August.....	417	0.75	
		9 = September.....	303	0.55	
		10 = October.....	323	0.58	
		11 = November.....	321	0.58	
		12 = December.....	390	0.70	
		85 = BAD DATA Logically assigned.....	152	0.27	
		89 = LEGITIMATE SKIP Logically assn.....	153	0.28	
		91 = NEVER USED MARIJUANA.....	33690	60.77	
		94 = DON'T KNOW.....	629	1.13	
		97 = REFUSED.....	130	0.23	
		98 = BLANK (NO ANSWER).....	647	1.17	
		99 = LEGITIMATE SKIP.....	15576	28.10	

(LU03) Earlier the computer recorded that you last smoked part or all of a cigarette [CG06]. How old were you the last time you smoked part or all of a cigarette?

CIGAGLST 3 1HOW OLD WERE YOU THE LAST TIME SMOKED CIGARETTE

RANGE =	1 - 85	15365	27.72
985 =	BAD DATA Logically assigned.....	478	0.86
989 =	LEGITIMATE SKIP Logically assigned.....	2	0.00
991 =	NEVER USED CIGARETTES.....	25005	45.11
994 =	DON'T KNOW.....	258	0.47
997 =	REFUSED.....	32	0.06
998 =	BLANK (NO ANSWER).....	46	0.08
999 =	LEGITIMATE SKIP.....	14249	25.70

(LU03A) NOTE: For respondents whose age at last use was equal to or 1 year less than their current age, responses from questions LU03a, LU03b, LU03c, LU03d, and associated consistency checks were used to create the following two variables.

CIGYLU 4 1YEAR OF LAST CIGARETTE USE - RECODE

RANGE =	2005 - 2007	4103	7.40
9985 =	BAD DATA Logically assigned.....	76	0.14
9989 =	LEGITIMATE SKIP Logically assn.....	73	0.13
9991 =	NEVER USED CIGARETTES.....	25005	45.11
9994 =	DON'T KNOW.....	267	0.48
9997 =	REFUSED.....	34	0.06
9998 =	BLANK (NO ANSWER).....	537	0.97
9999 =	LEGITIMATE SKIP.....	25340	45.71

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	341
			FREQ	%
CIGMLU	2	1MONTH OF LAST CIGARETTE USE - RECODE		-
		1 = January.....	389	0.70
		2 = February.....	266	0.48
		3 = March.....	310	0.56
		4 = April.....	242	0.44
		5 = May.....	298	0.54
		6 = June.....	345	0.62
		7 = July.....	361	0.65
		8 = August.....	350	0.63
		9 = September.....	294	0.53
		10 = October.....	288	0.52
		11 = November.....	283	0.51
		12 = December.....	343	0.62
		85 = BAD DATA Logically assigned.....	163	0.29
		89 = LEGITIMATE SKIP Logically assn.....	73	0.13
		91 = NEVER USED CIGARETTES.....	25005	45.11
		94 = DON'T KNOW.....	498	0.90
		97 = REFUSED.....	45	0.08
		98 = BLANK (NO ANSWER).....	542	0.98
		99 = LEGITIMATE SKIP.....	25340	45.71

(LU04) Earlier the computer also recorded that there was a period in your life when you smoked cigarettes every day for at least 30 days. How old were you when you last smoked cigarettes daily?

CIGDLLST	3	1HOW OLD WERE YOU THE LAST TIME SMOKED CIGS DAILY		
RANGE	=	5 - 86	7709	13.91
985	=	BAD DATA Logically assigned.....	151	0.27
991	=	NEVER USED CIGARETTES.....	25005	45.11
994	=	DON'T KNOW.....	109	0.20
997	=	REFUSED.....	25	0.05
998	=	BLANK (NO ANSWER).....	11	0.02
999	=	LEGITIMATE SKIP.....	22425	40.45

(LU04A) NOTE: For respondents whose age at last use was equal to or 1 year less than their current age, responses from questions LU04a, LU04b, LU04c, LU04d, and associated consistency checks were used to create the following two variables.

CIGDLYLU	4	1YEAR OF LAST CIGARETTE USE EVERY DAY - RECODE		
RANGE	=	2005 - 2007	2569	4.63
9985	=	BAD DATA Logically assigned.....	34	0.06
9989	=	LEGITIMATE SKIP Logically assn.....	40	0.07
9991	=	NEVER USED CIGARETTES.....	25005	45.11
9994	=	DON'T KNOW.....	109	0.20
9997	=	REFUSED.....	25	0.05
9998	=	BLANK (NO ANSWER).....	168	0.30
9999	=	LEGITIMATE SKIP.....	27485	49.58

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	342
				FREQ	%
CIGDLMLU	2	1MONTH OF LAST CIGARETTE USE EVERY DAY - RECODE			-
		1 = January.....	309	0.56	
		2 = February.....	165	0.30	
		3 = March.....	174	0.31	
		4 = April.....	227	0.41	
		5 = May.....	174	0.31	
		6 = June.....	162	0.29	
		7 = July.....	249	0.45	
		8 = August.....	194	0.35	
		9 = September.....	160	0.29	
		10 = October.....	220	0.40	
		11 = November.....	175	0.32	
		12 = December.....	267	0.48	
		85 = BAD DATA Logically assigned.....	60	0.11	
		89 = LEGITIMATE SKIP Logically assn.....	40	0.07	
		91 = NEVER USED CIGARETTES.....	25005	45.11	
		94 = DON'T KNOW.....	169	0.30	
		97 = REFUSED.....	32	0.06	
		98 = BLANK (NO ANSWER).....	168	0.30	
		99 = LEGITIMATE SKIP.....	27485	49.58	
(LU05)		The computer recorded that you last used snuff [CGSNREC FILL]. How old were you the last time you used snuff?			
SNFAGLST	3	1HOW OLD WERE YOU LAST THE TIME USED SNUFF			
		RANGE = 1 - 78	5002	9.02	
		985 = BAD DATA Logically assigned.....	444	0.80	
		991 = NEVER USED SNUFF.....	47838	86.30	
		994 = DON'T KNOW.....	150	0.27	
		997 = REFUSED.....	41	0.07	
		998 = BLANK (NO ANSWER).....	36	0.06	
		999 = LEGITIMATE SKIP.....	1924	3.47	
(LU05A)		NOTE: For respondents whose age at last use was equal to or 1 year less than their current age, responses from questions LU05a, LU05b, LU05c, LU05d, and associated consistency checks were used to create the following two variables.			
SNUFYLU	4	1YEAR OF LAST SNUFF USE - RECODE			
		RANGE = 2005 - 2007	1228	2.22	
		9985 = BAD DATA Logically assigned.....	46	0.08	
		9989 = LEGITIMATE SKIP Logically assn.....	27	0.05	
		9991 = NEVER USED SNUFF.....	47838	86.30	
		9994 = DON'T KNOW.....	155	0.28	
		9997 = REFUSED.....	42	0.08	
		9998 = BLANK (NO ANSWER).....	475	0.86	
		9999 = LEGITIMATE SKIP.....	5624	10.15	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	343
				FREQ	%
SNUFMLU	2	1MONTH OF LAST SNUFF USE - RECODE			-
		1 = January.....	93	0.17	
		2 = February.....	75	0.14	
		3 = March.....	75	0.14	
		4 = April.....	75	0.14	
		5 = May.....	82	0.15	
		6 = June.....	95	0.17	
		7 = July.....	107	0.19	
		8 = August.....	105	0.19	
		9 = September.....	90	0.16	
		10 = October.....	95	0.17	
		11 = November.....	92	0.17	
		12 = December.....	68	0.12	
		85 = BAD DATA Logically assigned.....	109	0.20	
		89 = LEGITIMATE SKIP Logically assn.....	27	0.05	
		91 = NEVER USED SNUFF.....	47838	86.30	
		94 = DON'T KNOW.....	257	0.46	
		97 = REFUSED.....	45	0.08	
		98 = BLANK (NO ANSWER).....	483	0.87	
		99 = LEGITIMATE SKIP.....	5624	10.15	

(LU06) The computer recorded that you last used chewing tobacco [CG20REC FILL]. How old were you the last time you used chewing tobacco?

CHWAGLST	3	1HOW OLD WERE YOU LAST TIME USED CHEWING TOBACCO			
		RANGE = 1 - 79	4882	8.81	
		985 = BAD DATA Logically assigned.....	359	0.65	
		989 = LEGITIMATE SKIP Logically assigned.....	1	0.00	
		991 = NEVER USED CHEWING TOBACCO.....	49144	88.65	
		994 = DON'T KNOW.....	153	0.28	
		997 = REFUSED.....	28	0.05	
		998 = BLANK (NO ANSWER).....	26	0.05	
		999 = LEGITIMATE SKIP.....	842	1.52	

(LU06A) NOTE: For respondents whose age at last use was equal to or 1 year less than their current age, responses from questions LU06a, LU06b, LU06c, LU06d, and associated consistency checks were used to create the following two variables.

CHEWYLU	4	1YEAR OF LAST CHEWING TOBACCO USE - RECODE			
		RANGE = 2005 - 2007	1144	2.06	
		9985 = BAD DATA Logically assigned.....	39	0.07	
		9989 = LEGITIMATE SKIP Logically assn.....	17	0.03	
		9991 = NEVER USED CHEWING TOBACCO.....	49144	88.65	
		9994 = DON'T KNOW.....	153	0.28	
		9997 = REFUSED.....	28	0.05	
		9998 = BLANK (NO ANSWER).....	378	0.68	
		9999 = LEGITIMATE SKIP.....	4532	8.18	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	344
				FREQ	%
CHEWMLU	2	1MONTH OF LAST CHEWING TOBACCO USE - RECODE			-
		1 = January.....	102	0.18	
		2 = February.....	83	0.15	
		3 = March.....	75	0.14	
		4 = April.....	83	0.15	
		5 = May.....	83	0.15	
		6 = June.....	70	0.13	
		7 = July.....	103	0.19	
		8 = August.....	93	0.17	
		9 = September.....	95	0.17	
		10 = October.....	92	0.17	
		11 = November.....	87	0.16	
		12 = December.....	53	0.10	
		85 = BAD DATA Logically assigned.....	76	0.14	
		89 = LEGITIMATE SKIP Logically assn.....	17	0.03	
		91 = NEVER USED CHEWING TOBACCO.....	49144	88.65	
		94 = DON'T KNOW.....	236	0.43	
		97 = REFUSED.....	28	0.05	
		98 = BLANK (NO ANSWER).....	383	0.69	
		99 = LEGITIMATE SKIP.....	4532	8.18	

(LU07) The computer recorded that you last smoked part or all of a cigar [CG37REC FILL]. How old were you the last time you smoked part or all of a cigar?

CGRAGLST	3	1HOW OLD WERE YOU THE LAST TIME SMOKED CIGAR			
		RANGE = 1 - 89	12543	22.63	
		985 = BAD DATA Logically assigned.....	703	1.27	
		989 = LEGITIMATE SKIP Logically assigned.....	3	0.01	
		991 = NEVER USED CIGARS.....	37844	68.27	
		994 = DON'T KNOW.....	387	0.70	
		997 = REFUSED.....	58	0.10	
		998 = BLANK (NO ANSWER).....	26	0.05	
		999 = LEGITIMATE SKIP.....	3871	6.98	

(LU07A) NOTE: For respondents whose age at last use was equal to or 1 year less than their current age, responses from questions LU07a, LU07b, LU07c, LU07d, and associated consistency checks were used to create the following two variables.

CIGARYLU	4	1YEAR OF LAST CIGAR USE - RECODE			
		RANGE = 2005 - 2007	4982	8.99	
		9985 = BAD DATA Logically assigned.....	117	0.21	
		9989 = LEGITIMATE SKIP Logically assn.....	112	0.20	
		9991 = NEVER USED CIGARS.....	37844	68.27	
		9994 = DON'T KNOW.....	396	0.71	
		9997 = REFUSED.....	60	0.11	
		9998 = BLANK (NO ANSWER).....	728	1.31	
		9999 = LEGITIMATE SKIP.....	11196	20.20	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	345
				FREQ	%
CIGARMLU	2	1MONTH OF LAST CIGAR USE - RECODE			-
		1 = January.....	450	0.81	
		2 = February.....	288	0.52	
		3 = March.....	353	0.64	
		4 = April.....	296	0.53	
		5 = May.....	359	0.65	
		6 = June.....	412	0.74	
		7 = July.....	555	1.00	
		8 = August.....	447	0.81	
		9 = September.....	310	0.56	
		10 = October.....	324	0.58	
		11 = November.....	323	0.58	
		12 = December.....	393	0.71	
		85 = BAD DATA Logically assigned.....	227	0.41	
		89 = LEGITIMATE SKIP Logically assn.....	112	0.20	
		91 = NEVER USED CIGARS.....	37844	68.27	
		94 = DON'T KNOW.....	735	1.33	
		97 = REFUSED.....	70	0.13	
		98 = BLANK (NO ANSWER).....	741	1.34	
		99 = LEGITIMATE SKIP.....	11196	20.20	

(LU08) The computer recorded that you last drank an alcoholic beverage [ALCREC FILL]. How old were you the last time you drank an alcoholic beverage?

ALCAGLST	3	1HOW OLD WERE YOU LAST TIME DRANK ALCOHOL BEVERAGE			
		RANGE = 2 - 92	14731	26.57	
		985 = BAD DATA Logically assigned.....	185	0.33	
		989 = LEGITIMATE SKIP Logically assigned.....	13	0.02	
		991 = NEVER USED ALCOHOL.....	15189	27.40	
		994 = DON'T KNOW.....	282	0.51	
		997 = REFUSED.....	87	0.16	
		998 = BLANK (NO ANSWER).....	370	0.67	
		999 = LEGITIMATE SKIP.....	24578	44.34	

(LU08A) NOTE: For respondents whose age at last use was equal to or 1 year less than their current age, responses from questions LU08a, LU08b, LU08c, LU08d, and associated consistency checks were used to create the following two variables.

ALCYLU	4	1YEAR OF LAST ALCOHOL USE - RECODE			
		RANGE = 2005 - 2007	10153	18.32	
		9985 = BAD DATA Logically assigned.....	148	0.27	
		9989 = LEGITIMATE SKIP Logically assn.....	117	0.21	
		9991 = NEVER USED ALCOHOL.....	15189	27.40	
		9994 = DON'T KNOW.....	298	0.54	
		9997 = REFUSED.....	92	0.17	
		9998 = BLANK (NO ANSWER).....	558	1.01	
		9999 = LEGITIMATE SKIP.....	28880	52.10	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	346
				FREQ	%
ALCMLU	2	1MONTH OF LAST ALCOHOL USE - RECODE			-
		1 = January.....	1318	2.38	
		2 = February.....	647	1.17	
		3 = March.....	759	1.37	
		4 = April.....	577	1.04	
		5 = May.....	727	1.31	
		6 = June.....	792	1.43	
		7 = July.....	962	1.74	
		8 = August.....	852	1.54	
		9 = September.....	668	1.21	
		10 = October.....	519	0.94	
		11 = November.....	587	1.06	
		12 = December.....	1228	2.22	
		85 = BAD DATA Logically assigned.....	213	0.38	
		89 = LEGITIMATE SKIP Logically assn.....	116	0.21	
		91 = NEVER USED ALCOHOL.....	15189	27.40	
		94 = DON'T KNOW.....	718	1.30	
		97 = REFUSED.....	112	0.20	
		98 = BLANK (NO ANSWER).....	570	1.03	
		99 = LEGITIMATE SKIP.....	28881	52.10	

(LU09) The computer recorded that you last used cocaine [CCREC FILL]. How old were you the last time you used cocaine?

COAGLST	3	1HOW OLD WERE YOU THE LAST TIME USED COCAINE			
		RANGE = 8 - 64	5500	9.92	
		985 = BAD DATA Logically assigned.....	393	0.71	
		989 = LEGITIMATE SKIP Logically assigned.....	28	0.05	
		991 = NEVER USED COCAINE.....	48750	87.94	
		994 = DON'T KNOW.....	123	0.22	
		997 = REFUSED.....	52	0.09	
		998 = BLANK (NO ANSWER).....	46	0.08	
		999 = LEGITIMATE SKIP.....	543	0.98	

(LU09A) NOTE: For respondents whose age at last use was equal to or 1 year less than their current age, responses from questions LU09a, LU09b, LU09c, LU09d, and associated consistency checks were used to create the following two variables.

COCYLU	4	1YEAR OF LAST COCAINE USE - RECODE			
		RANGE = 2005 - 2007	1556	2.81	
		9985 = BAD DATA Logically assigned.....	36	0.06	
		9989 = LEGITIMATE SKIP Logically assn.....	64	0.12	
		9991 = NEVER USED COCAINE.....	48750	87.94	
		9994 = DON'T KNOW.....	129	0.23	
		9997 = REFUSED.....	52	0.09	
		9998 = BLANK (NO ANSWER).....	464	0.84	
		9999 = LEGITIMATE SKIP.....	4384	7.91	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	347
			FREQ	%
COCMLU	2	1MONTH OF LAST COCAINE USE - RECODE		-
		1 = January.....	163	0.29
		2 = February.....	123	0.22
		3 = March.....	132	0.24
		4 = April.....	91	0.16
		5 = May.....	110	0.20
		6 = June.....	98	0.18
		7 = July.....	150	0.27
		8 = August.....	121	0.22
		9 = September.....	97	0.17
		10 = October.....	115	0.21
		11 = November.....	107	0.19
		12 = December.....	128	0.23
		85 = BAD DATA Logically assigned.....	76	0.14
		89 = LEGITIMATE SKIP Logically assn.....	64	0.12
		91 = NEVER USED COCAINE.....	48750	87.94
		94 = DON'T KNOW.....	201	0.36
		97 = REFUSED.....	59	0.11
		98 = BLANK (NO ANSWER).....	466	0.84
		99 = LEGITIMATE SKIP.....	4384	7.91

(LU10) The computer recorded that you last used 'crack'
[CKREC FILL]. How old were you the last time you
used 'crack'?

CRKAGLST	3	1HOW OLD WERE YOU THE LAST TIME USED CRACK		
		RANGE = 8 - 64	1304	2.35
		985 = BAD DATA Logically assigned.....	164	0.30
		989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		991 = NEVER USED CRACK.....	53750	96.96
		994 = DON'T KNOW.....	42	0.08
		997 = REFUSED.....	28	0.05
		998 = BLANK (NO ANSWER).....	21	0.04
		999 = LEGITIMATE SKIP.....	125	0.23

(LU10A) NOTE: For respondents whose age at last use
was equal to or 1 year less than their current
age, responses from questions LU10a, LU10b, LU10c,
LU10d, and associated consistency checks were used
to create the following two variables.

CRKYLU	4	1YEAR OF LAST CRACK USE - RECODE		
		RANGE = 2005 - 2007	313	0.56
		9985 = BAD DATA Logically assigned.....	10	0.02
		9989 = LEGITIMATE SKIP Logically assn.....	6	0.01
		9991 = NEVER USED CRACK.....	53750	96.96
		9994 = DON'T KNOW.....	43	0.08
		9997 = REFUSED.....	28	0.05
		9998 = BLANK (NO ANSWER).....	183	0.33
		9999 = LEGITIMATE SKIP.....	1102	1.99

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	348
				FREQ	%
CRKMLU	2	1MONTH OF LAST CRACK USE - RECODE			-
		1 = January.....	28	0.05	
		2 = February.....	26	0.05	
		3 = March.....	24	0.04	
		4 = April.....	23	0.04	
		5 = May.....	14	0.03	
		6 = June.....	18	0.03	
		7 = July.....	24	0.04	
		8 = August.....	28	0.05	
		9 = September.....	23	0.04	
		10 = October.....	22	0.04	
		11 = November.....	23	0.04	
		12 = December.....	24	0.04	
		85 = BAD DATA Logically assigned.....	27	0.05	
		89 = LEGITIMATE SKIP Logically assn.....	6	0.01	
		91 = NEVER USED CRACK.....	53750	96.96	
		94 = DON'T KNOW.....	60	0.11	
		97 = REFUSED.....	29	0.05	
		98 = BLANK (NO ANSWER).....	184	0.33	
		99 = LEGITIMATE SKIP.....	1102	1.99	

(LU11) The computer recorded that you last used heroin [HEREC FILL]. How old were you the last time you used heroin?

HERAGLST	3	1HOW OLD WERE YOU THE LAST TIME USED HEROIN			
		RANGE = 8 - 64	544	0.98	
		985 = BAD DATA Logically assigned.....	74	0.13	
		989 = LEGITIMATE SKIP Logically assigned.....	1	0.00	
		991 = NEVER USED HEROIN.....	54713	98.70	
		994 = DON'T KNOW.....	23	0.04	
		997 = REFUSED.....	7	0.01	
		998 = BLANK (NO ANSWER).....	29	0.05	
		999 = LEGITIMATE SKIP.....	44	0.08	

(LU11A) NOTE: For respondents whose age at last use was equal to or 1 year less than their current age, responses from questions LU11a, LU11b, LU11c, LU11d, and associated consistency checks were used to create the following two variables.

HERYLU	4	1YEAR OF LAST HEROIN USE - RECODE			
		RANGE = 2005 - 2007	122	0.22	
		9985 = BAD DATA Logically assigned.....	6	0.01	
		9989 = LEGITIMATE SKIP Logically assn.....	2	0.00	
		9991 = NEVER USED HEROIN.....	54713	98.70	
		9994 = DON'T KNOW.....	24	0.04	
		9997 = REFUSED.....	7	0.01	
		9998 = BLANK (NO ANSWER).....	102	0.18	
		9999 = LEGITIMATE SKIP.....	459	0.83	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	349
			FREQ	%
HERMLU	2	1MONTH OF LAST HEROIN USE - RECODE		-
		1 = January.....	9	0.02
		2 = February.....	8	0.01
		3 = March.....	12	0.02
		4 = April.....	5	0.01
		5 = May.....	7	0.01
		6 = June.....	13	0.02
		7 = July.....	11	0.02
		8 = August.....	15	0.03
		9 = September.....	7	0.01
		10 = October.....	9	0.02
		11 = November.....	8	0.01
		12 = December.....	2	0.00
		85 = BAD DATA Logically assigned.....	12	0.02
		89 = LEGITIMATE SKIP Logically assn.....	2	0.00
		91 = NEVER USED HEROIN.....	54713	98.70
		94 = DON'T KNOW.....	32	0.06
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	103	0.19
		99 = LEGITIMATE SKIP.....	459	0.83

(LU12) The computer recorded that you last used [LSFILL] [HALLREC FILL]. How old were you the last time you used [LSFILL]?

HALAGLST	3	1HOW OLD WERE YOU THE LAST TIME USED HALLUCINOGEN		
		RANGE = 1 - 75	6395	11.54
		985 = BAD DATA Logically assigned.....	445	0.80
		989 = LEGITIMATE SKIP Logically assigned.....	21	0.04
		991 = NEVER USED HALLUCINOGENS.....	47722	86.09
		994 = DON'T KNOW.....	163	0.29
		997 = REFUSED.....	43	0.08
		998 = BLANK (NO ANSWER).....	217	0.39
		999 = LEGITIMATE SKIP.....	429	0.77

(LU12A) NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions LU12a, LU12b, LU12c, LU12d, and associated consistency checks were used to create the following two variables.

HALYLU	4	1YEAR OF LAST HALLUCINOGEN USE - RECODE		
		RANGE = 2005 - 2007	1601	2.89
		9985 = BAD DATA Logically assigned.....	41	0.07
		9989 = LEGITIMATE SKIP Logically assn.....	45	0.08
		9991 = NEVER USED HALLUCINOGENS.....	47722	86.09
		9994 = DON'T KNOW.....	167	0.30
		9997 = REFUSED.....	46	0.08
		9998 = BLANK (NO ANSWER).....	768	1.39
		9999 = LEGITIMATE SKIP.....	5045	9.10

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	350
				FREQ	%
HALMLU	2	1MONTH OF LAST HALLUCINOGEN USE - RECODE			-
		1 = January.....	125	0.23	
		2 = February.....	113	0.20	
		3 = March.....	119	0.21	
		4 = April.....	91	0.16	
		5 = May.....	113	0.20	
		6 = June.....	147	0.27	
		7 = July.....	159	0.29	
		8 = August.....	146	0.26	
		9 = September.....	87	0.16	
		10 = October.....	115	0.21	
		11 = November.....	102	0.18	
		12 = December.....	90	0.16	
		85 = BAD DATA Logically assigned.....	126	0.23	
		89 = LEGITIMATE SKIP Logically assn.....	45	0.08	
		91 = NEVER USED HALLUCINOGENS.....	47722	86.09	
		94 = DON'T KNOW.....	265	0.48	
		97 = REFUSED.....	51	0.09	
		98 = BLANK (NO ANSWER).....	774	1.40	
		99 = LEGITIMATE SKIP.....	5045	9.10	
(LU13)		The computer recorded that you last used LSD [LSDREC FILL]. How old were you the last time you used LSD?			
LSDAGLST	3	1HOW OLD WERE YOU THE LAST TIME USED LSD			
		RANGE = 8 - 75	3533	6.37	
		985 = BAD DATA Logically assigned.....	173	0.31	
		991 = NEVER USED LSD.....	51365	92.66	
		994 = DON'T KNOW.....	89	0.16	
		997 = REFUSED.....	20	0.04	
		998 = BLANK (NO ANSWER).....	183	0.33	
		999 = LEGITIMATE SKIP.....	72	0.13	
(LU13A)		NOTE: For respondents whose age at last use was equal to or 1 year less than their current age, responses from questions LU13a, LU13b, LU13c, LU13d, and associated consistency checks were used to create the following two variables.			
LSDYLU	4	1YEAR OF LAST LSD USE - RECODE			
		RANGE = 2005 - 2007	358	0.65	
		9985 = BAD DATA Logically assigned.....	8	0.01	
		9989 = LEGITIMATE SKIP Logically assn.....	7	0.01	
		9991 = NEVER USED LSD.....	51365	92.66	
		9994 = DON'T KNOW.....	89	0.16	
		9997 = REFUSED.....	20	0.04	
		9998 = BLANK (NO ANSWER).....	358	0.65	
		9999 = LEGITIMATE SKIP.....	3230	5.83	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	351
				FREQ	%
LSDMLU	2	1MONTH OF LAST LSD USE - RECODE			-
		1 = January.....	26	0.05	
		2 = February.....	24	0.04	
		3 = March.....	23	0.04	
		4 = April.....	25	0.05	
		5 = May.....	23	0.04	
		6 = June.....	28	0.05	
		7 = July.....	30	0.05	
		8 = August.....	39	0.07	
		9 = September.....	27	0.05	
		10 = October.....	27	0.05	
		11 = November.....	24	0.04	
		12 = December.....	18	0.03	
		85 = BAD DATA Logically assigned.....	26	0.05	
		89 = LEGITIMATE SKIP Logically assn.....	7	0.01	
		91 = NEVER USED LSD.....	51365	92.66	
		94 = DON'T KNOW.....	106	0.19	
		97 = REFUSED.....	20	0.04	
		98 = BLANK (NO ANSWER).....	367	0.66	
		99 = LEGITIMATE SKIP.....	3230	5.83	

(LU14) The computer recorded that you last used PCP [PCPREC FILL]. How old were you the last time you used PCP?

PCPAGLST	3	1HOW OLD WERE YOU THE LAST TIME USED PCP			
		RANGE = 8 - 51	839	1.51	
		985 = BAD DATA Logically assigned.....	101	0.18	
		991 = NEVER USED PCP.....	54360	98.06	
		994 = DON'T KNOW.....	35	0.06	
		997 = REFUSED.....	14	0.03	
		998 = BLANK (NO ANSWER).....	71	0.13	
		999 = LEGITIMATE SKIP.....	15	0.03	

(LU14A) NOTE: For respondents whose age at last use was equal to or 1 year less than their current age, responses from questions LU14a, LU14b, LU14c, LU14d, and associated consistency checks were used to create the following two variables.

PCPYLU	4	1YEAR OF LAST PCP USE - RECODE			
		RANGE = 2005 - 2007	85	0.15	
		9985 = BAD DATA Logically assigned.....	2	0.00	
		9989 = LEGITIMATE SKIP Logically assn.....	2	0.00	
		9991 = NEVER USED PCP.....	54360	98.06	
		9994 = DON'T KNOW.....	35	0.06	
		9997 = REFUSED.....	14	0.03	
		9998 = BLANK (NO ANSWER).....	173	0.31	
		9999 = LEGITIMATE SKIP.....	764	1.38	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	352
				FREQ	%
PCPMLU	2	1MONTH OF LAST PCP USE - RECODE			-
		1 = January.....	6	0.01	
		2 = February.....	7	0.01	
		3 = March.....	6	0.01	
		4 = April.....	5	0.01	
		5 = May.....	5	0.01	
		6 = June.....	5	0.01	
		7 = July.....	4	0.01	
		8 = August.....	11	0.02	
		9 = September.....	4	0.01	
		10 = October.....	6	0.01	
		11 = November.....	5	0.01	
		12 = December.....	5	0.01	
		85 = BAD DATA Logically assigned.....	7	0.01	
		89 = LEGITIMATE SKIP Logically assn.....	2	0.00	
		91 = NEVER USED PCP.....	54360	98.06	
		94 = DON'T KNOW.....	41	0.07	
		97 = REFUSED.....	14	0.03	
		98 = BLANK (NO ANSWER).....	178	0.32	
		99 = LEGITIMATE SKIP.....	764	1.38	

(LU15) The computer recorded that you last used 'Ecstasy' also known as MDMA [ECSTREC FILL]. How old were you the last time you used 'Ecstasy'?

ECSAGLST	3	1HOW OLD WERE YOU THE LAST TIME USED ECSTASY			
		RANGE = 8 - 56	3123	5.63	
		985 = BAD DATA Logically assigned.....	187	0.34	
		991 = NEVER USED ECSTASY.....	51700	93.26	
		994 = DON'T KNOW.....	35	0.06	
		997 = REFUSED.....	17	0.03	
		998 = BLANK (NO ANSWER).....	180	0.32	
		999 = LEGITIMATE SKIP.....	193	0.35	

(LU15A) NOTE: For respondents whose age at last use was equal to or 1 year less than their current age, responses from questions LU15a, LU15b, LU15c, LU15d, and associated consistency checks were used to create the following two variables.

ECSYLU	4	1YEAR OF LAST ECSTASY USE - RECODE			
		RANGE = 2005 - 2007	974	1.76	
		9985 = BAD DATA Logically assigned.....	15	0.03	
		9989 = LEGITIMATE SKIP Logically assn.....	13	0.02	
		9991 = NEVER USED ECSTASY.....	51700	93.26	
		9994 = DON'T KNOW.....	36	0.06	
		9997 = REFUSED.....	17	0.03	
		9998 = BLANK (NO ANSWER).....	373	0.67	
		9999 = LEGITIMATE SKIP.....	2307	4.16	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	353
			FREQ	%
ECSMLU	2	1MONTH OF LAST ECSTASY USE - RECODE		-
		1 = January.....	94	0.17
		2 = February.....	71	0.13
		3 = March.....	73	0.13
		4 = April.....	61	0.11
		5 = May.....	74	0.13
		6 = June.....	94	0.17
		7 = July.....	83	0.15
		8 = August.....	86	0.16
		9 = September.....	70	0.13
		10 = October.....	75	0.14
		11 = November.....	54	0.10
		12 = December.....	57	0.10
		85 = BAD DATA Logically assigned.....	34	0.06
		89 = LEGITIMATE SKIP Logically assn.....	13	0.02
		91 = NEVER USED ECSTASY.....	51700	93.26
		94 = DON'T KNOW.....	61	0.11
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	410	0.74
		99 = LEGITIMATE SKIP.....	2307	4.16

(LU16) The computer recorded that you last used any inhalants for kicks or to get high [INREC FILL]. How old were you the last time you used any inhalants for kicks or to get high?

INHAGLST	3	1HOW OLD WERE YOU THE LAST TIME USED INHALANTS		
		RANGE = 1 - 65	4643	8.38
		985 = BAD DATA Logically assigned.....	559	1.01
		989 = LEGITIMATE SKIP Logically assigned.....	3	0.01
		991 = NEVER USED INHALANTS.....	49379	89.08
		994 = DON'T KNOW.....	251	0.45
		997 = REFUSED.....	97	0.17
		998 = BLANK (NO ANSWER).....	219	0.40
		999 = LEGITIMATE SKIP.....	284	0.51

(LU16A) NOTE: For respondents whose age at last use was equal to or 1 year less than their current age, responses from questions LU16a, LU16b, LU16c, LU16d, and associated consistency checks were used to create the following two variables.

INHYLU	4	1YEAR OF LAST INHALANT USE - RECODE		
		RANGE = 2005 - 2007	1103	1.99
		9985 = BAD DATA Logically assigned.....	47	0.08
		9989 = LEGITIMATE SKIP Logically assn.....	27	0.05
		9991 = NEVER USED INHALANTS.....	49379	89.08
		9994 = DON'T KNOW.....	254	0.46
		9997 = REFUSED.....	101	0.18
		9998 = BLANK (NO ANSWER).....	768	1.39
		9999 = LEGITIMATE SKIP.....	3756	6.78

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	354
			FREQ	%
INHMLU	2	1MONTH OF LAST INHALANT USE - RECODE		-
		1 = January.....	78	0.14
		2 = February.....	76	0.14
		3 = March.....	98	0.18
		4 = April.....	66	0.12
		5 = May.....	84	0.15
		6 = June.....	83	0.15
		7 = July.....	69	0.12
		8 = August.....	77	0.14
		9 = September.....	63	0.11
		10 = October.....	81	0.15
		11 = November.....	73	0.13
		12 = December.....	71	0.13
		85 = BAD DATA Logically assigned.....	90	0.16
		89 = LEGITIMATE SKIP Logically assn.....	27	0.05
		91 = NEVER USED INHALANTS.....	49379	89.08
		94 = DON'T KNOW.....	368	0.66
		97 = REFUSED.....	112	0.20
		98 = BLANK (NO ANSWER).....	784	1.41
		99 = LEGITIMATE SKIP.....	3756	6.78

(LU17) The computer recorded that you last used a prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused [PRREC FILL]. How old were you the last time you used any prescription pain reliever in either of these ways?

ANLAGLST	3	1HOW OLD WERE YOU THE LAST TIME USED PAIN RELIEVER		
		RANGE = 1 - 75	6451	11.64
		981 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16
		985 = BAD DATA Logically assigned.....	450	0.81
		989 = LEGITIMATE SKIP Logically assigned.....	11	0.02
		991 = NEVER USED PAIN RELIEVERS.....	46138	83.23
		994 = DON'T KNOW.....	293	0.53
		997 = REFUSED.....	87	0.16
		998 = BLANK (NO ANSWER).....	341	0.62
		999 = LEGITIMATE SKIP.....	1577	2.84

(LU17A) NOTE: For respondents whose age at last use was equal to or 1 year less than their current age, responses from questions LU17a, LU17b, LU17c, LU17d, and associated consistency checks were used to create the following two variables.

ANALYLU	4	1YEAR OF LAST PAIN RELIEVER USE - RECODE		
		RANGE = 2005 - 2007	3126	5.64
		9981 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16
		9985 = BAD DATA Logically assigned.....	98	0.18
		9989 = LEGITIMATE SKIP Logically assn.....	84	0.15
		9991 = NEVER USED PAIN RELIEVERS.....	46138	83.23
		9994 = DON'T KNOW.....	306	0.55
		9997 = REFUSED.....	93	0.17
		9998 = BLANK (NO ANSWER).....	797	1.44
		9999 = LEGITIMATE SKIP.....	4706	8.49

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	355
				FREQ	%
ANALMLU	2	1MONTH OF LAST PAIN RELIEVER USE - RECODE			-
		1 = January.....	291	0.52	
		2 = February.....	220	0.40	
		3 = March.....	245	0.44	
		4 = April.....	197	0.36	
		5 = May.....	229	0.41	
		6 = June.....	231	0.42	
		7 = July.....	219	0.40	
		8 = August.....	225	0.41	
		9 = September.....	227	0.41	
		10 = October.....	232	0.42	
		11 = November.....	244	0.44	
		12 = December.....	219	0.40	
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16	
		85 = BAD DATA Logically assigned.....	190	0.34	
		89 = LEGITIMATE SKIP Logically assn.....	84	0.15	
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23	
		94 = DON'T KNOW.....	529	0.95	
		97 = REFUSED.....	101	0.18	
		98 = BLANK (NO ANSWER).....	821	1.48	
		99 = LEGITIMATE SKIP.....	4706	8.49	

(LU17E) The computer recorded that you last used OxyContin that was not prescribed for you or that you took only for the experience or feeling it caused [OXYREC FILL]. How old were you the last time you used OxyContin in either of these ways?

OXYAGLST	3	1HOW OLD WERE YOU THE LAST TIME USED OXYCONTIN			
		RANGE = 12 - 60	1285	2.32	
		981 = NEVER USED OXYCONTIN Logically assigned.....	2406	4.34	
		985 = BAD DATA Logically assigned.....	104	0.19	
		989 = LEGITIMATE SKIP Logically assigned.....	3	0.01	
		991 = NEVER USED OXYCONTIN.....	51237	92.43	
		994 = DON'T KNOW.....	38	0.07	
		997 = REFUSED.....	47	0.08	
		998 = BLANK (NO ANSWER).....	165	0.30	
		999 = LEGITIMATE SKIP.....	150	0.27	

(LU17F) NOTE: For respondents whose age at last use was equal to or 1 year less than their current age, responses from questions LU17f, LU17g, LU17h, LU17i, and associated consistency checks were used to create the following two variables.

OXYCYLU	4	1YEAR OF LAST OXYCONTIN USE - RECODE			
		RANGE = 2005 - 2007	584	1.05	
		9981 = NEVER USED OXYCONTIN Logically assigned.....	2406	4.34	
		9985 = BAD DATA Logically assigned.....	13	0.02	
		9989 = LEGITIMATE SKIP Logically assn.....	15	0.03	
		9991 = NEVER USED OXYCONTIN.....	51237	92.43	
		9994 = DON'T KNOW.....	39	0.07	
		9997 = REFUSED.....	47	0.08	
		9998 = BLANK (NO ANSWER).....	271	0.49	
		9999 = LEGITIMATE SKIP.....	823	1.48	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	356
				FREQ	%
OXYCMLU	2	1MONTH OF LAST OXYCONTIN USE - RECODE			-
		1 = January.....	44	0.08	
		2 = February.....	38	0.07	
		3 = March.....	43	0.08	
		4 = April.....	39	0.07	
		5 = May.....	47	0.08	
		6 = June.....	33	0.06	
		7 = July.....	49	0.09	
		8 = August.....	39	0.07	
		9 = September.....	47	0.08	
		10 = October.....	40	0.07	
		11 = November.....	35	0.06	
		12 = December.....	43	0.08	
		81 = NEVER USED OXYCONTIN Logically assigned.....	2406	4.34	
		85 = BAD DATA Logically assigned.....	47	0.08	
		89 = LEGITIMATE SKIP Logically assn.....	15	0.03	
		91 = NEVER USED OXYCONTIN.....	51237	92.43	
		94 = DON'T KNOW.....	88	0.16	
		97 = REFUSED.....	48	0.09	
		98 = BLANK (NO ANSWER).....	274	0.49	
		99 = LEGITIMATE SKIP.....	823	1.48	
(LU18)		The computer recorded that you last used a prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused [TRREC FILL]. How old were you the last time you used any prescription tranquilizer in either of those ways?			
TRNAGLST	3	1HOW OLD WERE YOU THE LAST TIME USED TRANQUILIZERS			
		RANGE = 1 - 67	3490	6.30	
		981 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		985 = BAD DATA Logically assigned.....	300	0.54	
		989 = LEGITIMATE SKIP Logically assigned.....	1	0.00	
		991 = NEVER USED TRANQUILIZERS.....	50753	91.55	
		994 = DON'T KNOW.....	179	0.32	
		997 = REFUSED.....	60	0.11	
		998 = BLANK (NO ANSWER).....	133	0.24	
		999 = LEGITIMATE SKIP.....	513	0.93	
(LU18A)		NOTE: For respondents whose age at last use was equal to or 1 year less than their current age, responses from questions LU18a, LU18b, LU18c, LU18d, and associated consistency checks were used to create the following two variables.			
TRANYLU	4	1YEAR OF LAST TRANQUILIZER USE - RECODE			
		RANGE = 2005 - 2007	1292	2.33	
		9981 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		9985 = BAD DATA Logically assigned.....	26	0.05	
		9989 = LEGITIMATE SKIP Logically assn.....	23	0.04	
		9991 = NEVER USED TRANQUILIZERS.....	50753	91.55	
		9994 = DON'T KNOW.....	187	0.34	
		9997 = REFUSED.....	58	0.10	
		9998 = BLANK (NO ANSWER).....	427	0.77	
		9999 = LEGITIMATE SKIP.....	2663	4.80	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	357
				FREQ	%
TRANMLU	2	1MONTH OF LAST TRANQUILIZER USE - RECODE			-
		1 = January.....	111	0.20	
		2 = February.....	78	0.14	
		3 = March.....	99	0.18	
		4 = April.....	93	0.17	
		5 = May.....	100	0.18	
		6 = June.....	99	0.18	
		7 = July.....	104	0.19	
		8 = August.....	95	0.17	
		9 = September.....	81	0.15	
		10 = October.....	82	0.15	
		11 = November.....	90	0.16	
		12 = December.....	88	0.16	
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		85 = BAD DATA Logically assigned.....	74	0.13	
		89 = LEGITIMATE SKIP Logically assn.....	23	0.04	
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55	
		94 = DON'T KNOW.....	289	0.52	
		97 = REFUSED.....	64	0.12	
		98 = BLANK (NO ANSWER).....	443	0.80	
		99 = LEGITIMATE SKIP.....	2663	4.80	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	358
				FREQ	%
(LU19)		NOTE: Data for STMAGLST, STIMYLU, and STIMMLU were edited for consistency with data for MTHAGLST, METHYLU, and METHMLU (see below) if respondents reported nonmedical use of methamphetamine in the core STIMULANTS module. In that context, nonmedical use of methamphetamine could include the prescription forms Desoxyn or Methedrine. Respondents in this survey year who reported methamphetamine use in the noncore SPECIAL DRUGS module also were asked questions about their last use of methamphetamine, without reference to prescription forms of the drug. STMAGLST, STIMYLU, and STIMMLU were not edited for consistency with data on the last use of methamphetamine for these additional noncore methamphetamine users. Consequently, STMAGLST, STIMYLU, and STIMMLU could indicate lifetime nonuse of "prescription" stimulants when the corresponding methamphetamine data in MTHAGLST, METHYLU, and METHMLU indicate that respondents were methamphetamine users. Therefore, documentation of codes for 81, 981, 9981, 91, 991, and 9991 in STMAGLST, STIMYLU, and STIMMLU specifically indicates that respondents had never used prescription stimulants nonmedically.			-
		The computer recorded that you last used a prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused [STREC FILL]. How old were you the last time you used any prescription stimulant in either of these ways?			
STMAGLST	3	1HOW OLD WERE YOU THE LAST TIME USED RX STIMULANTS			
		RANGE = 1 - 62		3395	6.12
		981 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....		11	0.02
		985 = BAD DATA Logically assigned.....		144	0.26
		989 = LEGITIMATE SKIP Logically assigned.....		12	0.02
		991 = NEVER USED PRESCRIPTION STIMULANTS.....		51147	92.26
		994 = DON'T KNOW.....		134	0.24
		997 = REFUSED.....		36	0.06
		998 = BLANK (NO ANSWER).....		225	0.41
		999 = LEGITIMATE SKIP.....		331	0.60
(LU19A)		NOTE: For respondents whose age at last use was equal to or 1 year less than their current age, responses from questions LU19a, LU19b, LU19c, LU19d, and associated consistency checks were used to create the following two variables.			
STIMYLU	4	1YEAR OF LAST RX STIMULANT USE - RECODE			
		RANGE = 2005 - 2007		959	1.73
		9981 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....		11	0.02
		9985 = BAD DATA Logically assigned.....		22	0.04
		9989 = LEGITIMATE SKIP Logically assn.....		22	0.04
		9991 = NEVER USED PRESCRIPTION STIMULANTS.....		51147	92.26
		9994 = DON'T KNOW.....		140	0.25
		9997 = REFUSED.....		39	0.07
		9998 = BLANK (NO ANSWER).....		420	0.76
		9999 = LEGITIMATE SKIP.....		2675	4.83

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	359
			FREQ	%
STIMMLU	2	1MONTH OF LAST RX STIMULANT USE - RECODE		-
		1 = January.....	81	0.15
		2 = February.....	65	0.12
		3 = March.....	83	0.15
		4 = April.....	68	0.12
		5 = May.....	89	0.16
		6 = June.....	65	0.12
		7 = July.....	66	0.12
		8 = August.....	66	0.12
		9 = September.....	53	0.10
		10 = October.....	72	0.13
		11 = November.....	70	0.13
		12 = December.....	84	0.15
		81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	11	0.02
		85 = BAD DATA Logically assigned.....	54	0.10
		89 = LEGITIMATE SKIP Logically assn.....	22	0.04
		91 = NEVER USED PRESCRIPTION STIMULANTS.....	51147	92.26
		94 = DON'T KNOW.....	182	0.33
		97 = REFUSED.....	44	0.08
		98 = BLANK (NO ANSWER).....	438	0.79
		99 = LEGITIMATE SKIP.....	2675	4.83

NOTE: MTHNCFLG is a flag variable that indicates when respondents reported methamphetamine use in the noncore SPECIAL DRUGS module and MTHAGLST has nonmissing data.

MTHNCFLG	2	1MTHAGLST COMING FROM NONCORE DATA		
		1 = Nonmissing MTHAGLST based on noncore data.....	635	1.15
		98 = OTHERWISE.....	54800	98.85

(LU20) The computer recorded that you last used [Methamphetamine, Desoxyn or Methedrine]/[Methamphetamine] [MERECL FILL]. How old were you the last time you used [Methamphetamine, Desoxyn or Methedrine]/[Methamphetamine]?

MTHAGLST	3	1HOW OLD WERE YOU THE LAST TIME USED METH		
		RANGE = 1 - 57	2421	4.37
		981 = NEVER USED METHAMPHETAMINE Logically assigned.....	12	0.02
		985 = BAD DATA Logically assigned.....	149	0.27
		991 = NEVER USED METHAMPHETAMINE.....	52560	94.81
		994 = DON'T KNOW.....	81	0.15
		997 = REFUSED.....	32	0.06
		998 = BLANK (NO ANSWER).....	35	0.06
		999 = LEGITIMATE SKIP.....	145	0.26

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	360
				FREQ	%
(LU20A) NOTE: For respondents whose age at last use was equal to or 1 year less than their current age, responses from questions LU20a, LU20b, LU20c, LU20d, and associated consistency checks were used to create the following two variables.					
METHYLU	4	1YEAR OF LAST METHAMPHETAMINE USE - RECODE			
		RANGE = 2005 - 2007		477	0.86
		9981 = NEVER USED METHAMPHETAMINE Logically assigned.....		10	0.02
		9985 = BAD DATA Logically assigned.....		22	0.04
		9989 = LEGITIMATE SKIP Logically assn.....		9	0.02
		9991 = NEVER USED METHAMPHETAMINE.....		52562	94.82
		9994 = DON'T KNOW.....		82	0.15
		9997 = REFUSED.....		32	0.06
		9998 = BLANK (NO ANSWER).....		181	0.33
		9999 = LEGITIMATE SKIP.....		2060	3.72
METHMLU	2	1MONTH OF LAST METHAMPHETAMINE USE - RECODE			
		1 = January.....		47	0.08
		2 = February.....		44	0.08
		3 = March.....		43	0.08
		4 = April.....		39	0.07
		5 = May.....		28	0.05
		6 = June.....		28	0.05
		7 = July.....		37	0.07
		8 = August.....		42	0.08
		9 = September.....		26	0.05
		10 = October.....		24	0.04
		11 = November.....		34	0.06
		12 = December.....		34	0.06
		81 = NEVER USED METHAMPHETAMINE Logically assigned.....		10	0.02
		85 = BAD DATA Logically assigned.....		44	0.08
		89 = LEGITIMATE SKIP Logically assn.....		9	0.02
		91 = NEVER USED METHAMPHETAMINE.....		52562	94.82
		94 = DON'T KNOW.....		106	0.19
		97 = REFUSED.....		35	0.06
		98 = BLANK (NO ANSWER).....		183	0.33
		99 = LEGITIMATE SKIP.....		2060	3.72
(LU21)		The computer recorded that you last used a prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused [SVREC FILL]. How old were you the last time you used any prescription sedative in either of those ways?			
SEDAGLST	3	1HOW OLD WERE YOU THE LAST TIME USED SEDATIVES			
		RANGE = 1 - 65		955	1.72
		981 = NEVER USED SEDATIVES Logically assigned.....		18	0.03
		985 = BAD DATA Logically assigned.....		64	0.12
		991 = NEVER USED SEDATIVES.....		54087	97.57
		994 = DON'T KNOW.....		65	0.12
		997 = REFUSED.....		27	0.05
		998 = BLANK (NO ANSWER).....		130	0.23
		999 = LEGITIMATE SKIP.....		89	0.16

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	361	
				FREQ	%	
<hr/>						
(LU21A)	NOTE: For respondents whose age at last use was equal to or 1 year less than their current age, responses from questions LU21a, LU21b, LU21c, LU21d, and associated consistency checks were used to create the following two variables.					-
SEDYLU	4	1YEAR OF LAST SEDATIVE USE - RECODE				
	RANGE =	2005 - 2007		246	0.44	
	9981 =	NEVER USED SEDATIVES Logically assigned.....	18	0.03		
	9985 =	BAD DATA Logically assigned.....	14	0.03		
	9989 =	LEGITIMATE SKIP Logically assn.....	1	0.00		
	9991 =	NEVER USED SEDATIVES.....	54087	97.57		
	9994 =	DON'T KNOW.....	68	0.12		
	9997 =	REFUSED.....	28	0.05		
	9998 =	BLANK (NO ANSWER).....	193	0.35		
	9999 =	LEGITIMATE SKIP.....	780	1.41		
SEDMLU	2	1MONTH OF LAST SEDATIVE USE - RECODE				
	1 =	January.....	25	0.05		
	2 =	February.....	17	0.03		
	3 =	March.....	14	0.03		
	4 =	April.....	19	0.03		
	5 =	May.....	12	0.02		
	6 =	June.....	13	0.02		
	7 =	July.....	18	0.03		
	8 =	August.....	14	0.03		
	9 =	September.....	18	0.03		
	10 =	October.....	22	0.04		
	11 =	November.....	14	0.03		
	12 =	December.....	16	0.03		
	81 =	NEVER USED SEDATIVES Logically assigned.....	18	0.03		
	85 =	BAD DATA Logically assigned.....	29	0.05		
	89 =	LEGITIMATE SKIP Logically assn.....	1	0.00		
	91 =	NEVER USED SEDATIVES.....	54087	97.57		
	94 =	DON'T KNOW.....	92	0.17		
	97 =	REFUSED.....	28	0.05		
	98 =	BLANK (NO ANSWER).....	198	0.36		
	99 =	LEGITIMATE SKIP.....	780	1.41		

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	362
				FREQ	%
(LU22) NOTE: Values of 1 or 2 in the variables USEALCG, USEMJCG, and USEALMJ were reset to values of 11 or 12 if respondents were routed to the corresponding questions but one or more of the relevant age-at-first-use variables (e.g., ALCTRY and CIGTRY for USEALCG) had been assigned the code for bad data during the editing of the data in the TOBACCO, ALCOHOL, or MARIJUANA modules.					
Earlier, the computer recorded that you started using alcohol and cigarettes when you were [AFUFILL] years old. Which did you use first?					
USEALCG	2	1USED ALC OR CIG FIRST WHEN [AFUFILL] YEARS OLD			
		1 = Alcohol.....	1880	3.39	
		2 = Cigarettes.....	2465	4.45	
		3 = Alcohol LOGICALLY ASSIGNED.....	38	0.07	
		4 = Cigarettes LOGICALLY ASSIGNED.....	34	0.06	
		11 = Alcohol (see NOTE).....	16	0.03	
		12 = Cigarettes (see NOTE).....	19	0.03	
		89 = LEGITIMATE SKIP Logically assigned.....	3	0.01	
		91 = NEVER USED ALCOHOL/CIGARETTES.....	13371	24.12	
		94 = DON'T KNOW.....	36	0.06	
		97 = REFUSED.....	9	0.02	
		98 = BLANK (NO ANSWER).....	458	0.83	
		99 = LEGITIMATE SKIP.....	37106	66.94	
(LU23)		Earlier, the computer recorded that you started using marijuana and cigarettes when you were [AFUFILL] years old. Which did you use first?			
USEMJCG	2	1USED MJ OR CIG FIRST WHEN [AFUFILL] YEARS OLD			
		1 = Marijuana.....	810	1.46	
		2 = Cigarettes.....	1974	3.56	
		3 = Marijuana LOGICALLY ASSIGNED.....	51	0.09	
		4 = Cigarettes LOGICALLY ASSIGNED.....	31	0.06	
		11 = Marijuana (see NOTE for USEALCG).....	6	0.01	
		12 = Cigarettes (see NOTE for USEALCG).....	16	0.03	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED MARIJUANA/CIGARETTES.....	22538	40.66	
		94 = DON'T KNOW.....	15	0.03	
		97 = REFUSED.....	7	0.01	
		98 = BLANK (NO ANSWER).....	168	0.30	
		99 = LEGITIMATE SKIP.....	29818	53.79	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE		PAGE: FREQ	363 %
			-----	-----		
(LU24)		Earlier, the computer recorded that you started using alcohol and marijuana when you were [AFUFILL] years old. Which did you use first?				-
USEALMJ	2	1USED ALC OR MJ FIRST WHEN [AFUFILL] YEARS OLD				
		1 = Alcohol.....	2592	4.68		
		2 = Marijuana.....	928	1.67		
		3 = Alcohol LOGICALLY ASSIGNED.....	24	0.04		
		4 = Marijuana LOGICALLY ASSIGNED.....	26	0.05		
		11 = Alcohol (see NOTE for USEALCG).....	6	0.01		
		12 = Marijuana (see NOTE for USEALCG).....	3	0.01		
		85 = BAD DATA Logically assigned.....	1	0.00		
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00		
		91 = NEVER USED ALCOHOL/MARIJUANA.....	14719	26.55		
		94 = DON'T KNOW.....	21	0.04		
		97 = REFUSED.....	4	0.01		
		98 = BLANK (NO ANSWER).....	242	0.44		
		99 = LEGITIMATE SKIP.....	36868	66.51		
(LU25)		NOTE: Values of 1, 2, or 3 in the variables USEACM and USENEXT were reset to values of 11, 12, or 13 if one or more of the relevant age-at-first-use variables (ALCTRY, CIGTRY, and MJAGE) had been assigned the code for bad data during the editing of the data in the TOBACCO, ALCOHOL, or MARIJUANA modules.				
		Earlier, the computer recorded that you started using alcohol, cigarettes and marijuana when you were [AFUFILL] years old. Which did you use first?				
USEACM	2	1USED ALC CIG OR MJ 1ST WHEN [AFUFILL] YEARS OLD				
		1 = Alcohol.....	601	1.08		
		2 = Cigarettes.....	779	1.41		
		3 = Marijuana.....	186	0.34		
		4 = Alcohol LOGICALLY ASSIGNED.....	14	0.03		
		5 = Cigarettes LOGICALLY ASSIGNED.....	11	0.02		
		6 = Marijuana LOGICALLY ASSIGNED.....	12	0.02		
		11 = Alcohol (see NOTE).....	7	0.01		
		12 = Cigarettes (see NOTE).....	3	0.01		
		13 = Marijuana (see NOTE).....	2	0.00		
		85 = BAD DATA Logically assigned.....	7	0.01		
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00		
		91 = NEVER USED ALCOHOL/CIGARETTES/MARIJUANA.....	13211	23.83		
		94 = DON'T KNOW.....	7	0.01		
		97 = REFUSED.....	2	0.00		
		98 = BLANK (NO ANSWER).....	60	0.11		
		99 = LEGITIMATE SKIP.....	40532	73.12		

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	364
				FREQ	%
(LU26)		After first using [FILL LU25], which of these did you use next?		-	-
USENEXT	2	1WHAT DID YOU USE AFTER USING [FILL LU25]			
		1 = Alcohol.....	632	1.14	
		2 = Cigarettes.....	460	0.83	
		3 = Marijuana.....	456	0.82	
		4 = Alcohol LOGICALLY ASSIGNED.....	10	0.02	
		5 = Cigarettes LOGICALLY ASSIGNED.....	8	0.01	
		6 = Marijuana LOGICALLY ASSIGNED.....	14	0.03	
		11 = Alcohol (see NOTE for USEACM).....	3	0.01	
		12 = Cigarettes (see NOTE for USEACM).....	3	0.01	
		13 = Marijuana (see NOTE for USEACM).....	6	0.01	
		85 = BAD DATA Logically assigned.....	25	0.05	
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00	
		91 = NEVER USED ALCOHOL/CIGARETTES/MARIJUANA.....	13211	23.83	
		94 = DON'T KNOW.....	3	0.01	
		97 = REFUSED.....	4	0.01	
		98 = BLANK (NO ANSWER).....	67	0.12	
		99 = LEGITIMATE SKIP.....	40532	73.12	
(LU27)		Earlier, the computer recorded that, during the past 30 days, you used prescription pain relievers that were not prescribed for you or that you took only for the experience or feeling they caused. How did you get these prescription pain relievers?			
		Please enter all of the ways that you got the prescription pain relievers you used in the past 30 days.			
ANLRX1DR	2	1GOT ONE+ PRSCRPS FOR PAIN RLVRS FROM JUST ONE DR			
		1 = Response entered.....	324	0.58	
		5 = Response entered LOG ASSN (from ANLGTLAS).....	12	0.02	
		6 = Response not entered.....	1159	2.09	
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23	
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS....	7104	12.82	
		94 = DON'T KNOW.....	41	0.07	
		97 = REFUSED.....	50	0.09	
		98 = BLANK (NO ANSWER).....	519	0.94	
ANLRXDERS	2	1I GOT PRSCRPS FOR PAIN RELIEVERS FROM TWO+ DR			
		1 = Response entered.....	76	0.14	
		5 = Response entered LOG ASSN (from ANLGTLAS).....	1	0.00	
		6 = Response not entered.....	1418	2.56	
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23	
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS....	7104	12.82	
		94 = DON'T KNOW.....	41	0.07	
		97 = REFUSED.....	50	0.09	
		98 = BLANK (NO ANSWER).....	519	0.94	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	365
				FREQ	%
ANLRXFAK	2	1I WROTE FAKE PRESCRIPTIONS FOR PAIN RELIEVERS			-
		1 = Response entered.....	14	0.03	
		6 = Response not entered.....	1481	2.67	
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23	
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS....	7104	12.82	
		94 = DON'T KNOW.....	41	0.07	
		97 = REFUSED.....	50	0.09	
		98 = BLANK (NO ANSWER).....	519	0.94	
ANLSTOLE	2	1ISTOLE PN RLVRS FROM A DR'S OFF/CLIN/HOSP/PHARMCY			
		1 = Response entered.....	20	0.04	
		6 = Response not entered.....	1475	2.66	
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23	
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS....	7104	12.82	
		94 = DON'T KNOW.....	41	0.07	
		97 = REFUSED.....	50	0.09	
		98 = BLANK (NO ANSWER).....	519	0.94	
ANLFRFRE	2	1I GOT PAIN RELIEVERS FRM A FRND/RELATIVE FOR FREE			
		1 = Response entered.....	889	1.60	
		3 = Response entered LOG ASSN (from ANLOTHS2).....	5	0.01	
		5 = Response entered LOG ASSN (from ANLGTLAS).....	13	0.02	
		6 = Response not entered.....	593	1.07	
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23	
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS....	7104	12.82	
		94 = DON'T KNOW.....	41	0.07	
		97 = REFUSED.....	50	0.09	
		98 = BLANK (NO ANSWER).....	514	0.93	
ANLFRBUY	2	1I BOUGHT THE PN RELIEVERS FRM A FRIEND OR RELATIV			
		1 = Response entered.....	391	0.71	
		3 = Response entered LOG ASSN (from ANLOTHS2).....	3	0.01	
		5 = Response entered LOG ASSN (from ANLGTLAS).....	5	0.01	
		6 = Response not entered.....	1096	1.98	
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23	
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS....	7104	12.82	
		94 = DON'T KNOW.....	41	0.07	
		97 = REFUSED.....	50	0.09	
		98 = BLANK (NO ANSWER).....	519	0.94	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	366
				FREQ	%
ANLFRTKE	2	1I TOOK THE PNRLVRS FROM A FRND/RELATIVE WO ASKING			-
		1 = Response entered.....	205	0.37	
		3 = Response entered LOG ASSN (from ANLOTHS2).....	1	0.00	
		5 = Response entered LOG ASSN (from ANLGLAS).....	1	0.00	
		6 = Response not entered.....	1288	2.32	
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23	
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	7104	12.82	
		94 = DON'T KNOW.....	41	0.07	
		97 = REFUSED.....	50	0.09	
		98 = BLANK (NO ANSWER).....	519	0.94	
ANLDEALR	2	1I BOUGHT THE PNRLVRS FRM DRUG DEALR/OTH STRANGER			
		1 = Response entered.....	223	0.40	
		3 = Response entered LOG ASSN (from ANLOTHS2).....	1	0.00	
		5 = Response entered LOG ASSN (from ANLGLAS).....	3	0.01	
		6 = Response not entered.....	1269	2.29	
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23	
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	7104	12.82	
		94 = DON'T KNOW.....	41	0.07	
		97 = REFUSED.....	50	0.09	
		98 = BLANK (NO ANSWER).....	518	0.93	
ANLINET	2	1I BOUGHT THE PAIN RELIEVERS ON THE INTERNET			
		1 = Response entered.....	12	0.02	
		6 = Response not entered.....	1483	2.68	
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23	
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	7104	12.82	
		94 = DON'T KNOW.....	41	0.07	
		97 = REFUSED.....	50	0.09	
		98 = BLANK (NO ANSWER).....	519	0.94	
ANLOTHWY	2	1I GOT THE PAIN RELIEVERS IN SOME OTHER WAY			
		1 = Response entered.....	157	0.28	
		5 = Response entered LOG ASSN (from ANLGLAS).....	8	0.01	
		6 = Response not entered.....	1331	2.40	
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16	
		85 = BAD DATA Logically assigned.....	2	0.00	
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23	
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	7104	12.82	
		94 = DON'T KNOW.....	41	0.07	
		97 = REFUSED.....	50	0.09	
		98 = BLANK (NO ANSWER).....	517	0.93	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	367
				FREQ	%
ANLOTHS2	2	10 OTHER WAY RESP GOT PAIN REL USED IN PST 30 DAYS			-
		5 = Got it from a friend or relative for free.....	8	0.01	
		6 = Bought it from a friend or relative.....	5	0.01	
		7 = Took from a friend or relative without asking.....	1	0.00	
		8 = Bought it from a drug dealer or other stranger.....	3	0.01	
		10 = Got it in some other way.....	8	0.01	
		11 = From friend, relative, home; otherwise unspecfd...	46	0.08	
		12 = Stole it or took it; otherwise unspecified.....	8	0.01	
		13 = Given to me; otherwise unspecified.....	4	0.01	
		14 = Bought it; otherwise unspecified.....	3	0.01	
		15 = Dr office, clinic, hospital, pharmcy; how unspecfd.	4	0.01	
		18 = From an individual; how and relationship unspecified	5	0.01	
		20 = Traded/bartered for it; sex not specified.....	6	0.01	
		21 = Found it; otherwise unspecified.....	8	0.01	
		24 = Bought them at a pharmacy/store.....	6	0.01	
		70 = City/state in US specified.....	1	0.00	
		71 = Bought/obtained it outside of the US.....	2	0.00	
		72 = Over-the-counter drug reported.....	4	0.01	
		74 = Name of drug reported, OTC unspecified.....	2	0.00	
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16	
		85 = BAD DATA Logically assigned.....	13	0.02	
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23	
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS....	7104	12.82	
		94 = DON'T KNOW.....	4	0.01	
		97 = REFUSED.....	75	0.14	
		98 = BLANK (NO ANSWER).....	559	1.01	
		99 = LEGITIMATE SKIP.....	1331	2.40	

(LU27A) You reported that you got the prescription pain relievers you used in the past 30 days from a friend or relative for free. How did your friend or relative get the prescription pain relievers that you used?

Please enter all of the ways that your friend or relative got the prescription pain relievers you used in the past 30 days.

ANLFF1DR	2	1FRIEND/RELATIVE GOT RX FOR PAIN RLVRS FROM 1 DR			
		1 = Response entered.....	568	1.02	
		5 = Response entered LOG ASSN (from ANLFFLAS).....	17	0.03	
		6 = Response not entered.....	218	0.39	
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16	
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23	
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS....	7104	12.82	
		94 = DON'T KNOW.....	78	0.14	
		97 = REFUSED.....	14	0.03	
		98 = BLANK (NO ANSWER).....	618	1.11	
		99 = LEGITIMATE SKIP.....	593	1.07	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	368
				FREQ	%
ANLFFDRS	2	1FRIEND/RELATIVE GOT RX FOR PAIN RLVRS FROM >1 DR			-
		1 = Response entered.....	87	0.16	
		5 = Response entered LOG ASSN (from ANLFFLAS).....	5	0.01	
		6 = Response not entered.....	704	1.27	
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16	
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23	
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	7104	12.82	
		94 = DON'T KNOW.....	81	0.15	
		97 = REFUSED.....	14	0.03	
		98 = BLANK (NO ANSWER).....	622	1.12	
		99 = LEGITIMATE SKIP.....	593	1.07	
ANLFFAKE	2	1FRIEND/RELATIVE WROTE FAKE RX FOR PAIN RELIEVERS			
		1 = Response entered.....	9	0.02	
		6 = Response not entered.....	785	1.42	
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16	
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23	
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	7104	12.82	
		94 = DON'T KNOW.....	81	0.15	
		97 = REFUSED.....	14	0.03	
		98 = BLANK (NO ANSWER).....	624	1.13	
		99 = LEGITIMATE SKIP.....	593	1.07	
ANLFFSTL	2	1FRND/RELAT STOLE PN RLVRS FRM DR/CLIN/HOSP/PHARM			
		1 = Response entered.....	19	0.03	
		5 = Response entered LOG ASSN (from ANLFFLAS).....	1	0.00	
		6 = Response not entered.....	774	1.40	
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16	
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23	
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	7104	12.82	
		94 = DON'T KNOW.....	81	0.15	
		97 = REFUSED.....	14	0.03	
		98 = BLANK (NO ANSWER).....	624	1.13	
		99 = LEGITIMATE SKIP.....	593	1.07	
ANLFFREE	2	1FRND/RELAT GOT PN RLVRS FRM FRND/RELAT FOR FREE			
		1 = Response entered.....	147	0.27	
		5 = Response entered LOG ASSN (from ANLFFLAS).....	6	0.01	
		6 = Response not entered.....	641	1.16	
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16	
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23	
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	7104	12.82	
		94 = DON'T KNOW.....	81	0.15	
		97 = REFUSED.....	14	0.03	
		98 = BLANK (NO ANSWER).....	624	1.13	
		99 = LEGITIMATE SKIP.....	593	1.07	
ANLFFBOT	2	1FRND/RELAT BOUGHT PAIN RLVRS FROM FRND/RELAT			
		1 = Response entered.....	123	0.22	
		3 = Response entered LOG ASSN (from ANLFFOSP).....	1	0.00	
		5 = Response entered LOG ASSN (from ANLFFLAS).....	6	0.01	
		6 = Response not entered.....	666	1.20	
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16	
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23	
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	7104	12.82	
		94 = DON'T KNOW.....	81	0.15	
		97 = REFUSED.....	14	0.03	
		98 = BLANK (NO ANSWER).....	622	1.12	
		99 = LEGITIMATE SKIP.....	593	1.07	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	369
				FREQ	%
ANLFFTAK	2	1FRND/RELAT TOOK PN RLVRS FRM FRND/REL WO ASKING			-
		1 = Response entered.....	51	0.09	
		3 = Response entered LOG ASSN (from ANLFFOSP).....	1	0.00	
		5 = Response entered LOG ASSN (from ANLFFLAS).....	2	0.00	
		6 = Response not entered.....	740	1.33	
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16	
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23	
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	7104	12.82	
		94 = DON'T KNOW.....	81	0.15	
		97 = REFUSED.....	14	0.03	
		98 = BLANK (NO ANSWER).....	624	1.13	
		99 = LEGITIMATE SKIP.....	593	1.07	
ANLFFDLR	2	1FRND/RELAT BOUGHT PN RLVRS FR DRG DEALER/STRANGR			
		1 = Response entered.....	75	0.14	
		3 = Response entered LOG ASSN (from ANLFFOSP).....	1	0.00	
		5 = Response entered LOG ASSN (from ANLFFLAS).....	3	0.01	
		6 = Response not entered.....	716	1.29	
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16	
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23	
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	7104	12.82	
		94 = DON'T KNOW.....	80	0.14	
		97 = REFUSED.....	14	0.03	
		98 = BLANK (NO ANSWER).....	624	1.13	
		99 = LEGITIMATE SKIP.....	593	1.07	
ANLFFNET	2	1FRIEND/RELATIVE BOUGHT PN RLVRS ON THE INTERNET			
		1 = Response entered.....	12	0.02	
		6 = Response not entered.....	782	1.41	
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16	
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23	
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	7104	12.82	
		94 = DON'T KNOW.....	81	0.15	
		97 = REFUSED.....	14	0.03	
		98 = BLANK (NO ANSWER).....	624	1.13	
		99 = LEGITIMATE SKIP.....	593	1.07	
ANLFFOTH	2	1FRIEND/RELATIVE GOT PAIN RLVRS SOME OTHER WAY			
		1 = Response entered.....	58	0.10	
		5 = Response entered LOG ASSN (from ANLFFLAS).....	1	0.00	
		6 = Response not entered.....	736	1.33	
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16	
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23	
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS.....	7104	12.82	
		94 = DON'T KNOW.....	81	0.15	
		97 = REFUSED.....	14	0.03	
		98 = BLANK (NO ANSWER).....	623	1.12	
		99 = LEGITIMATE SKIP.....	593	1.07	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	370
				FREQ	%
ANLFFOSP	2	1 OTHER WAY FRND/RELAT GOT PAIN RELIEVERS PST 30 D			-
		3 = He/she wrote fake prescriptions.....		1	0.00
		6 = He/she bought it from a friend or relative.....		2	0.00
		7 = He/she took from a friend or relative w/o asking..		2	0.00
		8 = He/she bought it from drug dealer/other stranger..		1	0.00
		11 = From friend, relative, home; otherwise unspcfed...		9	0.02
		12 = He/she stole or took it; otherwise unspecified....		1	0.00
		14 = He/she bought it; otherwise unspecified.....		3	0.01
		15 = Dr office, clinic, hospital, pharmcy; how unspcfed.		1	0.00
		17 = He/she got fr place of business; otherwise unspcfed		2	0.00
		18 = He/she got fr individual; how & relation unspcfed.		1	0.00
		20 = He/she traded/bartered for it; sex not specfd....		2	0.00
		21 = He/she found it; otherwise unspecified.....		1	0.00
		23 = He/she got it w/prescription(s); otherwise unspcfed		3	0.01
		24 = He/she bought them at a pharmacy/store.....		2	0.00
		30 = He/she got it at work; otherwise unspecified.....		1	0.00
		31 = He/she had fraudulent prescrip; otherwise unspcfed.		1	0.00
		71 = Bought/obtained it outside of the US.....		1	0.00
		73 = Reason/condition for taking drug stated.....		1	0.00
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....		87	0.16
		85 = BAD DATA Logically assigned.....		4	0.01
		91 = NEVER USED PAIN RELIEVERS.....		46138	83.23
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 30 DAYS....		7104	12.82
		94 = DON'T KNOW.....		16	0.03
		97 = REFUSED.....		4	0.01
		98 = BLANK (NO ANSWER).....		718	1.30
		99 = LEGITIMATE SKIP.....		1329	2.40

(LU28A) You reported that you got the prescription pain reliever you last used from a friend or relative for free. How did your friend or relative get the last prescription pain reliever that you used?

ANLFFLAS	2	1 HOW FRND/RELAT GOT PAIN RELIEVERS THE LAST TIME			
		1 = He/she got a prescription from just one doctor....		1027	1.85
		2 = He/she got prescriptions from more than one doctor		52	0.09
		3 = He/she wrote a fake prescription.....		2	0.00
		4 = He/she stole it from dr's ofc/clinic/hosp/pharmacy		3	0.01
		5 = He/she got it from a friend or relative for free..		114	0.21
		6 = He/she bought it from a friend or relative.....		97	0.17
		7 = He/she took it from friend/relative without asking		34	0.06
		8 = He/she bought it from a drug dealer/other stranger		33	0.06
		9 = He/she bought it on the Internet.....		2	0.00
		10 = He/she got it in some other way.....		47	0.08
		11 = Got a prescrip from one dr LOG ASSN (ANLFFLSP=1)..		1	0.00
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....		87	0.16
		91 = NEVER USED PAIN RELIEVERS.....		46138	83.23
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS....		4609	8.31
		94 = DON'T KNOW.....		121	0.22
		97 = REFUSED.....		13	0.02
		98 = BLANK (NO ANSWER).....		713	1.29
		99 = LEGITIMATE SKIP.....		2342	4.22

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	371
				FREQ	%
ANLFFLSP	2	1 OTHER WAY FRND/RELAT GOT PAIN RELIEVERS			-
		1 = He/she got prescriptions from just one doctor.....	1	0.00	
		11 = From friend, relative, home; otherwise unspecfd...	5	0.01	
		13 = Given to him/her; otherwise unspecified.....	1	0.00	
		14 = He/she bought it; otherwise unspecified.....	3	0.01	
		15 = Dr office, clinic, hospital, pharmcy; how unspcfd.	1	0.00	
		17 = He/she got fr place of business; otherwise unspcfd	1	0.00	
		18 = He/she got fr individual; how & relation unspcfd.	3	0.01	
		20 = He/she traded/bartered for it; sex not specfd.....	2	0.00	
		21 = He/she found it; otherwise unspecified.....	1	0.00	
		24 = He/she bought them at a pharmacy/store.....	2	0.00	
		71 = Bought/obtained it outside of the US.....	4	0.01	
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16	
		85 = BAD DATA Logically assigned.....	3	0.01	
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23	
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	4609	8.31	
		94 = DON'T KNOW.....	18	0.03	
		97 = REFUSED.....	16	0.03	
		98 = BLANK (NO ANSWER).....	834	1.50	
		99 = LEGITIMATE SKIP.....	3706	6.69	

(LU28) Earlier, the computer recorded that, during the past 12 months, you used prescription pain relievers that were not prescribed for you or that you took only for the experience or feeling they caused.

Now think about the last time you used a prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused. How did you get this prescription pain reliever?

ANLGTLAS	2	1 HOW GOT PRSCRIP PAIN RLVR PAST 12 MOS/LAST TIME			
		1 = I got a prescription from just one doctor.....	421	0.76	
		2 = I got prescriptions from more than one doctor.....	38	0.07	
		3 = I wrote a fake prescription.....	4	0.01	
		4 = I stole it from dr's office/clinic/hosp/pharmacy..	9	0.02	
		5 = I got it from a friend or relative for free.....	1547	2.79	
		6 = I bought it from a friend or relative.....	304	0.55	
		7 = I took it from friend/relative without asking.....	200	0.36	
		8 = I bought it from a drug dealer or other stranger..	149	0.27	
		9 = I bought it on the Internet.....	7	0.01	
		10 = I got it in some other way.....	146	0.26	
		14 = I stole it from dr's ofc/clin/hosp/pharm LOG ASSN.	1	0.00	
		15 = I got it from friend/relative for free LOG ASSN...	25	0.05	
		17 = I took it from friend/relative w/o asking LOG ASSN	1	0.00	
		18 = I bought it from drug dealer/oth stranger LOG ASSN	3	0.01	
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16	
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23	
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	4609	8.31	
		94 = DON'T KNOW.....	62	0.11	
		97 = REFUSED.....	63	0.11	
		98 = BLANK (NO ANSWER).....	562	1.01	
		99 = LEGITIMATE SKIP.....	1059	1.91	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	372
				FREQ	%
ANLGTOS2	2	10 OTHER WAY RESP GOT PAIN REL USED THE LAST TIME			-
		4 = Stole from a dr's office/clinic/hospital/pharmacy.	1	0.00	
		5 = Got it from a friend or relative for free.....	25	0.05	
		7 = Took from a friend or relative without asking.....	1	0.00	
		8 = Bought it from a drug dealer or other stranger....	3	0.01	
		10 = Got it in some other way.....	9	0.02	
		11 = From friend, relative, home; otherwise unspecfd...	70	0.13	
		13 = Given to me; otherwise unspecified.....	6	0.01	
		18 = From an individual; how and relationship unspecified	5	0.01	
		21 = Found it; otherwise unspecified.....	7	0.01	
		23 = Got it with prescription(s); otherwise unspecified	6	0.01	
		24 = Bought them at a pharmacy/store.....	4	0.01	
		70 = City/state in US specified.....	2	0.00	
		71 = Bought/obtained it outside of the US.....	3	0.01	
		72 = Over-the-counter drug reported.....	3	0.01	
		73 = Reason/condition for taking drug stated.....	4	0.01	
		74 = Name of drug reported, OTC unspecified.....	3	0.01	
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	87	0.16	
		85 = BAD DATA Logically assigned.....	7	0.01	
		91 = NEVER USED PAIN RELIEVERS.....	46138	83.23	
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	4609	8.31	
		94 = DON'T KNOW.....	6	0.01	
		97 = REFUSED.....	74	0.13	
		98 = BLANK (NO ANSWER).....	624	1.13	
		99 = LEGITIMATE SKIP.....	3738	6.74	

(LU29) Earlier, the computer recorded that, during the past 30 days, you used prescription tranquilizers that were not prescribed for you or that you took only for the experience or feeling they caused. How did you get these prescription tranquilizers?

Please enter all of the ways that you got the prescription tranquilizers you used in the past 30 days.

TRNRX1DR	2	11 GOT 1+ PRSCRPS FOR TRANQUILIZERS FRM JST ONE DR			
		1 = Response entered.....	54	0.10	
		5 = Response entered LOG ASSN (from TRNGTLA2).....	1	0.00	
		6 = Response not entered.....	421	0.76	
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55	
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	3956	7.14	
		94 = DON'T KNOW.....	16	0.03	
		97 = REFUSED.....	31	0.06	
		98 = BLANK (NO ANSWER).....	197	0.36	

TRNRXDRS	2	11 GOT PRSCRPS FOR TRANQUILIZERS FROM TWO+ DR			
		1 = Response entered.....	4	0.01	
		6 = Response not entered.....	471	0.85	
		81 = NEVER USED TRANQUILIZERS logically assigned.....	6	0.01	
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55	
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	3956	7.14	
		94 = DON'T KNOW.....	16	0.03	
		97 = REFUSED.....	31	0.06	
		98 = BLANK (NO ANSWER).....	198	0.36	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	373
				FREQ	%
TRNRXFAK	2	1I WROTE FAKE PRESCRIPTIONS FOR TRANQUILIZERS			-
		1 = Response entered.....	2	0.00	
		6 = Response not entered.....	473	0.85	
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55	
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	3956	7.14	
		94 = DON'T KNOW.....	16	0.03	
		97 = REFUSED.....	31	0.06	
		98 = BLANK (NO ANSWER).....	198	0.36	
TRNSTOLE	2	1I STOLE TRANQS FROM A DR'S OFF/CLIN/HOSP/PHARMCY			
		1 = Response entered.....	4	0.01	
		6 = Response not entered.....	471	0.85	
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55	
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	3956	7.14	
		94 = DON'T KNOW.....	16	0.03	
		97 = REFUSED.....	31	0.06	
		98 = BLANK (NO ANSWER).....	198	0.36	
TRNFRFRE	2	1I GOT TRANQUILIZERS FROM A FRND/RELATIVE FOR FREE			
		1 = Response entered.....	266	0.48	
		3 = Response entered LOG ASSN (from TRNOTHS2).....	2	0.00	
		6 = Response not entered.....	207	0.37	
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55	
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	3956	7.14	
		94 = DON'T KNOW.....	16	0.03	
		97 = REFUSED.....	31	0.06	
		98 = BLANK (NO ANSWER).....	198	0.36	
TRNFRBUY	2	1I BOUGHT THE TRANQS FROM A FRIEND OR RELATIVE			
		1 = Response entered.....	91	0.16	
		5 = Response entered LOG ASSN (from TRNGTLA2).....	1	0.00	
		6 = Response not entered.....	383	0.69	
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55	
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	3956	7.14	
		94 = DON'T KNOW.....	16	0.03	
		97 = REFUSED.....	31	0.06	
		98 = BLANK (NO ANSWER).....	198	0.36	
TRNFRTKE	2	1I TOOK THE TRANQS FROM A FRND/RELATIVE WO ASKING			
		1 = Response entered.....	43	0.08	
		6 = Response not entered.....	432	0.78	
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55	
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	3956	7.14	
		94 = DON'T KNOW.....	16	0.03	
		97 = REFUSED.....	31	0.06	
		98 = BLANK (NO ANSWER).....	198	0.36	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	374
				FREQ	%
TRNDEALR	2	1I BOUGHT THE TRANQS FROM DRUG DEALR/OTH STRANGER			-
		1 = Response entered.....	63	0.11	
		5 = Response entered LOG ASSN (from TRNGTLA2).....	2	0.00	
		6 = Response not entered.....	410	0.74	
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55	
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	3956	7.14	
		94 = DON'T KNOW.....	16	0.03	
		97 = REFUSED.....	31	0.06	
		98 = BLANK (NO ANSWER).....	198	0.36	
TRNINET	2	1I BOUGHT THE TRANQUILIZERS ON THE INTERNET			
		1 = Response entered.....	6	0.01	
		6 = Response not entered.....	469	0.85	
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55	
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	3956	7.14	
		94 = DON'T KNOW.....	16	0.03	
		97 = REFUSED.....	31	0.06	
		98 = BLANK (NO ANSWER).....	198	0.36	
TRNOTHWY	2	1I GOT THE TRANQUILIZERS IN SOME OTHER WAY			
		1 = Response entered.....	30	0.05	
		6 = Response not entered.....	445	0.80	
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55	
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	3956	7.14	
		94 = DON'T KNOW.....	16	0.03	
		97 = REFUSED.....	31	0.06	
		98 = BLANK (NO ANSWER).....	198	0.36	
TRNOTHS2	2	10THER WAY RESP GOT TRANQUILIZER IN PST 30 DAYS			
		5 = Got it from a friend or relative for free.....	2	0.00	
		10 = Got it in some other way.....	5	0.01	
		11 = From friend, relative, home; otherwise unspecfd...	6	0.01	
		13 = Given to me; otherwise unspecified.....	3	0.01	
		71 = Bought/obtained it outside of the US.....	5	0.01	
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		85 = BAD DATA Logically assigned.....	2	0.00	
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55	
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	3956	7.14	
		94 = DON'T KNOW.....	2	0.00	
		97 = REFUSED.....	36	0.06	
		98 = BLANK (NO ANSWER).....	214	0.39	
		99 = LEGITIMATE SKIP.....	445	0.80	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	375
				FREQ	%

(LU29A)		You reported that you got the prescription tranquilizers you used in the past 30 days from a friend or relative for free. How did your friend or relative get the prescription tranquilizers that you used?			-
Please enter all of the ways that your friend or relative got the prescription tranquilizers you used in the past 30 days.					
TRNFF1DR	2	1FRIEND/RELATIVE GOT RX FOR TRANQS FROM 1 DR			
		1 = Response entered.....	147	0.27	
		5 = Response entered LOG ASSN (from TRNFFLAS).....	4	0.01	
		6 = Response not entered.....	86	0.16	
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55	
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	3956	7.14	
		94 = DON'T KNOW.....	25	0.05	
		97 = REFUSED.....	4	0.01	
		98 = BLANK (NO ANSWER).....	247	0.45	
		99 = LEGITIMATE SKIP.....	207	0.37	
TRNFFDRS	2	1FRIEND/RELATIVE GOT RX FOR TRANQS FROM >1 DR			
		1 = Response entered.....	14	0.03	
		5 = Response entered LOG ASSN (from TRNFFLAS).....	2	0.00	
		6 = Response not entered.....	221	0.40	
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55	
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	3956	7.14	
		94 = DON'T KNOW.....	25	0.05	
		97 = REFUSED.....	4	0.01	
		98 = BLANK (NO ANSWER).....	247	0.45	
		99 = LEGITIMATE SKIP.....	207	0.37	
TRNFFAKE	2	1FRIEND/RELATIVE WROTE FAKE RX FOR TRANQS			
		6 = Response not entered.....	237	0.43	
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55	
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	3956	7.14	
		94 = DON'T KNOW.....	25	0.05	
		97 = REFUSED.....	4	0.01	
		98 = BLANK (NO ANSWER).....	247	0.45	
		99 = LEGITIMATE SKIP.....	207	0.37	
TRNFFSTL	2	1FRND/RELAT STOLE TRANQS FRM DR/CLIN/HOSP/PHARM			
		1 = Response entered.....	1	0.00	
		6 = Response not entered.....	236	0.43	
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55	
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	3956	7.14	
		94 = DON'T KNOW.....	25	0.05	
		97 = REFUSED.....	4	0.01	
		98 = BLANK (NO ANSWER).....	247	0.45	
		99 = LEGITIMATE SKIP.....	207	0.37	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	376
				FREQ	%
TRNFFFREE	2	1FRND/RELAT GOT TRANQS FRM FRND/RELAT FOR FREE			-
		1 = Response entered.....	52	0.09	
		5 = Response entered LOG ASSN (from TRNFFLAS).....	2	0.00	
		6 = Response not entered.....	183	0.33	
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55	
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	3956	7.14	
		94 = DON'T KNOW.....	25	0.05	
		97 = REFUSED.....	4	0.01	
		98 = BLANK (NO ANSWER).....	247	0.45	
		99 = LEGITIMATE SKIP.....	207	0.37	
TRNFFBOT	2	1FRIEND/RELATIVE BOUGHT TRANQS FROM FRND/RELAT			
		1 = Response entered.....	36	0.06	
		5 = Response entered LOG ASSN (from TRNFFLAS).....	1	0.00	
		6 = Response not entered.....	200	0.36	
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55	
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	3956	7.14	
		94 = DON'T KNOW.....	25	0.05	
		97 = REFUSED.....	4	0.01	
		98 = BLANK (NO ANSWER).....	247	0.45	
		99 = LEGITIMATE SKIP.....	207	0.37	
TRNFFTAK	2	1FRND/RELAT TOOK TRANQS FRM FRND/REL WO ASKING			
		1 = Response entered.....	7	0.01	
		6 = Response not entered.....	230	0.41	
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55	
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	3956	7.14	
		94 = DON'T KNOW.....	25	0.05	
		97 = REFUSED.....	4	0.01	
		98 = BLANK (NO ANSWER).....	247	0.45	
		99 = LEGITIMATE SKIP.....	207	0.37	
TRNFFDLR	2	1FRND/RELAT BOUGHT TRANQS FR DRUG DEALER/STRANGER			
		1 = Response entered.....	24	0.04	
		6 = Response not entered.....	213	0.38	
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55	
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	3956	7.14	
		94 = DON'T KNOW.....	25	0.05	
		97 = REFUSED.....	4	0.01	
		98 = BLANK (NO ANSWER).....	247	0.45	
		99 = LEGITIMATE SKIP.....	207	0.37	
TRNFFNET	2	1FRIEND/RELATIVE BOUGHT TRANQS ON THE INTERNET			
		1 = Response entered.....	2	0.00	
		6 = Response not entered.....	235	0.42	
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55	
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	3956	7.14	
		94 = DON'T KNOW.....	25	0.05	
		97 = REFUSED.....	4	0.01	
		98 = BLANK (NO ANSWER).....	247	0.45	
		99 = LEGITIMATE SKIP.....	207	0.37	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	377
				FREQ	%
TRNFFOTH	2	1FRIEND/RELATIVE GOT TRANQS SOME OTHER WAY			-
		1 = Response entered.....	12	0.02	
		6 = Response not entered.....	225	0.41	
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55	
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	3956	7.14	
		94 = DON'T KNOW.....	25	0.05	
		97 = REFUSED.....	4	0.01	
		98 = BLANK (NO ANSWER).....	247	0.45	
		99 = LEGITIMATE SKIP.....	207	0.37	
TRNFFOSP	2	10THER WAY FRND/RELAT GOT TRANQUILIZERS PST 30 DY			
		11 = From friend, relative, home; otherwise unspecfd...	1	0.00	
		14 = He/she bought it; otherwise unspecified.....	1	0.00	
		71 = Bought/obtained it outside of the US.....	3	0.01	
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55	
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 30 DAYS.....	3956	7.14	
		94 = DON'T KNOW.....	5	0.01	
		97 = REFUSED.....	1	0.00	
		98 = BLANK (NO ANSWER).....	276	0.50	
		99 = LEGITIMATE SKIP.....	432	0.78	
(LU30)		Earlier, the computer recorded that, during the past 12 months, you used prescription tranquilizers that were not prescribed for you or that you took only for the experience or feeling they caused.			
		Now think about the last time you used a prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused. How did you get this prescription tranquilizer?			
TRNGTLA2	2	1HOW GOT PRSCRIP TRANQUILIZER PAST 12 MOS/LST TIME			
		1 = I got a prescription from just one doctor.....	71	0.13	
		2 = I got prescriptions from more than one doctor.....	7	0.01	
		4 = I stole it from dr's office/clinic/hosp/pharmacy..	3	0.01	
		5 = I got it from a friend or relative for free.....	568	1.02	
		6 = I bought it from a friend or relative.....	162	0.29	
		7 = I took it from friend/relative without asking....	69	0.12	
		8 = I bought it from a drug dealer or other stranger..	92	0.17	
		9 = I bought it on the Internet.....	3	0.01	
		10 = I got it in some other way.....	57	0.10	
		15 = I got it from friend/relative for free LOG ASSN...	4	0.01	
		18 = I bought it from drug dealer/oth stranger LOG ASSN	1	0.00	
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55	
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2935	5.29	
		94 = DON'T KNOW.....	23	0.04	
		97 = REFUSED.....	35	0.06	
		98 = BLANK (NO ANSWER).....	226	0.41	
		99 = LEGITIMATE SKIP.....	419	0.76	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	378
				FREQ	%
TRNGTOS2	2	10 OTHER WAY RESP GOT TRANQUILIZER THE LAST TIME			-
		5 = Got it from a friend or relative for free.....	4	0.01	
		8 = Bought it from a drug dealer or other stranger....	1	0.00	
		10 = Got it in some other way.....	4	0.01	
		11 = From friend, relative, home; otherwise unspecfd...	15	0.03	
		12 = Stole it or took it; otherwise unspecified.....	3	0.01	
		13 = Given to me; otherwise unspecified.....	9	0.02	
		18 = From an individual; how and relationship unspecfd	3	0.01	
		21 = Found it; otherwise unspecified.....	4	0.01	
		71 = Bought/obtained it outside of the US.....	3	0.01	
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		85 = BAD DATA Logically assigned.....	4	0.01	
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55	
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2935	5.29	
		94 = DON'T KNOW.....	5	0.01	
		97 = REFUSED.....	40	0.07	
		98 = BLANK (NO ANSWER).....	250	0.45	
		99 = LEGITIMATE SKIP.....	1396	2.52	
(LU30A)		You reported that you got the prescription tranquilizer you last used from a friend or relative for free. How did your friend or relative get the last prescription tranquilizer that you used?			
TRNFFLAS	2	1 HOW FRND/RELAT GOT THE TRANQUILIZERS LAST TIME			
		1 = He got a prescription from just one doctor.....	339	0.61	
		2 = He got prescriptions from more than one doctor....	17	0.03	
		3 = He wrote a fake prescription.....	1	0.00	
		4 = He stole it from dr's office/clinic/hosp/pharmacy.	2	0.00	
		5 = He got it from a friend or relative for free.....	64	0.12	
		6 = He bought it from a friend or relative.....	46	0.08	
		7 = He took it from friend/relative without asking....	13	0.02	
		8 = He bought it from a drug dealer or other stranger.	22	0.04	
		9 = He bought it on the Internet.....	2	0.00	
		10 = He got it in some other way.....	16	0.03	
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55	
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2935	5.29	
		94 = DON'T KNOW.....	41	0.07	
		97 = REFUSED.....	5	0.01	
		98 = BLANK (NO ANSWER).....	289	0.52	
		99 = LEGITIMATE SKIP.....	884	1.59	
TRNFFLSP	2	10 OTHER WAY FRND/RELAT GOT TRANQUILIZERS			
		11 = From friend, relative, home; otherwise unspecfd...	1	0.00	
		12 = He/she stole or took it; otherwise unspecified....	1	0.00	
		14 = He/she bought it; otherwise unspecified.....	2	0.00	
		15 = Dr office, clinic, hospital, pharmcy; how unspcfed.	1	0.00	
		20 = He/she traded/bartered for it; sex not specfd....	1	0.00	
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		91 = NEVER USED TRANQUILIZERS.....	50753	91.55	
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2935	5.29	
		94 = DON'T KNOW.....	8	0.01	
		97 = REFUSED.....	7	0.01	
		98 = BLANK (NO ANSWER).....	330	0.60	
		99 = LEGITIMATE SKIP.....	1390	2.51	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	379
				FREQ	%
(LU31)		Earlier, the computer recorded that, during the past 30 days, you used prescription stimulants that were not prescribed for you or that you took only for the experience or feeling they caused. How did you get these prescription stimulants?		-	-
		Please enter all of the ways that you got prescription stimulants you used in the past 30 days.			
STMRX1DR	2	1I GOT ONE+ PRSCRPS FOR STIM FROM JUST ONE DR			
		1 = Response entered.....	38	0.07	
		5 = Response entered LOG ASSN (from STMGTLA2).....	1	0.00	
		6 = Response not entered.....	230	0.41	
		81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	11	0.02	
		91 = NEVER USED PRESCRIPTION STIMULANTS.....	51147	92.26	
		93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS....	2644	4.77	
		94 = DON'T KNOW.....	8	0.01	
		97 = REFUSED.....	18	0.03	
		98 = BLANK (NO ANSWER).....	204	0.37	
		99 = LEGITIMATE SKIP (Used only methamphetamine).....	1134	2.05	
STMRXDRS	2	1I GOT PRSCRPS FOR STIMULANTS FROM TWO+ DR			
		1 = Response entered.....	7	0.01	
		6 = Response not entered.....	261	0.47	
		81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	11	0.02	
		91 = NEVER USED PRESCRIPTION STIMULANTS.....	51147	92.26	
		93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS....	2644	4.77	
		94 = DON'T KNOW.....	8	0.01	
		97 = REFUSED.....	18	0.03	
		98 = BLANK (NO ANSWER).....	205	0.37	
		99 = LEGITIMATE SKIP (Used only methamphetamine).....	1134	2.05	
STMRXFAK	2	1I WROTE FAKE PRESCRIPTIONS FOR STIMULANTS			
		1 = Response entered.....	1	0.00	
		6 = Response not entered.....	267	0.48	
		81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	11	0.02	
		91 = NEVER USED PRESCRIPTION STIMULANTS.....	51147	92.26	
		93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS....	2644	4.77	
		94 = DON'T KNOW.....	8	0.01	
		97 = REFUSED.....	18	0.03	
		98 = BLANK (NO ANSWER).....	205	0.37	
		99 = LEGITIMATE SKIP (Used only methamphetamine).....	1134	2.05	
STMSTOLE	2	1I STOLE STIMS FROM A DR'S OFF/CLIN/HOSP/PHARMCY			
		1 = Response entered.....	3	0.01	
		6 = Response not entered.....	265	0.48	
		81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	11	0.02	
		91 = NEVER USED PRESCRIPTION STIMULANTS.....	51147	92.26	
		93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS....	2644	4.77	
		94 = DON'T KNOW.....	8	0.01	
		97 = REFUSED.....	18	0.03	
		98 = BLANK (NO ANSWER).....	205	0.37	
		99 = LEGITIMATE SKIP (Used only methamphetamine).....	1134	2.05	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	380
				FREQ	%
STMFRFRE	2	1I GOT STIMULANTS FROM A FRND/RELATIVE FOR FREE			-
		1 = Response entered.....	129	0.23	
		3 = Response entered LOG ASSN (from STMOTHS2).....	2	0.00	
		5 = Response entered LOG ASSN (from STMGTLA2).....	3	0.01	
		6 = Response not entered.....	135	0.24	
		81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	11	0.02	
		91 = NEVER USED PRESCRIPTION STIMULANTS.....	51147	92.26	
		93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS.....	2644	4.77	
		94 = DON'T KNOW.....	8	0.01	
		97 = REFUSED.....	18	0.03	
		98 = BLANK (NO ANSWER).....	204	0.37	
		99 = LEGITIMATE SKIP (Used only methamphetamine).....	1134	2.05	
STMFRBUY	2	1I BOUGHT THE STIMS FROM A FRIEND OR RELATIVE			
		1 = Response entered.....	71	0.13	
		5 = Response entered LOG ASSN (from STMGTLA2).....	2	0.00	
		6 = Response not entered.....	196	0.35	
		81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	11	0.02	
		91 = NEVER USED PRESCRIPTION STIMULANTS.....	51147	92.26	
		93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS.....	2644	4.77	
		94 = DON'T KNOW.....	8	0.01	
		97 = REFUSED.....	18	0.03	
		98 = BLANK (NO ANSWER).....	204	0.37	
		99 = LEGITIMATE SKIP (Used only methamphetamine).....	1134	2.05	
STMFRTKE	2	1I TOOK THE STIMS FROM A FRND/RELATIVE WO ASKING			
		1 = Response entered.....	22	0.04	
		5 = Response entered LOG ASSN (from STMGTLA2).....	2	0.00	
		6 = Response not entered.....	245	0.44	
		81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	11	0.02	
		91 = NEVER USED PRESCRIPTION STIMULANTS.....	51147	92.26	
		93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS.....	2644	4.77	
		94 = DON'T KNOW.....	8	0.01	
		97 = REFUSED.....	18	0.03	
		98 = BLANK (NO ANSWER).....	204	0.37	
		99 = LEGITIMATE SKIP (Used only methamphetamine).....	1134	2.05	
STMDEALR	2	1I BOUGHT THE STIMS FROM DRUG DEALR/OTH STRANGER			
		1 = Response entered.....	29	0.05	
		6 = Response not entered.....	239	0.43	
		81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	11	0.02	
		91 = NEVER USED PRESCRIPTION STIMULANTS.....	51147	92.26	
		93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS.....	2644	4.77	
		94 = DON'T KNOW.....	8	0.01	
		97 = REFUSED.....	18	0.03	
		98 = BLANK (NO ANSWER).....	205	0.37	
		99 = LEGITIMATE SKIP (Used only methamphetamine).....	1134	2.05	
STMINET	2	1I BOUGHT THE STIMULANTS ON THE INTERNET			
		1 = Response entered.....	7	0.01	
		6 = Response not entered.....	261	0.47	
		81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	11	0.02	
		91 = NEVER USED PRESCRIPTION STIMULANTS.....	51147	92.26	
		93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS.....	2644	4.77	
		94 = DON'T KNOW.....	8	0.01	
		97 = REFUSED.....	18	0.03	
		98 = BLANK (NO ANSWER).....	205	0.37	
		99 = LEGITIMATE SKIP (Used only methamphetamine).....	1134	2.05	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	381
				FREQ	%
STMOTHWY	2	1I GOT THE STIMULANTS IN SOME OTHER WAY			-
		1 = Response entered.....	14	0.03	
		5 = Response entered LOG ASSN (from STMGTLA2).....	1	0.00	
		6 = Response not entered.....	254	0.46	
		81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	11	0.02	
		91 = NEVER USED PRESCRIPTION STIMULANTS.....	51147	92.26	
		93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS....	2644	4.77	
		94 = DON'T KNOW.....	8	0.01	
		97 = REFUSED.....	18	0.03	
		98 = BLANK (NO ANSWER).....	204	0.37	
		99 = LEGITIMATE SKIP (Used only methamphetamine).....	1134	2.05	
STMOTHS2	2	10THER WAY RESP GOT STIMULANT USED IN PST 30 DAYS			
		5 = Got it from a friend or relative for free.....	3	0.01	
		10 = Got it in some other way.....	1	0.00	
		11 = From friend, relative, home; otherwise unspecfd...	7	0.01	
		71 = Bought/obtained it outside of the US.....	1	0.00	
		72 = Over-the-counter drug reported.....	1	0.00	
		81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	11	0.02	
		91 = NEVER USED PRESCRIPTION STIMULANTS.....	51147	92.26	
		93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS....	2644	4.77	
		97 = REFUSED.....	20	0.04	
		98 = BLANK (NO ANSWER).....	212	0.38	
		99 = LEGITIMATE SKIP (Used only methamphetamine).....	1388	2.50	
(LU31A)		You reported that you got the prescription stimulants you used in the past 30 days from a friend or relative for free. How did your friend or relative get the prescription stimulants that you used?			
		Please enter all of the ways that your friend or relative got the prescription stimulants you used in the past 30 days.			
STMFF1DR	2	1FRIEND/RELATIVE GOT RX FOR STIMULANTS FROM 1 DR			
		1 = Response entered.....	78	0.14	
		5 = Response entered LOG ASSN (from STMFFLAS).....	1	0.00	
		6 = Response not entered.....	40	0.07	
		81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	11	0.02	
		91 = NEVER USED PRESCRIPTION STIMULANTS.....	51147	92.26	
		93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS....	2644	4.77	
		94 = DON'T KNOW.....	9	0.02	
		97 = REFUSED.....	2	0.00	
		98 = BLANK (NO ANSWER).....	234	0.42	
		99 = LEGITIMATE SKIP.....	1269	2.29	
STMFFDRS	2	1FRIEND/RELATIVE GOT RX FOR STIMULANTS FROM >1 DR			
		1 = Response entered.....	3	0.01	
		6 = Response not entered.....	115	0.21	
		81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	11	0.02	
		91 = NEVER USED PRESCRIPTION STIMULANTS.....	51147	92.26	
		93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS....	2644	4.77	
		94 = DON'T KNOW.....	9	0.02	
		97 = REFUSED.....	2	0.00	
		98 = BLANK (NO ANSWER).....	235	0.42	
		99 = LEGITIMATE SKIP.....	1269	2.29	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	382
				FREQ	%
STMFFAKE	2	1FRIEND/RELATIVE WROTE FAKE RX FOR STIMULANTS			-
		1 = Response entered.....	2	0.00	
		6 = Response not entered.....	116	0.21	
		81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	11	0.02	
		91 = NEVER USED PRESCRIPTION STIMULANTS.....	51147	92.26	
		93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS....	2644	4.77	
		94 = DON'T KNOW.....	9	0.02	
		97 = REFUSED.....	2	0.00	
		98 = BLANK (NO ANSWER).....	235	0.42	
		99 = LEGITIMATE SKIP.....	1269	2.29	
STMFFSTL	2	1FRND/RELAT STOLE STIMS FRM DR/CLIN/HOSP/PHARM			
		6 = Response not entered.....	118	0.21	
		81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	11	0.02	
		91 = NEVER USED PRESCRIPTION STIMULANTS.....	51147	92.26	
		93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS....	2644	4.77	
		94 = DON'T KNOW.....	9	0.02	
		97 = REFUSED.....	2	0.00	
		98 = BLANK (NO ANSWER).....	235	0.42	
		99 = LEGITIMATE SKIP.....	1269	2.29	
STMFFFREE	2	1FRND/RELAT GOT STIMS FRM FRND/RELAT FOR FREE			
		1 = Response entered.....	23	0.04	
		6 = Response not entered.....	95	0.17	
		81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	11	0.02	
		91 = NEVER USED PRESCRIPTION STIMULANTS.....	51147	92.26	
		93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS....	2644	4.77	
		94 = DON'T KNOW.....	9	0.02	
		97 = REFUSED.....	2	0.00	
		98 = BLANK (NO ANSWER).....	235	0.42	
		99 = LEGITIMATE SKIP.....	1269	2.29	
STMFFBOT	2	1FRIEND/RELATIVE BOUGHT STIMS FROM FRND/RELAT			
		1 = Response entered.....	16	0.03	
		5 = Response entered LOG ASSN (from STMFFLAS).....	2	0.00	
		6 = Response not entered.....	101	0.18	
		81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	11	0.02	
		91 = NEVER USED PRESCRIPTION STIMULANTS.....	51147	92.26	
		93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS....	2644	4.77	
		94 = DON'T KNOW.....	9	0.02	
		97 = REFUSED.....	2	0.00	
		98 = BLANK (NO ANSWER).....	234	0.42	
		99 = LEGITIMATE SKIP.....	1269	2.29	
STMFFTAK	2	1FRND/RELAT TOOK STIMS FRM FRND/REL WO ASKING			
		1 = Response entered.....	3	0.01	
		6 = Response not entered.....	115	0.21	
		81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	11	0.02	
		91 = NEVER USED PRESCRIPTION STIMULANTS.....	51147	92.26	
		93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS....	2644	4.77	
		94 = DON'T KNOW.....	9	0.02	
		97 = REFUSED.....	2	0.00	
		98 = BLANK (NO ANSWER).....	235	0.42	
		99 = LEGITIMATE SKIP.....	1269	2.29	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	383
				FREQ	%
STMFFDLR	2	1FRND/RELAT BOUGHT STIMS FR DRUG DEALER/STRANGER			-
		1 = Response entered.....	11	0.02	
		6 = Response not entered.....	107	0.19	
		81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	11	0.02	
		91 = NEVER USED PRESCRIPTION STIMULANTS.....	51147	92.26	
		93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS....	2644	4.77	
		94 = DON'T KNOW.....	9	0.02	
		97 = REFUSED.....	2	0.00	
		98 = BLANK (NO ANSWER).....	235	0.42	
		99 = LEGITIMATE SKIP.....	1269	2.29	
STMFFNET	2	1FRIEND/RELATIVE BOUGHT STIMS ON THE INTERNET			
		1 = Response entered.....	1	0.00	
		6 = Response not entered.....	117	0.21	
		81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	11	0.02	
		91 = NEVER USED PRESCRIPTION STIMULANTS.....	51147	92.26	
		93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS....	2644	4.77	
		94 = DON'T KNOW.....	9	0.02	
		97 = REFUSED.....	2	0.00	
		98 = BLANK (NO ANSWER).....	235	0.42	
		99 = LEGITIMATE SKIP.....	1269	2.29	
STMFFOTH	2	1FRIEND/RELATIVE GOT STIMULANTS SOME OTHER WAY			
		1 = Response entered.....	4	0.01	
		5 = Response entered LOG ASSN (from STMFFLAS).....	1	0.00	
		6 = Response not entered.....	114	0.21	
		81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	11	0.02	
		91 = NEVER USED PRESCRIPTION STIMULANTS.....	51147	92.26	
		93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS....	2644	4.77	
		94 = DON'T KNOW.....	9	0.02	
		97 = REFUSED.....	2	0.00	
		98 = BLANK (NO ANSWER).....	234	0.42	
		99 = LEGITIMATE SKIP.....	1269	2.29	
STMFFOSP	2	10THER WAY FRND/RELAT GOT STIMULANTS			
		20 = He/she traded/bartered for it; sex not specfd.....	1	0.00	
		71 = Bought/obtained it outside of the US.....	2	0.00	
		81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	11	0.02	
		91 = NEVER USED PRESCRIPTION STIMULANTS.....	51147	92.26	
		93 = DID NOT USE PRESCRIP STIMS IN THE PAST 30 DAYS....	2644	4.77	
		94 = DON'T KNOW.....	2	0.00	
		98 = BLANK (NO ANSWER).....	245	0.44	
		99 = LEGITIMATE SKIP.....	1383	2.49	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	384
				FREQ	%
(LU32)		Earlier, the computer recorded that, during the past 12 months, you used prescription stimulants that were not prescribed for you or that you took only for the experience or feeling they caused.		-	-
		Now think about the last time you used a prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused. How did you get this prescription stimulant?			
STMGTLA2	2	1HOW GOT PRSCRIP STIMULANT PAST 12 MOS/LAST TIME			
		1 = I got a prescription from just one doctor.....	35	0.06	
		3 = I wrote a fake prescription.....	3	0.01	
		4 = I stole it from dr's office/clinic/hosp/pharmacy..	7	0.01	
		5 = I got it from a friend or relative for free.....	285	0.51	
		6 = I bought it from a friend or relative.....	119	0.21	
		7 = I took it from friend/relative without asking.....	43	0.08	
		8 = I bought it from a drug dealer or other stranger..	47	0.08	
		9 = I bought it on the Internet.....	10	0.02	
		10 = I got it in some other way.....	21	0.04	
		15 = I got it from friend/relative for free LOG ASSN...	2	0.00	
		16 = I bought it from a friend or relative LOG ASSN....	1	0.00	
		81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	11	0.02	
		85 = BAD DATA Logically assigned.....	1	0.00	
		89 = LEGITIMATE SKIP Log assn (Used only methamp).....	1	0.00	
		91 = NEVER USED PRESCRIPTION STIMULANTS.....	51147	92.26	
		93 = DID NOT USE PRESCRIP STIMS IN THE PAST 12 MOS.....	2077	3.75	
		94 = DON'T KNOW.....	25	0.05	
		97 = REFUSED.....	29	0.05	
		98 = BLANK (NO ANSWER).....	208	0.38	
		99 = LEGITIMATE SKIP (Used only methamphetamine).....	1363	2.46	
STMGTOS2	2	10THER WAY RESP GOT STIMULANT USED THE LAST TIME			
		5 = Got it from a friend or relative for free.....	2	0.00	
		6 = Bought it from a friend or relative.....	1	0.00	
		10 = Got it in some other way.....	5	0.01	
		11 = From friend, relative, home; otherwise unspcfcd..	11	0.02	
		74 = Name of drug reported, OTC unspecified.....	1	0.00	
		75 = Took it by mistake; didn't realize it was a drug..	1	0.00	
		81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	11	0.02	
		91 = NEVER USED PRESCRIPTION STIMULANTS.....	51147	92.26	
		93 = DID NOT USE PRESCRIP STIMS IN THE PAST 12 MOS.....	2077	3.75	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	29	0.05	
		98 = BLANK (NO ANSWER).....	234	0.42	
		99 = LEGITIMATE SKIP (Used only methamphetamine).....	1915	3.45	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	385
				FREQ	%
(LU32A)		You reported that you got the prescription stimulant you last used from a friend or relative for free. How did your friend or relative get the last prescription stimulant that you used?		-	-
STMFFLAS	2	1HOW FRND/RELAT GOT STIMULANTS THE LAST TIME			
		1 = He got a prescription from just one doctor.....	191	0.34	
		2 = He got prescriptions from more than one doctor....	10	0.02	
		4 = He stole it from dr's office/clinic/hosp/pharmacy.	2	0.00	
		5 = He got it from a friend or relative for free.....	22	0.04	
		6 = He bought it from a friend or relative.....	21	0.04	
		7 = He took it from friend/relative without asking....	2	0.00	
		8 = He bought it from a drug dealer or other stranger.	5	0.01	
		9 = He bought it on the Internet.....	2	0.00	
		10 = He got it in some other way.....	8	0.01	
		81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	11	0.02	
		91 = NEVER USED PRESCRIPTION STIMULANTS.....	51147	92.26	
		93 = DID NOT USE PRESCRIP STIMS IN THE PAST 12 MOS....	2077	3.75	
		94 = DON'T KNOW.....	21	0.04	
		97 = REFUSED.....	1	0.00	
		98 = BLANK (NO ANSWER).....	265	0.48	
		99 = LEGITIMATE SKIP.....	1650	2.98	
STMFFLSP	2	10THER WAY FRND/RELAT GOT STIMULANTS			
		12 = He/she stole or took it; otherwise unspecified....	1	0.00	
		14 = He/she bought it; otherwise unspecified.....	1	0.00	
		21 = He/she found it; otherwise unspecified.....	1	0.00	
		71 = Bought/obtained it outside of the US.....	1	0.00	
		81 = NEVER USED PRESCRIPTION STIMULANTS Log assn.....	11	0.02	
		91 = NEVER USED PRESCRIPTION STIMULANTS.....	51147	92.26	
		93 = DID NOT USE PRESCRIP STIMS IN THE PAST 12 MOS....	2077	3.75	
		94 = DON'T KNOW.....	4	0.01	
		97 = REFUSED.....	1	0.00	
		98 = BLANK (NO ANSWER).....	286	0.52	
		99 = LEGITIMATE SKIP.....	1905	3.44	
(LU33)		Earlier, the computer recorded that, during the past 30 days, you used methamphetamine. How did you get this methamphetamine?			
		Please enter all of the ways that you got the methamphetamine you used in the past 30 days.			
MTHFRFRE	2	1I GOT METHAMP FROM A FRND/RELATIVE FOR FREE			
		1 = Response entered.....	68	0.12	
		6 = Response not entered.....	63	0.11	
		81 = NEVER USED METHAMPHETAMINE Logically assigned....	10	0.02	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED METHAMPHETAMINE.....	52496	94.70	
		93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS...	2653	4.79	
		94 = DON'T KNOW.....	2	0.00	
		97 = REFUSED.....	34	0.06	
		98 = BLANK (NO ANSWER).....	108	0.19	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	386
				FREQ	%
MTHFRBUY	2	1I BOUGHT THE METHAMP FROM A FRIEND OR RELATIVE			-
		1 = Response entered.....	52	0.09	
		5 = Response entered LOG ASSN (from MTHGTLAS).....	1	0.00	
		6 = Response not entered.....	78	0.14	
		81 = NEVER USED METHAMPHETAMINE Logically assigned.....	10	0.02	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED METHAMPHETAMINE.....	52496	94.70	
		93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS...	2653	4.79	
		94 = DON'T KNOW.....	2	0.00	
		97 = REFUSED.....	34	0.06	
		98 = BLANK (NO ANSWER).....	108	0.19	
MTHFRTKE	2	1I TOOK THE METHAMP FROM A FRND/RELATIVE WO ASKING			
		1 = Response entered.....	5	0.01	
		6 = Response not entered.....	126	0.23	
		81 = NEVER USED METHAMPHETAMINE Logically assigned.....	10	0.02	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED METHAMPHETAMINE.....	52496	94.70	
		93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS...	2653	4.79	
		94 = DON'T KNOW.....	2	0.00	
		97 = REFUSED.....	34	0.06	
		98 = BLANK (NO ANSWER).....	108	0.19	
MTHDEALR	2	1I BOUGHT THE METHAMP FROM DRUG DEALR/OTH STRANGER			
		1 = Response entered.....	38	0.07	
		6 = Response not entered.....	93	0.17	
		81 = NEVER USED METHAMPHETAMINE Logically assigned.....	10	0.02	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED METHAMPHETAMINE.....	52496	94.70	
		93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS...	2653	4.79	
		94 = DON'T KNOW.....	2	0.00	
		97 = REFUSED.....	34	0.06	
		98 = BLANK (NO ANSWER).....	108	0.19	
MTHINET	2	1I BOUGHT THE METHAMP ON THE INTERNET			
		6 = Response not entered.....	131	0.24	
		81 = NEVER USED METHAMPHETAMINE Logically assigned.....	10	0.02	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED METHAMPHETAMINE.....	52496	94.70	
		93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS...	2653	4.79	
		94 = DON'T KNOW.....	2	0.00	
		97 = REFUSED.....	34	0.06	
		98 = BLANK (NO ANSWER).....	108	0.19	
MTHOTHWY	2	1I GOT THE METHAMP IN SOME OTHER WAY			
		1 = Response entered.....	14	0.03	
		6 = Response not entered.....	117	0.21	
		81 = NEVER USED METHAMPHETAMINE Logically assigned.....	10	0.02	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED METHAMPHETAMINE.....	52496	94.70	
		93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS...	2653	4.79	
		94 = DON'T KNOW.....	2	0.00	
		97 = REFUSED.....	34	0.06	
		98 = BLANK (NO ANSWER).....	108	0.19	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	387
				FREQ	%
MTHOTHS2	2	1OTHER WAY RESP GOT METH USED IN PST 30 DAYS			-
		10 = Got it in some other way.....	11	0.02	
		81 = NEVER USED METHAMPHETAMINE Logically assigned.....	10	0.02	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED METHAMPHETAMINE.....	52496	94.70	
		93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS...	2653	4.79	
		97 = REFUSED.....	36	0.06	
		98 = BLANK (NO ANSWER).....	111	0.20	
		99 = LEGITIMATE SKIP.....	117	0.21	
(LU33A)		You reported that you got the Methamphetamine you used in the past 30 days from a friend or relative for free. How did your friend or relative get the Methamphetamine that you used?			
		Please enter all of the ways that your friend or relative got the Methamphetamine you used in the past 30 days.			
MTHFFFREE	2	1FRND/RELAT GOT METHAMP FRM FRND/RELAT FOR FREE			
		1 = Response entered.....	26	0.05	
		6 = Response not entered.....	35	0.06	
		81 = NEVER USED METHAMPHETAMINE Logically assigned.....	10	0.02	
		91 = NEVER USED METHAMPHETAMINE.....	52496	94.70	
		93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS...	2653	4.79	
		94 = DON'T KNOW.....	6	0.01	
		97 = REFUSED.....	1	0.00	
		98 = BLANK (NO ANSWER).....	145	0.26	
		99 = LEGITIMATE SKIP.....	63	0.11	
MTHFFBOT	2	1FRIEND/RELATIVE BOUGHT METHAMP FROM FRND/RELAT			
		1 = Response entered.....	30	0.05	
		5 = Response entered LOG ASSN (from MTHFFLAS).....	1	0.00	
		6 = Response not entered.....	30	0.05	
		81 = NEVER USED METHAMPHETAMINE Logically assigned.....	10	0.02	
		91 = NEVER USED METHAMPHETAMINE.....	52496	94.70	
		93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS...	2653	4.79	
		94 = DON'T KNOW.....	6	0.01	
		97 = REFUSED.....	1	0.00	
		98 = BLANK (NO ANSWER).....	145	0.26	
		99 = LEGITIMATE SKIP.....	63	0.11	
MTHFFTAK	2	1FRND/RELAT TOOK METHAMP FRM FRND/REL WO ASKING			
		1 = Response entered.....	1	0.00	
		6 = Response not entered.....	60	0.11	
		81 = NEVER USED METHAMPHETAMINE Logically assigned.....	10	0.02	
		91 = NEVER USED METHAMPHETAMINE.....	52496	94.70	
		93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS...	2653	4.79	
		94 = DON'T KNOW.....	6	0.01	
		97 = REFUSED.....	1	0.00	
		98 = BLANK (NO ANSWER).....	145	0.26	
		99 = LEGITIMATE SKIP.....	63	0.11	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

PRIOR SUBSTANCE USE			PAGE:	388
LABEL	LEN	DESCRIPTION	FREQ	%
MTHFFDLR	2	1FRND/RELAT BOUGHT METH FR DRUG DEALER/STRANGER		-
		1 = Response entered.....	20	0.04
		5 = Response entered LOG ASSN (from MTHFFLAS).....	1	0.00
		6 = Response not entered.....	40	0.07
		81 = NEVER USED METHAMPHETAMINE Logically assigned.....	10	0.02
		91 = NEVER USED METHAMPHETAMINE.....	52496	94.70
		93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS...	2653	4.79
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	145	0.26
		99 = LEGITIMATE SKIP.....	63	0.11
MTHFFNET	2	1FRIEND/RELATIVE BOUGHT METHAMP ON THE INTERNET		
		1 = Response entered.....	1	0.00
		6 = Response not entered.....	60	0.11
		81 = NEVER USED METHAMPHETAMINE Logically assigned.....	10	0.02
		91 = NEVER USED METHAMPHETAMINE.....	52496	94.70
		93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS...	2653	4.79
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	145	0.26
		99 = LEGITIMATE SKIP.....	63	0.11
MTHFFOTH	2	1FRIEND/RELATIVE GOT METHAMPHET SOME OTHER WAY		
		1 = Response entered.....	8	0.01
		6 = Response not entered.....	53	0.10
		81 = NEVER USED METHAMPHETAMINE Logically assigned.....	10	0.02
		91 = NEVER USED METHAMPHETAMINE.....	52496	94.70
		93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS...	2653	4.79
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	145	0.26
		99 = LEGITIMATE SKIP.....	63	0.11
MTHFFOSP	2	1OTHER WAY FRND/RELAT GOT METHAMPHETAMINE		
		8 = He/she bought it from drug dealer/other stranger..	1	0.00
		11 = From friend, relative, home; otherwise unspecfd..	1	0.00
		16 = He/she made/cooked it.....	1	0.00
		81 = NEVER USED METHAMPHETAMINE Logically assigned.....	10	0.02
		91 = NEVER USED METHAMPHETAMINE.....	52496	94.70
		93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS...	2653	4.79
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	152	0.27
		99 = LEGITIMATE SKIP.....	116	0.21

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	389
				FREQ	%
(LU34)		Earlier, the computer recorded that, during the past 12 months, you used methamphetamine.		-	-
 Now think about the last time you used methamphetamine. How did you get this methamphetamine?					
MTHGTLAS	2	1HOW GOT METHAMPHETAMINE PAST 12 MOS/LAST TIME			
		5 = I got it from a friend or relative for free.....	165	0.30	
		6 = I bought it from a friend or relative.....	81	0.15	
		7 = I took it from friend/relative without asking.....	8	0.01	
		8 = I bought it from a drug dealer or other stranger..	46	0.08	
		9 = I bought it on the Internet.....	3	0.01	
		10 = I got it in some other way.....	14	0.03	
		15 = I got it from a friend/relative for free LOG ASSN.	3	0.01	
		81 = NEVER USED METHAMPHETAMINE Logically assigned.....	10	0.02	
		91 = NEVER USED METHAMPHETAMINE.....	52496	94.70	
		93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS....	2351	4.24	
		94 = DON'T KNOW.....	4	0.01	
		97 = REFUSED.....	33	0.06	
		98 = BLANK (NO ANSWER).....	116	0.21	
		99 = LEGITIMATE SKIP.....	105	0.19	
MTHGTOS2	2	10THER WAY RESP GOT METH USED THE LAST TIME			
		5 = Got it from a friend or relative for free.....	3	0.01	
		10 = Got it in some other way.....	9	0.02	
		81 = NEVER USED METHAMPHETAMINE Logically assigned.....	10	0.02	
		85 = BAD DATA Logically assigned.....	3	0.01	
		91 = NEVER USED METHAMPHETAMINE.....	52496	94.70	
		93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS....	2351	4.24	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	34	0.06	
		98 = BLANK (NO ANSWER).....	120	0.22	
		99 = LEGITIMATE SKIP.....	408	0.74	
(LU34A)		You reported that you got the Methamphetamine you last used from a friend or relative for free. How did your friend or relative get the last Methamphetamine that you used?			
MTHFFLAS	2	1HOW FRND/RELAT GOT METHAMPHETAMINE THE LAST TIME			
		5 = He got it from a friend or relative for free.....	46	0.08	
		6 = He bought it from a friend or relative.....	58	0.10	
		8 = He bought it from a drug dealer or other stranger.	26	0.05	
		10 = He got it in some other way.....	13	0.02	
		18 = He bought it from a drug dealer or stranger LOG...	1	0.00	
		91 = NEVER USED METHAMPHETAMINE.....	52506	94.72	
		93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS....	2351	4.24	
		94 = DON'T KNOW.....	19	0.03	
		97 = REFUSED.....	2	0.00	
		98 = BLANK (NO ANSWER).....	156	0.28	
		99 = LEGITIMATE SKIP.....	257	0.46	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

PRIOR SUBSTANCE USE			PAGE:	390
LABEL	LEN	DESCRIPTION	FREQ	%
MTHFFLSP	2	1 OTHER WAY FRND/RELAT GOT METHAMPHETAMINE		-
		8 = He/she bought it from drug dealer/other stranger..	1	0.00
		15 = Dr office, clinic, hospital, pharmcy; how unspcfed.	3	0.01
		16 = He/she made/cooked it.....	5	0.01
		18 = He/she got fr individual; how & relation unspecfd.	1	0.00
		91 = NEVER USED METHAMPHETAMINE.....	52506	94.72
		93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS....	2351	4.24
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	175	0.32
		99 = LEGITIMATE SKIP.....	387	0.70

(LU35) Earlier, the computer recorded that, during the past 30 days, you used prescription sedatives that were not prescribed for you or that you took only for the experience or feeling they caused. How did you get these prescription sedatives?

Please enter all of the ways that you got the prescription sedatives you used in the past 30 days.

SEDRX1DR	2	1I GOT ONE+ PRSCRPS FOR SEDATIVES FROM JUST ONE DR		
		1 = Response entered.....	10	0.02
		3 = Response entered LOG ASSN (from SEDOTHS2).....	1	0.00
		5 = Response entered LOG ASSN (from SEDGTLA2).....	1	0.00
		6 = Response not entered.....	69	0.12
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03
		91 = NEVER USED SEDATIVES.....	54087	97.57
		93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS.....	1091	1.97
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	14	0.03
		98 = BLANK (NO ANSWER).....	140	0.25

SEDRXDRS	2	1I GOT PRSCRPS FOR SEDATIVES FROM TWO+ DR		
		1 = Response entered.....	2	0.00
		6 = Response not entered.....	79	0.14
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03
		91 = NEVER USED SEDATIVES.....	54087	97.57
		93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS.....	1091	1.97
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	14	0.03
		98 = BLANK (NO ANSWER).....	140	0.25

SEDRXFAK	2	1I WROTE FAKE PRESCRIPTIONS FOR SEDATIVES		
		1 = Response entered.....	1	0.00
		6 = Response not entered.....	80	0.14
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03
		91 = NEVER USED SEDATIVES.....	54087	97.57
		93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS.....	1091	1.97
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	14	0.03
		98 = BLANK (NO ANSWER).....	140	0.25

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE		PAGE: FREQ	391 %
			-----	-----		
SEDSSTOLE	2	1I STOLE SEDS FROM A DR'S OFF/CLIN/HOSP/PHARMCY				-
		1 = Response entered.....	1	0.00		
		6 = Response not entered.....	80	0.14		
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03		
		91 = NEVER USED SEDATIVES.....	54087	97.57		
		93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS.....	1091	1.97		
		94 = DON'T KNOW.....	4	0.01		
		97 = REFUSED.....	14	0.03		
		98 = BLANK (NO ANSWER).....	140	0.25		
SEDFRFRE	2	1I GOT SEDATIVES FROM A FRND/RELATIVE FOR FREE				
		1 = Response entered.....	54	0.10		
		6 = Response not entered.....	27	0.05		
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03		
		91 = NEVER USED SEDATIVES.....	54087	97.57		
		93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS.....	1091	1.97		
		94 = DON'T KNOW.....	4	0.01		
		97 = REFUSED.....	14	0.03		
		98 = BLANK (NO ANSWER).....	140	0.25		
SEDFRBUY	2	1I BOUGHT THE SEDS FROM A FRIEND OR RELATIVE				
		1 = Response entered.....	10	0.02		
		6 = Response not entered.....	71	0.13		
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03		
		91 = NEVER USED SEDATIVES.....	54087	97.57		
		93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS.....	1091	1.97		
		94 = DON'T KNOW.....	4	0.01		
		97 = REFUSED.....	14	0.03		
		98 = BLANK (NO ANSWER).....	140	0.25		
SEDFRTKE	2	1I TOOK THE SEDS FROM A FRND/RELATIVE WO ASKING				
		1 = Response entered.....	11	0.02		
		5 = Response entered LOG ASSN (from SEDGTLA2).....	1	0.00		
		6 = Response not entered.....	69	0.12		
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03		
		91 = NEVER USED SEDATIVES.....	54087	97.57		
		93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS.....	1091	1.97		
		94 = DON'T KNOW.....	4	0.01		
		97 = REFUSED.....	14	0.03		
		98 = BLANK (NO ANSWER).....	140	0.25		
SEDDEALR	2	1I BOUGHT THE SEDS FROM DRUG DEALR/OTH STRANGER				
		1 = Response entered.....	9	0.02		
		6 = Response not entered.....	72	0.13		
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03		
		91 = NEVER USED SEDATIVES.....	54087	97.57		
		93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS.....	1091	1.97		
		94 = DON'T KNOW.....	4	0.01		
		97 = REFUSED.....	14	0.03		
		98 = BLANK (NO ANSWER).....	140	0.25		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	392
				FREQ	%
SEDINET	2	1I BOUGHT THE SEDATIVES ON THE INTERNET			-
		1 = Response entered.....	1	0.00	
		6 = Response not entered.....	80	0.14	
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03	
		91 = NEVER USED SEDATIVES.....	54087	97.57	
		93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS.....	1091	1.97	
		94 = DON'T KNOW.....	4	0.01	
		97 = REFUSED.....	14	0.03	
		98 = BLANK (NO ANSWER).....	140	0.25	
SEDOOTHWY	2	1I GOT THE SEDATIVES IN SOME OTHER WAY			
		1 = Response entered.....	10	0.02	
		6 = Response not entered.....	71	0.13	
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03	
		91 = NEVER USED SEDATIVES.....	54087	97.57	
		93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS.....	1091	1.97	
		94 = DON'T KNOW.....	4	0.01	
		97 = REFUSED.....	14	0.03	
		98 = BLANK (NO ANSWER).....	140	0.25	
SEDOOTHS2	2	10THER WAY RESP GOT SEDATIVE USED IN PST 30 DAYS			
		1 = Got one/more prescriptions from just one doctor...	1	0.00	
		5 = Got it from a friend or relative for free.....	1	0.00	
		10 = Got it in some other way.....	2	0.00	
		71 = Bought/obtained it outside of the US.....	3	0.01	
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED SEDATIVES.....	54087	97.57	
		93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS.....	1091	1.97	
		97 = REFUSED.....	16	0.03	
		98 = BLANK (NO ANSWER).....	144	0.26	
		99 = LEGITIMATE SKIP.....	71	0.13	
(LU35A)		You reported that you got the prescription sedatives you used in the past 30 days from a friend or relative for free. How did your friend or relative get the prescription sedatives that you used?			
		Please enter all of the ways that your friend or relative got the prescription sedatives you used in the past 30 days.			
SEDFFL1DR	2	1FRIEND/RELATIVE GOT RX FOR SEDATIVES FROM 1 DR			
		1 = Response entered.....	35	0.06	
		6 = Response not entered.....	12	0.02	
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03	
		91 = NEVER USED SEDATIVES.....	54087	97.57	
		93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS.....	1091	1.97	
		94 = DON'T KNOW.....	7	0.01	
		98 = BLANK (NO ANSWER).....	158	0.29	
		99 = LEGITIMATE SKIP.....	27	0.05	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	393
				FREQ	%
SEDFFDRS	2	1FRIEND/RELATIVE GOT RX FOR SEDATIVES FROM >1 DR			-
		1 = Response entered.....	9	0.02	
		6 = Response not entered.....	38	0.07	
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03	
		91 = NEVER USED SEDATIVES.....	54087	97.57	
		93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS.....	1091	1.97	
		94 = DON'T KNOW.....	7	0.01	
		98 = BLANK (NO ANSWER).....	158	0.29	
		99 = LEGITIMATE SKIP.....	27	0.05	
SEDFFAKE	2	1FRIEND/RELATIVE WROTE FAKE RX FOR SEDATIVES			
		1 = Response entered.....	1	0.00	
		6 = Response not entered.....	46	0.08	
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03	
		91 = NEVER USED SEDATIVES.....	54087	97.57	
		93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS.....	1091	1.97	
		94 = DON'T KNOW.....	7	0.01	
		98 = BLANK (NO ANSWER).....	158	0.29	
		99 = LEGITIMATE SKIP.....	27	0.05	
SEDFFSTL	2	1FRND/RELAT STOLE SEDATVS FRM DR/CLIN/HOSP/PHARM			
		6 = Response not entered.....	47	0.08	
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03	
		91 = NEVER USED SEDATIVES.....	54087	97.57	
		93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS.....	1091	1.97	
		94 = DON'T KNOW.....	7	0.01	
		98 = BLANK (NO ANSWER).....	158	0.29	
		99 = LEGITIMATE SKIP.....	27	0.05	
SEDFFFREE	2	1FRND/RELAT GOT SEDATIVES FRM FRND/RELAT FOR FREE			
		1 = Response entered.....	7	0.01	
		6 = Response not entered.....	40	0.07	
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03	
		91 = NEVER USED SEDATIVES.....	54087	97.57	
		93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS.....	1091	1.97	
		94 = DON'T KNOW.....	7	0.01	
		98 = BLANK (NO ANSWER).....	158	0.29	
		99 = LEGITIMATE SKIP.....	27	0.05	
SEDFFBOT	2	1FRIEND/RELATIVE BOUGHT SEDATIVES FROM FRND/RELAT			
		1 = Response entered.....	8	0.01	
		6 = Response not entered.....	39	0.07	
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03	
		91 = NEVER USED SEDATIVES.....	54087	97.57	
		93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS.....	1091	1.97	
		94 = DON'T KNOW.....	7	0.01	
		98 = BLANK (NO ANSWER).....	158	0.29	
		99 = LEGITIMATE SKIP.....	27	0.05	
SEDFFTAK	2	1FRND/RELAT TOOK SEDATIVES FRM FRND/REL WO ASKING			
		1 = Response entered.....	3	0.01	
		6 = Response not entered.....	44	0.08	
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03	
		91 = NEVER USED SEDATIVES.....	54087	97.57	
		93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS.....	1091	1.97	
		94 = DON'T KNOW.....	7	0.01	
		98 = BLANK (NO ANSWER).....	158	0.29	
		99 = LEGITIMATE SKIP.....	27	0.05	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	394
				FREQ	%
SEDFFDLR	2	1FRND/RELAT BOUGHT SEDTVS FR DRUG DEALER/STRANGER			-
		1 = Response entered.....	5	0.01	
		6 = Response not entered.....	42	0.08	
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03	
		91 = NEVER USED SEDATIVES.....	54087	97.57	
		93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS.....	1091	1.97	
		94 = DON'T KNOW.....	7	0.01	
		98 = BLANK (NO ANSWER).....	158	0.29	
		99 = LEGITIMATE SKIP.....	27	0.05	
SEDFFNET	2	1FRIEND/RELATIVE BOUGHT SEDATIVES ON THE INTERNET			
		6 = Response not entered.....	47	0.08	
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03	
		91 = NEVER USED SEDATIVES.....	54087	97.57	
		93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS.....	1091	1.97	
		94 = DON'T KNOW.....	7	0.01	
		98 = BLANK (NO ANSWER).....	158	0.29	
		99 = LEGITIMATE SKIP.....	27	0.05	
SEDFFOTH	2	1FRIEND/RELATIVE GOT SEDATIVES SOME OTHER WAY			
		1 = Response entered.....	3	0.01	
		6 = Response not entered.....	44	0.08	
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03	
		91 = NEVER USED SEDATIVES.....	54087	97.57	
		93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS.....	1091	1.97	
		94 = DON'T KNOW.....	7	0.01	
		98 = BLANK (NO ANSWER).....	158	0.29	
		99 = LEGITIMATE SKIP.....	27	0.05	
SEDFFOSP	2	1OTHER WAY FRND/RELAT GOT SEDATIVES			
		29 = He/she got drugs/money in exchange for sex.....	1	0.00	
		71 = Bought/obtained it outside of the US.....	1	0.00	
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED SEDATIVES.....	54087	97.57	
		93 = DID NOT USE SEDATIVES IN THE PAST 30 DAYS.....	1091	1.97	
		98 = BLANK (NO ANSWER).....	165	0.30	
		99 = LEGITIMATE SKIP.....	71	0.13	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	395
				FREQ	%
(LU36)		Earlier, the computer recorded that, during the past 12 months, you used prescription sedatives that were not prescribed for you or that you took only for the experience or feeling they caused.			-
		Now think about the last time you used a prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused. How did you get this prescription sedative?			
SEDGTLA2	2	1HOW GOT PRSCRIP SEDATIVE PAST 12 MOS/LAST TIME			
		1 = I got a prescription from just one doctor.....	22	0.04	
		2 = I got prescriptions from more than one doctor....	3	0.01	
		4 = I stole it from dr's office/clinic/hosp/pharmacy..	3	0.01	
		5 = I got it from a friend or relative for free.....	93	0.17	
		6 = I bought it from a friend or relative.....	18	0.03	
		7 = I took it from friend/relative without asking....	9	0.02	
		8 = I bought it from a drug dealer or other stranger..	7	0.01	
		10 = I got it in some other way.....	13	0.02	
		15 = I got it from friend/relative for free LOG ASSN...	2	0.00	
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03	
		91 = NEVER USED SEDATIVES.....	54087	97.57	
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	925	1.67	
		94 = DON'T KNOW.....	7	0.01	
		97 = REFUSED.....	14	0.03	
		98 = BLANK (NO ANSWER).....	147	0.27	
		99 = LEGITIMATE SKIP.....	67	0.12	
SEDGTO2	2	10THER WAY RESP GOT SEDATIVE USED THE LAST TIME			
		5 = Got it from a friend or relative for free.....	2	0.00	
		10 = Got it in some other way.....	3	0.01	
		11 = From friend, relative, home; otherwise unspecfd..	4	0.01	
		74 = Name of drug reported, OTC unspecified.....	1	0.00	
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03	
		85 = BAD DATA Logically assigned.....	2	0.00	
		91 = NEVER USED SEDATIVES.....	54087	97.57	
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	925	1.67	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	15	0.03	
		98 = BLANK (NO ANSWER).....	154	0.28	
		99 = LEGITIMATE SKIP.....	223	0.40	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	396
				FREQ	%
(LU36A)		You reported that you got the prescription sedative you last used from a friend or relative for free. How did your friend or relative get the last prescription sedative that you used?			-
SEDFFLAS	2	1HOW FRND/RELAT GOT SEDATIVES THE LAST TIME			
		1 = He got a prescription from just one doctor.....	61	0.11	
		2 = He got prescriptions from more than one doctor....	3	0.01	
		5 = He got it from a friend or relative for free.....	13	0.02	
		6 = He bought it from a friend or relative.....	3	0.01	
		7 = He took it from friend/relative without asking....	1	0.00	
		9 = He bought it on the Internet.....	1	0.00	
		10 = He got it in some other way.....	1	0.00	
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03	
		91 = NEVER USED SEDATIVES.....	54087	97.57	
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	925	1.67	
		94 = DON'T KNOW.....	10	0.02	
		98 = BLANK (NO ANSWER).....	170	0.31	
		99 = LEGITIMATE SKIP.....	142	0.26	
SEDFFLSP	2	10THER WAY FRND/RELAT GOT SEDATIVE			
		81 = NEVER USED SEDATIVES Logically assigned.....	18	0.03	
		91 = NEVER USED SEDATIVES.....	54087	97.57	
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	925	1.67	
		94 = DON'T KNOW.....	1	0.00	
		98 = BLANK (NO ANSWER).....	180	0.32	
		99 = LEGITIMATE SKIP.....	224	0.40	
(LU37)		NOTE: Respondents were assigned legitimate skip codes of 99 or 89 in CIGYRBFR if they reported in the core TOBACCO module that they last smoked a cigarette more than 3 years ago. Logically, these respondents would not have smoked a cigarette in the past 12 to 24 months. In addition, CIGYRBFR was not edited with respect to CIGAGLST or CIGDLLST. Therefore, inconsistencies could exist between CIGYRBFR and these other variables.			
CIGYRBFR	2	1SMOKE ALL OR PART OF CIGARETTE IN YR BEFORE LAST			
		1 = Yes.....	15719	28.36	
		2 = No.....	4427	7.99	
		91 = NEVER USED CIGARETTES.....	25005	45.11	
		94 = DON'T KNOW.....	170	0.31	
		97 = REFUSED.....	79	0.14	
		98 = BLANK (NO ANSWER).....	182	0.33	
		99 = LEGITIMATE SKIP.....	9853	17.77	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	397
				FREQ	%
(LU38)		NOTE: The variables ALCYRBFR and ALCAGLST were not edited with respect to one another. Therefore, inconsistencies could exist between these two variables.			-
		Earlier questions were about the past 12 months. This question is about the year before that, that is, from [DATEFILL - 12 MONTHS] to [DATEFILL].] During that year, beginning [DATEFILL - 12 MONTHS] and ending [DATEFILL], did you have a drink of any type of alcoholic beverage, even once?			
ALCYRBFR	2	1HAVE ALCOHOLIC BEVERAGE IN YEAR BEFORE LAST			
		1 = Yes.....	30414	54.86	
		2 = No.....	9467	17.08	
		85 = BAD DATA Logically assigned.....	2	0.00	
		91 = NEVER USED ALCOHOL.....	15189	27.40	
		94 = DON'T KNOW.....	249	0.45	
		97 = REFUSED.....	91	0.16	
		98 = BLANK (NO ANSWER).....	23	0.04	
(LU39)		NOTE: The variables COCYRBFR and COCAGLST were not edited with respect to one another. Therefore, inconsistencies could exist between these two variables.			
		Earlier questions were about the past 12 months. This question is about the year before that, that is, from [DATEFILL - 12 MONTHS] to [DATEFILL].] During that year, beginning [DATEFILL - 12 MONTHS] and ending [DATEFILL], did you use any form of cocaine, even once?			
COCYRBFR	2	1HAVE ANY FORM OF COCAINE IN YEAR BEFORE LAST			
		1 = Yes.....	1826	3.29	
		2 = No.....	4768	8.60	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED COCAINE.....	48750	87.94	
		94 = DON'T KNOW.....	42	0.08	
		97 = REFUSED.....	34	0.06	
		98 = BLANK (NO ANSWER).....	14	0.03	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	398
			FREQ	%
-----	-----	-----	-----	-
RECODED PRIOR SUBSTANCE USE				

NOTE: The variables in this section are recoded variables that were created from one or more of the variables from the following two sections: Recoded Drug Use and Prior Substance Use.				
MJPRIOR	1	MARIJUANA USE 12 TO 23 MONTHS PRIOR TO INTERVIEW		
		0 = No (Otherwise).....	46942	84.68
		1 = Used MRJ 12-23 months ago (MRJYRBFR=1).....	8493	15.32
MJPRIYR	1	MRJ USE 12-23 MONTHS PRIOR & PST YR MRJ USE		
		0 = No (Otherwise).....	49079	88.53
		1 = Used in Prior Yr & Past Yr (MRJYR=1 & MJPRIOR=1)..	6356	11.47
MJPRNOYR	1	MRJ USE 12-23 MONTHS PRIOR & NO PST YR MRJ USE		
		0 = No (Otherwise).....	53298	96.15
		1 = Used in Pr Yr NOT Pst Yr (MRJYR=0 and MJPRIOR=1)..	2137	3.85

LABEL	LEN	DESCRIPTION	RECODED PRIOR SUBSTANCE USE	PAGE:	399
				FREQ	%
			The following variables: ANLLTSC, TRNLTS2, STMLTS2, SEDLTS2, and MTHLTSC4, were created to capture the sources for most recent nonmedical use of prescription pain relievers, prescription tranquilizers, prescription stimulants, prescription sedatives, and methamphetamine within the past year.		-
			For each variable, excluding MTHLTSC4, there are 11 mutually exclusive levels; 10 levels for specific sources and one level for those respondents who did not indicate using the drug in the past year (or lifetime). Since methamphetamine is not available by prescription, there are 7 mutually exclusive levels; 6 sources and one level for non past year users. The levels for the specific sources take into account responses from past month users who indicated a single source during the past 30 days, past month users who indicated their most recent source after indicating multiple sources during the past 30 days, and past year users who indicated their most recent source of drug use.		
			Note that questions related to source of stimulant use pertain only to prescription stimulants and are not asked of respondents who were users of only methamphetamine, thus those respondents who indicated non-prescription stimulant use only (STMGTLA2=99) were classified as having "No Past Year Use" (STMLTS2=11).		
			A respondent was classified in one of the following 12 categories for the source of most recent prescription drug use in the past year for the variables, ANLLTSC, TRNLTS2, STMLTS2, and SEDLTS2:		
			(1) Got From One Doctor ((XXXGTLAS or XXXGTLA2)=1,11 or only XXXRX1DR=1,3,5) (2) Got From More Than One Doctor ((XXXGTLAS or XXXGTLA2)=2,12 or only XXXRXDRS=1,3,5) (3) Wrote Fake Prescription ((XXXGTLAS or XXXGTLA2)=3,13 or only XXXRXFAK=1,3,5) (4) Stole from Dr Office, Clinic, Hospital, or Pharmacy ((XXXGTLAS or XXXGTLA2)=4,14 or only XXXSTOLE=1,3,5) (5) Got From Friend or Relative for Free ((XXXGTLAS or or XXXGTLA2)=5,15 or only XXXFRFRE=1,3,5) (6) Bought from Friend or Relative ((XXXGTLAS or XXXGTLA2)=6,16 or only XXXFRBUY=1,3,5) (7) Took from Friend or Relative without Asking ((XXXGTLAS or XXXGTLA2)=7,17 or only XXXFRTKE=1,3,5) (8) Bought from Drug Dealer or Other Stranger ((XXXGTLAS or XXXGTLA2)=8,18 or only XXXDEALR=1,3,5) (9) Bought on the Internet ((XXXGTLAS or XXXGTLA2)=9,19 or only XXXINET=1,3,5) (10) Got Some Other Way ((XXXGTLAS or XXXGTLA2)=10 and XXXGTOS2=10-29,71) or (only XXXOTHWY=1,3,5 and XXXOTHS2=10-29,71)) (11) No Lifetime or Past Year Use ((XXXGTLAS or XXXGTLA2)=81,91,93,(99 for STM only))		
			SAS Missing = Unknown/Invalid Source ((XXXGTLAS or XXXGTLA2)=85,94,97,98 or [(XXXGTLAS or XXXGTLA2)=10 and XXXOTHS2=70,72,85,94,97,98] or [XXXOTHWY=1 and XXXOTHS2=70,72,85,94,97,98]))		
ANLLTSC	2	SOURCE OF PAIN RELIEVERS FOR LAST NONMED USE			
		.	= Unknown/Invalid Source.....	746	1.35
		1	= Got From One Doctor.....	605	1.09
		2	= Got From More Than One Doctor.....	68	0.12
		3	= Wrote Fake Prescription.....	11	0.02
		4	= Stole from Dr Office, Clinic, Hospital,or Pharmacy	17	0.03
		5	= Got From Friend or Relative for Free.....	2093	3.78
		6	= Bought from Friend or Relative.....	414	0.75
		7	= Took from Friend or Relative without Asking.....	259	0.47
		8	= Bought from Drug Dealer or Other Stranger.....	213	0.38
		9	= Bought on the Internet.....	10	0.02
		10	= Got Some Other Way.....	165	0.30

11 = No Lifetime or Past Year Use..... 50834 91.70

Codebook Creation Date: September 20, 2012

LABEL	LEN	DESCRIPTION	RECODED PRIOR SUBSTANCE USE		PAGE:	400
			FREQ	%		
TRNLTS2	2	SOURCE OF TRANQUILIZERS FOR LAST NONMED USE			-----	-
		. = Unknown/Invalid Source.....	305	0.55		
		1 = Got From One Doctor.....	112	0.20		
		2 = Got From More Than One Doctor.....	10	0.02		
		3 = Wrote Fake Prescription.....	4	0.01		
		4 = Stole from Dr Office, Clinic, Hospital,or Pharmacy	7	0.01		
		5 = Got From Friend or Relative for Free.....	791	1.43		
		6 = Bought from Friend or Relative.....	214	0.39		
		7 = Took from Friend or Relative without Asking.....	100	0.18		
		8 = Bought from Drug Dealer or Other Stranger.....	134	0.24		
		9 = Bought on the Internet.....	8	0.01		
		10 = Got Some Other Way.....	56	0.10		
		11 = No Lifetime or Past Year Use.....	53694	96.86		
STMLTS2	2	SOURCE OF RX STIMULANTS FOR LAST NONMED USE				
		. = Unknown/Invalid Source.....	269	0.49		
		1 = Got From One Doctor.....	68	0.12		
		2 = Got From More Than One Doctor.....	6	0.01		
		3 = Wrote Fake Prescription.....	3	0.01		
		4 = Stole from Dr Office, Clinic, Hospital,or Pharmacy	10	0.02		
		5 = Got From Friend or Relative for Free.....	385	0.69		
		6 = Bought from Friend or Relative.....	162	0.29		
		7 = Took from Friend or Relative without Asking.....	58	0.10		
		8 = Bought from Drug Dealer or Other Stranger.....	67	0.12		
		9 = Bought on the Internet.....	16	0.03		
		10 = Got Some Other Way.....	22	0.04		
		11 = No Lifetime or Past Year Rx Use.....	54369	98.08		
SEDLTS2	2	SOURCE OF SEDATIVES FOR LAST NONMED USE				
		. = Unknown/Invalid Source.....	174	0.31		
		1 = From One Doctor.....	30	0.05		
		2 = From More Than One Doctor.....	4	0.01		
		4 = Stole from Dr Office, Clinic, Hospital,or Pharmacy	4	0.01		
		5 = From Friend or Relative for Free.....	135	0.24		
		6 = Bought from Friend or Relative.....	20	0.04		
		7 = Took from Friend or Relative without Asking.....	13	0.02		
		8 = Bought from Drug Dealer or Other Stranger.....	11	0.02		
		10 = Some Other Way.....	14	0.03		
		11 = No Lifetime or Past Year Use.....	55030	99.27		

LABEL	LEN	DESCRIPTION	RECODED PRIOR SUBSTANCE USE	PAGE:	401
				FREQ	%

The variable for the source of most recent methamphetamine use in the past year, MTHLTSC4, was defined by including respondents routed from the core Stimulants module as well as respondents routed from the noncore Special Drugs module who reported they did not think of methamphetamine as a prescription drug when asked about use in the core Stimulants module.					
As indicated below, the imputed recency variable, CPNMTHYR, was used in conjunction with the edited source variables to determine a respondent's source for most recently used methamphetamine based on past year use as defined from both the core Stimulants module and legitimate responses from the noncore Special Drugs module, as previously stated. The categories were defined as follows:					
(5) From Friend or Relative for Free (Valid Past Year Use [CPNMTHYR=1] and MTHGTLAS=5,15 or only MTHFRFRE=1,3,5)					
(6) Bought from Friend or Relative (Valid Past Year Use [CPNMTHYR=1] and MTHGTLAS=6,16 or only MTHFRBUY=1,3,5)					
(7) Took from Friend or Relative without Asking (Valid Past Year Use [CPNMTHYR=1] and MTHGTLAS=7,17 or only MTHFRTKE=1,3,5)					
(8) Bought from Drug Dealer or Other Stranger (Valid Past Year Use [CPNMTHYR=1] and MTHGTLAS=8,18 or only MTHDEALR=1,3,5)					
(9) Bought on the Internet (Valid Past Year Use [CPNMTHYR=1] and MTHGTLAS=9,19 or only MTHINET=1,3,5)					
(10) Some Other Way (Valid Past Year Use [CPNMTHYR=1] and [MTHGTLAS=10 and MTHGTOS2=10 or only MTHOTHWY=1,3,5 and MTHOTHS2=10])					
(11) No Lifetime or Past Year Use (CPNMTHYR=0)					
(SAS Missing) Unknown/Invalid Source {Valid Past Year Use [CPNMTHYR=1] and ([MTHGTLAS=93,94,97,98] or [MTHGTLAS=10 and MTHGTOS2=85,94,97,98] or [only MTHOTHWY=1 and MTHOTHS2=85,94,97,98,99])}					
Please see Appendix B.4.6 of the Results from the 2007 NSDUH: National Findings for more information.					
MTHLTSC4	2	SOURCE OF METHAMPHETAMINE FOR LAST NONMED USE			
		.	= Unknown/Invalid Source.....	55	0.10
		5	= Got From Friend or Relative for Free.....	188	0.34
		6	= Bought from Friend or Relative.....	101	0.18
		7	= Took from Friend or Relative without Asking.....	12	0.02
		8	= Bought from Drug Dealer or Other Stranger.....	58	0.10
		10	= Got Some Other Way.....	12	0.02
		11	= No Lifetime or Past Year Use.....	55009	99.23

LABEL	LEN	DESCRIPTION	RECODED PRIOR SUBSTANCE USE	PAGE:	402
				FREQ	%

			Note: The following 46 variables were created to capture all a respondent's reported sources of past month prescription drug and methamphetamine (MTH) use. The prescription drugs include pain relievers (ANL), tranquilizers (TRN), stimulants (STM), and sedatives (SED).		-
ANLRX1D2	1	GOT ONE+ RX FOR ANL FROM JUST ONE DOCTOR - PST MON			
		. = Unknown Source (ANLRX1DR=85,94,97,98).....	611	1.10	
		1 = Yes (ANLRX1DR=1,5).....	336	0.61	
		2 = No (ANLRX1DR=6).....	1159	2.09	
		3 = Never Used/No Past Month Use (ANLRX1DR=81,91,93)..	53329	96.20	
ANLRXDS2	1	GOT RX FOR ANL FROM 2 OR MORE DOCTORS - PST MON			
		. = Unknown Source (ANLRXDRS=85,94,97,98).....	611	1.10	
		1 = Yes (ANLRXDRS=1,5).....	77	0.14	
		2 = No (ANLRXDRS=6).....	1418	2.56	
		3 = Never Used/No Past Month Use (ANLRXDRS=81,91,93)..	53329	96.20	
ANLRXFK2	1	WROTE FAKE PRESCRIPTION FOR ANL - PST MON			
		. = Unknown Source (ANLRXFAK=85,94,97,98).....	611	1.10	
		1 = Yes (ANLRXFAK=1).....	14	0.03	
		2 = No (ANLRXFAK=6).....	1481	2.67	
		3 = Never Used/No Past Month Use (ANLRXFAK=81,91,93)..	53329	96.20	
ANLSTOL2	1	STOLE ANL FROM DR'S OFF/CLIN/HOSP/PHARM - PST MON			
		. = Unknown Source (ANLSTOLE=85,94,97,98).....	611	1.10	
		1 = Yes (ANLSTOLE=1).....	20	0.04	
		2 = No (ANLSTOLE=6).....	1475	2.66	
		3 = Never Used/No Past Month Use (ANLSTOLE=81,91,93)..	53329	96.20	
ANLFRFE2	1	GOT ANL FROM A FRIEND/RELATIVE FOR FREE - PST MON			
		. = Unknown Source (ANLFRFRE=85,94,97,98).....	606	1.09	
		1 = Yes (ANLFRFRE=1,3,5).....	907	1.64	
		2 = No (ANLFRFRE=6).....	593	1.07	
		3 = Never Used/No Past Month Use (ANLFRFRE=81,91,93)..	53329	96.20	
ANLFRBY2	1	BOUGHT ANL FROM A FRIEND OR RELATIVE - PST MON			
		. = Unknown Source (ANLFRBUY=85,94,97,98).....	611	1.10	
		1 = Yes (ANLFRBUY=1,3,5).....	399	0.72	
		2 = No (ANLFRBUY=6).....	1096	1.98	
		3 = Never Used/No Past Month Use (ANLFRBUY=81,91,93)..	53329	96.20	
ANLFRTK2	1	TOOK ANL FROM FRND/RELATIVE WITHOUT ASK - PST MON			
		. = Unknown Source (ANLFRTKE=85,94,97,98).....	611	1.10	
		1 = Yes (ANLFRTKE=1,3,5).....	207	0.37	
		2 = No (ANLFRTKE=6).....	1288	2.32	
		3 = Never Used/No Past Month Use (ANLFRTKE=81,91,93)..	53329	96.20	
ANLDEAL2	1	BOUGHT ANL FROM DRUG DEALR/OTH STRANGER - PST MON			
		. = Unknown Source (ANLDEALR=85,94,97,98).....	610	1.10	
		1 = Yes (ANLDEALR=1,3,5).....	227	0.41	
		2 = No (ANLDEALR=6).....	1269	2.29	
		3 = Never Used/No Past Month Use (ANLDEALR=81,91,93)..	53329	96.20	
ANLINET2	1	BOUGHT ANL ON THE INTERNET - PST MON			
		. = Unknown Source (ANLINET=85,94,97,98).....	611	1.10	
		1 = Yes (ANLINET=1).....	12	0.02	
		2 = No (ANLINET=6).....	1483	2.68	
		3 = Never Used/No Past Month Use (ANLINET=81,91,93)..	53329	96.20	

LABEL	LEN	DESCRIPTION	RECODED PRIOR SUBSTANCE USE		PAGE: FREQ	403 %
			-----	-----		
The following variable, ANLOTHW2, was recoded to SAS missing if either of these situations occurred: (1) a respondent indicated that during the past 30 days they got prescription pain relievers in "some other way" (ANLOTHWY=1,5) and their write-in response was classified as an invalid or unknown source (ANLOTHS2=70,72,74,85,94,97) or (2) a response to getting the prescription pain relievers "some other way" was unknown (ANLOTHWY=85,94,97,98).						
ANLOTHW2	1	GOT ANL IN SOME OTHER WAY - PST MON				
		. = Unknown/Invalid Source (See comment above).....	658	1.19		
		1 = Yes (ANLOTHWY=1,5 and ANLOTHS2=10-24,71).....	100	0.18		
		2 = No (ANLOTHWY=6 or [ANLOTHWY=1 and ANLOTHS2=5-8])..	1348	2.43		
		3 = Never Used/No Past Month Use (ANLOTHWY=81,91,93)..	53329	96.20		
TRNRX1D2	1	GOT ONE+ RX FOR TRN FROM JUST ONE DOCTOR - PST MON				
		. = Unknown Source (TRNRX1DR=94,97,98).....	244	0.44		
		1 = Yes (TRNRX1DR=1,5).....	55	0.10		
		2 = No (TRNRX1DR=6).....	421	0.76		
		3 = Never Used/No Past Month Use (TRNRX1DR=81,91,93)..	54715	98.70		
TRNRXDS2	1	GOT RX FOR TRN FROM 2 OR MORE DOCTORS - PST MON				
		. = Unknown Source (TRNRXDRS=94,97,98).....	245	0.44		
		1 = Yes (TRNRXDRS=1).....	4	0.01		
		2 = No (TRNRXDRS=6).....	471	0.85		
		3 = Never Used/No Past Month Use (TRNRXDRS=81,91,93)..	54715	98.70		
TRNRXFK2	1	WRITED FAKE PRESCRIPTION FOR TRN - PST MON				
		. = Unknown Source (TRNRXFAK=94,97,98).....	245	0.44		
		1 = Yes (TRNRXFAK=1).....	2	0.00		
		2 = No (TRNRXFAK=6).....	473	0.85		
		3 = Never Used/No Past Month Use (TRNRXFAK=81,91,93)..	54715	98.70		
TRNSTOLE2	1	STOLE TRN FROM DR'S OFF/CLIN/HOSP/PHARM - PST MON				
		. = Unknown Source (TRNSTOLE=94,97,98).....	245	0.44		
		1 = Yes (TRNSTOLE=1).....	4	0.01		
		2 = No (TRNSTOLE=6).....	471	0.85		
		3 = Never Used/No Past Month Use (TRNSTOLE=81,91,93)..	54715	98.70		
TRNFRFE2	1	GOT TRN FROM A FRIEND/RELATIVE FOR FREE - PST MON				
		. = Unknown Source (TRNFRFRE=94,97,98).....	245	0.44		
		1 = Yes (TRNFRFRE=1,3).....	268	0.48		
		2 = No (TRNFRFRE=6).....	207	0.37		
		3 = Never Used/No Past Month Use (TRNFRFRE=81,91,93)..	54715	98.70		
TRNFRBY2	1	BOUGHT TRN FROM A FRIEND OR RELATIVE - PST MON				
		. = Unknown Source (TRNFRBUY=94,97,98).....	245	0.44		
		1 = Yes (TRNFRBUY=1,5).....	92	0.17		
		2 = No (TRNFRBUY=6).....	383	0.69		
		3 = Never Used/No Past Month Use (TRNFRBUY=81,91,93)..	54715	98.70		
TRNFRTK2	1	TOOK TRN FROM FRND/RELATIVE WITHOUT ASK - PST MON				
		. = Unknown Source (TRNFRTKE=94,97,98).....	245	0.44		
		1 = Yes (TRNFRTKE=1).....	43	0.08		
		2 = No (TRNFRTKE=6).....	432	0.78		
		3 = Never Used/No Past Month Use (TRNFRTKE=81,91,93)..	54715	98.70		

RECODED PRIOR SUBSTANCE USE			PAGE:	404
LABEL	LEN	DESCRIPTION	FREQ	%
TRNDEAL2	1	BOUGHT TRN FROM DRUG DEALR/OTH STRANGER - PST MON		-
		. = Unknown Source (TRNDEALR=94,97,98).....	245	0.44
		1 = Yes (TRNDEALR=1,5).....	65	0.12
		2 = No (TRNDEALR=6).....	410	0.74
		3 = Never Used/No Past Month Use (TRNDEALR=81,91,93)..	54715	98.70
TRNINET2	1	BOUGHT TRANQUILIZERS ON THE INTERNET - PST MON		
		. = Unknown Source (TRNINET=94,97,98).....	245	0.44
		1 = Yes (TRNINET=1).....	6	0.01
		2 = No (TRNINET=6).....	469	0.85
		3 = Never Used/No Past Month Use (TRNINET=81,91,93)...	54715	98.70
The following variable, TRNOTHW2, was recoded to SAS missing if either of these situations occurred: (1) a respondent indicated that during the past 30 days they got prescription tranquilizers in "some other way" (TRNOTHWY=1) and their write-in response was classified as an invalid or unknown source (TRNOTHS2=85,94,97) or (2) a response to getting the prescription tranquilizers "some other way" was unknown (TRNOTHWY=94,97,98)				
TRNOTHW2	1	GOT TRN IN SOME OTHER WAY - PST MON		
		. = Unknown Source (See comment above).....	254	0.46
		1 = Yes (TRNOTHWY=1 and TRNOTHS2=10,11,13,71).....	19	0.03
		2 = No (TRNOTHWY=6 or [TRNOTHWY=1 and TRNOTHS2=5])....	447	0.81
		3 = Never Used/No Past Month Use (TRNOTHWY=81,91,93)..	54715	98.70
STMRX1D2	1	GOT ONE+ RX FOR STM FROM JUST ONE DOCTOR - PST MON		
		. = Unknown Source (STMRX1DR=94,97,98).....	230	0.41
		1 = Yes (STMRX1DR=1,5).....	39	0.07
		2 = No (STMRX1DR=6).....	230	0.41
		3 = Never/No Pst Mon/Only MTH (STMRX1DR=81,91,93,99)..	54936	99.10
STMRXDS2	1	GOT RX FOR STM FROM 2 OR MORE DOCTORS - PST MON		
		. = Unknown Source (STMRXDRS=94,97,98).....	231	0.42
		1 = Yes (STMRXDRS=1).....	7	0.01
		2 = No (STMRXDRS=6).....	261	0.47
		3 = Never/No Pst Mon/Only MTH (STMRXDRS=81,91,93,99)..	54936	99.10
STMRXFK2	1	WROTE FAKE PRESCRIPTION FOR STM - PST MON		
		. = Unknown Source (STMRXFAK=94,97,98).....	231	0.42
		1 = Yes (STMRXFAK=1).....	1	0.00
		2 = No (STMRXFAK=6).....	267	0.48
		3 = Never/No Pst Mon/Only MTH (STMRXFAK=81,91,93,99)..	54936	99.10
STMSTOLE2	1	STOLE STM FROM DR'S OFF/CLIN/HOSP/PHARM - PST MON		
		. = Unknown Source (STMSTOLE=94,97,98).....	231	0.42
		1 = Yes (STMSTOLE=1).....	3	0.01
		2 = No (STMSTOLE=6).....	265	0.48
		3 = Never/No Pst Mon/Only MTH (STMSTOLE=81,91,93,99)..	54936	99.10
STMFRFE2	1	GOT STM FROM A FRIEND/RELATIVE FOR FREE - PST MON		
		. = Unknown Source (STMFRFRE=94,97,98).....	230	0.41
		1 = Yes (STMFRFRE=1,3,5).....	134	0.24
		2 = No (STMFRFRE=6).....	135	0.24
		3 = Never/No Pst Mon/Only MTH (STMFRFRE=81,91,93,99)..	54936	99.10

LABEL	LEN	DESCRIPTION	RECODED PRIOR SUBSTANCE USE		PAGE:	405
			FREQ	%		
STMFRBY2	1	BOUGHT STM FROM A FRIEND OR RELATIVE - PST MON				-
		. = Unknown Source (STMFRBUY=94,97,98).....	230	0.41		
		1 = Yes (STMFRBUY=1,5).....	73	0.13		
		2 = No (STMFRBUY=6).....	196	0.35		
		3 = Never/No Pst Mon/Only MTH (STMFRBUY=81,91,93,99)..	54936	99.10		
STMFRK2	1	TOOK STM FROM FRND/RELATIVE WITHOUT ASK - PST MON				
		. = Unknown Source (STMFRK2=94,97,98).....	230	0.41		
		1 = Yes (STMFRK2=1,5).....	24	0.04		
		2 = No (STMFRK2=6).....	245	0.44		
		3 = Never/No Pst Mon/Only MTH (STMFRK2=81,91,93,99)..	54936	99.10		
STMDEAL2	1	BOUGHT STM FROM DRUG DEALR/OTH STRANGER - PST MON				
		. = Unknown Source (STMDEAL2=94,97,98).....	231	0.42		
		1 = Yes (STMDEAL2=1).....	29	0.05		
		2 = No (STMDEAL2=6).....	239	0.43		
		3 = Never/No Pst Mon/Only MTH (STMDEAL2=81,91,93,99)..	54936	99.10		
STMINET2	1	BOUGHT STIMULANTS ON THE INTERNET - PST MON				
		. = Unknown Source (STMINET2=94,97,98).....	231	0.42		
		1 = Yes (STMINET2=1).....	7	0.01		
		2 = No (STMINET2=6).....	261	0.47		
		3 = Never/No Pst Mon/Only MTH (STMINET2=81,91,93,99)..	54936	99.10		
<p>The following variable, STMOTHW2, was recoded to SAS missing if either of these situations occurred: (1) a respondent indicated that during the past 30 days they got prescription stimulants in "some other way" (STMOTHWY=1) and their write-in response was classified as an invalid or unknown source (STMOTHS2=72,97) or (2) a response to getting the prescription stimulants "some other way" was unknown (STMOTHWY=94,97,98).</p>						
STMOTHW2	1	GOT STM IN SOME OTHER WAY - PST MON				
		. = Unknown/Invalid Source (See comment above).....	233	0.42		
		1 = Yes (STMOTHWY=1,5 and STMOTHS2=10,11,71).....	9	0.02		
		2 = No (STMOTHWY=6 or [STMOTHWY=1 and STMOTHS2=5])....	257	0.46		
		3 = Never/No Pst Mon/Only MTH (STMOTHWY=81,91,93,99)..	54936	99.10		
SEDRX1D2	1	GOT ONE+ RX FOR SED FROM JUST ONE DOCTOR - PST MON				
		. = Unknown Source (SEDRX1DR=94,97,98).....	158	0.29		
		1 = Yes (SEDRX1DR=1,3,5).....	12	0.02		
		2 = No (SEDRX1DR=6).....	69	0.12		
		3 = Never Used/No Past Month Use (SEDRX1DR=81,91,93)..	55196	99.57		
SEDRXDS2	1	GOT RX FOR SED FROM 2 OR MORE DOCTORS - PST MON				
		. = Unknown Source (SEDRXDRS=94,97,98).....	158	0.29		
		1 = Yes (SEDRXDRS=1).....	2	0.00		
		2 = No (SEDRXDRS=6).....	79	0.14		
		3 = Never Used/No Past Month Use (SEDRXDRS=81,91,93)..	55196	99.57		
SEDRXFK2	1	WRITED FAKE PRESCRIPTION FOR SED - PST MON				
		. = Unknown Source (SEDRXFAK=94,97,98).....	158	0.29		
		1 = Yes (SEDRXFAK=1).....	1	0.00		
		2 = No (SEDRXFAK=6).....	80	0.14		
		3 = Never Used/No Past Month Use (SEDRXFAK=81,91,93)..	55196	99.57		

LABEL	LEN	DESCRIPTION	RECODED PRIOR SUBSTANCE USE	PAGE:	406
				FREQ	%
SEDSTOLE2	1	STOLE SED FROM DR'S OFF/CLIN/HOSP/PHARM - PST MON			-
		. = Unknown Source (SEDSTOLE=94,97,98).....	158	0.29	
		1 = Yes (SEDSTOLE=1).....	1	0.00	
		2 = No (SEDSTOLE=6).....	80	0.14	
		3 = Never Used/No Past Month Use (SEDSTOLE=81,91,93)..	55196	99.57	
SEDFRFE2	1	GOT SED FROM A FRIEND/RELATIVE FOR FREE - PST MON			
		. = Unknown Source (SEDFRFRE=94,97,98).....	158	0.29	
		1 = Yes (SEDFRFRE=1).....	54	0.10	
		2 = No (SEDFRFRE=6).....	27	0.05	
		3 = Never Used/No Past Month Use (SEDFRFRE=81,91,93)..	55196	99.57	
SEDFRBY2	1	BOUGHT SED FROM A FRIEND OR RELATIVE - PST MON			
		. = Unknown Source (SEDFRBUY=94,97,98).....	158	0.29	
		1 = Yes (SEDFRBUY=1).....	10	0.02	
		2 = No (SEDFRBUY=6).....	71	0.13	
		3 = Never Used/No Past Month Use (SEDFRBUY=81,91,93)..	55196	99.57	
SEDFRTK2	1	TOOK SED FROM FRND/RELATIVE WITHOUT ASK - PST MON			
		. = Unknown Source (SEDFRTKE=94,97,98).....	158	0.29	
		1 = Yes (SEDFRTKE=1,5).....	12	0.02	
		2 = No (SEDFRTKE=6).....	69	0.13	
		3 = Never Used/No Past Month Use (SEDFRTKE=81,91,93)..	55196	99.57	
SEDDEAL2	1	BOUGHT SED FROM DRUG DEALR/OTH STRANGER - PST MON			
		. = Unknown Source (SEDDEALR=94,97,98).....	158	0.29	
		1 = Yes (SEDDEALR=1).....	9	0.02	
		2 = No (SEDDEALR=6).....	72	0.13	
		3 = Never Used/No Past Month Use (SEDDEALR=81,91,93)..	55196	99.57	
SEDINET2	1	BOUGHT SEDATIVES ON THE INTERNET - PST MON			
		. = Unknown Source (SEDINET=94,97,98).....	158	0.29	
		1 = Yes (SEDINET=1).....	1	0.00	
		2 = No (SEDINET=6).....	80	0.14	
		3 = Never Used/No Past Month Use (SEDINET=81,91,93)...	55196	99.57	
<p>The following variable, SEDOTHW2, was recoded to SAS missing if either of these situations occurred: (1) a respondent indicated that during the past 30 days they got prescription sedatives in "some other way" (SEDOHWY=1) and their write-in response was classified as an invalid or unknown source (SEDOHS2=85,97) or (2) a response to getting the prescription sedatives "some other way" was unknown (SEDOHWY=94,97,98).</p>					
SEDOHW2	1	GOT SED IN SOME OTHER WAY - PST MON			
		. = Unknown Source (See comment above).....	161	0.29	
		1 = Yes (SEDOHWY=1 and SEDOHS2=10,71).....	5	0.01	
		2 = No (SEDOHWY=6 or [SEDOHWY=1 and SEDOHS2=1,5])..	73	0.13	
		3 = Never Used/No Past Month Use (SEDOHWY=81,91,93)..	55196	99.57	
MTHFRFE2	1	GOT MTH FROM A FRIEND/RELATIVE FOR FREE - PAST MON			
		. = Unknown Source (CPNMTHMN=1 & MTHFRFRE=93,94,97,98)	19	0.03	
		1 = Yes (CPNMTHMN=1 and MTHFRFRE=1).....	62	0.11	
		2 = No (CPNMTHMN=1 and MTHFRFRE=6).....	53	0.10	
		3 = No Past Month Use (CPNMTHMN=0).....	55301	99.76	

LABEL	LEN	DESCRIPTION	RECODED PRIOR SUBSTANCE USE		PAGE:	407
			FREQ	%		
MTHFRBY2	1	BOUGHT MTH FROM A FRIEND OR RELATIVE - PST MON				-
		. = Unknown Source (CPNMTHMN=1 & MTHFRBUY=93,94,97,98)	19	0.03		
		1 = Yes (CPNMTHMN=1 and MTHFRBUY=1,5).....	48	0.09		
		2 = No (CPNMTHMN=1 and MTHFRBUY=6).....	67	0.12		
		3 = No Past Month Use (CPNMTHMN=0).....	55301	99.76		
MTHFRTK2	1	TOOK MTH FROM A FRND/RELATIVE WITHOUT ASK - PST MO				
		. = Unknown Source (CPNMTHMN=1 & MTHFRTKE=93,94,97,98)	19	0.03		
		1 = Yes (CPNMTHMN=1 and MTHFRTKE=1).....	5	0.01		
		2 = No (CPNMTHMN=1 and MTHFRTKE=6).....	110	0.20		
		3 = No Past Month Use (CPNMTHMN=0).....	55301	99.76		
MTHDEAL2	1	BOUGHT MTH FROM DRUG DEALR/OTH STRANGER - PST MON				
		. = Unknown Source (CPNMTHMN=1 & MTHDEALR=93,94,97,98)	19	0.03		
		1 = Yes (CPNMTHMN=1 and MTHDEALR=1).....	33	0.06		
		2 = No (CPNMTHMN=1 and MTHDEALR=6).....	82	0.15		
		3 = No Past Month Use (CPNMTHMN=0).....	55301	99.76		
For the following variable, MTHINET2, there were no respondents who reported that they bought methamphetamine on the internet in the past month (CPNMTHMN=1 and MTHINET=1).						
MTHINET2	1	BOUGHT MTH ON THE INTERNET - PST MON				
		. = Unknown Source (CPNMTHMN=1 & MTHINET=93,94,97,98).....	19	0.03		
		2 = No (CPNMTHMN=1 and MTHINET=6).....	115	0.21		
		3 = No Past Month Use (CPNMTHMN=0).....	55301	99.76		
The following variable, MTHOTHW2, was recoded to SAS missing if a respondent indicated past month methamphetamine use (CPNMTHMN=1) and either of these situations occurred: (1) the respondent indicated that during the past 30 days they got methamphetamine in "some other way" (MTHOTHWY=1) and their write-in response was classified as an invalid or unknown source (MTHOTHS2=85,97), or (2) a response to getting methamphetamine "some other way" was unknown (MTHOTHWY=93,94,97,98).						
MTHOTHW2	1	GOT MTH IN SOME OTHER WAY - PST MON				
		. = Unknown Source (See comment above).....	22	0.04		
		1 = Yes (CPNMTHMN=1 and MTHOTHWY=1 and MTHOTHS2=10)...	7	0.01		
		2 = No (CPNMTHMN=1 and MTHOTHWY=6).....	105	0.19		
		3 = No Past Month Use (CPNMTHMN=0).....	55301	99.76		

LABEL	LEN	DESCRIPTION	PAGE:	408
			FREQ	%
-----	-----	-----	-----	-
The following variables: ANLRCFR, TRNSRCFR, STMSRCFR, SEDSRCFR, and MTHSRCFR were created to capture the source of friend or relative's most recent nonmedical use of prescription pain relievers, prescription tranquilizers, prescription stimulants, prescription sedatives, and methamphetamine within the past year.				
<p>For each variable, excluding MTHSRCFR, there are 11 mutually exclusive levels; 10 levels for specific sources and one level for those respondents who did not indicate using the drug in the past year (or lifetime). Since methamphetamine is not available by prescription, there are 7 mutually exclusive levels; 6 sources and one level for non past year users. The levels for the specific sources take into account responses from past month users who indicated a single source during the past 30 days, past month users who indicated their most recent source after indicating multiple sources during the past 30 days, and past year users who indicated their most recent source of drug use.</p>				
<p>Note that questions related to source of stimulant use pertain only to prescription stimulants and are not asked of respondents who were users of only methamphetamine, thus those respondents who indicated non-prescription stimulant use only (STMGTLA2=99) were classified as having "No Past Year Use" (STMSRCFR=11).</p>				
<p>A respondent was classified in one of the following 12 categories for the source of most recent prescription drug use in the past year for the variables, ANLRCFR, TRNSRCFR, STMSRCFR, and SEDSRCFR:</p>				
<ul style="list-style-type: none"> (1) Got From One Doctor (((XXXGTLAS=5 or XXXGTLA2=5) and XXXFFLAS=1,11) or ((XXXGTLAS=89,99 or XXXGTLA2=99) and XXXFRFRE=1,3,5 and only XXXFF1DR=1,3,5) or ((XXXGTLAS=89,99 or XXXGTLA2=99) and XXXFRFRE=1,3,5 and XXXFFOTH=1,3,5 and XXXFFOSP=1)) (2) Got From More Than One Doctor ((XXXGTLAS=5 or XXXGLTA2=5) and XXXFFLAS=2,12) or ((XXXGTLAS=89,99 or XXXGTLA2=99) and XXXFRFRE=1,3,5 and only XXXFFDRS=1,3,5) or ((XXXGTLAS=89,99 or XXXGTLA2=99) and XXXFRFRE=1,3,5 and XXXFFOTH=1,3,5 and XXXFFOSP=2)) (3) Wrote Fake Prescription (((XXXGTLAS=5 or XXXGLTA2=5) and XXXFFLAS=3,13) or ((XXXGTLAS=89,99 or XXXGTLA2=99) and XXXFRFRE=1,3,5 and only XXXFFAKE=1,3,5) or ((XXXGTLAS=89,99 or XXXGTLA2=99) and XXXFRFRE=1,3,5 and XXXFFOTH=1,3,5 and XXXFFOSP=3)) (4) Stole from Dr Office, Clinic, Hospital, or Pharmacy (((XXXGTLAS=5 or XXXGLTA2=5) and XXXFFLAS =4,14) or ((XXXGTLAS =89,99 or XXXGTLA2=99) and XXXFRFRE=1,3,5 and only XXXFFSTL=1,3,5) or ((XXXGTLAS =89,99 or XXXGTLA2=99) and XXXFRFRE=1,3,5 and XXXFFOTH =1,3,5 and XXXFFOSP =4)) (5) Got From Friend or Relative for Free (((XXXGTLAS=5 or XXXGLTA2=5) and XXXFFLAS =5,15) or ((XXXGTLAS=89,99 or XXXGTLA2=99) and XXXFRFRE=1,3,5 and only XXXFFREE=1,3,5) or ((XXXGTLAS =89,99 or XXXGTLA2=99) and XXXFRFRE=1,3,5 and XXXFFOTH =1,3,5 and XXXFFOSP =5)) (6) Bought from Friend or Relative (((XXXGTLAS=5 or XXXGLTA2=5) and XXXFFLAS =6,16) or ((XXXGTLAS =89,99 or XXXGTLA2=99) and XXXFRFRE=1,3,5 and only XXXFFBOT=1,3,5) or ((XXXGTLAS =89,99 or XXXGTLA2=99) 				

Codebook Creation Date: September 20, 2012

LABEL	LEN	DESCRIPTION	PAGE:	409
			FREQ	%
-----	-----	-----	-----	-
		and XXXFRFRE=1,3,5 and XXXFFOTH =1,3,5 and XXXFFOSP=6))		
(7)		Took from Friend or Relative without Asking (((XXXGTLAS=5 or XXXGLTA2=5) and XXXFFLAS =7,17) or ((XXXGTLAS =89,99 or XXXGTLA2=99) and XXXFRFRE=1,3,5 and only XXXFFTAK=1,3,5) or ((XXXGTLAS =89,99 or XXXGTLA2=99) and XXXFRFRE=1,3,5 and XXXFFOTH =1,3,5 and XXXFFOSP =7))		
(8)		Bought from Drug Dealer or Other Stranger (((XXXGTLAS=5 or XXXGLTA2=5) and XXXFFLAS =8,18) or ((XXXGTLAS =89,99 or XXXGTLA2=99) and XXXFRFRE=1,3,5 and only XXXFFDLR=1,3,5) or ((XXXGTLAS =89,99 or XXXGTLA2=99) and XXXFRFRE=5 and XXXFFOTH =1,3,5 and XXXFFOSP =8))		
(9)		Bought on the Internet (((XXXGTLAS=5 or XXXGLTA2=5) and XXXFFLAS=9,19) or ((XXXGTLAS =89,99 or XXXGTLA2=99) and XXXFRFRE=1,3,5 and only XXXFFNET=1,3,5) or ((XXXGTLAS =98 or XXXGTLA2=98 and XXXFRFRE=5 and XXXFFOTH =1,3,5 and XXXFFOSP=9))		
(10)		Got Some Other Way (((XXXGTLAS=5 or XXXGLTA2=5) and XXXFFLAS=10 and XXXFFLSP= valid "other" response, levels 11-34,71) or (XXXGTLAS=89,99 or XXXGTLA2=99) and XXXFRFRE=1,3,5 and XXXFFOTH=1,3,5 and XXXFFOSP=valid "other" response, levels 11-34,71))		
(11)		No Past Year Use or Valid Source of Most Recent Use Not From Friend or Relative for Free ((XXXGTLAS =1-4,6-10, 15,17 or XXXGTLA2=1-4,6-10,15,17) or ((XXXGTLAS=81,83,89,91,93,99 or XXXGTLA2=81,91,93,99) and XXXFRFRE=1,3,5))		
		SAS Missing = Unknown/Invalid Source ((XXXGTLAS=5 or XXXGTLA2=5) and XXXFRFRE=1,3,5 and XXXFF1DR through XXXXFOTH=94,97,98 or multiple responses) or ((XXXGTLAS=5 or XXXGTLA2=5) and XXXFFLAS=94,97,98) or ((XXXGTLAS=5 or XXXGTLA2=5) and XXXFFLAS=10 and XXXFFLSP=70,72-74,94,97,98) or (XXXGTLAS = 85,94,97,98 or XXXGTLA2= 85,94,97,98)))		

ANLSRCFR	2	SOURCE OF FRIEND OR RELATIVE'S PAIN RELIEVERS		
.		= Unknown/Invalid Source.....	934	1.68
1		= Got From One Doctor.....	1339	2.42
2		= Got From More Than One Doctor.....	77	0.14
3		= Wrote Fake Prescription.....	3	0.01
4		= Stole from Dr Office, Clinic, Hospital,or Pharmacy	9	0.02
5		= Got From Friend or Relative for Free.....	154	0.28
6		= Bought from Friend or Relative.....	125	0.23
7		= Took from Friend or Relative without Asking.....	42	0.08
8		= Bought from Drug Dealer or Other Stranger.....	42	0.08
9		= Bought on the Internet.....	2	0.00
10		= Got Some Other Way.....	28	0.05
11		= No Lifetime or Past Year Use.....	52680	95.03

LABEL	LEN	DESCRIPTION	RECODED PRIOR SUBSTANCE USE	PAGE:	410
				FREQ	%

TRNSRCFR	2	SOURCE OF FRIEND OR RELATIVE'S TRANQUILIZERS			-
		. = Unknown/Invalid Source.....	378	0.68	
		1 = Got From One Doctor.....	457	0.82	
		2 = Got From More Than One Doctor.....	21	0.04	
		3 = Wrote Fake Prescription.....	1	0.00	
		4 = Stole from Dr Office, Clinic, Hospital,or Pharmacy	3	0.01	
		5 = Got From Friend or Relative for Free.....	97	0.17	
		6 = Bought from Friend or Relative.....	59	0.11	
		7 = Took from Friend or Relative without Asking.....	15	0.03	
		8 = Bought from Drug Dealer or Other Stranger.....	29	0.05	
		9 = Bought on the Internet.....	2	0.00	
		10 = Got Some Other Way.....	10	0.02	
		11 = No Lifetime or Past Year Use.....	54363	98.07	
STMSRCFR	2	SOURCE OF FRIEND OR RELATIVE'S STIMULANTS			
		. = Unknown/Invalid Source.....	302	0.54	
		1 = Got From One Doctor.....	244	0.44	
		2 = Got From More Than One Doctor.....	13	0.02	
		3 = Wrote Fake Prescription.....	1	0.00	
		4 = Stole from Dr Office, Clinic, Hospital,or Pharmacy	2	0.00	
		5 = Got From Friend or Relative for Free.....	37	0.07	
		6 = Bought from Friend or Relative.....	28	0.05	
		7 = Took from Friend or Relative without Asking.....	3	0.01	
		8 = Bought from Drug Dealer or Other Stranger.....	8	0.01	
		9 = Bought on the Internet.....	2	0.00	
		10 = Got Some Other Way.....	6	0.01	
		11 = No Lifetime or Past Year Use.....	54789	98.83	
SEDSRCFR	2	SOURCE OF FRIEND OR RELATIVE'S SEDATIVES			
		. = Unknown/Invalid Source.....	184	0.33	
		1 = Got From One Doctor.....	88	0.16	
		2 = Got From More Than One Doctor.....	7	0.01	
		5 = Got From Friend or Relative for Free.....	15	0.03	
		6 = Bought from Friend or Relative.....	4	0.01	
		7 = Took from Friend or Relative without Asking.....	2	0.00	
		9 = Bought on the Internet.....	1	0.00	
		11 = No Lifetime or Past Year Use.....	55134	99.46	

LABEL	LEN	DESCRIPTION	RECODED PRIOR SUBSTANCE USE	PAGE:	411
				FREQ	%
			-----	-----	-
			Due to the outcome of the 2006 Methamphetamine Analysis Study, the variable for a friend or relative's source of methamphetamine for the respondent's most recent methamphetamine use in the past year when they reported they received this most recent drug from a friend or relative for free, MTHSRCFR, was defined by including respondents routed from the core Stimulants module, as well as respondents routed from the noncore Special Drugs module who reported they did not think of methamphetamine as a prescription drug when asked about use in the core Stimulants module.		
			The imputed recency variable, CPNMTHYR, was used in conjunction with the edited source variables to determine a respondent's source for most recently used methamphetamine based on past year use as defined from both the core Stimulants module and legitimate responses from the noncore Special Drugs module, as previously stated. Please see Appendix B.4.6 of the Results from the 2006 NSDUH: National Findings for more information.		
(5)		From Friend or Relative for Free {CPNMTHYR=1 and ([MTHGTLAS=5 and MTHFFLAS =5,15] or [MTHGTLAS =89,99 and MTHFRFRE=1,3,5 and only MTHFFREE=1,3,5] or [MTHGTLAS =89,99 and MTHFFRFRE=1,3,5 and MTHFFOTH =,1,3,5 and MTHFFOSP =5])}			
(6)		Bought from Friend or Relative {CPNMTHYR=1 and ([MTHGTLAS=5 and MTHFFLAS =6,16] or [MTHGTLAS =89,99 and MTHFRFRE=1,3,5 and only MTHFFBOT=1,3,5] or [MTHGTLAS =89,99 and MTHFRFRE=1,3,5 and MTHFFOTH =,1,3,5 and MTHFFOSP =6])}			
(7)		Took from Friend or Relative without Asking {CPNMTHYR=1 and ([MTHGTLAS =5 and MTHFFLAS =7,17] or [MTHGTLAS =89,99 and MTHFRFRE=1,3,5 and only MTHFFTAK=1,3,5] or [MTHGTLAS =89,99 and MTHFRFRE=1,3,5 and MTHFFOTH =1,3,5 and MTHFFOSP =7])}			
(8)		Bought from Drug Dealer or Other Stranger {CPNMTHYR=1 and ([MTHGTLAS =5 and MTHFFLAS =8,18] or [MTHGTLAS =89,99 and MTHFRFRE=1,3,5 and only MTHFFDLR=1,3,5] or [MTHGTLAS =89,99 and MTHFRFRE=5 and MTHFFOTH =1,3,5 and MTHFFOSP =8])}			
(9)		Bought on the Internet {CPNMTHYR=1 and ([MTHGTLAS =5 and MTHFFLAS =9,19] or [MTHGTLAS =89,99 and MTHFRFRE=1,3,5 and only MTHFFNET=1,3,5] or [MTHGTLAS =98 and MTHFRFRE=5 and MTHFFOTH =1,3,5 and MTHFFOSP =9])}			
(10)		Some Other Way {CPNMTHYR=1 and ([MTHGTLAS=5 and MTHFFLAS=10 and MTHFFLSP= valid "other" response, levels 11-34,71] or [MTHGTLAS=89,99 and MTHFRFRE=1,3,5 and MTHFFOTH=1,3,5 and MTHFFOSP=valid "other" response, levels 11-34, 71])}			
(11)		No Past Year Use or Valid Source of Most Recent Use Not From Friend or Relative for Free {CPNMTHYR=0 or (MTHGTLAS =6-9,10 (with valid "other" response),16-18 or [MTHGTLAS=81,83,89,91,93,99 and MTHFRFRE=1,3,5])}			
		SAS Missing = Unknown or Invalid Source {CPNMTHYR=1 and ([MTHGTLAS=5 and MTHFRFRE=1,3,5 and MTHFFDLR through MTHFFOTH=85,94,97, 98 or multiple response(s)] or [MTHGTLAS=5 and MTHFFLAS=85,94,97,98] or [MTHGTLAS=5 and MTHFFLAS=10 and MTHFFLSP=85,94,97,98] or MTHGTLAS=85,94,97,98)}			
MTHSRCFR	2	SOURCE OF FRIEND OR RELATIVE'S METHAMPHETAMINES			
		. = Unknown/Invalid Source.....	136	0.25	
		5 = Got From Friend or Relative for Free.....	56	0.10	
		6 = Bought from Friend or Relative.....	58	0.10	
		8 = Bought from Drug Dealer or Other Stranger.....	34	0.06	
		10 = Got Some Other Way.....	8	0.01	
		11 = No Lifetime or Past Year Use.....	55143	99.47	

LABEL	LEN	DESCRIPTION	RECODED PRIOR SUBSTANCE USE	PAGE:	412
				FREQ	%
-----	-----	-----	-----	-----	-
Note: The following 46 variables were created to capture all a respondents friends or relative's reported sources of past month prescription drug and methamphetamine (MTM) use. The prescription drugs include pain relievers (ANL), tranquilizers (TRN), stimulants (STM), and sedatives (SED).					
ANLFF1D2	1	FRD/REL GOT 1+ RX FOR ANL FRM JUST 1 DR-PST MON	. = Unknown Source (ANLFF1DR=94,97,98).....	710	1.28
			1 = Yes (ANLFF1DR=1,5).....	585	1.06
			2 = No (ANLFF1DR=6).....	218	0.39
			3 = Never Used/No Past Mon Use (ANLFF1DR=81,91,93,99). .	53922	97.27
ANLFFDS2	1	FRD/REL GOT RX FOR ANL FROM 2+ DRS-PST MON	. = Unknown Source (ANLFFDRS=94,97,98).....	717	1.29
			1 = Yes (ANLFFDRS=1,5).....	92	0.17
			2 = No (ANLFFDRS=6).....	704	1.27
			3 = Never Used/No Past Mon Use (ANLFFDRS=81,91,93,99). .	53922	97.27
ANLFFAK2	1	FRD/REL WROTE FAKE RX FOR ANL-PST MON	. = Unknown Source (ANLFFAKE=94,97,98).....	719	1.30
			1 = Yes (ANLFFAKE=1).....	9	0.02
			2 = No (ANLFFAKE=6).....	785	1.42
			3 = Never Used/No Past Mon Use (ANLFFAKE=81,91,93,99). .	53922	97.27
ANLFFST2	1	FRD/REL STOLE ANL FROM DR/CLIN/HOSP/PHARM-PST MON	. = Unknown Source (ANLFFSTL=94,97,98).....	719	1.30
			1 = Yes (ANLFFSTL=1,5).....	20	0.04
			2 = No (ANLFFSTL=6).....	774	1.40
			3 = Never Used/No Past Mon Use (ANLFFSTL=81,91,93,99). .	53922	97.27
ANLFFRE2	1	FRD/REL GOT ANL FROM A FRND/REL FOR FREE-PST MON	. = Unknown Source (ANLFFREE=94,97,98).....	719	1.30
			1 = Yes (ANLFFREE=1,5).....	153	0.28
			2 = No (ANLFFREE=6).....	641	1.16
			3 = Never Used/No Past Mon Use (ANLFFREE=81,91,93,99). .	53922	97.27
ANLFFBY2	1	FRD/REL BOUGHT ANL FROM A FRND OR REL-PST MON	. = Unknown Source (ANLFFBOT=94,97,98).....	717	1.29
			1 = Yes (ANLFFBOT=1,3,5).....	130	0.23
			2 = No (ANLFFBOT=6).....	666	1.20
			3 = Never Used/No Past Mon Use (ANLFFBOT=81,91,93,99). .	53922	97.27
ANLFFTAK2	1	FRD/REL TOOK ANL FROM A FRND/REL WOUT ASK-PST MON	. = Unknown Source (ANLFFTAK=94,97,98).....	719	1.30
			1 = Yes (ANLFFTAK=1,3,5).....	54	0.10
			2 = No (ANLFFTAK=6).....	740	1.33
			3 = Never Used/No Past Mon Use (ANLFFTAK=81,91,93,99). .	53922	97.27
ANLFFDL2	1	FRD/REL BGHT ANL FRM DRG DEALR/OTH STRngr-PST MON	. = Unknown Source (ANLFFDLR=94,97,98).....	718	1.30
			1 = Yes (ANLFFDLR=1,3,5).....	79	0.14
			2 = No (ANLFFDLR=6).....	716	1.29
			3 = Never Used/No Past Mon Use (ANLFFDLR=81,91,93,99). .	53922	97.27
ANLFFNT2	1	FRD/REL BOUGHT ANL ON THE INTERNET-PST MON	. = Unknown Source (ANLFFNET=94,97,98).....	719	1.30
			1 = Yes (ANLFFNET=1).....	12	0.02
			2 = No (ANLFFNET=6).....	782	1.41
			3 = Never Used/No Past Mon Use (ANLFFNET=81,91,93,99). .	53922	97.27

LABEL	LEN	DESCRIPTION	RECODED PRIOR SUBSTANCE USE	PAGE:	413
				FREQ	%

		The following variable, ANLFFOT2, was recoded to SAS missing if either of these situations occurred: (1) a respondent indicated that during the past 30 days that friends/relatives got prescription pain relievers in "some other way" (ANLFFOTH=1) and their write-in response was classified as an invalid or unknown source (ANLFFOSP=73,85,94,97), or (2) a response to friends/relatives getting the prescription pain relievers "some other way" was unknown (ANLFFOTH=85,94,97,98).			
ANLFFOT2	1	FRD/REL GOT ANL IN SOME OTHER WAY-PST MON			
		. = Unknown Source (See comment above).....	743	1.34	
		1 = Yes (ANLFFOTH=1,5 and ANLFFOSP=11-31,71).....	28	0.05	
		2 = No (ANLFFOTH=6 or [ANLFFOTH=1 and ANLFFOSP=3-8])..	742	1.34	
		3 = Never Used/No Past Mon Use (ANLFFOTH=81,91,93,99). .	53922	97.27	
TRNFF1D2	1	FRD/REL GOT 1+ RX FOR TRN FRM JUST 1 DR-PST MON			
		. = Unknown Source (TRNFF1DR=94,97,98).....	276	0.50	
		1 = Yes (TRNFF1DR=1,5).....	151	0.27	
		2 = No (TRNFF1DR=6).....	86	0.16	
		3 = Never Used/No Past Mon Use (TRNFF1DR=81,91,93,99). .	54922	99.07	
TRNFFDS2	1	FRD/REL GOT RX FOR TRN FROM 2+ DRS-PST MON			
		. = Unknown Source (TRNFFDRS=94,97,98).....	276	0.50	
		1 = Yes (TRNFFDRS=1,5).....	16	0.03	
		2 = No (TRNFFDRS=6).....	221	0.40	
		3 = Never Used/No Past Mon Use (TRNFFDRS=81,91,93,99). .	54922	99.07	
For the following variable, TRNFFAK2, there were no respondents who reported that friends/relatives wrote fake prescription for tranquilizers in the past month (TRNFFAKE=1).					
TRNFFAK2	1	FRD/REL WROTE FAKE RX FOR TRN-PST MON			
		. = Unknown Source (TRNFFAKE=94,97,98).....	276	0.50	
		2 = No (TRNFFAKE=6).....	237	0.43	
		3 = Never Used/No Past Mon Use (TRNFFAKE=81,91,93,99). .	54922	99.07	
TRNFFST2	1	FRD/REL STOLE TRN FROM DR/CLIN/HOSP/PHARM-PST MON			
		. = Unknown Source (TRNFFSTL=94,97,98).....	276	0.50	
		1 = Yes (TRNFFSTL=1).....	1	0.00	
		2 = No (TRNFFSTL=6).....	236	0.43	
		3 = Never Used/No Past Mon Use (TRNFFSTL=81,91,93,99). .	54922	99.07	
TRNFFRE2	1	FRD/REL GOT TRN FROM A FRND/REL FOR FREE-PST MON			
		. = Unknown Source (TRNFFREE=94,97,98).....	276	0.50	
		1 = Yes (TRNFFREE=1,5).....	54	0.10	
		2 = No (TRNFFREE=6).....	183	0.33	
		3 = Never Used/No Past Mon Use (TRNFFREE=81,91,93,99). .	54922	99.07	
TRNFFBY2	1	FRD/REL BOUGHT TRN FROM A FRND OR REL-PST MON			
		. = Unknown Source (TRNFFBOT=94,97,98).....	276	0.50	
		1 = Yes (TRNFFBOT=1,5).....	37	0.07	
		2 = No (TRNFFBOT=6).....	200	0.36	
		3 = Never Used/No Past Mon Use (TRNFFBOT=81,91,93,99). .	54922	99.07	

LABEL	LEN	DESCRIPTION	RECODED PRIOR SUBSTANCE USE		PAGE:	414
			FREQ	%		
TRNFFTK2	1	FRD/REL TOOK TRN FROM A FRND/REL WOUT ASK-PST MON				-
		. = Unknown Source (TRNFFTAK=94,97,98).....	276	0.50		
		1 = Yes (TRNFFTAK=1).....	7	0.01		
		2 = No (TRNFFTAK=6).....	230	0.41		
		3 = Never Used/No Past Mon Use (TRNFFTAK=81,91,93,99) ..	54922	99.07		
TRNFFDL2	1	FRD/REL BGHT TRN FRM DRG DEALR/OTH STRngr-PST MON				
		. = Unknown Source (TRNFFDLR=94,97,98).....	276	0.50		
		1 = Yes (TRNFFDLR=1).....	24	0.04		
		2 = No (TRNFFDLR=6).....	213	0.38		
		3 = Never Used/No Past Mon Use (TRNFFDLR=81,91,93,99) ..	54922	99.07		
TRNFFNT2	1	FRD/REL BOUGHT TRN ON THE INTERNET-PST MON				
		. = Unknown Source (TRNFFNET=94,97,98).....	276	0.50		
		1 = Yes (TRNFFNET=1).....	2	0.00		
		2 = No (TRNFFNET=6).....	235	0.42		
		3 = Never Used/No Past Mon Use (TRNFFNET=81,91,93,99) ..	54922	99.07		
<p>The following variable, TRNFFOT2, was recoded to SAS missing if either of these situations occurred: (1) a respondent indicated that during the past 30 days that friends/relatives got prescription tranquilizers in "some other way" (TRNFFOTH=1) and their write-in response was classified as an invalid or unknown source (TRNFFOSP=85,94,97), or (2) a response to friends/relatives getting prescription tranquilizers "some other way" was unknown (TRNFFOTH=94,97,98).</p>						
TRNFFOT2	1	FRD/REL GOT TRN IN SOME OTHER WAY-PST MON				
		. = Unknown/Invalid Source (See comment above).....	283	0.51		
		1 = Yes (TRNFFOTH=1 and TRNFFOSP=11,14,71).....	5	0.01		
		2 = No (TRNFFOTH=6).....	225	0.41		
		3 = Never Used/No Past Mon Use (TRNFFOTH=81,91,93,99) ..	54922	99.07		
STMFF1D2	1	FRD/REL GOT 1+ RX FOR STM FRM JUST 1 DR-PST MON				
		. = Unknown Source (STMFF1DR=94,97,98).....	245	0.44		
		1 = Yes (STMFF1DR=1,5).....	79	0.14		
		2 = No (STMFF1DR=6).....	40	0.07		
		3 = Never/No Pst Mon/Only MTH (STMFF1DR=81,91,93,99)..	55071	99.34		
STMFFDS2	1	FRD/REL GOT RX FOR STM FROM 2+ DRS-PST MON				
		. = Unknown Source (STMFFDRS=94,97,98).....	246	0.44		
		1 = Yes (STMFFDRS=1).....	3	0.01		
		2 = No (STMFFDRS=6).....	115	0.21		
		3 = Never/No Pst Mon/Only MTH (STMFFDRS=81,91,93,99)..	55071	99.34		
STMFFAK2	1	FRD/REL WROTE FAKE RX FOR STM-PST MON				
		. = Unknown Source (STMFFAKE=94,97,98).....	246	0.44		
		1 = Yes (STMFFAKE=1).....	2	0.00		
		2 = No (STMFFAKE=6).....	116	0.21		
		3 = Never/No Pst Mon/Only MTH (STMFFAKE=81,91,93,99)..	55071	99.34		

LABEL	LEN	DESCRIPTION	RECODED PRIOR SUBSTANCE USE	PAGE:	415
				FREQ	%

			For the following variable, STMFFST2, there were no respondents who reported that friends or relatives stole stimulants from a doctor/clinic/hospital/pharmacy in the past month (STMFFSTL=1).		-
STMFFST2	1	FRD/REL STOLE STM FROM DR/CLIN/HOSP/PHARM-PST MON			
		. = Unknown Source (STMFFSTL=94,97,98).....	246	0.44	
		2 = No (STMFFSTL=6).....	118	0.21	
		3 = Never/No Pst Mon/Only MTH (STMFFSTL=81,91,93,99)..	55071	99.34	
STMFFRE2	1	FRD/REL GOT STM FROM A FRND/REL FOR FREE-PST MON			
		. = Unknown Source (STMFFREE=94,97,98).....	246	0.44	
		1 = Yes (STMFFREE=1).....	23	0.04	
		2 = No (STMFFREE=6).....	95	0.17	
		3 = Never/No Pst Mon/Only MTH (STMFFREE=81,91,93,99)..	55071	99.34	
STMFFBY2	1	FRD/REL BOUGHT STM FROM A FRND OR REL-PST MON			
		. = Unknown Source (STMFFBOT=94,97,98).....	245	0.44	
		1 = Yes (STMFFBOT=1,5).....	18	0.03	
		2 = No (STMFFBOT=6).....	101	0.18	
		3 = Never/No Pst Mon/Only MTH (STMFFBOT=81,91,93,99)..	55071	99.34	
STMFFTK2	1	FRD/REL TOOK STM FROM A FRND/REL WOUT ASK-PST MON			
		. = Unknown Source (STMFFTAK=94,97,98).....	246	0.44	
		1 = Yes (STMFFTAK=1).....	3	0.01	
		2 = No (STMFFTAK=6).....	115	0.21	
		3 = Never/No Pst Mon/Only MTH (STMFFTAK=81,91,93,99)..	55071	99.34	
STMFFDL2	1	FRD/REL BGHT STM FRM DRG DEALR/OTH STRngr-PST MON			
		. = Unknown Source (STMFFDLR=94,97,98).....	246	0.44	
		1 = Yes (STMFFDLR=1).....	11	0.02	
		2 = No (STMFFDLR=6).....	107	0.19	
		3 = Never/No Pst Mon/Only MTH (STMFFDLR=81,91,93,99)..	55071	99.34	
STMFFNT2	1	FRD/REL BOUGHT STM ON THE INTERNET-PST MON			
		. = Unknown Source (STMFFNET=94,97,98).....	246	0.44	
		1 = Yes (STMFFNET=1).....	1	0.00	
		2 = No (STMFFNET=6).....	117	0.21	
		3 = Never/No Pst Mon/Only MTH (STMFFNET=81,91,93,99)..	55071	99.34	
The following variable, STMFFOT2, was recoded to SAS missing if either of these situations occurred: (1) a respondent indicated that during the past 30 days that friends/relatives got prescription stimulants in "some other way" (STMFFOTH=1) and their write-in response was classified as an invalid or unknown source (STMFFOSP=94), or (2) a response to friends/relatives getting prescription stimulants "some other way" was unknown (STMFFOTH=94,97,98).					
STMFFOT2	1	FRD/REL GOT STM IN SOME OTHER WAY-PST MON			
		. = Unknown/Invalid Source (See comment above).....	247	0.45	
		1 = Yes (STMFFOTH=1,5 and STMFFOSP=20,71).....	3	0.01	
		2 = No (STMFFOTH=6).....	114	0.21	
		3 = Never/No Pst Mon/Only MTH (STMFFOTH=81,91,93,99)..	55071	99.34	

LABEL	LEN	DESCRIPTION	RECODED PRIOR SUBSTANCE USE		PAGE:	416
			FREQ	%		
SEDF1D2	1	FRD/REL GOT 1+ RX FOR SED FRM JUST 1 DR-PST MON				-
		. = Unknown Source (SEDF1DR=94,98).....	165	0.30		
		1 = Yes (SEDF1DR=1).....	35	0.06		
		2 = No (SEDF1DR=6).....	12	0.02		
		3 = Never Used/No Past Mon Use (SEDF1DR=81,91,93,99).	55223	99.62		
SEDFDS2	1	FRD/REL GOT RX FOR SED FROM 2+ DRS-PST MON				
		. = Unknown Source (SEDFDRS=94,98).....	165	0.30		
		1 = Yes (SEDFDRS=1).....	9	0.02		
		2 = No (SEDFDRS=6).....	38	0.07		
		3 = Never Used/No Past Mon Use (SEDFDRS=81,91,93,99).	55223	99.62		
SEDFFAK2	1	FRD/REL WROTE FAKE RX FOR SED-PST MON				
		. = Unknown Source (SEDFFAKE=94,98).....	165	0.30		
		1 = Yes (SEDFFAKE=1).....	1	0.00		
		2 = No (SEDFFAKE=6).....	46	0.08		
		3 = Never Used/No Past Mon Use (SEDFFAKE=81,91,93,99).	55223	99.62		
For the following variable, SEDFFST2, there were no respondents who reported that friends or relatives stole sedatives from a doctor/clinic/hospital/pharmacy in the past month (SEDFFSTL=1).						
SEDFFST2	1	FRD/REL STOLE SED FROM DR/CLIN/HOSP/PHARM-PST MON				
		. = Unknown Source (SEDFFSTL=94,98).....	165	0.30		
		2 = No (SEDFFSTL=6).....	47	0.08		
		3 = Never Used/No Past Mon Use (SEDFFSTL=81,91,93,99).	55223	99.62		
SEDFFRE2	1	FRD/REL GOT SED FROM A FRND/REL FOR FREE-PST MON				
		. = Unknown Source (SEDFFREE=94,98).....	165	0.30		
		1 = Yes (SEDFFREE=1).....	7	0.01		
		2 = No (SEDFFREE=6).....	40	0.07		
		3 = Never Used/No Past Mon Use (SEDFFREE=81,91,93,99).	55223	99.62		
SEDFFBY2	1	FRD/REL BOUGHT SED FROM A FRND OR REL-PST MON				
		. = Unknown Source (SEDFFBOT=94,98).....	165	0.30		
		1 = Yes (SEDFFBOT=1).....	8	0.01		
		2 = No (SEDFFBOT=6).....	39	0.07		
		3 = Never Used/No Past Mon Use (SEDFFBOT=81,91,93,99).	55223	99.62		
SEDFFTK2	1	FRD/REL TOOK SED FROM A FRND/REL WOUT ASK-PST MON				
		. = Unknown Source (SEDFFTAK=94,98).....	165	0.30		
		1 = Yes (SEDFFTAK=1).....	3	0.01		
		2 = No (SEDFFTAK=6).....	44	0.08		
		3 = Never Used/No Past Mon Use (SEDFFTAK=81,91,93,99).	55223	99.62		
SEDFFDL2	1	FRD/REL BGHT SED FRM DRG DEALR/OTH STRngr-PST MON				
		. = Unknown Source (SEDFFDLR=94,98).....	165	0.30		
		1 = Yes (SEDFFDLR=1).....	5	0.01		
		2 = No (SEDFFDLR=6).....	42	0.08		
		3 = Never Used/No Past Mon Use (SEDFFDLR=81,91,93,99).	55223	99.62		

LABEL	LEN	DESCRIPTION	RECODED PRIOR SUBSTANCE USE	PAGE:	417
				FREQ	%

			For the following variable, SEDFFNT2, there were no respondents who reported that friends or relatives bought sedatives on the internet in the past month (SEDFNET=1).		-
SEDFNT2	1	FRD/REL BOUGHT SED ON THE INTERNET-PST MON			
		. = Unknown Source (SEDFNET=94,98).....	165	0.30	
		2 = No (SEDFNET=6).....	47	0.08	
		3 = Never Used/No Past Mon Use (SEDFNET=81,91,93,99).....	55223	99.62	
The following variable, SEDFFOT2, was recoded to SAS missing if either of these situations occurred: (1) a respondent indicated that during the past 30 days that friends/relatives got prescription sedatives in "some other way" (SEDFOTH=1) and their write-in response was classified as an invalid or unknown source (SEDFOSP=85), or (2) a response to friends/relatives getting prescription sedatives "some other way" was unknown (SEDFOTH=94,98).					
SEDFOT2	1	FRD/REL GOT SED IN SOME OTHER WAY-PST MON			
		. = Unknown Source (See comment above).....	166	0.30	
		1 = Yes (SEDFOTH=1 and SEDFOSP=29,71).....	2	0.00	
		2 = No (SEDFOTH=6).....	44	0.08	
		3 = Never Used/No Past Mon Use (SEDFOTH=81,91,93,99).....	55223	99.62	
MTHFFRE2	1	FRD/REL GOT MTH FRM A FRND/REL FOR FREE-PST MON			
		. = Unknown src (CPNMTHMN=1 & MTHFFREE=93,94,97,98,99)	78	0.14	
		1 = Yes (CPNMTHMN=1 and MTHFFREE=1).....	25	0.05	
		2 = No (CPNMTHMN=1 and MTHFFREE=6).....	31	0.06	
		3 = No Past Month Use (CPNMTHMN=0).....	55301	99.76	
MTHFFBY2	1	FRD/REL BOUGHT MTH FRM A FRND/REL-PAST MONTH			
		. = Unknown src (CPNMTHMN=1 & MTHFFBOT=93,94,97,98,99)	78	0.14	
		1 = Yes (CPNMTHMN=1 and MTHFFBOT=1,5).....	27	0.05	
		2 = No (CPNMTHMN=1 and MTHFFBOT=6).....	29	0.05	
		3 = No Past Month Use (CPNMTHMN=0).....	55301	99.76	
MTHFFTK2	1	FRD/REL TOOK MTH FRM A FRND/REL WOUT ASK-PST MON			
		. = Unknown src (CPNMTHMN=1 & MTHFFTAK=93,94,97,98,99)	78	0.14	
		1 = Yes (CPNMTHMN=1 and MTHFFTAK=1).....	1	0.00	
		2 = No (CPNMTHMN=1 and MTHFFTAK=6).....	55	0.10	
		3 = No Past Month Use (CPNMTHMN=0).....	55301	99.76	
MTHFFDL2	1	FRD/REL BGHT MTH FRM DRG DEALR/OTH STRngr-PST MON			
		. = Unknown src (CPNMTHMN=1 & MTHFFDLR=93,94,97,98,99)	78	0.14	
		1 = Yes (CPNMTHMN=1 and MTHFFDLR=1,5).....	21	0.04	
		2 = No (CPNMTHMN=1 and MTHFFDLR=6).....	35	0.06	
		3 = No Past Month Use (CPNMTHMN=0).....	55301	99.76	
MTHFFNT2	1	FRD/REL BOUGHT MTH ON THE INTERNET-PAST MONTH			
		. = Unknown src (CPNMTHMN=1 & MTHFFNET=93,94,97,98,99)	78	0.14	
		1 = Yes (CPNMTHMN=1 and MTHFFNET=1).....	1	0.00	
		2 = No (CPNMTHMN=1 and MTHFFNET=6).....	55	0.10	
		3 = No Past Month Use (CPNMTHMN=0).....	55301	99.76	

RECODED PRIOR SUBSTANCE USE			PAGE:	418
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
<p>The following variable, MTHFFOT2, was recoded to SAS missing if a respondent indicated past month methamphetamine use (CPNMTHMN=1) and either of these situations occurred: (1) the respondent reported that during the past 30 days friends/relatives got methamphetamine in "some other way" (MTHFFOTH=1) and their write-in response was classified as an invalid or unknown source (MTHFFOSP=94,97) or (2) a response to friends/relatives getting methamphetamine in "some other way" was unknown (MTHFFOTH=93,94,97,98,99).</p> <p>MTHFFOT2 was defined as no if a respondent reported past month methamphetamine use (CPNMTHMN=1) and that friends/relatives did not get methamphetamine in "some other way" (MTHFFOTH=6) or friends/relatives got methamphetamine in "some other way" but did not report a valid other way (MTHFFOTH=1 and MTHFFOSP=8).</p>				
MTHFFOT2	1	FRD/REL GOT MTH IN SOME OTHER WAY-PAST MONTH		
		. = Unknown Source (See comment above).....	82	0.15
		1 = Yes (CPNMTHMN=1 and MTHFFOTH=1 and MTHFFOSP=11,16)	2	0.00
		2 = No (See comment above).....	50	0.09
		3 = No Past Month Use (CPNMTHMN=0).....	55301	99.76

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	419
				FREQ	%
<hr/>					
(TX01) SUBSTANCE TREATMENT					
<hr/>					
NOTE: Respondents were not asked questions in the SUBSTANCE TREATMENT module if they did not report lifetime use of alcohol, marijuana, cocaine, heroin, hallucinogens, inhalants, methamphetamine, or lifetime use of prescription psychotherapeutics (pain relievers, tranquilizers, stimulants, or sedatives) for nonmedical reasons. Codes of 81 or 91 in the edited SUBSTANCE TREATMENT variables indicate that the questions did not apply because respondents were nonusers of all of these substances.					
<hr/>					
These next questions deal with treatment for alcohol and drug problems, not including cigarettes. Please report treatment or counseling designed to help you reduce or stop your alcohol or drug use. Please include detoxification and any other treatment for medical problems associated with your alcohol or drug use.					
<hr/>					
Have you ever received treatment or counseling for your use of alcohol or any drug, not counting cigarettes?					
<hr/>					
TXEVER	2	1EVER RECEIVED ALCOHOL OR DRUG TREATMENT			
		1 = Yes.....	3088	5.57	
		2 = No.....	38543	69.53	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		85 = BAD DATA Logically assigned.....	6	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	37	0.07	
		97 = REFUSED.....	56	0.10	
		98 = BLANK (NO ANSWER).....	270	0.49	
<hr/>					
(TX02)		During the past 12 months, that is since [DATEFILL] have you received treatment or counseling for your use of alcohol or any drug, not counting cigarettes?			
<hr/>					
TXYREVER	2	1EVER RECEIVED ALCOHOL OR DRUG TRMT PAST 12 MOS			
		1 = Yes.....	1061	1.91	
		2 = No.....	1887	3.40	
		3 = Yes LOGICALLY ASSIGNED.....	129	0.23	
		4 = No LOGICALLY ASSIGNED.....	4	0.01	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		85 = BAD DATA Logically assigned.....	3	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	4	0.01	
		97 = REFUSED.....	59	0.11	
		98 = BLANK (NO ANSWER).....	310	0.56	
		99 = LEGITIMATE SKIP (TXEVER=2).....	38543	69.53	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	420
				FREQ	%
(TX03)		During the past 12 months when you received treatment, was the treatment for alcohol use only, drug use only, or both alcohol and drug use?		-	-
TXYRADG	2	1TRMT FOR ALC, DRUG OR BOTH PAST 12 MONTHS			
		1 = Alcohol use only.....	374	0.67	
		2 = Drug use only.....	239	0.43	
		3 = Both alcohol and drug use.....	368	0.66	
		6 = Both alcohol and drug use LOGICALLY ASSIGNED.....	1	0.00	
		11 = Alcohol only (but last tmt for drugs reported)....	35	0.06	
		12 = Drugs only (but last tmt for alc reported)....	35	0.06	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		85 = BAD DATA Logically assigned.....	4	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	4	0.01	
		97 = REFUSED.....	63	0.11	
		98 = BLANK (NO ANSWER).....	443	0.80	
		99 = LEGITIMATE SKIP.....	40434	72.94	
(TX04A)		During the past 12 months, have you received treatment for your [TXFILL1] in a hospital overnight as an inpatient?			
TXYRHOSP	2	1RCVD TXFILL1 TRMT IN HOSP/OVERNIGHT PST 12 MOS			
		1 = Yes.....	188	0.34	
		2 = No.....	863	1.56	
		5 = Yes LOGICALLY ASSIGNED (from TXLTYMN2).....	7	0.01	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		85 = BAD DATA Logically assigned.....	4	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		97 = REFUSED.....	61	0.11	
		98 = BLANK (NO ANSWER).....	443	0.80	
		99 = LEGITIMATE SKIP.....	40434	72.94	
(TX04A1)		Was the treatment you received in a hospital overnight as an inpatient for your alcohol use, your drug use, or both?			
TXYRHPAD	2	1HOSP/OVERNIGHT TRMT FOR ALC, DRUGS, OR BOTH			
		1 = Alcohol use.....	5	0.01	
		2 = Drug use.....	14	0.03	
		3 = Both alcohol and drug use.....	54	0.10	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	59	0.11	
		98 = BLANK (NO ANSWER).....	472	0.85	
		99 = LEGITIMATE SKIP.....	41395	74.67	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	421
				FREQ	%
(TX04B)		During the past 12 months, have you received treatment for your [TXFILL1] in a residential drug or alcohol rehabilitation facility where you stayed overnight?		-	-
TXYRRFIN	2	1RCVD TXFILL1 TRMT REHAB CENTR/OVERNIGHT PST 12 MO			
		1 = Yes.....	249	0.45	
		2 = No.....	787	1.42	
		5 = Yes LOGICALLY ASSIGNED (from TXLTYMN2).....	21	0.04	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		85 = BAD DATA Logically assigned.....	5	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	60	0.11	
		98 = BLANK (NO ANSWER).....	443	0.80	
		99 = LEGITIMATE SKIP.....	40434	72.94	
(TX04B1)		Was the treatment you received in a residential drug or alcohol rehabilitation facility where you stayed overnight for your alcohol use, your drug use, or both?			
TXYRINAD	2	1RES ALC/DRG REH TRMT FOR ALC, DRUGS, OR BOTH			
		1 = Alcohol use.....	7	0.01	
		2 = Drug use.....	10	0.02	
		3 = Both alcohol and drug use.....	92	0.17	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		97 = REFUSED.....	59	0.11	
		98 = BLANK (NO ANSWER).....	491	0.89	
		99 = LEGITIMATE SKIP.....	41341	74.58	
(TX04C)		During the past 12 months, have you received treatment for your [TXFILL1] in a drug or alcohol rehabilitation facility as an outpatient?			
TXYRRFOP	2	1RCVD TXFILL1 TRMT REHAB CENTR/OUTPT PST 12 MOS			
		1 = Yes.....	419	0.76	
		2 = No.....	567	1.02	
		5 = Yes LOGICALLY ASSIGNED (from TXLTYMN2).....	69	0.12	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		85 = BAD DATA Logically assigned.....	5	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	2	0.00	
		97 = REFUSED.....	61	0.11	
		98 = BLANK (NO ANSWER).....	443	0.80	
		99 = LEGITIMATE SKIP.....	40434	72.94	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	422
				FREQ	%
(TX04C1)		Was the treatment you received in a drug or alcohol rehabilitation facility as an outpatient for your alcohol use, your drug use, or both?		-	-
TXYRPOAD	2	1OUTPATIENT TRMT FOR ALC, DRUGS, OR BOTH			
		1 = Alcohol use.....	11	0.02	
		2 = Drug use.....	18	0.03	
		3 = Both alcohol and drug use.....	128	0.23	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		97 = REFUSED.....	59	0.11	
		98 = BLANK (NO ANSWER).....	512	0.92	
		99 = LEGITIMATE SKIP.....	41272	74.45	
(TX04D)		During the past 12 months, have you received treatment for your [TXFILL1] in a mental health center or facility as an outpatient?			
TXYRMHC	2	1RCVD TXFILL1 TRMT MNT HEALTH CNTR/OUTPT PST 12 MO			
		1 = Yes.....	231	0.42	
		2 = No.....	798	1.44	
		5 = Yes LOGICALLY ASSIGNED (from TXLTYMN2).....	26	0.05	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		85 = BAD DATA Logically assigned.....	5	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	2	0.00	
		97 = REFUSED.....	61	0.11	
		98 = BLANK (NO ANSWER).....	443	0.80	
		99 = LEGITIMATE SKIP.....	40434	72.94	
(TX04D1)		Was the treatment you received in a mental health center or facility as an outpatient for your alcohol use, your drug use, or both?			
TXYRMHAD	2	1MNT HEALTH CNTR TRMT FOR ALC, DRUGS, OR BOTH			
		1 = Alcohol use.....	4	0.01	
		2 = Drug use.....	5	0.01	
		3 = Both alcohol and drug use.....	72	0.13	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	59	0.11	
		98 = BLANK (NO ANSWER).....	489	0.88	
		99 = LEGITIMATE SKIP.....	41370	74.63	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	423
				FREQ	%
(TX04E)		During the past 12 months, have you received treatment for your [TXFILL1] in an emergency room?		-	-
TXYRTXER	2	1RCVD TXFILL1 TRMT IN EMERGENCY ROOM PAST 12 MOS			
		1 = Yes.....	129	0.23	
		2 = No.....	917	1.65	
		3 = Yes LOGICALLY ASSIGNED.....	9	0.02	
		5 = Yes LOGICALLY ASSIGNED (from TXLTYMN2).....	1	0.00	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		85 = BAD DATA Logically assigned.....	5	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	61	0.11	
		98 = BLANK (NO ANSWER).....	443	0.80	
		99 = LEGITIMATE SKIP.....	40434	72.94	
(TX04E1)		Was the treatment you received in an emergency room for your alcohol use, your drug use, or both?			
TXYRERAD	2	1EMERGENCY ROOM TRMT FOR ALC, DRUGS, OR BOTH			
		1 = Alcohol use.....	13	0.02	
		2 = Drug use.....	11	0.02	
		3 = Both alcohol and drug use.....	18	0.03	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		97 = REFUSED.....	59	0.11	
		98 = BLANK (NO ANSWER).....	473	0.85	
		99 = LEGITIMATE SKIP.....	41426	74.73	
(TX04F)		During the past 12 months, have you received treatment for your [TXFILL1] in a private doctor's office?			
TXYRDOC	2	1RCVD TXFILL1 TRMT IN PRIV DR.'S OFFICE PST 12 MOS			
		1 = Yes.....	147	0.27	
		2 = No.....	884	1.59	
		5 = Yes LOGICALLY ASSIGNED (from TXLTYMN2).....	26	0.05	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		85 = BAD DATA Logically assigned.....	5	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		97 = REFUSED.....	61	0.11	
		98 = BLANK (NO ANSWER).....	443	0.80	
		99 = LEGITIMATE SKIP.....	40434	72.94	
(TX04F1)		Was the treatment you received in a private doctor's office for your alcohol use, your drug use, or both?			
TXYRDCAD	2	1PRIV DR.'S OFFICE TRMT FOR ALC, DRUGS, OR BOTH			
		1 = Alcohol use.....	4	0.01	
		2 = Drug use.....	5	0.01	
		3 = Both alcohol and drug use.....	33	0.06	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		97 = REFUSED.....	59	0.11	
		98 = BLANK (NO ANSWER).....	474	0.86	
		99 = LEGITIMATE SKIP.....	41425	74.73	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	424
				FREQ	%
(TX04G)		During the past 12 months, have you received treatment for your [TXFILL1] in a prison or jail?		-	-
TXYRJAIL	2	1RCVD TXFILL1 TRMT IN PRISON/JAIL PAST 12 MONTHS			
		1 = Yes.....	102	0.18	
		2 = No.....	944	1.70	
		5 = Yes LOGICALLY ASSIGNED (from TXLTYMN2).....	9	0.02	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		85 = BAD DATA Logically assigned.....	5	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	2	0.00	
		97 = REFUSED.....	61	0.11	
		98 = BLANK (NO ANSWER).....	443	0.80	
		99 = LEGITIMATE SKIP.....	40434	72.94	
(TX04G1)		Was the treatment you received in a prison or jail for your alcohol use, your drug use, or both?			
TXYRJLAD	2	1PRISON/JAIL TRMT FOR ALC, DRUGS, OR BOTH			
		1 = Alcohol use.....	5	0.01	
		2 = Drug use.....	11	0.02	
		3 = Both alcohol and drug use.....	32	0.06	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		97 = REFUSED.....	59	0.11	
		98 = BLANK (NO ANSWER).....	466	0.84	
		99 = LEGITIMATE SKIP.....	41427	74.73	
(TX04H)		During the past 12 months, have you received treatment for your [TXFILL1] in a self-help group such as Alcoholics Anonymous or Narcotics Anonymous?			
TXYRSHG	2	1RCVD TXFILL1 TRMT IN SELF-HELP GROUP PAST 12 MOS			
		1 = Yes.....	562	1.01	
		2 = No.....	443	0.80	
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00	
		5 = Yes LOGICALLY ASSIGNED (from TXLTYMN2).....	51	0.09	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		85 = BAD DATA Logically assigned.....	5	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	60	0.11	
		98 = BLANK (NO ANSWER).....	443	0.80	
		99 = LEGITIMATE SKIP.....	40434	72.94	
(TX04H1)		Was the treatment you received in a self-help group for your alcohol use, your drug use, or both?			
TXYRSGAD	2	1SELF-HELP GROUP TRMT FOR ALC, DRUGS, OR BOTH			
		1 = Alcohol use.....	29	0.05	
		2 = Drug use.....	23	0.04	
		3 = Both alcohol and drug use.....	173	0.31	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		97 = REFUSED.....	59	0.11	
		98 = BLANK (NO ANSWER).....	502	0.91	
		99 = LEGITIMATE SKIP.....	41214	74.35	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	425
				FREQ	%
(TX04I)		During the past 12 months, have you received treatment for your [TXFILL1] in some other place besides these that have been listed?		-	-
TXYRSOP	2	1RCVD TXFILL1 TRMT IN SOME OTHER PLACE PAST 12 MOS			
		1 = Yes.....	249	0.45	
		2 = No.....	716	1.29	
		5 = Yes LOGICALLY ASSIGNED (from TXLTYMN2).....	77	0.14	
		7 = Treatment location unknown, LOG ASSN.....	14	0.03	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		85 = BAD DATA Logically assigned.....	5	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	2	0.00	
		97 = REFUSED.....	60	0.11	
		98 = BLANK (NO ANSWER).....	443	0.80	
		99 = LEGITIMATE SKIP.....	40434	72.94	
TXYROTS2	3	10THER PLACE RECEIVED TRMT PAST 12 MONTHS			
		2 = Residential drug or alc rehab facility overnight..	1	0.00	
		6 = A private doctor's office.....	1	0.00	
		8 = Self-help group, Alcoholic/Narcotics Anonymous....	8	0.01	
		9 = Some other place.....	16	0.03	
		40 = Home, family, friends.....	22	0.04	
		41 = School, college.....	37	0.07	
		42 = Church/religious/spiritual influence.....	17	0.03	
		44 = Halfway house/group home.....	4	0.01	
		45 = Rehab/intervention fac/prgrm, ptnt status unspcfed.	3	0.01	
		47 = Community/city/county/state pgm or facil; unspcfed.	4	0.01	
		48 = Counselor, therapist, psychologist, psychiatrist..	37	0.07	
		49 = Court-mandated/sponsored program.....	33	0.06	
		51 = Alcohol/drug class or education, locale unspcfed...	8	0.01	
		52 = Military/VA Hospital.....	5	0.01	
		55 = Youth-oriented facility/organization/program.....	3	0.01	
		56 = Mental hlth ctr/facility/hosp; ptnt status unspcfed	5	0.01	
		64 = Methadone clinic/program.....	16	0.03	
		65 = Name of facility/program given.....	63	0.11	
		77 = Group; type unspecified.....	4	0.01	
		981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		985 = BAD DATA Logically assigned.....	28	0.05	
		991 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		994 = DON'T KNOW.....	6	0.01	
		997 = REFUSED.....	61	0.11	
		998 = BLANK (NO ANSWER).....	468	0.84	
		999 = LEGITIMATE SKIP.....	41150	74.23	
(TX04I1)		Was the treatment you received in this other place for your alcohol use, your drug use, or both?			
TXYROTAD	2	10THER PLACE TRMT FOR ALC, DRUGS, OR BOTH			
		1 = Alcohol use.....	6	0.01	
		2 = Drug use.....	7	0.01	
		3 = Both alcohol and drug use.....	77	0.14	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		97 = REFUSED.....	59	0.11	
		98 = BLANK (NO ANSWER).....	512	0.92	
		99 = LEGITIMATE SKIP.....	41339	74.57	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	426
				FREQ	%
(TX05)		During the past 12 months, that is, since [DATEFILL], did you visit a hospital emergency room to receive treatment for your use of cocaine, heroin, marijuana, PCP, LSD, or Methamphetamine?		-	-
TXYRVSER	2	1EVER VISIT EMER RM FOR TRMT OF ILL DRUG PST 12 MO			
		1 = Yes.....	41	0.07	
		2 = No.....	584	1.05	
		6 = NEVER USED RELEVANT DRUGS.....	41	0.07	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	63	0.11	
		98 = BLANK (NO ANSWER).....	462	0.83	
		99 = LEGITIMATE SKIP.....	40808	73.61	
(TX06)		During the past 12 months, how many times did you visit a hospital emergency room to receive treatment for your use of cocaine, heroin, marijuana, PCP, LSD, or Methamphetamine?			
TXYRNME2	3	1# TIMES EMER RM FOR TRMT OF ILL DRUGS PST 12 MOS			
		RANGE = 1 - 17	39	0.07	
		981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		991 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		994 = DON'T KNOW.....	2	0.00	
		997 = REFUSED.....	63	0.11	
		998 = BLANK (NO ANSWER).....	463	0.84	
		999 = LEGITIMATE SKIP.....	41433	74.74	
(TX07)		Are you currently receiving treatment or counseling for your [TXFILL1]?			
TXRCVNOW	2	1CURRENTLY RECEIVING TRMT/COUNSELING FOR TXFILL1			
		1 = Yes.....	407	0.73	
		2 = No.....	654	1.18	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		85 = BAD DATA Logically assigned.....	5	0.01	
		89 = LEGITIMATE SKIP Logically assigned.....	4	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	3	0.01	
		97 = REFUSED.....	58	0.10	
		98 = BLANK (NO ANSWER).....	439	0.79	
		99 = LEGITIMATE SKIP.....	40430	72.93	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	427
				FREQ	%
(TX08)		NOTE: The variables NDTXNEDR, NDTXALCR, NDTXMJR, NDTXCOCR, NDTXHERR, NDTXHALR, NDTXINHR, NDTXANLR, NDTXTRNR, NDTXSTMNR, NDTXSEDR, NDTXSODR, NDTXDG1R, NDTXDG2R, NDTXDG3R, NDTXDG4R, NDTXDG5R, and NDTXFTR are renamed versions of the following variables from the 1999 survey: NDTXNEED, NDTXALC, NDTXMJ, NDTXCOC, NDTXHER, NDTXHAL, NDTXINH, NDTXANL, NDTXTRAN, NDTXSTIM, NDTXSED, NDTXSOD, NDTXDRG1, NDTXDRG2, NDTXDRG3, NDTXDRG4, NDTXDRG5, and NDTXFRT. These variables were renamed because changes in the skip logic for 2000 affected whether respondents were asked (or not asked) the questions corresponding to these variables.			-
		During the past 12 months, did you need treatment or counseling for your alcohol or drug use?			
NDTXNEDR	2	1NEED TRMT FOR USE OF ALCOHOL OR DRUG PAST 12 MOS			
		1 = Yes.....	336	0.61	
		2 = No.....	40110	72.36	
		11 = Yes (TXYREVER=3).....	35	0.06	
		12 = No (TXYREVER=3).....	93	0.17	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		85 = BAD DATA Logically assigned.....	3	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	35	0.06	
		97 = REFUSED.....	54	0.10	
		98 = BLANK (NO ANSWER).....	273	0.49	
		99 = LEGITIMATE SKIP.....	1061	1.91	
(TX09)		During the past 12 months, did you need additional treatment or counseling for your alcohol or drug use?			
NDTXMORE	2	1NEED ADDL TRMT FOR USE OF ALCOHOL/DRUG PST 12 MOS			
		1 = Yes.....	44	0.08	
		2 = No.....	606	1.09	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	1	0.00	
		98 = BLANK (NO ANSWER).....	507	0.91	
		99 = LEGITIMATE SKIP.....	40841	73.67	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	428
				FREQ	%
(TX10)		During the past 12 months, for which of the following drugs did you need additional treatment or counseling?		-	-
NDTMRALC	2	1NEED ADDL TRMT FOR USE OF ALCOHOL PAST 12 MOS			
		1 = Response entered.....	22	0.04	
		6 = Response not entered.....	22	0.04	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		97 = REFUSED.....	1	0.00	
		98 = BLANK (NO ANSWER).....	508	0.92	
		99 = LEGITIMATE SKIP.....	41447	74.77	
NDTMRMJ	2	1NEED ADDL TRMT FOR USE OF MJ/HASH PAST 12 MOS			
		1 = Response entered.....	15	0.03	
		6 = Response not entered.....	29	0.05	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		97 = REFUSED.....	1	0.00	
		98 = BLANK (NO ANSWER).....	508	0.92	
		99 = LEGITIMATE SKIP.....	41447	74.77	
NDTMRCOC	2	1NEED ADDL TRMT FOR USE OF COC/CRACK PAST 12 MOS			
		1 = Response entered.....	13	0.02	
		6 = Response not entered.....	31	0.06	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		97 = REFUSED.....	1	0.00	
		98 = BLANK (NO ANSWER).....	508	0.92	
		99 = LEGITIMATE SKIP.....	41447	74.77	
NDTMRHER	2	1NEED ADDL TRMT FOR USE OF HEROIN PAST 12 MOS			
		1 = Response entered.....	6	0.01	
		6 = Response not entered.....	38	0.07	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		97 = REFUSED.....	1	0.00	
		98 = BLANK (NO ANSWER).....	508	0.92	
		99 = LEGITIMATE SKIP.....	41447	74.77	
NDTMRHAL	2	1NEED ADDL TRMT FOR USE OF HALLUC PAST 12 MOS			
		1 = Response entered.....	3	0.01	
		6 = Response not entered.....	41	0.07	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		97 = REFUSED.....	1	0.00	
		98 = BLANK (NO ANSWER).....	508	0.92	
		99 = LEGITIMATE SKIP.....	41447	74.77	
NDTMRINH	2	1NEED ADDL TRMT FOR USE OF INHALANTS PAST 12 MOS			
		1 = Response entered.....	1	0.00	
		6 = Response not entered.....	43	0.08	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		97 = REFUSED.....	1	0.00	
		98 = BLANK (NO ANSWER).....	508	0.92	
		99 = LEGITIMATE SKIP.....	41447	74.77	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT		PAGE:	429
			FREQ	%		
NDTMRANL	2	1NEED ADDL TRMT FOR USE OF PAIN REL PST 12 MOS				-
		1 = Response entered.....	9	0.02		
		6 = Response not entered.....	35	0.06		
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06		
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17		
		97 = REFUSED.....	1	0.00		
		98 = BLANK (NO ANSWER).....	508	0.92		
		99 = LEGITIMATE SKIP.....	41447	74.77		
NDTMRTRN	2	1NEED ADDL TRMT FOR USE OF TRAN PAST 12 MOS				
		1 = Response entered.....	3	0.01		
		6 = Response not entered.....	41	0.07		
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06		
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17		
		97 = REFUSED.....	1	0.00		
		98 = BLANK (NO ANSWER).....	508	0.92		
		99 = LEGITIMATE SKIP.....	41447	74.77		
NDTMRSTM	2	1NEED ADDL TRMT FOR USE OF STIMULANTS PST 12 MOS				
		1 = Response entered.....	2	0.00		
		6 = Response not entered.....	42	0.08		
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06		
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17		
		97 = REFUSED.....	1	0.00		
		98 = BLANK (NO ANSWER).....	508	0.92		
		99 = LEGITIMATE SKIP.....	41447	74.77		
NDTMRSED	2	1NEED ADDL TRMT FOR USE OF SEDATIVES PST 12 MOS				
		1 = Response entered.....	1	0.00		
		6 = Response not entered.....	43	0.08		
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06		
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17		
		97 = REFUSED.....	1	0.00		
		98 = BLANK (NO ANSWER).....	508	0.92		
		99 = LEGITIMATE SKIP.....	41447	74.77		
NDTMROTH	2	1NEED ADDL TRMT FOR USE OF SOME OTH DRG PST 12 MOS				
		1 = Response entered.....	2	0.00		
		6 = Response not entered.....	42	0.08		
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06		
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17		
		97 = REFUSED.....	1	0.00		
		98 = BLANK (NO ANSWER).....	508	0.92		
		99 = LEGITIMATE SKIP.....	41447	74.77		
(TX11)		During the past 12 months did you need treatment or counseling for your use of alcohol?				
NDTXALCR	2	1NEED TRMT FOR USE OF ALCOHOL PAST 12 MONTHS				
		1 = Yes.....	193	0.35		
		2 = No.....	137	0.25		
		11 = Yes (TXYREVER=3).....	18	0.03		
		12 = No (TXYREVER=3).....	16	0.03		
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06		
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17		
		97 = REFUSED.....	48	0.09		
		98 = BLANK (NO ANSWER).....	48	0.09		
		99 = LEGITIMATE SKIP.....	41540	74.93		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	430
				FREQ	%
(TX12)		During the past 12 months, did you need treatment or counseling for your use of marijuana or hashish?		-	-
NDTXMJR	2	1NEED TRMT FOR USE OF MARIJUANA/HASHISH PAST 12 MOS			
		1 = Yes.....	65	0.12	
		2 = No.....	222	0.40	
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00	
		11 = Yes (TXYREVER=3).....	12	0.02	
		12 = No (TXYREVER=3).....	17	0.03	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		97 = REFUSED.....	27	0.05	
		98 = BLANK (NO ANSWER).....	33	0.06	
		99 = LEGITIMATE SKIP.....	41623	75.08	
(TX13)		During the past 12 months, did you need treatment or counseling for your use of cocaine or 'crack'?			
NDTXCOCR	2	1NEED TRMT FOR USE OF COCAINE/CRACK PAST 12 MONTHS			
		1 = Yes.....	56	0.10	
		2 = No.....	134	0.24	
		11 = Yes (TXYREVER=3).....	4	0.01	
		12 = No (TXYREVER=3).....	10	0.02	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		97 = REFUSED.....	11	0.02	
		98 = BLANK (NO ANSWER).....	18	0.03	
		99 = LEGITIMATE SKIP.....	41767	75.34	
(TX14)		During the past 12 months, did you need treatment or counseling for your use of heroin?			
NDTXHERR	2	1NEED TRMT FOR USE OF HEROIN PAST 12 MONTHS			
		1 = Yes.....	12	0.02	
		2 = No.....	22	0.04	
		11 = Yes (TXYREVER=3).....	1	0.00	
		12 = No (TXYREVER=3).....	4	0.01	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		97 = REFUSED.....	4	0.01	
		98 = BLANK (NO ANSWER).....	18	0.03	
		99 = LEGITIMATE SKIP.....	41939	75.65	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	431
				FREQ	%
(TX15)		During the past 12 months, did you need treatment or counseling for your use of hallucinogens?		-	-
NDTXHALR	2	1NEED TRMT FOR USE OF HALLUCINOGENS PAST 12 MONTHS			
		1 = Yes.....	10	0.02	
		2 = No.....	171	0.31	
		11 = Yes (TXYREVER=3).....	2	0.00	
		12 = No (TXYREVER=3).....	15	0.03	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		97 = REFUSED.....	13	0.02	
		98 = BLANK (NO ANSWER).....	114	0.21	
		99 = LEGITIMATE SKIP.....	41675	75.18	
(TX16)		During the past 12 months, did you need treatment or counseling for your use of inhalants?			
NDTXINHR	2	1NEED TRMT FOR USE OF INHALANTS PAST 12 MONTHS			
		1 = Yes.....	9	0.02	
		2 = No.....	118	0.21	
		11 = Yes (TXYREVER=3).....	1	0.00	
		12 = No (TXYREVER=3).....	9	0.02	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		97 = REFUSED.....	21	0.04	
		98 = BLANK (NO ANSWER).....	80	0.14	
		99 = LEGITIMATE SKIP.....	41762	75.34	
(TX17)		During the past 12 months, did you need treatment or counseling for your use of prescription pain relievers?			
NDTXANLR	2	1NEED TRMT FOR USE OF RX PAIN RELIEVERS PST 12 MOS			
		1 = Yes.....	38	0.07	
		2 = No.....	164	0.30	
		11 = Yes (TXYREVER=3).....	3	0.01	
		12 = No (TXYREVER=3).....	14	0.03	
		13 = Yes LOGICALLY ASSIGNED (TXYREVER=3).....	1	0.00	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		97 = REFUSED.....	20	0.04	
		98 = BLANK (NO ANSWER).....	125	0.23	
		99 = LEGITIMATE SKIP.....	41635	75.11	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	432
				FREQ	%
(TX18)		During the past 12 months, did you need treatment or counseling for your use of prescription tranquilizers?		-	-
NDTXTRNR	2	1NEED TRMT FOR USE OF RX TRANQUILIZERS PST 12 MOS			
		1 = Yes.....	10	0.02	
		2 = No.....	120	0.22	
		11 = Yes (TXYREVER=3).....	3	0.01	
		12 = No (TXYREVER=3).....	7	0.01	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		97 = REFUSED.....	9	0.02	
		98 = BLANK (NO ANSWER).....	61	0.11	
		99 = LEGITIMATE SKIP.....	41790	75.39	
(TX19)		During the past 12 months, did you need treatment or counseling for your use of prescription stimulants?			
NDTXSTMNR	2	1NEED TRMT FOR USE OF RX STIMULANTS PST 12 MOS			
		1 = Yes.....	16	0.03	
		2 = No.....	107	0.19	
		3 = Yes LOGICALLY ASSIGNED.....	6	0.01	
		11 = Yes (TXYREVER=3).....	1	0.00	
		12 = No (TXYREVER=3).....	9	0.02	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		97 = REFUSED.....	17	0.03	
		98 = BLANK (NO ANSWER).....	63	0.11	
		99 = LEGITIMATE SKIP.....	41781	75.37	
(TX20)		During the past 12 months, did you need treatment or counseling for your use of prescription sedatives?			
NDTXSEDR	2	1NEED TRMT FOR USE OF RX SEDATIVES PST 12 MOS			
		1 = Yes.....	4	0.01	
		2 = No.....	34	0.06	
		12 = No (TXYREVER=3).....	3	0.01	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		97 = REFUSED.....	11	0.02	
		98 = BLANK (NO ANSWER).....	55	0.10	
		99 = LEGITIMATE SKIP.....	41892	75.57	

¹The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	433
				FREQ	%
(TX21)		During the past 12 months, did you need treatment or counseling for your use of some other drug besides the ones just listed?		-	-
NDTXSODR	2	1NEED TRMT FOR USE OF SOME OTHER DRUG PAST 12 MOS			
		1 = Yes.....	26	0.05	
		2 = No.....	263	0.47	
		5 = Drug Unknown LOGICALLY ASSIGNED.....	47	0.08	
		11 = Yes (TXYREVER=3).....	2	0.00	
		12 = No (TXYREVER=3).....	33	0.06	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		97 = REFUSED.....	54	0.10	
		98 = BLANK (NO ANSWER).....	311	0.56	
		99 = LEGITIMATE SKIP.....	41264	74.44	
NDTXDG1R	4	10THER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 1			
		122 = Over-the-counter sleep aid; not specified <OTC>...	1	0.00	
		322 = Methamphetamine ("ice" or "crank"), Meth.....	7	0.01	
		425 = Advil <OTC>.....	1	0.00	
		803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed.....	1	0.00	
		806 = Crack, rock.....	1	0.00	
		807 = Alcohol, beer, ethanol, EtOH, pink champagne.....	2	0.00	
		813 = Cigarettes, tobacco (type unspecified).....	1	0.00	
		3052 = Speed; otherwise unspecified.....	1	0.00	
		4067 = OxyContin.....	1	0.00	
		8012 = Coricidin <OTC>.....	1	0.00	
		8058 = Cough medicine/syrup; type unspecified.....	1	0.00	
		9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		9985 = BAD DATA Logically assigned.....	3	0.01	
		9991 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		9994 = DON'T KNOW.....	5	0.01	
		9997 = REFUSED.....	56	0.10	
		9998 = BLANK (NO ANSWER).....	358	0.65	
		9999 = LEGITIMATE SKIP.....	41560	74.97	
NDTXDG2R	4	10THER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 2			
		324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED..	1	0.00	
		9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		9985 = BAD DATA Logically assigned.....	1	0.00	
		9991 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		9997 = REFUSED.....	54	0.10	
		9998 = BLANK (NO ANSWER).....	384	0.69	
		9999 = LEGITIMATE SKIP.....	41560	74.97	
NDTXDG3R	4	10THER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 3			
		9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		9985 = BAD DATA Logically assigned.....	1	0.00	
		9991 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		9994 = DON'T KNOW.....	1	0.00	
		9997 = REFUSED.....	54	0.10	
		9998 = BLANK (NO ANSWER).....	384	0.69	
		9999 = LEGITIMATE SKIP.....	41560	74.97	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	434
				FREQ	%
NDTXDG4R	4	10 OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 4			-
		9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		9991 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		9997 = REFUSED.....	54	0.10	
		9998 = BLANK (NO ANSWER).....	386	0.70	
		9999 = LEGITIMATE SKIP.....	41560	74.97	
NDTXDG5R	4	10 OTHER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 5			
		9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		9991 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		9997 = REFUSED.....	54	0.10	
		9998 = BLANK (NO ANSWER).....	386	0.70	
		9999 = LEGITIMATE SKIP.....	41560	74.97	
(TX22)		NOTE: NDTXEFTTR was assigned a code of 11 if the respondent originally reported making an effort to obtain treatment but at least one of the following occurred: (a) the respondent was logically inferred to have gotten treatment in the past 12 months (TXYREVER=3); or (b) the respondent did not perceive a need for treatment for use of any of the specific drugs that he/she was asked about (i.e., all questions about the perceived need for treatment for specific drugs were answered as "no").			
		During the past 12 months, did you make an effort to get treatment or counseling for your use of [TXFILL2]?			
NDTXEFTR	2	1 MAKE EFFORT FOR TRMT OF TXFILL2 PAST 12 MONTHS			
		1 = Yes.....	91	0.16	
		2 = No.....	237	0.43	
		11 = Yes (see note).....	29	0.05	
		12 = No (TXYREVER=3).....	12	0.02	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	2	0.00	
		97 = REFUSED.....	54	0.10	
		98 = BLANK (NO ANSWER).....	311	0.56	
		99 = LEGITIMATE SKIP.....	41264	74.44	
(TX22A)		Which of these statements explain why you did not get the treatment or counseling you needed for your use of [TXFILL2]?			
NDTXNHCV	2	1 NOT GET TRMT COULDN'T AFFORD - NO HLTH CARE COVER			
		1 = Response entered.....	93	0.17	
		6 = Response not entered.....	255	0.46	
		11 = Response entered (TXYREVER=3 or NDTXEFTTR=11).....	7	0.01	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	7	0.01	
		97 = REFUSED.....	63	0.11	
		98 = BLANK (NO ANSWER).....	311	0.56	
		99 = LEGITIMATE SKIP.....	41264	74.44	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE TREATMENT			PAGE:	435
LABEL	LEN	DESCRIPTION	FREQ	%
NDTXLMCV	2	1TREATMENT NOT COVERED ON HLTH CARE		-
		1 = Response entered.....	14	0.03
		6 = Response not entered.....	336	0.61
		11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	5	0.01
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	63	0.11
		98 = BLANK (NO ANSWER).....	311	0.56
		99 = LEGITIMATE SKIP.....	41264	74.44
NDTXNTSP	2	1NO TRANSPORTATION, TOO FAR AWAY, NOT CONVENIENT		
		1 = Response entered.....	29	0.05
		6 = Response not entered.....	323	0.58
		11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	3	0.01
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	63	0.11
		98 = BLANK (NO ANSWER).....	311	0.56
		99 = LEGITIMATE SKIP.....	41264	74.44
NDTXTYPE	2	1TREATMENT NOT FOUND FOR TYPE WANTED		
		1 = Response entered.....	24	0.04
		6 = Response not entered.....	329	0.59
		11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	2	0.00
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	63	0.11
		98 = BLANK (NO ANSWER).....	311	0.56
		99 = LEGITIMATE SKIP.....	41264	74.44
NDTXREDY	2	1NOT READY TO STOP USING [TXYFILL2]		
		1 = Response entered.....	111	0.20
		6 = Response not entered.....	233	0.42
		11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	10	0.02
		13 = Yes LOGICALLY ASSIGNED (TXYREVER=3 or NDTXEFTR=11)	1	0.00
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	63	0.11
		98 = BLANK (NO ANSWER).....	311	0.56
		99 = LEGITIMATE SKIP.....	41264	74.44
NDTXOPEN	2	1NO OPENINGS IN THE PROGRAMS		
		1 = Response entered.....	10	0.02
		6 = Response not entered.....	345	0.62
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	63	0.11
		98 = BLANK (NO ANSWER).....	311	0.56
		99 = LEGITIMATE SKIP.....	41264	74.44

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	436
				FREQ	%
NDTXWHER	2	1DIDN'T KNOW WHERE TO GET TREATMENT			-
		1 = Response entered.....	39	0.07	
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00	
		6 = Response not entered.....	314	0.57	
		11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	1	0.00	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	7	0.01	
		97 = REFUSED.....	63	0.11	
		98 = BLANK (NO ANSWER).....	311	0.56	
		99 = LEGITIMATE SKIP.....	41264	74.44	
NDTXNBR	2	1TREATMENT MIGHT CAUSE NEIGHBRS TO HAVE NEG OPIN			
		1 = Response entered.....	53	0.10	
		6 = Response not entered.....	302	0.54	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	7	0.01	
		97 = REFUSED.....	63	0.11	
		98 = BLANK (NO ANSWER).....	311	0.56	
		99 = LEGITIMATE SKIP.....	41264	74.44	
NDTXJOB	2	1TREATMENT MIGHT HAVE NEG. EFFECT ON JOB			
		1 = Response entered.....	32	0.06	
		6 = Response not entered.....	322	0.58	
		11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	1	0.00	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	7	0.01	
		97 = REFUSED.....	63	0.11	
		98 = BLANK (NO ANSWER).....	311	0.56	
		99 = LEGITIMATE SKIP.....	41264	74.44	
(TX22B)		Which of these statements explain why you did not get the treatment or counseling you needed for your use of [TXFILL2]?			
NDTXNOND	2	1YOU DIDN'T THINK YOU NEEDED TREATMENT AT THE TIME			
		1 = Response entered.....	24	0.04	
		3 = Response entered LOGICALLY ASSIGNED.....	3	0.01	
		6 = Response not entered.....	320	0.58	
		11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	6	0.01	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	9	0.02	
		97 = REFUSED.....	63	0.11	
		98 = BLANK (NO ANSWER).....	311	0.56	
		99 = LEGITIMATE SKIP.....	41264	74.44	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	437
				FREQ	%
NDTXHNDL	2	1YOU THOUGHT YOU COULD HANDLE THE PROB W/O TREATMT			-
		1 = Response entered.....	48	0.09	
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00	
		6 = Response not entered.....	298	0.54	
		11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	5	0.01	
		13 = Response entered LOG ASSN (see level 11).....	1	0.00	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	9	0.02	
		97 = REFUSED.....	63	0.11	
		98 = BLANK (NO ANSWER).....	311	0.56	
		99 = LEGITIMATE SKIP.....	41264	74.44	
NDTXNHLP	2	1YOU DIDN'T THINK TREATMENT WOULD HELP			
		1 = Response entered.....	20	0.04	
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00	
		6 = Response not entered.....	330	0.60	
		11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	2	0.00	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	9	0.02	
		97 = REFUSED.....	63	0.11	
		98 = BLANK (NO ANSWER).....	311	0.56	
		99 = LEGITIMATE SKIP.....	41264	74.44	
NDTXBUSY	2	1YOU DIDN'T HAVE TIME (JOB, CHILDCARE, OR OTH COM)			
		1 = Response entered.....	22	0.04	
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00	
		6 = Response not entered.....	328	0.59	
		11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	2	0.00	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	9	0.02	
		97 = REFUSED.....	63	0.11	
		98 = BLANK (NO ANSWER).....	311	0.56	
		99 = LEGITIMATE SKIP.....	41264	74.44	
NDTXFOUT	2	1DIDN'T WANT OTHERS TO FIND OUT YOU NEEDED TRMT			
		1 = Response entered.....	40	0.07	
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00	
		6 = Response not entered.....	312	0.56	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	9	0.02	
		97 = REFUSED.....	63	0.11	
		98 = BLANK (NO ANSWER).....	311	0.56	
		99 = LEGITIMATE SKIP.....	41264	74.44	
NDTXSOR	2	1SOME OTHER REASON OR REASONS			
		1 = Response entered.....	43	0.08	
		6 = Response not entered.....	308	0.56	
		11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	4	0.01	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	7	0.01	
		97 = REFUSED.....	63	0.11	
		98 = BLANK (NO ANSWER).....	311	0.56	
		99 = LEGITIMATE SKIP.....	41264	74.44	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	438
				FREQ	%
(TX23)		During the past 12 months, did you make an effort to get additional treatment or counseling for your use of alcohol or any other drug?		-	-
NDTMREFT	2	1MAKE EFFORT FOR ADDL TRMT FOR ALC/DRG PST 12 MOS			
		1 = Yes.....	19	0.03	
		2 = No.....	25	0.05	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		97 = REFUSED.....	1	0.00	
		98 = BLANK (NO ANSWER).....	508	0.92	
		99 = LEGITIMATE SKIP.....	41447	74.77	
(TX23A)		Which of these statements explain why you did not get the additional treatment or counseling you needed for your use of alcohol or drugs?			
NDMRNHCV	2	1NOT GET TRMT COULDN'T AFFORD - NO HLTH CARE COVER			
		1 = Response entered.....	10	0.02	
		6 = Response not entered.....	32	0.06	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	2	0.00	
		98 = BLANK (NO ANSWER).....	508	0.92	
		99 = LEGITIMATE SKIP.....	41447	74.77	
NDMRLMCV	2	1TREATMENT NOT COVERED ON HLTH CARE			
		1 = Response entered.....	3	0.01	
		6 = Response not entered.....	39	0.07	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	2	0.00	
		98 = BLANK (NO ANSWER).....	508	0.92	
		99 = LEGITIMATE SKIP.....	41447	74.77	
NDMRNTSP	2	1NO TRANSPORTATION, TOO FAR AWAY, NOT CONVENIENT			
		1 = Response entered.....	6	0.01	
		6 = Response not entered.....	36	0.06	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	2	0.00	
		98 = BLANK (NO ANSWER).....	508	0.92	
		99 = LEGITIMATE SKIP.....	41447	74.77	
NDMRTYPE	2	1TREATMENT NOT FOUND FOR TYPE WANTED			
		1 = Response entered.....	6	0.01	
		6 = Response not entered.....	36	0.06	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	2	0.00	
		98 = BLANK (NO ANSWER).....	508	0.92	
		99 = LEGITIMATE SKIP.....	41447	74.77	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	439
				FREQ	%
NDMRREADY	2	1NOT READY TO STOP USING ALCOHOL OR DRUGS			-
		1 = Response entered.....	12	0.02	
		6 = Response not entered.....	30	0.05	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	2	0.00	
		98 = BLANK (NO ANSWER).....	508	0.92	
		99 = LEGITIMATE SKIP.....	41447	74.77	
NDMROPEN	2	1NO OPENINGS IN THE PROGRAMS			
		1 = Response entered.....	2	0.00	
		6 = Response not entered.....	40	0.07	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	2	0.00	
		98 = BLANK (NO ANSWER).....	508	0.92	
		99 = LEGITIMATE SKIP.....	41447	74.77	
NDMRWHER	2	1DIDN'T KNOW WHERE TO GET TREATMENT			
		1 = Response entered.....	5	0.01	
		6 = Response not entered.....	37	0.07	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	2	0.00	
		98 = BLANK (NO ANSWER).....	508	0.92	
		99 = LEGITIMATE SKIP.....	41447	74.77	
NDMRNBR	2	1TREATMENT MIGHT CAUSE NEIGHBRS TO HAVE NEG. OPIN			
		1 = Response entered.....	2	0.00	
		6 = Response not entered.....	40	0.07	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	2	0.00	
		98 = BLANK (NO ANSWER).....	508	0.92	
		99 = LEGITIMATE SKIP.....	41447	74.77	
NDMRJOB	2	1TREATMENT MIGHT HAVE NEG. EFFECT ON JOB			
		1 = Response entered.....	2	0.00	
		6 = Response not entered.....	40	0.07	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	2	0.00	
		98 = BLANK (NO ANSWER).....	508	0.92	
		99 = LEGITIMATE SKIP.....	41447	74.77	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	SUBSTANCE TREATMENT DESCRIPTION	PAGE: FREQ	440 %
(TX23B)		Which of these statements explain why you did not get the additional treatment or counseling you needed for your use of alcohol or drugs?		-
NDMRNOND	2	1YOU DIDN'T THINK YOU NEEDED TREATMENT AT THE TIME		
		1 = Response entered.....	9	0.02
		6 = Response not entered.....	33	0.06
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	508	0.92
		99 = LEGITIMATE SKIP.....	41447	74.77
NDMRHNDL	2	1YOU THOUGHT YOU COULD HANDLE THE PROB W/O TREATMT		
		1 = Response entered.....	4	0.01
		6 = Response not entered.....	38	0.07
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	508	0.92
		99 = LEGITIMATE SKIP.....	41447	74.77
NDMRNHLP	2	1YOU DIDN'T THINK TREATMENT WOULD HELP		
		1 = Response entered.....	2	0.00
		6 = Response not entered.....	40	0.07
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	508	0.92
		99 = LEGITIMATE SKIP.....	41447	74.77
NDMRBUSY	2	1YOU DIDN'T HAVE TIME (JOB, CHILDCARE, OR OTH COM)		
		1 = Response entered.....	2	0.00
		6 = Response not entered.....	40	0.07
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	508	0.92
		99 = LEGITIMATE SKIP.....	41447	74.77
NDMRFOUT	2	1DIDN'T WANT OTHERS TO FIND OUT YOU NEEDED TRMT		
		1 = Response entered.....	2	0.00
		6 = Response not entered.....	40	0.07
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	508	0.92
		99 = LEGITIMATE SKIP.....	41447	74.77

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT		PAGE:	441
			FREQ	%		
NDMRSOR	2	1SOME OTHER REASON OR REASONS				-
		1 = Response entered.....	6	0.01		
		6 = Response not entered.....	36	0.06		
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06		
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17		
		94 = DON'T KNOW.....	1	0.00		
		97 = REFUSED.....	2	0.00		
		98 = BLANK (NO ANSWER).....	508	0.92		
		99 = LEGITIMATE SKIP.....	41447	74.77		
(TX24)		How long has it been since you were last in treatment or counseling for your alcohol or drug use, not counting cigarettes?				
TXLASREC	2	1TIME SINCE LAST RCVD ALCOHOL OR DRUG TREATMENT				
		1 = Within past 30 days -- that is, since [DATEFILL]..	102	0.18		
		2 = More than 30 days ago but within the past 12 mos..	491	0.89		
		3 = More than 12 months ago.....	1854	3.34		
		7 = Still in treatment LOG ASSN (TXRCVNOW=1).....	407	0.73		
		8 = Treatment in past year LOGICALLY ASSIGNED.....	190	0.34		
		9 = Treatment in lifetime LOGICALLY ASSIGNED.....	7	0.01		
		13 = Treatment > 12 mos ago LOG ASSN (TXYREVER=2).....	37	0.07		
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06		
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17		
		97 = REFUSED.....	56	0.10		
		98 = BLANK (NO ANSWER).....	313	0.56		
		99 = LEGITIMATE SKIP.....	38543	69.53		

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	442
				FREQ	%
(TX25)		NOTE: For most of the remaining questions in the SUBSTANCE TREATMENT module, the wording differed depending on whether respondents previously reported that they were still in treatment or that they were no longer in treatment. Where two question wordings appear for a given variable, the first wording was what respondents received if they reported that they were no longer in treatment. The second wording was what respondents received if they reported that they were still in treatment.			-
		What was the main place where you received treatment the last time you started treatment for your alcohol or other drug use, not counting cigarettes?			
		What is the main place where you are currently receiving treatment for your alcohol or other drug use, not counting cigarettes?			
TXLTYM2	3	1MAIN PLACE RCV TRMT LAST TIME/CURRENTLY			
		1 = A hospital overnight as an inpatient.....	32	0.06	
		2 = A res drug/alcohol rehab facility overnight.....	103	0.19	
		3 = A drug or alcohol rehab facility as an outpatient.	252	0.45	
		4 = A mental health center or facility as outpatient..	111	0.20	
		5 = An emergency room.....	10	0.02	
		6 = A private doctor's office.....	67	0.12	
		7 = A prison or jail.....	30	0.05	
		8 = A self-help group.....	240	0.43	
		9 = Some other place.....	36	0.06	
		40 = Home, family, friends.....	17	0.03	
		41 = School, college.....	30	0.05	
		42 = Church/religious/spiritual influence.....	6	0.01	
		44 = Halfway house/group home.....	3	0.01	
		47 = Community/city/county/state pgm or facil; unspecfd.	3	0.01	
		48 = Counselor, therapist, psychologist, psychiatrist..	23	0.04	
		49 = Court-mandated/sponsored program.....	15	0.03	
		51 = Alcohol/drug class or education, locale unspcfed...	5	0.01	
		52 = Military/VA Hospital.....	4	0.01	
		55 = Youth-oriented facility/organization/program.....	3	0.01	
		64 = Methadone clinic/program.....	11	0.02	
		65 = Name of facility/program given.....	27	0.05	
		981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		985 = BAD DATA Logically assigned.....	5	0.01	
		989 = LEGITIMATE SKIP Logically assigned.....	4	0.01	
		991 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		994 = DON'T KNOW.....	21	0.04	
		997 = REFUSED.....	73	0.13	
		998 = BLANK (NO ANSWER).....	439	0.79	
		999 = LEGITIMATE SKIP.....	40430	72.93	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	443
				FREQ	%
(TX26)		The last time you entered treatment, did you receive treatment or counseling for your use of alcohol?		-	-
		Are you currently receiving treatment or counseling for your use of alcohol?			
TXLTYALC	2	1LAST/CURRENT TREATMENT FOR ALCOHOL			
		1 = Yes.....	658	1.19	
		2 = No.....	307	0.55	
		3 = Yes LOGICALLY ASSIGNED.....	4	0.01	
		5 = Yes LOG ASSN (TXYRADG = 1).....	68	0.12	
		6 = NEVER USED ALCOHOL (TXYEVER = 1).....	27	0.05	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		85 = BAD DATA Logically assigned.....	4	0.01	
		89 = LEGITIMATE SKIP Logically assigned (TXYEVER=2)....	4	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	3	0.01	
		97 = REFUSED.....	61	0.11	
		98 = BLANK (NO ANSWER).....	434	0.78	
		99 = LEGITIMATE SKIP (TXYEVER=2/TXYREVER=2,4).....	40430	72.93	
(TX27)		The last time you entered treatment, did you receive treatment or counseling for your use of marijuana or hashish?			
		Are you currently receiving treatment or counseling for your use of marijuana or hashish?			
TXLTYMJ	2	1LAST/CURRENT TREATMENT FOR MARIJUANA/HASHISH			
		1 = Yes.....	375	0.68	
		2 = No.....	540	0.97	
		3 = Yes LOGICALLY ASSIGNED.....	8	0.01	
		4 = No LOGICALLY ASSIGNED.....	1	0.00	
		6 = NEVER USED MARIJUANA (TXYEVER = 1).....	158	0.29	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		85 = BAD DATA Logically assigned.....	4	0.01	
		89 = LEGITIMATE SKIP Logically assigned (TXYEVER=2)....	2	0.00	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	3	0.01	
		97 = REFUSED.....	61	0.11	
		98 = BLANK (NO ANSWER).....	416	0.75	
		99 = LEGITIMATE SKIP (TXYEVER=2/TXYREVER=2,4).....	40432	72.94	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	444
				FREQ	%
(TX28)		The last time you entered treatment, did you receive treatment or counseling for your use of cocaine or 'crack'?		-	-
		Are you currently receiving treatment or counseling for your use of cocaine or 'crack'?			
TXLTYCOC	2	1LAST/CURRENT TREATMENT FOR COCAINE/CRACK			
		1 = Yes.....	198	0.36	
		2 = No.....	355	0.64	
		3 = Yes LOGICALLY ASSIGNED.....	8	0.01	
		4 = No LOGICALLY ASSIGNED.....	1	0.00	
		6 = NEVER USED COCAINE (TXEVER = 1).....	580	1.05	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		85 = BAD DATA Logically assigned.....	4	0.01	
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)....	1	0.00	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	2	0.00	
		97 = REFUSED.....	60	0.11	
		98 = BLANK (NO ANSWER).....	358	0.65	
		99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	40433	72.94	
(TX29)		The last time you entered treatment, did you receive treatment or counseling for your use of heroin?			
		Are you currently receiving treatment or counseling for your use of heroin?			
TXLTYHER	2	1LAST/CURRENT TREATMENT FOR HEROIN			
		1 = Yes.....	81	0.15	
		2 = No.....	62	0.11	
		3 = Yes LOGICALLY ASSIGNED.....	3	0.01	
		6 = NEVER USED HEROIN (TXEVER = 1).....	1034	1.87	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		97 = REFUSED.....	60	0.11	
		98 = BLANK (NO ANSWER).....	326	0.59	
		99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	40434	72.94	
(TX30)		The last time you entered treatment, did you receive treatment or counseling for your use of hallucinogens?			
		Are you currently receiving treatment or counseling for your use of hallucinogens?			
TXLTYHAL	2	1LAST/CURRENT TREATMENT FOR HALLUCINOGENS			
		1 = Yes.....	103	0.19	
		2 = No.....	452	0.82	
		3 = Yes LOGICALLY ASSIGNED.....	3	0.01	
		6 = NEVER USED HALLUCINOGENS (TXEVER = 1).....	585	1.06	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		85 = BAD DATA Logically assigned.....	3	0.01	
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)....	1	0.00	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		97 = REFUSED.....	61	0.11	
		98 = BLANK (NO ANSWER).....	359	0.65	
		99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	40433	72.94	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	445
				FREQ	%
(TX31)		The last time you entered treatment, did you receive treatment or counseling for your use of inhalants?			-
		Are you currently receiving treatment or counseling for your use of inhalants?			
TXLTYINH	2	1LAST/CURRENT TREATMENT FOR INHALANTS			
		1 = Yes.....	57	0.10	
		2 = No.....	332	0.60	
		6 = NEVER USED INHALANTS (TXEVER = 1).....	770	1.39	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		85 = BAD DATA Logically assigned.....	2	0.00	
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)....	1	0.00	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	61	0.11	
		98 = BLANK (NO ANSWER).....	343	0.62	
		99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	40433	72.94	
(TX32)		The last time you entered treatment, did you receive treatment or counseling for your use of prescription pain relievers?			
		Are you currently receiving treatment or counseling for your use of prescription pain relievers?			
TXLTYANL	2	1LAST/CURRENT TRMT FOR PRESCRIPTION PAIN RELIEVERS			
		1 = Yes.....	179	0.32	
		2 = No.....	423	0.76	
		3 = Yes LOGICALLY ASSIGNED.....	4	0.01	
		4 = No LOGICALLY ASSIGNED.....	1	0.00	
		6 = NEVER USED PAIN RELIEVERS (TXEVER = 1).....	526	0.95	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	60	0.11	
		98 = BLANK (NO ANSWER).....	371	0.67	
		99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	40434	72.94	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	446
				FREQ	%
(TX33)		The last time you entered treatment, did you receive treatment or counseling for your use of prescription tranquilizers?		-	-
		Are you currently receiving treatment or counseling for your use of prescription tranquilizers?			
TXLTYTRN	2	1LAST/CURRENT TRMT FOR PRESCRIPTION TRANQUILIZERS			
		1 = Yes.....	94	0.17	
		2 = No.....	297	0.54	
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00	
		6 = NEVER USED TRANQUILIZERS (TXEVER = 1).....	763	1.38	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		97 = REFUSED.....	60	0.11	
		98 = BLANK (NO ANSWER).....	350	0.63	
		99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	40434	72.94	
(TX34)		The last time you entered treatment, did you receive treatment or counseling for your use of prescription stimulants?			
		Are you currently receiving treatment or counseling for your use of prescription stimulants?			
TXLTYSTM	2	1LAST/CURRENT TRMT FOR PRESCRIPTION STIMULANTS			
		1 = Yes.....	80	0.14	
		2 = No.....	277	0.50	
		3 = Yes LOGICALLY ASSIGNED.....	29	0.05	
		6 = NEVER USED STIMULANTS (TXEVER = 1).....	775	1.40	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		85 = BAD DATA Logically assigned.....	1	0.00	
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)....	1	0.00	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	59	0.11	
		98 = BLANK (NO ANSWER).....	344	0.62	
		99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	40433	72.94	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	447
				FREQ	%
(TX35)		The last time you entered treatment, did you receive treatment or counseling for your use of prescription sedatives?		-	-
		Are you currently receiving treatment or counseling for your use of prescription sedatives?			
TXLTYSED	2	1LAST/CURRENT TRMT FOR PRESCRIPTION SEDATIVES			
		1 = Yes.....	24	0.04	
		2 = No.....	82	0.15	
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00	
		4 = No LOGICALLY ASSIGNED.....	1	0.00	
		6 = NEVER USED SEDATIVES (TXEVER = 1).....	1070	1.93	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	61	0.11	
		98 = BLANK (NO ANSWER).....	326	0.59	
		99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	40434	72.94	
(TX36)		The last time you entered treatment, did you receive treatment or counseling for your use of any other drug?			
		Are you currently receiving treatment or counseling for your use of any other drug?			
TXLTYSOD	2	1LAST/CURRENT TRMT FOR SOME OTHER DRUG			
		1 = Yes.....	134	0.24	
		2 = No.....	846	1.53	
		3 = Yes LOGICALLY ASSIGNED.....	9	0.02	
		5 = Treatment drug unknown, LOGICALLY ASSIGNED.....	36	0.06	
		7 = Treatment drug/alc unknown LOG ASSN.....	30	0.05	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		85 = BAD DATA Logically assigned.....	4	0.01	
		89 = LEGITIMATE SKIP Logically assigned.....	4	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	6	0.01	
		97 = REFUSED.....	62	0.11	
		98 = BLANK (NO ANSWER).....	439	0.79	
		99 = LEGITIMATE SKIP.....	40430	72.93	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	448
				FREQ	%
(TX38)		What was the outcome of the treatment or counseling you last received?		-	-
TXLTYOU2	2	1OUTCOME OF LAST/CURRENT TREATMENT			
		1 = You are still in treatment.....	406	0.73	
		2 = You successfully completed treatment.....	458	0.83	
		3 = You left because you had a problem with program...	44	0.08	
		4 = You left b/c you couldn't afford to continue.....	19	0.03	
		5 = You left because your family needed you.....	5	0.01	
		6 = You left because you began using drugs again.....	29	0.05	
		7 = Your last treatment had some other outcome.....	13	0.02	
		41 = You left because you didn't need/want treatment...	3	0.01	
		44 = You relapsed/program did not work for you.....	6	0.01	
		46 = You moved away from the treatment location.....	4	0.01	
		48 = Discontinued treatment, success unknown.....	7	0.01	
		49 = Completed treatment, outcome unknown.....	6	0.01	
		50 = You had other problems to deal with.....	3	0.01	
		51 = You still use drugs, but to a lesser extent.....	4	0.01	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		85 = BAD DATA Logically assigned.....	27	0.05	
		89 = LEGITIMATE SKIP Logically assigned.....	4	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	18	0.03	
		97 = REFUSED.....	70	0.13	
		98 = BLANK (NO ANSWER).....	444	0.80	
		99 = LEGITIMATE SKIP.....	40430	72.93	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	449
				FREQ	%

(TX39)			How long did you stay in treatment for your alcohol or drug use during your last treatment at [FILL IN ANSWER FROM TX25]?		-
			How long have you been in treatment for your alcohol or drug use at [FILL IN ANSWER FROM TX25] so far?		
			How long did you stay in treatment for your alcohol or drug use during your last treatment?		
			How long have you been in treatment for your alcohol or drug use so far?		
			Please indicate whether you want to give your answer in days, months, or years.		
			How many days have you been in treatment for your alcohol or drug use so far?		
			How many days did you stay in treatment for your alcohol or drug use the last time?		
			How many months have you been in treatment for your alcohol or drug use so far?		
			How many months did you stay in treatment for your alcohol or drug use the last time?		
			How many years have you been in treatment for your alcohol or drug use so far?		
			How many years did you stay in treatment for your alcohol or drug use the last time?		

TXLTYDU2	5	1# DAYS IN ALC/DRG TMT SO FAR/LAST TIME - RECODE			
RANGE	=	1 - 30	391	0.71	
31	=	31 or more.....	620	1.12	
99981	=	NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
99985	=	BAD DATA Logically assigned.....	5	0.01	
99989	=	LEGITIMATE SKIP Logically assigned.....	4	0.01	
99991	=	NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
99994	=	DON'T KNOW.....	34	0.06	
99997	=	REFUSED.....	77	0.14	
99998	=	BLANK (NO ANSWER).....	439	0.79	
99999	=	LEGITIMATE SKIP.....	40430	72.93	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	450
				FREQ	%
(TX42A)		Did private health insurance pay for the last treatment you received, even if it paid only part of the cost?		-	-
		Will private health insurance pay for the treatment you are currently receiving, even if it pays only part of the cost?			
TXPYINS	2	1HEALTH INSURANCE PAY FOR LAST/CURRENT TRMT			
		1 = Yes.....	312	0.56	
		2 = No.....	691	1.25	
		3 = Yes LOGICALLY ASSIGNED.....	2	0.00	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		85 = BAD DATA Logically assigned.....	9	0.02	
		89 = LEGITIMATE SKIP Logically assigned.....	4	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	49	0.09	
		97 = REFUSED.....	64	0.12	
		98 = BLANK (NO ANSWER).....	439	0.79	
		99 = LEGITIMATE SKIP.....	40430	72.93	
(TX42B)		Did Medicare pay for the last treatment you received, even if it paid only part of the cost?			
		Will Medicare pay for the treatment you are currently receiving, even if it pays only part of the cost?			
TXPYCARE	2	1MEDICARE PAY FOR LAST/CURRENT TRMT			
		1 = Yes.....	187	0.34	
		2 = No.....	800	1.44	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		85 = BAD DATA Logically assigned.....	9	0.02	
		89 = LEGITIMATE SKIP Logically assigned.....	4	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	66	0.12	
		97 = REFUSED.....	65	0.12	
		98 = BLANK (NO ANSWER).....	439	0.79	
		99 = LEGITIMATE SKIP.....	40430	72.93	
(TX42C)		Did Medicaid pay for the last treatment you received, even if it paid only part of the cost?			
		Will Medicaid pay for the treatment you are currently receiving, even if it pays only part of the cost?			
TXPYCAID	2	1MEDIACAID PAY FOR LAST/CURRENT TRMT			
		1 = Yes.....	193	0.35	
		2 = No.....	792	1.43	
		3 = Yes LOGICALLY ASSIGNED.....	2	0.00	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		85 = BAD DATA Logically assigned.....	9	0.02	
		89 = LEGITIMATE SKIP Logically assigned.....	4	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	66	0.12	
		97 = REFUSED.....	65	0.12	
		98 = BLANK (NO ANSWER).....	439	0.79	
		99 = LEGITIMATE SKIP.....	40430	72.93	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	451
				FREQ	%
(TX42D)		Did a public assistance program other than Medicaid pay for the last treatment you received, even if it paid only part of the cost?		-	-
		Will a public assistance program other than Medicaid pay for the treatment you are currently receiving, even if it pays only part of the cost?			
TXPYPPUBP	2	1OTH PUBLIC ASSIST PAY FOR LAST/CURRENT TRMT			
		1 = Yes.....	180	0.32	
		2 = No.....	792	1.43	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		85 = BAD DATA Logically assigned.....	9	0.02	
		89 = LEGITIMATE SKIP Logically assigned.....	4	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	79	0.14	
		97 = REFUSED.....	67	0.12	
		98 = BLANK (NO ANSWER).....	439	0.79	
		99 = LEGITIMATE SKIP.....	40430	72.93	
(TX42E)		Did you use your own savings or earnings to pay for the last treatment you received, even if you paid only part of the cost?			
		Will you use your own savings or earnings to pay for the treatment you are currently receiving, even if you pay only part of the cost?			
TXPYSAVE	2	1OWN SAVINGS PAY FOR LAST/CURRENT TRMT			
		1 = Yes.....	468	0.84	
		2 = No.....	556	1.00	
		3 = Yes LOGICALLY ASSIGNED.....	3	0.01	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		85 = BAD DATA Logically assigned.....	9	0.02	
		89 = LEGITIMATE SKIP Logically assigned.....	4	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	26	0.05	
		97 = REFUSED.....	65	0.12	
		98 = BLANK (NO ANSWER).....	439	0.79	
		99 = LEGITIMATE SKIP.....	40430	72.93	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	452
				FREQ	%
(TX42F)		Did family members pay for the last treatment you received, even if they paid only part of the cost?			-
		Will family members pay for the treatment you are currently receiving, even if they pay only part of the cost?			
TXPYFMLY	2	1FAMILY MEMBERS PAY FOR LAST/CURRENT TRMT			
		1 = Yes.....	282	0.51	
		2 = No.....	744	1.34	
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		85 = BAD DATA Logically assigned.....	9	0.02	
		89 = LEGITIMATE SKIP Logically assigned.....	4	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	26	0.05	
		97 = REFUSED.....	65	0.12	
		98 = BLANK (NO ANSWER).....	439	0.79	
		99 = LEGITIMATE SKIP.....	40430	72.93	
(TX42G)		Did the courts pay for the last treatment you received, even if it paid only part of the cost?			
		Will the courts pay for the treatment you are currently receiving, even if it pays only part of the cost?			
TXPYCORT	2	1COURTS PAY FOR LAST/CURRENT TRMT			
		1 = Yes.....	108	0.19	
		2 = No.....	915	1.65	
		3 = Yes LOGICALLY ASSIGNED.....	2	0.00	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		85 = BAD DATA Logically assigned.....	9	0.02	
		89 = LEGITIMATE SKIP Logically assigned.....	4	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	28	0.05	
		97 = REFUSED.....	65	0.12	
		98 = BLANK (NO ANSWER).....	439	0.79	
		99 = LEGITIMATE SKIP.....	40430	72.93	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	453
				FREQ	%
(TX42H)		Did CHAMPUS or TRICARE, CHAMPVA, the VA, or some other military health care pay for the last treatment you received, even if it paid only part of the cost?		-	-
		Will CHAMPUS or TRICARE, CHAMPVA, the VA, or some other military health care pay for the treatment you are currently receiving, even if it pays only part of the cost?			
TXPYMILC	2	1MILITARY HLTH CARE PAY FOR LAST/CURRENT TRMT			
		1 = Yes.....	31	0.06	
		2 = No.....	974	1.76	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		85 = BAD DATA Logically assigned.....	9	0.02	
		89 = LEGITIMATE SKIP Logically assigned.....	4	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	48	0.09	
		97 = REFUSED.....	65	0.12	
		98 = BLANK (NO ANSWER).....	439	0.79	
		99 = LEGITIMATE SKIP.....	40430	72.93	
(TX42I)		Did your employer pay for the last treatment you received, even if it paid only part of the cost?			
		Will your employer pay for the treatment you are currently receiving, even if it pays only part of the cost?			
TXPYEMPL	2	1EMPLOYER PAY FOR LAST/CURRENT TRMT			
		1 = Yes.....	34	0.06	
		2 = No.....	993	1.79	
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		85 = BAD DATA Logically assigned.....	9	0.02	
		89 = LEGITIMATE SKIP Logically assigned.....	4	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	26	0.05	
		97 = REFUSED.....	64	0.12	
		98 = BLANK (NO ANSWER).....	439	0.79	
		99 = LEGITIMATE SKIP.....	40430	72.93	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	454
				FREQ	%
(TX42J)		Was your last treatment paid for by some other source besides those that have been listed?		-	-
		Will the treatment you are currently receiving be paid for by some other source besides those that have been listed?			
TXPYSOS	2	1SOME OTHER SOURCE PAY FOR LAST/CURRENT TRMT			
		1 = Yes.....	115	0.21	
		2 = No.....	873	1.57	
		4 = No LOG ASSN (free trmt specified).....	1	0.00	
		5 = Yes, payment source not specified LOG ASSN.....	32	0.06	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	35	0.06	
		85 = BAD DATA Logically assigned.....	9	0.02	
		89 = LEGITIMATE SKIP Logically assigned.....	4	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	34	0.06	
		97 = REFUSED.....	63	0.11	
		98 = BLANK (NO ANSWER).....	439	0.79	
		99 = LEGITIMATE SKIP.....	40430	72.93	
TXPYSP2	2	1OTHERR PAY FOR LAST/CURRENT TRMT - SPECIFY			
		1 = Private health insurance.....	7	0.01	
		3 = Medicaid.....	5	0.01	
		4 = Public assistance program other than Medicaid.....	2	0.00	
		5 = Own savings or earnings.....	9	0.02	
		6 = Family members.....	4	0.01	
		7 = Courts.....	7	0.01	
		9 = Employer.....	2	0.00	
		10 = Free.....	3	0.01	
		12 = Friend/neighbor/sponsor/stipend.....	12	0.02	
		13 = Church/faith-based organization.....	3	0.01	
		14 = School.....	13	0.02	
		15 = Treatment program/facility/provider.....	6	0.01	
		16 = Indian Health Service/BIA/Tribe.....	5	0.01	
		19 = Public assistance, unspecified.....	10	0.02	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	35	0.06	
		85 = BAD DATA Logically assigned.....	25	0.05	
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	9	0.02	
		97 = REFUSED.....	65	0.12	
		98 = BLANK (NO ANSWER).....	506	0.91	
		99 = LEGITIMATE SKIP.....	41306	74.51	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	455
				FREQ	%
(TX42K)		Was the last treatment you received free?		-	-
		Is the treatment you are currently receiving free?			
TXPYFRE	2	1LAST/CURRENT TREATMENT WAS/IS FREE			
		1 = Yes.....	83	0.15	
		2 = No.....	32	0.06	
		3 = Yes LOGICALLY ASSIGNED.....	3	0.01	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		97 = REFUSED.....	62	0.11	
		98 = BLANK (NO ANSWER).....	476	0.86	
		99 = LEGITIMATE SKIP.....	41343	74.58	
(TX43)		Were you enrolled in a treatment program for your alcohol or drug use on October 1, [CURRENT YEAR - 1]?			
		For this question, please include only treatment you received at a hospital, drug rehabilitation facility, or mental health center.			
TXENROLL	2	1ENROLLED IN TREATMENT PRGM ON OCT.1 [CURR YR - 1]			
		1 = Yes.....	334	0.60	
		2 = No.....	2680	4.83	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		85 = BAD DATA Logically assigned.....	3	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	51	0.09	
		97 = REFUSED.....	79	0.14	
		98 = BLANK (NO ANSWER).....	310	0.56	
		99 = LEGITIMATE SKIP (TXEVER=2).....	38543	69.53	
(TX44)		Think about all the treatment or counseling you received for your [TXFILL1] during the past 12 months. Was detoxification the only [TXFILL1] treatment you received during the past 12 months?			
TXYRDTXO	2	1WAS DETOX THE ONLY TRMT RCVD PAST 12 MONTHS			
		1 = Yes.....	147	0.27	
		2 = No.....	650	1.17	
		4 = No LOGICALLY ASSIGNED.....	238	0.43	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		85 = BAD DATA Logically assigned.....	3	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	17	0.03	
		97 = REFUSED.....	68	0.12	
		98 = BLANK (NO ANSWER).....	443	0.80	
		99 = LEGITIMATE SKIP.....	40434	72.94	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	456
				FREQ	%

(TX45)			NOTE: The variables TXALONEV, TXALONAG, TXDRONEV, TXDRONAG, TXALCDEV, TXALCDAG, TXDRGAEV, and TXDRGAAG pertain to respondents who were lifetime recipients of substance treatment but who had not received treatment in the past year. TXALONEV and TXALONAG pertain to respondents who were lifetime alcohol users but had not reported lifetime use of other drugs. TXDRONEV and TXDRONAG pertain to respondents who did not report lifetime use of alcohol but reported lifetime use of other drugs. TXALCDEV, TXALCDAG, TXDRGAEV, and TXDRGAAG pertain to respondents who were lifetime users of alcohol and other drugs.		-

NOTE: TXALONEV was assigned a value of 11 or 12 when respondents originally reported that they had not received treatment in the past 12 months but they were logically inferred to have received treatment in that period (TXYREVER=3). Respondents who themselves reported that they had gotten treatment in the past 12 months were asked a different set of questions. However, respondents who reported that they had ever received treatment for their use of alcohol but were logically inferred to have gotten treatment in the past 12 months cannot be inferred to have received alcohol treatment in that period (TXALONEV=11). TXALONEV was assigned a value of 22 when respondents were lifetime users of alcohol but had never used (or misused) marijuana, cocaine, heroin, hallucinogens, inhalants, prescription psychotherapeutics (pain relievers, tranquilizers, stimulants, or sedatives), and they reported that they had never received treatment for their use of alcohol.

Earlier you reported that at some time in your life you received treatment or counseling for your use of alcohol or any drug, not counting cigarettes. Have you ever received treatment for your alcohol use?

TXALONEV	2	1EVER RCVF TMT FOR ALC USE (NO DRUG USE REPORTED)			
		1 = Yes.....	103	0.19	
		11 = Yes (TXYREVER=3; see NOTE for TXALONEV).....	3	0.01	
		12 = No (TXYREVER=3; see NOTE for TXALONEV).....	9	0.02	
		22 = No (but only alcohol user; see NOTE for TXALONEV).....	49	0.09	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		97 = REFUSED.....	16	0.03	
		98 = BLANK (NO ANSWER).....	288	0.52	
		99 = LEGITIMATE SKIP.....	41532	74.92	

(TX45A) How old were you when you first received treatment for your alcohol use?

TXALONAG	3	1AGE WHEN FIRST RCVF TRMT FOR ALC USE			
		RANGE = 13 - 66	104	0.19	
		981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		991 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		994 = DON'T KNOW.....	2	0.00	
		997 = REFUSED.....	16	0.03	
		998 = BLANK (NO ANSWER).....	337	0.61	
		999 = LEGITIMATE SKIP.....	41541	74.94	

¹The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	457
				FREQ	%
(TX46)		NOTE: TXDRONEV was assigned a value of 11 or 12 when respondents originally reported that they had not received treatment in the past 12 months but they were logically inferred to have received treatment in that period (TXYREVER=3). Respondents who themselves reported that they had gotten treatment in the past 12 months were asked a different set of questions. However, respondents who reported that they had ever received treatment for their use of drugs cannot be inferred to have received drug treatment in the past 12 months (TXDRONEV=11). TXDRONEV was assigned a value of 22 when respondents were lifetime users of drugs but had never used alcohol, and they reported that they had never received treatment for their use of drugs.			-
		Earlier you reported that at some time in your life you received treatment or counseling for your use of alcohol or any drug, not counting cigarettes. Have you ever received treatment or counseling for your drug use?			
TXDRONEV	2	1EVER RCVD TMT FOR DRUG USE (NO ALC USE REPORTED)			
		1 = Yes.....		13	0.02
		11 = Yes (TXYREVER=3; see NOTE for TXDRONEV).....		3	0.01
		12 = No (TXYREVER=3; see NOTE for TXDRONEV).....		5	0.01
		22 = No (but only drug user; see NOTE for TXDRONEV)....		13	0.02
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....		35	0.06
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....		1	0.00
		97 = REFUSED.....		13	0.02
		98 = BLANK (NO ANSWER).....		291	0.52
		99 = LEGITIMATE SKIP.....		41661	75.15
(TX46A)		How old were you when you first received treatment or counseling for your drug use?			
TXDRONAG	3	1AGE WHEN FIRST RCVD TRMT/CNSLG FOR DRUG USE			
		RANGE = 1 - 52		16	0.03
		981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....		35	0.06
		991 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		997 = REFUSED.....		13	0.02
		998 = BLANK (NO ANSWER).....		305	0.55
		999 = LEGITIMATE SKIP.....		41666	75.16

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	458
				FREQ	%
(TX47)			NOTE: TXALCDEV and TXDRGAEV were assigned values of 11 or 12 when respondents originally reported that they had not received treatment in the past 12 months but they were logically inferred to have received treatment in that period (TXYREVER=3). Respondents who themselves reported that they had gotten treatment in the past 12 months were asked a different set of questions. Thus, for example, respondents who reported that they had ever received treatment for their use of alcohol cannot be inferred to have received alcohol treatment in the past 12 months (TXALCDEV=11). TXALCDEV and TXDRGAEV were assigned values of 22 when respondents were lifetime users of both alcohol and other drugs but they reported never receiving treatment for their alcohol use (in the question corresponding to TXALCDEV) or for their drug use (in the question corresponding to TXDRGAEV).	-	-
			Earlier you reported that at some time in your life you received treatment or counseling for your use of alcohol or any drug, not counting cigarettes. Have you ever received treatment or counseling for your alcohol use?		
TXALCDEV	2	1EVER RCV'D TMT FOR ALCOHOL USE (ALSO USED DRUGS)			
		1 = Yes.....		1089	1.96
		2 = No.....		496	0.89
		11 = Yes (TXYREVER=3; see NOTE for TXALCDEV).....		49	0.09
		12 = No (TXYREVER=3; see NOTE for TXALCDEV).....		34	0.06
		22 = No (see NOTE for TXALCDEV).....		142	0.26
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....		35	0.06
		89 = LEGITIMATE SKIP Logically assigned.....		1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....		13400	24.17
		94 = DON'T KNOW.....		1	0.00
		97 = REFUSED.....		34	0.06
		98 = BLANK (NO ANSWER).....		305	0.55
		99 = LEGITIMATE SKIP.....		39849	71.88
(TX47A)		How old were you when you first received treatment or counseling for your alcohol use?			
TXALCDAG	3	1AGE WHEN FIRST RCV'D TRMT/CNSLG FOR ALC USE			
		RANGE = 1 - 68		1123	2.03
		981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....		35	0.06
		991 = NEVER USED ALCOHOL OR DRUGS.....		13400	24.17
		994 = DON'T KNOW.....		15	0.03
		997 = REFUSED.....		34	0.06
		998 = BLANK (NO ANSWER).....		448	0.81
		999 = LEGITIMATE SKIP.....		40380	72.84

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	459
				FREQ	%
(TX48)		Have you ever received treatment or counseling for your drug use?			-
TXDRGAEV	2	1EVER RCV'D TRMT FOR DRUG USE (ALSO USED ALCOHOL)			
		1 = Yes.....	927	1.67	
		2 = No.....	659	1.19	
		11 = Yes (TXYREVER=3; see NOTE for TXALCDEV).....	56	0.10	
		12 = No (TXYREVER=3; see NOTE for TXALCDEV).....	28	0.05	
		22 = No (see NOTE for TXALCDEV).....	142	0.26	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	32	0.06	
		98 = BLANK (NO ANSWER).....	305	0.55	
		99 = LEGITIMATE SKIP.....	39849	71.88	
(TX48A)		How old were you when you first received treatment or counseling for your drug use?			
TXDRGAAG	3	1AGE WHEN FIRST RCV'D TRMT/CNSLG FOR DRUG USE			
		RANGE = 1 - 68	958	1.73	
		981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		991 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		994 = DON'T KNOW.....	23	0.04	
		997 = REFUSED.....	34	0.06	
		998 = BLANK (NO ANSWER).....	448	0.81	
		999 = LEGITIMATE SKIP.....	40537	73.13	
(TX49)		NOTE: The variables TXYALAGE, TXYALDRG, TXYALDAG, TXYDRAGE, TXYDRALC, TXYDRAAG, TXYADAAG, and TXYADDAG pertain to respondents who received substance treatment in the past 12 months. TXYALAGE, TXYALDRG, and TXYALDAG pertain to respondents who reported that they received treatment only for alcohol in the past 12 months. TXYDRAGE, TXYDRALC, and TXYDRAAG pertain to respondents who reported that they received treatment only for other drugs in the past 12 months. TXYADAAG and TXYADDAG pertain to respondents who reported receiving treatment for both alcohol and other drugs in the past 12 months.			
		Earlier you reported that you received treatment or counseling for your use of alcohol during the past 12 months. How old were you when you first received treatment or counseling for your alcohol use?			
TXYALAGE	3	1AGE WHEN FIRST RCV'D TRMT/CNSLG FOR ALC USE			
		RANGE = 1 - 71	390	0.70	
		981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		985 = BAD DATA Logically assigned.....	5	0.01	
		991 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		994 = DON'T KNOW.....	11	0.02	
		997 = REFUSED.....	66	0.12	
		998 = BLANK (NO ANSWER).....	452	0.82	
		999 = LEGITIMATE SKIP.....	41076	74.10	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	460
				FREQ	%
(TX49A)		Have you ever received treatment or counseling for your use of any drug, not including cigarettes or alcohol?		-	-
TXYALDRG	2	1EVER RCV'D TRMT FOR DRUGS (ONLY PAST YR ALC TRMT)			
		1 = Yes.....	33	0.06	
		2 = No.....	276	0.50	
		3 = Yes LOGICALLY ASSIGNED (TXYRADG=11).....	22	0.04	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		85 = BAD DATA Logically assigned.....	4	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	2	0.00	
		97 = REFUSED.....	59	0.11	
		98 = BLANK (NO ANSWER).....	453	0.82	
		99 = LEGITIMATE SKIP.....	41151	74.23	
(TX49B)		How old were you when you first received treatment or counseling for your drug use?			
TXYALDAG	3	1AGE WHEN FIRST RCV'D TRMT/CNSLG FOR DRUG USE			
		RANGE = 4 - 49	32	0.06	
		981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		985 = BAD DATA Logically assigned.....	4	0.01	
		991 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		994 = DON'T KNOW.....	1	0.00	
		997 = REFUSED.....	59	0.11	
		998 = BLANK (NO ANSWER).....	477	0.86	
		999 = LEGITIMATE SKIP.....	41427	74.73	
(TX50)		Earlier you reported that you received treatment or counseling for your drug use during the past 12 months. How old were you when you first received treatment or counseling for your drug use?			
TXYDRAGE	3	1AGE WHEN FIRST RCV'D TRMT/CNSLG FOR DRUG USE			
		RANGE = 1 - 63	268	0.48	
		981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		991 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		994 = DON'T KNOW.....	5	0.01	
		997 = REFUSED.....	60	0.11	
		998 = BLANK (NO ANSWER).....	456	0.82	
		999 = LEGITIMATE SKIP.....	41211	74.34	
(TX50A)		Have you ever received treatment or counseling for your alcohol use?			
TXYDRALC	2	1EVER RCV'D TMT FOR ALCOHOL (ONLY PAST YR DRUG TMT)			
		1 = Yes.....	27	0.05	
		2 = No.....	208	0.38	
		3 = Yes LOGICALLY ASSIGNED (TXYRADG=12).....	22	0.04	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		97 = REFUSED.....	59	0.11	
		98 = BLANK (NO ANSWER).....	456	0.82	
		99 = LEGITIMATE SKIP.....	41228	74.37	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	461
				FREQ	%
(TX50B)		How old were you when you first received treatment or counseling for your alcohol use?		-	-
TXYDRAAG	3	1AGE WHEN FIRST RCVD TRMT/CNSLG FOR ALC USE			
		RANGE = 14 - 44		26	0.05
		981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....		35	0.06
		991 = NEVER USED ALCOHOL OR DRUGS.....		13400	24.17
		997 = REFUSED.....		60	0.11
		998 = BLANK (NO ANSWER).....		478	0.86
		999 = LEGITIMATE SKIP.....		41436	74.75
(TX51)		Earlier, you reported that you received treatment or counseling for your drug and alcohol use during the past 12 months. How old were you when you first received treatment or counseling for your use of alcohol?			
TXYADAAG	3	1AGE WHEN FIRST RCVD TRMT/CNSLG FOR ALC USE			
		RANGE = 1 - 56		358	0.65
		981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....		35	0.06
		985 = BAD DATA Logically assigned.....		1	0.00
		991 = NEVER USED ALCOHOL OR DRUGS.....		13400	24.17
		994 = DON'T KNOW.....		8	0.01
		997 = REFUSED.....		60	0.11
		998 = BLANK (NO ANSWER).....		526	0.95
		999 = LEGITIMATE SKIP.....		41047	74.05
(TX51A)		How old were you when you first received treatment or counseling for your drug use?			
TXYADDAAG	3	1AGE WHEN FIRST RCVD TRMT/CNSLG FOR DRUG USE			
		RANGE = 2 - 56		357	0.64
		981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....		35	0.06
		985 = BAD DATA Logically assigned.....		2	0.00
		991 = NEVER USED ALCOHOL OR DRUGS.....		13400	24.17
		994 = DON'T KNOW.....		7	0.01
		997 = REFUSED.....		61	0.11
		998 = BLANK (NO ANSWER).....		526	0.95
		999 = LEGITIMATE SKIP.....		41047	74.05
NOTE: TXFGALAG is a "flag" variable that indicates when the first receipt of alcohol treatment in TXALONAG, TXALCDAG, TXYALAGE, TXYDRAAG, or TXYADAAG is inconsistent with the first use of alcohol (from ALCTRY). When TXFGALAG=5, the respondent previously reported never using alcohol. However, the respondent subsequently reported an age for first receipt of alcohol treatment, based on some indication of alcohol treatment in TXYRADG.					
TXFGALAG	2	1CONSISTENCY OF ALC TX AGE WITH ALC AFU			
		0 = 1st alc tx age consistent with alc AFU.....		1922	3.47
		1 = 1st alc tx age differs from alc AFU by 1 yr.....		12	0.02
		2 = 1st alc tx age differs from alc AFU by 2 yrs.....		4	0.01
		3 = 1st alc tx age differs from alc AFU by 3-4 yrs....		5	0.01
		4 = 1st alc tx age differs from alc AFU by >=5 yrs....		41	0.07
		5 = Never used alc in core but reported an alc tx age.		10	0.02
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned...		35	0.06
		91 = NEVER USED ALCOHOL OR DRUGS.....		13400	24.17
		98 = UNKNOWN.....		715	1.29
		99 = LEGITIMATE SKIP.....		39291	70.88

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	462
				FREQ	%

NOTE: TXFGDGAG is a "flag" variable that indicates when the first receipt of drug treatment in TXDRONAG, TXDRGAAG, TXYALDAG, TXYDRAGE, or TXYADDAG is inconsistent with the earliest reported first use of drugs. When TXFGDGAG=5, the respondent previously reported never using (or misusing) marijuana, cocaine, heroin, hallucinogens, inhalants, or prescription psychotherapeutics (pain relievers, tranquilizers, stimulants, or sedatives). However, the respondent subsequently reported an age for first receipt of drug treatment, based on some indication of drug treatment in TXYRADG.					

TXFGDGAG	2	1CONSISTENCY OF FIRST DRUG TX AGE WITH DRUG AFUS			
		0 = 1st drug tx age consistent w/min drug AFU.....	1531	2.76	
		1 = 1st drug tx age differs from min drug AFU by 1 yr.	7	0.01	
		2 = 1st drug tx age differs fr min drug AFU by 2 yrs..	3	0.01	
		3 = 1st drug tx age differs fr min drug AFU by 3-4 yrs	1	0.00	
		4 = 1st drug tx age differs fr min drug AFU by >=5 yrs	16	0.03	
		5 = Never used drugs in core but reportd a drug tx age	6	0.01	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		98 = UNKNOWN.....	732	1.32	
		99 = LEGITIMATE SKIP.....	39704	71.62	
NOTE: TXFGADAG is a "flag" variable that indicates when an inconsistency exists between the first receipt of alcohol or drug treatment and the earliest reported first use of alcohol or drugs. If TXFGALAG=5 or TXFGDGAG=5, then TXFGADAG=5.					

TXFGADAG	2	1CONSISTENCY OF FIRST TX AGE WITH ALC/DRUG AFUS			
		0 = 1st tx age consistent w/minimum AFU.....	2497	4.50	
		1 = 1st tx age differs from min AFU by 1 yr.....	17	0.03	
		2 = 1st tx age differs from min AFU by 2 yrs.....	7	0.01	
		3 = 1st tx age differs from min AFU by 3-4 yrs.....	6	0.01	
		4 = 1st tx age differs from min AFU by >=5 yrs.....	52	0.09	
		5 = Any lifetime nonuse with a related tx age.....	16	0.03	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		98 = UNKNOWN.....	862	1.55	
		99 = LEGITIMATE SKIP.....	38543	69.53	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	463
				FREQ	%
(TX52)		The next question is about self-help groups. Some examples of self-help groups for alcohol or drug use are AA or Alcoholics Anonymous, NA or Narcotics Anonymous, CA or Cocaine Anonymous, and CMA or Crystal Meth Anonymous.		-	-
		During the past 12 months, did you go to any self-help group meetings or 12-step programs to receive help for your own use of alcohol or any drug, not counting cigarettes?			
TX12MSHG	2	1WENT TO SELF-HELP GRP/12-STEP PGMS PAST 12 MOS			
		1 = Yes.....	535	0.97	
		2 = No.....	40493	73.05	
		5 = Yes LOGICALLY ASSIGNED (from skip pattern).....	562	1.01	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		85 = BAD DATA Logically assigned.....	3	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	62	0.11	
		97 = REFUSED.....	70	0.13	
		98 = BLANK (NO ANSWER).....	275	0.50	
(TX53)		Did you go to the self-help group because of your alcohol use only, your drug use only, or because of both alcohol and drug use?			
TX12SGAD	2	1WENT TO SELF-HELP GRP FOR ALC ONLY/DRUG ONLY/BOTH			
		1 = Alcohol use only.....	218	0.39	
		2 = Drug use only.....	135	0.24	
		3 = Both alcohol and drug use.....	171	0.31	
		11 = Alcohol use only LOGICALLY ASSIGNED (TXYRSGAD=1)..	29	0.05	
		12 = Drug use only LOGICALLY ASSIGNED (TXYRSGAD=2)....	23	0.04	
		13 = Both alcohol and drug use LOG ASSN (TXYRSGAD=3)...	173	0.31	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	35	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13400	24.17	
		94 = DON'T KNOW.....	7	0.01	
		97 = REFUSED.....	74	0.13	
		98 = BLANK (NO ANSWER).....	380	0.69	
		99 = LEGITIMATE SKIP.....	40790	73.58	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	464	
				FREQ	%	

NOTE: TXSHGFLG compares the consistency of data in the self-help group variable TX12MSHG and the self-help group variable TXYRSHG. TXSHGFLG has a value of 1 when TX12MSHG was answered as "yes" but TXYRSHG indicates that respondents did not receive treatment in a self-help group, even though they reported that they received treatment in the past 12 months. TXSHGFLG has a value of 2 when TX12MSHG was answered as "yes" but TXYREVER or TXEVER indicated that respondents never received any treatment in the past 12 months or lifetime, respectively. TXSHGFLG has a value of 3 when TX12MSHG was not answered as "yes" but TXYRSHG indicates that respondents were logically inferred to have gotten treatment in a self-help group in the past 12 months. TXSHGFLG has a value of 4 when TX12MSHG was answered as "yes" but TXYRSHG was answered as "don't know" or "refused" or it was blank. Finally, TXSHGFLG has a value of 5 when TX12MSHG was answered as "don't know" or "refused" but TXYRSHG was answered as "no."						
TXSHGFLG	2	1CONSISTENCY FLAG BETWEEN TX12MSHG AND TXYRSHG				
		1 = TX12MSHG=1 but TXYRSHG=2 (see note).....		35	0.06	
		2 = TX12MSHG=1 but TXYREVER=2 or TXEVER=2 (see note)..		455	0.82	
		3 = TX12MSHG NE 1 but TXYRSHG=3 or 5 (see note).....		41	0.07	
		4 = TX12MSHG=1 but TXYRSHG=94, 97, or 98 (see note)...		34	0.06	
		5 = TX12MSHG=94 or 97 but TXYRSHG=2 (see note).....		9	0.02	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....		35	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....		13400	24.17	
		98 = BLANK (NO ANSWER).....		41426	74.73	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	RECODED SUBSTANCE TREATMENT	PAGE:	465
				FREQ	%
<hr/>					
RECODED SUBSTANCE TREATMENT					
<hr/>					
NOTE: The variables in this section are recoded variables that were created from one or more of the variables from two of the preceding sections: Substance Treatment or Recoded Substance Dependence and Abuse.					
<hr/>					
TXILALEV	1	RECEIVED TREATMENT FOR DRG OR ALC USE IN LIFETIME			
		0 = No/Unknown (TXEVER=2,81,85,91,94,97,98).....	52347	94.43	
		1 = Yes (TXEVER=1).....	3088	5.57	
ALCTRMT	1	RCVD TRMT AT ANY LOC FOR ALC USE-PST YR			
		0 = No/Unknown (TXYRADG=2,81,85,91,94,97,98,99).....	54622	98.53	
		1 = Yes (TXYRADG=1,3,4,6,11,12).....	813	1.47	
ILLTRMT	1	RCVD TRMT ANY LOC FOR ILL DRG USE-PST YR			
		0 = No/Unknown (TXYRADG=1,4,81,85,91,94,97,98,99).....	54757	98.78	
		1 = Yes (TXYRADG=2,3,6,11,12).....	678	1.22	
TXILLALC	1	RCVD TRMT ANY LOC FOR ALC OR DRG-PST YR			
		0 = No/Unknown (TXYREVER=2,4,81,85,91,94,97,98,99)....	54245	97.85	
		1 = Yes (TXYREVER=1,3).....	1190	2.15	
TXILANAL	1	RCVD TRMT ANY LOC FOR ALC AND DRG-PST YR			
		0 = No/Unknown (TXYRADG=1,2,4,81,85,91,94,97,98,99)...	54996	99.21	
		1 = Yes (TXYRADG=3,6,11,12).....	439	0.79	
<hr/>					
NOTE: The following 11 recoded variables contain respondent information about receiving last or current treatment for various drugs.					
<hr/>					
TXLTALC2	1	RECEIVED LAST/CURRENT TREATMENT FOR ALCOHOL			
		0 = No/Unknown (TXLTYALC=2,6,81,85,89,91,94,97,98,99) .	54705	98.68	
		1 = Yes (TXLTYALC=1,3,5).....	730	1.32	
TXLTMJ2	1	RECEIVED LAST/CURRENT TREATMENT FOR MARIJUANA			
		0 = No/Unknown (TXLTYMJ=2,4,6,81,85,89,91,94,97,98,99)	55052	99.31	
		1 = Yes (TXLTYMJ=1,3).....	383	0.69	
TXLTCOC2	1	RECEIVED LAST/CURRENT TREATMENT FOR COCAINE			
		0 = No/Unknown(TXLTYCOC=2,4,6,81,85,89,91,94,97,98,99)	55229	99.63	
		1 = Yes (TXLTYCOC=1,3).....	206	0.37	
TXLTHER2	1	RECEIVED LAST/CURRENT TREATMENT FOR HEROIN			
		0 = No/Unknown (TXLTYHER=2,6,81,91,97,98,99).....	55351	99.85	
		1 = Yes (TXLTYHER=1,3).....	84	0.15	
TXLTHAL2	1	RECEIVED LAST/CURRENT TREATMENT FOR HALLUCINOGENS			
		0 = No/Unknown (TXLTYHAL=2,6,81,85,89,91,97,98,99)....	55329	99.81	
		1 = Yes (TXLTYHAL=1,3).....	106	0.19	
TXLTINH2	1	RECEIVED LAST/CURRENT TREATMENT FOR INHALANTS			
		0 = No/Unknown (TXLTYINH=2,6,81,85,89,91,94,97,98,99) .	55378	99.90	
		1 = Yes (TXLTYINH=1).....	57	0.10	
TXLTANL2	1	RECEIVED LAST/CURRENT TREATMENT FOR PAIN RELIEVERS			
		0 = No/Unknown (TXLTYANL=2,4,6,81,85,91,94,97,98,99) ..	55252	99.67	
		1 = Yes (TXLTYANL=1,3).....	183	0.33	

LABEL	LEN	DESCRIPTION	RECODED SUBSTANCE TREATMENT	PAGE:	466
				FREQ	%
TXLTTRN2	1	RECEIVED LAST/CURRENT TREATMENT FOR TRANQUILIZERS	0 = No/Unknown (TXLTYTRN=2,6,81,85,91,97,98,99)..... 1 = Yes (TXLTYTRN=1,3).....	55340 95	99.83 0.17
TXLTSTM2	1	RECEIVED LAST/CURRENT TREATMENT FOR STIMULANTS	0 = No/Unknown (TXLTYSTM=2,6,81,85,89,91,94,97,98,99). 1 = Yes (TXLTYSTM=1,3).....	55326 109	99.80 0.20
TXLTSED2	1	RECEIVED LAST/CURRENT TREATMENT FOR SEDATIVES	0 = No/Unknown (TXLTYSED=2,4,6,81,91,94,97,98,99).... 1 = Yes (TXLTYSED=1,3).....	55410 25	99.95 0.05
The following variable, TXLTILL2, was created by examination of receipt of last/current treatment of marijuana (TXLTMJ2), cocaine (TXLTCOC2), heroin (TXLTHER2), stimulants (TXLTSTM2), sedatives (TXLTSED2), pain relievers (TXLTANL2), hallucinogens (TXLTHAL2), inhalants (TXLTINH2), tranquilizers (TXLTTRN2).					
TXLTILL2	1	RECEIVED LAST/CURRENT TREATMENT FOR ILLICIT DRUGS	0 = No/Unknown (Otherwise)..... 1 = Yes (ANY SOURCE VARIABLE=1).....	54860 575	98.96 1.04
NOTE: The following 27 recoded variables contain payment information about respondents last or current treatment.					
TXPINS2	1	LAST/CURRENT ILL DRG/ALC TRT PAID FOR BY INSURANCE	0 = No/Unknown (TXPYINS=2,81,85,89,91,94,97,98,99).... 1 = Yes (TXPYINS=1,3).....	55121 314	99.43 0.57
TXPCARE2	1	LAST/CURR ILL DRG/ALC TRT PAID FOR BY MEDICARE	0 = No/Unknown (TXPYCARE=2,81,85,89,91,94,97,98,99)... 1 = Yes (TXPYCARE=1).....	55248 187	99.66 0.34
TXPCAID2	1	LAST/CURRENT ILL DRG/ALC TRT PAID FOR BY MEDICAID	0 = No/Unknown (TXPYCAID=2,81,85,89,91,94,97,98,99)... 1 = Yes (TXPYCAID=1,3).....	55240 195	99.65 0.35
TXPPUBP2	1	LAST/CURR ILL DRG/ALC TRT PAID FOR BY PUBLIC ASST	0 = No/Unknown (TXPYPUBP=2,81,85,89,91,94,97,98,99)... 1 = Yes (TXPYPUBP=1).....	55255 180	99.68 0.32
TXPSAVE2	1	LAST/CURR ILL DRG/ALC TRT PAID FOR BY OWN SAVINGS	0 = No/Unknown (TXPYSAVE=2,81,85,89,91,94,97,98,99)... 1 = Yes (TXPYSAVE=1,3).....	54964 471	99.15 0.85
TXPFMLY2	1	LAST/CURR ILL DRG/ALC TRT PAID FOR BY FAM MEMBERS	0 = No/Unknown (TXPYFMLY=2,81,85,89,91,94,97,98,99)... 1 = Yes (TXPYFMLY=1,3).....	55152 283	99.49 0.51
TXPCORT2	1	LAST/CURRENT ILL DRG/ALC TRT PAID FOR BY COURTS	0 = No/Unknown (TXPYCORT=2,81,85,89,91,94,97,98,99)... 1 = Yes (TXPYCORT=1,3).....	55325 110	99.80 0.20
TXPMILC2	1	LAST/CURR ILL DRG/ALC TRT PAID FOR BY MILT HC	0 = No/Unknown (TXPYMILC=2,81,85,89,91,94,97,98,99)... 1 = Yes (TXPYMILC=1).....	55404 31	99.94 0.06

RECODED SUBSTANCE TREATMENT			PAGE:	467
LABEL	LEN	DESCRIPTION	FREQ	%
TXPEMPL2	1	LAST/CURR ILL DRG/ALC TRT PAID FOR BY EMPLOYER 0 = No/Unknown (TXPYEMPL=2,81,85,89,91,94,97,98,99)... 1 = Yes (TXPYEMPL=1,3).....	55400	99.94
			35	0.06
ALCPINS	1	LAST/CURRENT ALC TREATMENT PAID FOR BY INSURANCE 0 = No/Unknown (TXLTALC2=0 OR TXPINS2=0)..... 1 = Yes (TXLTALC2=1 AND TXPINS2=1).....	55230	99.63
			205	0.37
ALCPCARE	1	LAST/CURRENT ALC TREATMENT PAID FOR BY MEDICARE 0 = No/Unknown (TXLTALC2=0 OR TXPCARE2=0)..... 1 = Yes (TXLTALC2=1 AND TXPCARE2=1).....	55318	99.79
			117	0.21
ALCPCAID	1	LAST/CURRENT ALC TREATMENT PAID FOR BY MEDICAID 0 = No/Unknown (TXLTALC2=0 OR TXPCAID2=0)..... 1 = Yes (TXLTALC2=1 AND TXPCAID2=1).....	55319	99.79
			116	0.21
ALCPPUBP	1	LAST/CURRENT ALC TRTMNT PAID FOR BY PUBLIC ASST 0 = No/Unknown (TXLTALC2=0 OR TXPPUBP2=0)..... 1 = Yes (TXLTALC2=1 AND TXPPUBP2=1).....	55316	99.79
			119	0.21
ALCPSAVE	1	LAST/CURRENT ALC TRTMNT PAID FOR BY OWN SAVINGS 0 = No/Unknown (TXLTALC2=0 OR TXPSAVE2=0)..... 1 = Yes (TXLTALC2=1 AND TXPSAVE2=1).....	55093	99.38
			342	0.62
ALCPFMLY	1	LAST/CURRENT ALC TRTMNT PAID FOR BY FAMILY MEMBERS 0 = No/Unknown (TXLTALC2=0 OR TXPFMLY2=0)..... 1 = Yes (TXLTALC2=1 AND TXPFMLY2=1).....	55260	99.68
			175	0.32
ALCPCORT	1	LAST/CURRENT ALCOHOL TREATMENT PAID FOR BY COURTS 0 = No/Unknown (TXLTALC2=0 OR TXPCORT2=0)..... 1 = Yes (TXLTALC2=1 AND TXPCORT2=1).....	55355	99.86
			80	0.14
ALCPMILC	1	LAST/CURRENT ALC TRT PAID FOR BY MILT HLTH CARE 0 = No/Unknown (TXLTALC2=0 OR TXPMILC2=0)..... 1 = Yes (TXLTALC2=1 AND TXPMILC2=1).....	55413	99.96
			22	0.04
ALCPEMPL	1	LAST/CURRENT ALC TREATMENT PAID FOR BY EMPLOYER 0 = No/Unknown (TXLTALC2=0 OR TXPEMPL2=0)..... 1 = Yes (TXLTALC2=1 AND TXPEMPL2=1).....	55408	99.95
			27	0.05
ILLPINS	1	LAST/CURRENT ILL DRUG TRT PAID FOR BY INSURANCE 0 = No/Unknown (TXLTILL2=0 OR TXPINS2=0)..... 1 = Yes (TXLTILL2=1 AND TXPINS2=1).....	55231	99.63
			204	0.37
ILLPCARE	1	LAST/CURRENT ILL DRUG TRT PAID FOR BY MEDICARE 0 = No/Unknown (TXLTILL2=0 OR TXPCARE2=0)..... 1 = Yes (TXLTILL2=1 AND TXPCARE2=1).....	55306	99.77
			129	0.23
ILLPCAID	1	LAST/CURRENT ILLICIT DRUG TRT PAID FOR BY MEDICAID 0 = No/Unknown (TXLTILL2=0 OR TXPCAID2=0)..... 1 = Yes (TXLTILL2=1 AND TXPCAID2=1).....	55296	99.75
			139	0.25
ILLPPUBP	1	LAST/CURRENT ILL DRUG TRT PAID FOR BY PUBLIC ASST 0 = No/Unknown (TXLTILL2=0 OR TXPPUBP2=0)..... 1 = Yes (TXLTILL2=1 AND TXPPUBP2=1).....	55312	99.78
			123	0.22
ILLPSAVE	1	LAST/CURRENT ILL DRUG TRT PAID FOR BY OWN SAVINGS 0 = No/Unknown (TXLTILL2=0 OR TXPSAVE2=0)..... 1 = Yes (TXLTILL2=1 AND TXPSAVE2=1).....	55218	99.61
			217	0.39

LABEL	LEN	DESCRIPTION	RECODED SUBSTANCE TREATMENT		PAGE:	468
			FREQ	%		
ILLPFMLY	1	LAST/CURRENT ILL DRUG TRT PAID FOR BY FAMLY MEMBR	-----	-		
		0 = No/Unknown (TXLTILL2=0 OR TXPFMLY2=0).....	55246	99.66		
		1 = Yes (TXLTILL2=1 AND TXPFMLY2=1).....	189	0.34		
ILLPCORT	1	LAST/CURRENT ILL DRUG TREATMENT PAID FOR BY COURTS	-----	-		
		0 = No/Unknown (TXLTILL2=0 OR TXPCORT2=0).....	55357	99.86		
		1 = Yes (TXLTILL2=1 AND TXPCORT2=1).....	78	0.14		
ILLPMILC	1	LAST/CURRENT ILL DRUG TRT PAID FOR BY MILT HLTCARE	-----	-		
		0 = No/Unknown (TXLTILL2=0 OR TXPMILC2=0).....	55417	99.97		
		1 = Yes (TXLTILL2=1 AND TXPMILC2=1).....	18	0.03		
ILLPEMPL	1	LAST/CURRENT ILL DRUG TRT PAID FOR BY EMPLOYER	-----	-		
		0 = No/Unknown (TXLTILL2=0 OR TXPEMPL2=0).....	55415	99.96		
		1 = Yes (TXLTILL2=1 AND TXPEMPL2=1).....	20	0.04		
<p>A respondent was classified as receiving treatment in the past year for alcohol abuse at a specialty facility that is a hospital as an inpatient, a residential rehabilitation facility as an in or outpatient, or at a mental health facility (SPECTALC) if they met either of these conditions:</p> <ul style="list-style-type: none"> (1) Reported receiving only alcohol treatment in the past year (TXYRADG=1,4,11) and that treatment was received at one of the four specialty facilities (TXYRHOSP=1,5 or TXYRRFIN=1,3,5 or TXYRFOP=1,5 or TXYRMHC=1,5 or TXYROTS2=2,3,64). (2) Reported receiving both illicit drug and alcohol treatment in the past year (TXYRADG=3,6) and reported specifically receiving alcohol treatment at one of the four specialty facilities in the follow-up questions (TXYRHPAD=1,3 or TXYRINAD=1,3 or TXYROAD=1,3 or TXYRMHAD=1,3 or (TXYROTS2=2,3,64 and TXYROTAD=1,3)). 						
SPECTALC	1	RCVD TRMT AT SPEC FAC FOR ALC USE-PST YR	-----	-		
		0 = No/Unknown (Otherwise).....	54995	99.21		
		1 = Yes (See comment above).....	440	0.79		

LABEL	LEN	DESCRIPTION	RECODED SUBSTANCE TREATMENT	PAGE:	469
				FREQ	%

			A respondent was classified as receiving treatment in the past year for illicit drug abuse at a specialty facility that is a hospital as an inpatient, a residential rehabilitation facility as an in or outpatient, or a mental health facility (SPECTILL) if they met either of these conditions:		-
		(1)	Reported receiving only illicit drug treatment in the past year (TXYRADG=2,12) and that treatment was received at one of the four specialty facilities (TXYRHOSP=1,5 or TXYRRFIN=1,3,5 or TXYRFFOP=1,5 or TXYRMHC=1,5 or TXYROTS2=2,3,64).		
		(2)	Reported receiving both illicit drug and alcohol treatment in the past year (TXYRADG=3,6) and reported specifically receiving treatment for illicit drug abuse at one of the four specialty facilities in the follow-up questions (TXYRHPAD=2,3 or TXYRINAD=2,3 or TXYRPOAD=2,3 or TXYRMHAD=2,3 or (TXYROTS2=2,3,64 and TXYROTAD=2,3)).		
SPECTILL	1	RCVD TRMT AT SPEC FAC FOR ILL DRG-PST YR 0 = No/Unknown (Otherwise)..... 1 = Yes (See comment above).....		55019	99.25
				416	0.75
A respondent was classified as having received treatment at a specialty facility for illicit drug or alcohol abuse (SPILLALC) if they reported receiving treatment for use of alcohol or any drug in the past year (TXYREVER=1,3) and treatment was received at either a hospital, or a residential rehabilitation facility as in or outpatient, or a mental health facility (TXYRHOSP=1,5 or TXYRRFIN=1,3,5 or TXYRFFOP=1,5 or TXYRMHC=1,5 or TXYROTS2=2,3,64).					
SPILLALC	1	RCVD TRMT SPEC FAC FOR ALC OR DRG-PST YR 0 = No/Unknown (Otherwise)..... 1 = Yes (See comment above).....		54747	98.76
				688	1.24
SPILANAL	1	RCVD TRMT SPEC FAC FOR ILL DRG AND ALC USE-PST YR 0 = No/Unknown (Otherwise)..... 1 = Yes (SPECTILL=1 and SPECTALC=1).....		55238	99.64
				197	0.36
LASTTXSP	1	LAST/CURRENT TRMT AT SPECIALTY FACILITY-PAST YR 0 = No/Unknown (Otherwise)..... 1 = Yes (TXLTYMN2=1,2,3,4,64).....		54925	99.08
				510	0.92
TXSPALC	1	RCVD LAST/CURR TRMT AT SP FAC FOR ALC USE- PST YR 0 = No/Unknown (Otherwise)..... 1 = Yes (TXLTALC2=1 and LASTTXSP=1).....		55091	99.38
				344	0.62
TXSPMRJ	1	RCVD LAST/CURR TRMT AT SP FAC FOR MRJ USE - PST YR 0 = No/Unknown (Otherwise)..... 1 = Yes (TXLTMJ2=1 and LASTTXSP=1).....		55244	99.66
				191	0.34
TXSPCOC	1	RCVD LAST/CURR TRMT AT SP FAC FOR COC USE - PST YR 0 = No/Unknown (Otherwise)..... 1 = Yes (TXLTCOC2=1 and LASTTXSP=1).....		55313	99.78
				122	0.22

LABEL	LEN	DESCRIPTION	RECODED SUBSTANCE TREATMENT	PAGE:	470
				FREQ	%
TXSPHER	1	RCVD LAST/CURR TRMT AT SP FAC FOR HER USE - PST YR 0 = No/Unknown (Otherwise)..... 1 = Yes (TXLTHER2=1 and LASTTXSP=1).....		55383	99.91
				52	0.09
TXSPHAL	1	RCVD LAST/CURR TRMT AT SP FAC FOR HAL USE - PST YR 0 = No/Unknown (Otherwise)..... 1 = Yes (TXLTHAL2=1 and LASTTXSP=1).....		55377	99.90
				58	0.10
TXSPINH	1	RCVD LAST/CURR TRMT AT SP FAC FOR INH USE - PST YR 0 = No/Unknown (Otherwise)..... 1 = Yes (TXLTINH2=1 and LASTTXSP=1).....		55406	99.95
				29	0.05
TXSPANL	1	RCVD LAST/CURR TRMT AT SP FAC FOR PAIN REL USE- PY 0 = No/Unknown (Otherwise)..... 1 = Yes (TXLTANL2=1 and LASTTXSP=1).....		55329	99.81
				106	0.19
TXSPTRN	1	RCVD LAST/CURR TRMT AT SP FAC FOR TRN USE - PST YR 0 = No/Unknown (Otherwise)..... 1 = Yes (TXLTTRN2=1 and LASTTXSP=1).....		55382	99.90
				53	0.10
TXSPSTM	1	RCVD LAST/CURR TRMT AT SP FAC FOR STM USE-PST YR 0 = No/Unknown (Otherwise)..... 1 = Yes (TXLTSTM2=1 and LASTTXSP=1).....		55375	99.89
				60	0.11
TXSPSED	1	RCVD LAST/CURR TRMT AT SP FAC FOR SED USE - PST YR 0 = No/Unknown (Otherwise)..... 1 = Yes (TXLTSED2=1 and LASTTXSP=1).....		55417	99.97
				18	0.03
NOTE: The following 24 recoded variables contain information about where respondent received treatment in the past year.					
ALCHOSP	1	RECEIVED ALC TRT AT A HOSPITAL IN THE PAST YEAR 0 = No/Unknown (Otherwise)..... 1 = Yes (TXYRHOSP=1,5 AND TXYRHPAD=1,3,98,99).....		55313	99.78
				122	0.22
ALCRFIN	1	RCVD ALC TRT AT INP REHAB FAC IN THE PAST YEAR 0 = No/Unknown (Otherwise)..... 1 = Yes (TXYRRFIN=1,5 AND TXYRINAD=1,3,98,99).....		55268	99.70
				167	0.30
ALCRFOP	1	RCVD ALC TRT AT AN OUTP REHAB FAC IN THE PAST YR 0 = No/Unknown (Otherwise)..... 1 = Yes (TXYRRFOP=1,5 AND TXYRPOAD=1,3,98,99).....		55135	99.46
				300	0.54
ALCMHC	1	RCVD ALC TRT AT A MENTAL HEALTH CENTER IN PAST YR 0 = No/Unknown (Otherwise)..... 1 = Yes (TXYRMHC=1,5 AND TXYRMHAD=1,3,98,99).....		55275	99.71
				160	0.29
ALCTXER	1	RCVD ALC TRT AT AN EMERGENCY ROOM IN PAST YR 0 = No/Unknown (Otherwise)..... 1 = Yes (TXYRTXER=1,5 AND TXYRERAD=1,3,98,99).....		55353	99.85
				82	0.15
ALCDOC	1	RECEIVED ALC TRT AT A DOCTOR'S OFFICE IN PAST YR 0 = No/Unknown (Otherwise)..... 1 = Yes (TXYRDOC=1,5 AND TXYRDCAD=1,3,98,99).....		55334	99.82
				101	0.18
ALCJAIL	1	RECEIVED ALC TRT AT A PRISON/JAIL IN THE PAST YEAR 0 = No/Unknown (Otherwise)..... 1 = Yes (TXYRJAIL=1,5 AND TXYRJLAD=1,3,98,99).....		55367	99.88
				68	0.12

LABEL	LEN	DESCRIPTION	RECODED SUBSTANCE TREATMENT	PAGE:	471
				FREQ	%
-----	-----	-----	-----	-----	-
ALCSHG	1	RCVD ALC TRT AT A SELF-HELP GROUP IN PAST YR 0 = No/Unknown (Otherwise)..... 1 = Yes (TXYRSHG=1,3,5 AND TXYRSGAD=1,3,98,99).....		55000	99.22
				435	0.78
DRGHOSP	1	RCVD ILL DRUG TREATMENT AT A HOSPITAL IN PAST YEAR 0 = No/Unknown (Otherwise)..... 1 = Yes (TXYRHOSP=1,5 AND TXYRHPAD=2,3,98,99).....		55311	99.78
				124	0.22
DRGRFIN	1	RCVD ILL DRUG TRT AT AN INP REHAB FAC IN PAST YEAR 0 = No/Unknown (Otherwise)..... 1 = Yes (TXYRRFIN=1,5 AND TXYRINAD=2,3,98,99).....		55253	99.67
				182	0.33
DRGRFOP	1	RCVD ILL DRUG TRT AT AN OUTP REHAB FAC IN PAST YR 0 = No/Unknown (Otherwise)..... 1 = Yes (TXYRRFOP=1,5 AND TXYRPOAD=2,3,98,99).....		55143	99.47
				292	0.53
DRGMHC	1	RCVD ILL DRUG TRT AT A MENTAL HLTH CNTR IN PST YR 0 = No/Unknown (Otherwise)..... 1 = Yes (TXYRMHC=1,5 AND TXYRMHAD=2,3,98,99).....		55279	99.72
				156	0.28
DRGTXER	1	RCVD ILL DRUG TRT AT AN EMERGENCY ROOM IN PAST YR 0 = No/Unknown (Otherwise)..... 1 = Yes (TXYRTXER=1,3 AND TXYRERAD=2,3,98,99).....		55368	99.88
				67	0.12
DRGDOC	1	RECEIVED ILL DRUG TRT AT A DR'S OFFICE IN PAST YR 0 = No/Unknown (Otherwise)..... 1 = Yes (TXYRDOC=1,5 AND TXYRDCAD=2,3,98,99).....		55336	99.82
				99	0.18
DRGJAIL	1	RECEIVED ILL DRUG TRT AT A PRISON/JAIL IN THE PY 0 = No/Unknown (Otherwise)..... 1 = Yes (TXYRJAIL=1,5 AND TXYRJLAD=2,3,98,99).....		55364	99.87
				71	0.13
DRGSHG	1	RCVD ILL DRUG TRT AT A SELF-HELP GROUP IN PAST YR 0 = No/Unknown (Otherwise)..... 1 = Yes (TXYRSHG=1,5 AND TXYRSGAD=2,3,98,99).....		55096	99.39
				339	0.61
LOCHOSP	1	RCVD ILL DRUG/ALC TRT AT A HOSPITAL IN PAST YR 0 = No/Unknown (TXYRHOSP=2,81,85,91,94,97,98,99)..... 1 = Yes (TXYRHOSP=1,5).....		55240	99.65
				195	0.35
LOCRFIN	1	RCVD ILL DRUG/ALC TRT AT INP REHAB FAC IN PAST YR 0 = No/Unknown (TXYRRFIN=2,81,85,91,94,97,98,99)..... 1 = Yes (TXYRRFIN=1,5).....		55165	99.51
				270	0.49
LOCRFOP	1	RCVD ILL DRUG/ALC TRT AT OUTP REHAB FAC IN PAST YR 0 = No/Unknown (TXYRRFOP=2,81,85,91,94,97,98,99)..... 1 = Yes (TXYRRFOP=1,5).....		54947	99.12
				488	0.88
LOCMHC	1	RCVD ILL DRUG/ALC TRT AT MNTL HLTH CNTR IN PAST YR 0 = No/Unknown (TXYRMHC=2,81,85,91,94,97,98,99)..... 1 = Yes (TXYRMHC=1,5).....		55178	99.54
				257	0.46
LOCTXER	1	RCVD ILL DRUG/ALC TRT AT AN ER IN PAST YR 0 = No/Unknown (TXYRTXER=2,81,85,91,94,97,98,99)..... 1 = Yes (TXYRTXER=1,3,5).....		55296	99.75
				139	0.25
LOCDOC	1	RCVD ILL DRUG/ALC TRT AT DR'S OFFICE IN PAST YR 0 = No/Unknown (TXYRDOC=2,81,85,91,97,98,99)..... 1 = Yes (TXYRDOC=1,5).....		55262	99.69
				173	0.31

LABEL	LEN	DESCRIPTION	RECODED SUBSTANCE TREATMENT		PAGE:	472
			FREQ	%		
LOCJAIL	1	RCVD ILL DRUG/ALC TRT AT PRISON/JAIL IN PAST YR	-----	-		
		0 = No/Unknown (TXYRJAIL=2,81,85,91,94,97,98,99).....	55324	99.80		
		1 = Yes (TXYRJAIL=1,5).....	111	0.20		
LOCSHG	1	RCVD ILL DRUG/ALC TRT AT SELF-HELP GRP IN PAST YR	-----	-		
		0 = No/Unknown (TXYRSHG=2,81,85,91,94,97,98,99).....	54821	98.89		
		1 = Yes (TXYRSHG=1,3,5).....	614	1.11		
<p>A respondent was classified as needing treatment for alcohol use in the past year (TXNEDALC) if they met any one of the following 3 criteria:</p> <ul style="list-style-type: none"> (1) Dependent on alcohol in the past year (DEPNDALC=1) (2) Alcohol abuse in the past year (ABUSEALC=1) (3) Received treatment for alcohol use at a specialty facility in the past year including a hospital as an inpatient, rehabilitation facility (inpatient or outpatient), or mental health center (SPECTALC=1) 						
TXNEDALC	1	NEEDED TREATMENT FOR ALCOHOL USE-PAST YEAR	-----	-		
		0 = No/Unknown (Otherwise).....	49640	89.55		
		1 = Yes (See comment above).....	5795	10.45		
<p>A respondent was defined as needing treatment for illicit drug abuse (ILLNEED) if they met any one of the following 3 criteria in the past year:</p> <ul style="list-style-type: none"> (1) Dependent on any illicit drug (DEPNILL=1) (2) Any illicit drug abuse (ABUSEILL=1) (3) Received treatment for illicit drug use at a specialty facility including hospital, rehabilitation facility (in or outpatient), or mental health center (SPECTILL=1) 						
ILLNEED	1	NEEDED TREATMENT FOR ILLICIT DRUG USE-PAST YEAR	-----	-		
		0 = No/Unknown (Otherwise).....	52534	94.77		
		1 = Yes (See comment above).....	2901	5.23		
<p>A respondent was classified as needing treatment for illicit drug or alcohol use in the past year (TXNDILAL) if they met any one of the following 3 criteria:</p> <ul style="list-style-type: none"> (1) Dependent on any illicit drug or alcohol in the past year (DPILLALC=1) (2) Any illicit drug or alcohol abuse in the past year (ABILLALC=1) (3) Received treatment for illicit drug or alcohol use at a specialty facility in the past year including a hospital as an inpatient, rehabilitation facility (inpatient or outpatient), or mental health center (SPILLALC=1) 						
TXNDILAL	1	NEEDED TREATMENT FOR ILL DRG OR ALC USE-PST YR	-----	-		
		0 = No/Unknown (Otherwise).....	48177	86.91		
		1 = Yes (See comment above).....	7258	13.09		

LABEL	LEN	DESCRIPTION	RECODED SUBSTANCE TREATMENT		PAGE: FREQ	% -

A respondent was classified as needing treatment for substance use in the past year (NDTXXXX2) if they met any one of the following 3 criteria:						
<ul style="list-style-type: none"> (1) Dependent on substance in the past year (DEPNDXXX=1) (2) Abuse of Substance in the past year (ABUSEXXX=1) (3) Received last or current treatment for a specific substance problem at a facility in the past year including a hospital as an inpatient, rehabilitation facility (inpatient or outpatient), or mental health center (TXSPXXX=1). 						
NDTXALC2	1	NEEDED TREATMENT FOR ALCOHOL USE - PST YR	0 = No/Unknown (Otherwise).....	49683	89.62	
			1 = Yes (See comment above).....	5752	10.38	
NDTXMRJ2	1	NEEDED TREATMENT FOR MARIJUANA USE - PST YR	0 = No/Unknown (Otherwise).....	53495	96.50	
			1 = Yes (See comment above).....	1940	3.50	
NDTXCOC2	1	NEEDED TREATMENT FOR COCAINE USE - PST YR	0 = No/Unknown (Otherwise).....	54909	99.05	
			1 = Yes (See comment above).....	526	0.95	
NDTXHER2	1	NEEDED TREATMENT FOR HEROIN USE - PST YR	0 = No/Unknown (Otherwise).....	55333	99.82	
			1 = Yes (See comment above).....	102	0.18	
NDTXHAL2	1	NEEDED TREATMENT FOR HALLUCINOGEN USE - PST YR	0 = No/Unknown (Otherwise).....	55184	99.55	
			1 = Yes (See comment above).....	251	0.45	
NDTXINH2	1	NEEDED TREATMENT FOR INHALANT USE - PST YR	0 = No/Unknown (Otherwise).....	55317	99.79	
			1 = Yes (See comment above).....	118	0.21	
NDTXANL2	1	NEEDED TREATMENT FOR PAIN RELIEVER USE - PST YR	0 = No/Unknown (Otherwise).....	54747	98.76	
			1 = Yes (See comment above).....	688	1.24	
NDTXTRN2	1	NEEDED TREATMENT FOR TRANQUILIZER USE - PST YR	0 = No/Unknown (Otherwise).....	55240	99.65	
			1 = Yes (See comment above).....	195	0.35	
NDTXSTM2	1	NEEDED TREATMENT FOR STIMULANT USE - PST YR	0 = No/Unknown (Otherwise).....	55235	99.64	
			1 = Yes (See comment above).....	200	0.36	
NDTXSED2	1	NEEDED TREATMENT FOR SEDATIVE USE - PST YR	0 = No/Unknown (Otherwise).....	55369	99.88	
			1 = Yes (See comment above).....	66	0.12	

LABEL	LEN	DESCRIPTION	RECODED SUBSTANCE TREATMENT		PAGE: FREQ	474 % -

<p>A respondent was classified as feeling a need for treatment for a specific substance in the past year (FLTNDXXX=1) if they met either of these conditions:</p> <ul style="list-style-type: none"> (1) Reported feeling a need for treatment for their specific substance use in the past year (NDTXXXR=1,3,11). (2) Reported feeling a need for ADDITIONAL treatment for their specific substance use in the past year (NDTMXXX=1). 						
FLTNDALC	1	FELT NEED FOR TRMT FOR ALCOHOL USE - PST YR	1 = Yes (See comment above).....	233	0.42	
			2 = No/Unknown (Otherwise).....	55202	99.58	
FLTNDMRJ	1	FELT NEED FOR TRMT FOR MARIJUANA USE - PST YR	1 = Yes (See comment above).....	93	0.17	
			2 = No/Unknown (Otherwise).....	55342	99.83	
FLTNDCCOC	1	FELT NEED FOR TRMT FOR COCAINE USE-PST YR	1 = Yes (See comment above).....	73	0.13	
			2 = No/Unknown (Otherwise).....	55362	99.87	
FLTNDHER	1	FELT NEED FOR TRMT FOR HEROIN USE - PST YR	1 = Yes (See comment above).....	19	0.03	
			2 = No/Unknown (Otherwise).....	55416	99.97	
FLTNDHAL	1	FELT NEED FOR TRMT FOR HALLUCINOGEN USE - PST YR	1 = Yes (See comment above).....	15	0.03	
			2 = No/Unknown (Otherwise).....	55420	99.97	
FLTNDINH	1	FELT NEED FOR TRMT FOR INHALANT USE - PST YR	1 = Yes (See comment above).....	11	0.02	
			2 = No/Unknown (Otherwise).....	55424	99.98	
FLTNDANL	1	FELT NEED FOR TRMT FOR PAIN RELIEVER USE - PST YR	1 = Yes (See comment above).....	51	0.09	
			2 = No/Unknown (Otherwise).....	55384	99.91	
FLTNDTRN	1	FELT NEED FOR TRMT FOR TRANQUILIZER USE - PST YR	1 = Yes (See comment above).....	16	0.03	
			2 = No/Unknown (Otherwise).....	55419	99.97	
FLTNDSTM	1	FELT NEED FOR TRMT FOR STIMULANT USE - PST YR	1 = Yes (See comment above).....	25	0.05	
			2 = No/Unknown (Otherwise).....	55410	99.95	
FLTNDSED	1	FELT NEED FOR TRMT FOR SEDATIVE USE - PST YR	1 = Yes (See comment above).....	5	0.01	
			2 = No/Unknown (Otherwise).....	55430	99.99	

RECODED SUBSTANCE TREATMENT			PAGE:	475
LABEL	LEN	DESCRIPTION	FREQ	%
<hr/>				
A respondent was classified as feeling a need for illicit drug treatment in the past year (FLTNDILL=1) if they met either of these conditions:				
		(1) Reported feeling a need for treatment and for one or more illicit drugs in the past year, specifically including marijuana (NDTXMJR=1,3,11), cocaine (NDTXCOCR=1,11), heroin (NDTXHERR=1), hallucinogens (NDTXHALR=1,3), inhalants (NDTXINHR=1), pain relievers (NDTXANLR=1,3,11), tranquilizers (NDTXTRNR=1), stimulants (NDTXSTM=1,3), sedatives (NDTXSEDR=1), or some other drug (NDTXSODR=1,11).		
		(2) Reported feeling a need for ADDITIONAL treatment for one or more illicit drugs in the past year, specifically including marijuana (NDTMRMJ=1), cocaine (NDTMRCOC=1), heroin (NDTMRHER=1), hallucinogens (NDTMRHAL=1), inhalants (NDTMRINH=1), pain relievers (NDTMRANL=1), tranquilizers (NDTMRTRN=1), stimulants (NDTMRSTM=1), sedatives (NDTMRSED=1), or some other drug (NDTMROTH=1).		
FLTNDILL	1	FELT NEED FOR TRMT FOR ILLICIT DRUG USE-PST YR		
		1 = Yes (See comment above).....	257	0.46
		2 = No/Unknown (Otherwise).....	55178	99.54
FLNDILAL	1	FELT NEED FOR TRMT FOR ILL DRG OR ALC USE -PST YR		
		1 = Yes (NDTXNEDR=1,11 or NDTXMORE=1).....	415	0.75
		2 = No/Unknown (Otherwise).....	55020	99.25
NOTE: The following 11 variables pertain to respondents feeling a need and making an effort to obtain treatment for a specific substance (NDEFXXX) in the past year.				
A respondent was classified as feeling a need for substance use treatment and making an effort to get substance use treatment in the past year (NDEFXXX=1) if they felt a need for treatment for their substance use (FLTNDXXX=1) and if they met either of the following conditions:				
		(1) Reported making an effort to get treatment (NDTXEFTR=1,11).		
		(2) Reported making an effort to get ADDITIONAL treatment (NDTMREFT=1).		
A respondent was classified as feeling a need for and NOT making an effort to get substance use treatment in the past year (NDEFXXX=2) if they felt a need for treatment for their substance use (FLTNDXXX=1) and if they met either of the following conditions:				
		(1) Reported NOT making an effort to get treatment (NDTXEFTR=2,12,94,97,98,99).		
		(2) Reported NOT making an effort to get ADDITIONAL treatment (NDTMREFT=2,94,97,98,99).		
NDEFALC	1	FELT NEED/MADE EFFORT FOR TRT FOR ALCOHOL USE		
		1 = Felt Need/Made Effort (See comment above).....	81	0.15
		2 = Felt Need/Made No Effort (See comment above).....	152	0.27
		3 = Felt No Need for Alc Trmt/Unk (FLTNDALC=2).....	55202	99.58

RECODED SUBSTANCE TREATMENT			PAGE:	476
LABEL	LEN	DESCRIPTION	FREQ	%
<hr/>				
NDEFMRJ	1	FELT NEED/MADE EFFORT FOR TRT FOR MARIJUANA USE		-
		1 = Felt Need/Made Effort (See comment above).....	27	0.05
		2 = Felt Need/Made No Effort (See comment above).....	66	0.12
		3 = Felt No Need for MRJ TRT/Unknown (FLTNDMRJ=2)....	55342	99.83
NDFCOC	1	FELT NEED/MADE EFFORT FOR TRT FOR COCAINE USE		
		1 = Felt Need/Made Effort (See comment above).....	21	0.04
		2 = Felt Need/Made No Effort (See comment above).....	52	0.09
		3 = Felt No Need for COC TRT/Unknown (FLTNDCC=2)....	55362	99.87
NDEFHER	1	FELT NEED AND MADE EFFORT FOR TRT FOR HEROIN USE		
		1 = Felt Need/Made Effort (See comment above).....	10	0.02
		2 = Felt Need/Made No Effort (See comment above).....	9	0.02
		3 = Felt No Need for HER TRT/Unknown (FLTNDHER=2)....	55416	99.97
NDEFHAL	1	FELT NEED/MADE EFFORT FOR TRT FOR HALLUCINOGEN USE		
		1 = Felt Need/Made Effort (See comment above).....	5	0.01
		2 = Felt Need/Made No Effort (See comment above).....	10	0.02
		3 = Felt No Need for HAL TRT/Unknown (FLTNDHAL=2)....	55420	99.97
NDEFINH	1	FELT NEED/MADE EFFORT FOR TRT FOR INHALANT USE		
		1 = Felt Need/Made Effort (See comment above).....	5	0.01
		2 = Felt Need/Made No Effort (See comment above).....	6	0.01
		3 = Felt No Need for INH TRT/Unknown (FLTNDINH=2)....	55424	99.98
NDEFANL	1	FELT NEED/MADE EFFFT FOR TRT FOR PAIN RELIEVER USE		
		1 = Felt Need/Made Effort (See comment above).....	19	0.03
		2 = Felt Need/Made No Effort (See comment above).....	32	0.06
		3 = Felt No Need for PAIN REL TRT/Unknown (FLTNDANL=2)....	55384	99.91
NDEFTRN	1	FELT NEED/MADE EFFORT FOR TRT FOR TRANQUILIZER USE		
		1 = Felt Need/Made Effort (See comment above).....	7	0.01
		2 = Felt Need/Made No Effort (See comment above).....	9	0.02
		3 = Felt No Need for TRN TRT/Unknown (FLTNDTRN=2)....	55419	99.97
NDEFSTM	1	FELT NEED/MADE EFFORT FOR TRT FOR STIMULANT USE		
		1 = Felt Need/Made Effort (See comment above).....	10	0.02
		2 = Felt Need/Made No Effort (See comment above).....	15	0.03
		3 = Felt No Need for STM TRT/Unknown (FLTNDSTM=2)....	55410	99.95
NDEFSED	1	FELT NEED/MADE EFFORT FOR TRT FOR SEDATIVE USE		
		2 = Felt Need/Made No Effort (See comment above).....	5	0.01
		3 = Felt No Need for SED TRT/Unknown (FLTNDSED=2)....	55430	99.99
NDEFIL	1	FELT NEED/MADE EFFORT FOR TRMT FOR ILLICIT DRG USE		
		1 = Felt Need/Made Effort (See comment above).....	77	0.14
		2 = Felt Need/Made No Effort (See comment above).....	180	0.32
		3 = Felt No Need for Ill Drg Trmt/Unk (FLTNDILL=2)....	55178	99.54

LABEL	LEN	DESCRIPTION	RECODED SUBSTANCE TREATMENT	PAGE:	477
				FREQ	%
	----		-----	-----	-
			A respondent was classified as feeling a need for illicit drug or alcohol treatment and making an effort to get illicit drug or alcohol treatment in the past year (NDEFIA=1) if they felt a need for treatment for their illicit drug or alcohol use (FLNDILAL=1) and if they met either of the following conditions:		
			(1) Reported making an effort to get treatment (NDTXEFTR=1,11).		
			(2) Reported making an effort to get ADDITIONAL treatment (NDTMREFT=1).		
			A respondent was classified as feeling a need for and NOT making an effort to get illicit drug or alcohol treatment in the past year (NDEFIA=2) if they felt a need for treatment for their illicit drug or alcohol use (FLNDILAL=1) and if they met either of the following conditions:		
			(1) Reported NOT making an effort to get treatment (NDTXEFTR=2,12,94,97,98,99).		
			(2) Reported NOT making an effort to get ADDITIONAL treatment (NDTMREFT=2,94,98,99).		
NDEFIA	1	FELT NEED/MADE EFFORT FOR TRT FOR ILL DRG OR ALC USE			
		1 = Felt Need/Made Effort (See comment above).....	139	0.25	
		2 = Felt Need/Made No Effort (See comment above).....	276	0.50	
		3 = Felt No Need for Ill Drg/Alc Trmt/Unk (FLNDILAL=2)	55020	99.25	
TXGAPALC	1	NEEDED TRT FOR ALC USE, NOT RCVD TRT SPEC FAC-PY			
		0 = No/Unknown (Otherwise).....	50080	90.34	
		1 = Yes (TXNEDALC=1 and SPECTALC=0).....	5355	9.66	
TXNOSPEC	1	NEEDED TRT FOR ILL DRG USE, NOT RCD TRT SPC FAC-PY			
		0 = No/Unknown (Otherwise).....	52950	95.52	
		1 = Yes (ILLNEED=1 and SPECTILL=0).....	2485	4.48	
TXGPILAL	1	NEEDED TRT FOR DRG/ALC USE, NOT RCD TRT SP FAC-PY			
		0 = No/Unknown (Otherwise).....	48865	88.15	
		1 = Yes (TXNDILAL=1 and SPILLALC=0).....	6570	11.85	
TXGPALLC	1	NEEDED TRMT FOR ALC USE, NOT RCD TRMT SPEC FAC-PY			
		0 = No/Unknown (Otherwise).....	50027	90.24	
		1 = Yes (NDTXALC2=1 and TXSPALC=0).....	5408	9.76	

LABEL	LEN	DESCRIPTION	RECODED SUBSTANCE TREATMENT	PAGE:	478
				FREQ	%
TXGPMJLC	1	NEEDED TRMT FOR MRJ USE, NOT RCD TRMT SPEC FAC-PY 0 = No/Unknown (Otherwise)..... 1 = Yes (NDTXMRJ2=1 and TXSPMRJ=0).....		53686	96.84
				1749	3.16
TXGPCOLC	1	NEEDED TRMT FOR COC USE, NOT RCD TRMT SPEC FAC-PY 0 = No/Unknown (Otherwise)..... 1 = Yes (NDTxCoc2=1 and TXSPCOC=0).....		55031	99.27
				404	0.73
TXGPHELC	1	NEEDED TRMT FOR HER USE, NOT RCD TRMT SPEC FAC-PY 0 = No/Unknown (Otherwise)..... 1 = Yes (NDTXHER2=1 and TXSPHER=0).....		55385	99.91
				50	0.09
TXGPHALC	1	NEEDED TRMT FOR HAL USE, NOT RCD TRMT SPEC FAC-PY 0 = No/Unknown (Otherwise)..... 1 = Yes (NDTXHAL2=1 and TXSPHAL=0).....		55242	99.65
				193	0.35
TXGPINLC	1	NEEDED TRMT FOR INH USE, NOT RCD TRMT SPEC FAC-PY 0 = No/Unknown (Otherwise)..... 1 = Yes (NDTXINH2=1 and TXSPINH=0).....		55346	99.84
				89	0.16
TXGPANLC	1	NEEDED TRT FOR PAIN REL USE, NOT RCD TRT SP FAC-PY 0 = No/Unknown (Otherwise)..... 1 = Yes (NDTXANL2=1 and TXSPANL=0).....		54853	98.95
				582	1.05
TXGPTRLC	1	NEEDED TRMT FOR TRN USE, NOT RCD TRMT SPEC FAC-PY 0 = No/Unknown (Otherwise)..... 1 = Yes (NDTXTRN2=1 and TXSPTRN=0).....		55293	99.74
				142	0.26
TXGPSTLC	1	NEEDED TRMT FOR STM USE, NOT RCD TRMT SPEC FAC-PY 0 = No/Unknown (Otherwise)..... 1 = Yes (NDTXSTM2=1 and TXSPSTM=0).....		55295	99.75
				140	0.25
TXGPSELC	1	NEEDED TRMT FOR SED USE, NOT RCD TRMT SPEC FAC- PY 0 = No/Unknown (Otherwise)..... 1 = Yes (NDTXSED2=1 and TXSPSED=0).....		55387	99.91
				48	0.09
NOTE: The following 15 recoded variables contain respondent information about reasons for not receiving substance treatment in the past year or not receiving additional substance treatment in the past year.					
TXRNNHCV	1	NO TRT/ADDL TRT PST YR B/C COULDNT AFFORD/NO INSUR . = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).. 0 = No/Unknown (Otherwise)..... 1 = Yes (FLNDILAL=1 AND (NDTXNHCV=1,11 OR NDMRNHCV=1))		55020	99.25
				305	0.55
				110	0.20
TXRNLMCV	1	NO TRT/ADDL TRT PST YR B/C INS DIDNT COVR TRT/COST . = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).. 0 = No/Unknown (Otherwise)..... 1 = Yes (FLNDILAL=1 AND (NDTXLMCV=1,11 OR NDMRLMCV=1))		55020	99.25
				393	0.71
				22	0.04
TXRNNTSP	1	NO TRT/ADDL TRT PST YR B/C NO TRANSPORTATION . = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).. 0 = No/Unknown (Otherwise)..... 1 = Yes (FLNDILAL=1 & (NDTXNTSP=1,11 OR NDMRNTSP=1))..		55020	99.25
				377	0.68
				38	0.07

RECODED SUBSTANCE TREATMENT			PAGE:	479
LABEL	LEN	DESCRIPTION	FREQ	%
TXRNTYPE	1	NO TRT/ADDL TRT PST YR B/C NO PROGRAM HAD TYPE TRT . = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).. 0 = No/Unknown (Otherwise)..... 1 = Yes (FLNDILAL=1 AND (NDTXTYPE=1,11 OR NDMRTYPE=1))	55020 383 32	99.25 0.69 0.06
TXRNNSTP	1	NO TRT/ADDL TRT PST YR B/C NOT READY TO STOP USE . = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).. 0 = No/Unknown (Otherwise)..... 1 = Yes(FLNDILAL=1 & (NDTXREDY=1,11,13 OR NDMRREDY=1))	55020 281 134	99.25 0.51 0.24
TXRNOPEN	1	NO TRT/ADDL TRT PST YR B/C NO OPENINGS IN PROGRAM . = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).. 0 = No/Unknown (Otherwise)..... 1 = Yes (FLNDILAL=1 AND (NDTXOPEN=1,11 OR NDMROOPEN=1))	55020 403 12	99.25 0.73 0.02
TXRNWHER	1	NO TRT/ADDL TRT PST YR B/C DIDNT KNOW WHERE TO GO . = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).. 0 = No/Unknown (Otherwise)..... 1 = Yes (FLNDILAL=1 & (NDTXWHER=1,3,11 OR NDMRWHER=1))	55020 369 46	99.25 0.67 0.08
TXRNNBR	1	NO TRT/ADDL TRT PST YR B/C CAUSE NBR HAVE NEG OPIN . = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).. 0 = No/Unknown (Otherwise)..... 1 = Yes (FLNDILAL=1 AND (NDTXNBR=1,11 OR NDMRNBR=1))..	55020 360 55	99.25 0.65 0.10
TXRNJOB	1	NO TRT/ADDL TRT PST YR B/C HAVE NEG EFFECT ON JOB . = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).. 0 = No/Unknown (Otherwise)..... 1 = Yes (FLNDILAL=1 AND (NDTXJOB=1,11 OR NDMRJOB=1))..	55020 380 35	99.25 0.69 0.06
TXRNNOND	1	NO TRT/ADDL TRT PST YR B/C DIDNT FEEL NEED FOR TRT . = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).. 0 = No/Unknown (Otherwise)..... 1 = Yes (FLNDILAL=1 & (NDTXNOND=1,3,11 OR NDMRNOND=1))	55020 373 42	99.25 0.67 0.08
TXRNHNDL	1	NO TRT/ADDL TRT PST YR B/C COULD HANDL PRB W/O TRT . = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).. 0 = No/Unknown (Otherwise)..... 1 = Yes(FLNDILAL=1&(NDTXHNDL=1,3,11,13 OR NDMRHNDL=1))	55020 356 59	99.25 0.64 0.11
TXRNNHLP	1	NO TRT/ADDL TRT PST YR B/C DIDNT THINK WOULD HELP . = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).. 0 = No/Unknown (Otherwise)..... 1 = Yes (FLNDILAL=1 & (NDTXNHLP=1,3,11 or NDMRNHLP=1))	55020 390 25	99.25 0.70 0.05
TXRNBUSY	1	NO TRT/ADDL TRT PST YR B/C DIDNT HAVE TIME . = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).. 0 = No/Unknown (Otherwise)..... 1 = Yes (FLNDILAL=1 & (NDTXBUSY=1,3,11 OR NDMRBUSY=1))	55020 388 27	99.25 0.70 0.05
TXRNFOUT	1	NO TRT/ADDL TRT PST YR B/C NOT WANT OTHRS TO KNOW . = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).. 0 = No/Unknown (Otherwise)..... 1 = Yes (FLNDILAL=1 & (NDTXFOUT=1,3 OR NDMRFOUT=1))...	55020 372 43	99.25 0.67 0.08

LABEL	LEN	DESCRIPTION	PAGE:	480
			FREQ	%
<hr/>				
(HLTH01) PREGNANCY AND HEALTH CARE				
<hr/>				
The next questions are about your health and health care.				
<hr/>				
Are you currently pregnant?				
<hr/>				
PREGNANT	2	ARE YOU PREGNANT		
		1 = Yes.....	956	1.72
		2 = No.....	23066	41.61
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	87	0.16
		97 = REFUSED.....	15	0.03
		98 = BLANK (NO ANSWER).....	55	0.10
		99 = LEGITIMATE SKIP.....	31255	56.38
<hr/>				
(HLTH03)		During the past 12 months, that is since DATEFILL, how many different times have you been treated in an emergency room for any reason?		
<hr/>				
NMERTMT2	3	# OF TIMES BEEN TREATED IN EMER ROOM PAST 12 MOS		
		RANGE = 0 - 30	53970	97.36
		31 = 31 or more.....	21	0.04
		985 = BAD DATA Logically assigned.....	3	0.01
		994 = DON'T KNOW.....	1138	2.05
		997 = REFUSED.....	292	0.53
		998 = BLANK (NO ANSWER).....	11	0.02
<hr/>				
(HLTH04)		During the past 12 months, have you stayed overnight or longer as an inpatient in a hospital?		
<hr/>				
INHOSPYR	2	STAYED OVERNIGHT AS INPNT IN HOSP PAST 12 MOS		
		1 = Yes.....	4746	8.56
		2 = No.....	50483	91.07
		85 = BAD DATA Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	139	0.25
		97 = REFUSED.....	53	0.10
		98 = BLANK (NO ANSWER).....	11	0.02
<hr/>				
(HLTH05)		During the past 12 months, how many nights were you an inpatient in a hospital?		
<hr/>				
NMNGTHS2	3	# NIGHTS STAYED IN HOSPITAL OVERNIGHT OR LONGER		
		RANGE = 1 - 30	4608	8.31
		31 = 31 or more.....	74	0.13
		985 = BAD DATA Logically assigned.....	3	0.01
		994 = DON'T KNOW.....	57	0.10
		997 = REFUSED.....	60	0.11
		998 = BLANK (NO ANSWER).....	150	0.27
		999 = LEGITIMATE SKIP.....	50483	91.07

LABEL	LEN	DESCRIPTION	PREGNANCY AND HEALTH CARE	PAGE:	481
				FREQ	%
(CHKLST) The following is a list of health conditions. Please read the list, and type in the numbers of any of these conditions that a doctor or other medical professional has ever told you that you had.					
Please type in the numbers of any that apply.					
LIFANXD	2	EVER HAD ANXIETY DISORDER			
		1 = Response entered.....	3263	5.89	
		6 = Response not entered.....	20404	36.81	
		85 = BAD DATA Logically assigned.....	3	0.01	
		94 = DON'T KNOW.....	780	1.41	
		97 = REFUSED.....	484	0.87	
		98 = BLANK (NO ANSWER).....	11	0.02	
		99 = LEGITIMATE SKIP (LIFNONE=95).....	30490	55.00	
LIFASMA	2	EVER HAD ASTHMA			
		1 = Response entered.....	7551	13.62	
		6 = Response not entered.....	16116	29.07	
		94 = DON'T KNOW.....	780	1.41	
		97 = REFUSED.....	484	0.87	
		98 = BLANK (NO ANSWER).....	14	0.03	
		99 = LEGITIMATE SKIP (LIFNONE=95).....	30490	55.00	
LIFBRONC	2	EVER HAD BRONCHITIS			
		1 = Response entered.....	5186	9.36	
		6 = Response not entered.....	18481	33.34	
		94 = DON'T KNOW.....	780	1.41	
		97 = REFUSED.....	484	0.87	
		98 = BLANK (NO ANSWER).....	14	0.03	
		99 = LEGITIMATE SKIP (LIFNONE=95).....	30490	55.00	
LIFCIRR	2	EVER HAD CIRRHOSIS OF THE LIVER			
		1 = Response entered.....	85	0.15	
		6 = Response not entered.....	23582	42.54	
		94 = DON'T KNOW.....	780	1.41	
		97 = REFUSED.....	484	0.87	
		98 = BLANK (NO ANSWER).....	14	0.03	
		99 = LEGITIMATE SKIP (LIFNONE=95).....	30490	55.00	
LIFDEPRS	2	EVER HAD DEPRESSION			
		1 = Response entered.....	5622	10.14	
		6 = Response not entered.....	18045	32.55	
		94 = DON'T KNOW.....	780	1.41	
		97 = REFUSED.....	484	0.87	
		98 = BLANK (NO ANSWER).....	14	0.03	
		99 = LEGITIMATE SKIP (LIFNONE=95).....	30490	55.00	
LIFDIAB	2	EVER HAD DIABETES			
		1 = Response entered.....	1709	3.08	
		6 = Response not entered.....	21958	39.61	
		94 = DON'T KNOW.....	780	1.41	
		97 = REFUSED.....	484	0.87	
		98 = BLANK (NO ANSWER).....	14	0.03	
		99 = LEGITIMATE SKIP (LIFNONE=95).....	30490	55.00	

PREGNANCY AND HEALTH CARE			PAGE:	482
LABEL	LEN	DESCRIPTION	FREQ	%
LIFHARTD	2	EVER HAD HEART DISEASE		-
		1 = Response entered.....	1070	1.93
		6 = Response not entered.....	22597	40.76
		94 = DON'T KNOW.....	780	1.41
		97 = REFUSED.....	484	0.87
		98 = BLANK (NO ANSWER).....	14	0.03
		99 = LEGITIMATE SKIP (LIFNONE=95).....	30490	55.00
LIFHEPAT	2	EVER HAD HEPATITIS		
		1 = Response entered.....	409	0.74
		6 = Response not entered.....	23258	41.96
		94 = DON'T KNOW.....	780	1.41
		97 = REFUSED.....	484	0.87
		98 = BLANK (NO ANSWER).....	14	0.03
		99 = LEGITIMATE SKIP (LIFNONE=95).....	30490	55.00
LIFHBP	2	EVER HAD HIGH BLOOD PRESSURE		
		1 = Response entered.....	4992	9.01
		6 = Response not entered.....	18675	33.69
		94 = DON'T KNOW.....	780	1.41
		97 = REFUSED.....	484	0.87
		98 = BLANK (NO ANSWER).....	14	0.03
		99 = LEGITIMATE SKIP (LIFNONE=95).....	30490	55.00
LIFHIV	2	EVER HAD HIV/AIDS		
		1 = Response entered.....	65	0.12
		6 = Response not entered.....	23602	42.58
		94 = DON'T KNOW.....	780	1.41
		97 = REFUSED.....	484	0.87
		98 = BLANK (NO ANSWER).....	14	0.03
		99 = LEGITIMATE SKIP (LIFNONE=95).....	30490	55.00
LIFLUNCA	2	EVER HAD LUNG CANCER		
		1 = Response entered.....	64	0.12
		6 = Response not entered.....	23603	42.58
		94 = DON'T KNOW.....	780	1.41
		97 = REFUSED.....	484	0.87
		98 = BLANK (NO ANSWER).....	14	0.03
		99 = LEGITIMATE SKIP (LIFNONE=95).....	30490	55.00
LIFPANCR	2	EVER HAD PANCREATITIS		
		1 = Response entered.....	157	0.28
		6 = Response not entered.....	23510	42.41
		94 = DON'T KNOW.....	780	1.41
		97 = REFUSED.....	484	0.87
		98 = BLANK (NO ANSWER).....	14	0.03
		99 = LEGITIMATE SKIP (LIFNONE=95).....	30490	55.00
LIFPNEU	2	EVER HAD PNEUMONIA		
		1 = Response entered.....	2425	4.37
		6 = Response not entered.....	21242	38.32
		94 = DON'T KNOW.....	780	1.41
		97 = REFUSED.....	484	0.87
		98 = BLANK (NO ANSWER).....	14	0.03
		99 = LEGITIMATE SKIP (LIFNONE=95).....	30490	55.00

LABEL	LEN	DESCRIPTION	PREGNANCY AND HEALTH CARE		PAGE:	483
			FREQ	%		
LIFSTD5	2	EVER HAD SEXUALLY TRANSMITTED DISEASE				-
		1 = Response entered.....	1700	3.07		
		6 = Response not entered.....	21967	39.63		
		94 = DON'T KNOW.....	780	1.41		
		97 = REFUSED.....	484	0.87		
		98 = BLANK (NO ANSWER).....	14	0.03		
		99 = LEGITIMATE SKIP (LIFNONE=95).....	30490	55.00		
LIFSINUS	2	EVER HAD SINUSITIS				
		1 = Response entered.....	3292	5.94		
		6 = Response not entered.....	20375	36.75		
		94 = DON'T KNOW.....	780	1.41		
		97 = REFUSED.....	484	0.87		
		98 = BLANK (NO ANSWER).....	14	0.03		
		99 = LEGITIMATE SKIP (LIFNONE=95).....	30490	55.00		
LIFSLPAP	2	EVER HAD SLEEP APNEA				
		1 = Response entered.....	1089	1.96		
		6 = Response not entered.....	22578	40.73		
		94 = DON'T KNOW.....	780	1.41		
		97 = REFUSED.....	484	0.87		
		98 = BLANK (NO ANSWER).....	14	0.03		
		99 = LEGITIMATE SKIP (LIFNONE=95).....	30490	55.00		
LIFSTROK	2	EVER HAD STROKE				
		1 = Response entered.....	276	0.50		
		6 = Response not entered.....	23391	42.20		
		94 = DON'T KNOW.....	780	1.41		
		97 = REFUSED.....	484	0.87		
		98 = BLANK (NO ANSWER).....	14	0.03		
		99 = LEGITIMATE SKIP (LIFNONE=95).....	30490	55.00		
LIFTINN	2	EVER HAD TINNITUS				
		1 = Response entered.....	363	0.65		
		6 = Response not entered.....	23304	42.04		
		94 = DON'T KNOW.....	780	1.41		
		97 = REFUSED.....	484	0.87		
		98 = BLANK (NO ANSWER).....	14	0.03		
		99 = LEGITIMATE SKIP (LIFNONE=95).....	30490	55.00		
LIFTUBRC	2	EVER HAD TUBERCULOSIS				
		1 = Response entered.....	165	0.30		
		6 = Response not entered.....	23502	42.40		
		94 = DON'T KNOW.....	780	1.41		
		97 = REFUSED.....	484	0.87		
		98 = BLANK (NO ANSWER).....	14	0.03		
		99 = LEGITIMATE SKIP (LIFNONE=95).....	30490	55.00		
LIFULCER	2	EVER HAD ULCER OR ULCERS				
		1 = Response entered.....	1265	2.28		
		6 = Response not entered.....	22402	40.41		
		94 = DON'T KNOW.....	780	1.41		
		97 = REFUSED.....	484	0.87		
		98 = BLANK (NO ANSWER).....	14	0.03		
		99 = LEGITIMATE SKIP (LIFNONE=95).....	30490	55.00		

PREGNANCY AND HEALTH CARE			PAGE:	484
LABEL	LEN	DESCRIPTION	FREQ	%
LIFNONE	2	NONE OF THE ABOVE - NEVER HAD ANY OF THESE CONDITIONS		-
		94 = DON'T KNOW.....	780	1.41
		95 = Response entered.....	30490	55.00
		97 = REFUSED.....	484	0.87
		98 = BLANK (NO ANSWER).....	14	0.03
		99 = LEGITIMATE SKIP.....	23667	42.69
(CHK12M)		Which, if any, of these conditions did a doctor or other medical professional tell you that you had in the past 12 months?		
YRANXD	2	DR SAID R HAD ANXIETY DISORDER IN PAST YEAR		
		1 = Response entered.....	2115	3.82
		6 = Response not entered.....	479	0.86
		85 = BAD DATA Logically assigned.....	3	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	96	0.17
		94 = DON'T KNOW.....	793	1.43
		97 = REFUSED.....	490	0.88
		98 = BLANK (NO ANSWER).....	11	0.02
		99 = LEGITIMATE SKIP.....	51448	92.81
YRASMA	2	DR SAID R HAD ASTHMA IN PAST YEAR		
		1 = Response entered.....	4097	7.39
		6 = Response not entered.....	856	1.54
		89 = LEGITIMATE SKIP Logically assigned.....	61	0.11
		94 = DON'T KNOW.....	824	1.49
		97 = REFUSED.....	494	0.89
		98 = BLANK (NO ANSWER).....	14	0.03
		99 = LEGITIMATE SKIP.....	49089	88.55
YRBRONC	2	DR SAID R HAD BRONCHITIS IN PAST YEAR		
		1 = Response entered.....	2012	3.63
		6 = Response not entered.....	1117	2.01
		89 = LEGITIMATE SKIP Logically assigned.....	105	0.19
		94 = DON'T KNOW.....	789	1.42
		97 = REFUSED.....	485	0.87
		98 = BLANK (NO ANSWER).....	14	0.03
		99 = LEGITIMATE SKIP.....	50913	91.84
YRCIRR	2	DR SAID R HAD CIRRHOSIS OF THE LIVER IN PAST YR		
		1 = Response entered.....	43	0.08
		6 = Response not entered.....	15	0.03
		89 = LEGITIMATE SKIP Logically assigned.....	113	0.20
		94 = DON'T KNOW.....	781	1.41
		97 = REFUSED.....	485	0.87
		98 = BLANK (NO ANSWER).....	14	0.03
		99 = LEGITIMATE SKIP.....	53984	97.38
YRDEPRS	2	DR SAID R HAD DEPRESSION IN PAST YEAR		
		1 = Response entered.....	3349	6.04
		6 = Response not entered.....	827	1.49
		89 = LEGITIMATE SKIP Logically assigned.....	89	0.16
		94 = DON'T KNOW.....	796	1.44
		97 = REFUSED.....	494	0.89
		98 = BLANK (NO ANSWER).....	14	0.03
		99 = LEGITIMATE SKIP.....	49866	89.95

LABEL	LEN	DESCRIPTION	PREGNANCY AND HEALTH CARE	PAGE:	485
				FREQ	%
YRDIAB	2	DR SAID R HAD DIABETES IN PAST YEAR			-
		1 = Response entered.....	1367	2.47	
		6 = Response not entered.....	123	0.22	
		89 = LEGITIMATE SKIP Logically assigned.....	107	0.19	
		94 = DON'T KNOW.....	786	1.42	
		97 = REFUSED.....	486	0.88	
		98 = BLANK (NO ANSWER).....	14	0.03	
		99 = LEGITIMATE SKIP.....	52552	94.80	
YRHARTD	2	DR SAID R HAD HEART DISEASE IN PAST YEAR			
		1 = Response entered.....	728	1.31	
		6 = Response not entered.....	151	0.27	
		89 = LEGITIMATE SKIP Logically assigned.....	109	0.20	
		94 = DON'T KNOW.....	784	1.41	
		97 = REFUSED.....	486	0.88	
		98 = BLANK (NO ANSWER).....	14	0.03	
		99 = LEGITIMATE SKIP.....	53163	95.90	
YRHEPAT	2	DR SAID R HAD HEPATITIS IN PAST YEAR			
		1 = Response entered.....	129	0.23	
		6 = Response not entered.....	111	0.20	
		89 = LEGITIMATE SKIP Logically assigned.....	112	0.20	
		94 = DON'T KNOW.....	782	1.41	
		97 = REFUSED.....	485	0.87	
		98 = BLANK (NO ANSWER).....	14	0.03	
		99 = LEGITIMATE SKIP.....	53802	97.05	
YRHBP	2	DR SAID R HAD HIGH BLOOD PRESSURE IN PAST YEAR			
		1 = Response entered.....	3820	6.89	
		6 = Response not entered.....	391	0.71	
		89 = LEGITIMATE SKIP Logically assigned.....	102	0.18	
		94 = DON'T KNOW.....	789	1.42	
		97 = REFUSED.....	488	0.88	
		98 = BLANK (NO ANSWER).....	14	0.03	
		99 = LEGITIMATE SKIP.....	49831	89.89	
YRHIV	2	DR SAID R HAD HIV/AIDS IN PAST YEAR			
		1 = Response entered.....	39	0.07	
		6 = Response not entered.....	9	0.02	
		89 = LEGITIMATE SKIP Logically assigned.....	114	0.21	
		94 = DON'T KNOW.....	781	1.41	
		97 = REFUSED.....	484	0.87	
		98 = BLANK (NO ANSWER).....	14	0.03	
		99 = LEGITIMATE SKIP.....	53994	97.40	
YRLUNCA	2	DR SAID R HAD LUNG CANCER IN PAST YEAR			
		1 = Response entered.....	25	0.05	
		6 = Response not entered.....	15	0.03	
		89 = LEGITIMATE SKIP Logically assigned.....	115	0.21	
		94 = DON'T KNOW.....	780	1.41	
		97 = REFUSED.....	484	0.87	
		98 = BLANK (NO ANSWER).....	14	0.03	
		99 = LEGITIMATE SKIP.....	54002	97.41	

PREGNANCY AND HEALTH CARE			PAGE:	486
LABEL	LEN	DESCRIPTION	FREQ	%
YRPANCR	2	DR SAID R HAD PANCREATITIS IN PAST YEAR		-
		1 = Response entered.....	61	0.11
		6 = Response not entered.....	53	0.10
		89 = LEGITIMATE SKIP Logically assigned.....	115	0.21
		94 = DON'T KNOW.....	780	1.41
		97 = REFUSED.....	484	0.87
		98 = BLANK (NO ANSWER).....	14	0.03
		99 = LEGITIMATE SKIP.....	53928	97.28
YRPNEU	2	DR SAID R HAD PNEUMONIA IN PAST YEAR		
		1 = Response entered.....	540	0.97
		6 = Response not entered.....	811	1.46
		89 = LEGITIMATE SKIP Logically assigned.....	112	0.20
		94 = DON'T KNOW.....	782	1.41
		97 = REFUSED.....	485	0.87
		98 = BLANK (NO ANSWER).....	14	0.03
		99 = LEGITIMATE SKIP.....	52691	95.05
YRSTDSD	2	DR SAID R HAD SEXUALLY TRANSMITTED DISEASE PST YR		
		1 = Response entered.....	694	1.25
		6 = Response not entered.....	338	0.61
		89 = LEGITIMATE SKIP Logically assigned.....	111	0.20
		94 = DON'T KNOW.....	783	1.41
		97 = REFUSED.....	485	0.87
		98 = BLANK (NO ANSWER).....	14	0.03
		99 = LEGITIMATE SKIP.....	53010	95.63
YRSINUS	2	DR SAID R HAD SINUSITIS IN PAST YEAR		
		1 = Response entered.....	1739	3.14
		6 = Response not entered.....	659	1.19
		89 = LEGITIMATE SKIP Logically assigned.....	111	0.20
		94 = DON'T KNOW.....	784	1.41
		97 = REFUSED.....	484	0.87
		98 = BLANK (NO ANSWER).....	14	0.03
		99 = LEGITIMATE SKIP.....	51644	93.16
YRSLPAP	2	DR SAID R HAD SLEEP APNEA IN PAST YEAR		
		1 = Response entered.....	631	1.14
		6 = Response not entered.....	239	0.43
		89 = LEGITIMATE SKIP Logically assigned.....	110	0.20
		94 = DON'T KNOW.....	785	1.42
		97 = REFUSED.....	484	0.87
		98 = BLANK (NO ANSWER).....	14	0.03
		99 = LEGITIMATE SKIP.....	53172	95.92
YRSTROK	2	DR SAID R HAD STROKE IN PAST YEAR		
		1 = Response entered.....	108	0.19
		6 = Response not entered.....	109	0.20
		89 = LEGITIMATE SKIP Logically assigned.....	112	0.20
		94 = DON'T KNOW.....	782	1.41
		97 = REFUSED.....	485	0.87
		98 = BLANK (NO ANSWER).....	14	0.03
		99 = LEGITIMATE SKIP.....	53825	97.10

LABEL	LEN	DESCRIPTION	PREGNANCY AND HEALTH CARE		PAGE: FREQ	487 %
			-----	-----		
YRTINN	2	DR SAID R HAD TINNITUS IN PAST YEAR				-
		1 = Response entered.....		164	0.30	
		6 = Response not entered.....		120	0.22	
		89 = LEGITIMATE SKIP Logically assigned.....		112	0.20	
		94 = DON'T KNOW.....		782	1.41	
		97 = REFUSED.....		485	0.87	
		98 = BLANK (NO ANSWER).....		14	0.03	
		99 = LEGITIMATE SKIP.....		53758	96.97	
YRTUBRC	2	DR SAID R HAD TUBERCULOSIS IN PAST YEAR				
		1 = Response entered.....		41	0.07	
		6 = Response not entered.....		35	0.06	
		89 = LEGITIMATE SKIP Logically assigned.....		113	0.20	
		94 = DON'T KNOW.....		781	1.41	
		97 = REFUSED.....		485	0.87	
		98 = BLANK (NO ANSWER).....		14	0.03	
		99 = LEGITIMATE SKIP.....		53966	97.35	
YRULCER	2	DR SAID R HAD ULCER OR ULCERS IN PAST YEAR				
		1 = Response entered.....		500	0.90	
		6 = Response not entered.....		379	0.68	
		89 = LEGITIMATE SKIP Logically assigned.....		112	0.20	
		94 = DON'T KNOW.....		782	1.41	
		97 = REFUSED.....		485	0.87	
		98 = BLANK (NO ANSWER).....		14	0.03	
		99 = LEGITIMATE SKIP.....		53163	95.90	
YRNONE	2	NONE OF THE ABOVE IN PAST YEAR				
		94 = DON'T KNOW.....		867	1.56	
		95 = Response entered.....		7746	13.97	
		97 = REFUSED.....		512	0.92	
		98 = BLANK (NO ANSWER).....		14	0.03	
		99 = LEGITIMATE SKIP.....		46296	83.51	

LABEL	LEN	DESCRIPTION	RECODED PREGNANCY AND HEALTH CARE	PAGE:	488
				FREQ	%

RECODED PREGNANCY AND HEALTH CARE					

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.					
PREG	1	PREGNANT FEMALES AGED 12-44			
		0 = Otherwise.....	54479	98.28	
		1 = Pregnant Females Aged 12-44 (PREGNANT=1).....	956	1.72	
PREG2	1	PREGNANCY STATUS OF FEMALES AGED 12-44			
		. = Unknown (PREGNANT=94,97,98).....	157	0.28	
		1 = Pregnant (PREGNANT=1).....	956	1.72	
		2 = Not Pregnant (PREGNANT=2).....	23066	41.61	
		3 = Males/Females not age 12-44 (PREGNANT=89,99).....	31256	56.38	
TRIMEST	1	CURRENT TRIMESTER OF PREGNANCY-FEMALES AGED 12-44			
		. = UNKNOWN.....	16	0.03	
		1 = 1st 3 months of pregnancy.....	298	0.54	
		2 = 2nd 3 months of pregnancy.....	325	0.59	
		3 = Last 3 months of pregnancy.....	317	0.57	
		4 = Males/Not Pregnant Females (PREG=0).....	54479	98.28	
NOTE: The following 40 recoded variables contain information about whether a doctor or other medical professional had told the respondent that they had a specific health condition in their lifetime or in the past year.					
ANXDLIF	1	HAD ANXIETY IN LIFETIME			
		. = Unknown (LIFANXD=85,94,97,98).....	1278	2.31	
		0 = No (LIFANXD=6,99).....	50894	91.81	
		1 = Yes (LIFANXD=1).....	3263	5.89	
ANXDYR	1	HAD ANXIETY IN PAST YEAR			
		. = Unknown (YRANXD=85,94,97,98).....	1297	2.34	
		0 = No (YRANXD=6,89,99).....	52023	93.85	
		1 = Yes (YRANXD=1).....	2115	3.82	
ASMALIF	1	HAD ASTHMA IN LIFETIME			
		. = Unknown (LIFASMA=94,97,98).....	1278	2.31	
		0 = No (LIFASMA=6,99).....	46606	84.07	
		1 = Yes (LIFASMA=1).....	7551	13.62	
ASMAYR	1	HAD ASTHMA IN PAST YEAR			
		. = Unknown (YRASMA=94,97,98).....	1332	2.40	
		0 = No (YRASMA=6,89,99).....	50006	90.21	
		1 = Yes (YRASMA=1).....	4097	7.39	
BRONCLIF	1	HAD BRONCHITIS IN LIFETIME			
		. = Unknown (LIFBRONC=94,97,98).....	1278	2.31	
		0 = No (LIFBRONC=6,99).....	48971	88.34	
		1 = Yes (LIFBRONC=1).....	5186	9.36	
BRONCYR	1	HAD BRONCHITIS IN PAST YEAR			
		. = Unknown (YRBRONC=94,97,98).....	1288	2.32	
		0 = No (YRBRONC=6,89,99).....	52135	94.05	
		1 = Yes (YRBRONC=1).....	2012	3.63	

RECODED PREGNANCY AND HEALTH CARE			PAGE:	489
LABEL	LEN	DESCRIPTION	FREQ	%
CIRRLIF	1	HAD CIRRHOSIS OF THE LIVER IN LIFETIME		-
		. = Unknown (LIFFCIR=94,97,98).....	1278	2.31
		0 = No (LIFCIRR=6,99).....	54072	97.54
		1 = Yes (LIFCIRR=1).....	85	0.15
CIRRYR	1	HAD CIRRHOSIS OF THE LIVER IN PAST YEAR		
		. = Unknown (YRCIRR=94,97,98).....	1280	2.31
		0 = No (YRCIRR=6,89,99).....	54112	97.61
		1 = Yes (YRCIRR=1).....	43	0.08
NOTE: The following 2 recoded variables contain information about whether the respondent was told by a doctor or other medical professional they had Depression and are not created from variables in the following sections: Adult Depression, Adolescent Depression, and Recoded Adult and Adolescent Depression.				
DEPRSLIF	1	HAD DEPRESSION IN LIFETIME		
		. = Unknown (LIFDEPRS=94,97,98).....	1278	2.31
		0 = No (LIFDEPRS=6,99).....	48535	87.55
		1 = Yes (LIFDEPRS=1).....	5622	10.14
DEPRSYR	1	HAD DEPRESSION IN PAST YEAR		
		. = Unknown (YRDEPRS=94,97,98).....	1304	2.35
		0 = No (YRDEPRS=6,89,99).....	50782	91.61
		1 = Yes (YRDEPRS=1).....	3349	6.04
DIABLIF	1	HAD DIABETES IN LIFETIME		
		. = Unknown (LIFDIAB=94,97,98).....	1278	2.31
		0 = No (LIFDIAB=6,99).....	52448	94.61
		1 = Yes (LIFDIAB=1).....	1709	3.08
DIABYR	1	HAD DIABETES IN PAST YEAR		
		. = Unknown (YRDIAB=94,97,98).....	1286	2.32
		0 = No (YRDIAB=6,89,99).....	52782	95.21
		1 = Yes (YRDIAB=1).....	1367	2.47
HARTDLIF	1	HAD HEART DISEASE IN LIFETIME		
		. = Unknown (LIFHARD=94,97,98).....	1278	2.31
		0 = No (LIFHARD=6,99).....	53087	95.76
		1 = Yes (LIFHARD=1).....	1070	1.93
HARTDYR	1	HAD HEART DISEASE IN PAST YEAR		
		. = Unknown (YRHARD=94,97,98).....	1284	2.32
		0 = No (YRHARD=6,89,99).....	53423	96.37
		1 = Yes (YRHARD=1).....	728	1.31
HEPATLIF	1	HAD HEPATITIS IN LIFETIME		
		. = Unknown (LIFHEPAT=94,97,98).....	1278	2.31
		0 = No (LIFHEPAT=6,99).....	53748	96.96
		1 = Yes (LIFHEPAT=1).....	409	0.74
HEPATYR	1	HAD HEPATITIS IN PAST YEAR		
		. = Unknown (YRHEPAT=94,97,98).....	1281	2.31
		0 = No (YRHEPAT=6,89,99).....	54025	97.46
		1 = Yes (YRHEPAT=1).....	129	0.23

RECODED PREGNANCY AND HEALTH CARE			PAGE:	490
LABEL	LEN	DESCRIPTION	FREQ	%
HBPLIF	1	HAD HIGH BLOOD PRESSURE IN LIFETIME		-
		. = Unknown (LIFHBP=94,97,98).....	1278	2.31
		0 = No (LIFHBP=6,99).....	49165	88.69
		1 = Yes (LIFHBP=1).....	4992	9.01
HBPYR	1	HAD HIGH BLOOD PRESSURE IN PAST YEAR		
		. = Unknown (YRHBP=94,97,98).....	1291	2.33
		0 = No (YRHBP=6,89,99).....	50324	90.78
		1 = Yes (YRHBP=1).....	3820	6.89
HIVLIF	1	HAD HIV/AIDS IN LIFETIME		
		. = Unknown (LIFHIV=94,97,98).....	1278	2.31
		0 = No (LIFHIV=6,99).....	54092	97.58
		1 = Yes (LIFHIV=1).....	65	0.12
HIVYR	1	HAD HIV/AIDS IN PAST YEAR		
		. = Unknown (YRHIV=94,97,98).....	1279	2.31
		0 = No (YRHIV=6,89,99).....	54117	97.62
		1 = Yes (YRHIV=1).....	39	0.07
LUNCALIF	1	HAD LUNG CANCER IN LIFETIME		
		. = Unknown (LIFLUNCA=94,97,98).....	1278	2.31
		0 = No (LIFLUNCA=6,99).....	54093	97.58
		1 = Yes (LIFLUNCA=1).....	64	0.12
LUNCAYR	1	HAD LUNG CANCER IN PAST YEAR		
		. = Unknown (YRLUNCA=94,97,98).....	1278	2.31
		0 = No (YRLUNCA=6,89,99).....	54132	97.65
		1 = Yes (YRLUNCA=1).....	25	0.05
PANCRLIF	1	HAD PANCREATITIS IN LIFETIME		
		. = Unknown (LIFPANCR=94,97,98).....	1278	2.31
		0 = No (LIFPANCR=6,99).....	54000	97.41
		1 = Yes (LIFPANCR=1).....	157	0.28
PANCRYR	1	HAD PANCREATITIS IN PAST YEAR		
		. = Unknown (YRPANCR=94,97,98).....	1278	2.31
		0 = No (YRPANCR=6,89,99).....	54096	97.58
		1 = Yes (YRPANCR=1).....	61	0.11
PNEULIF	1	HAD PNEUMONIA IN LIFETIME		
		. = Unknown (LIFPNEU=94,97,98).....	1278	2.31
		0 = No (LIFPNEU=6,99).....	51732	93.32
		1 = Yes (LIFPNEU=1).....	2425	4.37
PNEUYR	1	HAD PNEUMONIA IN PAST YEAR		
		. = Unknown (YRPNEU=94,97,98).....	1281	2.31
		0 = No (YRPNEU=6,89,99).....	53614	96.72
		1 = Yes (YRPNEU=1).....	540	0.97

RECODED PREGNANCY AND HEALTH CARE			PAGE:	491
LABEL	LEN	DESCRIPTION	FREQ	%

		NOTE: The following 2 recoded variables contain information about whether the respondent was told by a doctor or other medical professional they had a Sexually Transmitted Disease (STD). STD includes chlamydia, gonorrhea, herpes, and syphilis.		-
STDSLIF	1	HAD SEXUALLY TRANSMITTED DISEASE IN LIFETIME		
		. = Unknown (LIFSTDSD=94,97,98).....	1278	2.31
		0 = No (LIFSTDSD=6,99).....	52457	94.63
		1 = Yes (LIFSTDSD=1).....	1700	3.07
STDSYR	1	HAD SEXUALLY TRANSMITTED DISEASE IN PAST YEAR		
		. = Unknown (YRSTDSD=94,97,98).....	1282	2.31
		0 = No (YRSTDSD=6,89,99).....	53459	96.44
		1 = Yes (YRSTDSD=1).....	694	1.25
SINUSLIF	1	HAD SINUSITIS IN LIFETIME		
		. = Unknown (LIFSINUS=94,97,98).....	1278	2.31
		0 = No (LIFSINUS=6,99).....	50865	91.76
		1 = Yes (LIFSINUS=1).....	3292	5.94
SINUSYR	1	HAD SINUSITIS IN PAST YEAR		
		. = Unknown (YRSINUS=94,97,98).....	1282	2.31
		0 = No (YRSINUS=6,89,99).....	52414	94.55
		1 = Yes (YRSINUS=1).....	1739	3.14
SLPAPLIF	1	HAD SLEEP APNEA IN LIFETIME		
		. = Unknown (LIFSLPAP=94,97,98).....	1278	2.31
		0 = No (LIFSLPAP=6,99).....	53068	95.73
		1 = Yes (LIFSLPAP=1).....	1089	1.96
SLPAPYR	1	HAD SLEEP APNEA IN PAST YEAR		
		. = Unknown (YRSLPAP=94,97,98).....	1283	2.31
		0 = No (YRSLPAP=6,89,99).....	53521	96.55
		1 = Yes (YRSLPAP=1).....	631	1.14
STROKLIF	1	HAD STROKE IN LIFETIME		
		. = Unknown (LIFSTROK=94,97,98).....	1278	2.31
		0 = No (LIFSTROK=6,99).....	53881	97.20
		1 = Yes (LIFSTROK=1).....	276	0.50
STROKYR	1	HAD STROKE IN PAST YEAR		
		. = Unknown (YRSTROK=94,97,98).....	1281	2.31
		0 = No (YRSTROK=6,89,99).....	54046	97.49
		1 = Yes (YRSTROK=1).....	108	0.19
TINNLIF	1	HAD TINNITUS IN LIFETIME		
		. = Unknown (LIFTINN=94,97,98).....	1278	2.31
		0 = No (LIFTINN=6,99).....	53794	97.04
		1 = Yes (LIFTINN=1).....	363	0.65
TINNYR	1	HAD TINNITUS IN PAST YEAR		
		. = Unknown (YRTINN=94,97,98).....	1281	2.31
		0 = No (YRTINN=6,89,99).....	53990	97.39
		1 = Yes (YRTINN=1).....	164	0.30

RECODED PREGNANCY AND HEALTH CARE			PAGE:	492
LABEL	LEN	DESCRIPTION	FREQ	%
<hr/>				
TUBRCLIF	1	HAD TUBERCULOSIS IN LIFETIME	<hr/>	
		. = Unknown (LIFTUBRC=94,97,98).....	1278	2.31
		0 = No (LIFTUBRC=6,99).....	53992	97.40
		1 = Yes (LIFTUBRC=1).....	165	0.30
TUBRCYR	1	HAD TUBERCULOSIS IN PAST YEAR	<hr/>	
		. = Unknown (YRTUBRC=94,97,98).....	1280	2.31
		0 = No (YRTUBRC=6,89,99).....	54114	97.62
		1 = Yes (YRTUBRC=1).....	41	0.07
ULCERLIF	1	HAD ULCER(S) IN LIFETIME	<hr/>	
		. = Unknown (LIFULCER=94,97,98).....	1278	2.31
		0 = No (LIFULCER=6,99).....	52892	95.41
		1 = Yes (LIFULCER=1).....	1265	2.28
ULCERYR	1	HAD ULCER(S) IN PAST YEAR	<hr/>	
		. = Unknown (YRULCER=94,97,98).....	1281	2.31
		0 = No (YRULCER=6,89,99).....	53654	96.79
		1 = Yes (YRULCER=1).....	500	0.90

LABEL	LEN	DESCRIPTION	PAGE:	493
			FREQ	%
(ADMT01) ADULT MENTAL HEALTH TREATMENT				

These next questions are about treatment and counseling for problems with emotions, nerves or mental health. Please do not include treatment for alcohol or drug use.				

NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.				

During the past 12 months, have you stayed overnight or longer in a hospital or other facility to receive treatment or counseling for any problem you were having with your emotions, nerves, or mental health? Please do not include treatment for alcohol or drug use.				

AUINPYR	2	1STAY OVNT IN HOSP FOR MH TRMT PST 12 MOS		
		1 = Yes.....	403	0.73
		2 = No.....	37251	67.20
		85 = BAD DATA Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	18	0.03
		97 = REFUSED.....	22	0.04
		98 = BLANK (NO ANSWER).....	11	0.02
		99 = LEGITIMATE SKIP.....	17727	31.98
(ADMT02) Where did you stay overnight or longer to receive mental health treatment or counseling during the past 12 months?				

AUINPSYH	2	1MH TRMT IN PRIV/PUB PSYCH HOSP PST 12 MOS		
		1 = Response entered.....	96	0.17
		6 = Response not entered.....	294	0.53
		85 = BAD DATA Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	26	0.05
		98 = BLANK (NO ANSWER).....	29	0.05
		99 = LEGITIMATE SKIP.....	54978	99.18

AUINPGEN	2	1MH TRMT IN PSYCH UNIT OF GEN HOSP PST 12 MOS		
		1 = Response entered.....	110	0.20
		6 = Response not entered.....	280	0.51
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	26	0.05
		98 = BLANK (NO ANSWER).....	32	0.06
		99 = LEGITIMATE SKIP.....	54978	99.18

AUINMEDU	2	1MH TRMT IN MED UNIT OF GEN HOSP PST 12 MOS		
		1 = Response entered.....	114	0.21
		6 = Response not entered.....	276	0.50
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	26	0.05
		98 = BLANK (NO ANSWER).....	32	0.06
		99 = LEGITIMATE SKIP.....	54978	99.18

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	494
			FREQ	%
AUINAHSP	2	1MH TRMT IN ANOTHER TYPE HOSP PST 12 MOS		-
		1 = Response entered.....	31	0.06
		6 = Response not entered.....	359	0.65
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	26	0.05
		98 = BLANK (NO ANSWER).....	32	0.06
		99 = LEGITIMATE SKIP.....	54978	99.18
AUINRESP	2	1MH TRMT IN RESID TRMT CENTER PST 12 MOS		
		1 = Response entered.....	47	0.08
		6 = Response not entered.....	343	0.62
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	26	0.05
		98 = BLANK (NO ANSWER).....	32	0.06
		99 = LEGITIMATE SKIP.....	54978	99.18
AUINSFAC	2	1MH TRMT IN SOME OTHER FACIL PST 12 MOS		
		1 = Response entered.....	22	0.04
		6 = Response not entered.....	368	0.66
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	26	0.05
		98 = BLANK (NO ANSWER).....	32	0.06
		99 = LEGITIMATE SKIP.....	54978	99.18
(ADMT04)		During the past 12 months, how many nights did you spend in a private or public psychiatric hospital for mental health care?		
AUNMPSY2	3	1# NIGHTS IN PRIV/PUB PSYCH HOSP PST 12 MOS		
		RANGE = 1 - 30	88	0.16
		31 = 31 or more.....	4	0.01
		985 = BAD DATA Logically assigned.....	3	0.01
		994 = DON'T KNOW.....	4	0.01
		997 = REFUSED.....	26	0.05
		998 = BLANK (NO ANSWER).....	38	0.07
		999 = LEGITIMATE SKIP.....	55272	99.71
(ADMT05)		During the past 12 months, how many nights did you spend in the psychiatric unit of a general hospital for mental health care?		
AUNMPGE2	3	1# NIGHTS IN PSYCH UNIT OF GEN HOSP PST 12 MOS		
		RANGE = 1 - 30	101	0.18
		31 = 31 or more.....	4	0.01
		994 = DON'T KNOW.....	3	0.01
		997 = REFUSED.....	28	0.05
		998 = BLANK (NO ANSWER).....	41	0.07
		999 = LEGITIMATE SKIP.....	55258	99.68

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH TREATMENT			PAGE:	495
LABEL	LEN	DESCRIPTION	FREQ	%
(ADMT06)		During the past 12 months, how many nights did you spend in the medical unit of a general hospital for mental health care?		-
AUNMMED2	3	1# NIGHTS IN MED UNIT OF GEN HOSP PST 12 MOS		
		RANGE = 1 - 20	106	0.19
		31 = 31 or more.....	3	0.01
		994 = DON'T KNOW.....	1	0.00
		997 = REFUSED.....	30	0.05
		998 = BLANK (NO ANSWER).....	41	0.07
		999 = LEGITIMATE SKIP.....	55254	99.67
(ADMT07)		During the past 12 months, how many nights did you spend in some other type of hospital for mental health care?		
AUNMAHS2	3	1# NIGHTS IN ANOTHER TYPE OF HOSP PST 12 MOS		
		RANGE = 1 - 8	27	0.05
		31 = 31 or more.....	1	0.00
		994 = DON'T KNOW.....	2	0.00
		997 = REFUSED.....	27	0.05
		998 = BLANK (NO ANSWER).....	41	0.07
		999 = LEGITIMATE SKIP.....	55337	99.82
(ADMT08)		During the past 12 months, how many nights did you spend in a residential treatment center for mental health care?		
AUNMRES2	3	1# NIGHTS IN RESID TRMT CENTER PST 12 MOS		
		RANGE = 1 - 30	33	0.06
		31 = 31 or more.....	12	0.02
		997 = REFUSED.....	28	0.05
		998 = BLANK (NO ANSWER).....	41	0.07
		999 = LEGITIMATE SKIP.....	55321	99.79
(ADMT09)		During the past 12 months, how many nights did you spend in some other type of facility for mental health care?		
AUNMSFA2	3	1# NIGHTS IN SOME OTHER FACIL PST 12 MOS		
		RANGE = 1 - 7	15	0.03
		31 = 31 or more.....	5	0.01
		994 = DON'T KNOW.....	2	0.00
		997 = REFUSED.....	26	0.05
		998 = BLANK (NO ANSWER).....	41	0.07
		999 = LEGITIMATE SKIP.....	55346	99.84
(ADMT10)		Who paid or will pay for the inpatient mental health care you received during the past 12 months?		
AUPINSLF	2	1INPAT MH CARE PYMNT: SELF OR LIVE-IN FAM MBR		
		1 = Response entered.....	120	0.22
		6 = Response not entered.....	260	0.47
		85 = BAD DATA Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	16	0.03
		97 = REFUSED.....	29	0.05
		98 = BLANK (NO ANSWER).....	29	0.05
		99 = LEGITIMATE SKIP.....	54978	99.18

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	ADULT MENTAL HEALTH TREATMENT		PAGE:	496
			FREQ	%		
AUPINOFM	2	1INPAT MH CARE PYMNT: FAM MBR NOT LIVING W/YOU				-
		1 = Response entered.....	21	0.04		
		6 = Response not entered.....	359	0.65		
		94 = DON'T KNOW.....	16	0.03		
		97 = REFUSED.....	29	0.05		
		98 = BLANK (NO ANSWER).....	32	0.06		
		99 = LEGITIMATE SKIP.....	54978	99.18		
AUPINPHI	2	1INPAT MH CARE PYMNT: PRIVATE HEALTH INSUR				
		1 = Response entered.....	56	0.10		
		6 = Response not entered.....	324	0.58		
		94 = DON'T KNOW.....	16	0.03		
		97 = REFUSED.....	29	0.05		
		98 = BLANK (NO ANSWER).....	32	0.06		
		99 = LEGITIMATE SKIP.....	54978	99.18		
AUPINMCR	2	1INPATIENT MH CARE PAYMENT: MEDICARE				
		1 = Response entered.....	54	0.10		
		6 = Response not entered.....	326	0.59		
		94 = DON'T KNOW.....	16	0.03		
		97 = REFUSED.....	29	0.05		
		98 = BLANK (NO ANSWER).....	32	0.06		
		99 = LEGITIMATE SKIP.....	54978	99.18		
AUPINMCD	2	1INPATIENT MH CARE PAYMENT: MEDICAID				
		1 = Response entered.....	92	0.17		
		6 = Response not entered.....	288	0.52		
		94 = DON'T KNOW.....	16	0.03		
		97 = REFUSED.....	29	0.05		
		98 = BLANK (NO ANSWER).....	32	0.06		
		99 = LEGITIMATE SKIP.....	54978	99.18		
AUPINREH	2	1INPAT MH CARE PYMNT: REHABILITATION PROG				
		1 = Response entered.....	4	0.01		
		6 = Response not entered.....	376	0.68		
		94 = DON'T KNOW.....	16	0.03		
		97 = REFUSED.....	29	0.05		
		98 = BLANK (NO ANSWER).....	32	0.06		
		99 = LEGITIMATE SKIP.....	54978	99.18		
AUPINEMP	2	1INPATIENT MH CARE PAYMENT: EMPLOYER				
		1 = Response entered.....	14	0.03		
		6 = Response not entered.....	366	0.66		
		94 = DON'T KNOW.....	16	0.03		
		97 = REFUSED.....	29	0.05		
		98 = BLANK (NO ANSWER).....	32	0.06		
		99 = LEGITIMATE SKIP.....	54978	99.18		
AUPINMIL	2	1INPATIENT MH CARE PAYMENT: MILITARY SOURCE				
		1 = Response entered.....	15	0.03		
		6 = Response not entered.....	365	0.66		
		94 = DON'T KNOW.....	16	0.03		
		97 = REFUSED.....	29	0.05		
		98 = BLANK (NO ANSWER).....	32	0.06		
		99 = LEGITIMATE SKIP.....	54978	99.18		

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	497
			FREQ	%
AUPINPUB	2	1INPAT MH CARE PYMNT: OTHER PUBLIC SOURCE		-
		1 = Response entered.....	23	0.04
		6 = Response not entered.....	357	0.64
		94 = DON'T KNOW.....	16	0.03
		97 = REFUSED.....	29	0.05
		98 = BLANK (NO ANSWER).....	32	0.06
		99 = LEGITIMATE SKIP.....	54978	99.18
AUPINPRV	2	1INPAT MH CARE PYMNT: OTHER PRIVATE SOURCE		
		1 = Response entered.....	10	0.02
		6 = Response not entered.....	370	0.67
		94 = DON'T KNOW.....	16	0.03
		97 = REFUSED.....	29	0.05
		98 = BLANK (NO ANSWER).....	32	0.06
		99 = LEGITIMATE SKIP.....	54978	99.18
AUPINFRE	2	1INPATIENT MENTAL HEALTH CARE WAS FREE		
		1 = Response entered.....	25	0.05
		6 = Response not entered.....	355	0.64
		94 = DON'T KNOW.....	16	0.03
		97 = REFUSED.....	29	0.05
		98 = BLANK (NO ANSWER).....	32	0.06
		99 = LEGITIMATE SKIP.....	54978	99.18
(ADMT12)		How much did you or your family pay for the inpatient mental health care you received during the past 12 months? Do not count any money that has been or will be reimbursed by insurance or any other source.		
AUPINFM2	2	1AMT YOU/FAMILY PAID FOR INPAT MH CARE		
		1 = Less than \$100.....	25	0.05
		2 = \$100 to \$200.....	15	0.03
		3 = \$201 to \$500.....	16	0.03
		4 = \$501 to \$900.....	9	0.02
		5 = \$901 to \$1,500.....	8	0.01
		6 = \$1,501 to \$2,000.....	8	0.01
		7 = \$2,001 to \$5,000.....	11	0.02
		8 = More than \$5,000.....	29	0.05
		85 = BAD DATA Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	14	0.03
		97 = REFUSED.....	31	0.06
		98 = BLANK (NO ANSWER).....	48	0.09
		99 = LEGITIMATE SKIP.....	55218	99.61

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	498
			FREQ	%
(ADMT13)		NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.		-
		The list below includes some of the places where people can get outpatient treatment or counseling for problems with their emotions, nerves, or mental health.		
		During the past 12 months, did you receive any outpatient treatment or counseling for any problem you were having with your emotions, nerves, or mental health at any of the places listed below? Please do not include treatment for alcohol or drug use.		
		- An outpatient mental health clinic or center		
		- The office of a private therapist, psychologist, psychiatrist, social worker, or counselor that was not part of a clinic		
		- A doctor's office that was not part of a clinic		
		- An outpatient medical clinic		
		- A partial day hospital or day treatment program		
		- Some other place		
AUOPTYR	2	1RCVD OUTPATIENT MH TRMT PST 12 MOS		
		1 = Yes.....	2643	4.77
		2 = No.....	34964	63.07
		85 = BAD DATA Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	53	0.10
		97 = REFUSED.....	34	0.06
		98 = BLANK (NO ANSWER).....	11	0.02
		99 = LEGITIMATE SKIP.....	17727	31.98
(ADMT14)		Where did you receive outpatient mental health treatment or counseling during the past 12 months?		
AUOPMENT	2	1MH TRMT IN OUTPATIENT MH CNTR PST 12 MOS		
		1 = Response entered.....	610	1.10
		6 = Response not entered.....	2021	3.65
		85 = BAD DATA Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	40	0.07
		98 = BLANK (NO ANSWER).....	64	0.12
		99 = LEGITIMATE SKIP.....	52691	95.05
AUOPOTHER	2	1MH TRMT IN PRIV THERAPIST'S OFC PST 12 MOS		
		1 = Response entered.....	1455	2.62
		6 = Response not entered.....	1176	2.12
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	40	0.07
		98 = BLANK (NO ANSWER).....	67	0.12
		99 = LEGITIMATE SKIP.....	52691	95.05
AUOPDOC	2	1MH TRMT IN NON-CLINIC DR.'S OFC PST 12 MOS		
		1 = Response entered.....	479	0.86
		6 = Response not entered.....	2152	3.88
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	40	0.07
		98 = BLANK (NO ANSWER).....	67	0.12
		99 = LEGITIMATE SKIP.....	52691	95.05

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	499
			FREQ	%
AUOPCLNC	2	1MH TRMT IN OUTPAT MED CLINIC PST 12 MOS		-
		1 = Response entered.....	209	0.38
		3 = Response entered LOGICALLY ASSIGNED.....	5	0.01
		5 = Response entered LOG ASSN (from AUALOTS2).....	2	0.00
		6 = Response not entered.....	2415	4.36
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	40	0.07
		98 = BLANK (NO ANSWER).....	67	0.12
		99 = LEGITIMATE SKIP.....	52691	95.05
AUOPDTMT	2	1MH TRMT IN DAY TREATMENT PGM PST 12 MOS		
		1 = Response entered.....	56	0.10
		6 = Response not entered.....	2575	4.65
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	40	0.07
		98 = BLANK (NO ANSWER).....	67	0.12
		99 = LEGITIMATE SKIP.....	52691	95.05
AUOPOTOP	2	1MH TRMT IN OTHER OUTPAT PLACE PST 12 MOS		
		1 = Response entered.....	162	0.29
		6 = Response not entered.....	2469	4.45
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	40	0.07
		98 = BLANK (NO ANSWER).....	67	0.12
		99 = LEGITIMATE SKIP.....	52691	95.05
AUOPYRS2	2	1OTH FACIL RCVD OUTPAT MH TRMT PAST 12 MOS		
		3 = A doctor's office that was not part of a clinic...	1	0.00
		4 = An outpatient medical clinic.....	5	0.01
		6 = Some other place.....	36	0.06
		7 = Friend(s)/parent of friend.....	4	0.01
		8 = Family member(s)/home.....	4	0.01
		9 = School or university setting/clinic/center.....	31	0.06
		10 = Spiritual or religious advisor.....	17	0.03
		12 = Clinic or center counseling; mental health unspcfed	6	0.01
		13 = Therapist/psychologist/counselor; locale unspcfid	3	0.01
		14 = A doctor's office; location unspecified.....	8	0.01
		18 = Military facility/VA.....	12	0.02
		23 = Hospital/skilled nursing facility; mntl hlth unspfd	4	0.01
		70 = Name of facility/description of facility given....	15	0.03
		85 = BAD DATA Logically assigned.....	8	0.01
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	45	0.08
		98 = BLANK (NO ANSWER).....	73	0.13
		99 = LEGITIMATE SKIP.....	55160	99.50
(ADMT16)		During the past 12 months, how many visits did you make to an outpatient mental health clinic or center for mental health care?		
AUNMMEN2	3	1# VISITS TO OUTPATIENT MH CNTR PST 12 MOS		
		RANGE = 1 - 30	551	0.99
		31 = 31 or more.....	43	0.08
		985 = BAD DATA Logically assigned.....	3	0.01
		994 = DON'T KNOW.....	15	0.03
		997 = REFUSED.....	41	0.07
		998 = BLANK (NO ANSWER).....	70	0.13
		999 = LEGITIMATE SKIP.....	54712	98.70

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	500
			FREQ	%
(ADMT17)		During the past 12 months, how many outpatient visits did you make to a private therapist, psychologist, psychiatrist, social worker, or counselor for mental health care?		-
AUNMTHE2	3	1# VISITS TO PRIV THERAPIST'S OFC PST 12 MOS		
		RANGE = 1 - 30	1304	2.35
		31 = 31 or more.....	118	0.21
		994 = DON'T KNOW.....	30	0.05
		997 = REFUSED.....	43	0.08
		998 = BLANK (NO ANSWER).....	73	0.13
		999 = LEGITIMATE SKIP.....	53867	97.17
(ADMT18)		During the past 12 months, how many outpatient visits did you make to a doctor's office for mental health care?		
AUNMDOC2	3	1# VISITS TO NON-CLINIC DR.'S OFC PST 12 MOS		
		RANGE = 1 - 30	461	0.83
		31 = 31 or more.....	5	0.01
		994 = DON'T KNOW.....	13	0.02
		997 = REFUSED.....	40	0.07
		998 = BLANK (NO ANSWER).....	73	0.13
		999 = LEGITIMATE SKIP.....	54843	98.93
(ADMT19)		During the past 12 months, how many outpatient visits did you make to an outpatient medical clinic for mental health care?		
AUNMCLN2	3	1# VISITS TO OUTPAT MED CLINIC PST 12 MOS		
		RANGE = 1 - 30	197	0.36
		31 = 31 or more.....	6	0.01
		994 = DON'T KNOW.....	10	0.02
		997 = REFUSED.....	41	0.07
		998 = BLANK (NO ANSWER).....	75	0.14
		999 = LEGITIMATE SKIP.....	55106	99.41
(ADMT20)		During the past 12 months, how many outpatient visits did you make to a partial day hospital or day treatment program for mental health care?		
AUNMDTM2	3	1# VISITS TO DAY TREATMENT PGM PST 12 MOS		
		RANGE = 1 - 30	43	0.08
		31 = 31 or more.....	6	0.01
		994 = DON'T KNOW.....	7	0.01
		997 = REFUSED.....	40	0.07
		998 = BLANK (NO ANSWER).....	73	0.13
		999 = LEGITIMATE SKIP.....	55266	99.70
(ADMT21)		During the past 12 months, how many outpatient visits did you make to some other type of facility for mental health care?		
AUNMOTO2	3	1# VISIT OTPT SOME OTHER FACILITY PST 12 MOS		
		RANGE = 1 - 30	147	0.27
		31 = 31 or more.....	5	0.01
		994 = DON'T KNOW.....	8	0.01
		997 = REFUSED.....	42	0.08
		998 = BLANK (NO ANSWER).....	73	0.13
		999 = LEGITIMATE SKIP.....	55160	99.50

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	501
			FREQ	%
(ADMT22)		Who paid or will pay for the outpatient mental health care you received during the past 12 months?		-
AUPOPSLF	2	1OUPAT MH CARE PYMNT: SELF OR LIVE-IN FAM MBR		
		1 = Response entered.....	956	1.72
		6 = Response not entered.....	1660	2.99
		85 = BAD DATA Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	42	0.08
		98 = BLANK (NO ANSWER).....	64	0.12
		99 = LEGITIMATE SKIP.....	52691	95.05
AUPOPOFM	2	1OUPAT MH CARE PYMNT: FAM MBR NOT LIVING W/YOU		
		1 = Response entered.....	106	0.19
		6 = Response not entered.....	2510	4.53
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	42	0.08
		98 = BLANK (NO ANSWER).....	67	0.12
		99 = LEGITIMATE SKIP.....	52691	95.05
AUPOPPHI	2	1OUPAT MH CARE PYMNT: PRIVATE HEALTH INSUR		
		1 = Response entered.....	920	1.66
		6 = Response not entered.....	1696	3.06
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	42	0.08
		98 = BLANK (NO ANSWER).....	67	0.12
		99 = LEGITIMATE SKIP.....	52691	95.05
AUPOPMCR	2	1OUTPATIENT MH CARE PAYMENT: MEDICARE		
		1 = Response entered.....	246	0.44
		6 = Response not entered.....	2370	4.28
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	42	0.08
		98 = BLANK (NO ANSWER).....	67	0.12
		99 = LEGITIMATE SKIP.....	52691	95.05
AUPOPMCD	2	1OUTPATIENT MH CARE PAYMENT: MEDICAID		
		1 = Response entered.....	329	0.59
		6 = Response not entered.....	2287	4.13
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	42	0.08
		98 = BLANK (NO ANSWER).....	67	0.12
		99 = LEGITIMATE SKIP.....	52691	95.05
AUPOPREH	2	1OUPAT MH CARE PYMNT: REHABILITATION PROG		
		1 = Response entered.....	19	0.03
		6 = Response not entered.....	2597	4.68
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	42	0.08
		98 = BLANK (NO ANSWER).....	67	0.12
		99 = LEGITIMATE SKIP.....	52691	95.05
AUPOPEMP	2	1OUTPATIENT MH CARE PAYMENT: EMPLOYER		
		1 = Response entered.....	184	0.33
		6 = Response not entered.....	2432	4.39
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	42	0.08
		98 = BLANK (NO ANSWER).....	67	0.12
		99 = LEGITIMATE SKIP.....	52691	95.05

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	502
			FREQ	%
AUPOPMIL	2	1OUTPATIENT MH CARE PAYMENT: MILITARY SOURCE		-
		1 = Response entered.....	97	0.17
		6 = Response not entered.....	2519	4.54
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	42	0.08
		98 = BLANK (NO ANSWER).....	67	0.12
		99 = LEGITIMATE SKIP.....	52691	95.05
AUPOPPUB	2	1OUPAT MH CARE PYMNT: OTHER PUBLIC SOURCE		
		1 = Response entered.....	103	0.19
		6 = Response not entered.....	2513	4.53
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	42	0.08
		98 = BLANK (NO ANSWER).....	67	0.12
		99 = LEGITIMATE SKIP.....	52691	95.05
AUPOPPRV	2	1OUPAT MH CARE PYMNT: OTHER PRIVATE SOURCE		
		1 = Response entered.....	38	0.07
		6 = Response not entered.....	2578	4.65
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	42	0.08
		98 = BLANK (NO ANSWER).....	67	0.12
		99 = LEGITIMATE SKIP.....	52691	95.05
AUPOPFR	2	1OUTPATIENT MENTAL HEALTH CARE WAS FREE		
		1 = Response entered.....	216	0.39
		6 = Response not entered.....	2400	4.33
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	42	0.08
		98 = BLANK (NO ANSWER).....	67	0.12
		99 = LEGITIMATE SKIP.....	52691	95.05
(ADMT23)		Who paid or will pay most of the cost for the outpatient mental health care you received during the past 12 months?		
AUPOPMOS	2	1PAYMENT FOR MOST OF OUTPATIENT MH CARE		
		1 = Self or a family member living with you.....	113	0.20
		2 = A family member who does not live with you.....	13	0.02
		3 = Private health insurance.....	251	0.45
		4 = Medicare.....	56	0.10
		5 = Medicaid.....	35	0.06
		6 = Rehabilitation program.....	2	0.00
		7 = Employer.....	30	0.05
		8 = VA or other military program.....	11	0.02
		9 = Other public source.....	12	0.02
		11 = No one paid because the treatment was free.....	10	0.02
		97 = REFUSED.....	42	0.08
		98 = BLANK (NO ANSWER).....	87	0.16
		99 = LEGITIMATE SKIP.....	54773	98.81

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH TREATMENT			PAGE:	503
LABEL	LEN	DESCRIPTION	FREQ	%
(ADMT24)		How much did you or your family pay for the outpatient mental health care you received during the past 12 months? Do not count any money that has been or will be reimbursed by insurance or any other source.		-
AUPOPAMT	2	1AMT YOU/FAMILY PAID FOR OUPAT MH CARE		
		1 = Less than \$100.....	298	0.54
		2 = \$100 to \$200.....	209	0.38
		3 = \$201 to \$500.....	208	0.38
		4 = \$501 to \$900.....	113	0.20
		5 = \$901 to \$1,500.....	59	0.11
		6 = \$1,501 to \$2,000.....	36	0.06
		7 = \$2,001 to \$5,000.....	40	0.07
		8 = More than \$5,000.....	19	0.03
		85 = BAD DATA Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	54	0.10
		97 = REFUSED.....	47	0.08
		98 = BLANK (NO ANSWER).....	85	0.15
		99 = LEGITIMATE SKIP.....	54264	97.89
(ADMT25)		NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.		
		During the past 12 months, did you take any prescription medication that was prescribed for you to treat a mental or emotional condition?		
AURXYR	2	1TOOK ANY PRESCRIP MED FOR MH COND PAST 12 MOS		
		1 = Yes.....	3921	7.07
		2 = No.....	33710	60.81
		85 = BAD DATA Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	35	0.06
		97 = REFUSED.....	28	0.05
		98 = BLANK (NO ANSWER).....	11	0.02
		99 = LEGITIMATE SKIP.....	17727	31.98
(ADMT26)		During the past 12 months, was there any time when you needed mental health treatment or counseling for yourself but didn't get it?		
AUUNMTYR	2	1NEEDED MH TRMT BUT DIDN'T GET IT PAST 12 MOS		
		1 = Yes.....	2557	4.61
		2 = No.....	35041	63.21
		85 = BAD DATA Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	57	0.10
		97 = REFUSED.....	39	0.07
		98 = BLANK (NO ANSWER).....	11	0.02
		99 = LEGITIMATE SKIP.....	17727	31.98

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	504
			FREQ	%
(ADMT27)		Which of these statements explains why you did not get the mental health treatment or counseling you needed?		-
AUUNCOST	2	1NO MH TMT COULDN'T AFFORD COST 1 = Response entered..... 6 = Response not entered..... 85 = BAD DATA Logically assigned..... 94 = DON'T KNOW..... 97 = REFUSED..... 98 = BLANK (NO ANSWER)..... 99 = LEGITIMATE SKIP.....	1072 1459 3 17 48 68 52768	1.93 2.63 0.01 0.03 0.09 0.12 95.19
AUUNNBR	2	1NO MH TMT CONCERN ABOUT OPIN OF NEIGHBRS 1 = Response entered..... 3 = Response entered LOGICALLY ASSIGNED..... 6 = Response not entered..... 94 = DON'T KNOW..... 97 = REFUSED..... 98 = BLANK (NO ANSWER)..... 99 = LEGITIMATE SKIP.....	258 1 2272 17 48 71 52768	0.47 0.00 4.10 0.03 0.09 0.13 95.19
AUUNJOB	2	1NO MH TMT CONCERN ABOUT EFFECT ON JOB 1 = Response entered..... 6 = Response not entered..... 94 = DON'T KNOW..... 97 = REFUSED..... 98 = BLANK (NO ANSWER)..... 99 = LEGITIMATE SKIP.....	165 2366 17 48 71 52768	0.30 4.27 0.03 0.09 0.13 95.19
AUUNNCOV	2	1NO MH TMT HEALTH INSUR DIDN'T COVER 1 = Response entered..... 3 = Response entered LOGICALLY ASSIGNED..... 6 = Response not entered..... 94 = DON'T KNOW..... 97 = REFUSED..... 98 = BLANK (NO ANSWER)..... 99 = LEGITIMATE SKIP.....	157 1 2373 17 48 71 52768	0.28 0.00 4.28 0.03 0.09 0.13 95.19
AUUNENUF	2	1NO MH TMT NOT ENUF HEALTH INSUR COVERAGE 1 = Response entered..... 6 = Response not entered..... 94 = DON'T KNOW..... 97 = REFUSED..... 98 = BLANK (NO ANSWER)..... 99 = LEGITIMATE SKIP.....	227 2304 17 48 71 52768	0.41 4.16 0.03 0.09 0.13 95.19
AUUNWHER	2	1NO MH TMT DIDN'T KNOW WHERE TO GO FOR SVC 1 = Response entered..... 3 = Response entered LOGICALLY ASSIGNED..... 6 = Response not entered..... 94 = DON'T KNOW..... 97 = REFUSED..... 98 = BLANK (NO ANSWER)..... 99 = LEGITIMATE SKIP.....	440 1 2090 17 48 71 52768	0.79 0.00 3.77 0.03 0.09 0.13 95.19

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	ADULT MENTAL HEALTH TREATMENT		PAGE:	505
			FREQ	%		
AUUNCfid	2	1NO MH TMT CONCERN ABOUT CONFIDENTIALITY				-
		1 = Response entered.....	236	0.43		
		6 = Response not entered.....	2295	4.14		
		94 = DON'T KNOW.....	17	0.03		
		97 = REFUSED.....	48	0.09		
		98 = BLANK (NO ANSWER).....	71	0.13		
		99 = LEGITIMATE SKIP.....	52768	95.19		
AUUNCmit	2	1NO MH TMT MIGHT BE COMMITTED/TAKE MEDS				
		1 = Response entered.....	299	0.54		
		3 = Response entered LOGICALLY ASSIGNED.....	4	0.01		
		6 = Response not entered.....	2228	4.02		
		94 = DON'T KNOW.....	17	0.03		
		97 = REFUSED.....	48	0.09		
		98 = BLANK (NO ANSWER).....	71	0.13		
		99 = LEGITIMATE SKIP.....	52768	95.19		
(ADMT27A)		Which of these statements explain why you did not get the mental health treatment or counseling you needed?				
AUUNNond	2	1NO MH TMT DON'T THINK NEEDED AT THAT TIME				
		1 = Response entered.....	255	0.46		
		3 = Response entered LOGICALLY ASSIGNED.....	12	0.02		
		6 = Response not entered.....	2264	4.08		
		94 = DON'T KNOW.....	17	0.03		
		97 = REFUSED.....	48	0.09		
		98 = BLANK (NO ANSWER).....	71	0.13		
		99 = LEGITIMATE SKIP.....	52768	95.19		
AUunhndl	2	1NO MH TMT THOUGHT COULD HANDLE WITHOUT TMT				
		1 = Response entered.....	719	1.30		
		3 = Response entered LOGICALLY ASSIGNED.....	3	0.01		
		6 = Response not entered.....	1809	3.26		
		94 = DON'T KNOW.....	17	0.03		
		97 = REFUSED.....	48	0.09		
		98 = BLANK (NO ANSWER).....	71	0.13		
		99 = LEGITIMATE SKIP.....	52768	95.19		
AUunnhlp	2	1NO MH TMT DIDN'T THINK TMT WOULD HELP				
		1 = Response entered.....	293	0.53		
		3 = Response entered LOGICALLY ASSIGNED.....	6	0.01		
		6 = Response not entered.....	2232	4.03		
		94 = DON'T KNOW.....	17	0.03		
		97 = REFUSED.....	48	0.09		
		98 = BLANK (NO ANSWER).....	71	0.13		
		99 = LEGITIMATE SKIP.....	52768	95.19		
AUunbusy	2	1NO MH TMT DIDN'T HAVE TIME				
		1 = Response entered.....	405	0.73		
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00		
		6 = Response not entered.....	2124	3.83		
		94 = DON'T KNOW.....	17	0.03		
		97 = REFUSED.....	48	0.09		
		98 = BLANK (NO ANSWER).....	71	0.13		
		99 = LEGITIMATE SKIP.....	52768	95.19		

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH TREATMENT			PAGE:	506
LABEL	LEN	DESCRIPTION	FREQ	%
AUUNFOUT	2	1NO MH TMT DIDN'T WANT OTHERS TO FIND OUT		-
		1 = Response entered.....	221	0.40
		3 = Response entered LOGICALLY ASSIGNED.....	10	0.02
		6 = Response not entered.....	2300	4.15
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	48	0.09
		98 = BLANK (NO ANSWER).....	71	0.13
		99 = LEGITIMATE SKIP.....	52768	95.19
AUUNNTSP	2	1NO MH TMT HAD NO TRANSPORTATION OR TMT TOO FAR		
		1 = Response entered.....	87	0.16
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
		6 = Response not entered.....	2442	4.41
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	48	0.09
		98 = BLANK (NO ANSWER).....	71	0.13
		99 = LEGITIMATE SKIP.....	52768	95.19
AUUNSOR	2	1NO MH TMT FOR SOME OTHER REASON		
		1 = Response entered.....	344	0.62
		6 = Response not entered.....	2187	3.95
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	48	0.09
		98 = BLANK (NO ANSWER).....	71	0.13
		99 = LEGITIMATE SKIP.....	52768	95.19

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	ADULT MENTAL HEALTH TREATMENT		PAGE:	507
			FREQ	%		
AUUNRIM2	2	1MOST IMPORTNT OTH REAS DIDNT GET MH TMT PST 12 MO				-
		1 = You couldn't afford the cost.....	21	0.04		
		2 = Concerned neighbors/community have neg opinion....	2	0.00		
		3 = Concerned might have a neg effect on your job....	1	0.00		
		4 = Your health ins doesnt cover any mental hlth tmt..	1	0.00		
		6 = You did not know where to go to get services.....	5	0.01		
		7 = Concerned info might not be kept confidential.....	1	0.00		
		8 = Concerned might be committed/take medicine.....	4	0.01		
		9 = You didn't think you needed treatment at the time.	18	0.03		
		10 = You thought could handle problem w/o treatment....	8	0.01		
		11 = You didn't think treatment would help.....	12	0.02		
		12 = Didn't have time (b/c of job, childcare, other)...	5	0.01		
		13 = Didn't want others to find out you needed treatmnt	20	0.04		
		14 = No transportation/too far away/hrs inconvenient...	3	0.01		
		15 = Some other reason or reasons.....	5	0.01		
		16 = Afraid too painful/unpleasant/afraid of diagnosis.	9	0.02		
		17 = Others dissuaded/didn't want you to/unsupportive..	14	0.03		
		18 = You do not have any health insurance coverage....	25	0.05		
		19 = Ashamed, embarrassed, afraid, or sign of weakness.	16	0.03		
		21 = You did not want to; reason unspecified.....	10	0.02		
		22 = Unmotivated/depressed/confused/angry/unworthy....	23	0.04		
		23 = Services unavailable in your area/services limited	4	0.01		
		24 = Didn't want to talk about your problems w/anyone..	4	0.01		
		25 = Didn't like how treated/don't like Dr(s)/hospitals	14	0.03		
		26 = Attempted to get trmt,unsuccessful in finding help	9	0.02		
		27 = Concerned how the court system would treat you....	3	0.01		
		28 = No program/counselor competent/comfortable with...	14	0.03		
		29 = Just never went/never made an appointment.....	4	0.01		
		30 = Work on your problems with family/friends.....	4	0.01		
		31 = Work on problems through religion/spirituality....	3	0.01		
		33 = There were no openings/long waiting list/delays...	13	0.02		
		34 = You had other problems/issues to deal with.....	5	0.01		
		35 = Other(s) need treatment/counseling; wouldn't go...	5	0.01		
		40 = Unready to seek help/deal w/issues;othrwise unspfd	4	0.01		
		41 = Preferred provider wont accept health ins plan....	3	0.01		
		42 = Health ins wont accept preferred provider/tmt.....	5	0.01		
		71 = Mental hlth condition reportd; depression unspcfed.	5	0.01		
		85 = BAD DATA Logically assigned.....	20	0.04		
		94 = DON'T KNOW.....	8	0.01		
		97 = REFUSED.....	62	0.11		
		98 = BLANK (NO ANSWER).....	88	0.16		
		99 = LEGITIMATE SKIP.....	54955	99.13		

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	508
			FREQ	%
(ADMT29A)		Earlier, we asked whether you have received prescription medicines, inpatient treatment or outpatient treatment for your emotions, nerves or mental health. The list below contains possible sources of treatment, counseling or support that were not mentioned before.		-
		Acupuncturist or acupressurist		
		Chiropractor		
		Herbalist		
		In-person support group or self-help group		
		Internet support group or chat room		
		Spiritual or religious advisor, such as a pastor, priest, rabbi		
		Telephone hotline		
		Massage therapist		
		Did you receive treatment, counseling or support from any other sources such as these during the past 12 months?		
AUALTYR	2	1RCVD ALTERNATIVE MENT HLTH TRMT PAST 12 MOS		
		1 = Yes.....	3373	6.08
		2 = No.....	34216	61.72
		3 = Yes LOGICALLY ASSIGNED (from AUOPYRS2).....	5	0.01
		85 = BAD DATA Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	57	0.10
		97 = REFUSED.....	43	0.08
		98 = BLANK (NO ANSWER).....	11	0.02
		99 = LEGITIMATE SKIP.....	17727	31.98
(ADMT29B)		From what source did you receive other treatment, counseling or support for problems with your emotions, nerves or mental health in the past 12 months?		
AUALACUP	2	1RCVD ALT MH TMT FROM ACUPUNCTURIST PST 12 MOS		
		1 = Response entered.....	234	0.42
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	3110	5.61
		85 = BAD DATA Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED.....	56	0.10
		98 = BLANK (NO ANSWER).....	73	0.13
		99 = LEGITIMATE SKIP.....	51943	93.70
AUALCHIR	2	1RCVD ALT MH TMT FROM CHIROPRACTOR PST 12 MOS		
		1 = Response entered.....	1334	2.41
		6 = Response not entered.....	2011	3.63
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED.....	56	0.10
		98 = BLANK (NO ANSWER).....	76	0.14
		99 = LEGITIMATE SKIP.....	51943	93.70
AUALHERB	2	1RCVD ALT MH TMT FROM HERBALIST PAST 12 MONTHS		
		1 = Response entered.....	169	0.30
		6 = Response not entered.....	3176	5.73
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED.....	56	0.10
		98 = BLANK (NO ANSWER).....	76	0.14
		99 = LEGITIMATE SKIP.....	51943	93.70

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	ADULT MENTAL HEALTH TREATMENT		PAGE: FREQ	509 %
			-----	-----		
AUALSGRP	2	1RCVD ALT MH TMT FR IN-PERS SUPPORT GRP PST 12 MOS				-
		1 = Response entered.....		369	0.67	
		3 = Response entered LOGICALLY ASSIGNED.....		2	0.00	
		6 = Response not entered.....		2974	5.36	
		94 = DON'T KNOW.....		15	0.03	
		97 = REFUSED.....		56	0.10	
		98 = BLANK (NO ANSWER).....		76	0.14	
		99 = LEGITIMATE SKIP.....		51943	93.70	
AUALINET	2	1RCVD ALT MH TMT FROM INTERNET GROUP PST 12 MOS				
		1 = Response entered.....		139	0.25	
		3 = Response entered LOGICALLY ASSIGNED.....		1	0.00	
		6 = Response not entered.....		3205	5.78	
		94 = DON'T KNOW.....		15	0.03	
		97 = REFUSED.....		56	0.10	
		98 = BLANK (NO ANSWER).....		76	0.14	
		99 = LEGITIMATE SKIP.....		51943	93.70	
AUALRELG	2	1RCVD ALT MH TMT FROM RELIGIOUS ADVISOR PST 12 MOS				
		1 = Response entered.....		886	1.60	
		3 = Response entered LOGICALLY ASSIGNED.....		3	0.01	
		5 = Response entered LOG ASSN (from AUOPYRS2).....		3	0.01	
		6 = Response not entered.....		2456	4.43	
		94 = DON'T KNOW.....		15	0.03	
		97 = REFUSED.....		56	0.10	
		98 = BLANK (NO ANSWER).....		73	0.13	
		99 = LEGITIMATE SKIP.....		51943	93.70	
AUALHLIN	2	1RCVD ALT MH TMT FROM PHONE HOTLINE PST 12 MOS				
		1 = Response entered.....		76	0.14	
		5 = Response entered LOG ASSN (from AUOPYRS2).....		2	0.00	
		6 = Response not entered.....		3269	5.90	
		94 = DON'T KNOW.....		15	0.03	
		97 = REFUSED.....		56	0.10	
		98 = BLANK (NO ANSWER).....		74	0.13	
		99 = LEGITIMATE SKIP.....		51943	93.70	
AUALMASG	2	1RCVD ALT MH TMT FROM MASSAGE THERAPIST PST 12 MOS				
		1 = Response entered.....		1131	2.04	
		3 = Response entered LOGICALLY ASSIGNED.....		1	0.00	
		6 = Response not entered.....		2213	3.99	
		94 = DON'T KNOW.....		15	0.03	
		97 = REFUSED.....		56	0.10	
		98 = BLANK (NO ANSWER).....		76	0.14	
		99 = LEGITIMATE SKIP.....		51943	93.70	
AUALOTH	2	1RCVD ALT MH TMT FROM OTHER SOURCE PST 12 MOS				
		1 = Response entered.....		227	0.41	
		6 = Response not entered.....		3118	5.62	
		94 = DON'T KNOW.....		15	0.03	
		97 = REFUSED.....		56	0.10	
		98 = BLANK (NO ANSWER).....		76	0.14	
		99 = LEGITIMATE SKIP.....		51943	93.70	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	510
			FREQ	%
AUALOTS2	2	10TH SOURCE OF ALTERN MH TMT PST 12 MOS - SPECIFY		-
		1 = Acupuncturist or acupressurist.....	1	0.00
		4 = In-person support group/self-help group.....	3	0.01
		5 = Internet support group or chat room.....	1	0.00
		6 = Spiritual or religious advisor.....	4	0.01
		8 = Massage therapist.....	1	0.00
		9 = Other.....	19	0.03
		20 = Home/family/friends.....	39	0.07
		21 = Doctor/primary care doctor/medical; locale unspec.	25	0.05
		22 = Therapist/psychologist/counselor; locale unspecifd	31	0.06
		23 = School/university counselor.....	5	0.01
		25 = Medical specialist(inc psychiatrist);locale unspfd	15	0.03
		26 = Health professional, not a Dr.; locale unspecified	12	0.02
		29 = Yoga, Tai Chi, Eastern exercise.....	3	0.01
		31 = Medication/taking medication.....	3	0.01
		33 = Personal action/self-care/self-help (not meds/grp)	7	0.01
		36 = Homeopath/Naturopath.....	3	0.01
		39 = Energy/biofield therapist (e.g., Reiki).....	7	0.01
		40 = Touch/manipulatn/irrigation (not chiro/massage)...	5	0.01
		41 = Relig influence other than indiv or higher power..	7	0.01
		44 = Mind/Body Therapy (e.g., biofeedback).....	5	0.01
		70 = Name of facility/program or description given.....	5	0.01
		71 = Reason for seeking help given.....	8	0.01
		85 = BAD DATA Logically assigned.....	7	0.01
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	62	0.11
		98 = BLANK (NO ANSWER).....	91	0.16
		99 = LEGITIMATE SKIP.....	55061	99.33

(ADMT30) Please think about the mental health treatment or counseling you received during the past 12 months. Which of these statements best describes how you were prompted to get treatment?

AUMOTVYR	2	1HOW PROMPTED TO GET MH TREATMENT PST 12 MOS		
		1 = I decided on my own to get treatment.....	5415	9.77
		2 = I got trmt bc someone else thought I should.....	941	1.70
		3 = I was ordered to get treatment.....	382	0.69
		85 = BAD DATA Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	186	0.34
		97 = REFUSED.....	130	0.23
		98 = BLANK (NO ANSWER).....	114	0.21
		99 = LEGITIMATE SKIP.....	48264	87.06

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	RECODED ADULT MENTAL HEALTH TREATMENT	PAGE:	511
				FREQ	%
-----	-----	-----	-----	-----	-
RECODED ADULT MENTAL HEALTH TREATMENT					

NOTE: The variables in this section are recoded variables that were created from one or more variables from the following sections: Adult Mental Health Treatment or Recoded Substance Treatment.					
AMHINP2	1	RCVD INPATIENT MENTAL HEALTH TRT IN PST YR			
		. = Unknown/Aged 12-17 (AUINPYR=85,94,97,98,99).....	17781	32.08	
		1 = Yes (AUINPYR=1).....	403	0.73	
		2 = No (AUINPYR=2).....	37251	67.20	
<p>The following variable, AMHOUTP3, is defined as SAS missing if a respondent reported receiving outpatient mental health treatment/counseling in the past year at "Some Other Place" (AUOPTYR=1 and AUOPOTOP=1) only and their write-in response was classified as an invalid outpatient mental health treatment/counseling location or alternative treatment/support (AUOPYRS2=7,8,10). In addition to the responses described above, respondents aged 12-17 and those coded as bad data, legitimate skip, don't know, refused, or blank (AUOPTYR=85,89,94,97,98,99) were also defined as SAS missing. A respondent was assigned a positive response if they indicated they had received outpatient mental health treatment/counseling in the past year (AUOPTYR=1) and they did not indicate an alternative source or invalid outpatient location (AUOPYRS2=7,8,10) as their only location for outpatient treatment.</p>					
AMHOUTP3	1	RCVD OUTPATIENT MENTAL HEALTH TRT IN PST YR			
		. = Unknown/Aged 12-17 (See comment above).....	17860	32.22	
		1 = Yes (See comment above).....	2611	4.71	
		2 = No (AUOPTYR=2).....	34964	63.07	
AMHRX2	1	RCVD PRESC MED FOR MENTAL HLTH TRT IN PST YR			
		. = Unknown/Aged 12-17 (AURXYR=85,94,97,98,99).....	17804	32.12	
		1 = Yes (AURXYR=1).....	3921	7.07	
		2 = No (AURXYR=2).....	33710	60.81	
AMHTXRC3	1	RCVD ANY MENTAL HEALTH TRT IN PST YR			
		. = Unknown/Aged 12-17 (Otherwise).....	17859	32.22	
		1 = Yes (AMHINP2=1 OR AMHOUTP3=1 OR AMHRX2=1).....	4851	8.75	
		2 = No (AMHINP2=2 AND AMHOUTP3=2 AND AMHRX2=2).....	32725	59.03	

LABEL	LEN	DESCRIPTION	RECODED ADULT MENTAL HEALTH TREATMENT	PAGE:	512
				FREQ	%

		The following variable, AMHSVTYP, classifies what type of mental health treatment/counseling was received in the past year. Respondents who reported receiving treatment for mental health were classified in one of 7 mutually exclusive categories. A respondent was assigned to level one if they reported receiving inpatient treatment only (AMHINP2=1 and AMHOUTP3=2 and AMHRX2=2), to level two if they reported receiving outpatient treatment only (AMHINP2=2 and AMHOUTP3=1 and AMHRX2=2), to level three if they reported receiving prescription medication treatment only (AMHINP2=2 and AMHOUTP3=2 and AMHRX2=1), to level four if they reported receiving both inpatient and outpatient treatment only (AMHINP2=1 and AMHOUTP3=1 and AMHRX2=2), to level five if they reported receiving inpatient and prescription medication treatment only (AMHINP2=1 and AMHOUTP3=2 and AMHRX2=1), to level six if they reported receiving outpatient and prescription medication treatment only (AMHINP2=2 and AMHOUTP3=1 and AMHRX2=1), or to level seven if they reported receiving inpatient, outpatient, and prescription medication treatment (AMHINP2=1 and AMHOUTP3=1 and AMHRX2=1). Respondents who did not receive mental health treatment in the past year were assigned to level eight (AMHINP2=2 and AMHOUTP3=2 and AMHRX2=2). Respondents whose specific treatment was not distinguishable due to missing values in one or more of the three source variables (AMHINP2, AMHOUTP3, or AMHRX2) were assigned a SAS missing.			-
AMHSVTYP	1	TYPE OF MENTAL HEALTH TRT RCVD IN PST YR			
		. = Unknown/Aged 12-17 (Otherwise).....	17888	32.27	
		1 = Inpatient Only (See comment above).....	101	0.18	
		2 = Outpatient Only (See comment above).....	786	1.42	
		3 = Presc Medication Only (See comment above).....	2052	3.70	
		4 = Inpatient and Outpatient Only (See comment above).....	35	0.06	
		5 = Inpatient and Presc Med Only (See comment above) ..	64	0.12	
		6 = Outpatient and Presc Med Only (See comment above) ..	1590	2.87	
		7 = Inp & Outp & Presc Medication (See comment above) ..	194	0.35	
		8 = Did Not Receive MH Treatment (See comment above) ..	32725	59.03	
The following variable, AMHTXND2, is defined as feeling a perceived need for mental health treatment/counseling that was not received. This is often referred to as "Unmet need."					
AMHTXND2	1	PERCEIVED NEED/DID NOT RCV MH TRT IN PST YR			
		. = Unknown/Aged 12-17 (AUUNMTYR=85,94,97,98,99).....	17837	32.18	
		1 = Yes (AUUNMTYR=1).....	2557	4.61	
		2 = No (AUUNMTYR=2).....	35041	63.21	

RECODED ADULT MENTAL HEALTH TREATMENT			PAGE:	513
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
<p>NOTE: The following seven variables contain information about the location of outpatient mental health treatment/counseling received in the past year. A respondent must have reported having received outpatient mental health treatment in the past year (AMHOUTP3=1) in order to be asked the questions on the location where treatment was received. A respondent was allowed to report any of five specific locations or "Some Other Place". If a respondent reported "Some Other Place," they were asked to provide a description of the other location in a follow-up question. The first five variables below were created by examination of the variables containing information on the five specific locations, while the last two variables were created by examination of the variables containing information on the other-specify locations which were grouped into two main categories.</p>				
MHLMNT2	1	RCVD OUTP MH TRT AT MH CLINIC/CENTER IN PST YR . = MH Trt Not Rcvd or Unknown/Aged 12-17 (Otherwise). 0 = No (AMHOUTP3=1 AND AUOPMNT=6)..... 1 = Yes (AMHOUTP3=1 AND AUOPMNT=1).....	52836 1989 610	95.31 3.59 1.10
MHLTHER2	1	RCVD OUTP MH TRT AT PRIV THERAPIST OFC IN PST YR . = MH Trt Not Rcvd or Unknown/Aged 12-17 (Otherwise). 0 = No (AMHOUTP3=1 AND AUOPTHER=6)..... 1 = Yes (AMHOUTP3=1 AND AUOPTHER=1).....	52836 1144 1455	95.31 2.06 2.62
MHLDCT2	1	RCVD OUTP MH TRT AT NON CLINIC DR OFFCE IN PST YR . = MH Trt Not Rcvd or Unknown/Aged 12-17 (Otherwise). 0 = No (AMHOUTP3=1 AND AUOPDOC=6)..... 1 = Yes (AMHOUTP3=1 AND AUOPDOC=1).....	52836 2120 479	95.31 3.82 0.86
MHLCLNC2	1	RCVD OUTP MH TRT AT MEDICAL CLINIC IN PST YR . = MH Trt Not Rcvd or Unknown/Aged 12-17 (Otherwise). 0 = No (AMHOUTP3=1 AND AUOPCLNC=6)..... 1 = Yes (AMHOUTP3=1 AND AUOPCLNC=1,3).....	52838 2383 214	95.32 4.30 0.39
MHLDTMT2	1	RCVD OUTP MH TRT AT DAY HOSP OR TRT PGM IN PST YR . = MH Trt Not Rcvd or Unknown/Aged 12-17 (Otherwise). 0 = No (AMHOUTP3=1 AND AUOPDTMT=6)..... 1 = Yes (AMHOUTP3=1 AND AUOPDTMT=1).....	52836 2543 56	95.31 4.59 0.10

RECODED ADULT MENTAL HEALTH TREATMENT			PAGE:	514
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
<p>NOTE: The following variables, MHLSCHL2 and MHLOTH2, were created by examination of the other specified write-in responses for locations where a respondent received outpatient mental health treatment/counseling. See additional information included above the location of outpatient mental health treatment recode variable MHLMNT2.</p> <p>The following variable, MHLSCHL2, was assigned a positive response if a respondent indicated receiving outpatient mental health treatment/counseling in the past year (AMHOUTP3=1) at some location other than the five locations defined above (AUOPOTOP=1) and the location was classified as "School or University Setting/Clinic/Center" (AUOPYRS2=9). A negative response was assigned if the respondent indicated receiving outpatient mental health treatment/counseling in the past year (AMHOUTP3=1) at one of the five locations defined above but not some location other than these five locations (AUOPOTOP=6 AND AUOPYRS2=99), or at some location other than the five locations defined above or "School or University Setting/Clinic/Center" and this location was classified as a valid outpatient treatment location (AUOPYRS2=3,4,12-14,18,23,70). Respondents who indicated receiving outpatient treatment in the past year (AMHOUTP3=1) at some location other than the five locations defined above (AUOPOTOP=1) and the location was classified as an invalid or alternative source of treatment (AUOPYRS2=7,8,10), bad data, don't know, refused, or blank (AUOPYRS2=85,94,97, 98), indicated not receiving outpatient mental health treatment/counseling in the past year (AMHOUTP3=2), or aged 12-17 (AUOPYRS2=99 and AMHOUTP3=.), were set to SAS missing.</p>				
MHLSCHL2	1	RCVD OUTP MH TRT AT A SCHOOL SETTING IN PST YR		
. = Otherwise (See comment above).....			52860	95.35
0 = No (See comment above).....			2544	4.59
1 = Yes (See comment above).....			31	0.06

LABEL	LEN	DESCRIPTION	RECODED ADULT MENTAL HEALTH TREATMENT	PAGE:	515
				FREQ	%

			The following variable, MHLOTH2, was assigned a positive response if a respondent indicated receiving outpatient mental health treatment/counseling in the past year (AMHOUTP3=1) at some location other than the six locations defined above and was classified as a valid location for outpatient mental health treatment/counseling and not considered an alternative source of treatment (AUOPOTOP=1 and AUOPYRS2=12-14,18,23). A negative response was assigned if the respondent indicated receiving outpatient mental health treatment/counseling in the past year (AMHOUTP3=1) at one of the first five specified locations but not some location other than these locations (AUOPOTOP=6 AND AUOPYRS2=99), indicated some other location to be one of the six specified locations defined above (AUOPYRS2=3-4,9), or provided a name of a facility (AUOPYRS2=70) as the 'other' location. Respondents who indicated receiving outpatient treatment in the past year (AMHOUTP3=1) at some same location other than the five locations defined above (AUOPOTOP=1) and the location was classified as an invalid or alternative source of treatment (AUOPYRS2=7,8,10), bad data, don't know, refused, or blank (AUOPYRS2=85,94,97,98), indicated (not receiving outpatient mental health treatment/counseling in the past year (AMHOUTP3=2), or aged 12-17 (AUOPYRS2=99 and AMHOUTP3=..), were set to SAS missing.		
MHLOTH2	1	RCVD OUTP MH TRT AT SOME OTHER PLACE IN PST YR			
		. = Otherwise (See comment above).....	52860	95.35	
		0 = No (See comment above).....	2522	4.55	
		1 = Yes (See comment above).....	53	0.10	
NOTE: The following 11 variables contain information about the source of payment for outpatient mental health treatment/counseling received in the past year. A respondent must have reported having received outpatient mental health treatment in the past year (AMHOUTP3=1) in order to be asked questions on the source of payment for treatment. A respondent was allowed to report any of 11 specific sources of payment.					
MHPDSL2	1	SELF/HHOLD FAM MBR PAID FOR OUTP MH TRT IN PST YR			
		. = No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise)	52851	95.34	
		0 = No (AMHOUTP3=1 AND AUPOPSLF=6).....	1636	2.95	
		1 = Yes (AMHOUTP3=1 AND AUPOPSLF=1).....	948	1.71	
MHPDOFM2	1	NON-HHOLD FAM MBR PAID FOR OUTP MH TRT IN PST YR			
		. = No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise)	52851	95.34	
		0 = No (AMHOUTP3=1 AND AUPOPOFM=6).....	2479	4.47	
		1 = Yes (AMHOUTP3=1 AND AUPOPOFM=1).....	105	0.19	
MHPDPHI2	1	PRIV HEALTH INSUR PAID FOR OUTP MH TRT IN PST YR			
		. = No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise)	52851	95.34	
		0 = No (AMHOUTP3=1 AND AUPOPPI=6).....	1665	3.00	
		1 = Yes (AMHOUTP3=1 AND AUPOPPI=1).....	919	1.66	

RECODED ADULT MENTAL HEALTH TREATMENT			PAGE:	516
LABEL	LEN	DESCRIPTION	FREQ	%
MHPDMCR2	1	MEDICARE PAID FOR OUTP MH TRT IN PST YR . 0 = No (AMHOUTP3=1 AND AUPOPMCR=6). 1 = Yes (AMHOUTP3=1 AND AUPOPMCR=1).	52851 2339 245	95.34 4.22 0.44
MHPDMCD2	1	MEDICAID PAID FOR OUTP MH TRT IN PST YR . 0 = No (AMHOUTP3=1 AND AUPOPMCD=6). 1 = Yes (AMHOUTP3=1 AND AUPOPMCD=1).	52851 2256 328	95.34 4.07 0.59
MHPDREH2	1	REHAB PGM PAID FOR OUTP MH TRT IN PST YR . 0 = No (AMHOUTP3=1 AND AUPOPREH=6). 1 = Yes (AMHOUTP3=1 AND AUPOPREH=1).	52851 2566 18	95.34 4.63 0.03
MHPDEMP2	1	EMPLOYER PAID FOR OUTP MH TRT IN PST YR . 0 = No (AMHOUTP3=1 AND AUPOPEMP=6). 1 = Yes (AMHOUTP3=1 AND AUPOPEMP=1).	52851 2400 184	95.34 4.33 0.33
MHPDMIL2	1	VA OR MILITARY PGM PAID FOR OUTP MH TRT IN PST YR . 0 = No (AMHOUTP3=1 AND AUPOPMIL=6). 1 = Yes (AMHOUTP3=1 AND AUPOPMIL=1).	52851 2488 96	95.34 4.49 0.17
MHPDPUB2	1	OTH PUBLIC SOURCE PAID FOR OUTP MH TRT IN PST YR . 0 = No (AMHOUTP3=1 AND AUPOPPUB=6). 1 = Yes (AMHOUTP3=1 AND AUPOPPUB=1).	52851 2483 101	95.34 4.48 0.18
MHPDPRV2	1	OTH PRIVATE SOURCE PAID FOR OUTP MH TRT IN PST YR . 0 = No (AMHOUTP3=1 AND AUPOPPRV=6). 1 = Yes (AMHOUTP3=1 AND AUPOPPRV=1).	52851 2546 38	95.34 4.59 0.07
MHPDFRE2	1	FREE - NOBODY PAID FOR OUTP MH TRT IN PST YR . 0 = No (AMHOUTP3=1 AND AUPOPFRE=6). 1 = Yes (AMHOUTP3=1 AND AUPOPFRE=1).	52851 2387 197	95.34 4.31 0.36

LABEL	LEN	DESCRIPTION	RECODED ADULT MENTAL HEALTH TREATMENT	PAGE:	517
				FREQ	%

NOTE: The following 15 variables contain information about the reasons for not receiving mental health treatment/counseling that was needed in the past year.					
A respondent must have reported not receiving mental health treatment that was needed in the past year (AUUNMTYR=1) in order to be asked the questions on the reason for not receiving treatment. A respondent was allowed to report any of eight specific reasons or "Some Other Reason." If a respondent reported "Some Other Reason," they were allowed to report any of six additional specific reasons or report "Some Other Reason" again. If a respondent reported "Some Other Reason" again, they were then asked to provide the most important other reason in a follow-up question. The first 14 variables below were created by examination of the variables containing information on the fourteen specific reasons; while the last variable was created by examination of the most important other-specify reasons.					
MHRCOST2	1	NO MH TRT IN PST YR B/C COULD NOT AFFORD COST			
		. = Need Trt Not Rcvd/Unkn Reas/Aged 12-17 (Otherwise)	52904	95.43	
		0 = No (AUUNMTYR=1 AND AUUNCOST=6).....	1459	2.63	
		1 = Yes (AUUNMTYR=1 AND AUUNCOST=1,3).....	1072	1.93	
MHRNBRS2	1	NO MH TRT IN PST YR B/C FEAR OF NEIGHBRS NEG OPIN			
		. = Need Trt Not Rcvd/Unkn Reas/Aged 12-17 (Otherwise)	52904	95.43	
		0 = No (AUUNMTYR=1 AND AUUNNBR=6).....	2272	4.10	
		1 = Yes (AUUNMTYR=1 AND AUUNNBR=1,3).....	259	0.47	
MHRJOBS2	1	NO MH TRT IN PST YR B/C FEAR OF NEG AFFECT ON JOB			
		. = Need Trt Not Rcvd/Unkn Reas/Aged 12-17 (Otherwise)	52904	95.43	
		0 = No (AUUNMTYR=1 AND AUUNJOB=6).....	2366	4.27	
		1 = Yes (AUUNMTYR=1 AND AUUNJOB=1).....	165	0.30	
MHRNCOV2	1	NO MH TRT IN PST YR B/C INSUR NOT COVER AT ALL			
		. = Need Trt Not Rcvd/Unkn Reas/Aged 12-17 (Otherwise)	52904	95.43	
		0 = No (AUUNMTYR=1 AND AUUNNCOV=6).....	2373	4.28	
		1 = Yes (AUUNMTYR=1 AND AUUNNCOV=1,3).....	158	0.29	
MHRENUF2	1	NO MH TRT IN PST YR B/C INSUR NOT PAY ENOUGH			
		. = Need Trt Not Rcvd/Unkn Reas/Aged 12-17 (Otherwise)	52904	95.43	
		0 = No (AUUNMTYR=1 AND AUUNENUF=6).....	2304	4.16	
		1 = Yes (AUUNMTYR=1 AND AUUNENUF=1).....	227	0.41	
MHRWHER2	1	NO MH TRT IN PST YR B/C DID NOT KNOW WHERE TO GO			
		. = Need Trt Not Rcvd/Unkn Reas/Aged 12-17 (Otherwise)	52904	95.43	
		0 = No (AUUNMTYR=1 AND AUUNWHER=6).....	2090	3.77	
		1 = Yes (AUUNMTYR=1 AND AUUNWHER=1,3).....	441	0.80	
MHRCFID2	1	NO MH TRT IN PST YR B/C CONFIDENTIALITY CONCERNS			
		. = Need Trt Not Rcvd/Unkn Reas/Aged 12-17 (Otherwise)	52904	95.43	
		0 = No (AUUNMTYR=1 AND AUUNCfid=6).....	2295	4.14	
		1 = Yes (AUUNMTYR=1 AND AUUNCfid=1).....	236	0.43	
MHRCMIT2	1	NO MH TRT IN PST YR B/C FEAR BEING COMMITTED/MED			
		. = Need Trt Not Rcvd/Unkn Reas/Aged 12-17 (Otherwise)	52904	95.43	
		0 = No (AUUNMTYR=1 AND AUUNCmit=6).....	2228	4.02	
		1 = Yes (AUUNMTYR=1 AND AUUNCmit=1,3).....	303	0.55	

LABEL	LEN	DESCRIPTION	RECODED ADULT MENTAL HEALTH TREATMENT		PAGE:	518
			FREQ	%		
MHRNOND2	1	NO MH TRT IN PST YR B/C DIDN'T THINK TRT NEEDED				-
		. = Need Trt Not Rcvd/Unkn Reas/Aged 12-17 (Otherwise)	52904	95.43		
		0 = No (AUUNMTYR=1 AND AUUNNOND=6).....	2264	4.08		
		1 = Yes (AUUNMTYR=1 AND AUUNNOND=1,3).....	267	0.48		
MHRHAND2	1	NO MH TRT IN PST YR B/C THGT COULD HANDLE PRB W/O				
		. = Need Trt Not Rcvd/Unkn Reas/Aged 12-17 (Otherwise)	52904	95.43		
		0 = No (AUUNMTYR=1 AND AUUNHNDL=6).....	1809	3.26		
		1 = Yes (AUUNMTYR=1 AND AUUNHNDL=1,3).....	722	1.30		
MHRNOHP2	1	NO MH TRT IN PST YR B/C DIDN'T THNK TRT WOULD HELP				
		. = Need Trt Not Rcvd/Unkn Reas/Aged 12-17 (Otherwise)	52904	95.43		
		0 = No (AUUNMTYR=1 AND AUUNNHLP=6).....	2232	4.03		
		1 = Yes (AUUNMTYR=1 AND AUUNNHLP=1,3).....	299	0.54		
MHRTIME2	1	NO MH TRT IN PST YR B/C DIDN'T HAVE TIME				
		. = Need Trt Not Rcvd/Unkn Reas/Aged 12-17 (Otherwise)	52904	95.43		
		0 = No (AUUNMTYR=1 AND AUUNBUSY=6).....	2124	3.83		
		1 = Yes (AUUNMTYR=1 AND AUUNBUSY=1,3).....	407	0.73		
MHRFOUT2	1	NO MH TRT IN PST YR B/C DIDNT WANT OTH TO FIND OUT				
		. = Need Trt Not Rcvd/Unkn Reas/Aged 12-17 (Otherwise)	52904	95.43		
		0 = No (AUUNMTYR=1 AND AUUNFOUT=6).....	2300	4.15		
		1 = Yes (AUUNMTYR=1 AND AUUNFOUT=1,3).....	231	0.42		
MHRTRAN2	1	NO MH TRT IN PST YR B/C NO TRANS OR INCONVENIENT				
		. = Need Trt Not Rcvd/Unkn Reas/Aged 12-17 (Otherwise)	52904	95.43		
		0 = No (AUUNMTYR=1 AND AUUNNTSP=6).....	2442	4.41		
		1 = Yes (AUUNMTYR=1 AND AUUNNTSP=1,3).....	89	0.16		
<p>The following variable, MHRSOTH2, was assigned a positive response if a respondent reported not receiving mental health treatment that was needed in the past year (AUUNMTYR=1) and the reason for not receiving that treatment was other than the fourteen reasons listed above (AUUNSOR=1 and AUUNRIM2=16-35,40-42). A negative response was assigned if a respondent reported not receiving mental health treatment that was needed in the past year (AUUNMTYR=1) and reported one of the reasons listed in the fourteen variables above, respondent did/had appt for mental health treatment/counseling or did not report an other specify reason for not receiving this treatment (AUUNRIM2=1,2,3,4,6-14,85,94,97,98,99).</p>						
MHRSOTH2	1	NO MH TRT IN PST YR B/C SOME OTHER REASON				
		. = Need Trt Not Rcvd/Unkn Reas/Aged 12-17 (Otherwise)	52909	95.44		
		0 = No (See comment above).....	2330	4.20		
		1 = Yes (See comment above).....	196	0.35		

RECODED ADULT MENTAL HEALTH TREATMENT			PAGE:	519
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
<p>NOTE: The following four variables were created by using a combination of recoded adult mental health treatment and recoded substance treatment variables. Specifications on how the individual recoded adult mental health treatment variable was defined can be found above. Specifications on how the individual recoded substance treatment variable was defined can be found in the Recoded Substance Treatment section.</p>				
MHOSPTR2	1	RCVD MH TRT OR SUB TRT AT SPEC FAC IN PST YR		
		. = Unknown MH/Age 12-17(AMHTXRC3=. and SPILLALC=0,1).	17858	32.21
		0 = No MH & No/Unk Sub Trt (AMHTXRC3=2 and SPILLALC=0)	32413	58.47
		1 = MH or Sub at Spc Fac Trt(AMHTXRC3=1 or SPILLALC=1)	5164	9.32
<p>A respondent was classified as receiving other than mental health treatment only (MHNSPTR2=0) if they reported not receiving mental health treatment (AMHTXRC3=2); reported receiving substance treatment at a specialty facility (SPILLALC=1); or reported receiving both mental health treatment and substance treatment at a specialty facility (AMHTXRC3=1 and SPILLALC=1).</p>				
MHNSPTR2	1	RCVD MH TRT BUT NOT SUB TRT AT SPEC FAC IN PST YR		
		. = Unknown MH/Age 12-17(AMHTXRC3=. and SPILLALC=0,1).	17858	32.21
		0 = Otherwise (See comment above).....	32964	59.46
		1 = Mental Health Trt Only (AMHTXRC3=1 and SPILLALC=0)	4613	8.32
<p>A respondent was classified as receiving other than substance treatment at a specialty facility only (NMHSPTR2=0) if they reported not receiving (or having unknown) substance treatment at a specialty facility (SPILLALC=0); or reported receiving both substance treatment at a specialty facility and mental health treatment (SPILLALC=1 and AMHTXRC3=1).</p>				
NMHSPTR2	1	RCVD SUB TRT AT SPEC FAC BUT NOT MH TRT IN PST YR		
		. = Unknown MH/Aged 12-17(AMHTXRC3=. and SPILLALC=0,1)	17728	31.98
		0 = Otherwise (See comment above).....	37395	67.46
		1 = Sub Trt at Spc Fac Only (AMHTXRC3=2 & SPILLALC=1)	312	0.56
MHASPTR2	1	RCVD BOTH MH TRT AND SUB TRT AT SPEC FAC IN PST YR		
		. = Unknown MH/Aged 12-17 (AMHTXRC3=. & SPILLALC=0,1).	17728	31.98
		0 = No MH or No/Unk Sub Trt (AMHTXRC3=2 or SPILLALC=0)	37469	67.59
		1 = MH and Sub Trt at Sp Fac (AMHTXRC3=1 & SPILLALC=1)	238	0.43

LABEL	LEN	DESCRIPTION	SOCIAL ENVIRONMENT	PAGE:	520
				FREQ	%
<hr/>					
(SEN04) SOCIAL ENVIRONMENT					
<hr/>					
How many times have you moved in the past 5 years?					
<hr/>					
SNM0V5Y2	3	1# TIMES MOVED IN PAST 5 YEARS			
		0 = None.....	14065	25.37	
		1 = One time.....	8575	15.47	
		2 = Two times.....	5728	10.33	
		3 = Three times.....	4371	7.88	
		4 = Four times.....	1981	3.57	
		5 = Five times.....	1176	2.12	
		6 = Six or more times.....	1500	2.71	
		985 = BAD DATA Logically assigned.....	2	0.00	
		994 = DON'T KNOW.....	195	0.35	
		997 = REFUSED.....	103	0.19	
		998 = BLANK (NO ANSWER).....	12	0.02	
		999 = LEGITIMATE SKIP.....	17727	31.98	
<hr/>					
(SEN12A)		During the past 12 months, how many times have you sold illegal drugs?			
<hr/>					
SNYSELL	2	1SOLD ILLEGAL DRUGS			
		1 = 0 times.....	36323	65.52	
		2 = 1 or 2 times.....	567	1.02	
		3 = 3 to 5 times.....	194	0.35	
		4 = 6 to 9 times.....	77	0.14	
		5 = 10 or more times.....	417	0.75	
		85 = BAD DATA Logically assigned.....	2	0.00	
		94 = DON'T KNOW.....	30	0.05	
		97 = REFUSED.....	86	0.16	
		98 = BLANK (NO ANSWER).....	12	0.02	
		99 = LEGITIMATE SKIP.....	17727	31.98	
<hr/>					
(SEN12B)		During the past 12 months, how many times have you stolen or tried to steal anything worth more than \$50?			
<hr/>					
SNYSTOLE	2	1STOLEN/TRYED TO STEAL ANYTHING WORTH > \$50			
		1 = 0 times.....	36835	66.45	
		2 = 1 or 2 times.....	535	0.97	
		3 = 3 to 5 times.....	111	0.20	
		4 = 6 to 9 times.....	41	0.07	
		5 = 10 or more times.....	100	0.18	
		85 = BAD DATA Logically assigned.....	2	0.00	
		94 = DON'T KNOW.....	23	0.04	
		97 = REFUSED.....	49	0.09	
		98 = BLANK (NO ANSWER).....	12	0.02	
		99 = LEGITIMATE SKIP.....	17727	31.98	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SOCIAL ENVIRONMENT			PAGE:	521
LABEL	LEN	DESCRIPTION	FREQ	%
(SEN12C)		During the past 12 months, how many times have you attacked someone with the intent to seriously hurt them?		-
SNYATTAK	2	1ATTACKED SOMEONE W/INTENT TO SERIOUSLY HURT THEM		
		1 = 0 times.....	36475	65.80
		2 = 1 or 2 times.....	951	1.72
		3 = 3 to 5 times.....	128	0.23
		4 = 6 to 9 times.....	32	0.06
		5 = 10 or more times.....	48	0.09
		85 = BAD DATA Logically assigned.....	2	0.00
		94 = DON'T KNOW.....	23	0.04
		97 = REFUSED.....	37	0.07
		98 = BLANK (NO ANSWER).....	12	0.02
		99 = LEGITIMATE SKIP.....	17727	31.98
(SEN13B)		How do you feel about adults trying marijuana or hashish once or twice?		
SNFAMJEV	2	1HOW YOU FEEL: ADLTS TRYING MJ/HASH		
		1 = Neither approve nor disapprove.....	19161	34.56
		2 = Somewhat disapprove.....	4866	8.78
		3 = Strongly disapprove.....	13290	23.97
		85 = BAD DATA Logically assigned.....	2	0.00
		94 = DON'T KNOW.....	262	0.47
		97 = REFUSED.....	115	0.21
		98 = BLANK (NO ANSWER).....	12	0.02
		99 = LEGITIMATE SKIP.....	17727	31.98
(SENRELAT)		During the past 12 months, how many times did you attend religious services? Please do not include special occasions such as weddings, funerals, or other special events in your answer.		
SNRLG SVC	2	1PAST 12 MOS, HOW MANY RELIG. SERVICES		
		1 = 0 times.....	14486	26.13
		2 = 1 to 2 times.....	4586	8.27
		3 = 3 to 5 times.....	3917	7.07
		4 = 6 to 24 times.....	5248	9.47
		5 = 25 to 52 times.....	4777	8.62
		6 = More than 52 times.....	4458	8.04
		85 = BAD DATA Logically assigned.....	2	0.00
		94 = DON'T KNOW.....	126	0.23
		97 = REFUSED.....	96	0.17
		98 = BLANK (NO ANSWER).....	12	0.02
		99 = LEGITIMATE SKIP.....	17727	31.98

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SOCIAL ENVIRONMENT	PAGE:	522
				FREQ	%
(SENREBE1)		These next questions are about the role that religious beliefs may play in your life. For each statement, please indicate whether you strongly disagree, disagree, agree, or strongly agree.		-	-
		Your religious beliefs are a very important part of your life.			
SNRLGIMP	2	1MY RELIGIOUS BELIEFS ARE VERY IMPORTANT			
		1 = Strongly Disagree.....	4890	8.82	
		2 = Disagree.....	5099	9.20	
		3 = Agree.....	14285	25.77	
		4 = Strongly Agree.....	12888	23.25	
		85 = BAD DATA Logically assigned.....	2	0.00	
		94 = DON'T KNOW.....	294	0.53	
		97 = REFUSED.....	238	0.43	
		98 = BLANK (NO ANSWER).....	12	0.02	
		99 = LEGITIMATE SKIP.....	17727	31.98	
(SENREBE2)		Your religious beliefs influence how you make decisions in your life.			
SNRLDCSN	2	1MY RELIGIOUS BELIEFS INFLUENCE MY DECISIONS			
		1 = Strongly Disagree.....	5200	9.38	
		2 = Disagree.....	6744	12.17	
		3 = Agree.....	14439	26.05	
		4 = Strongly Agree.....	10796	19.48	
		85 = BAD DATA Logically assigned.....	2	0.00	
		94 = DON'T KNOW.....	294	0.53	
		97 = REFUSED.....	221	0.40	
		98 = BLANK (NO ANSWER).....	12	0.02	
		99 = LEGITIMATE SKIP.....	17727	31.98	
(SENREBE3)		It is important that your friends share your religious beliefs.			
SNRLFRND	2	1IT IS IMPORTANT THAT MY FRIENDS SHARE REL BELIEFS			
		1 = Strongly Disagree.....	11054	19.94	
		2 = Disagree.....	15059	27.17	
		3 = Agree.....	7982	14.40	
		4 = Strongly Agree.....	3067	5.53	
		85 = BAD DATA Logically assigned.....	2	0.00	
		94 = DON'T KNOW.....	314	0.57	
		97 = REFUSED.....	217	0.39	
		98 = BLANK (NO ANSWER).....	13	0.02	
		99 = LEGITIMATE SKIP.....	17727	31.98	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:			
			FREQ	%		
(YE04) YOUTH EXPERIENCES						

How many times have you moved in the past 5 years?						
YEMOV5Y2 3 1# TIMES MOVED IN PAST 5 YEARS						
0 = None.....			8943	16.13		
1 = One time.....			3962	7.15		
2 = Two times.....			1862	3.36		
3 = Three times.....			1290	2.33		
4 = Four times.....			580	1.05		
5 = Five times.....			303	0.55		
6 = Six or more times.....			372	0.67		
985 = BAD DATA Logically assigned.....			5	0.01		
989 = LEGITIMATE SKIP Logically assigned.....			1	0.00		
994 = DON'T KNOW.....			357	0.64		
997 = REFUSED.....			52	0.09		
998 = BLANK (NO ANSWER).....			1	0.00		
999 = LEGITIMATE SKIP.....			37707	68.02		
(YE09) Have you attended any type of school at any time during the past 12 months?						
YEATNDYR 2 1ATTENDED ANY TYPE OF SCHOOL PAST 12 MONTHS						
1 = Yes.....			16351	29.50		
2 = No.....			1257	2.27		
85 = BAD DATA Logically assigned.....			5	0.01		
89 = LEGITIMATE SKIP Logically assigned.....			1	0.00		
94 = DON'T KNOW.....			91	0.16		
97 = REFUSED.....			22	0.04		
98 = BLANK (NO ANSWER).....			1	0.00		
99 = LEGITIMATE SKIP.....			37707	68.02		
(YE09A) Some parents decide to educate their children at home rather than send them to school. Have you been home-schooled at any time during the past 12 months?						
YEHMSLYR 2 1HOME SCHOoled AT ANY TIME DURING THE PAST 12 MOS						
1 = Yes.....			86	0.16		
2 = No.....			1261	2.27		
85 = BAD DATA Logically assigned.....			4	0.01		
94 = DON'T KNOW.....			13	0.02		
97 = REFUSED.....			10	0.02		
98 = BLANK (NO ANSWER).....			2	0.00		
99 = LEGITIMATE SKIP.....			54059	97.52		

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	524
LABEL	LEN	DESCRIPTION	FREQ	%
(YE10)		Which of the statements below best describes how you felt overall about going to school during the past 12 months?		-
YESCHFLT	2	1HOW YOU FELT OVERALL ABT GOING TO SCHL PAST 12 MOS		
		1 = You liked going to school a lot.....	5024	9.06
		2 = You kind of liked going to school.....	8182	14.76
		3 = You didn't like going to school very much.....	2226	4.02
		4 = You hated going to school.....	986	1.78
		85 = BAD DATA Logically assigned.....	1	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	11	0.02
		98 = BLANK (NO ANSWER).....	113	0.20
		99 = LEGITIMATE SKIP.....	38874	70.13
(YE11)		During the past 12 months, how often did you feel that the school work you were assigned to do was meaningful and important?		
YESCHWRK	2	1HOW OFTEN FELT SCHL WORK MEANINGFUL PST 12 MOS		
		1 = Always.....	4247	7.66
		2 = Sometimes.....	8678	15.65
		3 = Seldom.....	2656	4.79
		4 = Never.....	816	1.47
		85 = BAD DATA Logically assigned.....	1	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	32	0.06
		97 = REFUSED.....	17	0.03
		98 = BLANK (NO ANSWER).....	113	0.20
		99 = LEGITIMATE SKIP.....	38874	70.13
(YE12)		How important do you think the things you have learned in school during the past 12 months are going to be to you later in life?		
YESCHIMP	2	1HOW IMPT THINGS LEARNED PST 12 MOS ARE GOING TO BE		
		1 = Very important.....	8185	14.77
		2 = Somewhat important.....	6303	11.37
		3 = Somewhat unimportant.....	1443	2.60
		4 = Very unimportant.....	470	0.85
		85 = BAD DATA Logically assigned.....	1	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	29	0.05
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	113	0.20
		99 = LEGITIMATE SKIP.....	38874	70.13

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	YOUTH EXPERIENCES		PAGE:	525
			FREQ	%		
(YE13)		How interesting do you think most of your courses at school during the past 12 months have been?				-
YESCHINT	2	1HOW INTERESTING ARE COURSES AT SCHL PAST 12 MONTHS				
		1 = Very interesting.....	3954	7.13		
		2 = Somewhat interesting.....	8575	15.47		
		3 = Somewhat boring.....	2873	5.18		
		4 = Very boring.....	995	1.79		
		85 = BAD DATA Logically assigned.....	1	0.00		
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00		
		94 = DON'T KNOW.....	34	0.06		
		97 = REFUSED.....	15	0.03		
		98 = BLANK (NO ANSWER).....	113	0.20		
		99 = LEGITIMATE SKIP.....	38874	70.13		
(YE14)		During the past 12 months, how often did your teachers at school let you know when you were doing a good job with your school work?				
YETCGJOB	2	1HOW OFTEN TCHR SAY DOING A GOOD JOB PAST 12 MONTHS				
		1 = Always.....	5366	9.68		
		2 = Sometimes.....	7813	14.09		
		3 = Seldom.....	2450	4.42		
		4 = Never.....	773	1.39		
		85 = BAD DATA Logically assigned.....	1	0.00		
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00		
		94 = DON'T KNOW.....	28	0.05		
		97 = REFUSED.....	16	0.03		
		98 = BLANK (NO ANSWER).....	113	0.20		
		99 = LEGITIMATE SKIP.....	38874	70.13		
(YE15)		What were your grades for the last semester or grading period you completed?				
YELSTGRD	2	1GRADES FOR LAST SEMESTER/GRAADING PERIOD COMPLETED				
		1 = An "A+", "A" or "A-minus" average.....	4415	7.96		
		2 = A "B+", "B" or "B-minus" average.....	6560	11.83		
		3 = A "C+", "C" or "C-minus" average.....	3701	6.68		
		4 = A "D" or less than a "D" average.....	1115	2.01		
		5 = My school does not give these grades.....	391	0.71		
		85 = BAD DATA Logically assigned.....	1	0.00		
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00		
		94 = DON'T KNOW.....	178	0.32		
		97 = REFUSED.....	86	0.16		
		98 = BLANK (NO ANSWER).....	113	0.20		
		99 = LEGITIMATE SKIP.....	38874	70.13		

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	YOUTH EXPERIENCES		PAGE: FREQ	526 %
			-----	-----		
(YE16A)		How many of the students in your grade at school would you say smoke cigarettes?				-
		Please think about the school you would be attending if you were not home-schooled, as you answer these next questions.				
		How many of the students in your grade at school would you say smoke cigarettes?				
YESSTSCIG	2	1HOW MANY SDNTS YOU KNOW IN GRADE SMOKE CIGARETTES				
		1 = None of them.....	2689	4.85		
		2 = A few of them.....	8912	16.08		
		3 = Most of them.....	4251	7.67		
		4 = All of them.....	139	0.25		
		85 = BAD DATA Logically assigned.....	1	0.00		
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00		
		94 = DON'T KNOW.....	435	0.78		
		97 = REFUSED.....	20	0.04		
		98 = BLANK (NO ANSWER).....	113	0.20		
		99 = LEGITIMATE SKIP.....	38874	70.13		
(YE16B)		How many of the students in your grade at school would you say use marijuana or hashish?				
YESSTSMJ	2	1HOW MANY SDNTS YOU KNOW IN GRADE USE MJ/HASH				
		1 = None of them.....	4431	7.99		
		2 = A few of them.....	7591	13.69		
		3 = Most of them.....	3460	6.24		
		4 = All of them.....	199	0.36		
		85 = BAD DATA Logically assigned.....	1	0.00		
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00		
		94 = DON'T KNOW.....	732	1.32		
		97 = REFUSED.....	33	0.06		
		98 = BLANK (NO ANSWER).....	113	0.20		
		99 = LEGITIMATE SKIP.....	38874	70.13		
(YE16C)		How many of the students in your grade at school would you say drink alcoholic beverages?				
YESSTSALC	2	1HOW MANY SDNTS YOU KNOW IN GRADE DRINK ALCOHOL				
		1 = None of them.....	2708	4.89		
		2 = A few of them.....	6007	10.84		
		3 = Most of them.....	6484	11.70		
		4 = All of them.....	687	1.24		
		85 = BAD DATA Logically assigned.....	1	0.00		
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00		
		94 = DON'T KNOW.....	532	0.96		
		97 = REFUSED.....	28	0.05		
		98 = BLANK (NO ANSWER).....	113	0.20		
		99 = LEGITIMATE SKIP.....	38874	70.13		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	YOUTH EXPERIENCES		PAGE:	527
			FREQ	%		
(YE16D)		How many of the students in your grade at school would you say get drunk at least once a week?				-
YESTSDNK	2	1HOW MANY SDNTS YOU KNOW GET DRUNK WEEKLY				
		1 = None of them.....	5415	9.77		
		2 = A few of them.....	7271	13.12		
		3 = Most of them.....	2817	5.08		
		4 = All of them.....	200	0.36		
		85 = BAD DATA Logically assigned.....	1	0.00		
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00		
		94 = DON'T KNOW.....	710	1.28		
		97 = REFUSED.....	33	0.06		
		98 = BLANK (NO ANSWER).....	113	0.20		
		99 = LEGITIMATE SKIP.....	38874	70.13		
(YE06A)		The next questions ask about your parents. By parents, we mean either your biological parents, adoptive parents, stepparents, or adult guardians who live in your household.				
		During the past 12 months, how often did your parents provide help with your homework when you needed it?				
YEPCHKHW	2	1PRNTS CHECK IF YOU'VE DONE HOMEWORK PST 12 MOS				
		1 = Always.....	8120	14.65		
		2 = Sometimes.....	4900	8.84		
		3 = Seldom.....	2035	3.67		
		4 = Never.....	1326	2.39		
		85 = BAD DATA Logically assigned.....	1	0.00		
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00		
		94 = DON'T KNOW.....	27	0.05		
		97 = REFUSED.....	38	0.07		
		98 = BLANK (NO ANSWER).....	113	0.20		
		99 = LEGITIMATE SKIP.....	38874	70.13		
(YE06B)		During the past 12 months, how often did your parents provide help with your homework when you needed it?				
YEPHLPHW	2	1PRNTS HELPED YOU W/HOMEWORK PAST 12 MONTHS				
		1 = Always.....	9489	17.12		
		2 = Sometimes.....	3741	6.75		
		3 = Seldom.....	1642	2.96		
		4 = Never.....	1499	2.70		
		85 = BAD DATA Logically assigned.....	1	0.00		
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00		
		94 = DON'T KNOW.....	31	0.06		
		97 = REFUSED.....	44	0.08		
		98 = BLANK (NO ANSWER).....	113	0.20		
		99 = LEGITIMATE SKIP.....	38874	70.13		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	528
LABEL	LEN	DESCRIPTION	FREQ	%
(YE06C)		During the past 12 months, how often did your parents make you do chores around the house?		-
YEPCHORE	2	1PRNTS MADE YOU DO WORK/CHORES PAST 12 MONTHS		
		1 = Always.....	8765	15.81
		2 = Sometimes.....	6723	12.13
		3 = Seldom.....	1566	2.82
		4 = Never.....	588	1.06
		85 = BAD DATA Logically assigned.....	5	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	40	0.07
		97 = REFUSED.....	39	0.07
		98 = BLANK (NO ANSWER).....	1	0.00
		99 = LEGITIMATE SKIP.....	37707	68.02
(YE06D)		During the past 12 months, how often did your parents limit the amount of time you watched TV?		
YEPLMTTV	2	1PRNTS LIMITED YOUR AMT OF TV TIME PST 12 MOS		
		1 = Always.....	2010	3.63
		2 = Sometimes.....	4806	8.67
		3 = Seldom.....	3620	6.53
		4 = Never.....	7161	12.92
		85 = BAD DATA Logically assigned.....	5	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	71	0.13
		97 = REFUSED.....	53	0.10
		98 = BLANK (NO ANSWER).....	1	0.00
		99 = LEGITIMATE SKIP.....	37707	68.02
(YE06E)		During the past 12 months, how often did your parents limit the amount of time you went out with friends on school nights?		
YEPLMTSN	2	1PRNTS LIMITED YOUR TIME OUT W/FRNDS PST 12 MOS		
		1 = Always.....	6651	12.00
		2 = Sometimes.....	4684	8.45
		3 = Seldom.....	2504	4.52
		4 = Never.....	2358	4.25
		85 = BAD DATA Logically assigned.....	1	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	171	0.31
		97 = REFUSED.....	78	0.14
		98 = BLANK (NO ANSWER).....	113	0.20
		99 = LEGITIMATE SKIP.....	38874	70.13

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	529
LABEL	LEN	DESCRIPTION	FREQ	%
(YE06F)		During the past 12 months, how often did your parents let you know when you'd done a good job?		-
YEPGDJOB	2	1PRNTS LET YOU KNOW DONE A GOOD JOB PST 12 MOS		
		1 = Always.....	9414	16.98
		2 = Sometimes.....	5744	10.36
		3 = Seldom.....	1796	3.24
		4 = Never.....	699	1.26
		85 = BAD DATA Logically assigned.....	5	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	38	0.07
		97 = REFUSED.....	30	0.05
		98 = BLANK (NO ANSWER).....	1	0.00
		99 = LEGITIMATE SKIP.....	37707	68.02
(YE06G)		During the past 12 months, how often did your parents tell you they were proud of you for something you had done?		
YEPPROUD	2	1TELL YOU THEY'RE PROUD OF SOMETHING YOU'D DONE		
		1 = Always.....	9516	17.17
		2 = Sometimes.....	5556	10.02
		3 = Seldom.....	1861	3.36
		4 = Never.....	730	1.32
		85 = BAD DATA Logically assigned.....	5	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	37	0.07
		97 = REFUSED.....	21	0.04
		98 = BLANK (NO ANSWER).....	1	0.00
		99 = LEGITIMATE SKIP.....	37707	68.02
(YE18A)		During the past 12 months, how many times have you argued or had a fight with at least one of your parents?		
YEYARGUP	2	1ARGUED/HAD A FIGHT WITH AT LEAST ONE OF YOUR PRNTS		
		1 = 0 times.....	3103	5.60
		2 = 1 or 2 times.....	4846	8.74
		3 = 3 to 5 times.....	3663	6.61
		4 = 6 to 9 times.....	1907	3.44
		5 = 10 or more times.....	3985	7.19
		85 = BAD DATA Logically assigned.....	5	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	139	0.25
		97 = REFUSED.....	78	0.14
		98 = BLANK (NO ANSWER).....	1	0.00
		99 = LEGITIMATE SKIP.....	37707	68.02

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	530
LABEL	LEN	DESCRIPTION	FREQ	%
(YE18B)		During the past 12 months, how many times have you gotten into a serious fight at school or work?		-
YEYFGTSW	2	1GOTTEN INTO A SERIOUS FIGHT AT SCHOOL/WORK		
		1 = 0 times.....	13551	24.44
		2 = 1 or 2 times.....	3107	5.60
		3 = 3 to 5 times.....	654	1.18
		4 = 6 to 9 times.....	145	0.26
		5 = 10 or more times.....	194	0.35
		85 = BAD DATA Logically assigned.....	5	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	43	0.08
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	1	0.00
		99 = LEGITIMATE SKIP.....	37707	68.02
(YE18C)		During the past 12 months, how many times have you taken part in a fight where a group of your friends fought against another group?		
YEYFGTGP	2	1TAKEN PART IN FIGHT WHERE GROUP FIGHTS GROUP		
		1 = 0 times.....	14780	26.66
		2 = 1 or 2 times.....	2119	3.82
		3 = 3 to 5 times.....	469	0.85
		4 = 6 to 9 times.....	135	0.24
		5 = 10 or more times.....	136	0.25
		85 = BAD DATA Logically assigned.....	5	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	48	0.09
		97 = REFUSED.....	34	0.06
		98 = BLANK (NO ANSWER).....	1	0.00
		99 = LEGITIMATE SKIP.....	37707	68.02
(YE18D)		During the past 12 months, how many times have you carried a handgun?		
YEYHGUN	2	1CARRIED A HANDGUN		
		1 = 0 times.....	17015	30.69
		2 = 1 or 2 times.....	434	0.78
		3 = 3 to 5 times.....	103	0.19
		4 = 6 to 9 times.....	31	0.06
		5 = 10 or more times.....	79	0.14
		85 = BAD DATA Logically assigned.....	5	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	25	0.05
		97 = REFUSED.....	34	0.06
		98 = BLANK (NO ANSWER).....	1	0.00
		99 = LEGITIMATE SKIP.....	37707	68.02

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	531
LABEL	LEN	DESCRIPTION	FREQ	%
(YE18E)		During the past 12 months, how many times have you sold illegal drugs?		-
YEYSELL	2	1 SOLD ILLEGAL DRUGS		
		1 = 0 times.....	17069	30.79
		2 = 1 or 2 times.....	304	0.55
		3 = 3 to 5 times.....	103	0.19
		4 = 6 to 9 times.....	62	0.11
		5 = 10 or more times.....	137	0.25
		85 = BAD DATA Logically assigned.....	5	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	33	0.06
		98 = BLANK (NO ANSWER).....	1	0.00
		99 = LEGITIMATE SKIP.....	37707	68.02
(YE18F)		During the past 12 months, how many times have you stolen or tried to steal anything worth more than \$50?		
YEYSTOLE	2	1 STOLEN/TRYED TO STEAL ANYTHING WORTH >\$50		
		1 = 0 times.....	16802	30.31
		2 = 1 or 2 times.....	593	1.07
		3 = 3 to 5 times.....	123	0.22
		4 = 6 to 9 times.....	47	0.08
		5 = 10 or more times.....	107	0.19
		85 = BAD DATA Logically assigned.....	5	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	30	0.05
		98 = BLANK (NO ANSWER).....	1	0.00
		99 = LEGITIMATE SKIP.....	37707	68.02
(YE18G)		During the past 12 months, how many times have you attacked someone with the intent to seriously hurt them?		
YEYATTAK	2	1 ATTACKED SOMEONE W/INTENT TO SERIOUSLY HURT THEM		
		1 = 0 times.....	16283	29.37
		2 = 1 or 2 times.....	1124	2.03
		3 = 3 to 5 times.....	167	0.30
		4 = 6 to 9 times.....	52	0.09
		5 = 10 or more times.....	47	0.08
		85 = BAD DATA Logically assigned.....	5	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	23	0.04
		97 = REFUSED.....	25	0.05
		98 = BLANK (NO ANSWER).....	1	0.00
		99 = LEGITIMATE SKIP.....	37707	68.02

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	532
LABEL	LEN	DESCRIPTION	FREQ	%
(YE07A)		How do you think your parents would feel about you smoking one or more packs of cigarettes per day?		-
YEPPKCIG	2	1HOW PRNTS WLD FEEL: YOU SMOKING 1+ PACK CIGS/DAY		
		1 = Neither approve nor disapprove.....	716	1.29
		2 = Somewhat disapprove.....	758	1.37
		3 = Strongly disapprove.....	15961	28.79
		85 = BAD DATA Logically assigned.....	5	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	218	0.39
		97 = REFUSED.....	68	0.12
		98 = BLANK (NO ANSWER).....	1	0.00
		99 = LEGITIMATE SKIP.....	37707	68.02
(YE07B)		How do you think your parents would feel about you trying marijuana or hashish once or twice?		
YEPMJEV	2	1HOW PRNTS WLD FEEL: YOU TRYING MJ/HASH		
		1 = Neither Approve or Disapprove.....	668	1.21
		2 = Somewhat Disapprove.....	998	1.80
		3 = Strongly Disapprove.....	15795	28.49
		85 = BAD DATA Logically assigned.....	5	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	194	0.35
		97 = REFUSED.....	66	0.12
		98 = BLANK (NO ANSWER).....	1	0.00
		99 = LEGITIMATE SKIP.....	37707	68.02
(YE07B1)		How do you think your parents would feel about you using marijuana or hashish once a month or more?		
YEPMJMO	2	1HOW PRNTS WLD FEEL: YOU USING MJ/HASH MONTHLY		
		1 = Neither Approve or Disapprove.....	581	1.05
		2 = Somewhat Disapprove.....	689	1.24
		3 = Strongly Disapprove.....	16202	29.23
		85 = BAD DATA Logically assigned.....	5	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	184	0.33
		97 = REFUSED.....	65	0.12
		98 = BLANK (NO ANSWER).....	1	0.00
		99 = LEGITIMATE SKIP.....	37707	68.02
(YE07C)		How do you think your parents would feel about you having one or two drinks of an alcoholic beverage nearly every day?		
YEPALDLY	2	1HOW PRNTS WLD FEEL: YOU DRINKING ALC DAILY		
		1 = Neither Approve or Disapprove.....	572	1.03
		2 = Somewhat Disapprove.....	1314	2.37
		3 = Strongly Disapprove.....	15588	28.12
		85 = BAD DATA Logically assigned.....	5	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	186	0.34
		97 = REFUSED.....	61	0.11
		98 = BLANK (NO ANSWER).....	1	0.00
		99 = LEGITIMATE SKIP.....	37707	68.02

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	533
LABEL	LEN	DESCRIPTION	FREQ	%
(YE19A)		How do you feel about someone your age smoking one or more packs of cigarettes a day?		-
YEGPKCIG	2	1HOW YOU FEEL S/ONE YOUR AGE SMOKG 1+ PK CIGS/DY		
		1 = Neither approve nor disapprove.....	1860	3.36
		2 = Somewhat disapprove.....	2410	4.35
		3 = Strongly disapprove.....	13216	23.84
		85 = BAD DATA Logically assigned.....	5	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	182	0.33
		97 = REFUSED.....	53	0.10
		98 = BLANK (NO ANSWER).....	1	0.00
		99 = LEGITIMATE SKIP.....	37707	68.02
(YE19B)		How do you feel about someone your age trying marijuana or hashish once or twice?		
YEGMJEVR	2	1HOW YOU FEEL S/ONE YOUR AGE TRYING MJ/HASH		
		1 = Neither approve nor disapprove.....	3171	5.72
		2 = Somewhat disapprove.....	2688	4.85
		3 = Strongly disapprove.....	11631	20.98
		85 = BAD DATA Logically assigned.....	5	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	173	0.31
		97 = REFUSED.....	58	0.10
		98 = BLANK (NO ANSWER).....	1	0.00
		99 = LEGITIMATE SKIP.....	37707	68.02
(YE19B1)		How do you feel about someone your age using marijuana once a month or more?		
YEGMJMO	2	1HOW YOU FEEL S/ONE YOUR AGE USING MJ/HASH MONTHLY		
		1 = Neither approve nor disapprove.....	3108	5.61
		2 = Somewhat disapprove.....	2510	4.53
		3 = Strongly disapprove.....	11876	21.42
		85 = BAD DATA Logically assigned.....	5	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	171	0.31
		97 = REFUSED.....	56	0.10
		98 = BLANK (NO ANSWER).....	1	0.00
		99 = LEGITIMATE SKIP.....	37707	68.02
(YE19C)		How do you feel about someone your age having one or two drinks of an alcoholic beverage nearly every day?		
YEGALDLY	2	1HOW YOU FEEL S/ONE YOUR AGE DRINKING ALC DLY		
		1 = Neither approve nor disapprove.....	2465	4.45
		2 = Somewhat disapprove.....	3046	5.49
		3 = Strongly disapprove.....	11983	21.62
		85 = BAD DATA Logically assigned.....	5	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	173	0.31
		97 = REFUSED.....	54	0.10
		98 = BLANK (NO ANSWER).....	1	0.00
		99 = LEGITIMATE SKIP.....	37707	68.02

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	534
LABEL	LEN	DESCRIPTION	FREQ	%
(YE20A)		How do you think your close friends would feel about you smoking one or more packs of cigarettes a day?		-
YEFPKCIG	2	1HOW YOU FEEL FRIENDS SMOKING 1+ PACK CIGS/DAY		
		1 = Neither approve nor disapprove.....	2273	4.10
		2 = Somewhat disapprove.....	3135	5.66
		3 = Strongly disapprove.....	12023	21.69
		85 = BAD DATA Logically assigned.....	5	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	234	0.42
		97 = REFUSED.....	56	0.10
		98 = BLANK (NO ANSWER).....	1	0.00
		99 = LEGITIMATE SKIP.....	37707	68.02
(YE20B)		How do you think your close friends would feel about you trying marijuana or hashish once or twice?		
YEFMJEV	2	1HOW YOU FEEL FRIENDS USING MJ 1X/MO		
		1 = Neither approve nor disapprove.....	3100	5.59
		2 = Somewhat disapprove.....	2709	4.89
		3 = Strongly disapprove.....	11628	20.98
		85 = BAD DATA Logically assigned.....	5	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	227	0.41
		97 = REFUSED.....	57	0.10
		98 = BLANK (NO ANSWER).....	1	0.00
		99 = LEGITIMATE SKIP.....	37707	68.02
(YE20B1)		How do you think your close friends would feel about you using marijuana or hashish once a month or more?		
YEFMJMO	2	1HOW YOU FEEL FRIENDS USING MJ MONTHLY		
		1 = Neither approve nor disapprove.....	2858	5.16
		2 = Somewhat disapprove.....	2499	4.51
		3 = Strongly disapprove.....	12083	21.80
		85 = BAD DATA Logically assigned.....	5	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	224	0.40
		97 = REFUSED.....	57	0.10
		98 = BLANK (NO ANSWER).....	1	0.00
		99 = LEGITIMATE SKIP.....	37707	68.02
(YE20C)		How do you think your close friends would feel about you having one or two drinks of an alcoholic beverage nearly every day?		
YEFAFDLY	2	1HOW YOU FEEL FRIENDS DRINKING ALC DAILY		
		1 = Neither approve nor disapprove.....	2796	5.04
		2 = Somewhat disapprove.....	3324	6.00
		3 = Strongly disapprove.....	11326	20.43
		85 = BAD DATA Logically assigned.....	5	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	225	0.41
		97 = REFUSED.....	50	0.09
		98 = BLANK (NO ANSWER).....	1	0.00
		99 = LEGITIMATE SKIP.....	37707	68.02

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	535
LABEL	LEN	DESCRIPTION	FREQ	%
(YE22)		NOTE: In the variables YETLKPAR, YETLKBGF, YETLKOTA and YETLKSOP, codes of 11 were assigned if the respondent indicated that there was no one that he/she could talk to about a serious problem but the respondent also indicated 1 or more people that he/she could talk to about a serious problem.		-
		If you wanted to talk to someone about a serious problem, which of the following people would you turn to?		
YETLKNON	2	1THERE IS NOBODY I CAN TALK TO ABOUT SERIOUS PROBS		
		1 = Response entered.....	626	1.13
		6 = Response not entered.....	16735	30.19
		11 = Response entered (& other responses entered).....	222	0.40
		85 = BAD DATA Logically assigned.....	1	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	94	0.17
		97 = REFUSED.....	44	0.08
		98 = BLANK (NO ANSWER).....	5	0.01
		99 = LEGITIMATE SKIP.....	37707	68.02
YETLKPAR	2	1MY MOTHER/FATHER/GUARDIAN		
		1 = Response entered.....	12076	21.78
		6 = Response not entered.....	5448	9.83
		11 = Response entered (YETLKNON=11).....	59	0.11
		85 = BAD DATA Logically assigned.....	4	0.01
		94 = DON'T KNOW.....	94	0.17
		97 = REFUSED.....	44	0.08
		98 = BLANK (NO ANSWER).....	2	0.00
		99 = LEGITIMATE SKIP.....	37708	68.02
YETLKBGF	2	1MY BOYFRIEND/GIRLFRIEND		
		1 = Response entered.....	5876	10.60
		6 = Response not entered.....	11616	20.95
		11 = Response entered (YETLKNON=11).....	91	0.16
		94 = DON'T KNOW.....	94	0.17
		97 = REFUSED.....	44	0.08
		98 = BLANK (NO ANSWER).....	6	0.01
		99 = LEGITIMATE SKIP.....	37708	68.02
YETLKOTA	2	1SOME OTHER ADULT		
		1 = Response entered.....	4793	8.65
		6 = Response not entered.....	12702	22.91
		11 = Response entered (YETLKNON=11).....	88	0.16
		94 = DON'T KNOW.....	94	0.17
		97 = REFUSED.....	44	0.08
		98 = BLANK (NO ANSWER).....	6	0.01
		99 = LEGITIMATE SKIP.....	37708	68.02
YETLKSOP	2	1SOME OTHER PERSON		
		1 = Response entered.....	6479	11.69
		6 = Response not entered.....	10982	19.81
		11 = Response entered (YETLKNON=11).....	122	0.22
		94 = DON'T KNOW.....	94	0.17
		97 = REFUSED.....	44	0.08
		98 = BLANK (NO ANSWER).....	6	0.01
		99 = LEGITIMATE SKIP.....	37708	68.02

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	YOUTH EXPERIENCES		PAGE: FREQ	536 %
			-----	-----		
(YE08)		Now think about the past 12 months, that is, from [DATEFILL] through today. During the past 12 months, have you talked with at least one of your parents about the dangers of tobacco, alcohol, or drug use? By parents, we mean either your biological parents, adoptive parents, stepparents, or adult guardians -- whether or not they live with you.				-
YEPRTDNG	2	1HAVE YOU TALKED W/PARENT(S) ABT DANGER OF TOB/ALC	1 = Yes.....	10432	18.82	
			2 = No.....	7049	12.72	
			85 = BAD DATA Logically assigned.....	7	0.01	
			89 = LEGITIMATE SKIP Logically assigned.....	1	0.00	
			94 = DON'T KNOW.....	183	0.33	
			97 = REFUSED.....	55	0.10	
			98 = BLANK (NO ANSWER).....	1	0.00	
			99 = LEGITIMATE SKIP.....	37707	68.02	
(YE23B)		During the past 12 months have you participated in a problem solving, communication skills or self-esteem group?				
YEPRBSLV	2	1PRBLM SOLVING/COMMUNICATION SKILLS/SELF-ESTEEM GR	1 = Yes.....	4025	7.26	
			2 = No.....	13337	24.06	
			85 = BAD DATA Logically assigned.....	7	0.01	
			89 = LEGITIMATE SKIP Logically assigned.....	1	0.00	
			94 = DON'T KNOW.....	318	0.57	
			97 = REFUSED.....	39	0.07	
			98 = BLANK (NO ANSWER).....	1	0.00	
			99 = LEGITIMATE SKIP.....	37707	68.02	
(YE23C)		During the past 12 months have you participated in a violence prevention program, where you learn ways to avoid fights and control anger?				
YEVIOPRV	2	1VIOLENCE PREVENTION PROGRAMS	1 = Yes.....	2806	5.06	
			2 = No.....	14753	26.61	
			85 = BAD DATA Logically assigned.....	7	0.01	
			89 = LEGITIMATE SKIP Logically assigned.....	1	0.00	
			94 = DON'T KNOW.....	124	0.22	
			97 = REFUSED.....	36	0.06	
			98 = BLANK (NO ANSWER).....	1	0.00	
			99 = LEGITIMATE SKIP.....	37707	68.02	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	YOUTH EXPERIENCES		PAGE: FREQ	537 %
			-----	-----		
(YE23G)		During the past 12 months have you participated in an alcohol, tobacco or drug prevention program outside of school, where you learn about the dangers of using, and how to resist using, alcohol, tobacco, or drugs?				-
YEDGPRGP	2	1ALCOHOL/TOBACCO/DRUG PREV PGMS OUTSIDE SCHL				
		1 = Yes.....	2068	3.73		
		2 = No.....	15528	28.01		
		85 = BAD DATA Logically assigned.....	7	0.01		
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00		
		94 = DON'T KNOW.....	85	0.15		
		97 = REFUSED.....	38	0.07		
		98 = BLANK (NO ANSWER).....	1	0.00		
		99 = LEGITIMATE SKIP.....	37707	68.02		
(YE23J)		During the past 12 months have you participated in a program or meeting to help you deal with drug or alcohol use by you or another member of your family, such as Alcoholics Anonymous, Alateen, or individual or group counseling?				
YESLFHLP	2	1AA/ALATEEN/INDIVIDUAL OR GROUP COUNSELING				
		1 = Yes.....	863	1.56		
		2 = No.....	16687	30.10		
		85 = BAD DATA Logically assigned.....	7	0.01		
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00		
		94 = DON'T KNOW.....	127	0.23		
		97 = REFUSED.....	42	0.08		
		98 = BLANK (NO ANSWER).....	1	0.00		
		99 = LEGITIMATE SKIP.....	37707	68.02		
(YE23O)		During the past 12 months have you participated in pregnancy or sexually transmitted disease prevention programs?				
YEPRGSTD	2	1PREGNANCY OR SEXUALLY TRANSMITTED DISEASE PGMS				
		1 = Yes.....	2039	3.68		
		2 = No.....	15554	28.06		
		85 = BAD DATA Logically assigned.....	7	0.01		
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00		
		94 = DON'T KNOW.....	88	0.16		
		97 = REFUSED.....	38	0.07		
		98 = BLANK (NO ANSWER).....	1	0.00		
		99 = LEGITIMATE SKIP.....	37707	68.02		

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	YOUTH EXPERIENCES		PAGE:	538
			FREQ	%		
(YE23P)		During the past 12 months, in how many different kinds of school-based activities, such as team sports, cheerleading, choir, band, student government, or clubs, have you participated?				-
YESCHACT	2	1# OF SCHOOL-BASED ACT. PARTIC. IN PAST 12 MONTHS				
		0 = None.....	2964	5.35		
		1 = One.....	4518	8.15		
		2 = Two.....	4521	8.16		
		3 = 3 or more.....	5613	10.13		
		85 = BAD DATA Logically assigned.....	7	0.01		
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00		
		94 = DON'T KNOW.....	75	0.14		
		97 = REFUSED.....	28	0.05		
		98 = BLANK (NO ANSWER).....	1	0.00		
		99 = LEGITIMATE SKIP.....	37707	68.02		
(YE23Q)		During the past 12 months, in how many different kinds of community-based activities, such as volunteer activities, sports, clubs, or groups have you participated?				
YECOMACT	2	1# OF COMM.-BASED ACT. PARTIC. IN PAST 12 MONTHS				
		0 = None.....	4824	8.70		
		1 = One.....	5038	9.09		
		2 = Two.....	3710	6.69		
		3 = 3 or more.....	3993	7.20		
		85 = BAD DATA Logically assigned.....	7	0.01		
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00		
		94 = DON'T KNOW.....	125	0.23		
		97 = REFUSED.....	29	0.05		
		98 = BLANK (NO ANSWER).....	1	0.00		
		99 = LEGITIMATE SKIP.....	37707	68.02		
(YE23R)		During the past 12 months, in how many different kinds of church or faith-based activities, such as clubs, youth groups, Saturday or Sunday school, prayer groups, youth trips, service or volunteer activities have you participated?				
YEFIAIACT	2	1# OF FAITH-BASED ACT. PARTIC. IN PAST 12 MONTHS				
		0 = None.....	6589	11.89		
		1 = One.....	4154	7.49		
		2 = Two.....	2296	4.14		
		3 = 3 or more.....	4526	8.16		
		85 = BAD DATA Logically assigned.....	7	0.01		
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00		
		94 = DON'T KNOW.....	120	0.22		
		97 = REFUSED.....	34	0.06		
		98 = BLANK (NO ANSWER).....	1	0.00		
		99 = LEGITIMATE SKIP.....	37707	68.02		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	YOUTH EXPERIENCES		PAGE:	539
			FREQ	%		
(YE23S)		During the past 12 months, in how many different kinds of other activities, such as dance lessons, piano lessons, karate lessons, or horseback riding lessons, have you participated?				-
YEOTHACT	2	1# OF OTHER ACT. PARTIC. IN PAST 12 MONTHS				
		0 = None.....	10487	18.92		
		1 = One.....	3901	7.04		
		2 = Two.....	1567	2.83		
		3 = 3 or more.....	1654	2.98		
		85 = BAD DATA Logically assigned.....	7	0.01		
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00		
		94 = DON'T KNOW.....	81	0.15		
		97 = REFUSED.....	29	0.05		
		98 = BLANK (NO ANSWER).....	1	0.00		
		99 = LEGITIMATE SKIP.....	37707	68.02		
(YE24A)		During the past 12 months have you had a special class about drugs or alcohol in school?				
YEDECLAS	2	1A SPECIAL CLASS ABOUT DRUGS OR ALCOHOL				
		1 = Yes.....	7667	13.83		
		2 = No.....	8649	15.60		
		85 = BAD DATA Logically assigned.....	3	0.01		
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00		
		94 = DON'T KNOW.....	100	0.18		
		97 = REFUSED.....	28	0.05		
		98 = BLANK (NO ANSWER).....	113	0.20		
		99 = LEGITIMATE SKIP.....	38874	70.13		
(YE24B)		During the past 12 months have you had films, lectures, discussions, or printed information about drugs or alcohol in one of your regular school classes such as health or physical education?				
YEDERGLR	2	1FILMS/LECTURES/DISCUS/INFO ABOUT DRG/ALC IN CLASS				
		1 = Yes.....	10792	19.47		
		2 = No.....	5517	9.95		
		85 = BAD DATA Logically assigned.....	3	0.01		
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00		
		94 = DON'T KNOW.....	101	0.18		
		97 = REFUSED.....	34	0.06		
		98 = BLANK (NO ANSWER).....	113	0.20		
		99 = LEGITIMATE SKIP.....	38874	70.13		
(YE24C)		During the past 12 months have you had films, lectures, discussions, or printed information about drugs or alcohol outside of one of your regular classes such as in a special assembly?				
YEDESPCL	2	1FILMS/LECTURES/DISCUS/INFO ABOUT DRG/ALC OUT CLAS				
		1 = Yes.....	6866	12.39		
		2 = No.....	9381	16.92		
		85 = BAD DATA Logically assigned.....	3	0.01		
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00		
		94 = DON'T KNOW.....	156	0.28		
		97 = REFUSED.....	41	0.07		
		98 = BLANK (NO ANSWER).....	113	0.20		
		99 = LEGITIMATE SKIP.....	38874	70.13		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	540
LABEL	LEN	DESCRIPTION	FREQ	%
(YE25)		During the past 12 months have you seen or heard any alcohol or drug prevention messages from sources outside school such as posters, pamphlets, radio, or TV?		-
YEPVNTYR	2	1SEEN/HEARD ALC/DRG PREV MESSAGES FRM SOURC OUT SC		
		1 = Yes.....	13703	24.72
		2 = No.....	3811	6.87
		85 = BAD DATA Logically assigned.....	7	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	173	0.31
		97 = REFUSED.....	31	0.06
		98 = BLANK (NO ANSWER).....	2	0.00
		99 = LEGITIMATE SKIP.....	37707	68.02
(YERELATT)		During the past 12 months, how many times did you attend religious services? Please do not include special occasions such as weddings, funerals, or other special events in your answer.		
YERLGSVC	2	1PAST 12 MOS, HOW MANY RELIG. SERVICES		
		1 = 0 times.....	5966	10.76
		2 = 1 to 2 times.....	2452	4.42
		3 = 3 to 5 times.....	1527	2.75
		4 = 6 to 24 times.....	2160	3.90
		5 = 25 to 52 times.....	2161	3.90
		6 = More than 52 times.....	3056	5.51
		85 = BAD DATA Logically assigned.....	7	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	336	0.61
		97 = REFUSED.....	60	0.11
		98 = BLANK (NO ANSWER).....	2	0.00
		99 = LEGITIMATE SKIP.....	37707	68.02
(YEREBEL1)		These next questions are about the role that religious beliefs may play in your life. For each statement, please indicate whether you strongly disagree, disagree, agree, or strongly agree.		
		Your religious beliefs are a very important part of your life.		
YERLGIMP	2	1MY RELIGIOUS BELIEFS ARE VERY IMPORTANT		
		1 = Strongly Disagree.....	1851	3.34
		2 = Disagree.....	2573	4.64
		3 = Agree.....	7270	13.11
		4 = Strongly Agree.....	5619	10.14
		85 = BAD DATA Logically assigned.....	7	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	293	0.53
		97 = REFUSED.....	112	0.20
		98 = BLANK (NO ANSWER).....	2	0.00
		99 = LEGITIMATE SKIP.....	37707	68.02

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	YOUTH EXPERIENCES		PAGE:	541
			FREQ	%		
(YEREBEL2)		Your religious beliefs influence how you make decisions in your life.				-
YERLDCSN	2	1MY RELIGIOUS BELIEFS INFLUENCE MY DECISIONS				
		1 = Strongly Disagree.....	2202	3.97		
		2 = Disagree.....	3611	6.51		
		3 = Agree.....	7024	12.67		
		4 = Strongly Agree.....	4444	8.02		
		85 = BAD DATA Logically assigned.....	7	0.01		
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00		
		94 = DON'T KNOW.....	327	0.59		
		97 = REFUSED.....	109	0.20		
		98 = BLANK (NO ANSWER).....	3	0.01		
		99 = LEGITIMATE SKIP.....	37707	68.02		
(YEREBEL3)		It is important that your friends share your religious beliefs.				
YERLFRND	2	1IT IS IMPORTANT THAT MY FRIENDS SHARE REL BELIEFS				
		1 = Strongly Disagree.....	4575	8.25		
		2 = Disagree.....	6890	12.43		
		3 = Agree.....	4278	7.72		
		4 = Strongly Agree.....	1492	2.69		
		85 = BAD DATA Logically assigned.....	7	0.01		
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00		
		94 = DON'T KNOW.....	366	0.66		
		97 = REFUSED.....	116	0.21		
		98 = BLANK (NO ANSWER).....	3	0.01		
		99 = LEGITIMATE SKIP.....	37707	68.02		

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	RECODED YOUTH EXPERIENCES	PAGE:	542
				FREQ	%
<hr/>					
RECODED YOUTH EXPERIENCES					
<hr/>					
NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.					
MVIN5YR2	1	NUM OF TIMES YOUTH MOVED IN PAST 5 YRS			
		. = Otherwise (YEMOV5Y2=985,989,994,997,998,999).....	38123	68.77	
		1 = More than 1 time (YEMOV5Y2=2 to 6).....	4407	7.95	
		2 = None or one time (YEMOV5Y2=0,1).....	12905	23.28	
SCHFELT	1	HOW YTH FELT: ABT GOING TO SCHL IN PAST YR			
		. = Otherwise (YESCHFLT=85,89,94,97,98,99).....	39017	70.38	
		1 = Liked A Lot/Kind of Liked (YESCHFLT=1,2).....	13206	23.82	
		2 = Didn't Like Very Much/Hated (YESCHFLT=3,4).....	3212	5.79	
TCHGJOB	1	TEACHER LET YTH KNOW DOING GOOD JOB IN PST YR			
		. = Otherwise (YETCGJOB=85,89,94,97,98,99).....	39033	70.41	
		1 = Always/Sometimes (YETCGJOB=1,2).....	13179	23.77	
		2 = Seldom/Never (YETCGJOB=3,4).....	3223	5.81	
AVGGRADE	1	GRADE AVG FOR LAST GRADING PERIOD COMPLETED			
		. = Otherwise (YELSTGRD=5,85,89,94,97,98,99).....	39644	71.51	
		1 = D or Lower (YELSTGRD=4).....	1115	2.01	
		2 = A, B, or C (YELSTGRD=1,2,3).....	14676	26.47	
STNDSCIG	1	STUDENTS IN YTH GRADE SMOKE CIGARETTES			
		. = Otherwise (YESTSCIG=85,89,94,97,98,99).....	39444	71.15	
		1 = Most/All (YESTSCIG=3,4).....	4390	7.92	
		2 = None/Few (YESTSCIG=1,2).....	11601	20.93	
STNDSMJ	1	STUDENTS IN YTH GRADE USE MJ/HASHISH			
		. = Otherwise (YESTSMJ=85,89,94,97,98,99).....	39754	71.71	
		1 = Most/All (YESTSMJ=3,4).....	3659	6.60	
		2 = None/Few (YESTSMJ=1,2).....	12022	21.69	
STNDALC	1	STUDENTS IN YTH GRADE DRINK ALC BEVERAGES			
		. = Otherwise (YESTSALC=85,89,94,97,98,99).....	39549	71.34	
		1 = Most/All (YESTSALC=3,4).....	7171	12.94	
		2 = None/Few (YESTSALC=1,2).....	8715	15.72	
STNDDNK	1	STUDENTS IN YTH GRADE GET DRUNK ONCE/WK			
		. = Otherwise (YESTSDNK=85,89,94,97,98,99).....	39732	71.67	
		1 = Most/All (YESTSDNK=3,4).....	3017	5.44	
		2 = None/Few (YESTSDNK=1,2).....	12686	22.88	
PARCHKHW	1	PARENTS CHECK IF HMWK DONE IN PST YR			
		. = Otherwise (YPEPCHKHW=85,89,94,97,98,99).....	39054	70.45	
		1 = Always/Sometimes (YPEPCHKHW=1,2).....	13020	23.49	
		2 = Seldom/Never (YPEPCHKHW=3,4).....	3361	6.06	
PARHLPHW	1	PARENTS HELP W/ HMWK IN PST YR			
		. = Otherwise (YPEPHLPHW=85,89,94,97,98,99).....	39064	70.47	
		1 = Always/Sometimes (YPEPHLPHW=1,2).....	13230	23.87	
		2 = Seldom/Never (YPEPHLPHW=3,4).....	3141	5.67	

RECODED YOUTH EXPERIENCES			PAGE:	543
LABEL	LEN	DESCRIPTION	FREQ	%
PRCHORE2	1	PARENTS MAKE YTH DO CHORES AROUND HOUSE IN PST YR . = Otherwise (YEPCHORE=85,89,94,97,98,99)..... 1 = Always/Sometimes (YEPCHORE=1,2)..... 2 = Seldom/Never (YEPCHORE=3,4).....	37793 15488 2154	68.18 27.94 3.89
PRLMTTV2	1	PARENTS LIMIT AMT OF TV IN PST YR . = Otherwise (YEPLMTTV=85,89,94,97,98,99)..... 1 = Always/Sometimes (YEPLMTTV=1,2)..... 2 = Seldom/Never (YEPLMTTV=3,4).....	37838 6816 10781	68.26 12.30 19.45
PARLMTSN	1	PARENTS LIMIT TIME OUT ON SCH NIGHT IN PST YR . = Otherwise (YEPLMTSN=85,89,94,97,98,99)..... 1 = Always/Sometimes (YEPLMTSN=1,2)..... 2 = Seldom/Never (YEPLMTSN=3,4).....	39238 11335 4862	70.78 20.45 8.77
PRGDJOB2	1	PARENTS TELL YTH HAD DONE GOOD JOB IN PST YR . = Otherwise (YEPGDJOB=85,89,94,97,98,99)..... 1 = Always/Sometimes (YEPGDJOB=1,2)..... 2 = Seldom/Never (YEPGDJOB=3,4).....	37782 15158 2495	68.16 27.34 4.50
PRPROUD2	1	PARENTS TELL YTH PROUD OF THINGS DONE IN PST YR . = Otherwise (YEPPROUD=85,89,94,97,98,99)..... 1 = Always/Sometimes (YEPPROUD=1,2)..... 2 = Seldom/Never (YEPPROUD=3,4).....	37772 15072 2591	68.14 27.19 4.67
ARGUPAR	1	TIMES ARGUED/HAD A FIGHT WITH ONE PARENT IN PST YR . = Otherwise (YEYARGUP=85,89,94,97,98,99)..... 1 = 9 or Fewer (YEYARGUP=1,2,3,4)..... 2 = 10 or More (YEYARGUP=5).....	37931 13519 3985	68.42 24.39 7.19
YOFIGHT2	1	YOUTH HAD SERIOUS FIGHT AT SCHOOL/WORK . = Otherwise (YEYFGTSW=85,89,94,97,98,99)..... 1 = One or more times (YEYFGTSW=2,3,4,5)..... 2 = None (YEYFGTSW=1).....	37784 4100 13551	68.16 7.40 24.44
YOGRPFT2	1	YOUTH FOUGHT W/GROUP VS OTHER GROUP . = Otherwise (YEYFGTGP=85,89,94,97,98,99)..... 1 = One or more times (YEYFGTGP=2,3,4,5)..... 2 = None (YEYFGTGP=1).....	37796 2859 14780	68.18 5.16 26.66
YOHGUN2	1	YOUTH CARRIED A HANDGUN . = Otherwise (YEYHGUN=85,89,94,97,98,99)..... 1 = One or more times (YEYHGUN=2,3,4,5)..... 2 = None (YEYHGUN=1).....	37773 647 17015	68.14 1.17 30.69
YOSELL2	1	YOUTH SOLD ILLEGAL DRUGS . = Otherwise (YEYSELL=85,89,94,97,98,99)..... 1 = One or more times (YEYSELL=2,3,4,5)..... 2 = None (YEYSELL=1).....	37760 606 17069	68.12 1.09 30.79
YOSTOLE2	1	YOUTH STOLE/TRYED TO STEAL ITEM >\$50 . = Otherwise (YEYSTOLE=85,89,94,97,98,99)..... 1 = One or more times (YEYSTOLE=2,3,4,5)..... 2 = None (YEYSTOLE=1).....	37763 870 16802	68.12 1.57 30.31
YOATTAK2	1	YOUTH ATTACKED W/INTENT TO SERIOUSLY HARM . = Otherwise (YEYATTAK=85,89,94,97,98,99)..... 1 = One or more times (YEYATTAK=2,3,4,5)..... 2 = None (YEYATTAK=1).....	37762 1390 16283	68.12 2.51 29.37

LABEL	LEN	DESCRIPTION	RECODED YOUTH EXPERIENCES		PAGE:	544
			FREQ	%		
PRPKCIG2	1	YTH THINK: PARENTS FEEL ABT YTH SMOKE PACK CIG/DAY				-
		. = Otherwise (YEPPKCIG=85,89,94,97,98,99).....	38000	68.55		
		1 = Strongly disapprove (YEPPKCIG=3).....	15961	28.79		
		2 = Somewhat disapprove or neither (YEPPKCIG=1,2)....	1474	2.66		
PRMJEVR2	1	YTH THINK: PARENTS FEEL ABT YTH TRY MJ/HASH				
		. = Otherwise (YEPMJEV=85,89,94,97,98,99).....	37974	68.50		
		1 = Strongly disapprove (YEPMJEV=3).....	15795	28.49		
		2 = Somewhat disapprove or neither (YEPMJEV=1,2)....	1666	3.01		
PRMJMO	1	YTH THINK: PARENTS FEEL ABT YTH USE MJ/HASH MNTHLY				
		. = Otherwise (YEPMJMO=85,89,94,97,98,99).....	37963	68.48		
		1 = Strongly Disapprove (YEPMJMO=3).....	16202	29.23		
		2 = Somewhat Dis/Neither App Nor Dis (YEPMJMO=1,2)....	1270	2.29		
PRALDLY2	1	YTH THINK: PARNTS FEEL ABT YTH DRK 1-2 ALC BEV/DAY				
		. = Otherwise (YEPALDLY=85,89,94,97,98,99).....	37961	68.48		
		1 = Strongly disapprove (YEPALDLY=3).....	15588	28.12		
		2 = Somewhat disapprove or neither (YEPALDLY=1,2)....	1886	3.40		
YFLPKCG2	1	HOW YTH FEELS: PEERS SMOKE PACK/DAY CIG				
		. = Otherwise (YEGPKCIG=85,89,94,97,98,99).....	37949	68.46		
		1 = Somewhat or strongly disapprove (YEGPKCIG=2,3)....	15626	28.19		
		2 = Neither approve or disapprove (YEGPKCIG=1).....	1860	3.36		
YFLTMRJ2	1	HOW YTH FEELS: PEERS TRY MJ/HASH				
		. = Otherwise (YEGMJEVR=85,89,94,97,98,99).....	37945	68.45		
		1 = Somewhat or strongly disapprove (YEGMJEVR=2,3)....	14319	25.83		
		2 = Neither approve or disapprove (YEGMJEVR=1).....	3171	5.72		
YFLMJMO	1	HOW YTH FEELS: PEERS USING MJ/HASH MONTHLY				
		. = Otherwise (YEGMJMO=85,89,94,97,98,99).....	37941	68.44		
		1 = Strongly/Somewhat Disapprove (YEGMJMO=2,3)....	14386	25.95		
		2 = Neither Approve Nor Disapprove (YEGMJMO=1).....	3108	5.61		
YFLADLY2	1	HOW YTH FEELS: PEERS DRNK 1-2 ALC BEV/DAY				
		. = Otherwise (YEGALDLY=85,89,94,97,98,99).....	37941	68.44		
		1 = Somewhat or strongly disapprove (YEGALDLY=2,3)....	15029	27.11		
		2 = Neither approve or disapprove (YEGALDLY=1).....	2465	4.45		
FRDPCIG2	1	YTH THINK: CLSE FRND FEEL ABT YTH SMK 1+ PAC DAILY				
		. = Otherwise (YEFPKCIG=85,89,94,97,98,99).....	38004	68.56		
		1 = Strongly/Somewhat Disapprove (YEFPKCIG=2,3)....	15158	27.34		
		2 = Neither Approve Nor Disapprove (YEFPKCIG=1).....	2273	4.10		
FRDMEVR2	1	YTH THINK: CLOSE FRNDS FEEL ABT YTH TRY MJ/HASH				
		. = Otherwise (YEFMJEVR=85,89,94,97,98,99).....	37998	68.55		
		1 = Strongly/Somewhat Disapprove (YEFMJEVR=2,3)....	14337	25.86		
		2 = Neither Approve Nor Disapprove (YEFMJEVR=1).....	3100	5.59		
FRDMJM0	1	YTH THINK: CLSE FRNDS FEEL ABT YTH USE MJ/HASH MON				
		. = Otherwise (YEFMJMO=85,89,94,97,98,99).....	37995	68.54		
		1 = Strongly/Somewhat Disapprove (YEFMJMO=2,3)....	14582	26.30		
		2 = Neither Approve Nor Disapprove (YEFMJMO=1).....	2858	5.16		
FRDADLY2	1	YTH THINK: CLSE FRND FEEL ABT YTH HAVE 1-2 ALC/DAY				
		. = Otherwise (YEFALDLY=85,89,94,97,98,99).....	37989	68.53		
		1 = Strongly/Somewhat Disapprove (YEFALDLY=2,3)....	14650	26.43		
		2 = Neither Approve Nor Disapprove (YEFALDLY=1).....	2796	5.04		

LABEL	LEN	DESCRIPTION	RECODED YOUTH EXPERIENCES	PAGE:	545
				FREQ	%

		The following variable, TALKPROB, was created from the variables containing information on who youths would talk with about serious problems: No one (YETLKNON), parent/guardian (YETLKPAR), boyfriend/girlfriend (YETLKBGF), other adults (YETLKOTA), or some other person (YETLKSOP). Youths who did not report a positive response to at least one of the source variables, youths who reported both being able to talk with no one (YETLKNON=11) and being able to talk to someone (YETLKPAR, YETLKBGF, YETLKOTA, or YETLKSOP=11), and respondents over the age of 17 (all source variables = 99) were coded as SAS missing.			-
TALKPROB	1	WHO YTH TALKS WITH ABOUT SERIOUS PROBLEMS			
		. = Otherwise (See comment above).....	38074	68.68	
		1 = No One (YETLKNON=1).....	626	1.13	
		2 = Someone (YETLKPAR,YETLKBGF,YETLKOTA,or YETLKSOP=1)	16735	30.19	
PRTALK3	1	TALKED W/PARENT ABT DANGER TOB/ALC/DRG			
		. = Otherwise (YPEPRTDNG=85,89,94,97,98,99).....	37954	68.47	
		1 = Yes (YPEPRTDNG=1).....	10432	18.82	
		2 = No (YPEPRTDNG=2).....	7049	12.72	
PRBSOLV2	1	PARTICIPATED IN PRBSLV/COMMSKILL/SELFESTEEM GROUP			
		. = Otherwise (YPEPRBSLV=85,89,94,97,98,99).....	38073	68.68	
		1 = Yes (YPEPRBSLV=1).....	4025	7.26	
		2 = No (YPEPRBSLV=2).....	13337	24.06	
PREVIOL2	1	PARTICIPATED IN VIOLENCE PREVENTION PROGRAM			
		. = Otherwise (YEVIOPRV=85,89,94,97,98,99).....	37876	68.33	
		1 = Yes (YEVIOPRV=1).....	2806	5.06	
		2 = No (YEVIOPRV=2).....	14753	26.61	
PRVDRGO2	1	PARTICIPATED IN DRUG PREV PROGRAM OUTSIDE SCHOOL			
		. = Otherwise (YEDGPRGP=85,89,94,97,98,99).....	37839	68.26	
		1 = YES (YEDGPRGP=1).....	2068	3.73	
		2 = NO (YEDGPRGP=2).....	15528	28.01	
GRPCNSL2	1	PARTICIPATED IN PROGRAM TO HELP SUBSTANCE ABUSE			
		. = Otherwise (YESLFHLP=85,89,94,97,98,99).....	37885	68.34	
		1 = Yes (YESLFHLP=1).....	863	1.56	
		2 = No (YESLFHLP=2).....	16687	30.10	
PREGPGM2	1	PARTICIPATED IN PREG/STD PREV PROGRAM			
		. = Otherwise (YPEPRGSTD=85,89,94,97,98,99).....	37842	68.26	
		1 = Yes (YPEPRGSTD=1).....	2039	3.68	
		2 = No (YPEPRGSTD=2).....	15554	28.06	

RECODED YOUTH EXPERIENCES			PAGE:	546
LABEL	LEN	DESCRIPTION	FREQ	%

		The following variable, YTHACT2 was created by counting the number of positive responses reported over the following 4 youth activity questions: School-based (YESCHACT), community-based (YECOMACT), church or faith-based (YEFAIACT), or other activities (YEOTHACT). Youth respondents who reported participation in 2 or more activities were included in the two or more category regardless of how many other activity questions were answered. Youth respondents who did not answer 2 or more of the 4 youth activity questions with a "yes" or "no" response were coded as SAS missing. To be included in the none or one category, a youth respondent must have answered 2 or more of the activity questions and reported they participated in either zero or one activity.		-
YTHACT2	1	YTH PARTICPATED IN YOUTH ACTIVITIES		
		. = Otherwise (See comment above).....	37777	68.15
		1 = None or 1 Activity (See comment above).....	2609	4.71
		2 = 2 or More Activities (2 or more source vars=1)....	15049	27.15
DRPRVME3	1	YOUTH SEEN DRUG PREV MSG OUTSIDE SCH		
		. = Otherwise (YEPVNNTYR=85,89,94,97,98,99).....	37921	68.41
		1 = Yes (YEPVNNTYR=1).....	13703	24.72
		2 = No (YEPVNNTYR=2).....	3811	6.87
ANYEDUC3	1	YOUTH HAD ANY DRUG EDUC IN SCHOOL		
		. = OTHERWISE.....	39119	70.57
		1 = Yes (YEDECLAS=1 OR YEDERGLR=1 OR YEDESPCL=1).....	12564	22.66
		2 = No (YEDECLAS=2 & YEDERGLR=2 & YEDESPCL=2).....	3752	6.77
RLGATTD	1	NUM TIMES ATTEND RELIG SERVICES IN PST YR		
		. = Otherwise (YERLGSVC=85,89,94,97,98,99).....	38113	68.75
		1 = 25 or more (YERLGSVC=5,6).....	5217	9.41
		2 = Less than 25 (YERLGSVC=1,2,3,4).....	12105	21.84
RLGIMPT	1	RELIG BELIEFS VERY IMPORTANT IN LIFE		
		. = Otherwise (YERLGIMP=85,89,94,97,98,99).....	38122	68.77
		1 = Agree/Strongly Agree (YERLGIMP=3,4).....	12889	23.25
		2 = Strongly Disagree/Disagree(YERLGIMP=1,2).....	4424	7.98
RLGDCSN	1	RELIG BELIEFS INFLUENCE LIFE DECISIONS		
		. = Otherwise (YERLDCSN=85,89,94,97,98,99).....	38154	68.83
		1 = Agree/Strongly Agree (YERLDCSN=3,4).....	11468	20.69
		2 = Strongly Disagree/Disagree (YERLDCSN=1,2).....	5813	10.49
RLGFRND	1	IMPT FOR FRNDS TO SHARE RELIG BELIEFS		
		. = Otherwise (YERLFRND=85,89,94,97,98,99).....	38200	68.91
		1 = Agree/Strongly Agree (YERLFRND=3,4).....	5770	10.41
		2 = Strongly Disagree/Disagree(YERLFRND=1,2).....	11465	20.68

LABEL	LEN	DESCRIPTION	PSYCHOLOGICAL DISTRESS		PAGE: FREQ	547 %
			-----	-----		
(DSNERV1)		PSYCHOLOGICAL DISTRESS	-----	-----		-
		The next questions are about problems with your emotions, nerves, or mental health in the past 12 months.				
		Most people have periods when they are not at their best emotionally. Think of one month in the past 12 months when you were the most depressed, anxious, or emotionally stressed. If there was no month like this, think of a typical month.				
		During that month, how often did you feel nervous?				
DSTNRVOS	2	1HOW OFT FELT NERVOUS IN WORST MONTH, PST 12 MOS				
		1 = All of the time.....	1395	2.52		
		2 = Most of the time.....	3551	6.41		
		3 = Some of the time.....	8519	15.37		
		4 = A little of the time.....	12613	22.75		
		5 = None of the time.....	11312	20.41		
		85 = BAD DATA Logically assigned.....	3	0.01		
		94 = DON'T KNOW.....	190	0.34		
		97 = REFUSED.....	112	0.20		
		98 = BLANK (NO ANSWER).....	13	0.02		
		99 = LEGITIMATE SKIP.....	17727	31.98		
(DSHOPE)		During that same month when you were at your worst emotionally...				
		how often did you feel hopeless?				
DSTHOPLS	2	1HOW OFTEN FELT HOPELESS IN WORST MONTH				
		1 = All of the time.....	1454	2.62		
		2 = Most of the time.....	2681	4.84		
		3 = Some of the time.....	5357	9.66		
		4 = A little of the time.....	8126	14.66		
		5 = None of the time.....	19803	35.72		
		85 = BAD DATA Logically assigned.....	3	0.01		
		94 = DON'T KNOW.....	147	0.27		
		97 = REFUSED.....	124	0.22		
		98 = BLANK (NO ANSWER).....	13	0.02		
		99 = LEGITIMATE SKIP.....	17727	31.98		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PSYCHOLOGICAL DISTRESS	PAGE:	548
				FREQ	%
(DSFIDG)		During that same month when you were at your worst emotionally...		-	-
		how often did you feel restless or fidgety?			
DSTRSTLS	2	1HOW OFTEN FELT RESTLESS IN WORST MONTH			
		1 = All of the time.....	1541	2.78	
		2 = Most of the time.....	3384	6.10	
		3 = Some of the time.....	7430	13.40	
		4 = A little of the time.....	10547	19.03	
		5 = None of the time.....	14482	26.12	
		85 = BAD DATA Logically assigned.....	3	0.01	
		94 = DON'T KNOW.....	180	0.32	
		97 = REFUSED.....	128	0.23	
		98 = BLANK (NO ANSWER).....	13	0.02	
		99 = LEGITIMATE SKIP.....	17727	31.98	
(DSNOCHR)		During that same month when you were at your worst emotionally...			
		how often did you feel so sad or depressed that nothing could cheer you up?			
DSTCHEER	2	1HOW OFTEN COULDN'T BE CHEERED UP IN WORST MONTH			
		1 = All of the time.....	1382	2.49	
		2 = Most of the time.....	2816	5.08	
		3 = Some of the time.....	5282	9.53	
		4 = A little of the time.....	8200	14.79	
		5 = None of the time.....	19757	35.64	
		85 = BAD DATA Logically assigned.....	3	0.01	
		94 = DON'T KNOW.....	135	0.24	
		97 = REFUSED.....	120	0.22	
		98 = BLANK (NO ANSWER).....	13	0.02	
		99 = LEGITIMATE SKIP.....	17727	31.98	
(DSEFFORT)		During that same month when you were at your worst emotionally...			
		how often did you feel that everything was an effort?			
DSTEFFRT	2	1HOW OFTEN FELT EVERYTHING AN EFFORT IN WORST MON			
		1 = All of the time.....	2099	3.79	
		2 = Most of the time.....	3672	6.62	
		3 = Some of the time.....	6601	11.91	
		4 = A little of the time.....	9705	17.51	
		5 = None of the time.....	15230	27.47	
		85 = BAD DATA Logically assigned.....	3	0.01	
		94 = DON'T KNOW.....	249	0.45	
		97 = REFUSED.....	136	0.25	
		98 = BLANK (NO ANSWER).....	13	0.02	
		99 = LEGITIMATE SKIP.....	17727	31.98	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

PSYCHOLOGICAL DISTRESS			PAGE:	549
LABEL	LEN	DESCRIPTION	FREQ	%
(DSDOWN)		During that same month when you were at your worst emotionally...		-
		how often did you feel down on yourself, no good, or worthless?		
DSTNGOOD	2	1HOW OFTEN FELT NO GOOD IN WORST MONTH		
		1 = All of the time.....	1668	3.01
		2 = Most of the time.....	2907	5.24
		3 = Some of the time.....	5191	9.36
		4 = A little of the time.....	8086	14.59
		5 = None of the time.....	19563	35.29
		85 = BAD DATA Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	153	0.28
		97 = REFUSED.....	124	0.22
		98 = BLANK (NO ANSWER).....	13	0.02
		99 = LEGITIMATE SKIP.....	17727	31.98

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	RECODED PSYCHOLOGICAL DISTRESS	PAGE:	550
				FREQ	%
<hr/>					
RECODED PSYCHOLOGICAL DISTRESS					
<hr/>					
NOTE: The variables in this section are recoded variables that were created from one or more of the variables from the following two sections: Psychological Distress or Recoded Substance Dependence and Abuse.					
<hr/>					
NOTE: This section contains 2 sets of SPD recoded variables. The first set (SPD_USCR and SPD_UADJ) is based only on the K6 questions in the 2007 questionnaire. The second set (K6SMXADJ and SPDYRADJ) is also based on the K6 questions but is statistically adjusted to be comparable with the past year SPD recoded variables in 2008 and later NSDUHs.					
<hr/>					
NOTE: The following recoded serious psychological distress variables, SPD_USCR and SPD_UADJ, were defined based on data collected from a series of six questions asking respondents how frequently they experienced symptoms of psychological distress during the one month in the past year when they were at their worst emotionally. These questions are known as the K6 and include the following symptoms of distress: feeling nervous (DSTNRVOS), feeling hopeless (DSTHOPLS), feeling restless or fidgety (DSTRSTLS), feeling so sad or depressed that nothing could cheer you up (DSTCHEER), feeling everything was an effort (DSTEFFRT), and feeling no good or worthless (DSTNGOOD). Specific details about the variables, SPD_USCR and SPD_UADJ are provided in the Recoded Psychological Distress Variable Documentation Appendix.					
<hr/>					
In order to do multi-year trend analyses for psychological distress that includes the 2004 NSDUH data, please refer to the 2005 documentation for details on comparing data for these measures, including necessary weight adjustments.					
<hr/>					
The variable, SPD_USCR, is a score from 0 to 24 indicating the level of serious psychological distress (SPD). For adults, this score was calculated by assigning a value of 0 to 4 to each reported response regarding the frequency a respondent experienced symptoms of psychological distress (see above). Subsequently these assigned values were summed to calculate a total score.					
<hr/>					
SPD_USCR	2	SCORE INDICATING LEVEL OF SPD			
		RANGE = 0 - 24		37708	68.02
		. = Aged 12-17 (AGE2<=6).....		17727	31.98
<hr/>					
SPD_UADJ	1	SERIOUS PSYCHOLOGICAL DISTRESS INDICATOR			
		. = Aged 12-17 (AGE2<=6).....		17727	31.98
		0 = No (AGE2>=7 and SPD_USCR<13).....		32084	57.88
		1 = Yes (AGE2>=7 and SPD_USCR>=13).....		5624	10.15

LABEL	LEN	DESCRIPTION	RECODED PSYCHOLOGICAL DISTRESS	PAGE:	551
				FREQ	%

NOTE: The following two variables were created using statistical adjustments to allow comparisons with past year SPD variables (K6SCMAX and SPDYR) which are available starting in the 2008 NSDUH. In 2008, K6 questions for the past 30 day reference period were added to the mental health module (referred to as the psychological distress module in 2007). This change prevented comparisons with past year SPD variables between 2004-2007 and 2008 and subsequent years. In order to compare the 2008 SPD variables with the 2005-2007 SPD variables, adjusted versions of the past year K6 total score (K6SMXADJ) and past year SPD (SPDYRADJ) were created. Adjusted variables were not created for 2004. The adjusted past year K6 total scores were used to classify respondents as having past year SPD, using the same cut point as the unadjusted variables. The 2005-2007 adjusted past year SPD variables K6SMXADJ and SPDYRADJ can be renamed to the 2008 and later SPD variable names, i.e., K6SCMAX and SPDYR, in order to make comparisons across years. The adjusted variables were first used to produce past year SPD estimates in the 2010 mental health detailed tables. Additional information on the adjustment that was applied can be found in the Recoded Serious Psychological Distress Variable Documentation Appendix.					
K6SMXADJ	2	ADJUSTED WORST K6 TOTAL SCORE IN PAST YEAR			
	RANGE =	0 - 24		37708	68.02
	.	= Aged 12-17 (AGE2<=6).....		17727	31.98
SPDYRADJ	1	ADJUSTED PAST YEAR SERIOUS PSYCHOLOGICAL DISTRESS			
	.	= Aged 12-17 (AGE2<=6).....		17727	31.98
	0	= No (AGE2>=7 and K6SMXADJ<13).....		32293	58.25
	1	= Yes (AGE2>=7 and K6SMXADJ>=13).....		5415	9.77
NOTE: The following 5 variables were created by using a combination of the recoded psychological distress and recoded substance dependence and abuse variables. Specifications on how the recoded psychological distress variable was defined can be found at the beginning of this section and in the Recoded Psychological Distress Variable Documentation Appendix. Specifications on how the recoded substance dependence and abuse variable was defined can be found in the Recoded Substance Dependence and Abuse section and in the Recoded Substance Dependence and Abuse Variable Documentation Appendix.					
SPDODPAU	1	SPD OR DRUG/ALCOHOL DEPENDENCE OR ABUSE			
	.	= Aged 12-17 (SPD_UADJ=..).....		17727	31.98
	1	= SPD or Drg/Alc Dep/Abus (SPD_UADJ=1 or ABODILAL=1)		9529	17.19
	2	= No SPD & No Dep/Abuse (SPD_UADJ=0 and ABODILAL=0).		28179	50.83
SPDADPAU	1	SPD AND DRUG/ALCOHOL DEPENDENCE OR ABUSE			
	.	= Aged 12-17 (SPD_UADJ=..).....		17727	31.98
	1	= SPD & Drg/Alc Dep/Abus (SPD_UADJ=1 and ABODILAL=1)		1631	2.94
	2	= No SPD or No Dep/Abuse (SPD_UADJ=0 or ABODILAL=0).		36077	65.08

RECODED PSYCHOLOGICAL DISTRESS			PAGE:	552
LABEL	LEN	DESCRIPTION	FREQ	%
<hr/>				
NSPNDPAU	1	NO SPD AND NO DRUG/ALCOHOL DEPENDENCE OR ABUSE		
		. = Aged 12-17 (SPD_UADJ=..).....	17727	31.98
		1 = No SPD and No Dep/Abus (SPD_UADJ=0 and ABODILAL=0)	28179	50.83
		2 = SPD or Drg/Alc Dep/Abus (SPD_UADJ=1 or ABODILAL=1)	9529	17.19
<p>A respondent was classified as having other than serious psychological distress (SPD) only (NSPNDPAU=2) if they were defined as having SPD and illicit drug/alcohol dependence or abuse (SPD_UADJ=1 and ABODILAL=1); or not having SPD but having dependence or abuse (SPD_UADJ=0 and ABODILAL=1); or not having either SPD or dependence or abuse (SPD_UADJ=0 and ABODILAL=0).</p>				
SPDNDPAU	1	SPD BUT NO DRUG/ALCOHOL DEPENDENCE OR ABUSE		
		. = Aged 12-17 (SPD_UADJ=..).....	17727	31.98
		1 = SPD Only (SPD_UADJ=1 and ABODILAL=0).....	3993	7.20
		2 = Otherwise (See comment above).....	33715	60.82
<p>A respondent was classified as not having illicit drug or alcohol dependence or abuse only (NSPDPAU=2) if they were defined as having SPD and illicit drug/alcohol dependence or abuse (SPD_UADJ=1 and ABODILAL=1); or having SPD but not having dependence or abuse (SPD_UADJ=1 and ABODILAL=0); or not having either SPD or dependence or abuse (SPD_UADJ=0 and ABODILAL=0).</p>				
NSPDDPAU	1	NO SPD BUT DRUG/ALCOHOL DEPENDENCE OR ABUSE		
		. = Aged 12-17 (SPD_UADJ=..).....	17727	31.98
		1 = Drug/Alc Dep/Abuse Only (SPD_UADJ=0 & ABODILAL=1)	3905	7.04
		2 = Otherwise (See comment above).....	33803	60.98

LABEL	LEN	DESCRIPTION	PAGE:	553
			FREQ	%
<hr/>				
(ASC21) ADULT DEPRESSION				
<hr/>				
NOTE: All of the respondents aged 18 or older were asked the questions in the Adult Depression module in this current survey year. In the 2004 survey, a subset of the adults was asked these questions.				
<hr/>				
Have you ever in your life had a period of time lasting several days or longer when most of the day you felt sad, empty or depressed?				
<hr/>				
ADDPREV	2	1SEVERAL DAYS OR LNGR WHEN FELT SAD/EMPTY/DPRSD		
		1 = Yes.....	14685	26.49
		2 = No.....	22856	41.23
		85 = BAD DATA Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	80	0.14
		97 = REFUSED.....	71	0.13
		98 = BLANK (NO ANSWER).....	13	0.02
		99 = LEGITIMATE SKIP.....	17727	31.98
<hr/>				
(ASC22)		Have you ever had a period of time lasting several days or longer when most of the day you were very discouraged about how things were going in your life?		
<hr/>				
ADDSCDEV	2	1SEVERAL DAYS OR LNGR FELT DISCOURAGED ABT LIFE		
		1 = Yes.....	3696	6.67
		2 = No.....	19176	34.59
		94 = DON'T KNOW.....	63	0.11
		97 = REFUSED.....	72	0.13
		98 = BLANK (NO ANSWER).....	16	0.03
		99 = LEGITIMATE SKIP.....	32412	58.47
<hr/>				
(ASC23)		Have you ever had a period of time lasting several days or longer when you lost interest in most things you usually enjoy like work, hobbies, and personal relationships?		
<hr/>				
ADLOSEV	2	1EVER HAD PER OF TIME LST INTRST IN ENJOYABLE THGS		
		1 = Yes.....	1183	2.13
		2 = No.....	18001	32.47
		94 = DON'T KNOW.....	58	0.10
		97 = REFUSED.....	68	0.12
		98 = BLANK (NO ANSWER).....	17	0.03
		99 = LEGITIMATE SKIP.....	36108	65.14
<hr/>				
(AD01)		During times when you felt sad, empty, or depressed most of the day, did you ever feel discouraged about how things were going in your life?		
<hr/>				
ADPPDISC	2	1FEEL DISCRGD ABOUT LIFE WHEN SAD/EMPTY/DEPRESSED		
		1 = Yes.....	13200	23.81
		2 = No.....	1471	2.65
		85 = BAD DATA Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	101	0.18
		99 = LEGITIMATE SKIP.....	40646	73.32

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	554
			FREQ	%
(AD01A)		During the times when you felt sad, empty, or depressed, did you ever lose interest in most things like work, hobbies, and other things you usually enjoy?		-
ADDPLSIN	2	1EVER LOSE INT IN THINGS WHEN SAD/EMPTY/DEPRESSED		
		1 = Yes.....	11029	19.90
		2 = No.....	3641	6.57
		85 = BAD DATA Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	101	0.18
		99 = LEGITIMATE SKIP.....	40646	73.32
(AD02)		During times when you felt discouraged about how things were going in your life, did you ever lose interest in most things like work, hobbies, and other things you usually enjoy?		
ADDLSLSIN	2	1EVER LOSE INT IN THNGS WHEN FEELING DISCOURGAGED		
		1 = Yes.....	1612	2.91
		2 = No.....	2080	3.75
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	116	0.21
		99 = LEGITIMATE SKIP.....	51623	93.12
(AD09)		Did you ever have a period of time like this that lasted most of the day nearly every day for two weeks or longer?		
ADLSI2WK	2	1PERIOD OF TIME LASTED EVERY DAY FOR 2 WKS /LNGR		
		1 = Yes.....	194	0.35
		2 = No.....	984	1.78
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	143	0.26
		99 = LEGITIMATE SKIP.....	54109	97.61
(AD12)		Think about the times when you [FEELFILL]. Did you ever have a period of time like this that lasted most of the day, nearly every day, for two weeks or longer?		
ADDPR2WK	2	1TIME WHEN [FEELFILL] LSTD EVRYDY 2 WKS OR LNGR		
		1 = Yes.....	10287	18.56
		2 = No.....	8052	14.53
		85 = BAD DATA Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	28	0.05
		97 = REFUSED.....	14	0.03
		98 = BLANK (NO ANSWER).....	113	0.20
		99 = LEGITIMATE SKIP.....	36938	66.63

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	555
			FREQ	%
(AD16)		Think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent. During those times, how long did your [FEELNOUN] usually last?		-
ADWRHRS	2	1TIME THAT MOST SEVERE/FREQUENT MOOD LASTED		
		1 = Less than 1 hour.....	1197	2.16
		2 = At least 1 hour but no more than 3 hours.....	2776	5.01
		3 = At least 3 hours but no more than 5 hours.....	2362	4.26
		4 = 5 hours or more.....	4042	7.29
		85 = BAD DATA Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	90	0.16
		97 = REFUSED.....	14	0.03
		98 = BLANK (NO ANSWER).....	187	0.34
		99 = LEGITIMATE SKIP.....	44764	80.75
(AD17)		Still thinking of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent, how severe was your emotional distress during those times?		
ADWRDST	2	1HOW SEVERE WAS EMOTIONAL DISTRESS DURING 2 WKS		
		1 = Mild.....	1322	2.38
		2 = Moderate.....	4239	7.65
		3 = Severe.....	2733	4.93
		4 = Very Severe.....	937	1.69
		94 = DON'T KNOW.....	44	0.08
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	190	0.34
		99 = LEGITIMATE SKIP.....	45961	82.91
(AD18)		Again, think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent.		
		How often, during those times, was your emotional distress so severe that nothing could cheer you up?		
ADWRCHR	2	1EMOT DISTRSS SO SEVERE NOTHING COULD CHEER YOU UP		
		1 = Often.....	2086	3.76
		2 = Sometimes.....	4362	7.87
		3 = Rarely.....	2070	3.73
		4 = Never.....	729	1.32
		94 = DON'T KNOW.....	28	0.05
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	190	0.34
		99 = LEGITIMATE SKIP.....	45961	82.91

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	556
			FREQ	%
(AD19)		Once again, please think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE]most severe and frequent.		-
		How often, during those times, was your emotional distress so severe that you could not carry out your daily activities?		
ADWRIMP	2	1EMOT DISTRSS SO SEVERE COULD NT DO DLY ACTIVITIES		
		1 = Often.....	1265	2.28
		2 = Sometimes.....	2846	5.13
		3 = Rarely.....	2823	5.09
		4 = Never.....	2323	4.19
		94 = DON'T KNOW.....	20	0.04
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	190	0.34
		99 = LEGITIMATE SKIP.....	45961	82.91
(AD21)		People who have problems with their mood often have other problems at the same time. These problems may include things like changes in:		
		- sleep		
		- appetite		
		- energy		
		- the ability to concentrate and remember		
		- feelings of low self-worth		
		Did you ever have any of these problems during a period of time when you [FEELFILL] for two weeks or longer?		
ADDPPROB	2	1EVER HAVE OTH PRBLMS DURING 2 WKS OR LONGER		
		1 = Yes.....	7048	12.71
		2 = No.....	1912	3.45
		94 = DON'T KNOW.....	22	0.04
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	190	0.34
		99 = LEGITIMATE SKIP.....	46251	83.43

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	557
			FREQ	%
(AD22)		Think again about these other problems we just mentioned. They include things like changes in		-
		- sleep - appetite - energy - the ability to concentrate and remember - feelings of low self-worth		
		Please think of a time when you [FEELFILL] for two weeks or longer and you also had the largest number of these other problems at the same time.		
		Is there one particular time like this that stands out in your mind as the worst one you ever had?		
ADWRPROB	2	1ONE PARTICULAR TIME THAT IS THE WORST ONE EVER		
		1 = Yes.....	5078	9.16
		2 = No.....	1951	3.52
		94 = DON'T KNOW.....	18	0.03
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	224	0.40
		99 = LEGITIMATE SKIP.....	48163	86.88
(AD22A)		How old were you when that worst period of time started?		
		Then think of the most recent time when you [FEELFILL] for two weeks or longer and you also had the largest number of these other problems at the same time.		
		How old were you when that time started?		
ADWRAGE	3	1AGE WHEN WORST PERIOD OF TIME STARTED		
		RANGE = 1 - 89	6902	12.45
		985 = BAD DATA Logically assigned.....	9	0.02
		994 = DON'T KNOW.....	119	0.21
		997 = REFUSED.....	18	0.03
		998 = BLANK (NO ANSWER).....	224	0.40
		999 = LEGITIMATE SKIP.....	48163	86.88
(AD24A)		In answering the next questions, think about the period of time when your [FEELNOUN] and other problems were the worst.		
		In answering the next questions, think about the most recent period of time when you [FEELFILL] and had other problems at the same time.		
		During that time, did you feel sad, empty, or depressed most of the day nearly every day?		
ADWRDEPR	2	1WHEN PRBLMS WORST FELT SAD/EMPTY/DPRSD EVERY DAY		
		1 = Yes.....	5482	9.89
		2 = NO.....	1548	2.79
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	224	0.40
		99 = LEGITIMATE SKIP.....	48163	86.88

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	558
			FREQ	%
(AD24C)		During that [TIMEFILL] period of time, did you feel discouraged about how things were going in your life most of the day nearly every day?		-
ADWRDISC	2	1WHEN PRBLMS WORST FELT DISCRGED ABT LIFE EVERYDAY 1 = Yes..... 2 = No..... 94 = DON'T KNOW..... 97 = REFUSED..... 98 = BLANK (NO ANSWER)..... 99 = LEGITIMATE SKIP.....	5529 1498 18 3 224 48163	9.97 2.70 0.03 0.01 0.40 86.88
(AD24E)		During that [TIMEFILL] period of time, did you lose interest in almost all things like work and hobbies and things you like to do for fun?		
ADWRLSIN	2	1WHEN PRBLMS WORST LOSE INTRST IN ENJOYABLE THINGS 1 = Yes..... 2 = No..... 94 = DON'T KNOW..... 97 = REFUSED..... 98 = BLANK (NO ANSWER)..... 99 = LEGITIMATE SKIP.....	5333 1697 14 4 224 48163	9.62 3.06 0.03 0.01 0.40 86.88
(AD24F)		During that [TIMEFILL] period of time, did you lose the ability to take pleasure in having good things happen to you, like winning something or being praised or complimented?		
ADWRPLSR	2	1WHEN PRBLMS WORST LOSE PLSURE IN GOOD THINGS 1 = Yes..... 2 = No..... 94 = DON'T KNOW..... 97 = REFUSED..... 98 = BLANK (NO ANSWER)..... 99 = LEGITIMATE SKIP.....	4478 2547 17 6 224 48163	8.08 4.59 0.03 0.01 0.40 86.88
(AD26A)		The next questions are about changes in appetite and weight.		
		In answering the next questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.		
		Did you have a much smaller appetite than usual nearly every day during that time?		
ADWRELES	2	1WHEN PRBLMS WORST HAVE SMALLER APPETITE EVERY DAY 1 = Yes..... 2 = No..... 94 = DON'T KNOW..... 97 = REFUSED..... 98 = BLANK (NO ANSWER)..... 99 = LEGITIMATE SKIP.....	3880 2525 31 3 239 48757	7.00 4.55 0.06 0.01 0.43 87.95

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	559
			FREQ	%
(AD26B)		Did you have a much larger appetite than usual nearly every day?		-
ADWREMR0	2	1WHEN PRBLMS WORST HAVE LARGER APPETITE EVERY DAY		
		1 = Yes.....	1370	2.47
		2 = No.....	1154	2.08
		94 = DON'T KNOW.....	32	0.06
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	239	0.43
		99 = LEGITIMATE SKIP.....	52637	94.95
(AD26C)		Did you gain weight without trying to during that [TIMEFILL] period of time?		
ADWRGAIN	2	1WHEN PRBLMS WORST DID YOU GAIN WEIGHT W/O TRYING		
		1 = Yes.....	1384	2.50
		2 = No.....	1155	2.08
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	239	0.43
		99 = LEGITIMATE SKIP.....	52637	94.95
(AD26C1)		Did you gain weight without trying to because you were growing?		
ADWRGROW	2	1WHEN PRBLMS WORST GAIN WGHT W/O TRYING BC GROWING		
		1 = Yes.....	108	0.19
		2 = No.....	470	0.85
		94 = DON'T KNOW.....	4	0.01
		98 = BLANK (NO ANSWER).....	276	0.50
		99 = LEGITIMATE SKIP.....	54577	98.45
(AD26C2)		Did you gain weight without trying to because you were pregnant?		
ADWRPREG	2	1WHEN PRBLMS WORST GAIN WGHT W/O TRYING BC PRGN		
		1 = Yes.....	80	0.14
		2 = No.....	915	1.65
		94 = DON'T KNOW.....	1	0.00
		98 = BLANK (NO ANSWER).....	135	0.24
		99 = LEGITIMATE SKIP.....	54304	97.96
(AD26D)		How many pounds did you gain?		
		Please enter your answer as a whole number.		
ADWRGNL2	3	1WHEN PRBLMS WORST # LBS GAINED WITHOUT TRYING		
		RANGE = 0 - 50	1044	1.88
		51 = 51 or more pounds.....	121	0.22
		994 = DON'T KNOW.....	28	0.05
		997 = REFUSED.....	3	0.01
		998 = BLANK (NO ANSWER).....	259	0.47
		999 = LEGITIMATE SKIP.....	53980	97.38

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	560
			FREQ	%
(AD26E)		Did you lose weight without trying to?		-
ADWRLOSE	2	1WHEN PRBLMS WORST DID YOU LOSE WEIGHT W/O TRYING		
		1 = Yes.....	3258	5.88
		2 = No.....	1761	3.18
		94 = DON'T KNOW.....	32	0.06
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	243	0.44
		99 = LEGITIMATE SKIP.....	50137	90.44
(AD26E1)		Did you lose weight without trying to because you were sick or on a diet?		
ADWRDIET	2	1WHEN PRBLMS WORST LOSE WGHT W/O TRYING BC SICK/DT		
		1 = Yes.....	862	1.55
		2 = No.....	2392	4.31
		94 = DON'T KNOW.....	4	0.01
		98 = BLANK (NO ANSWER).....	279	0.50
		99 = LEGITIMATE SKIP.....	51898	93.62
(AD26F)		How many pounds did you lose?		
		Please enter your answer as a whole number.		
ADWRLSL2	3	1WHEN PRBLMS WORST # LBS LOST WITHOUT TRYING		
		RANGE = 0 - 50	2259	4.08
		51 = 51 or more pounds.....	66	0.12
		994 = DON'T KNOW.....	69	0.12
		997 = REFUSED.....	2	0.00
		998 = BLANK (NO ANSWER).....	279	0.50
		999 = LEGITIMATE SKIP.....	52760	95.17
(AD26G)		Again, please think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.		
		Did you have a lot more trouble than usual falling asleep, staying asleep, or waking too early nearly every night during that [TIMEFILL] period of time?		
ADWRSLEP	2	1WHEN PRBLMS WORST HAVE PRBS SLEEPING/WAKING EARLY		
		1 = Yes.....	5169	9.32
		2 = No.....	1255	2.26
		94 = DON'T KNOW.....	15	0.03
		98 = BLANK (NO ANSWER).....	239	0.43
		99 = LEGITIMATE SKIP.....	48757	87.95
(AD26H)		During that [TIMEFILL] period of time, did you sleep a lot more than usual nearly every night?		
ADWRSMOR	2	1WHEN PRBLMS WORST SLEEP A LOT MORE THAN USUAL		
		1 = Yes.....	767	1.38
		2 = No.....	496	0.89
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	239	0.43
		99 = LEGITIMATE SKIP.....	53926	97.28

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	561
			FREQ	%
(AD26J)		During that [TIMEFILL] period of time, did you feel tired or low in energy nearly every day, even when you had not been working very hard?		-
ADWRENRG	2	1WHEN PRBLMS WORST FEEL TIRED/LOW ON ENERGY EVRYDY 1 = Yes..... 2 = No..... 94 = DON'T KNOW..... 98 = BLANK (NO ANSWER)..... 99 = LEGITIMATE SKIP.....	5879 548 12 239 48757	10.61 0.99 0.02 0.43 87.95
(AD26L)		Did you talk or move more slowly than is normal for you nearly every day?		
ADWRSLOW	2	1WHEN PRBLMS WORST TALK/MOVE SLOWER THAN USUAL 1 = Yes..... 2 = No..... 94 = DON'T KNOW..... 97 = REFUSED..... 98 = BLANK (NO ANSWER)..... 99 = LEGITIMATE SKIP.....	3835 2553 48 3 239 48757	6.92 4.61 0.09 0.01 0.43 87.95
(AD26M)		Did anyone else notice that you were talking or moving slowly?		
ADWRSLNO	2	1WHEN PRBLMS WORST PEOP NOTICE SLOWER THAN USUAL 1 = Yes..... 2 = No..... 94 = DON'T KNOW..... 98 = BLANK (NO ANSWER)..... 99 = LEGITIMATE SKIP.....	2788 1011 36 290 51310	5.03 1.82 0.06 0.52 92.56
(AD26N)		Were you so restless or jittery nearly every day that you paced up and down or couldn't sit still?		
ADWRJITT	2	1WHEN PRBLMS WORST RSTLSS/JITTRY/PACING EVERYDAY 1 = Yes..... 2 = No..... 94 = DON'T KNOW..... 97 = REFUSED..... 98 = BLANK (NO ANSWER)..... 99 = LEGITIMATE SKIP.....	679 1914 10 1 239 52592	1.22 3.45 0.02 0.00 0.43 94.87
(AD26O)		Did anyone else notice that you were restless?		
ADWRJINO	2	1WHEN PRBLMS WORST PEOP NOTICE YOU WERE RSTLSS 1 = Yes..... 2 = No..... 94 = DON'T KNOW..... 98 = BLANK (NO ANSWER)..... 99 = LEGITIMATE SKIP.....	512 160 7 250 54506	0.92 0.29 0.01 0.45 98.32

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	562
			FREQ	%
(AD26P)		The next questions are about changes in your ability to concentrate, and your feelings about yourself.		-
		Again, in answering these questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.		
		During that [TIMEFILL] time, did your thoughts come much more slowly than usual or seem confused nearly every day?		
ADWRTHOT	2	1WHEN PRBLMS WORST THIGHTS SLOWER/MORE CONFUSING		
		1 = Yes.....	3672	6.62
		2 = No.....	2735	4.93
		94 = DON'T KNOW.....	28	0.05
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	239	0.43
		99 = LEGITIMATE SKIP.....	48757	87.95
(AD26R)		Did you have a lot more trouble concentrating than usual nearly every day?		
ADWRCONC	2	1WHEN PRBLMS WORST HAVE TROUBLE CONCENTRATING		
		1 = Yes.....	4848	8.75
		2 = No.....	1575	2.84
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	239	0.43
		99 = LEGITIMATE SKIP.....	48757	87.95
(AD26S)		Were you unable to make decisions about things you ordinarily have no trouble deciding about?		
ADWRDCSN	2	1WHEN PRBLMS WORST UNABLE TO MAKE DECISIONS		
		1 = Yes.....	3816	6.88
		2 = No.....	2600	4.69
		94 = DON'T KNOW.....	20	0.04
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	239	0.43
		99 = LEGITIMATE SKIP.....	48757	87.95
(AD26U)		Did you feel that you were not as good as other people nearly every day?		
ADWRNOGD	2	1WHEN PRBLMS WRST FEEL NOT AS GOOD AS OTHER PEOPLE		
		1 = Yes.....	4570	8.24
		2 = No.....	1853	3.34
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	239	0.43
		99 = LEGITIMATE SKIP.....	48757	87.95
(AD26V)		Did you feel totally worthless nearly every day?		
ADWRWRTH	2	1WHEN PRBLMS WORST FEEL TOTALLY WORTHLESS EVERYDAY		
		1 = Yes.....	3377	6.09
		2 = No.....	1191	2.15
		94 = DON'T KNOW.....	2	0.00
		98 = BLANK (NO ANSWER).....	255	0.46
		99 = LEGITIMATE SKIP.....	50610	91.30

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	563
			FREQ	%
(AD26AA)		The next questions are about thoughts of death or suicide.		-
		Again, in answering these questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.		
		Did you often think a lot about death, either your own, someone else's, or death in general?		
ADWRDLOT	2	1WHEN PRBLMS WORST THINK A LOT ABOUT DEATH		
		1 = Yes.....	3477	6.27
		2 = No.....	2946	5.31
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	239	0.43
		99 = LEGITIMATE SKIP.....	48757	87.95
(AD26BB)		During that period, did you ever think that it would be better if you were dead?		
ADWRDBTR	2	1WHEN PRBLMS WORST THNK IT WOULD BE BETTER IF DEAD		
		1 = Yes.....	3282	5.92
		2 = No.....	3136	5.66
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	239	0.43
		99 = LEGITIMATE SKIP.....	48757	87.95
(AD26CC)		Did you think about committing suicide?		
ADWRSTHK	2	1WHEN PRBLMS WORST THINK ABOUT COMMITTING SUICIDE		
		1 = Yes.....	2502	4.51
		2 = No.....	3922	7.07
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	239	0.43
		99 = LEGITIMATE SKIP.....	48757	87.95
(AD26DD)		Did you make a suicide plan?		
ADWRSPNL	2	1WHEN PRBLMS WORST MAKE A SUICIDE PLAN		
		1 = Yes.....	932	1.68
		2 = No.....	1561	2.82
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	254	0.46
		99 = LEGITIMATE SKIP.....	52679	95.03
(AD26EE)		Did you make a suicide attempt?		
ADWRSATP	2	1WHEN PRBLMS WORST MAKE A SUICIDE ATTEMPT		
		1 = Yes.....	734	1.32
		2 = No.....	1761	3.18
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	254	0.46
		99 = LEGITIMATE SKIP.....	52679	95.03

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT DEPRESSION			PAGE:	564
LABEL	LEN	DESCRIPTION	FREQ	%
AD_MDEA1	2	1SAD/EMPTY/DEPRESSED MOST OF DAY OR DISCOURAGED		-
		1 = Has symptom.....	5951	10.74
		2 = Does not have symptom.....	1079	1.95
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED.....	3	0.01
		98 = OTHER MISSING/NOT APPLICABLE.....	30660	55.31
		99 = LEGITIMATE SKIP.....	17727	31.98
AD_MDEA2	2	1LOST INTEREST OR PLEASURE IN MOST THINGS		
		1 = Has symptom.....	5751	10.37
		2 = Does not have symptom.....	1278	2.31
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED.....	4	0.01
		98 = OTHER MISSING/NOT APPLICABLE.....	30660	55.31
		99 = LEGITIMATE SKIP.....	17727	31.98
AD_MDEA3	2	1CHANGES IN APPETITE OR WT		
		1 = Has symptom.....	5480	9.89
		2 = Does not have symptom.....	913	1.65
		94 = DON'T KNOW.....	41	0.07
		97 = REFUSED.....	5	0.01
		98 = OTHER MISSING/NOT APPLICABLE.....	31269	56.41
		99 = LEGITIMATE SKIP.....	17727	31.98
AD_MDEA4	2	1SLEEP PROBLEMS		
		1 = Has symptom.....	5936	10.71
		2 = Does not have symptom.....	494	0.89
		94 = DON'T KNOW.....	9	0.02
		98 = OTHER MISSING/NOT APPLICABLE.....	31269	56.41
		99 = LEGITIMATE SKIP.....	17727	31.98
AD_MDEA5	2	1OTHERS NOTICED THAT R WAS RESTLESS OR LETHARGIC		
		1 = Has symptom.....	3300	5.95
		2 = Does not have symptom.....	3096	5.58
		94 = DON'T KNOW.....	43	0.08
		98 = OTHER MISSING/NOT APPLICABLE.....	31269	56.41
		99 = LEGITIMATE SKIP.....	17727	31.98
AD_MDEA6	2	1FELT TIRED/LOW ENERGY NEARLY EVERY DAY		
		1 = Has symptom.....	5879	10.61
		2 = Does not have symptom.....	548	0.99
		94 = DON'T KNOW.....	12	0.02
		98 = OTHER MISSING/NOT APPLICABLE.....	31269	56.41
		99 = LEGITIMATE SKIP.....	17727	31.98
AD_MDEA7	2	1FELT WORTHLESS NEARLY EVERY DAY		
		1 = Has symptom.....	3377	6.09
		2 = Does not have symptom.....	3060	5.52
		94 = DON'T KNOW.....	2	0.00
		98 = OTHER MISSING/NOT APPLICABLE.....	31269	56.41
		99 = LEGITIMATE SKIP.....	17727	31.98
AD_MDEA8	2	1INABILITY TO CONCENTRATE OR MAKE DECISIONS		
		1 = Has symptom.....	5286	9.54
		2 = Does not have symptom.....	1136	2.05
		94 = DON'T KNOW.....	16	0.03
		97 = REFUSED.....	1	0.00
		98 = OTHER MISSING/NOT APPLICABLE.....	31269	56.41
		99 = LEGITIMATE SKIP.....	17727	31.98

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	565
			FREQ	%
AD_MDEA9	2	1ANY THOUGHTS OR PLANS OF SUICIDE		-
		1 = Has symptom.....	4178	7.54
		2 = Does not have symptom.....	2250	4.06
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	6	0.01
		98 = OTHER MISSING/NOT APPLICABLE.....	31269	56.41
		99 = LEGITIMATE SKIP.....	17727	31.98
ADSMMDA	2	1SCORE OF SYMPTOM INDICATORS 1 THRU 9		
		1 = Has 5 or more symptoms.....	5870	10.59
		2 = Has less than 5 symptoms.....	1159	2.09
		94 = SUM OF SYMPTOMS AND DON'T KNOW >=5.....	18	0.03
		97 = SUM OF SYMPTOMS AND REFUSED >=5.....	1	0.00
		98 = OTHER MISSING/NOT APPLICABLE.....	30660	55.31
		99 = LEGITIMATE SKIP.....	17727	31.98
(AD28)		You mentioned having some of the problems I just asked you about.		
		During that [TIMEFILL] period of time, how much did your [FEELNOUN] and these other problems interfere with your work, your social life, or your personal relationships?		
ADPBINTF	2	1WHEN PRBLMS WORST INTERFERE WITH WORK/ PRSNL LIFE		
		1 = Not at all.....	171	0.31
		2 = A little.....	885	1.60
		3 = Some.....	1869	3.37
		4 = A lot.....	2041	3.68
		5 = Extremely.....	1041	1.88
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	251	0.45
		99 = LEGITIMATE SKIP.....	49166	88.69
(AD28A)		During that [TIMEFILL] period of time, how often were you unable to carry out your daily activities because of these problems with your mood?		
ADPBDLYA	2	1WHEN PRBLMS WORST UNABLE TO CARRY OUT DLY ACTVTS		
		1 = Often.....	1390	2.51
		2 = Sometimes.....	2588	4.67
		3 = Rarely.....	1368	2.47
		4 = Never.....	495	0.89
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	251	0.45
		99 = LEGITIMATE SKIP.....	49337	89.00

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	566
			FREQ	%
(AD37)		Think of the very first period of time in your life lasting two weeks or longer when you [FEELFILL] for most of the day nearly every day and also had some of the other problems we just asked about.		-
		Can you remember your exact age?		
ADPBRMBR	2	1RMBR AGE WHEN FIRST 2+ WK PERIOD OF TIME STARTED		
		1 = Yes.....	3871	6.98
		2 = No.....	2094	3.78
		94 = DON'T KNOW.....	47	0.08
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	251	0.45
		99 = LEGITIMATE SKIP.....	49166	88.69
(AD37A)		How old were you?		
ADPBAGE	3	1AGE WHEN FIRST 2+ WK PERIOD OF TIME STARTED		
		RANGE = 1 - 89	5779	10.42
		985 = BAD DATA Logically assigned.....	4	0.01
		994 = DON'T KNOW.....	217	0.39
		997 = REFUSED.....	12	0.02
		998 = BLANK (NO ANSWER).....	257	0.46
		999 = LEGITIMATE SKIP.....	49166	88.69
(AD52)		In your entire life, how many times did you feel [FEELNOUN] for two weeks or longer while also having some of the other problems we asked about?		
		If you are not sure of your answer, just make your best guess.		
ADPBNUM	4	1# TIMES FELT THIS WAY FOR 2 WKS/LNGR DURING LIFE		
		RANGE = 1 - 1000	5539	9.99
		9994 = DON'T KNOW.....	429	0.77
		9997 = REFUSED.....	50	0.09
		9998 = BLANK (NO ANSWER).....	251	0.45
		9999 = LEGITIMATE SKIP.....	49166	88.69
(AD38)		In the past 12 months, did you have a period of time when you felt [FEELNOUN] for two weeks or longer while also having some of the other problems we asked about?		
ADPB2WK	2	1FELT THIS 2 WKS+ W/OTH PRBS DURING PAST 12 MOS		
		1 = Yes.....	3355	6.05
		2 = No.....	2609	4.71
		94 = DON'T KNOW.....	41	0.07
		97 = REFUSED.....	13	0.02
		98 = BLANK (NO ANSWER).....	251	0.45
		99 = LEGITIMATE SKIP.....	49166	88.69

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	567
			FREQ	%
(AD66A)		Think about the time in the past 12 months when [NUMPROBS] with your mood [WASWERE] most severe.		-
		Using the 0 to 10 scale shown below, where 0 means no interference and 10 means very severe interference, select the number that describes how much [NUMPROBS] interfered with each of the following activities during that period. You can use any number between 0 and 10 to answer. If this activity doesn't apply to you, type in 95.		
		How much did your [FEELNOUN] interfere with your home management, like cleaning, shopping, and working around the house, apartment, or yard?		
ADPSHMGT	2	1HOW MUCH DID FEELINGS INTERFERE WITH HOME MNGMT		
		0 = No Interference.....	94	0.17
		1 = Mild - 1.....	102	0.18
		2 = Mild - 2.....	156	0.28
		3 = Mild - 3.....	243	0.44
		4 = Moderate - 4.....	281	0.51
		5 = Moderate - 5.....	519	0.94
		6 = Moderate - 6.....	475	0.86
		7 = Severe - 7.....	472	0.85
		8 = Severe - 8.....	414	0.75
		9 = Severe - 9.....	188	0.34
		10 = Very Severe Interference.....	310	0.56
		94 = DON'T KNOW.....	14	0.03
		95 = ACTIVITY DOES NOT APPLY.....	82	0.15
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	305	0.55
		99 = LEGITIMATE SKIP.....	51775	93.40
(AD66B)		During that time in the past 12 months when your [FEELNOUN] was most severe, how much did this interfere with your ability to work?		
		You can use any number between 0 and 10 to answer. If this activity doesn't apply to you, type in 95.		
ADPSWORK	2	1HOW MUCH DID FEELING INTERFERE WITH ABILTY TO WORK		
		0 = No Interference.....	220	0.40
		1 = Mild - 1.....	160	0.29
		2 = Mild - 2.....	251	0.45
		3 = Mild - 3.....	362	0.65
		4 = Moderate - 4.....	314	0.57
		5 = Moderate - 5.....	489	0.88
		6 = Moderate - 6.....	353	0.64
		7 = Severe - 7.....	278	0.50
		8 = Severe - 8.....	246	0.44
		9 = Severe - 9.....	156	0.28
		10 = Very Severe Interference.....	264	0.48
		94 = DON'T KNOW.....	17	0.03
		95 = ACTIVITY DOES NOT APPLY.....	242	0.44
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	305	0.55
		99 = LEGITIMATE SKIP.....	51775	93.40

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	568
			FREQ	%
(AD66C)		How much did your [FEELNOUN] interfere with your ability to form and maintain close relationships with other people during that period of time?		-
		You can use any number between 0 and 10 to answer. If this activity doesn't apply to you, type in 95.		
ADPSRELS	2	1HOW MUCH DID FEELING INTERFERE WITH RELATIONSHIPS		
		0 = No Interference.....	126	0.23
		1 = Mild - 1.....	117	0.21
		2 = Mild - 2.....	194	0.35
		3 = Mild - 3.....	292	0.53
		4 = Moderate - 4.....	280	0.51
		5 = Moderate - 5.....	455	0.82
		6 = Moderate - 6.....	402	0.73
		7 = Severe - 7.....	392	0.71
		8 = Severe - 8.....	387	0.70
		9 = Severe - 9.....	268	0.48
		10 = Very Severe Interference.....	332	0.60
		94 = DON'T KNOW.....	13	0.02
		95 = ACTIVITY DOES NOT APPLY.....	94	0.17
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	305	0.55
		99 = LEGITIMATE SKIP.....	51775	93.40
(AD66D)		How much did [NUMPROBS] interfere with your social life during that period of time?		
		You can use any number between 0 and 10 to answer. If this activity doesn't apply to you, type in 95.		
ADPSSOC	2	1HOW MUCH DID FEELINGS INTERFERE WITH SOCIAL LIFE		
		0 = No Interference.....	75	0.14
		1 = Mild - 1.....	106	0.19
		2 = Mild - 2.....	156	0.28
		3 = Mild - 3.....	260	0.47
		4 = Moderate - 4.....	236	0.43
		5 = Moderate - 5.....	494	0.89
		6 = Moderate - 6.....	402	0.73
		7 = Severe - 7.....	417	0.75
		8 = Severe - 8.....	402	0.73
		9 = Severe - 9.....	323	0.58
		10 = Very Severe Interference.....	378	0.68
		94 = DON'T KNOW.....	9	0.02
		95 = ACTIVITY DOES NOT APPLY.....	94	0.17
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	305	0.55
		99 = LEGITIMATE SKIP.....	51775	93.40

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	569
			FREQ	%
(AD68)		About how many days out of 365 in the past 12 months were you totally unable to work or carry out your normal activities because of your [FEELNOUN]?		-
		You can use any number between 0 and 365 to answer		
ADPSDAYS	3	1# DYS UNABLE TO WORK/CARRY OUT DLY ACT PST 12 MOS		
		RANGE = 0 - 365	3206	5.78
		994 = DON'T KNOW.....	109	0.20
		997 = REFUSED.....	5	0.01
		998 = BLANK (NO ANSWER).....	305	0.55
		999 = LEGITIMATE SKIP.....	51810	93.46
(AD86)		Here is a list of professionals some people talk to about the problems we have been asking about:		
		<ul style="list-style-type: none"> - General practitioner or family doctor - Other medical doctor like a cardiologist, gynecologist, urologist - Psychologist - Psychiatrist or psychotherapist - Social Worker - Counselor - Other mental health professional, like a mental health nurse - A nurse, occupational therapist, or other health professional - A religious or spiritual advisor like a minister, priest, or rabbi - Another healer, like an herbalist, chiropractor, acupuncturist, or massage therapist 		
		At any time in the past 12 months, did you see or talk to a medical doctor or other professional about your [FEELNOUN]?		
ADSEEDOC	2	1SEE/TALK TO DR/OTH PROF ABT FEELINGS PAST 12 MOS		
		1 = Yes.....	2441	4.40
		2 = No.....	3567	6.43
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	251	0.45
		99 = LEGITIMATE SKIP.....	49166	88.69
(AD86A)		During the past 12 months, which professionals did you see or talk to about [NUMPROBS] with your mood?		
ADFAMDOC	2	1GEN/FAM DOC TALKED W/ABT FEELINGS PAST 12 MOS		
		1 = Response entered.....	1333	2.40
		6 = Response not entered.....	1103	1.99
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	257	0.46
		99 = LEGITIMATE SKIP.....	52733	95.13

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	570
			FREQ	%
ADOTHDOC	2	10TH DR TALKED W/ABOUT FEELINGS PAST 12 MOS		
		1 = Response entered.....	203	0.37
		3 = Response entered LOGICALLY ASSIGNED.....	9	0.02
		6 = Response not entered.....	2224	4.01
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	257	0.46
		99 = LEGITIMATE SKIP.....	52733	95.13
ADPSYCH	2	1PSYCHOLOGIST TALKED W/ABOUT FEELINGS PAST 12 MOS		
		1 = Response entered.....	646	1.17
		6 = Response not entered.....	1790	3.23
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	257	0.46
		99 = LEGITIMATE SKIP.....	52733	95.13
ADPSYMD	2	1PSYCHIATRIST TALKED W/ABOUT FEELINGS PAST 12 MOS		
		1 = Response entered.....	644	1.16
		6 = Response not entered.....	1792	3.23
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	257	0.46
		99 = LEGITIMATE SKIP.....	52733	95.13
ADSOCWRK	2	1SOCIAL WORKER TALKED W/ABOUT FEELINGS PAST 12 MOS		
		1 = Response entered.....	247	0.45
		6 = Response not entered.....	2189	3.95
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	257	0.46
		99 = LEGITIMATE SKIP.....	52733	95.13
ADCOUNS	2	1COUNSELOR TALKED W/ABOUT FEELINGS PAST 12 MOS		
		1 = Response entered.....	585	1.06
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	1850	3.34
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	257	0.46
		99 = LEGITIMATE SKIP.....	52733	95.13
ADOTHMHP	2	1MENTAL PROF TALKED W/ABOUT FEELINGS PAST 12 MOS		
		1 = Response entered.....	170	0.31
		6 = Response not entered.....	2266	4.09
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	257	0.46
		99 = LEGITIMATE SKIP.....	52733	95.13
ADNURSE	2	1NURSE ETC.TALKED W/ABOUT FEELINGS PAST 12 MOS		
		1 = Response entered.....	172	0.31
		3 = Response entered LOGICALLY ASSIGNED.....	4	0.01
		6 = Response not entered.....	2260	4.08
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	257	0.46
		99 = LEGITIMATE SKIP.....	52733	95.13

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT DEPRESSION			PAGE:	571
LABEL	LEN	DESCRIPTION	FREQ	%
ADRELIG	2	1RELIGIOUS ADVSR TLKED W/ABOUT FEELINGS PST 12 MOS		-
		1 = Response entered.....	415	0.75
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
		6 = Response not entered.....	2019	3.64
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	257	0.46
		99 = LEGITIMATE SKIP.....	52733	95.13
ADHERBAL	2	1HERBALIST TALKED W/ABOUT FEELINGS PAST 12 MOS		
		1 = Response entered.....	131	0.24
		3 = Response entered LOGICALLY ASSIGNED.....	4	0.01
		6 = Response not entered.....	2301	4.15
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	257	0.46
		99 = LEGITIMATE SKIP.....	52733	95.13
ADOTHHELP	2	1OTH HELP PROF TALKED W/ABOUT FEELINGS PAST 12 MOS		
		1 = Response entered.....	83	0.15
		6 = Response not entered.....	2353	4.24
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	257	0.46
		99 = LEGITIMATE SKIP.....	52733	95.13
(AD86B)		Are you currently receiving professional treatment or counseling for [NUMPROBS] with your mood?		
ADMTMTNOW	2	1CURRENTLY RCVNG PROF TREATMENT/COUNSLG FOR MOOD		
		1 = Yes.....	1180	2.13
		2 = No.....	1261	2.27
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	257	0.46
		99 = LEGITIMATE SKIP.....	52733	95.13
(AD86C)		During the past 12 months, did you take prescription medication that was prescribed for [NUMPROBS]?		
ADRX12MO	2	1TAKE PRES MEDS PRESCRIBED FOR MOOD PAST 12 MONTHS		
		1 = Yes.....	1983	3.58
		2 = No.....	4030	7.27
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	251	0.45
		99 = LEGITIMATE SKIP.....	49166	88.69
(AD86D)		Are you currently taking prescription medication that was prescribed for [NUMPROBS]?		
ADRXNOW	2	1CURRENTLY TAKING PRESC MEDS PRESCRIBED FOR MOOD		
		1 = Yes.....	1536	2.77
		2 = No.....	447	0.81
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	253	0.46
		99 = LEGITIMATE SKIP.....	53196	95.96

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	572
			FREQ	%
(AD86E)		During the past 12 months, how much has this prescription medication helped you?		-
ADRXLHP	2	1HOW MUCH HAS PRESC MEDS FOR MOOD HELPED PST 12 MO		
		1 = Not at all.....	132	0.24
		2 = A little.....	249	0.45
		3 = Some.....	435	0.78
		4 = A lot.....	732	1.32
		5 = Extremely.....	427	0.77
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	253	0.46
		99 = LEGITIMATE SKIP.....	53196	95.96
(AD86F)		During the past 12 months, how much has treatment or counseling helped you?		
ADTMTHLP	2	1HOW MUCH HAS TRMT/COUNSLG HELPED PST 12 MOS		
		1 = Not at all.....	412	0.74
		2 = A little.....	408	0.74
		3 = Some.....	592	1.07
		4 = A lot.....	640	1.15
		5 = Extremely.....	356	0.64
		94 = DON'T KNOW.....	27	0.05
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	257	0.46
		99 = LEGITIMATE SKIP.....	52733	95.13

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	573
			FREQ	%
-----	-----	RECODED ADULT DEPRESSION	-----	-

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.				
<p>NOTE: This codebook contains two versions of adult lifetime and past year major depressive episode (MDE) variables. The unadjusted variables (MDELT and MDEYR), located in the Recoded Adult and Adolescent Depression section, are defined for both adult and adolescent respondents. Due to questionnaire changes in 2008, the unadjusted MDE variables for the adults are only comparable with 2004 sample B (ADLTSAMP=2) and between 2005 and 2007. The adjusted variables (AJAMDELT and AJAMDEYR), included in this section, are only defined for adult respondents. These variables were developed to allow comparisons of adult MDE data across years beginning with 2005 and continuing through 2008 and later years. Adjusted variables were not created for 2004. Specific details about both versions can be found in the Recoded Depression Variable Documentation Appendix.</p>				

The adjusted adult MDE variables (AJAMDELT and AJAMDEYR) were created using a weighted logistic regression model to compute predicted probabilities of past year MDE for each respondent. The predicted probabilities, which can have any value between 0 and 1, then were dichotomized such that each respondent was specified as having or not having MDE in the past year.

These variables have the same names for 2005-2008 but can be renamed to match the 2009 and later year adult MDE variables (AMDELT and AMDEYR) in order to make comparisons across years. No weight adjustments are needed when using the adjusted MDE variables. The adjusted variables were first used to produce lifetime and past year adult MDE estimates in the 2010 mental health detailed tables. The unadjusted MDE variables were used in the 2007 detailed tables (See the Recoded Adult and Adolescent Depression section). For more information on the creation of the adjusted adult depression variables see the Recoded Depression Variable Documentation Appendix.

AJAMDELT	1	ADULT: ADJUSTED LIFETIME MAJOR DEPRESSIVE EPISODE			
		. = Aged 12-17/Unknown (Otherwise).....	18011	32.49	
		1 = Yes (see comment above).....	5438	9.81	
		2 = No (see comment above).....	31986	57.70	
AJAMDEYR	1	ADULT: ADJUSTED PAST YEAR MAJOR DEPRESSIVE EPISODE			
		. = Aged 12-17/Unknown (Otherwise).....	18064	32.59	
		1 = Yes (see comment above AJAMDELT).....	2971	5.36	
		2 = No (see comment above AJAMDELT).....	34400	62.05	

LABEL	LEN	DESCRIPTION	RECODED ADULT DEPRESSION	PAGE:	574
				FREQ	%

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section. Specific details about the recoded variables are provided in the Recoded Depression Variable Documentation Appendix.					

NOTE: The following five variables in this section are based on questions asked of all applicable respondents regardless of whether they were ultimately classified as having a Major Depressive Episode (MDE) in their lifetime or not. If you would like estimates among persons with MDE, you will need to restrict your analysis by either the lifetime MDE variable (MDELT) or the past year MDE variable (MDEYR).					

NOTE: The following four variables make up the four role domains (home management, work, close relationships with others, and social life) of the Sheehan Disability Scale (SDS), which measures the impact of a disorder on a person's life.					

ASDSHOME	1	ADULT: MDE ROLE IMPAIRMENT - HOME MANAGEMENT			
		.	= Unknown/Legit Skip (ADPSHMG=94,95,97,98,99).....	52181	94.13
		1	= None (ADPSHMG=0).....	94	0.17
		2	= Mild (ADPSHMG=1,2,3).....	501	0.90
		3	= Moderate (ADPSHMG=4,5,6).....	1275	2.30
		4	= Severe (ADPSHMG=7,8,9).....	1074	1.94
		5	= Very Severe (ADPSHMG=10).....	310	0.56
ASDSWRK	1	ADULT: MDE ROLE IMPAIRMENT - ABILITY TO WORK			
		.	= Unknown/Legit Skip (ADPSWORK=94,95,97,98,99).....	52342	94.42
		1	= None (ADPSWORK=0).....	220	0.40
		2	= Mild (ADPSWORK=1,2,3).....	773	1.39
		3	= Moderate (ADPSWORK=4,5,6).....	1156	2.09
		4	= Severe (ADPSWORK=7,8,9).....	680	1.23
		5	= Very Severe (ADPSWORK=10).....	264	0.48
ASDSREL	1	ADULT: MDE ROLE IMPAIRMENT - CLOSE RELATIONSHIPS			
		.	= Unknown/Legit Skip (ADPSRELS=94,95,97,98,99).....	52190	94.15
		1	= None (ADPSRELS=0).....	126	0.23
		2	= Mild (ADPSRELS=1,2,3).....	603	1.09
		3	= Moderate (ADPSRELS=4,5,6).....	1137	2.05
		4	= Severe (ADPSRELS=7,8,9).....	1047	1.89
		5	= Very Severe (ADPSRELS=10).....	332	0.60
ASDSSOC	1	ADULT: MDE ROLE IMPAIRMENT - SOCIAL LIFE			
		.	= Unknown/Legit Skip (ADPSSOC=94,95,97,98,99).....	52186	94.14
		1	= None (ADPSSOC=0).....	75	0.14
		2	= Mild (ADPSSOC=1,2,3).....	522	0.94
		3	= Moderate (ADPSSOC=4,5,6).....	1132	2.04
		4	= Severe (ADPSSOC=7,8,9).....	1142	2.06
		5	= Very Severe (ADPSSOC=10).....	378	0.68

RECODED ADULT DEPRESSION			PAGE:	575
LABEL	LEN	DESCRIPTION	FREQ	%
ASDSOVRL	1	The following variable, ASDSOVRL, is assigned the maximum level of interference over the four role domains of SDS: home management (ASDSHOME), ability to work (ASDSWRK), close relationships (ASDSREL), and social life (ASDSSOC).		-
ASDSOVRL	1	ADULT: MAX SEVERITY LEVEL OF MDE ROLE IMPAIRMENT		
		. = Unknown/Legitimate Skip (Otherwise).....	52108	94.00
		1 = None (See comment above).....	13	0.02
		2 = Mild (See comment above).....	218	0.39
		3 = Moderate (See comment above).....	995	1.79
		4 = Severe (See comment above).....	1477	2.66
		5 = Very Severe (See comment above).....	624	1.13
MDEIMPA	1	ADULT - MDE WITH SEVERE ROLE IMPAIRMENT		
		. = Unkn/Age 12-17(CATAG2=1 or MDEYR=. or ASDSOVRL=.) .	18091	32.63
		1 = Yes (CATAG2=2,3 and MDEYR=1 and ASDSOVRL=4,5)....	2089	3.77
		2 = No (CATAG2=2,3 and (MDEYR=2 or ASDSOVRL=1,2,3))...	35255	63.60

LABEL	LEN	DESCRIPTION	PAGE:	576
			FREQ	%
<hr/>				
(YSU01) YOUTH MENTAL HEALTH TREATMENT				
<hr/>				
These next questions are about treatment and counseling for problems with your behaviors or emotions that were not caused by alcohol or drugs.				
<hr/>				
During the past 12 months, have you stayed overnight or longer in any type of hospital to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs?				
<hr/>				
YUHOSPYR	2	1STAY OVNT IN HOSP FOR EMOT TRMT PST 12 MOS		
		1 = Yes.....	404	0.73
		2 = No.....	17221	31.07
		85 = BAD DATA Logically assigned.....	6	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	55	0.10
		97 = REFUSED.....	38	0.07
		98 = BLANK (NO ANSWER).....	3	0.01
		99 = LEGITIMATE SKIP.....	37707	68.02
<hr/>				
(YSU02)		During the past 12 months, how many nights altogether did you stay in a hospital to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs?		
<hr/>				
YUHOSPN2	3	1# NIGHTS STAYED IN HOSP FOR EMOT TRMT PST 12 MOS		
		RANGE = 1 - 30	346	0.62
		31 = 31 or more.....	20	0.04
		985 = BAD DATA Logically assigned.....	6	0.01
		989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		994 = DON'T KNOW.....	26	0.05
		997 = REFUSED.....	50	0.09
		998 = BLANK (NO ANSWER).....	58	0.10
		999 = LEGITIMATE SKIP.....	54928	99.09
<hr/>				
(YSU03)		Think about the last time you stayed overnight or longer in a hospital to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason you were admitted there?		
<hr/>				
YUHOSUIC	2	1STAYED IN HOSP BEC THOUGHT/TRYED TO KILL SELF		
		1 = Response entered.....	133	0.24
		6 = Response not entered.....	228	0.41
		85 = BAD DATA Logically assigned.....	6	0.01
		94 = DON'T KNOW.....	24	0.04
		97 = REFUSED.....	57	0.10
		98 = BLANK (NO ANSWER).....	58	0.10
		99 = LEGITIMATE SKIP.....	54929	99.09

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	YOUTH MENTAL HEALTH TREATMENT		PAGE:	577
			FREQ	%		
YUHODEPR	2	1STAYED IN HOSP BEC YOU FELT DEPRESSED				-
		1 = Response entered.....	113	0.20		
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00		
		6 = Response not entered.....	247	0.45		
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00		
		94 = DON'T KNOW.....	24	0.04		
		97 = REFUSED.....	57	0.10		
		98 = BLANK (NO ANSWER).....	64	0.12		
		99 = LEGITIMATE SKIP.....	54928	99.09		
YUHOFEAR	2	1STAYED IN HOSP BEC YOU FELT AFRAID/TENSE				
		1 = Response entered.....	38	0.07		
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00		
		6 = Response not entered.....	321	0.58		
		94 = DON'T KNOW.....	24	0.04		
		97 = REFUSED.....	57	0.10		
		98 = BLANK (NO ANSWER).....	64	0.12		
		99 = LEGITIMATE SKIP.....	54929	99.09		
YUHOBKRU	2	1STAYED IN HOSP BEC BREAKING RULES/ACTING OUT				
		1 = Response entered.....	63	0.11		
		6 = Response not entered.....	298	0.54		
		94 = DON'T KNOW.....	24	0.04		
		97 = REFUSED.....	57	0.10		
		98 = BLANK (NO ANSWER).....	64	0.12		
		99 = LEGITIMATE SKIP.....	54929	99.09		
YUHOEATP	2	1STAYED IN HOSP BEC YOU HAD EATING PROBS				
		1 = Response entered.....	25	0.05		
		6 = Response not entered.....	336	0.61		
		94 = DON'T KNOW.....	24	0.04		
		97 = REFUSED.....	57	0.10		
		98 = BLANK (NO ANSWER).....	64	0.12		
		99 = LEGITIMATE SKIP.....	54929	99.09		
(YSU03A)		What was the other emotional or behavioral problem for which you last stayed overnight in a hospital?				
YUHOANGR	2	1STAYED IN HOSP BEC HAD TRBLE CONTRLNG ANGER				
		1 = Response entered.....	27	0.05		
		6 = Response not entered.....	330	0.60		
		94 = DON'T KNOW.....	25	0.05		
		97 = REFUSED.....	60	0.11		
		98 = BLANK (NO ANSWER).....	64	0.12		
		99 = LEGITIMATE SKIP.....	54929	99.09		
YUHOFITE	2	1STAYED IN HOSP BEC HAD GOTTN INTO PHYS FIGHTS				
		1 = Response entered.....	11	0.02		
		6 = Response not entered.....	346	0.62		
		94 = DON'T KNOW.....	25	0.05		
		97 = REFUSED.....	60	0.11		
		98 = BLANK (NO ANSWER).....	64	0.12		
		99 = LEGITIMATE SKIP.....	54929	99.09		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH TREATMENT			PAGE:	578
LABEL	LEN	DESCRIPTION	FREQ	%
YUHOFMLY	2	1STAYED IN HOSP BEC HAD PRBLMS AT HOME/FAMILY		-
		1 = Response entered.....	24	0.04
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
		6 = Response not entered.....	331	0.60
		94 = DON'T KNOW.....	25	0.05
		97 = REFUSED.....	60	0.11
		98 = BLANK (NO ANSWER).....	64	0.12
		99 = LEGITIMATE SKIP.....	54929	99.09
YUHOFRND	2	1STAYED IN HOSP BEC HAD PRBLMS WITH FRIENDS		
		1 = Response entered.....	15	0.03
		6 = Response not entered.....	342	0.62
		94 = DON'T KNOW.....	25	0.05
		97 = REFUSED.....	60	0.11
		98 = BLANK (NO ANSWER).....	64	0.12
		99 = LEGITIMATE SKIP.....	54929	99.09
YUHOOTPP	2	1STAYED IN HOSP BEC HAD PRBLMS WITH OTHERS		
		1 = Response entered.....	12	0.02
		6 = Response not entered.....	345	0.62
		94 = DON'T KNOW.....	25	0.05
		97 = REFUSED.....	60	0.11
		98 = BLANK (NO ANSWER).....	64	0.12
		99 = LEGITIMATE SKIP.....	54929	99.09
YUHOSCHL	2	1STAYED IN HOSP BEC HAD PRBLMS AT SCHOOL		
		1 = Response entered.....	21	0.04
		6 = Response not entered.....	336	0.61
		94 = DON'T KNOW.....	25	0.05
		97 = REFUSED.....	60	0.11
		98 = BLANK (NO ANSWER).....	64	0.12
		99 = LEGITIMATE SKIP.....	54929	99.09
YUHOSOR	2	1STAYED IN HOSP FOR SOME OTHER REASON		
		1 = Response entered.....	126	0.23
		6 = Response not entered.....	235	0.42
		94 = DON'T KNOW.....	24	0.04
		97 = REFUSED.....	57	0.10
		98 = BLANK (NO ANSWER).....	64	0.12
		99 = LEGITIMATE SKIP.....	54929	99.09
(YSU04)		During the past 12 months, did you stay overnight or longer in a residential treatment center to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs?		
YURSIDYR	2	1STAYED IN RESID CTR FOR EMOT TRMT PST 12 MOS		
		1 = Yes.....	174	0.31
		2 = No.....	17430	31.44
		85 = BAD DATA Logically assigned.....	6	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	67	0.12
		97 = REFUSED.....	47	0.08
		98 = BLANK (NO ANSWER).....	3	0.01
		99 = LEGITIMATE SKIP.....	37707	68.02

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH TREATMENT			PAGE:	579
LABEL	LEN	DESCRIPTION	FREQ	%
(YSU05)		During the past 12 months, how many nights altogether did you stay in a residential treatment center to receive treatment for emotional or behavioral problems that were not caused by alcohol or drugs?		-
YURSIDN2	3	1# NIGHTS IN RESID CTR FOR EMOT TRMT PST 12 MOS		
	RANGE	= 1 - 30	133	0.24
		31 = 31 or more.....	29	0.05
		985 = BAD DATA Logically assigned.....	6	0.01
		994 = DON'T KNOW.....	8	0.01
		997 = REFUSED.....	52	0.09
		998 = BLANK (NO ANSWER).....	70	0.13
		999 = LEGITIMATE SKIP.....	55137	99.46
(YSU06)		Think about the last time you stayed overnight or longer in a residential treatment center to receive treatment for emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason you were admitted there?		
YURSSUIC	2	1STAYED IN RESID CTR BEC THOT/TRYED TO KILL SELF		
		1 = Response entered.....	76	0.14
		6 = Response not entered.....	88	0.16
		85 = BAD DATA Logically assigned.....	6	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	54	0.10
		98 = BLANK (NO ANSWER).....	70	0.13
		99 = LEGITIMATE SKIP.....	55137	99.46
YURSDEPR	2	1STAYED IN RESID CTR BEC YOU FELT DEPRESSED		
		1 = Response entered.....	68	0.12
		6 = Response not entered.....	96	0.17
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	54	0.10
		98 = BLANK (NO ANSWER).....	76	0.14
		99 = LEGITIMATE SKIP.....	55137	99.46
YURSFEAR	2	1STAYED IN RESID CTR BEC YOU FELT AFRAID/TENSE		
		1 = Response entered.....	19	0.03
		6 = Response not entered.....	145	0.26
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	54	0.10
		98 = BLANK (NO ANSWER).....	76	0.14
		99 = LEGITIMATE SKIP.....	55137	99.46
YURSBKRU	2	1STAYED IN RESID CTR BEC BRKING RULES/ACT OUT		
		1 = Response entered.....	36	0.06
		6 = Response not entered.....	128	0.23
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	54	0.10
		98 = BLANK (NO ANSWER).....	76	0.14
		99 = LEGITIMATE SKIP.....	55137	99.46

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	YOUTH MENTAL HEALTH TREATMENT		PAGE:	580
			FREQ	%		
YURSEATP	2	1STAYED IN RESID CTR BEC YOU HAD EATING PROBS				-
		1 = Response entered.....	8	0.01		
		6 = Response not entered.....	156	0.28		
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00		
		94 = DON'T KNOW.....	3	0.01		
		97 = REFUSED.....	54	0.10		
		98 = BLANK (NO ANSWER).....	76	0.14		
		99 = LEGITIMATE SKIP.....	55137	99.46		
(YSU06A)		What was the other emotional or behavioral problem for which you last stayed overnight in a residential treatment center?				
YURSANGR	2	1STAYED IN RESID CTR BEC HAD TRBLE CONTRLNG ANGER				
		1 = Response entered.....	14	0.03		
		6 = Response not entered.....	148	0.27		
		94 = DON'T KNOW.....	3	0.01		
		97 = REFUSED.....	56	0.10		
		98 = BLANK (NO ANSWER).....	76	0.14		
		99 = LEGITIMATE SKIP.....	55138	99.46		
YURSFITE	2	1STAYED IN RESID CTR BEC HAD GOTN INTO PHYS FIGHTS				
		1 = Response entered.....	5	0.01		
		6 = Response not entered.....	157	0.28		
		94 = DON'T KNOW.....	3	0.01		
		97 = REFUSED.....	56	0.10		
		98 = BLANK (NO ANSWER).....	76	0.14		
		99 = LEGITIMATE SKIP.....	55138	99.46		
YURSFMLY	2	1STAYED IN RESID CTR BEC HAD PRBLMS AT HOME/FAMILY				
		1 = Response entered.....	13	0.02		
		6 = Response not entered.....	149	0.27		
		94 = DON'T KNOW.....	3	0.01		
		97 = REFUSED.....	56	0.10		
		98 = BLANK (NO ANSWER).....	76	0.14		
		99 = LEGITIMATE SKIP.....	55138	99.46		
YURSFRND	2	1STAYED IN RESID CTR BEC HAD PRBLMS WITH FRIENDS				
		1 = Response entered.....	8	0.01		
		6 = Response not entered.....	154	0.28		
		94 = DON'T KNOW.....	3	0.01		
		97 = REFUSED.....	56	0.10		
		98 = BLANK (NO ANSWER).....	76	0.14		
		99 = LEGITIMATE SKIP.....	55138	99.46		
YURSOTPP	2	1STAYED IN RESID CTR BEC HAD PRBLMS WITH OTHERS				
		1 = Response entered.....	8	0.01		
		6 = Response not entered.....	154	0.28		
		94 = DON'T KNOW.....	3	0.01		
		97 = REFUSED.....	56	0.10		
		98 = BLANK (NO ANSWER).....	76	0.14		
		99 = LEGITIMATE SKIP.....	55138	99.46		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH TREATMENT			PAGE:	581
LABEL	LEN	DESCRIPTION	FREQ	%
YURSSCHL	2	1STAYED IN RESID CTR BEC HAD PRBLMS AT SCHOOL		-
		1 = Response entered.....	12	0.02
		6 = Response not entered.....	150	0.27
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	56	0.10
		98 = BLANK (NO ANSWER).....	76	0.14
		99 = LEGITIMATE SKIP.....	55138	99.46
YURSSOR	2	1STAYED IN RESID CTR FOR SOME OTHER REASON		
		1 = Response entered.....	27	0.05
		6 = Response not entered.....	137	0.25
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	54	0.10
		98 = BLANK (NO ANSWER).....	76	0.14
		99 = LEGITIMATE SKIP.....	55138	99.46
(YSU07)		During the past 12 months, did you stay overnight or longer in foster care or in a therapeutic foster care home because you had emotional or behavioral problems that were not caused by alcohol or drugs?		
YUFCAHYR	2	1SPENT TIME IN FOST CARE FOR EMOT PROB PST 12 MOS		
		1 = Yes.....	97	0.17
		2 = No.....	17515	31.60
		4 = NO LOGICALLY ASSIGNED.....	66	0.12
		85 = BAD DATA Logically assigned.....	6	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	23	0.04
		98 = BLANK (NO ANSWER).....	3	0.01
		99 = LEGITIMATE SKIP.....	37707	68.02
(YSU08)		During the past 12 months, how many nights altogether did you stay in foster care or in a therapeutic foster care home because you had emotional or behavioral problems that were not caused by alcohol or drugs?		
YUFCAHRY	3	1# NIGHTS IN FOST CARE FOR EMOT PROB PST 12 MOS		
		RANGE = 1 - 30	64	0.12
		31 = 31 or more.....	18	0.03
		985 = BAD DATA Logically assigned.....	6	0.01
		994 = DON'T KNOW.....	9	0.02
		997 = REFUSED.....	29	0.05
		998 = BLANK (NO ANSWER).....	20	0.04
		999 = LEGITIMATE SKIP.....	55289	99.74

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH TREATMENT			PAGE:	582
LABEL	LEN	DESCRIPTION	FREQ	%
(YSU09)		Think about the last time you stayed overnight or longer in foster care or in a therapeutic foster care home because you had emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason you were placed there?		-
YUFCSUIC	2	1STAYED IN FOST CARE BEC THOT/TRYED TO KILL SELF		
		1 = Response entered.....	26	0.05
		6 = Response not entered.....	64	0.12
		85 = BAD DATA Logically assigned.....	6	0.01
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	26	0.05
		98 = BLANK (NO ANSWER).....	20	0.04
		99 = LEGITIMATE SKIP.....	55289	99.74
YUFCDDEPR	2	1STAYED IN FOST CARE BEC YOU FELT DEPRESSED		
		1 = Response entered.....	20	0.04
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	69	0.12
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	26	0.05
		98 = BLANK (NO ANSWER).....	26	0.05
		99 = LEGITIMATE SKIP.....	55289	99.74
YUFCEFEAR	2	1STAYED IN FOST CARE BEC YOU FELT AFRAID/TENSE		
		1 = Response entered.....	9	0.02
		6 = Response not entered.....	81	0.15
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	26	0.05
		98 = BLANK (NO ANSWER).....	26	0.05
		99 = LEGITIMATE SKIP.....	55289	99.74
YUFCBKRU	2	1STAYED IN FOST CARE BEC BRKING RULES/ACT OUT		
		1 = Response entered.....	18	0.03
		6 = Response not entered.....	72	0.13
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	26	0.05
		98 = BLANK (NO ANSWER).....	26	0.05
		99 = LEGITIMATE SKIP.....	55289	99.74
YUFCEATP	2	1STAYED IN FOST CARE BEC YOU HAD EATING PROBS		
		1 = Response entered.....	2	0.00
		6 = Response not entered.....	88	0.16
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	26	0.05
		98 = BLANK (NO ANSWER).....	26	0.05
		99 = LEGITIMATE SKIP.....	55289	99.74
(YSU09A)		What was the other emotional or behavioral problem for which you last stayed overnight or longer in foster care or a therapeutic foster care home?		
YUFCAANGR	2	1STAYED IN FOST CARE BEC HAD TRBLE CONTRLNG ANGER		
		1 = Response entered.....	5	0.01
		6 = Response not entered.....	85	0.15
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	26	0.05
		98 = BLANK (NO ANSWER).....	26	0.05
		99 = LEGITIMATE SKIP.....	55289	99.74

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	YOUTH MENTAL HEALTH TREATMENT		PAGE:	583
			FREQ	%		
YUFCFITE	2	1STAYED IN FOST CARE BEC HAD GOTN INTO PHYS FIGHTS				-
		1 = Response entered.....	5	0.01		
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00		
		6 = Response not entered.....	84	0.15		
		94 = DON'T KNOW.....	4	0.01		
		97 = REFUSED.....	26	0.05		
		98 = BLANK (NO ANSWER).....	26	0.05		
		99 = LEGITIMATE SKIP.....	55289	99.74		
YUFCFMLY	2	1STAYED IN FOST CARE BEC HAD PRBLMS AT HOME/FAMILY				
		1 = Response entered.....	20	0.04		
		6 = Response not entered.....	70	0.13		
		94 = DON'T KNOW.....	4	0.01		
		97 = REFUSED.....	26	0.05		
		98 = BLANK (NO ANSWER).....	26	0.05		
		99 = LEGITIMATE SKIP.....	55289	99.74		
YUFCFRND	2	1STAYED IN FOST CARE BEC HAD PRBLMS WITH FRIENDS				
		1 = Response entered.....	3	0.01		
		6 = Response not entered.....	87	0.16		
		94 = DON'T KNOW.....	4	0.01		
		97 = REFUSED.....	26	0.05		
		98 = BLANK (NO ANSWER).....	26	0.05		
		99 = LEGITIMATE SKIP.....	55289	99.74		
YUFCTOPP	2	1STAYED IN FOST CARE BEC HAD PRBLMS WITH OTHERS				
		1 = Response entered.....	5	0.01		
		6 = Response not entered.....	85	0.15		
		94 = DON'T KNOW.....	4	0.01		
		97 = REFUSED.....	26	0.05		
		98 = BLANK (NO ANSWER).....	26	0.05		
		99 = LEGITIMATE SKIP.....	55289	99.74		
YUFCSCHL	2	1STAYED IN FOST CARE BEC HAD PRBLMS AT SCHOOL				
		1 = Response entered.....	4	0.01		
		6 = Response not entered.....	86	0.16		
		94 = DON'T KNOW.....	4	0.01		
		97 = REFUSED.....	26	0.05		
		98 = BLANK (NO ANSWER).....	26	0.05		
		99 = LEGITIMATE SKIP.....	55289	99.74		
YUFCSOR	2	1STAYED IN FOST CARE FOR SOME OTHER REASON				
		1 = Response entered.....	14	0.03		
		6 = Response not entered.....	76	0.14		
		94 = DON'T KNOW.....	4	0.01		
		97 = REFUSED.....	26	0.05		
		98 = BLANK (NO ANSWER).....	26	0.05		
		99 = LEGITIMATE SKIP.....	55289	99.74		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	584
			FREQ	%
(YSU10)		During the past 12 months, did you receive treatment or counseling at a partial day hospital or day treatment program because you had problems with your behavior or emotions that were not caused by alcohol or drugs?		-
YUDYTXYR	2	1SPENT TIME IN DAY TRMT PROG PAST 12 MOS		
		1 = Yes.....	315	0.57
		2 = No.....	17269	31.15
		85 = BAD DATA Logically assigned.....	6	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	82	0.15
		97 = REFUSED.....	52	0.09
		98 = BLANK (NO ANSWER).....	3	0.01
		99 = LEGITIMATE SKIP.....	37707	68.02
(YSU11)		During the past 12 months, how many times did you visit a partial day hospital or day treatment program because you had emotional or behavioral problems that were not caused by alcohol or drugs?		
YUDYTXN2	3	1# TIMES VISITED DAY TRMT PROG PAST 12 MOS		
		RANGE = 1 - 30	270	0.49
		31 = 31 or more.....	12	0.02
		985 = BAD DATA Logically assigned.....	6	0.01
		994 = DON'T KNOW.....	25	0.05
		997 = REFUSED.....	60	0.11
		998 = BLANK (NO ANSWER).....	85	0.15
		999 = LEGITIMATE SKIP.....	54977	99.17
(YSU12)		Think about the last time you visited a partial day hospital or day treatment program because you had emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason for your visit?		
YUDYSUIC	2	1VISITED DAY TRMT BEC THOT/TRYED TO KILL SELF		
		1 = Response entered.....	102	0.18
		6 = Response not entered.....	200	0.36
		85 = BAD DATA Logically assigned.....	6	0.01
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	57	0.10
		98 = BLANK (NO ANSWER).....	85	0.15
		99 = LEGITIMATE SKIP.....	54977	99.17
YUDYDEPR	2	1VISITED DAY TRMT BEC YOU FELT DEPRESSED		
		1 = Response entered.....	145	0.26
		6 = Response not entered.....	157	0.28
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	57	0.10
		98 = BLANK (NO ANSWER).....	91	0.16
		99 = LEGITIMATE SKIP.....	54977	99.17

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	YOUTH MENTAL HEALTH TREATMENT		PAGE:	585
			FREQ	%		
YUDYFEAR	2	1VISITED DAY TRMT BEC YOU FELT AFRAID/TENSE				
		1 = Response entered.....	49	0.09		
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00		
		6 = Response not entered.....	252	0.45		
		94 = DON'T KNOW.....	8	0.01		
		97 = REFUSED.....	57	0.10		
		98 = BLANK (NO ANSWER).....	91	0.16		
		99 = LEGITIMATE SKIP.....	54977	99.17		
YUDYBKRU	2	1VISITED DAY TRMT BEC BRKING RULES/ACT OUT				
		1 = Response entered.....	71	0.13		
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00		
		6 = Response not entered.....	230	0.41		
		94 = DON'T KNOW.....	8	0.01		
		97 = REFUSED.....	57	0.10		
		98 = BLANK (NO ANSWER).....	91	0.16		
		99 = LEGITIMATE SKIP.....	54977	99.17		
YUDYEATP	2	1VISITED DAY TRMT BEC YOU HAD EATING PROBS				
		1 = Response entered.....	31	0.06		
		6 = Response not entered.....	271	0.49		
		94 = DON'T KNOW.....	8	0.01		
		97 = REFUSED.....	57	0.10		
		98 = BLANK (NO ANSWER).....	91	0.16		
		99 = LEGITIMATE SKIP.....	54977	99.17		
(YSU12A)		What was the other emotional or behavioral problem for which you last visited a partial day hospital or day treatment program?				
YUDYANGR	2	1VISITED DAY TRMT BEC HAD TRBLE CONTRLNG ANGER				
		1 = Response entered.....	47	0.08		
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00		
		6 = Response not entered.....	248	0.45		
		94 = DON'T KNOW.....	10	0.02		
		97 = REFUSED.....	61	0.11		
		98 = BLANK (NO ANSWER).....	91	0.16		
		99 = LEGITIMATE SKIP.....	54977	99.17		
YUDYFITE	2	1VISITED DAY TRMT BEC HAD GOTTN INTO PHYS FIGHTS				
		1 = Response entered.....	22	0.04		
		6 = Response not entered.....	274	0.49		
		94 = DON'T KNOW.....	10	0.02		
		97 = REFUSED.....	61	0.11		
		98 = BLANK (NO ANSWER).....	91	0.16		
		99 = LEGITIMATE SKIP.....	54977	99.17		
YUDYFMLY	2	1VISITED DAY TRMT BEC HAD PRBLMS AT HOME/FAMILY				
		1 = Response entered.....	48	0.09		
		6 = Response not entered.....	248	0.45		
		94 = DON'T KNOW.....	10	0.02		
		97 = REFUSED.....	61	0.11		
		98 = BLANK (NO ANSWER).....	91	0.16		
		99 = LEGITIMATE SKIP.....	54977	99.17		

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	YOUTH MENTAL HEALTH TREATMENT		PAGE:	586
			FREQ	%		
YUDYFRND	2	1VISITED DAY TRMT BEC HAD PRBLMS WITH FRIENDS				-
		1 = Response entered.....	21	0.04		
		6 = Response not entered.....	275	0.50		
		94 = DON'T KNOW.....	10	0.02		
		97 = REFUSED.....	61	0.11		
		98 = BLANK (NO ANSWER).....	91	0.16		
		99 = LEGITIMATE SKIP.....	54977	99.17		
YUDYOTPP	2	1VISITED DAY TRMT BEC HAD PRBLMS WITH OTHERS				
		1 = Response entered.....	18	0.03		
		6 = Response not entered.....	278	0.50		
		94 = DON'T KNOW.....	10	0.02		
		97 = REFUSED.....	61	0.11		
		98 = BLANK (NO ANSWER).....	91	0.16		
		99 = LEGITIMATE SKIP.....	54977	99.17		
YUDYSCHL	2	1VISITED DAY TRMT BEC HAD PRBLMS AT SCHOOL				
		1 = Response entered.....	35	0.06		
		6 = Response not entered.....	261	0.47		
		94 = DON'T KNOW.....	10	0.02		
		97 = REFUSED.....	61	0.11		
		98 = BLANK (NO ANSWER).....	91	0.16		
		99 = LEGITIMATE SKIP.....	54977	99.17		
YUDYSOR	2	1VISITED DAY TRMT FOR SOME OTHER REASON				
		1 = Response entered.....	56	0.10		
		6 = Response not entered.....	246	0.44		
		94 = DON'T KNOW.....	8	0.01		
		97 = REFUSED.....	57	0.10		
		98 = BLANK (NO ANSWER).....	91	0.16		
		99 = LEGITIMATE SKIP.....	54977	99.17		
(YSU13)		During the past 12 months, did you receive treatment or counseling at a mental health clinic or center because you had problems with your behavior or emotions that were not caused by alcohol or drugs?				
YUMHCRYR	2	1RCVD EMOT TRMT IN MENT HLTH CLNC PST 12 MOS				
		1 = Yes.....	487	0.88		
		2 = No.....	17109	30.86		
		85 = BAD DATA Logically assigned.....	6	0.01		
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00		
		94 = DON'T KNOW.....	65	0.12		
		97 = REFUSED.....	57	0.10		
		98 = BLANK (NO ANSWER).....	3	0.01		
		99 = LEGITIMATE SKIP.....	37707	68.02		

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH TREATMENT			PAGE:	587
LABEL	LEN	DESCRIPTION	FREQ	%
(YSU14)		During the past 12 months, how many times did you visit a mental health clinic or center to receive treatment or counseling because you had emotional or behavioral problems that were not caused by alcohol or drugs?		-
YUMHCRN2	3	1# TIMES VISITED MENT HLTH CLNC PST 12 MOS		
	RANGE	= 1 - 30	420	0.76
		31 = 31 or more.....	23	0.04
		985 = BAD DATA Logically assigned.....	6	0.01
		994 = DON'T KNOW.....	38	0.07
		997 = REFUSED.....	64	0.12
		998 = BLANK (NO ANSWER).....	68	0.12
		999 = LEGITIMATE SKIP.....	54816	98.88
(YSU15)		Think about the last time you visited a mental health clinic or center to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason for your visit?		
YUMHSUIC	2	1VISITED MH CLNC BEC THOUGHT/TRYED TO KILL SELF		
		1 = Response entered.....	150	0.27
		6 = Response not entered.....	322	0.58
		85 = BAD DATA Logically assigned.....	6	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	64	0.12
		98 = BLANK (NO ANSWER).....	68	0.12
		99 = LEGITIMATE SKIP.....	54816	98.88
YUMHDEPR	2	1VISITED MH CLNC BEC YOU FELT DEPRESSED		
		1 = Response entered.....	264	0.48
		6 = Response not entered.....	208	0.38
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	64	0.12
		98 = BLANK (NO ANSWER).....	74	0.13
		99 = LEGITIMATE SKIP.....	54817	98.89
YUMHFEAR	2	1VISITED MH CLNC BEC YOU FELT AFRAID/TENSE		
		1 = Response entered.....	79	0.14
		3 = Response entered LOGICALLY ASSIGNED.....	3	0.01
		6 = Response not entered.....	390	0.70
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	64	0.12
		98 = BLANK (NO ANSWER).....	74	0.13
		99 = LEGITIMATE SKIP.....	54817	98.89
YUMHBKRU	2	1VISITED MH CLNC BEC BREAKING RULES/ACTING OUT		
		1 = Response entered.....	122	0.22
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	349	0.63
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	64	0.12
		98 = BLANK (NO ANSWER).....	74	0.13
		99 = LEGITIMATE SKIP.....	54817	98.89

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	YOUTH MENTAL HEALTH TREATMENT		PAGE:	588
			FREQ	%		
YUMHEATP	2	1VISITED MH CLNC BEC YOU HAD EATING PROBS				-
		1 = Response entered.....	59	0.11		
		6 = Response not entered.....	413	0.75		
		94 = DON'T KNOW.....	8	0.01		
		97 = REFUSED.....	64	0.12		
		98 = BLANK (NO ANSWER).....	74	0.13		
		99 = LEGITIMATE SKIP.....	54817	98.89		
(YSU15A)		What was the other emotional or behavioral problem for which you last visited a mental health clinic or center?				
YUMHANGR	2	1VISITED MH CLNC BEC HAD TRBLE CONTRLNG ANGER				
		1 = Response entered.....	81	0.15		
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00		
		6 = Response not entered.....	386	0.70		
		94 = DON'T KNOW.....	8	0.01		
		97 = REFUSED.....	68	0.12		
		98 = BLANK (NO ANSWER).....	74	0.13		
		99 = LEGITIMATE SKIP.....	54817	98.89		
YUMHFITE	2	1VISITE MH CLNC BEC HAD GOTTN INTO PHYS FIGHTS				
		1 = Response entered.....	17	0.03		
		6 = Response not entered.....	451	0.81		
		94 = DON'T KNOW.....	8	0.01		
		97 = REFUSED.....	68	0.12		
		98 = BLANK (NO ANSWER).....	74	0.13		
		99 = LEGITIMATE SKIP.....	54817	98.89		
YUMHFMLY	2	1VISITED MH CLNC BEC HAD PRBLMS AT HOME/FAMILY				
		1 = Response entered.....	94	0.17		
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00		
		6 = Response not entered.....	372	0.67		
		94 = DON'T KNOW.....	8	0.01		
		97 = REFUSED.....	68	0.12		
		98 = BLANK (NO ANSWER).....	74	0.13		
		99 = LEGITIMATE SKIP.....	54817	98.89		
YUMHFRND	2	1VISITED MH CLNC BEC HAD PRBLMS WITH FRIENDS				
		1 = Response entered.....	32	0.06		
		6 = Response not entered.....	436	0.79		
		94 = DON'T KNOW.....	8	0.01		
		97 = REFUSED.....	68	0.12		
		98 = BLANK (NO ANSWER).....	74	0.13		
		99 = LEGITIMATE SKIP.....	54817	98.89		
YUMHOTPP	2	1VISITED MH CLNC BEC HAD PRBLMS WITH OTHERS				
		1 = Response entered.....	29	0.05		
		6 = Response not entered.....	439	0.79		
		94 = DON'T KNOW.....	8	0.01		
		97 = REFUSED.....	68	0.12		
		98 = BLANK (NO ANSWER).....	74	0.13		
		99 = LEGITIMATE SKIP.....	54817	98.89		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH TREATMENT			PAGE:	589
LABEL	LEN	DESCRIPTION	FREQ	%
YUMHSCHL	2	1VISITED MH CLNC BEC HAD PRBLMS AT SCHOOL		-
		1 = Response entered.....	65	0.12
		6 = Response not entered.....	403	0.73
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	68	0.12
		98 = BLANK (NO ANSWER).....	74	0.13
		99 = LEGITIMATE SKIP.....	54817	98.89
YUMHSOR	2	1VISITED MH CLNC FOR SOME OTHER REASON		
		1 = Response entered.....	82	0.15
		6 = Response not entered.....	390	0.70
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	64	0.12
		98 = BLANK (NO ANSWER).....	74	0.13
		99 = LEGITIMATE SKIP.....	54817	98.89
(YSU16)		During the past 12 months, did you receive treatment or counseling from a private therapist, psychologist, psychiatrist, social worker, or counselor for emotional or behavioral problems that were not caused by alcohol or drugs?		
YUTPSTYR	2	1RCVD EMOT TRMT FROM THERAPIST PST 12 MOS		
		1 = Yes.....	1783	3.22
		2 = No.....	15799	28.50
		85 = BAD DATA Logically assigned.....	6	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	81	0.15
		97 = REFUSED.....	55	0.10
		98 = BLANK (NO ANSWER).....	3	0.01
		99 = LEGITIMATE SKIP.....	37707	68.02
(YSU17)		During the past 12 months, how many times did you receive treatment or counseling from a private therapist, psychologist, psychiatrist, social worker, or counselor for emotional or behavioral problems that were not caused by alcohol or drugs?		
YUTPSTN2	3	1# TIMES VISITED THERAPIST PAST 12 MONTHS		
		RANGE = 1 - 30	1513	2.73
		31 = 31 or more.....	101	0.18
		985 = BAD DATA Logically assigned.....	6	0.01
		994 = DON'T KNOW.....	159	0.29
		997 = REFUSED.....	66	0.12
		998 = BLANK (NO ANSWER).....	84	0.15
		999 = LEGITIMATE SKIP.....	53506	96.52

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH TREATMENT			PAGE:	590
LABEL	LEN	DESCRIPTION	FREQ	%
(YSU18)		Think about the last time you visited a private therapist, psychologist, psychiatrist, social worker, or counselor to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason for your visit?		-
YUTPSUIC	2	1VISITED THERAPIST BEC THOT/TRYED TO KILL SELF		
		1 = Response entered.....	283	0.51
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	1455	2.62
		85 = BAD DATA Logically assigned.....	6	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	31	0.06
		97 = REFUSED.....	68	0.12
		98 = BLANK (NO ANSWER).....	84	0.15
		99 = LEGITIMATE SKIP.....	53506	96.52
YUTPDEPR	2	1VISITED THERAPIST BEC YOU FELT DEPRESSED		
		1 = Response entered.....	848	1.53
		6 = Response not entered.....	891	1.61
		94 = DON'T KNOW.....	31	0.06
		97 = REFUSED.....	68	0.12
		98 = BLANK (NO ANSWER).....	90	0.16
		99 = LEGITIMATE SKIP.....	53507	96.52
YUTPFEAR	2	1VISITED THERAPIST BEC YOU FELT AFRAID/TENSE		
		1 = Response entered.....	257	0.46
		3 = Response entered LOGICALLY ASSIGNED.....	23	0.04
		6 = Response not entered.....	1459	2.63
		94 = DON'T KNOW.....	31	0.06
		97 = REFUSED.....	68	0.12
		98 = BLANK (NO ANSWER).....	90	0.16
		99 = LEGITIMATE SKIP.....	53507	96.52
YUTPBKRU	2	1VISITED THERAPIST BEC BRKING RULES/ACT OUT		
		1 = Response entered.....	386	0.70
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
		6 = Response not entered.....	1351	2.44
		94 = DON'T KNOW.....	31	0.06
		97 = REFUSED.....	68	0.12
		98 = BLANK (NO ANSWER).....	90	0.16
		99 = LEGITIMATE SKIP.....	53507	96.52
YUTPEATP	2	1VISITED THERAPIST BEC YOU HAD EATING PROBS		
		1 = Response entered.....	136	0.25
		6 = Response not entered.....	1603	2.89
		94 = DON'T KNOW.....	31	0.06
		97 = REFUSED.....	68	0.12
		98 = BLANK (NO ANSWER).....	90	0.16
		99 = LEGITIMATE SKIP.....	53507	96.52

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		YOUTH MENTAL HEALTH TREATMENT	PAGE:	591
LABEL	LEN	DESCRIPTION	FREQ	%
(YSU18A)		What was the other emotional or behavioral problem for which you last visited a private therapist, psychologist, psychiatrist, social worker or counselor?		-
YUTPANGR	2	1VISITED THERAPIST BEC HAD TRBLE CONTRLNG ANGER		
		1 = Response entered.....	236	0.43
		3 = Response entered LOGICALLY ASSIGNED.....	4	0.01
		6 = Response not entered.....	1483	2.68
		94 = DON'T KNOW.....	39	0.07
		97 = REFUSED.....	76	0.14
		98 = BLANK (NO ANSWER).....	90	0.16
		99 = LEGITIMATE SKIP.....	53507	96.52
YUTPFITE	2	1VISITED THERAPIST BEC HAD GOTN INTO PHYS FIGHTS		
		1 = Response entered.....	72	0.13
		6 = Response not entered.....	1651	2.98
		94 = DON'T KNOW.....	39	0.07
		97 = REFUSED.....	76	0.14
		98 = BLANK (NO ANSWER).....	90	0.16
		99 = LEGITIMATE SKIP.....	53507	96.52
YUTPFMLY	2	1VISITED THERAPIST BEC HAD PRBLMS AT HOME/FAMILY		
		1 = Response entered.....	432	0.78
		3 = Response entered LOGICALLY ASSIGNED.....	19	0.03
		6 = Response not entered.....	1272	2.29
		94 = DON'T KNOW.....	39	0.07
		97 = REFUSED.....	76	0.14
		98 = BLANK (NO ANSWER).....	90	0.16
		99 = LEGITIMATE SKIP.....	53507	96.52
YUTPFRND	2	1VISITED THERAPIST BEC HAD PRBLMS WITH FRIENDS		
		1 = Response entered.....	181	0.33
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
		6 = Response not entered.....	1540	2.78
		94 = DON'T KNOW.....	39	0.07
		97 = REFUSED.....	76	0.14
		98 = BLANK (NO ANSWER).....	90	0.16
		99 = LEGITIMATE SKIP.....	53507	96.52
YUTPOTPP	2	1VISITED THERAPIST BEC HAD PRBLMS WITH OTHERS		
		1 = Response entered.....	137	0.25
		3 = Response entered LOGICALLY ASSIGNED.....	5	0.01
		6 = Response not entered.....	1581	2.85
		94 = DON'T KNOW.....	39	0.07
		97 = REFUSED.....	76	0.14
		98 = BLANK (NO ANSWER).....	90	0.16
		99 = LEGITIMATE SKIP.....	53507	96.52
YUTPSCHL	2	1VISITED THERAPIST BEC HAD PRBLMS AT SCHOOL		
		1 = Response entered.....	254	0.46
		3 = Response entered LOGICALLY ASSIGNED.....	6	0.01
		6 = Response not entered.....	1463	2.64
		94 = DON'T KNOW.....	39	0.07
		97 = REFUSED.....	76	0.14
		98 = BLANK (NO ANSWER).....	90	0.16
		99 = LEGITIMATE SKIP.....	53507	96.52

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH TREATMENT			PAGE:	592
LABEL	LEN	DESCRIPTION	FREQ	%
YUTPSOR	2	1VISITED THERAPIST FOR SOME OTHER REASON		-
		1 = Response entered.....	372	0.67
		6 = Response not entered.....	1367	2.47
		94 = DON'T KNOW.....	31	0.06
		97 = REFUSED.....	68	0.12
		98 = BLANK (NO ANSWER).....	90	0.16
		99 = LEGITIMATE SKIP.....	53507	96.52
(YSU19)		During the past 12 months, did you receive treatment or counseling from an in-home therapist, counselor, or family preservation worker for emotional or behavioral problems that were not caused by alcohol or drugs?		
YUIHTPYR	2	1RCVD EMOT TRMT FROM IN HOME COUNS PST 12 MOS		
		1 = Yes.....	563	1.02
		2 = No.....	17012	30.69
		85 = BAD DATA Logically assigned.....	6	0.01
		94 = DON'T KNOW.....	83	0.15
		97 = REFUSED.....	60	0.11
		98 = BLANK (NO ANSWER).....	3	0.01
		99 = LEGITIMATE SKIP.....	37708	68.02
(YSU20)		During the past 12 months, how many times did you receive treatment or counseling from an in-home therapist, counselor, or family preservation worker for emotional or behavioral problems that were not caused by alcohol or drugs?		
YUIHTPN2	2	1# TIMES RCVD TRMT FR IN HOME COUNS PST 12 MOS		
		RANGE = 1 - 30	475	0.86
		31 = 31 or more.....	20	0.04
		985 = BAD DATA Logically assigned.....	6	0.01
		994 = DON'T KNOW.....	57	0.10
		997 = REFUSED.....	71	0.13
		998 = BLANK (NO ANSWER).....	86	0.16
		999 = LEGITIMATE SKIP.....	54720	98.71
(YSU21)		Think about the last time you saw an in-home therapist, counselor, or family preservation worker to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason for this visit?		
YUIHSUIC	2	1SAW IN HOME COUNS BEC THOT/TRYED TO KILL SELF		
		1 = Response entered.....	87	0.16
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	440	0.79
		85 = BAD DATA Logically assigned.....	6	0.01
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	78	0.14
		98 = BLANK (NO ANSWER).....	86	0.16
		99 = LEGITIMATE SKIP.....	54720	98.71

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH TREATMENT			PAGE:	593
LABEL	LEN	DESCRIPTION	FREQ	%
YUIHDEPR	2	1SAW IN HOME COUNS BEC YOU FELT DEPRESSED		-
		1 = Response entered.....	251	0.45
		6 = Response not entered.....	277	0.50
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	78	0.14
		98 = BLANK (NO ANSWER).....	92	0.17
		99 = LEGITIMATE SKIP.....	54720	98.71
YUIHFEAR	2	1SAW IN HOME COUNS BEC YOU FELT AFRAID/TENSE		
		1 = Response entered.....	72	0.13
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
		6 = Response not entered.....	454	0.82
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	78	0.14
		98 = BLANK (NO ANSWER).....	92	0.17
		99 = LEGITIMATE SKIP.....	54720	98.71
YUIHBKRU	2	1SAW IN HOME COUNS BEC BRKING RULES/ACT OUT		
		1 = Response entered.....	140	0.25
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
		6 = Response not entered.....	386	0.70
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	78	0.14
		98 = BLANK (NO ANSWER).....	92	0.17
		99 = LEGITIMATE SKIP.....	54720	98.71
YUIHEATP	2	1SAW IN HOME COUNS BEC YOU HAD EATING PROBS		
		1 = Response entered.....	41	0.07
		6 = Response not entered.....	487	0.88
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	78	0.14
		98 = BLANK (NO ANSWER).....	92	0.17
		99 = LEGITIMATE SKIP.....	54720	98.71
(YSU21A)		What was the other emotional or behavioral problem for which you last saw an in-home therapist, counselor, or family preservation worker?		
YUIHANGR	2	1SAW IN HOME COUNS BEC HAD TRBLE CONTRLNG ANGER		
		1 = Response entered.....	67	0.12
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
		6 = Response not entered.....	456	0.82
		94 = DON'T KNOW.....	18	0.03
		97 = REFUSED.....	80	0.14
		98 = BLANK (NO ANSWER).....	92	0.17
		99 = LEGITIMATE SKIP.....	54720	98.71
YUIHFITE	2	1SAW IN HOME COUNS BEC HAD GOTTNEN INTO PHYS FIGHTS		
		1 = Response entered.....	22	0.04
		6 = Response not entered.....	503	0.91
		94 = DON'T KNOW.....	18	0.03
		97 = REFUSED.....	80	0.14
		98 = BLANK (NO ANSWER).....	92	0.17
		99 = LEGITIMATE SKIP.....	54720	98.71

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	YOUTH MENTAL HEALTH TREATMENT		PAGE:	594
			FREQ	%		
YUIHFMLY	2	1SAW IN HOME COUNS BEC HAD PRBLMS AT HOME/FAMILY				-
		1 = Response entered.....	121	0.22		
		3 = Response entered LOGICALLY ASSIGNED.....	7	0.01		
		6 = Response not entered.....	397	0.72		
		94 = DON'T KNOW.....	18	0.03		
		97 = REFUSED.....	80	0.14		
		98 = BLANK (NO ANSWER).....	92	0.17		
		99 = LEGITIMATE SKIP.....	54720	98.71		
YUIHFRND	2	1SAW IN HOME COUNS BEC HAD PRBLMS WITH FRIENDS				
		1 = Response entered.....	43	0.08		
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00		
		6 = Response not entered.....	481	0.87		
		94 = DON'T KNOW.....	18	0.03		
		97 = REFUSED.....	80	0.14		
		98 = BLANK (NO ANSWER).....	92	0.17		
		99 = LEGITIMATE SKIP.....	54720	98.71		
YUIHOTPP	2	1SAW IN HOME COUNS BEC HAD PRBLMS WITH OTHERS				
		1 = Response entered.....	32	0.06		
		6 = Response not entered.....	493	0.89		
		94 = DON'T KNOW.....	18	0.03		
		97 = REFUSED.....	80	0.14		
		98 = BLANK (NO ANSWER).....	92	0.17		
		99 = LEGITIMATE SKIP.....	54720	98.71		
YUIHSCHL	2	1SAW IN HOME COUNS BEC HAD PRBLMS AT SCHOOL				
		1 = Response entered.....	52	0.09		
		6 = Response not entered.....	473	0.85		
		94 = DON'T KNOW.....	18	0.03		
		97 = REFUSED.....	80	0.14		
		98 = BLANK (NO ANSWER).....	92	0.17		
		99 = LEGITIMATE SKIP.....	54720	98.71		
YUIHSOR	2	1SAW IN HOME COUNS FOR SOME OTHER REASON				
		1 = Response entered.....	85	0.15		
		6 = Response not entered.....	443	0.80		
		94 = DON'T KNOW.....	17	0.03		
		97 = REFUSED.....	78	0.14		
		98 = BLANK (NO ANSWER).....	92	0.17		
		99 = LEGITIMATE SKIP.....	54720	98.71		
(YSU22)		During the past 12 months, did you receive treatment or counseling from a pediatrician or other family doctor for emotional or behavioral problems that were not caused by alcohol or drugs?				
YUFDOCYR	2	1RCVD EMOT TRMT FROM FAMLY DOC PST 12 MOS				
		1 = Yes.....	526	0.95		
		2 = No.....	17034	30.73		
		85 = BAD DATA Logically assigned.....	6	0.01		
		94 = DON'T KNOW.....	93	0.17		
		97 = REFUSED.....	65	0.12		
		98 = BLANK (NO ANSWER).....	3	0.01		
		99 = LEGITIMATE SKIP.....	37708	68.02		

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:		595
			FREQ	%	-
(YSU23)		During the past 12 months, how many times did you receive treatment or counseling from a pediatrician or other family doctor for emotional or behavioral problems that were not caused by alcohol or drugs?			
YUFDOCN2	3	1# TIMES RCV'D TRMT FROM FAMILY DOC PST 12 MOS			
	RANGE =	1 - 30	465	0.84	
	31	= 31 or more.....	5	0.01	
	985	= BAD DATA Logically assigned.....	6	0.01	
	994	= DON'T KNOW.....	44	0.08	
	997	= REFUSED.....	77	0.14	
	998	= BLANK (NO ANSWER).....	96	0.17	
	999	= LEGITIMATE SKIP.....	54742	98.75	
(YSU24)		Think about the last time you visited a pediatrician or other family doctor to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason for your visit?			
YUFDSUIC	2	1SAW FAMLY DOC BEC THOUGHT/TRYED TO KILL SELF			
	1	= Response entered.....	55	0.10	
	6	= Response not entered.....	432	0.78	
	85	= BAD DATA Logically assigned.....	6	0.01	
	94	= DON'T KNOW.....	25	0.05	
	97	= REFUSED.....	79	0.14	
	98	= BLANK (NO ANSWER).....	96	0.17	
	99	= LEGITIMATE SKIP.....	54742	98.75	
YUFDDEPR	2	1SAW FAMLY DOC BEC YOU FELT DEPRESSED			
	1	= Response entered.....	176	0.32	
	3	= Response entered LOGICALLY ASSIGNED.....	1	0.00	
	6	= Response not entered.....	310	0.56	
	94	= DON'T KNOW.....	25	0.05	
	97	= REFUSED.....	79	0.14	
	98	= BLANK (NO ANSWER).....	102	0.18	
	99	= LEGITIMATE SKIP.....	54742	98.75	
YUFDFEAR	2	1SAW FAMLY DOC BEC YOU FELT AFRAID/TENSE			
	1	= Response entered.....	53	0.10	
	3	= Response entered LOGICALLY ASSIGNED.....	4	0.01	
	6	= Response not entered.....	430	0.78	
	94	= DON'T KNOW.....	25	0.05	
	97	= REFUSED.....	79	0.14	
	98	= BLANK (NO ANSWER).....	102	0.18	
	99	= LEGITIMATE SKIP.....	54742	98.75	
YUFDBKRU	2	1SAW FAMLY DOC BEC BREAKING RULES/ACTING OUT			
	1	= Response entered.....	70	0.13	
	3	= Response entered LOGICALLY ASSIGNED.....	2	0.00	
	6	= Response not entered.....	415	0.75	
	94	= DON'T KNOW.....	25	0.05	
	97	= REFUSED.....	79	0.14	
	98	= BLANK (NO ANSWER).....	102	0.18	
	99	= LEGITIMATE SKIP.....	54742	98.75	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	YOUTH MENTAL HEALTH TREATMENT		PAGE:	596
			FREQ	%		
YUFDEATP	2	1SAW FAMLY DOC BEC YOU HAD EATING PROBS				
		1 = Response entered.....	64	0.12		
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00		
		6 = Response not entered.....	422	0.76		
		94 = DON'T KNOW.....	25	0.05		
		97 = REFUSED.....	79	0.14		
		98 = BLANK (NO ANSWER).....	102	0.18		
		99 = LEGITIMATE SKIP.....	54742	98.75		
(YSU24A)		What was the other emotional or behavioral problem for which you last visited a pediatrician or other family doctor?				
YUFDANGR	2	1SAW FAMLY DOC BEC HAD TRBLE CONTRLNG ANGER				
		1 = Response entered.....	34	0.06		
		6 = Response not entered.....	441	0.80		
		94 = DON'T KNOW.....	30	0.05		
		97 = REFUSED.....	86	0.16		
		98 = BLANK (NO ANSWER).....	102	0.18		
		99 = LEGITIMATE SKIP.....	54742	98.75		
YUFDFTITE	2	1SAW FAMLY DOC BEC HAD GOTTEN INTO PHYS FIGHTS				
		1 = Response entered.....	11	0.02		
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00		
		6 = Response not entered.....	462	0.83		
		94 = DON'T KNOW.....	30	0.05		
		97 = REFUSED.....	86	0.16		
		98 = BLANK (NO ANSWER).....	102	0.18		
		99 = LEGITIMATE SKIP.....	54742	98.75		
YUFDFMLY	2	1SAW FAMLY DOC BEC HAD PRBLMS AT HOME/FAMILY				
		1 = Response entered.....	41	0.07		
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00		
		6 = Response not entered.....	432	0.78		
		94 = DON'T KNOW.....	30	0.05		
		97 = REFUSED.....	86	0.16		
		98 = BLANK (NO ANSWER).....	102	0.18		
		99 = LEGITIMATE SKIP.....	54742	98.75		
YUFDFRND	2	1SAW FAMLY DOC BEC HAD PRBLMS WITH FRIENDS				
		1 = Response entered.....	14	0.03		
		6 = Response not entered.....	461	0.83		
		94 = DON'T KNOW.....	30	0.05		
		97 = REFUSED.....	86	0.16		
		98 = BLANK (NO ANSWER).....	102	0.18		
		99 = LEGITIMATE SKIP.....	54742	98.75		
YUFDFOTP	2	1SAW FAMLY DOC BEC HAD PRBLMS WITH OTHERS				
		1 = Response entered.....	18	0.03		
		6 = Response not entered.....	457	0.82		
		94 = DON'T KNOW.....	30	0.05		
		97 = REFUSED.....	86	0.16		
		98 = BLANK (NO ANSWER).....	102	0.18		
		99 = LEGITIMATE SKIP.....	54742	98.75		

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	YOUTH MENTAL HEALTH TREATMENT		PAGE:	597
			FREQ	%		
YUFDSCHL	2	1SAW FAMLY DOC BEC HAD PRBLMS AT SCHOOL				
		1 = Response entered.....	48	0.09		
		6 = Response not entered.....	427	0.77		
		94 = DON'T KNOW.....	30	0.05		
		97 = REFUSED.....	86	0.16		
		98 = BLANK (NO ANSWER).....	102	0.18		
		99 = LEGITIMATE SKIP.....	54742	98.75		
YUFDSOR	2	1SAW FAMLY DOC FOR SOME OTHER REASON				
		1 = Response entered.....	171	0.31		
		6 = Response not entered.....	316	0.57		
		94 = DON'T KNOW.....	25	0.05		
		97 = REFUSED.....	79	0.14		
		98 = BLANK (NO ANSWER).....	102	0.18		
		99 = LEGITIMATE SKIP.....	54742	98.75		
(YSU25)		During the past 12 months, did you receive special education services while in your regular classroom or have you been placed in a special classroom, a special program, or a special school because you had emotional or behavioral problems that were not caused by alcohol or drugs?				
YUSPEDYR	2	1SPECIAL EDUC SVCS FOR EMOT PROB PST 12 MOS				
		1 = Yes.....	633	1.14		
		2 = No.....	15593	28.13		
		85 = BAD DATA Logically assigned.....	6	0.01		
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00		
		94 = DON'T KNOW.....	70	0.13		
		97 = REFUSED.....	70	0.13		
		98 = BLANK (NO ANSWER).....	98	0.18		
		99 = LEGITIMATE SKIP.....	38964	70.29		
(YSU26)		During the past 12 months, did you talk to school counselors, school psychologists, or had regular meetings with your teachers about problems with your emotions or behaviors that were not caused by alcohol or drugs?				
YUSHCNYR	2	1TALKED W/SCH COUNS FOR EMOT PROB PST 12 MOS				
		1 = Yes.....	1767	3.19		
		2 = No.....	14480	26.12		
		85 = BAD DATA Logically assigned.....	6	0.01		
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00		
		94 = DON'T KNOW.....	51	0.09		
		97 = REFUSED.....	68	0.12		
		98 = BLANK (NO ANSWER).....	98	0.18		
		99 = LEGITIMATE SKIP.....	38964	70.29		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	YOUTH MENTAL HEALTH TREATMENT		PAGE: FREQ	598 %
			-----	-----		
(YSU27)		Think about the last time you talked to school counselors, school psychologists, or had regular meetings with your teachers about problems with your emotions or behaviors that were not caused by alcohol or drugs. What was the reason for your talk?				-
YUSHSUIC	2	1TLKED W/SCH COUNS BEC THOT/TRYED TO KILL SELF				
		1 = Response entered.....	157	0.28		
		6 = Response not entered.....	1569	2.83		
		85 = BAD DATA Logically assigned.....	6	0.01		
		94 = DON'T KNOW.....	23	0.04		
		97 = REFUSED.....	86	0.16		
		98 = BLANK (NO ANSWER).....	149	0.27		
		99 = LEGITIMATE SKIP.....	53445	96.41		
YUSHDEPR	2	1TLKED W/SCH COUNS BEC YOU FELT DEPRESSED				
		1 = Response entered.....	642	1.16		
		6 = Response not entered.....	1084	1.96		
		94 = DON'T KNOW.....	23	0.04		
		97 = REFUSED.....	86	0.16		
		98 = BLANK (NO ANSWER).....	155	0.28		
		99 = LEGITIMATE SKIP.....	53445	96.41		
YUSHFEAR	2	1TLKED W/SCH COUNS BEC YOU FELT AFRAID/TENSE				
		1 = Response entered.....	256	0.46		
		3 = Response entered LOGICALLY ASSIGNED.....	7	0.01		
		6 = Response not entered.....	1463	2.64		
		94 = DON'T KNOW.....	23	0.04		
		97 = REFUSED.....	86	0.16		
		98 = BLANK (NO ANSWER).....	155	0.28		
		99 = LEGITIMATE SKIP.....	53445	96.41		
YUSHBKRU	2	1TLKED W/SCH COUNS BEC BRKING RULES/ACT OUT				
		1 = Response entered.....	369	0.67		
		3 = Response entered LOGICALLY ASSIGNED.....	6	0.01		
		6 = Response not entered.....	1351	2.44		
		94 = DON'T KNOW.....	23	0.04		
		97 = REFUSED.....	86	0.16		
		98 = BLANK (NO ANSWER).....	155	0.28		
		99 = LEGITIMATE SKIP.....	53445	96.41		
YUSHEATP	2	1TLKED W/SCH COUNS BEC YOU HAD EATING PROBS				
		1 = Response entered.....	104	0.19		
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00		
		6 = Response not entered.....	1621	2.92		
		94 = DON'T KNOW.....	23	0.04		
		97 = REFUSED.....	86	0.16		
		98 = BLANK (NO ANSWER).....	155	0.28		
		99 = LEGITIMATE SKIP.....	53445	96.41		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	YOUTH MENTAL HEALTH TREATMENT		PAGE: FREQ	599 %
			-----	-----		
(YSU27A)		What was the other emotional or behavioral problem for which you last talked with a school counselor, school psychologist, or one of your regular teachers?				-
YUSHANGR	2	1TLKED W/SCH COUNS BEC HAD TRBLE CONTRLNG ANGER				
		1 = Response entered.....	184	0.33		
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00		
		6 = Response not entered.....	1527	2.75		
		94 = DON'T KNOW.....	29	0.05		
		97 = REFUSED.....	94	0.17		
		98 = BLANK (NO ANSWER).....	155	0.28		
		99 = LEGITIMATE SKIP.....	53445	96.41		
YUSHFITE	2	1TLKED W/SCH COUNS BEC HAD GOTTN INTO PHYS FIGHTS				
		1 = Response entered.....	97	0.17		
		3 = Response entered LOGICALLY ASSIGNED.....	3	0.01		
		6 = Response not entered.....	1612	2.91		
		94 = DON'T KNOW.....	29	0.05		
		97 = REFUSED.....	94	0.17		
		98 = BLANK (NO ANSWER).....	155	0.28		
		99 = LEGITIMATE SKIP.....	53445	96.41		
YUSHFMLY	2	1TLKED W/SCH COUNS BEC HAD PRBLMS AT HOME/FAMILY				
		1 = Response entered.....	298	0.54		
		3 = Response entered LOGICALLY ASSIGNED.....	12	0.02		
		6 = Response not entered.....	1402	2.53		
		94 = DON'T KNOW.....	29	0.05		
		97 = REFUSED.....	94	0.17		
		98 = BLANK (NO ANSWER).....	155	0.28		
		99 = LEGITIMATE SKIP.....	53445	96.41		
YUSHFRND	2	1TLKED W/SCH COUNS BEC HAD PRBLMS WITH FRIENDS				
		1 = Response entered.....	327	0.59		
		3 = Response entered LOGICALLY ASSIGNED.....	8	0.01		
		6 = Response not entered.....	1377	2.48		
		94 = DON'T KNOW.....	29	0.05		
		97 = REFUSED.....	94	0.17		
		98 = BLANK (NO ANSWER).....	155	0.28		
		99 = LEGITIMATE SKIP.....	53445	96.41		
YUSHOTPP	2	1TLKED W/SCH COUNS BEC HAD PRBLMS WITH OTHERS				
		1 = Response entered.....	189	0.34		
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00		
		6 = Response not entered.....	1521	2.74		
		94 = DON'T KNOW.....	29	0.05		
		97 = REFUSED.....	94	0.17		
		98 = BLANK (NO ANSWER).....	155	0.28		
		99 = LEGITIMATE SKIP.....	53445	96.41		
YUSHSCHL	2	1TLKED W/SCH COUNS BEC HAD PRBLMS AT SCHOOL				
		1 = Response entered.....	346	0.62		
		3 = Response entered LOGICALLY ASSIGNED.....	50	0.09		
		6 = Response not entered.....	1316	2.37		
		94 = DON'T KNOW.....	29	0.05		
		97 = REFUSED.....	94	0.17		
		98 = BLANK (NO ANSWER).....	155	0.28		
		99 = LEGITIMATE SKIP.....	53445	96.41		

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	YOUTH MENTAL HEALTH TREATMENT		PAGE:	600
			FREQ	%		
YUSHSOR	2	1TLKED W/SCH COUNS FOR SOME OTHER REASON				-
		1 = Response entered.....	362	0.65		
		6 = Response not entered.....	1364	2.46		
		94 = DON'T KNOW.....	23	0.04		
		97 = REFUSED.....	86	0.16		
		98 = BLANK (NO ANSWER).....	155	0.28		
		99 = LEGITIMATE SKIP.....	53445	96.41		
(YSU28)		Have you ever been in jail or in a detention center?				
YUJAILEV	2	1EVER BEEN IN JAIL OR DETENTION CENTER				
		1 = Yes.....	1011	1.82		
		2 = No.....	16618	29.98		
		85 = BAD DATA Logically assigned.....	6	0.01		
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00		
		94 = DON'T KNOW.....	44	0.08		
		97 = REFUSED.....	45	0.08		
		98 = BLANK (NO ANSWER).....	3	0.01		
		99 = LEGITIMATE SKIP.....	37707	68.02		
(YSU29)		Have you ever been in foster care?				
YUFREV	2	1EVER BEEN IN FOSTER CARE				
		1 = Yes.....	406	0.73		
		2 = No.....	17145	30.93		
		5 = Yes LOGICALLY ASSIGNED (from skip pattern).....	97	0.17		
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00		
		94 = DON'T KNOW.....	34	0.06		
		97 = REFUSED.....	36	0.06		
		98 = BLANK (NO ANSWER).....	9	0.02		
		99 = LEGITIMATE SKIP.....	37707	68.02		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	RECODED YOUTH MENTAL HEALTH TREATMENT	PAGE:	601
				FREQ	%

RECODED YOUTH MENTAL HEALTH TREATMENT					

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.					

The following recoded variables contain information about whether youths received mental health care in the past year from each of 10 specific services for problems with behaviors or emotions that were not caused by alcohol or drugs.					

YHOSP	1	STAYED OVNT IN HOSP FOR EMOT TRMT IN PST YR			
		. = Unknown/Aged 18+ (YUHOSPYR=85,89,94,97,98,99).....	37810	68.21	
		0 = No (YUHOSPYR=2).....	17221	31.07	
		1 = Yes (YUHOSPYR=1).....	404	0.73	
YRESID	1	STAYED IN RESID CTR FOR EMOT TRMT IN PST YR			
		. = Unknown/Aged 18+ (YURSIDYR=85,89,94,97,98,99).....	37831	68.24	
		0 = No (YURSIDYR=2).....	17430	31.44	
		1 = Yes (YURSIDYR=1).....	174	0.31	
YFOST	1	SPENT TIME IN FOST CARE FOR EMOT PROB IN PST YR			
		. = Unknown/Aged 18+ (YUFCAFYR=85,89,94,97,98,99).....	37757	68.11	
		0 = No (YUFCAFYR=2,4).....	17581	31.71	
		1 = Yes (YUFCAFYR=1).....	97	0.17	
YDAYTRT	1	SPENT TIME IN DAY TRMT PRG FOR EMOT PRB IN PST YR			
		. = Unknown/Aged 18+ (YUDYTXYR=85,89,94,97,98,99).....	37851	68.28	
		0 = No (YUDYTXYR=2).....	17269	31.15	
		1 = Yes (YUDYTXYR=1).....	315	0.57	
YCLIN	1	RCVD EMOT TRMT IN MENT HLTH CLNC IN PST YR			
		. = Unknown/Aged 18+ (YUMHCRYR=85,89,94,97,98,99).....	37839	68.26	
		0 = No (YUMHCRYR=2).....	17109	30.86	
		1 = Yes (YUMHCRYR=1).....	487	0.88	
YTHER	1	RCVD EMOT TRMT FROM THERAPIST IN PST YR			
		. = Unknown/Aged 18+ (YUTPSTYR=85,89,94,97,98,99).....	37853	68.28	
		0 = No (YUTPSTYR=2).....	15799	28.50	
		1 = Yes (YUTPSTYR=1).....	1783	3.22	
YHOME	1	RCVD EMOT TRMT FROM IN-HOME COUNS IN PST YR			
		. = Unknown/Aged 18+ (YUIHTPYR=85,94,97,98,99).....	37860	68.30	
		0 = No (YUIHTPYR=2).....	17012	30.69	
		1 = Yes (YUIHTPYR=1).....	563	1.02	
YPED	1	RCVD EMOT TRMT FROM FAMLY DOC IN PST YR			
		. = Unknown/Aged 18+ (YUFDOCYR=85,94,97,98,99).....	37875	68.32	
		0 = No (YUFDOCYR=2).....	17034	30.73	
		1 = Yes (YUFDOCYR=1).....	526	0.95	
YSPED	1	SPECIAL EDUC SVCS FOR EMOT PROB IN PST YR			
		. = Unknown/Aged 18+ (Otherwise).....	37952	68.46	
		0 = No (YUSPEDYR=2 OR [AGE2<7 AND YUSPEDYR=99]).....	16850	30.40	
		1 = Yes (YUSPEDYR=1).....	633	1.14	

RECODED YOUTH MENTAL HEALTH TREATMENT			PAGE:	602
LABEL	LEN	DESCRIPTION	FREQ	%
YSCHL	1	TALKED W/SCH COUNS FOR EMOT PROB IN PST YR		-
		. = Unknown/Aged 18+ (Otherwise).....	37931	68.42
		0 = No (YUSHCNYR=2 OR [AGE2<7 AND YUSHCNYR=99]).....	15737	28.39
		1 = Yes (YUSHCNYR=1).....	1767	3.19

NOTE: The following five variables contain information on the general types of mental health services received by youths in the past year for problems with behavior or emotions that were not caused by alcohol or drugs.

The following variable, ANYMHIN, indicates whether a youth reported receiving specialty inpatient/residential mental health services in the past year from any of 3 specific inpatient/residential sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created based on the following 3 sources of treatment variables: stayed overnight in hospital (YHOSP), stayed in residential treatment facility (YRESID), and spent time in foster care (YFOST). Youths who reported a positive response (source variable=1) to one or more of the 3 questions were included in the yes category regardless of how many of the 3 questions they answered. Youths who did not report a positive response, but answered all 3 of the questions were included in the no category. Youths who did not report a positive response and did not answer all the questions, and adults were included in the unknown/18+ category.

ANYMHIN	1	YTH RCVD SPEC INPATIENT MH SERVICES IN PY		
		. = Unknown/Aged 18+ (Otherwise).....	37833	68.25
		0 = No (YHOSP, YRESID, and YFOST = 0).....	17098	30.84
		1 = Yes (YHOSP, YRESID, or YFOST = 1).....	504	0.91

The following variable, ANYMHOUT, indicates whether a youth reported receiving specialty outpatient mental health services in the past year from any of 4 specific outpatient sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created based on the following 4 source of treatment variables: spent time in a day treatment facility (YDAYTRT), received treatment at a mental health clinic (YCLIN), from a private therapist (YTHER), and from an in-home therapist (YHOME). Youths who reported a positive response (source variable=1) to one or more of the 4 questions were included in the yes category regardless of how many of the 4 questions they answered. Youths who did not report a positive response, but answered all 4 of the questions were included in the no category. Youths who did not report a positive response and did not answer all the questions, and adults were included in the unknown/18+ category.

ANYMHOUT	1	YTH RCVD SPEC OUTPATIENT MH SERVICES IN PY		
		. = Unknown/Aged 18+ (Otherwise).....	37890	68.35
		0 = No (YDAYTRT, YCLIN, YTHER, and YHOME = 0).....	15427	27.83
		1 = Yes (YDAYTRT, YCLIN, YTHER, or YHOME = 1).....	2118	3.82

RECODED YOUTH MENTAL HEALTH TREATMENT			PAGE:	603
LABEL	LEN	DESCRIPTION	FREQ	%
<hr/>				
		The following variable, ANYSMH, indicates whether a youth reported receiving specialty mental health services in the past year from any of 7 specific inpatient/residential or outpatient specialty sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created based on the following 7 source of treatment variables: stayed overnight in a hospital (YHOSP), stayed in a residential treatment facility (YRESID), spent time in foster care (YFOST), spent time in a day treatment facility (YDAYTRT), received treatment from a mental health clinic (YCLIN), from a private therapist (YTHEP), and from an in-home therapist (YHOME). Youths who reported a positive response (source variable=1) to one or more of the 7 questions were included in the yes category regardless of how many of the 7 questions they answered. Youths who did not report a positive response, but answered all 7 of the questions were included in the no category. Youths who did not report a positive response and did not answer all the questions, and adults were included in the unknown/18+ category.		-
ANYSMH	1	YTH RCVD SPECIALTY MENTAL HEALTH SRVC IN PST YR		
		. = Unknown/Aged 18+ (See comment above).....	37897	68.36
		0 = No (All above source variables=0).....	15176	27.38
		1 = Yes (Any above source variable=1).....	2362	4.26
<hr/>				
The following variable, ANYMHED, indicates whether a youth enrolled in school reported receiving mental health services in the past year from education sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created using the following source of treatment variables: talked to school counselors, school psychologist, or regular teacher for problems (YSCHL) and received special education services in the classroom or placed in a special classroom, program, or school (YSPED). Youths who reported a positive response (source variable=1) to one or more of these questions were included in the yes category regardless of how many of the questions they answered. Youths who did not report a positive response, but answered both questions were included in the no category. Youths who did not report a positive response and did not answer both questions, and adults were included in the unknown/18+ category.				
ANYMHED	1	YTH RCVD EDUCATION MENTAL HEALTH SRVC IN PST YR		
		. = Unkwn/Aged 18+/Not enrolled in School (Otherwise).....	37961	68.48
		0 = No (YSCHL and YSPED = 0).....	15361	27.71
		1 = Yes (YSCHL or YSPED = 1).....	2113	3.81

LABEL	LEN	DESCRIPTION	RECODED YOUTH MENTAL HEALTH TREATMENT	PAGE:	604
				FREQ	%

		The following variable, ANYSMHPS, indicates whether a youth reported receiving specialty mental health services along with services from either education or general medical (family doctor/pediatrician) settings in the past year for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created using the following 3 source of treatment variables: received specialty mental health services (ANYSMH), education setting-based mental health services (ANYMHED), and treatment from a family doctor/pediatrician (YPED). Included in the unknown/18+ category were adults and youths who did not provide enough information to determine whether mental health care was received at both a specialty mental health service along with services from either an education or general medical setting [ANYSMH=. or {ANYSMH=1 and ((ANYMHED=0 and YPED=.) or (ANYMHED=. and YPED=0) or (ANYMHED=. and YPED=.))}].		-	
ANYSMHPS	1	YTH RCV'D SPECIALTY AND EDUC OR MED MH SRVC IN PY			
		. = Unknown/Aged 18+ (See comment above).....	37883	68.34	
		0 = No (ANYSMH=0 or (ANYMHED=0 and YPED=0)).....	16527	29.81	
		1 = Yes (ANYSMH=1 and (ANYMHED=1 or YPED=1)).....	1025	1.85	
NOTE: The following 10 variables contain information on the number of times a youth received mental health services from specific mental health sources.					
HOSPVST	1	# NIGHTS YTH STAYED IN HOSP FOR MH SRVC IN PY			
		. = Unknown/18+(Otherwise).....	37848	68.27	
		1 = 1 night (YUHOSPN2=1).....	194	0.35	
		2 = 2 nights (YUHOSPN2=2).....	32	0.06	
		3 = 3-6 nights (YUHOSPN2=3-6).....	52	0.09	
		4 = 7-24 nights (YUHOSPN2=7-24).....	60	0.11	
		5 = 25 or more nights (YUHOSPN2=25-31).....	28	0.05	
		6 = No Stays (YUHOSPYR=2).....	17221	31.07	
RESIDVST	1	# NIGHTS YTH STAYED IN RESID CTR FOR MH SRVC IN PY			
		. = Unknown/18+ (Otherwise).....	37844	68.27	
		1 = 1 night (YURSIDN2=1).....	57	0.10	
		2 = 2 nights (YURSIDN2=2).....	15	0.03	
		3 = 3-6 nights (YURSIDN2=3-6).....	19	0.03	
		4 = 7-24 nights (YURSIDN2=7-24).....	35	0.06	
		5 = 25 or more nights (YURSIDN2=25-31).....	35	0.06	
		6 = No Stays (YURSIDYR=2).....	17430	31.44	
FOSTVST	1	# NIGHTS YTH STAYED IN FOST CARE FOR MH SRVC IN PY			
		. = Unknown/18+(Otherwise).....	37772	68.14	
		1 = 1 night (YUFCARN2=1).....	31	0.06	
		2 = 2 nights (YUFCARN2=2).....	10	0.02	
		3 = 3-6 nights (YUFCARN2=3-6).....	11	0.02	
		4 = 7-24 nights (YUFCARN2=7-24).....	10	0.02	
		5 = 25 or more nights (YUFCARN2=25-31).....	20	0.04	
		6 = No Stays (YUFCARYR=2,4).....	17581	31.71	

RECODED YOUTH MENTAL HEALTH TREATMENT			PAGE:	605
LABEL	LEN	DESCRIPTION	FREQ	%
DYTXVST	1	# TIMES YTH VISITED DAY TRMT PROG IN PY		-
		. = Unknown/18+(Otherwise).....	37884	68.34
		1 = 1 visit (YUDYTXN2=1).....	93	0.17
		2 = 2 visits (YUDYTXN2=2).....	57	0.10
		3 = 3-6 visits (YUDYTXN2=3-6).....	61	0.11
		4 = 7-24 visits (YUDYTXN2=7-24).....	47	0.08
		5 = 25 or more visits (YUDYTXN2=25-31).....	24	0.04
		6 = No visits (YUDYTXYR=2).....	17269	31.15
CLINVST	1	# TIMES YTH VISITED MENT HLTH CLIN IN PY		
		. = Unknown/18+(Otherwise).....	37884	68.34
		1 = 1 visit (YUMHCRN2=1).....	117	0.21
		2 = 2 visits (YUMHCRN2=2).....	65	0.12
		3 = 3-6 visits (YUMHCRN2=3-6).....	117	0.21
		4 = 7-24 visits (YUMHCRN2=7-24).....	102	0.18
		5 = 25 or more visits (YUMHCRN2=25-31).....	41	0.07
		6 = No visits (YUMHCRYR=2).....	17109	30.86
THERVST	1	# TIMES YTH VISITED THERAPIST IN PY		
		. = Unknown/18+(Otherwise).....	38023	68.59
		1 = 1 visit (YUTPSTN2=1).....	377	0.68
		2 = 2 visits (YUTPSTN2=2).....	250	0.45
		3 = 3-6 visits (YUTPSTN2=3-6).....	474	0.86
		4 = 7-24 visits (YUTPSTN2=7-24).....	354	0.64
		5 = 25 or more visits (YUTPSTN2=25-31).....	158	0.29
		6 = No visits (YUTPSTYR=2).....	15799	28.50
HOMEVST	1	# TIMES YTH RCVD IN-HOME COUNSELING IN PY		
		. = Unknown/18+(Otherwise).....	37928	68.42
		1 = 1 time (YUIHTPN2=1).....	162	0.29
		2 = 2 times (YUIHTPN2=2).....	88	0.16
		3 = 3-6 times (YUIHTPN2=3-6).....	128	0.23
		4 = 7-24 times (YUIHTPN2=7-24).....	75	0.14
		5 = 25 or more times (YUIHTPN2=25-31).....	42	0.08
		6 = None (YUIHTPYR=2).....	17012	30.69

LABEL	LEN	DESCRIPTION	RECODED YOUTH MENTAL HEALTH TREATMENT	PAGE:	606
				FREQ	%

		The following variable, SPINVST, indicates how many overnight stays were reported at an inpatient specialty mental health service in the past year. The number of overnight stays is calculated by adding the number of overnight stays at a hospital (YUHOSPN2), residential treatment center (YURSIDN2), and in foster care (YUFCARN2). A value of 6 (No Overnight Stays) was assigned whenever a respondent said they had used none of the services (YUHOSPYR, YURSIDYR, YUFCARYR all equal 2). A value of missing was assigned when the response to whether received treatment or number of overnight stays was unknown for any of the 3 locations (any of YUHOSPYR, YURSIDYR, YUFCARYR = 85,94,97,98 OR any of YUHOSPN2, YURSIDN2, YUFCARN2 = 985, 994,997,998), unless the sum of the overnight stays for services with non-missing information was greater than or equal to 25, in which case a value of 5 (25 or more stays) was assigned. A missing value was also assigned for respondents aged 18 or older.			-
SPINVST	1	# NIGHTS YTH STAYED IN SPECIALTY INPATIENT MH SERV			
		. = Unknown/18+ (See comment above).....	37905	68.38	
		1 = 1 Overnight Stay (See comment above).....	163	0.29	
		2 = 2 Overnight Stays (See comment above).....	47	0.08	
		3 = 3-6 Overnight Stays (See comment above).....	77	0.14	
		4 = 7-24 Overnight Stays (See comment above).....	70	0.13	
		5 = 25 or more Overnight Stays (See comment above)....	75	0.14	
		6 = No Overnight Stays (See comment above).....	17098	30.84	
The following variable, SPOUTVST, indicates how many times a specialty outpatient mental health service was visited in the past year. The number of visits is calculated by adding the number of visits to a day treatment facility (YUDYTXN2), mental health clinic (YUMHCRN2), private therapist (YUTPSTN2), and an in-home therapist (YUIHTPN2). A value of 6 (No Visits) was assigned whenever a respondent said they had used none of the services (YUDYTXYR, YUMHCRYR, YUTPSTYR, YUIHTPYR all equal 2). A value of missing was assigned when the response to whether received treatment or number of visits was unknown for any of the 4 locations (any of YUDYTXYR, YUMHCRYR, YUTPSTYR, YUIHTPYR = 85,94,97,98 OR any of YUDYTXN2, YUMHCRN2, YUTPSTN2, YUIHTPN2 = 985,994,997, 998), unless the sum of the visits for services with non-missing information was greater than or equal to 25, in which case a value of 5 (25 or more visits) was assigned. A missing value was also assigned for respondents aged 18 or older.					
SPOUTVST	1	# TIMES YTH VISITED A SPECIALTY OUTPATIENT MH SERV			
		. = Unknown/18+ (See comment above).....	38141	68.80	
		1 = 1 Visit (See comment above).....	356	0.64	
		2 = 2 Visits (See comment above).....	306	0.55	
		3 = 3-6 Visits (See comment above).....	503	0.91	
		4 = 7-24 Visits (See comment above).....	445	0.80	
		5 = 25 or more Visits (See comment above).....	257	0.46	
		6 = No Visits (See comment above).....	15427	27.83	

RECODED YOUTH MENTAL HEALTH TREATMENT			PAGE:	607
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
<p>The following variable, SMHVST, indicates the number of visits or overnight stays to a specialty mental health service in the past year. The number of visits/overnight stays is calculated by adding the number of overnight stays in a hospital (YUHOSPN2), residential treatment center (YURSIDN2), and foster care (YUFCArn2), and the number of visits to a day treatment facility (YUDYTXN2), mental health clinic (YUMHCRN2), private therapist (YUTPSTN2), and in-home therapist (YUIHTPN2). A value of 6 (No Visits/Overnight Stays) was assigned whenever a respondent said they had used none of the services (YUHOSPYR, YURSIDYR, YUFCArYR, YUDYTXYR, YUMHCRYR, YUTPSTYR, YUIHTPYR all equal 0). A value of missing was assigned when the response to whether received treatment or number of visits/stays was unknown for any of the 7 locations (any of YUHOSPYR, YURSIDYR, YUFCArYR, YUDYTXYR, YUMHCRYR, YUTPSTYR, YUIHTPYR = 85,94,97,98 OR any of YUHOSPN2, YURSIDN2, YUFCArn2, YUDYTXN2, YUMHCRN2, YUTPSTN2, YUIHTPN2 = 985,994, 997,998), unless the sum of the visits/overnight stays for services with non-missing information was greater than or equal to 25, in which case a value of 5 (25 or more visits/stays) was assigned. A missing value was also assigned for respondents aged 18 or older.</p>				
SMHVST	1	# STAYS/VISITS YTH MADE TO SPEC MH SERVICE		
		. = Unknown/18+ (See comment above).....	38205	68.92
		1 = 1 Visit/Overnight Stay (See comment above).....	444	0.80
		2 = 2 Visits/Overnight Stays (See comment above)....	307	0.55
		3 = 3-6 Visits/Overnight Stays (See comment above)....	518	0.93
		4 = 7-24 Visits/Overnight Stays (See comment above)...	469	0.85
		5 = 25 or More Visits/Stays (See comment above).....	316	0.57
		6 = No Visits/Stays (See comment above).....	15176	27.38

LABEL	LEN	DESCRIPTION	PAGE:	608
			FREQ	%

NOTE: The following 13 variables contain the reasons that youths received their most recent mental health services from at least one inpatient/residential specialty mental health source for emotional or behavioral problems not caused by alcohol or drugs.				
<p>The following variable, SIMHSUI, indicates whether a respondent received their most recent mental health services from at least one inpatient/residential specialty mental health source in the past year because they thought about or tried to kill themselves. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOSUIC), residential treatment center (YURSSUIC), or in foster care (YUFCSUIC) because of suicidal thoughts. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 3 inpatient/residential sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.</p>				
SIMHSUI	1	YTH RCVD LAST INPT SPEC MH SRVC B/C TRIED SUIC		
		. = No Trt/Unknwn Reason/Aged 18+ (See comment above).	55073	99.35
		0 = Reason not indicated (Otherwise).....	207	0.37
		1 = Reason indicated (Any source variable=1,3).....	155	0.28
<p>The following variable, SIMHDPR, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they were depressed. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHODEPR), residential treatment center (YURSDEPR), or in foster care (YUFCDDEPR) because they were depressed. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 3 inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.</p>				
SIMHDPR	1	YTH RCVD LAST INPT SPEC MH SRVC B/C DEPRESSED		
		. = Trt/Unknwn Reason/Aged 18+ (See comment above)....	55075	99.35
		0 = Reason not indicated (Otherwise).....	201	0.36
		1 = Reason indicated (Any source variable=1,3).....	159	0.29

RECODED YOUTH MENTAL HEALTH TREATMENT			PAGE:	609
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
<p>The following variable, SIMHFEA, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they were afraid/tense. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFEAR), residential treatment center (YURSFEAR), or in foster care (YUFCFEAR) because they were afraid/tense. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 3 inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.</p>				
SIMHFEA	1	YTH RCVD LAST INPT SPEC MH SRVC B/C AFRAID/TENSE		
		. = No Trt/Unknwn Reason/Aged 18+ (See comment above).	55074	99.35
		0 = Reason not indicated (Otherwise).....	303	0.55
		1 = Reason indicated (Any source variable=1,3).....	58	0.10
<p>The following variable, SIMHBRK, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they broke rules or "acted out". This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOBKRU), residential treatment center (YURSBKRU), or in foster care (YUFCBKRU) because they broke rules or "acted out". None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 3 inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.</p>				
SIMHBRK	1	YTH RCVD LAST INPT SPEC MH SRVC B/C BROKE RULES		
		. = No Trt/Unknwn Reason/Aged 18+ (See comment above).	55073	99.35
		0 = Reason not indicated (Otherwise).....	274	0.49
		1 = Reason indicated (Any source variable=1,3).....	88	0.16

RECODED YOUTH MENTAL HEALTH TREATMENT			PAGE:	610
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
<p>The following variable, SIMHEAT, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had eating problems. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOEATP), residential treatment center (YURSEATP), or in foster care (YUFCEATP) because they had eating problems. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 3 inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.</p>				
SIMHEAT	1	YTH RCVD LAST INPT SPEC MH SRVC B/C EATING PROBS		
		. = No Trt/Unknwn Reason/Aged 18+ (See comment above).	55076	99.35
		0 = Reason not indicated (Otherwise).....	330	0.60
		1 = Reason indicated (Any source variable=1,3).....	29	0.05
<p>The following variable, SIMHANGR, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had trouble controlling anger. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOANGR), residential treatment center (YURSANGR), or in foster care (YUFCANGR) because they had trouble controlling anger. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 3 inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.</p>				
SIMHANGR	1	YTH RCVD LAST INPT SPEC MH SRVC B/C ANGER CONTROL		
		. = No Trt/Unknwn Reason/Aged 18+ (See comment above).	55074	99.35
		0 = Reason not indicated (Otherwise).....	322	0.58
		1 = Reason indicated (Any source variable=1,3).....	39	0.07

RECODED YOUTH MENTAL HEALTH TREATMENT			PAGE:	611
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
<p>The following variable, SIMHFITE, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they were in physical fights. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFITE), residential treatment center (YURSFITE), or in foster care (YUFCFITE) because they were in physical fights. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 3 inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.</p>				
SIMHFITE	1	YTH RCVD LAST INPT SPEC MH SRVC B/C PHYS FIGHT		
			. = No Trt/Unknwn Reason/Aged 18+ (See comment above).	55074 99.35
			0 = Reason not indicated (Otherwise).....	341 0.62
			1 = Reason indicated (Any source variable=1,3).....	20 0.04
<p>The following variable, SIMHFMLY, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had problems at home or in their family. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFMLY), residential treatment center (YURSFMLY), or in foster care (YUFCFMLY) because they had problems at home or in their family, as well as the write-in other-specify variables: most important reason for staying overnight in a hospital, residential treatment center, or in foster care was because they had problems at home or in their family. A respondent was classified as having indicated that they received mental health services for this reason if any of the above source variables=1,3 or if any of the write-in other-specify variables indicated home or family problems. Adults, youths that did not report receiving services from any of the 3 inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.</p>				
SIMHFMLY	1	YTH RCVD LAST INPT SPEC MH SRVC B/C HOME/FAM PROB		
			. = No Trt/Unknwn Reason/Aged 18+ (See comment above).	55074 99.35
			0 = Reason not indicated (Otherwise).....	308 0.56
			1 = Reason indicated (See comment above).....	53 0.10

RECODED YOUTH MENTAL HEALTH TREATMENT			PAGE:	612									
LABEL	LEN	DESCRIPTION	FREQ	%									
-----	-----	-----	-----	-									
<p>The following variable, SIMHFRND, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had problems with a friend. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFRND), residential treatment center (YURSFRND), or in foster care (YUFCFRND) because they had problems with a friend. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 3 inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.</p>													
SIMHFRND	1	YTH RCVD LAST INPT SPEC MH SRVC B/C PROB W/ FRND											
<table> <tr> <td>. = No Trt/Unknwn Reason/Aged 18+ (See comment above).</td> <td>55073</td> <td>99.35</td> </tr> <tr> <td>0 = Reason not indicated (Otherwise).....</td> <td>338</td> <td>0.61</td> </tr> <tr> <td>1 = Reason indicated (Any source variable=1,3).....</td> <td>24</td> <td>0.04</td> </tr> </table>					. = No Trt/Unknwn Reason/Aged 18+ (See comment above).	55073	99.35	0 = Reason not indicated (Otherwise).....	338	0.61	1 = Reason indicated (Any source variable=1,3).....	24	0.04
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).	55073	99.35											
0 = Reason not indicated (Otherwise).....	338	0.61											
1 = Reason indicated (Any source variable=1,3).....	24	0.04											
<p>The following variable, SIMHOTPP, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had problems with people other than family or friends. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOOTPP), residential treatment center (YURSOTPP), or in foster care (YUFCOTPP) because they had problems with people other than family or friends, as well as the corresponding write-in other-specify variables: most important reason for staying overnight in a hospital, residential treatment center or foster care was because they had problems with people other than family or friends. A respondent was classified as having indicated that they received inpatient mental health services for this reason if any of the above source variables=1,3 or if any of the write-in other-specify variables indicated problems with others. Adults, youths that did not report receiving services from any of the 3 inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.</p>													
SIMHOTPP	1	YTH RCVD LAST SPEC MH SRVC IN PY B/C PROB W/ OTHER											
<table> <tr> <td>. = No Trt/Unknwn Reason/Aged 18+ (See comment above).</td> <td>55076</td> <td>99.35</td> </tr> <tr> <td>0 = Reason not indicated (Otherwise).....</td> <td>337</td> <td>0.61</td> </tr> <tr> <td>1 = Reason indicated (See comment above).....</td> <td>22</td> <td>0.04</td> </tr> </table>					. = No Trt/Unknwn Reason/Aged 18+ (See comment above).	55076	99.35	0 = Reason not indicated (Otherwise).....	337	0.61	1 = Reason indicated (See comment above).....	22	0.04
. = No Trt/Unknwn Reason/Aged 18+ (See comment above).	55076	99.35											
0 = Reason not indicated (Otherwise).....	337	0.61											
1 = Reason indicated (See comment above).....	22	0.04											

RECODED YOUTH MENTAL HEALTH TREATMENT			PAGE:	613
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
<p>The following variable, SIMHSCHL, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had problems at school. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOSCHL), residential treatment center (YURSSCHL), or in foster care (YUFCSCHL) because they had problems at school. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 3 inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.</p>				
SIMHSCHL	1	YTH RCV LAST INPT SPEC MH SRVC B/C PROB AT SCH		
		. = No Trt/Unknwn Reason/Aged 18+ (See comment above).	55074	99.35
		0 = Reason not indicated (Otherwise).....	330	0.60
		1 = Reason indicated (Any source variable=1,3).....	31	0.06
<p>The following variable, SIMHMEND, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because they had a diagnosed mental disorder. This recode was created based only on responses to other-specify write-in variables: most important reason for staying overnight in a hospital, residential treatment center, or in foster care was because they had a diagnosed mental disorder. A respondent was classified as having indicated that they received mental health services for this reason if any of the above other-specify variables indicated reasons related to mental disorders. Adults, youths that did not report receiving services from any of the 3 inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.</p>				
SIMHMEND	1	YTH RCV LAST INPT SPEC MH SRVC B/C DIAG MNTL DIS		
		. = No Trt/Unknwn Reason/Aged 18+ (See comment above).	55076	99.35
		0 = Reason not indicated (Otherwise).....	352	0.63
		1 = Reason indicated (See comment above).....	7	0.01

RECODED YOUTH MENTAL HEALTH TREATMENT			PAGE:	614
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	The following variable, SIMHOTH2, indicates whether a respondent received their most recent mental health services from at least one inpatient specialty mental health source in the past year because of some other reason. This recode was created based only on responses to other-specify write-in variables: most important reason for staying overnight in a hospital, residential treatment center, or in foster care was because of some other reason. A respondent was classified as having indicated that they received mental health services for this reason if any of the above other-specify variables indicated some other reason, not otherwise specified. Adults, youths that did not report receiving services from any of the 3 inpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.	-----	-
SIMHOTH2	1	YTH RCVD LAST SPEC MH SRVC IN PY B/C OTHER REASONS		
		. = No Trt/Unknwn Reason/Aged 18+ (See comment above).	55075	99.35
		0 = Reason not indicated (Otherwise).....	324	0.58
		1 = Reason indicated (See comment above).....	36	0.06
 NOTE: The following 13 variables contain the reasons that youths received their most recent mental health services from at least one outpatient specialty mental health source for emotional or behavioral problems not caused by alcohol or drugs.				
<p>The following variable, SOMHSUI, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they thought about or tried to kill themselves. This recode was created by examination of the following sources: visited a day treatment program (YUDYSUIC), mental health center (YUMHSUIC), private therapist (YUTPSUIC), or received treatment from an in-home therapist (YUIHSUIC) because of suicidal thoughts. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.</p>				
SOMHSUI	1	YTH RCVD LAST OUTPT SPEC MH SRVC B/C TRIED SUIC		
		. = No Trt/Unknwn Reason/Aged 18+ (See comment above).	53504	96.52
		0 = Reason not indicated (Otherwise).....	1556	2.81
		1 = Reason indicated (Any source variable=1,3).....	375	0.68

RECODED YOUTH MENTAL HEALTH TREATMENT			PAGE:	615												
LABEL	LEN	DESCRIPTION	FREQ	%												
-----	-----	-----	-----	-												
<p>The following variable, SOMHDPR, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they were depressed. This recode was created by examination of the following source variables: visited a day treatment program (YUDYDEPR), mental health center (YUMHDEPR), private therapist (YUTPDEPR), and received treatment from in-home therapist (YUIHDEPR) because they were depressed. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.</p>																
SOMHDPR	1	YTH RCVD LAST OUTPT SPEC MH SRVC B/C DEPRESSED														
<table> <tr> <td>. = No Trt/Unknwn Reason/Aged 18+</td> <td>(See comment above).</td> <td>53487</td> <td>96.49</td> </tr> <tr> <td>0 = Reason not indicated (Otherwise).....</td> <td></td> <td>945</td> <td>1.70</td> </tr> <tr> <td>1 = Reason indicated (Any source variable=1,3).....</td> <td></td> <td>1003</td> <td>1.81</td> </tr> </table>					. = No Trt/Unknwn Reason/Aged 18+	(See comment above).	53487	96.49	0 = Reason not indicated (Otherwise).....		945	1.70	1 = Reason indicated (Any source variable=1,3).....		1003	1.81
. = No Trt/Unknwn Reason/Aged 18+	(See comment above).	53487	96.49													
0 = Reason not indicated (Otherwise).....		945	1.70													
1 = Reason indicated (Any source variable=1,3).....		1003	1.81													
<p>The following variable, SOMHFEA, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they were afraid/tense. This recode was created by examination of the following source variables: visited a day treatment program (YUDYFEAR), mental health center (YUMHFEAR), private therapist (YUTPFEAR), and received treatment from an in-home therapist (YUIHFEAR) because they were afraid/tense. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.</p>																
SOMHFEA	1	YTH RCVD LAST OUTPT SPEC MH SRVC B/C AFRAID/TENSE														
<table> <tr> <td>. = No Trt/Unknwn Reason/Aged 18+</td> <td>(See comment above).</td> <td>53504</td> <td>96.52</td> </tr> <tr> <td>0 = Reason not indicated (Otherwise).....</td> <td></td> <td>1588</td> <td>2.86</td> </tr> <tr> <td>1 = Reason indicated (Any source variable=1,3).....</td> <td></td> <td>343</td> <td>0.62</td> </tr> </table>					. = No Trt/Unknwn Reason/Aged 18+	(See comment above).	53504	96.52	0 = Reason not indicated (Otherwise).....		1588	2.86	1 = Reason indicated (Any source variable=1,3).....		343	0.62
. = No Trt/Unknwn Reason/Aged 18+	(See comment above).	53504	96.52													
0 = Reason not indicated (Otherwise).....		1588	2.86													
1 = Reason indicated (Any source variable=1,3).....		343	0.62													

RECODED YOUTH MENTAL HEALTH TREATMENT			PAGE:	616
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
<p>The following variable, SOMHBRK, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they broke rules or "acted out". This recode was created by examination of the following source variables: visited a day treatment program (YUDYBKRU), mental health center (YUMHBKRU), private therapist (YUTPBKRU), and received treatment from an in-home therapist (YUIHBKRU) because they broke rules or "acted out". None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.</p>				
SOMHBRK	1	YTH RCV'D LAST OUTPT SPEC MH SRVC B/C BREAKING RULE		
		. = No Trt/Unknwn Reason/Aged 18+ (See comment above).	53506	96.52
		0 = Reason not indicated (Otherwise).....	1445	2.61
		1 = Reason indicated (Any source variable=1,3).....	484	0.87
<p>The following variable, SOMHEAT, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they had eating problems. This recode was created by examination of the following source variables: visited a day treatment program (YUDYEATP), mental health center (YUMHEATP), private therapist (YUTPEATP), and received treatment from an in-home therapist (YUIHEATP) because they had eating problems. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.</p>				
SOMHEAT	1	YTH RCV'D LAST OUTPT SPEC MH SRVC B/C EATING PROBS		
		. = No Trt/Unknwn Reason/Aged 18+ (See comment above).	53513	96.53
		0 = Reason not indicated (Otherwise).....	1745	3.15
		1 = Reason indicated (Any source variable=1,3).....	177	0.32

LABEL	LEN	DESCRIPTION	RECODED YOUTH MENTAL HEALTH TREATMENT	PAGE:	617
				FREQ	%

			The following variable, SOMHANGR, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they had problems controlling anger. This recode was created by examination of the following source variables: visited a day treatment program (YUDYANGR), mental health center (YUMHANGR), private therapist (YUTPANGR), and received treatment from an in-home therapist (YUIHANGR) because they had trouble controlling anger. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.		-
SOMHANGR	1	YTH RCV'D LAST OUTPT SPEC MH SRVC B/C ANGER CONTROL			
		.	= No Trt/Unknwn Reason/Aged 18+ (See comment above).	53504	96.52
		0	= Reason not indicated (Otherwise).....	1603	2.89
		1	= Reason indicated (Any source variable=1,3).....	328	0.59
The following variable, SOMHFITE, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they were in physical fights. This recode was created by examination of the following source variables: visited a day treatment program (YUDYFITE), mental health center (YUMHFITE), private therapist (YUTPFITE), and received treatment from an in-home therapist (YUIHFITE) because they were in physical fights. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.					
SOMHFITE	1	YTH RCV'D LAST OUTPT SPEC MH SRVC B/C PHYS FIGHT			
		.	= No Trt/Unknwn Reason/Aged 18+ (See comment above).	53517	96.54
		0	= Reason not indicated (Otherwise).....	1810	3.27
		1	= Reason indicated (Any source variable=1,3).....	108	0.19

RECODED YOUTH MENTAL HEALTH TREATMENT			PAGE:	618
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
<p>The following variable, SOMHFMLY, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they had problems at home or in their family. This recode was created by examination of the following source variables: visited a day treatment program (YUDYFMLY), mental health center (YUMHFMLY), private therapist (YUTPFMLY), and received treatment from an in-home therapist (YUIHFMLY) because they had problems at home or in their family, as well as the write-in other-specify variables: most important reason for visits to a day treatment program, mental health center, private therapist, and treatment from an in-home therapist was because they had problems at home or in their family. A respondent was classified as having indicated that they received mental health services for this reason if any of the above source variables=1,3 or if any of the write-in other-specify variables indicated home or family problems. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.</p>				
SOMHFMLY	1	YTH RCV LAST OUTPT SPEC MH SRVC B/C HOME/FAM PROB		
		. = No Trt/Unknwn Reason/Aged 18+ (See comment above).	53504	96.52
		0 = Reason not indicated (Otherwise).....	1362	2.46
		1 = Reason indicated (See comment above).....	569	1.03
<p>The following variable, SOMHFRND, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they had problems with a friend. This recode was created by examination of the following source variables: visited a day treatment program (YUDYFRND), mental health center (YUMHFRND), private therapist (YUTPFRND), and received treatment from an in-home therapist (YUIHFRND) because they had problems with a friend. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.</p>				
SOMHFRND	1	YTH RCV LAST OUTPT SPEC MH SRVC B/C PROB W/ FRND		
		. = No Trt/Unknwn Reason/Aged 18+ (See comment above).	53513	96.53
		0 = Reason not indicated (Otherwise).....	1686	3.04
		1 = Reason indicated (Any source variable=1,3).....	236	0.43

LABEL	LEN	DESCRIPTION	RECODED YOUTH MENTAL HEALTH TREATMENT	PAGE:	619
				FREQ	%

The following variable, SOMHOTPP, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they had had problems with people other than family or friends. This recode was created by examination of the following source variables: visited a day treatment program (YUDYOTPP), mental health center (YUMHOTPP), private therapist (YUTPOTPP), and received treatment from an in-home therapist (YUIHOTPP) because they had problems with people other than family or friends, as well as the write-in other-specify variables: most important reason visited a day treatment program, mental health center, private therapist, and received treatment from an in-home therapist was because they had problems with other people other than family or friends. A respondent was classified as having indicated that they received mental health services for this reason if any of the above source variables=1,3 or if any of the write-in other-specify variables indicated problems with others. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.					
SOMHOTPP	1	YTH RCVD LAST OUTPT SPEC MH SRVC B/C PROB W/ OTHER			
		. = No Trt/Unknwn Reason/Aged 18+ (See comment above).	53508	96.52	
		0 = Reason not indicated (Otherwise).....	1744	3.15	
		1 = Reason indicated (See comment above).....	183	0.33	
The following variable, SOMHSCHL, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they had problems at school. This recode was created by examination of the following source variables: visited a day treatment program (YUDYSCHL), mental health center (YUMHSCHL), private therapist (YUTPSCHL), and received treatment from an in-home therapist (YUIHSCHL) because they had problems at school. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.					
SOMHSCHL	1	YTH RCVD LAST OUTPT SPEC MH SRVC B/C PROB AT SCH			
		. = No Trt/Unknwn Reason/Aged 18+ (See comment above).	53506	96.52	
		0 = Reason not indicated (Otherwise).....	1585	2.86	
		1 = Reason indicated (Any source variable=1,3).....	344	0.62	

LABEL	LEN	DESCRIPTION	RECODED YOUTH MENTAL HEALTH TREATMENT	PAGE:	620
				FREQ	%
-----	-----	-----	-----	-----	-
The following variable, SOMHMEND, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because they had a diagnosed mental disorder. This recode was based only on responses to other specify write-in variables: most important reason visited a day treatment program, mental health center, private therapist, and received treatment from an in-home therapist was because they had a diagnosed mental disorder. A respondent was classified as having indicated that they received mental health services for this reason if any of the above other-specify variables indicated reasons related to mental disorders. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.					
SOMHMEND	1	YTH RCVD LAST OUTPT SPEC MH SRVC B/C DIAG MNTL DIS			
		. = No Trt/Unknwn Reason/Aged 18+ (See comment above).		53517	96.54
		0 = Reason not indicated (Otherwise).....		1882	3.39
		1 = Reason indicated (See comment above).....		36	0.06
The following variable, SOMHOTH2, indicates whether a respondent received their most recent mental health services from at least one outpatient specialty mental health source in the past year because of some other reasons. This recode was created based only on responses to other-specify write-in variables: most important reason visited a day treatment program, mental health center, private therapist, or received treatment from an in-home therapist was because of some other reason. A respondent was classified as having indicated that they received mental health services for this reason if any of the write-in other-specify variables indicated some other reason, not otherwise specified. Adults, youths that did not report receiving services from any of the 4 outpatient sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.					
SOMHOTH2	1	YTH RCVD LAST OUTPT SPEC MH SRVC B/C OTHER REASONS			
		. = No Trt/Unknwn Reason/Aged 18+ (See comment above).		53513	96.53
		0 = Reason not indicated (Otherwise).....		1716	3.10
		1 = Reason indicated (See comment above).....		206	0.37

LABEL	LEN	DESCRIPTION	RECODED YOUTH MENTAL HEALTH TREATMENT	PAGE:	621
				FREQ	%
-----	-----	-----	-----	-----	-
NOTE: The following 13 variables contain the reasons that youths received their most recent mental health services from at least one specialty mental health source for emotional or behavioral problems not caused by alcohol or drugs.					
<p>The following variable, SMHSUI, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they thought about or tried to kill themselves. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOSUIC), residential treatment center (YURSSUIC), in foster care (YUFCSUIC), or visited a day treatment program (YUDYSUIC), mental health center (YUMHSUIC), private therapist (YUTPSUIC), or received treatment from an in-home therapist (YUIHSUIC) because of suicidal thoughts. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 7 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.</p>					
SMHSUI	1	YTH RCVD LAST SPEC MH SRVC IN PY B/C TRIED SUIC			
		. = No Trt/Unknwn Reason/Aged 18+ (See comment above).	53392	96.31	
		0 = Reason not indicated (Otherwise).....	1610	2.90	
		1 = Reason indicated (Any source variable=1,3).....	433	0.78	
<p>The following variable, SMHDPR, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they were depressed. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHODEPR), residential treatment center (YURSDEPR), in foster care (YUFCDEPR), or visited a day treatment program (YUDYDEPR), mental health center (YUMHDEPR), private therapist (YUTPDEPR), or received treatment from an in-home therapist (YUIHDEPR) because they were depressed. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 7 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.</p>					
SMHDPR	1	YTH RCVD LAST SPEC MH SRVC IN PY B/C DEPRESSED			
		. = No Trt/Unknwn Reason/Aged 18+ (See comment above).	53367	96.27	
		0 = Reason not indicated (Otherwise).....	1013	1.83	
		1 = Reason indicated (Any source variable=1,3).....	1055	1.90	

LABEL	LEN	DESCRIPTION	RECODED YOUTH MENTAL HEALTH TREATMENT	PAGE:	622
				FREQ	%

			The following variable, SMHFEA, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they were afraid/tense. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFEAR), residential treatment center (YURSFEAR), in foster care (YUFCFEAR), or visited a day treatment program (YUDYFEAR), mental health center (YUMHFEAR), private therapist (YUTPFEAR), or received treatment from an in-home therapist (YUIHFEAR) because they were afraid/tense. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 7 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.		-
SMHFEA	1	YTH RCV'D LAST SPEC MH SRVC IN PY B/C AFRAID/TENSE			
		. = No Trt/Unknwn Reason/Aged 18+ (See comment above).	53392	96.31	
		0 = Reason not indicated (Otherwise).....	1664	3.00	
		1 = Reason indicated (Any source variable=1,3).....	379	0.68	
The following variable, SMHBRK, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they broke rules or "acted out". This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOBKRU), residential treatment center (YURSBKRU), in foster care (YUFCKRU), or visited a day treatment program (YUDYBKRU), mental health center (YUMHBKRU), private therapist (YUTPBKRU), or received treatment from an in-home therapist (YUIHBKRU) because they broke rules or "acted out". Adults, youths that did not report receiving services from any of the 7 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.					
SMHBRK	1	YTH RCV'D LAST SPEC MH SRVC IN PY B/C BREAK RULES			
		. = No Trt/Unknwn Reason/Aged 18+ (See comment above).	53395	96.32	
		0 = Reason not indicated (Otherwise).....	1514	2.73	
		1 = Reason indicated (Any source variable=1,3).....	526	0.95	

RECODED YOUTH MENTAL HEALTH TREATMENT			PAGE:	623
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
<p>The following variable, SMHEAT, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had eating problems. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOEATP), residential treatment center (YURSEATP), in foster care (YUFCEATP), or visited a day treatment program (YUDYEATP), mental health center (YUMHEATP), private therapist (YUTPEATP), or received treatment from an in-home therapist (YUIHEATP) because they had eating problems. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 7 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.</p>				
SMHEAT	1	YTH RCVD LAST SPEC MH SRVC IN PY B/C EATING PROBS		
		. = No Trt/Unknwn Reason/Aged 18+ (See comment above).	53412	96.35
		0 = Reason not indicated (Otherwise).....	1830	3.30
		1 = Reason indicated (Any source variable=1,3).....	193	0.35
<p>The following variable, SMHANGR, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had trouble controlling anger. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOANGR), residential treatment center (YURSANGR), in foster care (YUFCANGR), or visited a day treatment program (YUDYANGR), mental health center (YUMHANGR), private therapist (YUTPANGR), or received treatment from an in-home therapist (YUIHANGR) because they had trouble controlling anger. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 7 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.</p>				
SMHANGR	1	YTH RCVD LAST SPEC MH SRVC IN PY B/C ANGER CONTROL		
		. = No Trt/Unknwn Reason/Aged 18+ (See comment above).	53397	96.32
		0 = Reason not indicated (Otherwise).....	1687	3.04
		1 = Reason indicated (Any source variable=1,3).....	351	0.63

RECODED YOUTH MENTAL HEALTH TREATMENT			PAGE:	624
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
<p>The following variable, SMHFITE, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they were in physical fights. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFITE), residential treatment center (YURSFITE), in foster care (YUFCFITE), or visited a day treatment program (YUDYFITE), mental health center (YUMHFITE), private therapist (YUTPFITE), or received treatment from an in-home therapist (YUIHFITE) because they were in physical fights. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 7 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.</p>				
SMHFITE	1	YTH RCV LAST SPEC MH SRVC IN PY B/C PHYS FIGHT		
			. = No Trt/Unknwn Reason/Aged 18+ (See comment above).	53413 96.35
			0 = Reason not indicated (Otherwise).....	1897 3.42
			1 = Reason indicated (Any source variable=1,3).....	125 0.23
<p>The following variable, SMHFMLY, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had problems at home or in their family. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFMLY), residential treatment center (YURSFMLY), in foster care (YUFCFMLY), or visited a day treatment program (YUDYFMLY), mental health center (YUMHFMLY), private therapist (YUTPFMLY), or received treatment from an in-home therapist (YUIHFMLY) because they had problems at home or in their family, as well as the write-in other-specify variables: most important reason for staying overnight in a hospital, residential treatment center, in foster care, or visited a day treatment program, mental health center, private therapist, or received treatment from an in-home therapist was because they had problems at home or in their family. A respondent was classified as having indicated that they received mental health services for this reason if any of the above source variables=1,3 or if any of the write-in other-specify variables indicated home or family problems. Adults, youths that did not report receiving services from any of the 7 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.</p>				
SMHFMLY	1	YTH RCV LAST SPEC MH SRVC IN PY B/C HOME/FAM PRB		
			. = No Trt/Unknwn Reason/Aged 18+ (See comment above).	53395 96.32
			0 = Reason not indicated (Otherwise).....	1444 2.60
			1 = Reason indicated (See comment above).....	596 1.08

LABEL	LEN	DESCRIPTION	RECODED YOUTH MENTAL HEALTH TREATMENT	PAGE:	625
				FREQ	%

			The following variable, SMHFRND, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had problems with a friend. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOFRND), residential treatment center (YURSFRND), in foster care (YUFCFRND), or visited a day treatment program (YUDYFRND), mental health center (YUMHFRND), private therapist (YUTPFRND), or received treatment from an in-home therapist (YUIHFRND) because they had problems with a friend. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 7 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.		
SMHFRND	1	YTH RCV'D LAST SPEC MH SRVC IN PY B/C PROB W/ FRND			
		.	= No Trt/Unknwn Reason/Aged 18+ (See comment above).	53407	96.34
		0	= Reason not indicated (Otherwise).....	1773	3.20
		1	= Reason indicated (Any source variable=1,3).....	255	0.46
The following variable, SMHOTPP, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had problems with people other than family or friends. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOOTPP), residential treatment center (YURSOTPP), in foster care (YUFCOTPP), or visited a day treatment program (YUDYOTPP), mental health center (YUMHOTPP), private therapist (YUTPOTPP), or received treatment from an in-home therapist (YUIHOTPP) because they had problems with other people other than family or friends, as well as the write-in other-specify variables: most important reason for staying overnight in a hospital, residential treatment center, in foster care, or visits to a day treatment program, mental health center, private therapist, or received treatment from an in-home therapist because they had problems with other people other than family or friends. A respondent was classified as having indicated that they received mental health services for this reason if any of the above source variables=1,3 or if any of the write-in other-specify variables indicated problems with others. Adults that did not report receiving services from any of the 7 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.					
SMHOTPP	1	YTH RCV'D LAST SPEC MH SRVC IN PY B/C PROB W/ OTHER			
		.	= No Trt/Unknwn Reason/Aged 18+ (See comment above).	53405	96.34
		0	= Reason not indicated (Otherwise).....	1832	3.30
		1	= Reason indicated (See comment above).....	198	0.36

RECODED YOUTH MENTAL HEALTH TREATMENT			PAGE:	626
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
<p>The following variable, SMHSCHL, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had problems at school. This recode was created by examination of the following source variables: stayed overnight in hospital (YUHOSCHL), residential treatment center (YURSSCHL), in foster care (YUFCSCHL), or visited a day treatment program (YUDYSCHL), mental health center (YUMHSCHL), private therapist (YUTPSCHL), or received treatment from an in-home therapist (YUIHSCHL) because they had problems at school. None of the write-in other-specify values were applicable for this variable. Adults, youths that did not report receiving services from any of the 7 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.</p>				
SMHSCHL	1	YTH RCVD LAST SPEC MH SRVC IN PY B/C PROB AT SCH		
<p>. = No Trt/Unknwn Reason/Aged 18+ (See comment above). 53401 96.33</p> <p>0 = Reason not indicated (Otherwise)..... 1669 3.01</p> <p>1 = Reason indicated (Any source variable=1,3)..... 365 0.66</p>				
<p>The following variable, SMHMEND, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because they had a diagnosed mental disorder. This recode was created based only on responses to other-specify write-in variables: most important reason for staying overnight in a hospital, residential treatment center, in foster care or visited a day treatment program, mental health center, private therapist, or received treatment from an in-home therapist was because they had a diagnosed mental disorder. A respondent was classified as having indicated that they received mental health services for this reason if any of the above other-specify variables indicated reasons related to mental disorders. Adults, youths that did not report receiving services from any of the 7 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.</p>				
SMHMEND	1	YTH RCVD LAST SPEC MH SRVC IN PY B/C DIAG MNTL DIS		
<p>. = No Trt/Unknwn Reason/Aged 18+ (See comment above). 53416 96.36</p> <p>0 = Reason not indicated (Otherwise)..... 1976 3.56</p> <p>1 = Reason indicated (See comment above)..... 43 0.08</p>				

LABEL	LEN	DESCRIPTION	RECODED YOUTH MENTAL HEALTH TREATMENT	PAGE:	627
				FREQ	%

		The following variable, SMHOTH2, indicates whether a respondent received their most recent mental health services from at least one specialty mental health source in the past year because of some other reason. This recode was created based only on responses to other-specify write-in variables: most important reason for staying overnight in a hospital, residential treatment center, in foster care, or visited a day treatment program, mental health center, private therapist, or received treatment from an in-home therapist because of some other reason. A respondent was classified as having indicated that they received mental health services for this reason if any of the above other-specify variables indicated some other reason, not otherwise specified. Adults, youths that did not report receiving services from any of the 7 specialty sources in the past year, and youths that reported receiving services in the past year, but did not indicate a valid reason for receiving services at any of these locations were assigned to the unknown category.		-	
SMHOTH2	1	YTH RCVD LAST SPEC MH SRVC IN PY B/C OTHER REASONS			
		. = No Trt/Unknwn Reason/Aged 18+ (See comment above).	53409	96.35	
		0 = Reason not indicated (Otherwise).....	1794	3.24	
		1 = Reason indicated (See comment above).....	232	0.42	
NOTE: The following 13 variables, SHCNXXX, indicate whether a respondent last talked with their school counselor, school psychologist, or regular teacher in the past year because of respective reasons. Youths were assigned a "reason not indicated" for the specific reason if they did not indicate that specific reason for their last talk with their school counselor (YUSHXXXX=6) but did indicate one of the other 12 reasons. Adults, youths that did not report or had unknown information about receiving services from a school counselor in the past year, and youths that reported receiving services in the past year, but did not indicate any valid reason for receiving services were assigned to the unknown category.					
SHCNSUI	1	YTH LAST TLKD W/ SCH COUNS IN PY B/C TRIED SUIC			
		. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment above)	53772	97.00	
		0 = Reason not indicated (See comment above).....	1506	2.72	
		1 = Reason indicated (YUSHSUIC=1).....	157	0.28	
SHCNDPR	1	YTH LAST TLKD W/ SCH COUNS IN PY B/C DEPRESSED			
		. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	53771	97.00	
		0 = Reason not indicated (See comment above SHCNSUI)..	1022	1.84	
		1 = Reason indicated (YUSHDEPR=1).....	642	1.16	
SHCNFEA	1	YTH LAST TLKD W/ SCH COUNS IN PY B/C AFRAID/TENSE			
		. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	53772	97.00	
		0 = Reason not indicated (See comment above SHCNSUI)..	1400	2.53	
		1 = Reason indicated (YUSHFEAR=1,3).....	263	0.47	

RECODED YOUTH MENTAL HEALTH TREATMENT			PAGE:	628
LABEL	LEN	DESCRIPTION	FREQ	%
SHCNBRK	1	YTH LAST TLKD W/ SCH COUNS IN PY B/C BROKE RULES . 0 = Reason not indicated (See comment above SHCNSUI).. 1 = Reason indicated (YUSHBKRU=1,3).....	53771 1289 375	97.00 2.33 0.68
SHCNEAT	1	YTH LAST TLKD W/ SCH COUNS IN PY B/C EATING PROBS . 0 = Reason not indicated (See comment above SHCNSUI).. 1 = Reason indicated (YUSHEATP=1,3).....	53772 1558 105	97.00 2.81 0.19
SHCNANGR	1	YTH LAST TLKD W/ SCH COUNS IN PY B/C ANGER CONTROL . 0 = Reason not indicated (See comment above SHCNSUI).. 1 = Reason indicated (YUSHANGR=1,3).....	53772 1478 185	97.00 2.67 0.33
SHCNFITE	1	YTH LAST TLKD W/ SCH COUNS IN PY B/C PHYS FIGHT . 0 = Reason not indicated (See comment above SHCNSUI).. 1 = Reason indicated (YUSHFITE=1,3).....	53772 1563 100	97.00 2.82 0.18
SHCNFMLY	1	YTH LAST TLKD W/ SCH COUNS IN PY B/C HOME/FAM PROB . 0 = Reason not indicated (See comment above SHCNSUI).. 1 = Reason indicated (YUSHFMLY=1,3 or other fam prob). .	53772 1352 311	97.00 2.44 0.56
SHCNFRND	1	YTH LAST TLKD W/ SCH COUNS IN PY B/C PROB W/ FRND . 0 = Reason not indicated (See comment above SHCNSUI).. 1 = Reason indicated (YUSHFRND=1,3).....	53772 1328 335	97.00 2.40 0.60
SHCNOTPP	1	YTH LST TLKD W/ SCH COUN IN PY B/C PRB W/ OTH PERS . 0 = Reason not indicated (See comment above SHCNSUI).. 1 = Reason indicated (YUSHOTPP=1,3 or prob w/ others). .	53772 1468 195	97.00 2.65 0.35
SHCNSCHL	1	YTH LAST TLKD W/ SCH COUNS IN PY B/C PROB AT SCH . 0 = Reason not indicated (See comment above SHCNSUI).. 1 = Reason indicated (YUSHSCHL=1,3).....	53772 1267 396	97.00 2.29 0.71
SHCNMEND	1	YTH LAST TLKD W/ SCH COUNS IN PY B/C DIAG MNTL DIS . 0 = Reason not indicated (See comment above SHCNSUI).. 1 = Reason indicated (Diagnosed with mental disorder). .	53772 1657 6	97.00 2.99 0.01
SHCNOTH2	1	YTH LAST TLKD W/ SCH COUNS IN PY B/C OTHER REASONS . 0 = Reason not indicated (See comment above SHCNSUI).. 1 = Rea indicated (Indicated some other reason).....	53772 1543 120	97.00 2.78 0.22

LABEL	LEN	DESCRIPTION	RECODED YOUTH MENTAL HEALTH TREATMENT	PAGE:	629
				FREQ	%
-----	-----	-----	-----	-----	-
NOTE: The following 13 variables, FDOCXXX, indicate whether a respondent last talked with their family doctor or pediatrician in the past year because of respective reasons. Youths were assigned a "reason not indicated" for the specific reason if they did not indicate that specific reason for their last talk with their family doctor or pediatrician (YUFDXXXX=6) but did indicate one of the other 12 reasons. Adults, youths that did not report or had unknown information about receiving services from a family doctor or pediatrician in the past year, and youths that reported receiving services in the past year, but did not indicate any valid reason for receiving services were assigned to the unknown category.					
FDOCSUI	1	YTH LAST SAW FAM DOC IN PY B/C TRIED SUIC			
		. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment above)	55026	99.26	
		0 = Reason not indicated (See comment above).....	354	0.64	
		1 = Reason indicated (YUFDSUIC=1).....	55	0.10	
FDOCDPR	1	YTH LAST SAW FAM DOC IN PY B/C DEPRESSED			
		. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	55026	99.26	
		0 = Reason not indicated (See comment above FDOCSUI)..	232	0.42	
		1 = Reason indicated (YUFDDEPR=1,3).....	177	0.32	
FDOCFEA	1	YTH LAST SAW FAM DOC IN PY B/C AFRAID/TENSE			
		. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	55026	99.26	
		0 = Reason not indicated (See comment above FDOCSUI)..	352	0.63	
		1 = Reason indicated (YUFDFEAR=1,3).....	57	0.10	
FDOCBRK	1	YTH LAST SAW FAM DOC IN PY B/C BROKE RULES			
		. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	55026	99.26	
		0 = Reason not indicated (See comment above FDOCSUI)..	337	0.61	
		1 = Reason indicated (YUFDBKRU=1,3).....	72	0.13	
FDOCEAT	1	YTH LAST SAW FAM DOC IN PY B/C EATING PROBS			
		. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	55025	99.26	
		0 = Reason not indicated (See comment above FDOCSUI)..	345	0.62	
		1 = Reason indicated (YUFDEATP=1,3).....	65	0.12	
FDOCANGR	1	YTH LAST SAW FAM DOC IN PY B/C ANGER CONTROL			
		. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	55026	99.26	
		0 = Reason not indicated (See comment above FDOCSUI)..	375	0.68	
		1 = Reason indicated (YUFDANGR=1).....	34	0.06	
FDOCFITE	1	YTH LAST SAW FAM DOC IN PY B/C PHYS FIGHT			
		. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	55026	99.26	
		0 = Reason not indicated (See comment above FDOCSUI)..	396	0.71	
		1 = Reason indicated (YUFDFITE=1,3).....	13	0.02	
FDOCFMLY	1	YTH LAST SAW FAM DOC IN PY B/C HOME/FAM PROB			
		. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	55026	99.26	
		0 = Reason not indicated (See comment above FDOCSUI)..	366	0.66	
		1 = Reason indicated (YUFDFMLY=1,3).....	43	0.08	
FDOCFRND	1	YTH LAST SAW FAM DOC IN PY B/C PROB W/ FRND			
		. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	55026	99.26	
		0 = Reason not indicated (See comment above FDOCSUI)..	395	0.71	
		1 = Reason indicated (YUFDFRND=1).....	14	0.03	

LABEL	LEN	DESCRIPTION	RECODED YOUTH MENTAL HEALTH TREATMENT		PAGE:	630
			FREQ	%		
FDOCOTPP	1	YTH LAST SAW FAM DOC IN PY B/C PROB W/ OTHER PERS		-		
		. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	55026	99.26		
		0 = Reason not indicated (See comment above FDOCSUI)..	391	0.71		
		1 = Reason indicated (YUFDOTPP=1,3 or prob w/ other)..	18	0.03		
FDOCSCHL	1	YTH LAST SAW FAM DOC IN PY B/C PROB AT SCH				
		. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	55026	99.26		
		0 = Reason not indicated (See comment above FDOCSUI)..	361	0.65		
		1 = Reason indicated (YUFDSCHL=1).....	48	0.09		
FDOCMEND	1	YTH LAST SAW FAM DOC IN PY B/C DIAG MNTL DIS				
		. = No/Unkn Trt/Unkn Reason/Aged 18+ (See comment)....	55026	99.26		
		0 = Reason not indicated (See comment above FDOCSUI)..	398	0.72		
		1 = Reason indicated (Diagnosed with mental disorder)..	11	0.02		
FDOCOTH2	1	YTH LAST SAW FAM DOC IN PY B/C OTHER REASONS				
		. = No/Unkn Trt/Unkn Reason/Aged 18+ (See comment)....	55026	99.26		
		0 = Reason not indicated (See comment above FDOCSUI)..	351	0.63		
		1 = Reason indicated (Indicated some other reason)....	58	0.10		

LABEL	LEN	DESCRIPTION	RECODED YOUTH MENTAL HEALTH TREATMENT	PAGE:	631																																																																								
				FREQ	%																																																																								

NOTE: The following 13 variables, SEMXXX, indicate whether a respondent last received any specialty mental health services along with services from either education or general medical (family doctor/pediatrician) settings in the past year because of respective reasons for problems with behavior or emotions that were not caused by alcohol or drugs. These recodes were created by examination of the following sources: received any specialty mental services (SMHXXX), received treatment from a family doctor or pediatrician (FDOCXXX), and talked to a school counselor, school psychologist, or regular teacher (SHCNXXX) in the past year because of respective reasons.																																																																													

<p>Respondents for the SEMXXX reason variables were treated as missing if 1) they were aged 18 or older 2) they did not receive care or it is unknown if they received care for any reason at any of the specialty mental health services (ANYSMH=0 or missing) or at both an education and general medical setting (YPED and YSCHL=0 or missing) or if 3) they did receive treatment at both of these services but did not indicate a valid reason for receiving services at a specialty mental health service along with services from either education or general medical setting, or there was not sufficient information to determine if these services were received for the specified reason. Respondents were categorized as not having received care for the specified reason if they were not categorized as missing and it could not be shown that they received care for the specified reason at a specialty mental health service along with services from either an education or general medical setting.</p>																																																																													
<p>Note that responses for receipt of care for the specified reason are only taken into account for services received. For example, a respondent who indicated receiving both education and general medical services, and indicated that they did not receive care for the specified reason for education, but did not indicate any reason for medical will be assigned to the unknown category. However, if this respondent only indicated receiving education services then with the same responses to the reason questions, they would be assigned to the "No" category (assuming that they also did not receive care from any specialty services).</p>																																																																													
<table> <tbody> <tr> <td>SEMSUI</td> <td>1</td> <td>YTH LAST RCV'D SP MH SVC & EDUC/MED B/C TRIED SUIC</td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td>. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment above)</td> <td>54535</td> <td>98.38</td> <td></td> </tr> <tr> <td></td> <td></td> <td>0 = No (See comment above).....</td> <td>783</td> <td>1.41</td> <td></td> </tr> <tr> <td></td> <td></td> <td>1 = Yes (SMHSUI=1 & (FDOCSUI=1 or SHCNSUI=1)).....</td> <td>117</td> <td>0.21</td> <td></td> </tr> <tr> <td>SEMDPR</td> <td>1</td> <td>YTH LAST RCV'D SP MH SVC & EDUC/MED B/C DEPRESSED</td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td>. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....</td> <td>54543</td> <td>98.39</td> <td></td> </tr> <tr> <td></td> <td></td> <td>0 = No (See comment above SEMSUI).....</td> <td>519</td> <td>0.94</td> <td></td> </tr> <tr> <td></td> <td></td> <td>1 = Yes (SMHDPR=1 & (FDOCDPR=1 or SHCNDPR=1)).....</td> <td>373</td> <td>0.67</td> <td></td> </tr> <tr> <td>SEMFEA</td> <td>1</td> <td>YTH LAST RCV'D SP MH SVC & EDUC/MED B/C AFRD/TENSE</td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td>. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....</td> <td>54531</td> <td>98.37</td> <td></td> </tr> <tr> <td></td> <td></td> <td>0 = No (See comment above SEMSUI).....</td> <td>788</td> <td>1.42</td> <td></td> </tr> <tr> <td></td> <td></td> <td>1 = Yes (SMHFEA=1 & (FDOCFEA=1 or SHCNFEA=1)).....</td> <td>116</td> <td>0.21</td> <td></td> </tr> </tbody> </table>						SEMSUI	1	YTH LAST RCV'D SP MH SVC & EDUC/MED B/C TRIED SUIC						. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment above)	54535	98.38				0 = No (See comment above).....	783	1.41				1 = Yes (SMHSUI=1 & (FDOCSUI=1 or SHCNSUI=1)).....	117	0.21		SEMDPR	1	YTH LAST RCV'D SP MH SVC & EDUC/MED B/C DEPRESSED						. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	54543	98.39				0 = No (See comment above SEMSUI).....	519	0.94				1 = Yes (SMHDPR=1 & (FDOCDPR=1 or SHCNDPR=1)).....	373	0.67		SEMFEA	1	YTH LAST RCV'D SP MH SVC & EDUC/MED B/C AFRD/TENSE						. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	54531	98.37				0 = No (See comment above SEMSUI).....	788	1.42				1 = Yes (SMHFEA=1 & (FDOCFEA=1 or SHCNFEA=1)).....	116	0.21	
SEMSUI	1	YTH LAST RCV'D SP MH SVC & EDUC/MED B/C TRIED SUIC																																																																											
		. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment above)	54535	98.38																																																																									
		0 = No (See comment above).....	783	1.41																																																																									
		1 = Yes (SMHSUI=1 & (FDOCSUI=1 or SHCNSUI=1)).....	117	0.21																																																																									
SEMDPR	1	YTH LAST RCV'D SP MH SVC & EDUC/MED B/C DEPRESSED																																																																											
		. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	54543	98.39																																																																									
		0 = No (See comment above SEMSUI).....	519	0.94																																																																									
		1 = Yes (SMHDPR=1 & (FDOCDPR=1 or SHCNDPR=1)).....	373	0.67																																																																									
SEMFEA	1	YTH LAST RCV'D SP MH SVC & EDUC/MED B/C AFRD/TENSE																																																																											
		. = No/Unkn Trt/Unkn Reas/Aged 18+ (See comment).....	54531	98.37																																																																									
		0 = No (See comment above SEMSUI).....	788	1.42																																																																									
		1 = Yes (SMHFEA=1 & (FDOCFEA=1 or SHCNFEA=1)).....	116	0.21																																																																									

LABEL	LEN	DESCRIPTION	RECODED YOUTH MENTAL HEALTH TREATMENT	PAGE:	632
				FREQ	%
-----	-----	-----	-----	-----	-
SEMBRK	1	YTH LAST RCVD SP MH SVC & EDUC/MED B/C BROKE RULES . 0 1	= No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)..... = No (See comment above SEMSUI)..... = Yes (SMHBRK=1 & (FDOCBRK=1 or SHCNBRK=1)).....	54531 754 150	98.37 1.36 0.27
SEMEAT	1	YTH LAST RCVD SP & NSP MH TRT IN PY B/C EATING PRO . 0 1	= No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)..... = No (See comment above SEMSUI)..... = Yes (SMHEAT=1 & (FDOCEAT=1 or SHCNEAT=1)).....	54526 846 63	98.36 1.53 0.11
SEMANGR	1	YTH LAST RCVD SP MH SVC & EDUC/MED B/C ANGER CNTRL . 0 1	= No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)..... = No (See comment above SEMSUI)..... = Yes (SMHANGR=1 & (FDOCANGR=1 or SHCNANGR=1)).....	54538 834 63	98.38 1.50 0.11
SEMFITE	1	YTH LAST RCVD SP MH SVC & EDUC/MED B/C PHYS FIGHT . 0 1	= No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)..... = No (See comment above SEMSUI)..... = Yes (SMHFITE=1 & (FDOCFITE=1 or SHCNFITE=1)).....	54529 882 24	98.37 1.59 0.04
SEMFMLY	1	YTH LST RCVD SP MH SVC & EDUC/MED B/C HOME/FAM PRB . 0 1	= No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)..... = No (See comment above SEMSUI)..... = Yes (SMHFMLY=1 & (FDOCFMLY=1 or SHCNFMLY=1)).....	54539 777 119	98.38 1.40 0.21
SEMFRND	1	YTH LST RCVD SP MH SVC & EDUC/MED B/C PROB W/ FRND . 0 1	= No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)..... = No (See comment above SEMSUI)..... = Yes (SMHFRND=1 & (FDOCFRND=1 or SHCNFRND=1)).....	54531 836 68	98.37 1.51 0.12
SEMOTPP	1	YTH LAST RCVD SP MH SVC & EDUC/MED B/C PROB W/ OTH . 0 1	= No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)..... = No (See comment above SEMSUI)..... = Yes (SMHOTPP=1 & (FDOCOTPP=1 or SHCNOTPP=1)).....	54529 862 44	98.37 1.55 0.08
SEMSCHL	1	YTH LAST RCVD SP MH SVC & EDUC/MED B/C PROB AT SCH . 0 1	= No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)..... = No (See comment above SEMSUI)..... = Yes (SMHSCHL=1 & (FDOCSCHL=1 or SHCNSCHL=1)).....	54537 805 93	98.38 1.45 0.17
SEMMEND	1	YTH LAST RCVD SP MH SVC & EDUC/MED B/C MNTL DIS . 0 1	= No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)..... = No (See comment above SEMSUI)..... = Yes (SMHMEND=1 & (FDOCDEMEND=1 or SHCNMEND=1)).....	54526 905 4	98.36 1.63 0.01
SEMOTH2	1	YTH LAST RCVD SP MH SVC & EDUC/MED B/C OTH REASONS . 0 1	= No/Unkn Trt/Unkn Reas/Aged 18+ (See comment)..... = No (See comment above SEMSUI)..... = Yes (SMHOTH2=1 & (FDOCOTH2=1 or SHCNOTH2=1)).....	54536 867 32	98.38 1.56 0.06

LABEL	LEN	DESCRIPTION	PAGE:	633
			FREQ	%
<hr/>				
(YDS21) ADOLESCENT DEPRESSION				
<hr/>				
Have you ever in your life had a period of time lasting several days or longer when most of the day you felt sad, empty, or depressed?				
<hr/>				
YODPREV	2	1EVER HAD SEVERAL DAYS WHRE FELT SAD/EMPTY/DEPRSSD		
		1 = Yes.....	7992	14.42
		2 = No.....	9574	17.27
		85 = BAD DATA Logically assigned.....	6	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	100	0.18
		97 = REFUSED.....	52	0.09
		98 = BLANK (NO ANSWER).....	3	0.01
		99 = LEGITIMATE SKIP.....	37707	68.02
<hr/>				
(YDS22)		Have you ever had a period of time lasting several days or longer when most of the day you felt very discouraged or hopeless about how things were going in your life?		
<hr/>				
YODSCEV	2	1EVER HAD PER OF TIME WHERE FELT DISCRGD OR HPELSS		
		1 = Yes.....	797	1.44
		2 = No.....	8792	15.86
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	84	0.15
		97 = REFUSED.....	53	0.10
		98 = BLANK (NO ANSWER).....	9	0.02
		99 = LEGITIMATE SKIP.....	45699	82.44
<hr/>				
(YDS23)		Have you ever had a period of time lasting several days or longer when you lost interest and became bored with most things you usually enjoy, like work, hobbies, and personal relationships?		
<hr/>				
YOLOSEV	2	1EVER HAD PER OF TIME LST INTRST IN ENJOYABLE THGS		
		1 = Yes.....	1251	2.26
		2 = No.....	7571	13.66
		94 = DON'T KNOW.....	66	0.12
		97 = REFUSED.....	41	0.07
		98 = BLANK (NO ANSWER).....	9	0.02
		99 = LEGITIMATE SKIP.....	46497	83.88
<hr/>				
(YD01)		During times when you felt sad, empty, or depressed most of the day, did you ever feel discouraged about how things were going in your life?		
<hr/>				
YODPDISC	2	1FEEL DISCRGD ABOUT LIFE WHEN SAD/EMPTY/DEPRESSED		
		1 = Yes.....	6630	11.96
		2 = No.....	1298	2.34
		85 = BAD DATA Logically assigned.....	6	0.01
		94 = DON'T KNOW.....	56	0.10
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	73	0.13
		99 = LEGITIMATE SKIP.....	47364	85.44

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	634
			FREQ	%
(YD01A)		During the times when you felt sad, empty, or depressed, did you ever lose interest and become really bored with most things like school, work, hobbies, and other things that are usually fun for you, like listening to music, watching TV, movies, or sports, playing computer games, or going out with friends?		-
YODPLSIN	2	1EVER LOSE INT IN THINGS WHEN SAD/EMPTY/DEPRESSED		
		1 = Yes.....	5465	9.86
		2 = No.....	2490	4.49
		85 = BAD DATA Logically assigned.....	6	0.01
		94 = DON'T KNOW.....	30	0.05
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	73	0.13
		99 = LEGITIMATE SKIP.....	47364	85.44
(YD02)		During times when you felt discouraged about how things were going in your life, did you ever lose interest and become really bored with most things like school, work, hobbies, and other things that are usually fun for you, like listening to music, watching TV, movies, or sports, playing computer games, or going out with friends?		
YODSLSIN	2	1EVER LOSE INT IN THGS WHEN FEELING DISCOURAGED		
		1 = Yes.....	399	0.72
		2 = No.....	395	0.71
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	3	0.01
		98 = BLANK (NO ANSWER).....	90	0.16
		99 = LEGITIMATE SKIP.....	54547	98.40
(YD09)		Did you ever have a period of time like this that lasted most of the day almost every day for two weeks or longer?		
YOLSI2WK	2	1PERIOD OF TIME LASTED EVERY DAY FOR 2 WKS /LNGR		
		1 = Yes.....	130	0.23
		2 = No.....	1109	2.00
		94 = DON'T KNOW.....	12	0.02
		98 = BLANK (NO ANSWER).....	116	0.21
		99 = LEGITIMATE SKIP.....	54068	97.53
(YD12)		Think about the times when you [FEELFILL]. Did you ever have a period of time like this that lasted most of the day, almost every day, for two weeks or longer?		
YODPR2WK	2	1TIME WHEN [FEELFILL] LSTD EVRYDY 2 WKS OR LNGR		
		1 = Yes.....	4650	8.39
		2 = No.....	4082	7.36
		85 = BAD DATA Logically assigned.....	6	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	46	0.08
		97 = REFUSED.....	11	0.02
		98 = BLANK (NO ANSWER).....	84	0.15
		99 = LEGITIMATE SKIP.....	46555	83.98

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADOLESCENT DEPRESSION			PAGE:	635
LABEL	LEN	DESCRIPTION	FREQ	%
(YD16)		Think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent. During those times, how long did your [FEELNOUN] usually last?		-
YOWRHRHS	2	1TIME THAT MOST SEVERE/FREQUENT MOOD LASTED		
		1 = Less than 1 hour.....	813	1.47
		2 = At least 1 hour but no more than 3 hours.....	1405	2.53
		3 = At least 3 hours but no more than 5 hours.....	1041	1.88
		4 = 5 hours or more.....	1442	2.60
		85 = BAD DATA Logically assigned.....	6	0.01
		94 = DON'T KNOW.....	66	0.12
		97 = REFUSED.....	13	0.02
		98 = BLANK (NO ANSWER).....	179	0.32
		99 = LEGITIMATE SKIP.....	50470	91.04
(YD17)		Still thinking of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent, how strong were your bad feelings during those times?		
YOWRDST	2	1HOW STRONG WERE BAD FEELINGS DURING 2 WKS		
		1 = Mild.....	670	1.21
		2 = Moderate.....	1642	2.96
		3 = Severe.....	1137	2.05
		4 = Very Severe.....	446	0.80
		94 = DON'T KNOW.....	59	0.11
		97 = REFUSED.....	13	0.02
		98 = BLANK (NO ANSWER).....	185	0.33
		99 = LEGITIMATE SKIP.....	51283	92.51
(YD18)		Again, think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent.		
		How often, during those times, did you feel so bad that nothing could cheer you up?		
YOWRCHR	2	1BAD FEELINGS SO SEVERE NOTHING COULD CHEER YOU UP		
		1 = Often.....	1118	2.02
		2 = Sometimes.....	1723	3.11
		3 = Not very often.....	794	1.43
		4 = Never.....	300	0.54
		94 = DON'T KNOW.....	26	0.05
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	185	0.33
		99 = LEGITIMATE SKIP.....	51283	92.51

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADOLESCENT DEPRESSION			PAGE:	636
LABEL	LEN	DESCRIPTION	FREQ	%
(YD19)		Once again, please think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent.		-
		How often, during those times, did you feel so bad that you could not carry out your daily activities?		
YOWRIMP	2	1MOOD SO SEVERE COULDN'T DO DLY ACTIVITIES		
		1 = Often.....	661	1.19
		2 = Sometimes.....	1406	2.54
		3 = Not very often.....	1079	1.95
		4 = Never.....	780	1.41
		94 = DON'T KNOW.....	33	0.06
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	185	0.33
		99 = LEGITIMATE SKIP.....	51283	92.51
(YD21)		People who have problems with their mood often have other problems at the same time. These problems may include things like changes in:		
		- sleep		
		- eating		
		- energy		
		- the ability to keep their mind on things		
		- feeling badly about themselves		
		Did you ever have any of these problems during a period of time when you [FEELFILL] for two weeks or longer?		
YODPPROB	2	1EVER HAVE OTH PRBLMS DURING 2 WKS OR LONGER		
		1 = Yes.....	2771	5.00
		2 = No.....	1061	1.91
		94 = DON'T KNOW.....	27	0.05
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	185	0.33
		99 = LEGITIMATE SKIP.....	51382	92.69
(YD22)		Think again about these other problems we just mentioned. They include things like changes in:		
		- sleep		
		- eating		
		- energy		
		- the ability to keep their mind on things		
		- feeling badly about themselves		
		Can you think of the worst time when you [FEELFILL] for two weeks or longer and also had these other problems at the same time?		
YOWRPROB	2	1ONE PARTICULAR TIME THAT IS THE WORST ONE EVER		
		1 = Yes.....	2100	3.79
		2 = No.....	651	1.17
		94 = DON'T KNOW.....	14	0.03
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	221	0.40
		99 = LEGITIMATE SKIP.....	52443	94.60

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	637
			FREQ	%
(YD22A)		How old were you when that worst period of time started?		-
		Then think of the most recent time you [FEELFILL] for two weeks or longer and you had these other problems at the same time.		
		How old were you when that time started?		
YOWRAGE	3	1AGE WHEN WORST PERIOD OF TIME STARTED		
		RANGE = 1 - 17	2651	4.78
		985 = BAD DATA Logically assigned.....	2	0.00
		994 = DON'T KNOW.....	102	0.18
		997 = REFUSED.....	16	0.03
		998 = BLANK (NO ANSWER).....	221	0.40
		999 = LEGITIMATE SKIP.....	52443	94.60
(YD24A)		In answering the next questions, think about the period of time when your [FEELNOUN] and other problems were the worst.		
		In answering the next questions, think about the most recent period of time when you [FEELFILL] and had other problems at the same time.		
		During that time, did you feel sad, empty, or depressed for most of the day nearly every day?		
YOWRDEPR	2	1WHEN PRBLMS WORST FELT SAD/EMPTY/DPRSD EVERY DAY		
		1 = Yes.....	2018	3.64
		2 = No.....	722	1.30
		94 = DON'T KNOW.....	27	0.05
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	221	0.40
		99 = LEGITIMATE SKIP.....	52443	94.60
(YD24C)		During that [TIMEFILL] period of time, did you feel discouraged about how things were going in your life most of the day nearly every day?		
YOWRDISC	2	1WHEN PRBLMS WRST FELT DISCRGED ABT LIFE EVERY DAY		
		1 = Yes.....	2057	3.71
		2 = No.....	686	1.24
		94 = DON'T KNOW.....	23	0.04
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	221	0.40
		99 = LEGITIMATE SKIP.....	52443	94.60
(YD24E)		During that [TIMEFILL] period of time, did you become bored with almost everything like school, work, hobbies, and things you like to do for fun?		
YOWRLSIN	2	1WHEN PRBLMS WORST LOSE INTRST IN ENJOYABLE THINGS		
		1 = Yes.....	2091	3.77
		2 = No.....	663	1.20
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	221	0.40
		99 = LEGITIMATE SKIP.....	52443	94.60

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	638
			FREQ	%
(YD24F)		During that [TIMEFILL] period of time, did you feel like nothing was fun even when good things were happening?		-
YOWRPLSR	2	1WHEN PRBLMS WORST FEEL NO FUN IN GOOD THINGS		
		1 = Yes.....	1927	3.48
		2 = No.....	826	1.49
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	221	0.40
		99 = LEGITIMATE SKIP.....	52443	94.60
(YD26A)		The next questions are about changes in appetite and weight.		
		In answering these questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.		
		Did you eat much less than usual almost every day during that time?		
YOWRELES	2	1WHEN PRBLMS WORST EAT LESS THAN USUAL EVERY DAY		
		1 = Yes.....	1396	2.52
		2 = No.....	1145	2.07
		94 = DON'T KNOW.....	18	0.03
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	235	0.42
		99 = LEGITIMATE SKIP.....	52639	94.96
(YD26B)		Did you eat much more than usual almost every day?		
YOWREMOR	2	1WHEN PRBLMS WORST EAT MORE THAN USUAL EVERY DAY		
		1 = Yes.....	476	0.86
		2 = No.....	667	1.20
		94 = DON'T KNOW.....	20	0.04
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	235	0.42
		99 = LEGITIMATE SKIP.....	54035	97.47
(YD26C)		Did you gain weight without trying to during that [TIMEFILL] period of time?		
YOWRGAIN	2	1WHEN PRBLMS WORST DID YOU GAIN WEIGHT W/O TRYING		
		1 = Yes.....	386	0.70
		2 = No.....	759	1.37
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	235	0.42
		99 = LEGITIMATE SKIP.....	54035	97.47
(YD26C1)		Did you gain weight without trying to because you were growing?		
YOWRGROW	2	1WHEN PRBLMS WORST GAIN WGHT W/O TRYING BC GROWING		
		1 = Yes.....	153	0.28
		2 = No.....	209	0.38
		94 = DON'T KNOW.....	24	0.04
		98 = BLANK (NO ANSWER).....	255	0.46
		99 = LEGITIMATE SKIP.....	54794	98.84

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	639
			FREQ	%
(YD26C2)		Did you gain weight without trying to because you were pregnant?		-
YOWRPREG	2	1WHEN PRBLMS WRST GAIN WGHT W/O TRYING BC PREGNANT		
		1 = Yes.....	3	0.01
		2 = No.....	188	0.34
		94 = DON'T KNOW.....	1	0.00
		98 = BLANK (NO ANSWER).....	120	0.22
		99 = LEGITIMATE SKIP.....	55123	99.44
(YD26D)		How many pounds did you gain?		
		Please enter your answer as a whole number.		
YOWRGNL2	3	1WHEN PRBLMS WORST # LBS GAINED WITHOUT TRYING		
		RANGE = 0 - 50	196	0.35
		51 = 51 or more pounds.....	9	0.02
		994 = DON'T KNOW.....	24	0.04
		997 = REFUSED.....	1	0.00
		998 = BLANK (NO ANSWER).....	255	0.46
		999 = LEGITIMATE SKIP.....	54950	99.13
(YD26E)		Did you lose weight without trying to?		
YOWRLOSE	2	1WHEN PRBLMS WORST DID YOU LOSE WEIGHT W/O TRYING		
		1 = Yes.....	1037	1.87
		2 = No.....	1101	1.99
		94 = DON'T KNOW.....	34	0.06
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	241	0.43
		99 = LEGITIMATE SKIP.....	53019	95.64
(YD26E1)		Did you lose weight without trying to because you were sick or on a diet?		
YOWRDIET	2	1WHEN PRBLMS WORST LOSE WGHT W/O TRYING BC SICK/DT		
		1 = Yes.....	362	0.65
		2 = No.....	672	1.21
		94 = DON'T KNOW.....	3	0.01
		98 = BLANK (NO ANSWER).....	278	0.50
		99 = LEGITIMATE SKIP.....	54120	97.63
(YD26F)		How many pounds did you lose?		
		Please enter your answer as a whole number.		
YOWRLSL2	3	1WHEN PRBLMS WORST # LBS LOST WITHOUT TRYING		
		RANGE = 0 - 50	615	1.11
		51 = 51 or more pounds.....	9	0.02
		994 = DON'T KNOW.....	49	0.09
		997 = REFUSED.....	2	0.00
		998 = BLANK (NO ANSWER).....	278	0.50
		999 = LEGITIMATE SKIP.....	54482	98.28

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	640
			FREQ	%
(YD26G)		Again, please think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.		-
		Did you have a lot more trouble than usual falling asleep or staying asleep most nights or waking too early most mornings during that [TIMEFILL] time?		
YOWRSLEP	2	1WHEN PRBLMS WORST HAVE PRBS SLEEPING/WAKING EARLY		
		1 = Yes.....	1896	3.42
		2 = No.....	643	1.16
		94 = DON'T KNOW.....	20	0.04
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	235	0.42
		99 = LEGITIMATE SKIP.....	52639	94.96
(YD26H)		During that [TIMEFILL] period of time, did you sleep a lot more than usual?		
YOWRSMOR	2	1WHEN PRBLMS WORST SLEEP A LOT MORE THAN USUAL		
		1 = Yes.....	354	0.64
		2 = No.....	297	0.54
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	235	0.42
		99 = LEGITIMATE SKIP.....	54535	98.38
(YD26J)		On most days during that [TIMEFILL] period of time, did you feel that you didn't have much energy?		
YOWRENRG	2	1WHEN PRBLMS WORST FEEL TIRED/LOW ON ENERGY EVRYDY		
		1 = Yes.....	2169	3.91
		2 = No.....	379	0.68
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	235	0.42
		99 = LEGITIMATE SKIP.....	52639	94.96
(YD26L)		Did you feel as though you were talking or moving more slowly than usual on most days during that [TIMEFILL] period of time?		
YOWRSLOW	2	1WHEN PRBLMS WORST TALK/MOVE SLOWER THAN USUAL		
		1 = Yes.....	1780	3.21
		2 = No.....	758	1.37
		94 = DON'T KNOW.....	21	0.04
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	235	0.42
		99 = LEGITIMATE SKIP.....	52639	94.96
(YD26M)		Did anyone else notice that you were talking or moving more slowly than usual?		
YOWRSLNO	2	1WHEN PRBLMS WORST PEOP NOTICE SLOWER THAN USUAL		
		1 = Yes.....	1241	2.24
		2 = No.....	512	0.92
		94 = DON'T KNOW.....	27	0.05
		98 = BLANK (NO ANSWER).....	258	0.47
		99 = LEGITIMATE SKIP.....	53397	96.32

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	641
			FREQ	%
(YD26N)		Were you so restless or jittery that you walked up or down or couldn't sit still?		-
YOWRJITT	2	1WHEN PRBLMS WORST RSTLSS/JITTRY/PACING EVERYDAY		
		1 = Yes.....	226	0.41
		2 = No.....	543	0.98
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	235	0.42
		99 = LEGITIMATE SKIP.....	54419	98.17
(YD26O)		Did anyone else notice that you couldn't sit still?		
YOWRJINO	2	1WHEN PRBLMS WRST PEOP NOTICE YOU CLDN'T SIT STILL		
		1 = Yes.....	136	0.25
		2 = No.....	87	0.16
		94 = DON'T KNOW.....	3	0.01
		98 = BLANK (NO ANSWER).....	247	0.45
		99 = LEGITIMATE SKIP.....	54962	99.15
(YD26P)		The next questions are about changes in your ability to concentrate, and your feelings about yourself.		
		Again, in answering these questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.		
		On most days during that [TIMEFILL] time, did your thinking seem slower than usual or seem mixed up?		
YOWRTHOT	2	1WHEN PRBLMS WORST THGHTS SLOWER/MIXED UP		
		1 = Yes.....	1791	3.23
		2 = No.....	745	1.34
		94 = DON'T KNOW.....	21	0.04
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	235	0.42
		99 = LEGITIMATE SKIP.....	52639	94.96
(YD26R)		On most days, did you have a lot more trouble than usual keeping your mind on things?		
YOWRCONC	2	1WHEN PRBLMS WRST HAVE TRBLE KEEPING MIND ON THNGS		
		1 = Yes.....	2097	3.78
		2 = No.....	452	0.82
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	235	0.42
		99 = LEGITIMATE SKIP.....	52639	94.96
(YD26S)		Were you unable to make up your mind about things you ordinarily have no trouble deciding about?		
YOWRDCCSN	2	1WHEN PRBLMS WORST UNABLE TO MAKE DECISIONS		
		1 = Yes.....	1676	3.02
		2 = No.....	857	1.55
		94 = DON'T KNOW.....	24	0.04
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	235	0.42
		99 = LEGITIMATE SKIP.....	52639	94.96

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	642
			FREQ	%
(YD26U)		Did you feel that you were not as good as other people nearly every day?		-
YOWRNODG	2	1WHEN PRBLMS WRST FEEL NOT AS GOOD AS OTHER PEOPLE		
		1 = Yes.....	1906	3.44
		2 = No.....	642	1.16
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	235	0.42
		99 = LEGITIMATE SKIP.....	52639	94.96
(YD26V)		Did you feel totally worthless nearly every day?		
YOWWRTH	2	1WHEN PRBLMS WORST FEEL TOTALLY WORTHLESS EVERYDAY		
		1 = Yes.....	1384	2.50
		2 = No.....	514	0.93
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	248	0.45
		99 = LEGITIMATE SKIP.....	53281	96.11
(YD26AA)		The next questions are about thoughts of death or suicide.		
		Again, in answering these questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.		
		Did you often think a lot about death, either your own, someone else's, or death in general?		
YOWRDLOT	2	1WHEN PRBLMS WORST THINK A LOT ABOUT DEATH		
		1 = Yes.....	1577	2.84
		2 = No.....	968	1.75
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	235	0.42
		99 = LEGITIMATE SKIP.....	52639	94.96
(YD26BB)		During that period, did you ever think that it would be better if you were dead?		
YOWRDBTR	2	1WHEN PRBLMS WRST THINK IT WOULD BE BETTER IF DEAD		
		1 = Yes.....	1480	2.67
		2 = No.....	1057	1.91
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	15	0.03
		98 = BLANK (NO ANSWER).....	235	0.42
		99 = LEGITIMATE SKIP.....	52639	94.96
(YD26CC)		Did you think about killing yourself?		
YOWRSTH	2	1WHEN PRBLMS WORST THINK ABOUT KILLING YOURSELF		
		1 = Yes.....	1221	2.20
		2 = No.....	1308	2.36
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	24	0.04
		98 = BLANK (NO ANSWER).....	235	0.42
		99 = LEGITIMATE SKIP.....	52639	94.96

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	ADOLESCENT DEPRESSION	PAGE:	643
				FREQ	%
(YD26DD)		Did you make a plan to kill yourself?		-	-
YOWRSPLN	2	1WHEN PRBLMS WORST MAKE A PLAN TO KILL YOURSELF			
		1 = Yes.....	542	0.98	
		2 = No.....	669	1.21	
		94 = DON'T KNOW.....	5	0.01	
		97 = REFUSED.....	5	0.01	
		98 = BLANK (NO ANSWER).....	267	0.48	
		99 = LEGITIMATE SKIP.....	53947	97.32	
(YD26EE)		Did you make a suicide attempt or try to kill yourself?			
YOWRSATP	2	1WHEN PRBLMS WORST MAKE A SUICIDE ATTEMPT			
		1 = Yes.....	448	0.81	
		2 = No.....	763	1.38	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	9	0.02	
		98 = BLANK (NO ANSWER).....	267	0.48	
		99 = LEGITIMATE SKIP.....	53947	97.32	
YO_MDEA1	2	1SAD/EMPTY/DEPRESSED MOST OF DAY OR DISCOURAGED			
		1 = Has symptom.....	2283	4.12	
		2 = Does not have symptom.....	467	0.84	
		94 = DON'T KNOW.....	17	0.03	
		97 = REFUSED.....	4	0.01	
		98 = OTHER MISSING/NOT APPLICABLE.....	14956	26.98	
		99 = LEGITIMATE SKIP.....	37708	68.02	
YO_MDEA2	2	1LOST INTEREST OR PLEASURE IN MOST THINGS			
		1 = Has symptom.....	2422	4.37	
		2 = Does not have symptom.....	433	0.78	
		94 = DON'T KNOW.....	23	0.04	
		97 = REFUSED.....	6	0.01	
		98 = OTHER MISSING/NOT APPLICABLE.....	14843	26.78	
		99 = LEGITIMATE SKIP.....	37708	68.02	
YO_MDEA3	2	1CHANGES IN APPETITE OR WT			
		1 = Has symptom.....	1910	3.45	
		2 = Does not have symptom.....	604	1.09	
		94 = DON'T KNOW.....	43	0.08	
		97 = REFUSED.....	4	0.01	
		98 = OTHER MISSING/NOT APPLICABLE.....	15166	27.36	
		99 = LEGITIMATE SKIP.....	37708	68.02	
YO_MDEA4	2	1SLEEP PROBLEMS			
		1 = Has symptom.....	2250	4.06	
		2 = Does not have symptom.....	293	0.53	
		94 = DON'T KNOW.....	17	0.03	
		97 = REFUSED.....	1	0.00	
		98 = OTHER MISSING/NOT APPLICABLE.....	15166	27.36	
		99 = LEGITIMATE SKIP.....	37708	68.02	
YO_MDEA5	2	1OTHERS NOTICED THAT R WAS RESTLESS OR LETHARGIC			
		1 = Has symptom.....	1377	2.48	
		2 = Does not have symptom.....	1154	2.08	
		94 = DON'T KNOW.....	30	0.05	
		98 = OTHER MISSING/NOT APPLICABLE.....	15166	27.36	
		99 = LEGITIMATE SKIP.....	37708	68.02	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADOLESCENT DEPRESSION			PAGE:	644
LABEL	LEN	DESCRIPTION	FREQ	%
YO_MDEA6	2	1FELT TIRED/LOW ENERGY NEARLY EVERY DAY		-
		1 = Has symptom.....	2169	3.91
		2 = Does not have symptom.....	379	0.68
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED.....	2	0.00
		98 = OTHER MISSING/NOT APPLICABLE.....	15166	27.36
		99 = LEGITIMATE SKIP.....	37708	68.02
YO_MDEA7	2	1FELT WORTHLESS NEARLY EVERY DAY		
		1 = Has symptom.....	1384	2.50
		2 = Does not have symptom.....	1169	2.11
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	2	0.00
		98 = OTHER MISSING/NOT APPLICABLE.....	15166	27.36
		99 = LEGITIMATE SKIP.....	37708	68.02
YO_MDEA8	2	1INABILITY TO CONCENTRATE OR MAKE DECISIONS		
		1 = Has symptom.....	2309	4.17
		2 = Does not have symptom.....	239	0.43
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	4	0.01
		98 = OTHER MISSING/NOT APPLICABLE.....	15166	27.36
		99 = LEGITIMATE SKIP.....	37708	68.02
YO_MDEA9	2	1ANY THOUGHTS OR PLANS OF SUICIDE		
		1 = Has symptom.....	1852	3.34
		2 = Does not have symptom.....	687	1.24
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	14	0.03
		98 = OTHER MISSING/NOT APPLICABLE.....	15166	27.36
		99 = LEGITIMATE SKIP.....	37708	68.02
YODSMMD	2	1SCORE OF SYMPTOM INDICATORS 1 THRU 9		
		1 = Has 5 or more symptoms.....	2302	4.15
		2 = Has less than 5 symptoms.....	561	1.01
		94 = SUM OF SYMPTOMS AND DON'T KNOW >=5.....	18	0.03
		97 = SUM OF SYMPTOMS AND REFUSED >=5.....	3	0.01
		98 = OTHER MISSING/NOT APPLICABLE.....	14843	26.78
		99 = LEGITIMATE SKIP.....	37708	68.02
(YD28)		You mentioned having some of the problems I just asked you about.		
		During that [TIMEFILL] period of time, how much did your [FEELNOUN] interfere or cause problems with your school work, your job, or your relationships with family and friends?		
YOPBINTF	2	1WHEN PRBLMS WORST INTERFERE WITH SCHL/ PRSNL LIFE		
		1 = Not at all.....	128	0.23
		2 = A little.....	457	0.82
		3 = Some.....	756	1.36
		4 = A lot.....	714	1.29
		5 = Extremely.....	311	0.56
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	246	0.44
		99 = LEGITIMATE SKIP.....	52813	95.27

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	645
			FREQ	%
(YD28A)		During that [TIMEFILL] period of time, how often were you unable to carry out your daily activities or to take care of yourself because of these problems with your mood?		-
YOPBDLYA	2	1WHEN PRBLMS WORST UNABLE TO CARRY OUT DLY ACTVTS		
		1 = Often.....	419	0.76
		2 = Sometimes.....	1059	1.91
		3 = Not very often.....	573	1.03
		4 = Never.....	179	0.32
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	246	0.44
		99 = LEGITIMATE SKIP.....	52941	95.50
(YD37)		Think of the very first period of time in your life lasting two weeks or longer when you [FEELFILL] and also had some of the other problems we just asked about.		
		Can you remember your exact age?		
YOPBRMBR	2	1RMBR AGE WHEN FIRST 2+ WK PERIOD OF TIME STARTED		
		1 = Yes.....	1326	2.39
		2 = No.....	1030	1.86
		94 = DON'T KNOW.....	18	0.03
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	246	0.44
		99 = LEGITIMATE SKIP.....	52813	95.27
(YD37A)		How old were you?		
YOPBAGE	3	1AGE WHEN FIRST 2+ WK PERIOD OF TIME STARTED		
		RANGE = 1 - 17	2214	3.99
		994 = DON'T KNOW.....	151	0.27
		997 = REFUSED.....	9	0.02
		998 = BLANK (NO ANSWER).....	248	0.45
		999 = LEGITIMATE SKIP.....	52813	95.27
(YD52)		In your entire life, how many times did you feel [FEELNOUN] for two weeks or longer while also having some of the other problems we asked about?		
		If you are not sure of your answer, just make your best guess.		
YOPBNUM	4	1# TIMES FELT THIS WAY FOR 2 WKS/LNGR DURING LIFE		
		RANGE = 1 - 1000	2019	3.64
		9994 = DON'T KNOW.....	310	0.56
		9997 = REFUSED.....	47	0.08
		9998 = BLANK (NO ANSWER).....	246	0.44
		9999 = LEGITIMATE SKIP.....	52813	95.27

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADOLESCENT DEPRESSION			PAGE:	646
LABEL	LEN	DESCRIPTION	FREQ	%
(YD38)		In the past 12 months, did you have a period of time when you felt [FEELNOUN] for two weeks or longer while also having some of the other problems we asked about?		-
YOPB2WK	2	1FELT THIS WAY 2 WKS+ W/OTH PRBS DURING PAST 12 MOS		
		1 = Yes.....	1486	2.68
		2 = No.....	826	1.49
		94 = DON'T KNOW.....	48	0.09
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	246	0.44
		99 = LEGITIMATE SKIP.....	52813	95.27
(YD66A)		Think about the time in the past 12 months when [NUMPROBS] with your mood [WASWERE] the worst.		
		Using the 0 to 10 scale shown below, where 0 means no problems and 10 means very severe problems, select the number that describes how much your [FEELNOUN] caused problems with each of the following activities during that time. You can use any number between 0 and 10 to answer. If this activity doesn't apply to you, type in 95.		
		How much did your [FEELNOUN] cause problems with your chores at home?		
YOPSHMGT	2	1HOW MUCH DID FEELINGS INTERFERE WITH HOME CHORES		
		0 = No Problems.....	96	0.17
		1 = Mild - 1.....	54	0.10
		2 = Mild - 2.....	119	0.21
		3 = Mild - 3.....	116	0.21
		4 = Moderate - 4.....	131	0.24
		5 = Moderate - 5.....	215	0.39
		6 = Moderate - 6.....	219	0.40
		7 = Severe - 7.....	162	0.29
		8 = Severe - 8.....	147	0.27
		9 = Severe - 9.....	59	0.11
		10 = Very Severe Problems.....	109	0.20
		94 = DON'T KNOW.....	11	0.02
		95 = ACTIVITY DOES NOT APPLY.....	46	0.08
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	310	0.56
		99 = LEGITIMATE SKIP.....	53639	96.76

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	647
			FREQ	%
(YD66B)		During that time in the past 12 months when your [FEELNOUN] was worst, how much did this cause problems with your ability to do well at school or work?		-
		You can use any number between 0 and 10 to answer. If this activity doesn't apply to you, type in 95.		
YOPSWORK	2	1HOW MCH DID FLNGS INTRFR W/ABLTY TO DO WLL SCH/WK		
		0 = No Problems.....	56	0.10
		1 = Mild - 1.....	50	0.09
		2 = Mild - 2.....	90	0.16
		3 = Mild - 3.....	147	0.27
		4 = Moderate - 4.....	146	0.26
		5 = Moderate - 5.....	201	0.36
		6 = Moderate - 6.....	180	0.32
		7 = Severe - 7.....	168	0.30
		8 = Severe - 8.....	156	0.28
		9 = Severe - 9.....	95	0.17
		10 = Very Severe Problems.....	134	0.24
		94 = DON'T KNOW.....	15	0.03
		95 = ACTIVITY DOES NOT APPLY.....	44	0.08
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	310	0.56
		99 = LEGITIMATE SKIP.....	53639	96.76
(YD66C)		How much did your [FEELNOUN] cause problems with your ability to get along with your family during that time?		
		You can use any number between 0 and 10 to answer. If this activity doesn't apply to you, type in 95.		
YOPSRELS	2	1HOW MUCH DID FLNGS INTRFR W/GETTING ALONG W/FAM		
		0 = No Problems.....	51	0.09
		1 = Mild - 1.....	39	0.07
		2 = Mild - 2.....	85	0.15
		3 = Mild - 3.....	79	0.14
		4 = Moderate - 4.....	98	0.18
		5 = Moderate - 5.....	201	0.36
		6 = Moderate - 6.....	170	0.31
		7 = Severe - 7.....	206	0.37
		8 = Severe - 8.....	183	0.33
		9 = Severe - 9.....	133	0.24
		10 = Very Severe Problems.....	192	0.35
		94 = DON'T KNOW.....	13	0.02
		95 = ACTIVITY DOES NOT APPLY.....	32	0.06
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	310	0.56
		99 = LEGITIMATE SKIP.....	53639	96.76

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	648
			FREQ	%
(YD66D)		How much did your [FEELNOUN] cause problems with your social life during that time?		-
		You can use any number between 0 and 10 to answer. If this activity doesn't apply to you, type in 95.		
YOPSSOC	2	1HOW MUCH DID FEELINGS INTERFERE WITH SOCIAL LIFE		
		0 = No Problems.....	36	0.06
		1 = Mild - 1.....	40	0.07
		2 = Mild - 2.....	82	0.15
		3 = Mild - 3.....	105	0.19
		4 = Moderate - 4.....	132	0.24
		5 = Moderate - 5.....	205	0.37
		6 = Moderate - 6.....	197	0.36
		7 = Severe - 7.....	180	0.32
		8 = Severe - 8.....	175	0.32
		9 = Severe - 9.....	121	0.22
		10 = Very Severe Problems.....	161	0.29
		94 = DON'T KNOW.....	15	0.03
		95 = ACTIVITY DOES NOT APPLY.....	31	0.06
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	310	0.56
		99 = LEGITIMATE SKIP.....	53639	96.76
(YD68)		About how many days out of 365 in the past 12 months were you totally unable to go to school or work or carry out your normal activities because of your [FEELNOUN]?		
		You can use any number between 0 and 365 to answer.		
YOPSDAYS	3	1# DYS UNABLE TO WORK/CARRY OUT DLY ACT PST 12 MOS		
		RANGE = 0 - 365	1387	2.50
		994 = DON'T KNOW.....	77	0.14
		997 = REFUSED.....	10	0.02
		998 = BLANK (NO ANSWER).....	310	0.56
		999 = LEGITIMATE SKIP.....	53651	96.78

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	649
			FREQ	%
(YD86)		Here is a list of professionals some people talk to about the problems we have been asking about:		-
		- General practitioner or family doctor		
		- Other medical doctor like a cardiologist, gynecologist, urologist		
		- Psychologist		
		- Psychiatrist or psychotherapist		
		- Social Worker		
		- Counselor		
		- Other mental health professional, like a mental health nurse		
		- A nurse, occupational therapist, or other health professional		
		- A religious or spiritual advisor like a minister, priest, or rabbi		
		- Another healer, like an herbalist, chiropractor, acupuncturist, or massage therapist		
		At any time in the past 12 months, did you see or talk to a medical doctor or other professional about your [FEELNOUN]?		
YOSEEDOC	2	1SEE/TALK TO A DR/OTH PROF ABT FEELINGS PAST 12 MOS		
		1 = Yes.....	723	1.30
		2 = No.....	1628	2.94
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	246	0.44
		99 = LEGITIMATE SKIP.....	52813	95.27
(YD86A)		During the past 12 months, which professionals did you see or talk to about [NUMPROBS] with your mood?		
		To select more than one answer from the list, press the space bar between each number you type. When you have finished, press the [ENTER] key to go to the next question.		
YOFAMDOC	2	1GEN/FAM DOC TALKED W/ABT FEELINGS PAST 12 MOS		
		1 = Response entered.....	159	0.29
		6 = Response not entered.....	554	1.00
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	259	0.47
		99 = LEGITIMATE SKIP.....	54441	98.21
YOOTHDOC	2	1OTH DR TALKED W/ABOUT FEELINGS PAST 12 MOS		
		1 = Response entered.....	18	0.03
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
		6 = Response not entered.....	693	1.25
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	259	0.47
		99 = LEGITIMATE SKIP.....	54441	98.21

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADOLESCENT DEPRESSION			PAGE:	650
LABEL	LEN	DESCRIPTION	FREQ	%
YOPSYCH	2	1PSYCHOLOGIST TALKED W/ABOUT FEELINGS PAST 12 MOS		-
		1 = Response entered.....	259	0.47
		6 = Response not entered.....	454	0.82
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	259	0.47
		99 = LEGITIMATE SKIP.....	54441	98.21
YOPSYMD	2	1PSYCHIATRIST TALKED W/ABOUT FEELINGS PAST 12 MOS		
		1 = Response entered.....	180	0.32
		6 = Response not entered.....	533	0.96
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	259	0.47
		99 = LEGITIMATE SKIP.....	54441	98.21
YOSOCWRK	2	1SOCIAL WORKER TALKED W/ABOUT FEELINGS PAST 12 MOS		
		1 = Response entered.....	103	0.19
		6 = Response not entered.....	610	1.10
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	259	0.47
		99 = LEGITIMATE SKIP.....	54441	98.21
YOCOUNS	2	1COUNSELOR TALKED W/ABOUT FEELINGS PAST 12 MOS		
		1 = Response entered.....	425	0.77
		3 = Response entered LOGICALLY ASSIGNED.....	3	0.01
		6 = Response not entered.....	285	0.51
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	259	0.47
		99 = LEGITIMATE SKIP.....	54441	98.21
YOOTHMHP	2	1MENTAL PROF TALKED W/ABOUT FEELINGS PAST 12 MOS		
		1 = Response entered.....	50	0.09
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
		6 = Response not entered.....	661	1.19
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	259	0.47
		99 = LEGITIMATE SKIP.....	54441	98.21
YONURSE	2	1NURSE ETC.TALKED W/ABOUT FEELINGS PAST 12 MOS		
		1 = Response entered.....	68	0.12
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
		6 = Response not entered.....	643	1.16
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	259	0.47
		99 = LEGITIMATE SKIP.....	54441	98.21
YORELIG	2	1RELIGIOUS ADVSR TLKED W/ABOUT FEELINGS PST 12 MOS		
		1 = Response entered.....	114	0.21
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	598	1.08
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	259	0.47
		99 = LEGITIMATE SKIP.....	54441	98.21

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADOLESCENT DEPRESSION			PAGE:	651
LABEL	LEN	DESCRIPTION	FREQ	%
YOHERBAL	2	1HERBALIST TALKED W/ABOUT FEELINGS PAST 12 MOS		-
		1 = Response entered.....	10	0.02
		6 = Response not entered.....	703	1.27
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	259	0.47
		99 = LEGITIMATE SKIP.....	54441	98.21
YOOTHHLP	2	1OTH HELP PROF TALKED W/ABOUT FEELINGS PAST 12 MOS		
		1 = Response entered.....	37	0.07
		6 = Response not entered.....	676	1.22
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	259	0.47
		99 = LEGITIMATE SKIP.....	54441	98.21
(YD86B)		Are you currently receiving treatment or counseling for [NUMPROBS] with your mood?		
YOTMTNOW	2	1CURRENTLY RCVNG TREATMENT/COUNSLG FOR MOOD		
		1 = Yes.....	306	0.55
		2 = No.....	416	0.75
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	259	0.47
		99 = LEGITIMATE SKIP.....	54441	98.21
(YD86C)		During the past 12 months, did you take prescription medication that was prescribed for [NUMPROBS]?		
YORX12MO	2	1TAKE PRES MEDS PRESCRIBED FOR MOOD PAST 12 MONTHS		
		1 = Yes.....	366	0.66
		2 = No.....	1994	3.60
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	246	0.44
		99 = LEGITIMATE SKIP.....	52813	95.27
(YD86D)		Are you currently taking prescription medication that was prescribed for [NUMPROBS]?		
YORXNOW	2	1CURRENTLY TAKING PRESC MEDS PRESCRIBED FOR MOOD		
		1 = Yes.....	240	0.43
		2 = No.....	126	0.23
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	255	0.46
		99 = LEGITIMATE SKIP.....	54807	98.87

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	652
			FREQ	%
(YD86E)		During the past 12 months, how much has this prescription medication helped you?		-
YORXHLP	2	1HOW MUCH HAS PRESC MEDS FOR MOOD HELPED PST 12 MOS		
		1 = Not at all.....	58	0.10
		2 = A little.....	72	0.13
		3 = Some.....	70	0.13
		4 = A lot.....	103	0.19
		5 = Extremely.....	62	0.11
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	255	0.46
		99 = LEGITIMATE SKIP.....	54807	98.87
(YD86F)		During the past 12 months, how much has treatment or counseling helped you?		
YOTMTHLP	2	1HOW MUCH HAS TRMT/COUNSLG HELPED PST 12 MOS		
		1 = Not at all.....	115	0.21
		2 = A little.....	156	0.28
		3 = Some.....	177	0.32
		4 = A lot.....	182	0.33
		5 = Extremely.....	86	0.16
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	13	0.02
		98 = BLANK (NO ANSWER).....	259	0.47
		99 = LEGITIMATE SKIP.....	54441	98.21

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	RECODED ADOLESCENT DEPRESSION	PAGE:	653
				FREQ	%

RECODED ADOLESCENT DEPRESSION					

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section. Specific details about the recoded variables are provided in the Recoded Depression Variable Documentation Appendix.					

NOTE: The following five variables in this section are based on questions asked of all applicable respondents regardless of whether they were ultimately classified as having a Major Depressive Episode (MDE) in their lifetime or not. If you would like estimates among persons with MDE, you will need to restrict your analysis by either the lifetime MDE variable (MDELT) or the past year MDE variable (MDEYR).					

NOTE: The following four variables make up the four role domains (chores at home, school or work, close relationships with family, and social life) of the Sheehan Disability Scale (SDS), which measures the impact of a disorder on a person's life.					

YSDSHOME	1	YOUTH: MDE ROLE IMPAIRMENT - CHORES AT HOME			
		.	= Unknown/Legitimate Skip (YOPSHMGT=94,95,97,98,99).	54008	97.43
		1	= None (YOPSHMGT=0).....	96	0.17
		2	= Mild (YOPSHMGT=1,2,3).....	289	0.52
		3	= Moderate (YOPSHMGT=4,5,6).....	565	1.02
		4	= Severe (YOPSHMGT=7,8,9).....	368	0.66
		5	= Very Severe (YOPSHMGT=10).....	109	0.20
YSDSWRK	1	YOUTH: MDE ROLE IMPAIRMENT - SCHOOL OR WORK			
		.	= Unknown/Legitimate Skip (YOPSWORK=94,95,97,98,99).	54012	97.43
		1	= None (YOPSWORK=0).....	56	0.10
		2	= Mild (YOPSWORK=1,2,3).....	287	0.52
		3	= Moderate (YOPSWORK=4,5,6).....	527	0.95
		4	= Severe (YOPSWORK=7,8,9).....	419	0.76
		5	= Very Severe (YOPSWORK=10).....	134	0.24
YSDSREL	1	YOUTH: MDE ROLE IMPAIRMENT - FAMILY RELATIONSHIPS			
		.	= Unknown/Legitimate Skip (YOPSRELS=94,95,97,98,99).	53998	97.41
		1	= None (YOPSRELS=0).....	51	0.09
		2	= Mild (YOPSRELS=1,2,3).....	203	0.37
		3	= Moderate (YOPSRELS=4,5,6).....	469	0.85
		4	= Severe (YOPSRELS=7,8,9).....	522	0.94
		5	= Very Severe (YOPSRELS=10).....	192	0.35
YSDSSOC	1	YOUTH: MDE ROLE IMPAIRMENT - SOCIAL LIFE			
		.	= Unknown/Legitimate Skip (YOPSSOC=94,95,97,98,99) ..	54001	97.41
		1	= None (YOPSSOC=0).....	36	0.06
		2	= Mild (YOPSSOC=1,2,3).....	227	0.41
		3	= Moderate (YOPSSOC=4,5,6).....	534	0.96
		4	= Severe (YOPSSOC=7,8,9).....	476	0.86
		5	= Very Severe (YOPSSOC=10).....	161	0.29

RECODED ADOLESCENT DEPRESSION			PAGE:	654
LABEL	LEN	DESCRIPTION	FREQ	%
YSDSOVRL	1	The following variable, YSDSOVRL, is assigned the maximum level of interference over the four role domains of SDS: chores at home (YSDSHOME), school or work (YSDSWRK), family relationships (YSDSREL), and social life (YSDSSOC).		-
YSDSOVRL	1	YOUTH: MAX SEVERITY LEVEL OF MDE ROLE IMPAIRMENT		
		. = Unknown/Legitimate Skip (Otherwise).....	53959	97.34
		1 = None (See comment above).....	8	0.01
		2 = Mild (See comment above).....	76	0.14
		3 = Moderate (See comment above).....	390	0.70
		4 = Severe (See comment above).....	680	1.23
		5 = Very Severe (See comment above).....	322	0.58
MDEIMPY	1	The following variable, MDEIMPY, is derived from the maximum severity level of MDE role impairment (YSDSOVRL) and past year MDE (MDEYR).		
MDEIMPY	1	YOUTH: HAD MDE WITH SEVERE ROLE IMPAIRMENT		
		. = Unkn/Age 18+ (CATAG2=2,3 or MDEYR=. or YSDSOVRL=.)	38062	68.66
		1 = Yes (CATAG2=1 and MDEYR=1 and YSDSOVRL=4,5).....	995	1.79
		2 = No (CATAG2=1 and (MDEYR=2 or YSDSOVRL=1,2,3)).....	16378	29.54

LABEL	LEN	DESCRIPTION	PAGE:	655
			FREQ	%

RECODED ADULT AND ADOLESCENT DEPRESSION				

NOTE: The variables in this section are recoded variables that were created from one or more of the variables from the Adult Depression and Adolescent Depression sections.				

NOTE: This codebook contains two versions of adult lifetime and past year major depressive episode (MDE) variables. The unadjusted variables (MDELT and MDEYR), located in this section, are defined for both adult and adolescent respondents. Due to questionnaire changes in 2008 the unadjusted MDE variables for adults are only comparable with 2004 sample B (ADLTSAMP=2) and other years between 2005 and 2007. The adjusted variables (AJAMDELT and AJAMDEYR), included in the Recoded Adult Depression section, are only defined for adult respondents. These variables were developed to allow comparisons of adult MDE data across years beginning with 2005 and continuing through 2008 and later years. Adjusted variables were not created for 2004. Specific details about both versions can be found in the Recoded Depression Variable Documentation Appendix.				

The unadjusted MDE variables were used in the 2007 detailed tables. Adjusted MDE variables (AJAMDELT and AJAMDEYR) were developed to allow comparisons across years beginning with 2005 (See the Recoded Adult Depression section). The adjusted variables were first used to produce lifetime and past year adult MDE estimates in the 2010 mental health detailed tables. For more information on the creation of the unadjusted adult depression variables see the Recoded Depression Variable Documentation Appendix.				

A respondent was classified as having a major depressive episode (MDE) in their lifetime (MDELT=1) if they reported experiencing at least 5 out of the 9 criteria used to define an adult as having had MDE in their lifetime, where at least one of the criteria is a depressed mood or loss of interest or pleasure in daily activities (ADSMMDA=1).				

A respondent was classified as NOT having a major depressive episode (MDE) in their lifetime (MDELT=2) if they met either of these conditions:				
(1) Reported experiencing fewer than 5 out of the 9 criteria used to define a person as having had MDE in their lifetime (ADSMMDA=2 or YODSMMD=2)				
(2) If the number of criteria used to define a person as having had MDE in their lifetime is unknown (ADSMMDA=98 or YODSMMD=98) and reported at least one of the following:				
(I) Never having had a period of time lasting several days or longer when felt sad, empty, or depressed (ADDPREV=2 or YODPREV=2), discouraged about how things were going in life (ADDSCEV=2 or YODSCEV=2), and lost interest in most things usually enjoy (ADLOSEV=2 or YOLOSEV=2).				
(II) Never having had a period of time when being sad, discouraged, or having lost interest in most things usually enjoy lasting nearly every day for two weeks or longer				

Codebook Creation Date: September 20, 2012

LABEL	LEN	DESCRIPTION	RECODED ADULT AND ADOLESCENT DEPRESSION	PAGE:	656
				FREQ	%
-----	-----	-----	-----	-----	-
			[(ADLSI2WK=2 or YOLSI2WK=2) and (ADDPR2WK=2 or YODPR2WK=2)].		
			(III) Having a period of time when being sad, discouraged, or having lost interest in most things usually enjoy lasted nearly every day for two weeks or longer and the sadness, discouragement, or loss of interest lasted less than an hour when mood was most severe and frequent (ADWRHRS=1 or (YOWRHRS=1).		
			(IV) Having a period of time when being sad, discouraged, or having lost interest in most things usually enjoy lasted nearly every day for two weeks or longer and during those times when mood was most severe and frequent, emotional distress was mild (ADWRDST=1 or YOWRDST=1), there was never a time when emotional distress was so severe that you could not be cheered up (ADWRCHR=4 or YOWRCHR=4), and there was never a time when your emotional distress was so severe that you could not carry out your daily activities (ADWRIMP=4 or YOWRIMP=4).		
			(v) Having a period of time when being sad, discouraged, or having lost interest in most things usually enjoy lasted nearly every day for two weeks or longer and never had any other problems during those weeks, such as changes in sleep, appetite, energy, the ability to concentrate and remember, or feelings of low self-worth (ADDPPROB=2 or YODPPROB=2).		
MDELT	1	HAD LIFETIME MAJOR DEPRESSIVE EPISODE (MDE)			
		. = Unknown (Otherwise).....	573	1.03	
		1 = Yes (ADSMMDA=1 OR YODSMMDE=1).....	8172	14.74	
		2 = No (See comment above).....	46690	84.22	
MDEYR	1	HAD PAST YEAR MAJOR DEPRESSIVE EPISODE (MDE)			
		. = Unknown (Otherwise).....	683	1.23	
		1 = Yes (MDELT=1 & (ADPB2WK=1 OR YOPB2WK=1)).....	4775	8.61	
		2 = No (MDELT=2 or [MDELT=1&(ADPB2WK=2 or YOPB2WK=2)])	49977	90.15	
		NOTE: The remaining variables in this section are based on questions asked of some respondents not classified as having an MDE in their lifetime in addition to respondents classified as having MDE. If you would like estimates among persons with MDE, you will need to restrict your analysis by either the lifetime MDE variable (MDELT) or the past year MDE variable (MDEYR).			
TXMDEYR	1	SAW OR TALKED TO MD OR PROF FOR MDE IN PAST YEAR			
		. = Unknown (ADSEEDOC and YOSEEDOC = 94,97,98,99)....	47076	84.92	
		0 = No (ADSEEDOC=2 or YOSEEDOC=2).....	5195	9.37	
		1 = Yes (ADSEEDOC=1 or YOSEEDOC=1).....	3164	5.71	

LABEL	LEN	DESCRIPTION	RECODED ADULT AND ADOLESCENT DEPRESSION	PAGE:	657
				FREQ	%
RXMDEYR	1	USED PRESCRIPTION MEDICATION FOR MDE IN PAST YEAR		-----	-
	.	= Unknown (ADRX12MO and YORX12MO = 94,97,98,99).....	47062	84.90	
	0	= No (ADRX12MO=2 or YORX12MO=2).....	6024	10.87	
	1	= Yes (ADRX12MO=1 or YORX12MO=1).....	2349	4.24	
NOTE: In the following 3 variables, a person is defined as having received treatment/counseling if one saw or talked to a medical doctor or other professional for MDE.					
MDETXRX	1	RCVD TRT/CNSLNG OR RX MED FOR MDE IN PAST YEAR		47072	84.91
	.	= Unknown (Otherwise).....	4783	8.63	
	0	= No (TXMDEYR=0 and RXMDEYR=0).....	3580	6.46	
	1	= Yes (TXMDEYR=1 or RXMDEYR=1).....			
MDETXARX	1	RCVD TRT/CNSLNG AND RX MED FOR MDE IN PAST YEAR		47066	84.90
	.	= Unknown (Otherwise).....	6436	11.61	
	0	= No (TXMDEYR=0 or RXMDEYR=0).....	1933	3.49	
	1	= Yes (TXMDEYR=1 and RXMDEYR=1).....			
MDETXO	1	RCVD TRT/CNSLNG ONLY FOR MDE IN PAST YEAR		47073	84.92
	.	= Unknown (Otherwise).....	7134	12.87	
	0	= No (TXMDEYR=0 or RXMDEYR=1).....	1228	2.22	
	1	= Yes (TXMDEYR=1 and RXMDEYR=0).....			
MDERXO	1	RCVD RX MEDICATION ONLY FOR MDE IN PAST YEAR		47065	84.90
	.	= Unknown (Otherwise).....	7960	14.36	
	0	= No (RXMDEYR=0 or TXMDEYR=1).....	410	0.74	
	1	= Yes (RXMDEYR=1 and TXMDEYR=0).....			
A respondent was classified as NOT having seen or talked to a general practitioner or family doctor about MDE during the past year (DOCMDDE=0) if they met either of these conditions:					
	(1)	Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2 or YOSEEDOC=2).			
	(2)	Response not entered for whether a general practitioner or family doctor was seen or talked to during the past year (ADFAMDOC=6 or YOFAMDOC=6).			
DOCMDDE	1	SAW/TALK TO GENERAL PRAC OR FAM MD ABOUT MDE - PY		47091	84.95
	.	= Unknown/Legitimate Skip (Otherwise).....	6852	12.36	
	0	= No (See comment above).....	1492	2.69	
	1	= Yes (ADFAMDOC=1 or YOFAMDOC=1).....			
A respondent was classified as NOT having seen or talked to other medical doctor about MDE during the past year (OMDMDE=0) if they met either of these conditions:					
	(1)	Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2 or YOSEEDOC=2).			
	(2)	Response not entered for whether other medical doctor was seen or talked to during the past year (ADOTHDOC=6 or YOOTHDOC=6).			
OMDMDE	1	SAW/TALK TO OTHER MD ABOUT MDE - PY		47091	84.95
	.	= Unknown/Legitimate Skip (Otherwise).....	8112	14.63	
	0	= No (See comment above).....	232	0.42	
	1	= Yes (ADOTHDOC=1,3 or YOOTHDOC=1,3).....			

RECODED ADULT AND ADOLESCENT DEPRESSION			PAGE:	658
LABEL	LEN	DESCRIPTION	FREQ	%
<hr/>				
A respondent was classified as NOT having seen or talked to a psychologist about MDE during the past year (PSY1MDE=0) if they met either of these conditions:				
		(1) Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2 or YOSEEDOC=2).		
		(2) Response not entered for whether a psychologist was seen or talked to during the past year (ADPSYCH=6 or YOPSYCH=6).		
PSY1MDE	1	SAW/TALK TO PSYCHOLOGIST ABOUT MDE - PY		
		. = Unknown/Legitimate Skip (Otherwise).....	47091	84.95
		0 = No (See comment above).....	7439	13.42
		1 = Yes (ADPSYCH=1 or YOPSYCH=1).....	905	1.63
<hr/>				
A respondent was classified as NOT having seen or talked to a psychiatrist or psychotherapist about MDE during the past year (PSY2MDE=0) if they met either of these conditions:				
		(1) Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2 or YOSEEDOC=2).		
		(2) Response not entered for whether a psychiatrist or psychotherapist was seen or talked to during the past year (ADPSYMD=6 or YOPSYMD=6).		
PSY2MDE	1	SAW/TALK TO PSYCHIATRIST/PSYCHOTHER ABOUT MDE -PY		
		. = Unknown/Legitimate Skip (Otherwise).....	47091	84.95
		0 = No (See comment above).....	7520	13.57
		1 = Yes (ADPSYMD=1 or YOPSYMD=1).....	824	1.49
<hr/>				
A respondent was classified as NOT having seen or talked to a social worker about MDE during the past year (SOCMDE=0) if they met either of these conditions:				
		(1) Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2 or YOSEEDOC=2).		
		(2) Response not entered for whether a social worker was seen or talked to during the past year (ADSOCWRK=6 or YOSOCWRK=6).		
SOCMDE	1	SAW/TALK TO SOCIAL WORKER ABOUT MDE - PY		
		. = Unknown/Legitimate Skip (Otherwise).....	47091	84.95
		0 = No (See comment above).....	7994	14.42
		1 = Yes (ADSOCWRK=1 or YOSOCWRK=1).....	350	0.63
<hr/>				
A respondent was classified as NOT having seen or talked to a counselor about MDE during the past year (COUNMDE=0) if they met either of these conditions:				
		(1) Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2 or YOSEEDOC=2).		
		(2) Response not entered for whether a counselor was seen or talked to during the past year (ADCOUNS=6 or YOCOUNS=6).		
COUNMDE	1	SAW/TALK TO COUNSELOR ABOUT MDE - PY		
		. = Unknown/Legitimate Skip (Otherwise).....	47091	84.95
		0 = No (See comment above).....	7330	13.22
		1 = Yes (ADCOUNS=1,3 or YOCOUNS=1,3).....	1014	1.83

LABEL	LEN	DESCRIPTION	PAGE:	659
			FREQ	%
-----	-----	-----	-----	-
The following variable, OMHMDE, indicates whether a person saw or talked to a mental health professional, such as a mental health nurse or other therapist where type not specified, in the past year for MDE.				
A respondent was classified as having seen or talked to other mental health professional about MDE during the past year (OMHMDE=1) if they met either of these conditions:				
(1) Reported seeing or talking to a medical doctor or other professional during the past year (ADOTHMHP =1 or YOOTHMHP=1,3).				
(2) Response entered for whether other mental health professional was seen or talked to during the past year.				
A respondent was classified as NOT having seen or talked to other mental health professional about MDE during the past year (OMHMDE=0) if they met either of these conditions:				
(1) Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2 or YOSEEDOC=2).				
(2) Response not entered for whether other mental health professional was seen or talked to during the past year (ADOTHMHP=6 or YOOTHMHP=6).				
OMHMDE	1	SAW/TALK TO OTHER MENTAL HEALTH PROF ABOUT MDE -PY		
		. = Unknown/Legitimate Skip (Otherwise).....	47091	84.95
		0 = No (See comment above).....	8119	14.65
		1 = Yes (See comment above).....	225	0.41
A respondent was classified as NOT having seen or talked to a nurse, occupational therapist, or other health professional about MDE during the past year (NURSMDE=0) if they met either of these conditions:				
(1) Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2 or YOSEEDOC=2).				
(2) Response not entered for whether nurse was seen or talked to during the past year (ADNURSE=6 or YONURSE=6).				
NURSMDE	1	SAW/TALK TO NURSE/OCC THERA/HTH PROF ABOUT MDE-PY		
		. = Unknown/Legitimate Skip (Otherwise).....	47091	84.95
		0 = No (See comment above).....	8098	14.61
		1 = Yes (ADNURSE=1,3 or YONURSE=1,3).....	246	0.44

LABEL	LEN	DESCRIPTION	RECODED ADULT AND ADOLESCENT DEPRESSION	PAGE:	660
				FREQ	%

A respondent was classified as NOT having seen or talked to a religious or spiritual advisor about MDE during the past year (RELMDE=0) if they met either of these conditions:					
(1) Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2 or YOSEEDOC=2).					
(2) Response not entered for whether religious or spiritual advisor was seen or talked to during the past year (ADRELIG=6 or YORELIG=6).					
RELMDE	1	SAW/TALK TO RELIG OR SPIRITUAL ADVISOR ABOUT MDE-PY			
		.	= Unknown/Legitimate Skip (Otherwise).....	47091	84.95
		0	= No (See comment above).....	7812	14.09
		1	= Yes (ADRELIG=1,3 or YORELIG=1,3).....	532	0.96
A respondent was classified as NOT having seen or talked to an herbalist, chiropractor, acupuncturist, or massage therapist about MDE during the past year (HBCHMDE=0) if they met either of these conditions:					
(1) Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2 or YOSEEDOC=2).					
(2) Response not entered for whether an herbalist, chiropractor, acupuncturist, or massage therapist was seen or talked to during the past year (ABHERBAL=6 or YOHERBAL=6).					
HBCHMDE	1	SAW/TALK TO HRB/CHIRO/ACUPU/MSGE THER ABOUT MDE-PY			
		.	= Unknown/Legitimate Skip (Otherwise).....	47091	84.95
		0	= No (See comment above).....	8199	14.79
		1	= Yes (ADHERBAL=1,3 or YOHERBAL=1).....	145	0.26
A respondent was classified as having seen or talked to another professional about MDE during the past year (OTHMDE=1) if they entered a valid write-in response other than the responses that matched the existing categories.					
A respondent was classified as NOT having seen or talked to another professional about MDE during the past year (OTHMDE=0) if they met either of these conditions:					
(1) Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2 or YOSEEDOC=2).					
(2) Response not entered for whether other mental health professional was seen or talked to during the past year (ADOTHHLP=6 or YOOTHHL=6).					
(3) Write-in response entered matched an existing category.					
OTHMDE	1	SAW/TALK TO OTHER PROF ABOUT MDE-PY			
		.	= Unknwn/Legit Skip/Invalid Spec. Resp. (Otherwise).....	47129	85.02
		0	= No (See comment above).....	8268	14.91
		1	= Yes (See comment above).....	38	0.07

LABEL	LEN	DESCRIPTION	PAGE:	661
			FREQ	%
(CA01) CONSUMPTION OF ALCOHOL				

		The next few questions return to the topic of alcohol. Remember that by a drink, we mean a can or bottle of beer, a glass of wine or a wine cooler, a shot of liquor, or a mixed drink with liquor in it. We are not asking about times when you only had a sip or two from a drink.		
		Earlier, the computer recorded that you drank at least one alcoholic beverage within the past 30 days, that is, since [DATEFILL].		
		Please think about the last time you drank any alcoholic beverage. How many drinks did you have that time?		
CADRLAST	3	1# OF DRINKS THE LAST TIME DRANK IN PAST 30 DAYS		
	RANGE	= 1 - 90	24549	44.28
		985 = BAD DATA Logically assigned.....	4	0.01
		991 = NEVER USED ALCOHOL.....	15189	27.40
		993 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	14939	26.95
		994 = DON'T KNOW.....	223	0.40
		997 = REFUSED.....	95	0.17
		998 = BLANK (NO ANSWER).....	436	0.79
(CA02A)		This last time you drank, were you alone or were you with one or more other people?		
CADRPEOP	2	1ALONE OR W/ MORE THAN ONE PERSON LAST TIME DRANK		
		1 = I was alone the last time I drank.....	336	0.61
		2 = I was with one other person the last time I drank.	937	1.69
		3 = I was with >1 other person the last time I drank..	5262	9.49
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED ALCOHOL.....	15189	27.40
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	14939	26.95
		94 = DON'T KNOW.....	26	0.05
		97 = REFUSED.....	31	0.06
		98 = BLANK (NO ANSWER).....	365	0.66
		99 = LEGITIMATE SKIP.....	18348	33.10
(CA02B)		Where did you drink alcoholic beverages this last time you drank?		
CADRCAR	2	1I DRANK IN A CAR OR OTHER VEHICLE		
		1 = Response entered.....	344	0.62
		3 = Response entered LOGICALLY ASSIGNED.....	8	0.01
		6 = Response not entered.....	6122	11.04
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED ALCOHOL.....	15189	27.40
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	14939	26.95
		94 = DON'T KNOW.....	38	0.07
		97 = REFUSED.....	80	0.14
		98 = BLANK (NO ANSWER).....	365	0.66
		99 = LEGITIMATE SKIP.....	18348	33.10

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	CONSUMPTION OF ALCOHOL		PAGE:	662
			FREQ	%		
CADRHOME 2 1I DRANK AT MY HOME						
		1 = Response entered.....	1840	3.32		
		3 = Response entered LOGICALLY ASSIGNED.....	19	0.03		
		6 = Response not entered.....	4615	8.33		
		91 = NEVER USED ALCOHOL.....	15189	27.40		
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	14939	26.95		
		94 = DON'T KNOW.....	38	0.07		
		97 = REFUSED.....	80	0.14		
		98 = BLANK (NO ANSWER).....	367	0.66		
		99 = LEGITIMATE SKIP.....	18348	33.10		
CADROTHM 2 1I DRANK AT SOMEONE ELSE'S HOME						
		1 = Response entered.....	3547	6.40		
		3 = Response entered LOGICALLY ASSIGNED.....	77	0.14		
		6 = Response not entered.....	2850	5.14		
		91 = NEVER USED ALCOHOL.....	15189	27.40		
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	14939	26.95		
		94 = DON'T KNOW.....	38	0.07		
		97 = REFUSED.....	80	0.14		
		98 = BLANK (NO ANSWER).....	367	0.66		
		99 = LEGITIMATE SKIP.....	18348	33.10		
CADRPUBL 2 1I DRANK AT A PARK, ON A BEACH OR IN A PARKING LOT						
		1 = Response entered.....	292	0.53		
		3 = Response entered LOGICALLY ASSIGNED.....	14	0.03		
		6 = Response not entered.....	6168	11.13		
		91 = NEVER USED ALCOHOL.....	15189	27.40		
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	14939	26.95		
		94 = DON'T KNOW.....	38	0.07		
		97 = REFUSED.....	80	0.14		
		98 = BLANK (NO ANSWER).....	367	0.66		
		99 = LEGITIMATE SKIP.....	18348	33.10		
CADRBAR 2 1I DRANK IN A RESTAURANT, BAR OR CLUB						
		1 = Response entered.....	494	0.89		
		3 = Response entered LOGICALLY ASSIGNED.....	20	0.04		
		6 = Response not entered.....	5960	10.75		
		91 = NEVER USED ALCOHOL.....	15189	27.40		
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	14939	26.95		
		94 = DON'T KNOW.....	38	0.07		
		97 = REFUSED.....	80	0.14		
		98 = BLANK (NO ANSWER).....	367	0.66		
		99 = LEGITIMATE SKIP.....	18348	33.10		
CADREVNT 2 1I DRANK AT A CONCERT OR SPORTS GAME						
		1 = Response entered.....	109	0.20		
		3 = Response entered LOGICALLY ASSIGNED.....	6	0.01		
		6 = Response not entered.....	6359	11.47		
		91 = NEVER USED ALCOHOL.....	15189	27.40		
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	14939	26.95		
		94 = DON'T KNOW.....	38	0.07		
		97 = REFUSED.....	80	0.14		
		98 = BLANK (NO ANSWER).....	367	0.66		
		99 = LEGITIMATE SKIP.....	18348	33.10		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	CONSUMPTION OF ALCOHOL		PAGE:	663
			FREQ	%		
CADRSCHL	2	11 DRANK AT SCHOOL				-
		1 = Response entered.....	157	0.28		
		6 = Response not entered.....	6317	11.40		
		91 = NEVER USED ALCOHOL.....	15189	27.40		
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	14939	26.95		
		94 = DON'T KNOW.....	38	0.07		
		97 = REFUSED.....	80	0.14		
		98 = BLANK (NO ANSWER).....	367	0.66		
		99 = LEGITIMATE SKIP.....	18348	33.10		
CADROTH	2	11 DRANK AT SOME OTHER PLACE				
		1 = Response entered.....	769	1.39		
		6 = Response not entered.....	5705	10.29		
		91 = NEVER USED ALCOHOL.....	15189	27.40		
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	14939	26.95		
		94 = DON'T KNOW.....	38	0.07		
		97 = REFUSED.....	80	0.14		
		98 = BLANK (NO ANSWER).....	367	0.66		
		99 = LEGITIMATE SKIP.....	18348	33.10		
CADROTS2	2	10 OTHER PLACE YOU LAST DRANK ALCOHOL				
		1 = I drank in a car or other vehicle.....	8	0.01		
		2 = I drank at my home.....	27	0.05		
		3 = I drank at someone else's home.....	97	0.17		
		4 = I drank at a park, on a beach, or in a parking lot	15	0.03		
		5 = I drank in a restaurant, bar or club.....	22	0.04		
		6 = I drank at a concert or sports game.....	8	0.01		
		8 = I drank at some other place.....	9	0.02		
		9 = At respondent's place of work/business.....	14	0.03		
		11 = In a boat, ship, water vessel.....	4	0.01		
		14 = At a cabin, cottage, vacation home/vacation condo.	18	0.03		
		15 = At hotel/motel/resort; restaurnt/bar/club not spec	55	0.10		
		16 = On a farm/ranch/or in barn; R's home unspec.....	6	0.01		
		17 = At a house/apt/garage; no other information.....	15	0.03		
		18 = At a swimming pool.....	5	0.01		
		20 = River/lake/waterfront/harbor; park/beach unspfd..	21	0.04		
		22 = Camping/hunting/fishing; no other information....	34	0.06		
		23 = Street/road/alley/neighborhood.....	10	0.02		
		24 = Outside; park, beach, parkng lot, water unspcfcd...	83	0.15		
		25 = In a bowling alley; restaurant/bar unspecified....	7	0.01		
		26 = Place of entertainment; club/sports/concert unspec	15	0.03		
		27 = Place of business; work/restarnd/bar/bowlng unspec	8	0.01		
		29 = In a dorm/dorm room.....	16	0.03		
		30 = At a fraternity/sorority house or event.....	10	0.02		
		31 = Visiting a college/local college/friend's college.	3	0.01		
		33 = Inside a building; home/school/business unspcfcd..	14	0.03		
		35 = At a party/wedding/celebration; no other info.....	132	0.24		
		70 = City/State/Country/vacation, location unspecified.	24	0.04		
		85 = BAD DATA Logically assigned.....	37	0.07		
		91 = NEVER USED ALCOHOL.....	15189	27.40		
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	14939	26.95		
		94 = DON'T KNOW.....	20	0.04		
		97 = REFUSED.....	111	0.20		
		98 = BLANK (NO ANSWER).....	406	0.73		
		99 = LEGITIMATE SKIP.....	24053	43.39		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	CONSUMPTION OF ALCOHOL		PAGE:	664
			FREQ	%		
(CA03)		Did you pay for the last alcoholic beverage that you drank?				-
CABUYFRE	2	1 PAY FOR THE LAST ALCOHOLIC BEVERAGE THAT U DRANK				
		1 = Yes.....	1941	3.50		
		2 = No.....	4588	8.28		
		85 = BAD DATA Logically assigned.....	2	0.00		
		91 = NEVER USED ALCOHOL.....	15189	27.40		
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	14939	26.95		
		94 = DON'T KNOW.....	17	0.03		
		97 = REFUSED.....	46	0.08		
		98 = BLANK (NO ANSWER).....	365	0.66		
		99 = LEGITIMATE SKIP.....	18348	33.10		
(CA04)		Did you buy this last alcoholic beverage yourself, or did you give money to someone else to buy it for you?				
CAGVMONY	2	1 DID YOU/SOMEONE ELSE BUY LAST ALCOHOLIC BEVERAGE				
		1 = I bought it myself.....	483	0.87		
		2 = I gave money to someone else who bought it for me.	1440	2.60		
		85 = BAD DATA Logically assigned.....	2	0.00		
		91 = NEVER USED ALCOHOL.....	15189	27.40		
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	14939	26.95		
		94 = DON'T KNOW.....	6	0.01		
		97 = REFUSED.....	20	0.04		
		98 = BLANK (NO ANSWER).....	420	0.76		
		99 = LEGITIMATE SKIP.....	22936	41.37		
(CA05)		People often buy alcoholic beverages at stores, restaurants, bars, clubs, or events. Sometimes they buy alcohol from other people. Which of these statements describes the way you bought the last alcoholic beverage that you drank?				
CABUYWHO	2	1 STATEMENT BEST DESCRIBES PURCHASE OF LAST ALCOHOL				
		1 = I bought it at a store/restaurant/bar/club/event..	398	0.72		
		2 = I bought it from another person.....	85	0.15		
		85 = BAD DATA Logically assigned.....	2	0.00		
		91 = NEVER USED ALCOHOL.....	15189	27.40		
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	14939	26.95		
		97 = REFUSED.....	8	0.01		
		98 = BLANK (NO ANSWER).....	438	0.79		
		99 = LEGITIMATE SKIP.....	24376	43.97		
(CA05A)		At which of these places did you buy the last alcoholic beverage that you drank?				
CABPLACE	2	1 WHERE YOU BOUGHT LAST ALCOHOLIC BEVERAGE				
		1 = I bought it at a liquor/convenience/grocery store.	277	0.50		
		2 = I bought it at a restaurant, bar or club.....	116	0.21		
		3 = I bought it at a concert, sports or other event...	4	0.01		
		85 = BAD DATA Logically assigned.....	2	0.00		
		91 = NEVER USED ALCOHOL.....	15189	27.40		
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	14939	26.95		
		97 = REFUSED.....	9	0.02		
		98 = BLANK (NO ANSWER).....	438	0.79		
		99 = LEGITIMATE SKIP.....	24461	44.13		

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

CONSUMPTION OF ALCOHOL			PAGE:	665
LABEL	LEN	DESCRIPTION	FREQ	%
(CA05B)		Did you buy this last alcoholic beverage from someone who was under age 21, or were they 21 or older?		-
CABUNDAG	2	1BUY LAST ALCOHOLIC BEVERAGE FR SOMEONE <21 OR 21+		
		1 = Under age 21.....	35	0.06
		2 = Age 21 or older.....	50	0.09
		91 = NEVER USED ALCOHOL.....	15189	27.40
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	14939	26.95
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	440	0.79
		99 = LEGITIMATE SKIP.....	24774	44.69
(CA06)		Who bought the alcoholic beverage for you?		
CAGVWHO	2	1WHO BOUGHT THE ALCOHOLIC BEVERAGE FOR YOU		
		1 = My parent or guardian.....	30	0.05
		2 = Another family member who is 21 or older.....	152	0.27
		3 = Someone not related to me who is 21 or older.....	1071	1.93
		4 = Someone under age 21.....	146	0.26
		91 = NEVER USED ALCOHOL.....	15189	27.40
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	14939	26.95
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	43	0.08
		98 = BLANK (NO ANSWER).....	440	0.79
		99 = LEGITIMATE SKIP.....	23419	42.25
(CA07)		How did you get the last alcoholic beverage that you drank?		
CAFREWHO	2	1HOW DID U GET THE LAST ALCOHOLIC BEVERAGE U DRANK		
		1 = My parent or guardian.....	352	0.63
		2 = Another family member who is 21 or older.....	538	0.97
		3 = Someone not related to me who is 21 or older.....	1635	2.95
		4 = Someone under age 21.....	947	1.71
		5 = I took it from home.....	261	0.47
		6 = I took it from someone else's home.....	162	0.29
		7 = I got it some other way.....	490	0.88
		11 = My parent or guardian LOGICALLY ASSIGNED.....	2	0.00
		13 = Non-relative who is 21 or older LOGICALLY ASSIGNED	17	0.03
		14 = Someone under age 21 LOGICALLY ASSIGNED.....	8	0.01
		15 = I took it from home LOGICALLY ASSIGNED.....	6	0.01
		16 = I took it from someone else's home LOGICALLY ASSN.	14	0.03
		91 = NEVER USED ALCOHOL.....	15189	27.40
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	14939	26.95
		94 = DON'T KNOW.....	41	0.07
		97 = REFUSED.....	123	0.22
		98 = BLANK (NO ANSWER).....	422	0.76
		99 = LEGITIMATE SKIP.....	20289	36.60

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	666
			FREQ	%
CAFRESP2	2	10THER WAY YOU GOT THE LAST ALCOHOLIC BEVERAGE		-
		1 = My parent or guardian gave it to me.....	2	0.00
		3 = Someone not related & 21 y-o or older gave to me..	17	0.03
		4 = Someone under age 21 gave it to me.....	8	0.01
		5 = I took it from home.....	6	0.01
		6 = I took it from someone else's home.....	14	0.03
		7 = I got it some other way.....	9	0.02
		8 = I bought/ordered it in another country.....	5	0.01
		9 = I bought/ordered it; not asked for ID.....	4	0.01
		10 = I bought/ordered it with a fake ID/similar.....	5	0.01
		12 = I bought/ordered it; how unspecified.....	20	0.04
		13 = Got/bought it in a store/liquor store; how unspcfed	13	0.02
		14 = Got frm bartender/at bar/restaurant;age/how unspec	16	0.03
		16 = Got it at party/celebration; no other info.....	40	0.07
		17 = I made my own.....	4	0.01
		19 = I took/got/stole it; location unspcfed or unclear..	20	0.04
		20 = Someone else stole the alcohol.....	4	0.01
		21 = Given by/got from relative; age unspecified.....	5	0.01
		22 = Given by/got fr friend/acquaint; age/how unspc....	172	0.31
		23 = Given by/got fr oth non-relative; age/how unspcfed.	6	0.01
		24 = Given by/got from person; age/relationship unspc....	19	0.03
		25 = Got as gift/for free; no other info.....	7	0.01
		26 = Friend/acquaint of friend bought it; age unspc....	11	0.02
		28 = Bought by someone else; age/relationship unspc....	6	0.01
		29 = Someone under 21 bought for me.....	4	0.01
		30 = Just there/already there; no other information....	8	0.01
		31 = Just got it/had it; no other information.....	11	0.02
		32 = From a house/home; no other information.....	5	0.01
		33 = Found it; person's home unspecified.....	12	0.02
		85 = BAD DATA Logically assigned.....	31	0.06
		91 = NEVER USED ALCOHOL.....	15189	27.40
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	14939	26.95
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	158	0.29
		98 = BLANK (NO ANSWER).....	464	0.84
		99 = LEGITIMATE SKIP.....	24184	43.63

(CA08) Think again about this last time you drank any alcoholic beverages, when you had [CA01 FILL] [drink/drinks]. Did you also use [DRUGFILL] while you were drinking or within a couple of hours of drinking?

CADRKDRG	2	1ALSO USE [DRUGFILL] WHILE YOU WERE DRINKING		
		1 = Yes.....	2497	4.50
		2 = No.....	2681	4.84
		81 = NEVER USED ALC OR NEVER USED OTHER DRUGS Log assn.	2	0.00
		83 = DIDNT USE ALC OR DIDNT USE DRG PST 30 DYS Log assn	1	0.00
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	23056	41.59
		93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS	26334	47.50
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	41	0.07
		98 = BLANK (NO ANSWER).....	802	1.45

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	CONSUMPTION OF ALCOHOL		PAGE: FREQ	667 %
			-----	-----		
(CA09)		What other drug or drugs did you use while you were drinking or within a couple of hours of drinking?				-
CADRKMRJ	2	1MARIJUANA OR HASHISH				
		1 = Response entered.....	753	1.36		
		5 = Response entered LOG ASSN (from skip pattern).....	1488	2.68		
		6 = Response not entered.....	79	0.14		
		85 = BAD DATA Logically assigned.....	1	0.00		
		91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	23058	41.59		
		93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS	26335	47.51		
		94 = DON'T KNOW.....	2	0.00		
		97 = REFUSED.....	3	0.01		
		98 = BLANK (NO ANSWER).....	208	0.38		
		99 = LEGITIMATE SKIP.....	3508	6.33		
CADRKCOC	2	1COCAINE OR 'CRACK'				
		1 = Response entered.....	119	0.21		
		5 = Response entered LOG ASSN (from skip pattern).....	39	0.07		
		6 = Response not entered.....	184	0.33		
		89 = LEGITIMATE SKIP Logically assigned.....	3	0.01		
		91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	23058	41.59		
		93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS	26335	47.51		
		97 = REFUSED.....	1	0.00		
		98 = BLANK (NO ANSWER).....	78	0.14		
		99 = LEGITIMATE SKIP.....	5618	10.13		
CADRKHER	2	1HEROIN				
		1 = Response entered.....	9	0.02		
		6 = Response not entered.....	24	0.04		
		89 = LEGITIMATE SKIP Logically assigned.....	4	0.01		
		91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	23058	41.59		
		93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS	26335	47.51		
		98 = BLANK (NO ANSWER).....	12	0.02		
		99 = LEGITIMATE SKIP.....	5993	10.81		
CADRKHAL	2	1HALLUCINOGENS				
		1 = Response entered.....	33	0.06		
		5 = Response entered LOG ASSN (from skip pattern).....	4	0.01		
		6 = Response not entered.....	234	0.42		
		89 = LEGITIMATE SKIP Logically assigned.....	3	0.01		
		91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	23058	41.59		
		93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS	26335	47.51		
		97 = REFUSED.....	2	0.00		
		98 = BLANK (NO ANSWER).....	130	0.23		
		99 = LEGITIMATE SKIP.....	5636	10.17		
CADRKINH	2	1INHALANTS				
		1 = Response entered.....	6	0.01		
		5 = Response entered LOG ASSN (from skip pattern).....	4	0.01		
		6 = Response not entered.....	59	0.11		
		89 = LEGITIMATE SKIP Logically assigned.....	4	0.01		
		91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	23058	41.59		
		93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS	26335	47.51		
		98 = BLANK (NO ANSWER).....	74	0.13		
		99 = LEGITIMATE SKIP.....	5895	10.63		

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	CONSUMPTION OF ALCOHOL		PAGE:	668
			FREQ	%		
CADRKANL 2 1PRESCRIPTION PAIN RELIEVERS						
		1 = Response entered.....	119	0.21		
		5 = Response entered LOG ASSN (from skip pattern).....	48	0.09		
		6 = Response not entered.....	369	0.67		
		89 = LEGITIMATE SKIP Logically assigned.....	3	0.01		
		91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	23058	41.59		
		93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS	26335	47.51		
		94 = DON'T KNOW.....	1	0.00		
		98 = BLANK (NO ANSWER).....	213	0.38		
		99 = LEGITIMATE SKIP.....	5289	9.54		
CADRKTRN 2 1PRESCRIPTION TRANQUILIZERS						
		1 = Response entered.....	39	0.07		
		5 = Response entered LOG ASSN (from skip pattern).....	7	0.01		
		6 = Response not entered.....	188	0.34		
		89 = LEGITIMATE SKIP Logically assigned.....	3	0.01		
		91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	23058	41.59		
		93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS	26335	47.51		
		94 = DON'T KNOW.....	1	0.00		
		98 = BLANK (NO ANSWER).....	67	0.12		
		99 = LEGITIMATE SKIP.....	5737	10.35		
CADRKSTM 2 1PRESCRIPTION STIMULANTS						
		1 = Response entered.....	17	0.03		
		5 = Response entered LOG ASSN (from skip pattern).....	7	0.01		
		6 = Response not entered.....	118	0.21		
		89 = LEGITIMATE SKIP Logically assigned.....	2	0.00		
		91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	23058	41.59		
		93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS	26335	47.51		
		94 = DON'T KNOW.....	2	0.00		
		98 = BLANK (NO ANSWER).....	65	0.12		
		99 = LEGITIMATE SKIP.....	5831	10.52		
CADRKMTA 2 1METHAMPHETAMINE						
		1 = Response entered.....	20	0.04		
		5 = Response entered LOG ASSN (from skip pattern).....	6	0.01		
		6 = Response not entered.....	45	0.08		
		89 = LEGITIMATE SKIP Logically assigned.....	3	0.01		
		91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	23058	41.59		
		93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS	26335	47.51		
		97 = REFUSED.....	1	0.00		
		98 = BLANK (NO ANSWER).....	45	0.08		
		99 = LEGITIMATE SKIP.....	5922	10.68		
CADRKSED 2 1PRESCRIPTION SEDATIVES						
		1 = Response entered.....	11	0.02		
		5 = Response entered LOG ASSN (from skip pattern).....	4	0.01		
		6 = Response not entered.....	25	0.05		
		89 = LEGITIMATE SKIP Logically assigned.....	4	0.01		
		91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS.....	23058	41.59		
		93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS	26335	47.51		
		98 = BLANK (NO ANSWER).....	30	0.05		
		99 = LEGITIMATE SKIP.....	5968	10.77		

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	CONSUMPTION OF ALCOHOL	PAGE:	669
				FREQ	%
NOTE: Variables pertaining to consumption of 5 or more drinks or 4 or more drinks in a single occasion have been edited with respect to ED4FLAG. ED4FLAG takes into account the editing of the variables NODR30A and DR5DAY in the core ALCOHOL module.					
ED4FLAG	2	1ANY REPORT OF 4 OR 5+ DRINKS FROM ALCOHOL MODULE			
		0 = No report of 4 or 5+ drinks or not applicable.....	40628	73.29	
		1 = Report of 4 drinks in NODR30A; no rpt 5+ drinks...	628	1.13	
		2 = Report of 5+ drinks in NODR30A or DR5DAY.....	13921	25.11	
		12 = Report of 5+ drinks LOGICALLY ASSIGNED.....	42	0.08	
		85 = BAD DATA Logically assigned.....	216	0.39	
(CA10)		[Earlier the computer recorded that you have had at least one drink of an alcoholic beverage in your lifetime.] Have you ever had 5 or more drinks on the same occasion? By 'occasion,' we mean at the same time or within a couple of hours of each other.			
CABNGEV	2	1EVER HAD 5 OR MORE DRINKS ON THE SAME OCCASION			
		1 = Yes.....	11091	20.01	
		2 = No.....	14703	26.52	
		3 = Yes LOGICALLY ASSIGNED.....	5	0.01	
		4 = No LOGICALLY ASSIGNED.....	11	0.02	
		5 = Yes LOGICALLY ASSIGNED (from skip pattern).....	14277	25.75	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED ALCOHOL.....	15189	27.40	
		94 = DON'T KNOW.....	67	0.12	
		97 = REFUSED.....	67	0.12	
		98 = BLANK (NO ANSWER).....	24	0.04	
(CA11)		[Earlier the computer recorded that you had 5 or more drinks on the same occasion in the past 30 days.] How old were you the first time you had 5 or more drinks on the same occasion?			
CABNGAGE	3	1AGE 1ST TIME HAD 5 OR MORE DRINKS SAME OCCASION			
	RANGE	= 1 - 88		23932	43.17
		985 = BAD DATA Logically assigned.....	516	0.93	
		991 = NEVER USED ALCOHOL.....	15189	27.40	
		994 = DON'T KNOW.....	812	1.46	
		997 = REFUSED.....	114	0.21	
		998 = BLANK (NO ANSWER).....	158	0.29	
		999 = LEGITIMATE SKIP.....	14714	26.54	
NOTE: EIBNGAGE is an "editing indicator" for the variable CABNGAGE. The default value of EIBNGAGE is 1, when no editing has been done to CABNGAGE, other than to replace values with "bad data" codes or to assign relevant LEGITIMATE SKIP/NEVER USED ALCOHOL codes when the question did not apply. EIBNGAGE has values of 2 when values in CABNGAGE have logically been replaced with other values as part of the data editing procedures.					
EIBNGAGE	1	1EDITING INDICATOR FOR CABNGAGE			
		1 = Questionnaire data (or bad data/legitimate skip)..	55402	99.94	
		2 = Logically assigned data.....	33	0.06	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	CONSUMPTION OF ALCOHOL		PAGE: FREQ	670 %
			-----	-----		
(CA11A)		NOTE: For respondents whose age at first consumption of five or more drinks on the same occasion was equal to or 1 year less than their current age, responses from questions CA11a, CA11b, CA11c, CA11d, and associated consistency checks were used to create the following two variables.				-
CABNGYFU	4	1YEAR OF FIRST 5+ DRINKS ON SAME OCCASION - RECODE				
		RANGE = 2005 - 2007			4621	8.34
		9985 = BAD DATA Logically assigned.....			91	0.16
		9989 = LEGITIMATE SKIP Logically assigned.....			133	0.24
		9991 = NEVER USED ALCOHOL.....			15189	27.40
		9994 = DON'T KNOW.....			846	1.53
		9997 = REFUSED.....			120	0.22
		9998 = BLANK (NO ANSWER).....			680	1.23
		9999 = LEGITIMATE SKIP.....			33755	60.89
EIBNGYFU	1	1EDITING INDICATOR FOR CABNGYFU				
		1 = Questionnaire data (or bad data/legitimate skip) ..			55403	99.94
		2 = Logically assigned data.....			32	0.06
CABNGMFU	2	1MONTH OF 5+ DRINKS ON SAME OCCASION - RECODE				
		1 = January.....			572	1.03
		2 = February.....			249	0.45
		3 = March.....			314	0.57
		4 = April.....			290	0.52
		5 = May.....			307	0.55
		6 = June.....			457	0.82
		7 = July.....			511	0.92
		8 = August.....			291	0.52
		9 = September.....			295	0.53
		10 = October.....			323	0.58
		11 = November.....			257	0.46
		12 = December.....			407	0.73
		85 = BAD DATA Logically assigned.....			150	0.27
		89 = LEGITIMATE SKIP Logically assigned.....			133	0.24
		91 = NEVER USED ALCOHOL.....			15189	27.40
		94 = DON'T KNOW.....			1116	2.01
		97 = REFUSED.....			131	0.24
		98 = BLANK (NO ANSWER).....			688	1.24
		99 = LEGITIMATE SKIP.....			33755	60.89

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

CONSUMPTION OF ALCOHOL			PAGE:	671
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
NOTE: EIBNGMFU is an "editing indicator" for the variable CABNGMFU. The default value of EIBNGMFU is 1, when no editing has been done to CABNGMFU, other than to replace values with "bad data" codes or to assign relevant LEGITIMATE SKIP/NEVER USED ALCOHOL codes when the question did not apply. EIBNGMFU has values of 2 when values in CABNGMFU have logically been replaced with other values as part of the data editing procedures.				
EIBNGMFU	1	1EDITING INDICATOR FOR CABNGMFU 1 = Questionnaire data (or bad data/legitimate skip).. 2 = Logically assigned data.....	55398	99.93
			37	0.07
(CA12)		Have you ever had 4 or more drinks on the same occasion?		
CA4FDEV	2	1EVER HAD 4 OR MORE DRINKS ON THE SAME OCCASION 1 = Yes..... 2 = No..... 3 = Yes LOGICALLY ASSIGNED..... 5 = Yes LOGICALLY ASSIGNED (from skip pattern)..... 91 = NEVER USED ALCOHOL..... 94 = DON'T KNOW..... 97 = REFUSED..... 98 = BLANK (NO ANSWER)..... 99 = LEGITIMATE SKIP.....	1269	2.29
			7608	13.72
			2	0.00
			11828	21.34
			15189	27.40
			32	0.06
			25	0.05
			37	0.07
			19445	35.08
(CA13)		NOTE: The distributions for CA4FDDYS, EI4FDDYS, CA4FDAGE, EI4FDAGE, CA4FDYFU, EI4FDYFU, CA4FDMFU, and EI4FDMFU for the 2006 survey are not comparable to the corresponding distributions in this survey year. A sizable number of female respondents in 2006 were incorrectly skipped out of the items corresponding to the variables CA4FDDYS and CA4FDAGE. In turn, the error for CA4FDAGE affected female respondents' eligibility to be asked the items corresponding to CA4FDYFU and CA4FDMFU. This error was corrected for the 2007 survey.		
During the past 30 days, that is, since [DATEFILL], on how many days did you have 4 or more drinks on the same occasion?				
CA4FDDYS	2	1# DAYS HAD 4+ DRINKS SAME OCCASION PAST 30 DAYS RANGE = 0 - 30 85 = BAD DATA Logically assigned..... 91 = NEVER USED ALCOHOL..... 93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS..... 94 = DON'T KNOW..... 97 = REFUSED..... 98 = BLANK (NO ANSWER)..... 99 = LEGITIMATE SKIP.....	8796	15.87
			162	0.29
			15189	27.40
			14939	26.95
			245	0.44
			51	0.09
			109	0.20
			15944	28.76

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

CONSUMPTION OF ALCOHOL			PAGE:	672
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
<p>NOTE: EI4FDDYS is an "editing indicator" for the variable CA4FDDYS. The default value of EI4FDDYS is 1, when no editing has been done to CA4FDDYS, other than to replace values with "bad data" codes or to assign relevant LEGITIMATE SKIP/NEVER USED ALCOHOL codes when the question did not apply. EI4FDDYS has values of 2 when values in CA4FDDYS have logically been replaced with other values as part of the data editing procedures.</p>				
EI4FDDYS	1	1EDITING INDICATOR FOR CA4FDDYS		
		1 = Questionnaire data (or bad data/legitimate skip)..	53839	97.12
		2 = Logically assigned data.....	1596	2.88
(CA14)		How old were you the first time you had 4 or more drinks on the same occasion?		
CA4FDAGE	3	1AGE 1ST TIME HAD 4 OR MORE DRINKS SAME OCCASION		
		RANGE = 1 - 71	12143	21.90
		985 = BAD DATA Logically assigned.....	250	0.45
		991 = NEVER USED ALCOHOL.....	15189	27.40
		994 = DON'T KNOW.....	617	1.11
		997 = REFUSED.....	58	0.10
		998 = BLANK (NO ANSWER).....	125	0.23
		999 = LEGITIMATE SKIP.....	27053	48.80
<p>NOTE: EI4FDAGE is an "editing indicator" for the variable CA4FDAGE. The default value of EI4FDAGE is 1, when no editing has been done to CA4FDAGE, other than to replace values with "bad data" codes or to assign relevant LEGITIMATE SKIP/NEVER USED ALCOHOL codes when the question did not apply. EI4FDAGE has values of 2 when values in CA4FDAGE have logically been replaced with other values as part of the data editing procedures.</p>				
EI4FDAGE	1	1EDITING INDICATOR FOR CA4FDAGE		
		1 = Questionnaire data (or bad data/legitimate skip)..	55037	99.28
		2 = Logically assigned data.....	398	0.72
(CA14A)		NOTE: For female respondents whose age at first consumption of four or more drinks on the same occasion was equal to or 1 year less than their current age, responses from questions CA14a, CA14b, CA14c, CA14d, and associated consistency checks were used to create the following two variables.		
CA4FDYFU	4	1YEAR OF FIRST 4+ DRINKS ON SAME OCCASION - RECODE		
		RANGE = 2005 - 2007	2202	3.97
		9985 = BAD DATA Logically assigned.....	60	0.11
		9989 = LEGITIMATE SKIP Logically assigned.....	133	0.24
		9991 = NEVER USED ALCOHOL.....	15189	27.40
		9994 = DON'T KNOW.....	640	1.15
		9997 = REFUSED.....	59	0.11
		9998 = BLANK (NO ANSWER).....	378	0.68
		9999 = LEGITIMATE SKIP.....	36774	66.34

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

CONSUMPTION OF ALCOHOL			PAGE:	673
LABEL	LEN	DESCRIPTION	FREQ	%
<hr/>				
		NOTE: EI4FDYFU is an "editing indicator" for the variable CA4FDYFU. The default value of EI4FDYFU is 1, when no editing has been done to CA4FDYFU, other than to replace values with "bad data" codes or to assign relevant LEGITIMATE SKIP/NEVER USED ALCOHOL codes when the question did not apply. EI4FDYFU has values of 2 when values in CA4FDYFU have logically been replaced with other values as part of the data editing procedures.		
EI4FDYFU	1	1EDITING INDICATOR FOR CA4FDYFU		
		1 = Questionnaire data (or legitimately skipped).....	55385	99.91
		2 = Logically assigned data.....	50	0.09
CA4FDMFU	2	1MONTH OF 4+ DRINKS ON SAME OCCASION - RECODE		
		1 = January.....	255	0.46
		2 = February.....	101	0.18
		3 = March.....	156	0.28
		4 = April.....	127	0.23
		5 = May.....	176	0.32
		6 = June.....	227	0.41
		7 = July.....	246	0.44
		8 = August.....	135	0.24
		9 = September.....	138	0.25
		10 = October.....	172	0.31
		11 = November.....	130	0.23
		12 = December.....	197	0.36
		85 = BAD DATA Logically assigned.....	87	0.16
		89 = LEGITIMATE SKIP Logically assigned.....	133	0.24
		91 = NEVER USED ALCOHOL.....	15189	27.40
		94 = DON'T KNOW.....	719	1.30
		97 = REFUSED.....	63	0.11
		98 = BLANK (NO ANSWER).....	410	0.74
		99 = LEGITIMATE SKIP.....	36774	66.34
<hr/>				
NOTE: EI4FDMFU is an "editing indicator" for the variable CA4FDMFU. The default value of EI4FDMFU is 1, when no editing has been done to CA4FDMFU, other than to replace values with "bad data" codes or to assign relevant LEGITIMATE SKIP/NEVER USED ALCOHOL codes when the question did not apply. EI4FDMFU has values of 2 when values in CA4FDMFU have logically been replaced with other values as part of the data editing procedures.				
EI4FDMFU	1	1EDITING INDICATOR FOR CABNGMFU		
		1 = Questionnaire data (or bad data/legitimate skip)..	55308	99.77
		2 = Logically assigned data.....	127	0.23

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	674
			FREQ	%
<hr/>				
RECODED CONSUMPTION OF ALCOHOL				
<hr/>				
NOTE: The variables in this section are recoded variables that were created from one or more of the variables from the preceding section.				
<hr/>				
The following variable defines the social context of a respondents last alcohol use, including whether they drank alone or if they were with one or more persons.				
<hr/>				
UADPEOP	1	SOCIAL CONTEXT OF MOST RECENT ALCOHOL USE		
		. = Unknown (CADRPEOP=85,94,97,98).....	424	0.76
		1 = Drank Alone (CADRPEOP=1).....	336	0.61
		2 = Drank with one other person (CADRPEOP=2).....	937	1.69
		3 = Drank with two or more other people (CADRPEOP=3) ..	5262	9.49
		4 = No Past Mon Alc/Aged 21+ (CADRPEOP=91,93,99).....	48476	87.45
<hr/>				
NOTE: The following 8 variables define the locations where respondents had their most recent alcohol use.				
<hr/>				
UADCAR	1	MOST RECENT ALCOHOL USE IN A CAR		
		. = Unknown (CADRCAR=85,91,93,94,97,98,99).....	48961	88.32
		1 = Yes (CADRCAR=1,3).....	352	0.63
		2 = No (CADRCAR=6).....	6122	11.04
<hr/>				
UADHOME	1	MOST RECENT ALCOHOL USE AT HOME		
		. = Unknown (CADRHOME=91,93,94,97,98,99).....	48961	88.32
		1 = Yes (CADRHOME=1,3).....	1859	3.35
		2 = No (CADRHOME=6).....	4615	8.33
<hr/>				
UADOTHM	1	MOST RECENT ALCOHOL USE AT SOMEONE ELSE'S HOME		
		. = Unknown (CADROTHM=91,93,94,97,98,99).....	48961	88.32
		1 = Yes (CADROTHM=1,3).....	3624	6.54
		2 = No (CADROTHM=6).....	2850	5.14
<hr/>				
UADPUBL	1	MOST RECENT ALCOHOL USE AT A PARK, BEACH, OR LOT		
		. = Unknown (CADRPUBL=91,93,94,97,98,99).....	48961	88.32
		1 = Yes (CADRPUBL=1,3).....	306	0.55
		2 = No (CADRPUBL=6).....	6168	11.13
<hr/>				
UADBAR	1	MOST RECENT ALCOHOL USE AT RESTAURANT, BAR OR CLUB		
		. = Unknown (CADRBAR=91,93,94,97,98,99).....	48961	88.32
		1 = Yes (CADRBAR=1,3).....	514	0.93
		2 = No (CADRBAR=6).....	5960	10.75
<hr/>				
UADEVNT	1	MOST RECENT ALCOHOL USE AT CONCERT OR SPORTS GAME		
		. = Unknown (CADREVNT=91,93,94,97,98,99).....	48961	88.32
		1 = Yes (CADREVNT=1,3).....	115	0.21
		2 = No (CADREVNT=6).....	6359	11.47
<hr/>				
UADSCHL	1	MOST RECENT ALCOHOL USE AT SCHOOL		
		. = Unknown (CADRSCHL=91,93,94,97,98,99).....	48961	88.32
		1 = Yes (CADRSCHL=1).....	157	0.28
		2 = No (CADRSCHL=6).....	6317	11.40

RECODED CONSUMPTION OF ALCOHOL			PAGE:	675
LABEL	LEN	DESCRIPTION	FREQ	%
<hr/>				
		The following variable, UADROTH, was assigned a negative response if a respondent indicated not receiving their most recent alcohol from some other place (CADROTH=6) or indicated receiving their most recent alcohol from one of the other specific locations asked about (CADROTH=1 & CADROTS2=1-6). A missing was assigned if a respondent indicated that they received their most recent alcohol from some other place (CADROTH=1) and their response to the other specify follow-up question was invalid or unknown (CADROTS2=70,85,94,97,98) or if they were not alcohol users, or did not indicate any location for their most recent alcohol use (CADROTH=91,93,94,97,98,99).		-
UADROTH	1	MOST RECENT ALCOHOL USE AT SOME OTHER PLACE		
		. = Unknown (See comment above).....	49074	88.53
		1 = Yes (CADROTH=1 and CADROTS2=8-35).....	479	0.86
		2 = No (See comment above).....	5882	10.61
UADOTSP	1	OTHER LOCATIONS OF MOST RECENT ALCOHOL USE		
		. = Unknown (CADROTS2=70,85,94,97,98).....	598	1.08
		1 = Party, wedding, or celebration (CADROTS2=35).....	132	0.24
		2 = Outside; Location not specified (CADROTS2=24).....	83	0.15
		3 = Hotel, motel, or resort (CADROTS2=15).....	55	0.10
		4 = Camping, hunting, or fishing (CADROTS2=22).....	34	0.06
		5 = Cabin, cottage, vacation home, etc. (CADROTS2=14).....	18	0.03
		6 = Dorm room (CADROTS2=29).....	16	0.03
		7 = Other location, nonuser, or aged 21+ (Otherwise)..	54499	98.31
UADPAID	1	UNDERAGE DRINKER PAID FOR MOST RECENT ALCOHOL		
		. = Unknown (CABUYFRE=85,94,97,98).....	430	0.78
		1 = Yes (CABUYFRE=1).....	1941	3.50
		2 = No (CABUYFRE=2).....	4588	8.28
		3 = No Past Mon Alc/Aged 21+ (CABUYFRE=91,93,99).....	48476	87.45
UADMONY	1	UNDERAGE DRINKER PURCHASED MOST RECENT ALCOHOL		
		. = Unknown (CAGVMONY=85,94,97,98).....	448	0.81
		1 = Bought it myself (CAGVMONY=1).....	483	0.87
		2 = Gave money to someone else to buy it (CAGVMONY=2).....	1440	2.60
		3 = No Past Mon Alc/Aged 21+ (CAGVMONY=91,93,99).....	53064	95.72
UADBWHO	1	HOW UNDERAGE DRINKER PURCHASED MOST RECNT ALCOHOL		
		. = Unknown (CABUYWHO=85,97,98).....	448	0.81
		1 = Bought it at a store/restaurant/etc. (CABUYWHO=1).....	398	0.72
		2 = Bought it from another person (CABUYWHO=2).....	85	0.15
		3 = No Past Mon Alc/Aged 21+ (CABUYWHO=91,93,99).....	54504	98.32
UADPLACE	1	WHERE UNDERAGE DRINKER PURCHSD MOST RECNT ALCOHOL		
		. = Unknown (CABPLACE=85,97,98).....	449	0.81
		1 = Bought it at liquor/grocery store (CABPLACE=1)....	277	0.50
		2 = Bought it at a restaurant/bar/club (CABPLACE=2)....	116	0.21
		3 = Bought it at a concert/sports/event (CABPLACE=3)...	4	0.01
		4 = No Past Mon Alc/Aged 21+ (CABPLACE=91,93,99).....	54589	98.47
UADBUND	1	AGE PERSON WHO PURCHASED ALC FOR UNDERAGE DRINKER		
		. = Unknown (CABUNDAG=97,98).....	448	0.81
		1 = Under age 21 (CABUNDAG=1).....	35	0.06
		2 = Age 21 or older(CABUNDAG=2).....	50	0.09
		3 = No Past Mon Alc/Aged 21+ (CABUNDAG=91,93,99).....	54902	99.04

LABEL	LEN	DESCRIPTION	RECODED CONSUMPTION OF ALCOHOL		PAGE:	676
			FREQ	%		
UADCAG	1	WHO PURCHASED UNDERAGE DRINKER MOST RECENT ALCOHOL				-
		. = Unknown (CAGVWHO=94,97,98).....	489	0.88		
		1 = Parent or guardian (CAGVWHO=1).....	30	0.05		
		2 = Another family member aged 21 or older (CAGVWHO=2)	152	0.27		
		3 = Someone not related aged 21 or older (CAGVWHO=3) ..	1071	1.93		
		4 = Someone under the age of 21 (CAGVWHO=4).....	146	0.26		
		5 = No Past Mon Alc/Aged 21+ (CAGVWHO=91,93,99).....	53547	96.59		
The following variable, UADFWHO, was assigned missing if a respondent indicated that some other person gave them the last alcohol they drank (CAFREWHO=7) and their response to the other specify follow-up question was unknown (CAFRESP2=85,94,97,98) or if they did not indicate who gave them the last alcohol they drank (CAFREWHO=94,97,98).						
UADFWHO	1	WHO GAVE UNDERAGE DRINKER MOST RECENT ALCOHOL				
		. = Unknown (See comment above).....	670	1.21		
		1 = Parent or guardian (CAFREWHO=1,11).....	354	0.64		
		2 = Another family member, 21 or older (CAFREWHO=2)...	538	0.97		
		3 = Someone not related, 21 or older (CAFREWHO=3,13) ..	1652	2.98		
		4 = Someone under the age of 21 (CAFREWHO=4,14).....	955	1.72		
		5 = Took it from my home (CAFREWHO=5,15).....	267	0.48		
		6 = Took it from someone else's home (CAFREWHO=6,16) ..	176	0.32		
		7 = Some other way (CAFREWHO=7 & CAFRESP2=7-33).....	406	0.73		
		8 = No Past Mon Alc/Aged 21+ (CAFREWHO=91,93,99).....	50417	90.95		
The following variable, UADFRD, was assigned a negative response if a respondent indicated receiving their most recent alcohol not from a friend (CAFREWHO=1-6,11-16) or from some other person besides a friend (CAFREWHO=7 & CAFRESP2=7-21,23-33). A missing was assigned if a respondent indicated that some other person gave them the last alcohol they drank (CAFREWHO=7) and their response to the other specify follow-up question was unknown (CAFRESP2=85,94,97,98) or if they did not indicate who gave them the last alcohol they drank (CAFREWHO=94,97,98).						
UADFRD	1	MOST RECNT ALC FROM FRIEND, UNSPEC AGE/METHOD				
		. = Unknown (See comment above).....	670	1.21		
		1 = Got it from a friend (CAFREWHO=7 & CAFRESP2=22)...	172	0.31		
		2 = Not from a friend (See comment above).....	4176	7.53		
		3 = No Past Mon Alc/Aged 21+ (CAFREWHO=91,93,99).....	50417	90.95		
NOTE: The following 12 variables define specific drugs used at the same time or within a couple hours of the respondents last alcohol use.						
DRKMRJ	1	USED MARIJUANA WITH LAST ALCOHOL USE				
		. = Unknown (CADRKMRJ=85,94,97,98).....	214	0.39		
		0 = No (CADRKMRJ=6,91,93,99).....	52980	95.57		
		1 = Yes (CADRKMRJ=1,5).....	2241	4.04		
DRKCOC	1	USED COCAINE WITH LAST ALCOHOL USE				
		. = Unknown (CADRKCOC=97,98).....	79	0.14		
		0 = No (CADRKCOC=6,89,91,93,99).....	55198	99.57		
		1 = Yes (CADRKCOC=1,5).....	158	0.29		

RECODED CONSUMPTION OF ALCOHOL			PAGE:	677
LABEL	LEN	DESCRIPTION	FREQ	%
DRKHER	1	USED HEROIN WITH LAST ALCOHOL USE		-
		. = Unknown (CADRKHER=98).....	12	0.02
		0 = No (CADRKHER=6,89,91,93,99).....	55414	99.96
		1 = Yes (CADRKHER=1).....	9	0.02
DRKHAL	1	USED HALLUCINOGENS WITH LAST ALCOHOL USE		
		. = Unknown (CADRKHAL=97,98).....	132	0.24
		0 = No (CADRKHAL=6,89,91,93,99).....	55266	99.70
		1 = Yes (CADRKHAL=1,5).....	37	0.07
DRKINH	1	USED INHALANTS WITH LAST ALCOHOL USE		
		. = Unknown (CADRKINH=98).....	74	0.13
		0 = No (CADRKINH=6,89,91,93,99).....	55351	99.85
		1 = Yes (CADRKINH=1,5).....	10	0.02
DRKANL	1	USED PAIN RELIEVERS WITH LAST ALCOHOL USE		
		. = Unknown (CADRKANL=94,98).....	214	0.39
		0 = No (CADRKANL=6,89,91,93,99).....	55054	99.31
		1 = Yes (CADRKANL=1,5).....	167	0.30
DRKTRN	1	USED TRANQUILIZERS WITH LAST ALCOHOL USE		
		. = Unknown (CADRKTRN=94,98).....	68	0.12
		0 = No (CADRKTRN=6,89,91,93,99).....	55321	99.79
		1 = Yes (CADRKTRN=1,5).....	46	0.08
DRKSTM	1	USED STIMULANTS WITH LAST ALCOHOL USE		
		. = Unknown (CADRKSTM=94,98).....	67	0.12
		0 = No (CADRKSTM=6,89,91,93,99).....	55344	99.84
		1 = Yes (CADRKSTM=1,5).....	24	0.04
<p>The following variable, DRKMTH, was created to capture the respondent's use of methamphetamine with their most recent use of alcohol. A positive response was assigned if the respondent reported methamphetamine use with their most recent alcohol use (CADRKMTH=1,5) and if they reported methamphetamine use in the core Stimulants module or they reported its use in the noncore Special Drugs module and they did not report methamphetamine use in the core Stimulants module because they did not consider it to be a prescription drug. A negative response was assigned if the respondent did not use methamphetamine with their most recent use of alcohol in the past month (CADRKMTH=6,89,91,93,99), or if methamphetamine use with most recent alcohol use was reported (CADRKMTH=1,5) but their report of methamphetamine use in the noncore Special Drugs module was for a reason other than that they did not consider it to be a prescription drug.</p>				
DRKMTH	1	USED METHAMPHETAMINE WITH LAST ALCOHOL USE		
		. = Unknown (CADRKMTH=97,98).....	46	0.08
		0 = No (See comment above).....	55364	99.87
		1 = Yes (See comment above).....	25	0.05
DRKSED	1	USED SEDATIVES WITH LAST ALCOHOL USE		
		. = Unknown (CADRKSED=98).....	30	0.05
		0 = No (CADRKSED=6,89,91,93,99).....	55390	99.92
		1 = Yes (CADRKSED=1,5).....	15	0.03

LABEL	LEN	DESCRIPTION	PAGE:	678
			FREQ	%
-----	-----	-----	-----	-
<p>The following variable, DRKSUM, was created to capture the use of any illicit drug with the respondents most recent use of alcohol. It was created by examination of the following variables: DRKMRJ, DRKCOC, DRKHERR, DRKHAL, DRKINH, DRKANL, DRKTRN, DRKSTM, DRKMTH, and DRKSED. A positive response was assigned if a respondent answered 'Yes' to any of the individual drug variables. A negative response was assigned if a respondent answered 'No' to all drug variables or the respondent was not a past month user of any illicit drugs (SUMMON=0). If neither of these was true, then DRKSUM was set to missing.</p>				
DRKSUM	1	USED ILLICIT DRUGS WITH LAST ALCOHOL USE		
		. = Unknown (See comment above).....	183	0.33
		0 = No (See comment above).....	52767	95.19
		1 = Yes (See comment above).....	2485	4.48
<p>The following variable, DRKIEM, was created to capture the use of any illicit drug other than marijuana with the respondents most recent use of alcohol. It was created by examination of the following recoded variables: DRKCOC, DRKHERR, DRKHAL, DRKINH, DRKANL, DRKTRN, DRKSTM, DRKMTH and DRKSED. A positive response was assigned if a respondent answered 'Yes' to any of these individual drugs. A negative response was assigned if a respondent answered 'No' to all of these drugs or they were not a past month user of any illicit drug other than marijuana (IEMMON=0). If neither of these was true, then DRKIEM was set to missing.</p>				
DRKIEM	1	USED ILLICIT DRUGS OTHR THAN MRJ WITH LAST ALC USE		
		. = Unknown (See comment above).....	112	0.20
		0 = No (See comment above).....	54909	99.05
		1 = Yes (See comment above).....	414	0.75

LABEL	LEN	DESCRIPTION	HOUSEHOLD COMPOSITION (ROSTER)	PAGE:	679
				FREQ	%

HOUSEHOLD COMPOSITION (ROSTER)					

NOTE: The following variable, EDFAM18, replaces the variable IRFAM18 (the imputation-revised indicator for having family members in the household aged 18 or older) from previous years. Prior to 2003, the edited proxy variables were created using IRFAM18. However in 2003, the procedures for creating the edited proxy variables changed due to changes in the proxy questions in the questionnaire. The new procedures required an edited form of this indicator.					
EDFAM18	2	EDITED INDICATOR: FAMILY IN HH 18 OR OLDER			
		0 = R has other family members >=18.....	46651	84.15	
		1 = R does not have other family members >=18.....	8742	15.77	
		98 = UNKNOWN.....	42	0.08	
IMOTHER	1	MOTHER IN HH			
		1 = R is 12-17, mother in hh.....	16096	29.04	
		2 = R is 12-17, no mother in hh.....	1617	2.92	
		3 = R is 12-17, don't know whether mother is in hh....	14	0.03	
		4 = R is 18 or older.....	37708	68.02	
IFATHER	1	FATHER IN HH			
		1 = R is 12-17, father in hh.....	12672	22.86	
		2 = R is 12-17, no father in hh.....	5041	9.09	
		3 = R is 12-17, don't know whether father is in hh....	14	0.03	
		4 = R is 18 or older.....	37708	68.02	
NRCH17_2	1	RECODED # R's CHILDREN < 18 IN HOUSEHOLD			
		RANGE = 0 - 2	53047	95.69	
		. = Missing.....	61	0.11	
		3 = 3 or more.....	2327	4.20	
IRHHSIZ2	1	RECODE - IMPUTATION-REVISED # PERSONS IN HH			
		1 = One person in household.....	3509	6.33	
		2 = Two people in household.....	11941	21.54	
		3 = Three people in household.....	12621	22.77	
		4 = Four people in household.....	14101	25.44	
		5 = Five people in household.....	7640	13.78	
		6 = 6 or more people in household.....	5623	10.14	
IHHHSIZ2	1	IRHHSIZ2-IMPUTATION INDICATOR			
		1 = Questionnaire data.....	55405	99.95	
		3 = Statistically imputed data.....	30	0.05	
IRKI17_2	1	RECODE - IMPUTATION-REVISED # KIDS AGED<18 IN HH			
		1 = No children under 18.....	20957	37.80	
		2 = One child under 18.....	13625	24.58	
		3 = Two children under 18.....	12091	21.81	
		4 = Three or more children under 18.....	8762	15.81	
IICKI17_2	1	IRKI17_2-IMPUTATION INDICATOR			
		1 = Questionnaire data.....	55259	99.68	
		3 = Statistically imputed data.....	176	0.32	

LABEL	LEN	DESCRIPTION	PAGE:	
			FREQ	%
IRHH65_2	1	REC - IMPUTATION-REVISED # OF PER IN HH AGED>=65	-----	-
		1 = No people 65 or older in household.....	50819	91.67
		2 = One person 65 or older in household.....	3240	5.84
		3 = Two or more people 65 or older in household.....	1376	2.48
IHH65_2	1	IRHH65_2-IMPUTATION INDICATOR	55117	99.43
		1 = Questionnaire data.....	49	0.09
		2 = Logically assigned data.....	269	0.49
IRFAMSZ2	1	IMP-REVISED - NO OF R'S FAMILY MEMBERS IN HHLD	7022	12.67
		1 = One R's family member in household.....	11181	20.17
		2 = Two R's family members in household.....	11894	21.46
		3 = Three R's family members in household.....	13307	24.00
		4 = Four R's family members in household.....	7123	12.85
		5 = Five R's family members in household.....	4908	8.85
IIFAMSZ2	1	IRFAMSZ2 - IMPUTATION INDICATOR	55373	99.89
		1 = Questionnaire data.....	9	0.02
		2 = Logically Assigned data.....	53	0.10
IRKIDFA2	1	IMP-REV - NO OF R'S FAMILY MBRS IN HH AGED 0-17	21464	38.72
		1 = No R'S family mbrs in HH aged 0-17.....	13560	24.46
		2 = One R'S family mbrs in HH aged 0-17.....	11940	21.54
		3 = Two R'S family mbrs in HH aged 0-17.....	8471	15.28
IIKIDFA2	1	IRKIDFA2 - IMPUTATION INDICATOR	55320	99.79
		1 = Questionnaire data.....	115	0.21
PRXYDATA	2	IS PROXY ANSWERING INSURANCE/INCOME QS	17312	31.23
		1 = Yes.....	35	0.06
		2 = No.....	23	0.04
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	39	0.07
		98 = BLANK (NO ANSWER).....	38024	68.59

LABEL	LEN	DESCRIPTION	HOUSEHOLD COMPOSITION (ROSTER)	PAGE:	681
				FREQ	%
NOTE: The variables which immediately follow refer to questions about the kinds and amounts of income received. Only imputed variables are included since other variables do not provide any additional analytic utility. Users can differentiate between imputed and non-imputed values using the imputation indicators. Questions about income from the questionnaire are not reproduced since the variables below do not correspond exactly to those questions. Edited and imputed health insurance variables, with the accompanying questionnaire questions, follow the income variables.					
IRPSOC	1	IMP. REVISED - RESP RECEIVE SS OR RR PAYMENTS			
		1 = Yes.....	3847	6.94	
		2 = No.....	48916	88.24	
		99 = LEGITIMATE SKIP.....	2672	4.82	
IIPSOC	1	IRPSOC - IMPUTATION INDICATOR			
		1 = Questionnaire data.....	52579	94.85	
		3 = Statistically imputed data.....	184	0.33	
		9 = Legitimate skip.....	2672	4.82	
IRFAMSOC	1	IMP. REVISED - FAM RECEIVE SS OR RR PAYMENTS			
		1 = Yes.....	7515	13.56	
		2 = No.....	47920	86.44	
IIFAMSOC	1	IRFAMSOC - IMPUTATION INDICATOR			
		1 = Questionnaire data.....	54728	98.72	
		3 = Statistically imputed data.....	707	1.28	
IRPSSI	1	IMP. REVISED - RESP RECEIVE SSI			
		1 = Yes.....	1530	2.76	
		2 = No.....	51233	92.42	
		99 = LEGITIMATE SKIP.....	2672	4.82	
IIPSSI	1	IRPSSI - IMPUTATION INDICATOR			
		1 = Questionnaire data.....	52495	94.70	
		3 = Statistically imputed data.....	268	0.48	
		9 = Legitimate skip.....	2672	4.82	
IRFAMSSI	1	IMP. REVISED - FAM RECEIVE SSI			
		1 = Yes.....	3642	6.57	
		2 = No.....	51793	93.43	
IIFAMSSI	1	IRFAMSSI - IMPUTATION INDICATOR			
		1 = Questionnaire data.....	54604	98.50	
		3 = Statistically imputed data.....	831	1.50	
IRPWAG	1	IMP. REVISED - RESP RECEIVE INCOME FROM JOB			
		1 = Yes.....	33072	59.66	
		2 = No.....	19691	35.52	
		99 = LEGITIMATE SKIP.....	2672	4.82	
IIPWAG	1	IRPWAG - IMPUTATION INDICATOR			
		1 = Questionnaire data.....	52686	95.04	
		3 = Statistically imputed data.....	77	0.14	
		9 = Legitimate skip.....	2672	4.82	

LABEL	LEN	DESCRIPTION	PAGE:	
			FREQ	%
IRFAMWAG	1	IMP. REVISED - FAM REC INCOME FROM JOB		-
		1 = Yes.....	50779	91.60
		2 = No.....	4656	8.40
IIFAMWAG	1	IRFAMWAG - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55294	99.75
		3 = Statistically imputed data.....	141	0.25
IRFSTAMP	1	IMP. REVISED - RESP/OTH FAM MEM REC FOOD STAMPS		
		1 = Yes.....	7174	12.94
		2 = No.....	48261	87.06
IIFSTAMP	1	IRFSTAMP - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55189	99.56
		3 = Statistically imputed data.....	246	0.44
IRPPMT	1	IMP. REVISED - RESP RECEIVE PUBLIC ASSIST		
		1 = Yes.....	1406	2.54
		2 = No.....	51357	92.64
		99 = Legitimate Skip.....	2672	4.82
		99 = LEGITIMATE SKIP.....	2672	4.82
IIPPMPT	1	IRPPMT - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	52530	94.76
		3 = Statistically imputed data.....	233	0.42
		9 = Legitimate Skip.....	2672	4.82
IRFAMPMT	1	IMP. REVISED - FAM RECEIVE PUBLIC ASSIST		
		1 = Yes.....	2184	3.94
		2 = No.....	53251	96.06
IIFAMPMT	1	IRFAMPMT - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	54928	99.09
		3 = Statistically imputed data.....	507	0.91
IRPSVC	1	IMP. REVISED - RESP REC WELFARE/JOB PL/CHILD CARE		
		1 = Yes.....	1668	3.01
		2 = No.....	51095	92.17
		99 = LEGITIMATE SKIP.....	2672	4.82
IIPSVIC	1	IRPSVC - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	52606	94.90
		3 = Statistically imputed data.....	157	0.28
		9 = Legitimate skip.....	2672	4.82
IRFAMSVC	1	IMP. REVISED - FAM REC WELFARE/JOB PL/CHILDCARE		
		1 = Yes.....	2783	5.02
		2 = No.....	52652	94.98
IIFAMSVC	1	IRFAMSVC - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55033	99.27
		3 = Statistically imputed data.....	402	0.73
IRWELMOS	2	IMP. REVISED - NO.OF MONTHS ON WELFARE		
		RANGE = 1 - 12	4025	7.26
		99 = LEGITIMATE SKIP.....	51410	92.74

LABEL	LEN	DESCRIPTION	PAGE:	
			FREQ	%
IIWELMOS	1	IRWELMOS - IMPUTATION INDICATOR 1 = Questionnaire data..... 3 = Statistically imputed data..... 9 = Legitimate skip.....	3854	6.95
			698	1.26
			50883	91.79
IRPINT	1	IMP. REVISED - RESP REC INTEREST SAVING/DIVIDEND 1 = Yes..... 2 = No..... 99 = LEGITIMATE SKIP.....	27341	49.32
			25422	45.86
			2672	4.82
IIPINT	1	IRPINT - IMPUTATION INDICATOR 1 = Questionnaire data..... 3 = Statistically imputed data..... 9 = Legitimate skip.....	52313	94.37
			450	0.81
			2672	4.82
IRFAMINT	1	IMP. REV - FAM REC INTEREST SAVING/DIVIDEND 1 = Yes..... 2 = No..... 99 = LEGITIMATE SKIP.....	34286	61.85
			18477	33.33
			2672	4.82
IIFAMINT	1	IRFAMINT - IMPUTATION INDICATOR 1 = Questionnaire data..... 3 = Statistically imputed data..... 9 = Legitimate skip.....	51438	92.79
			1325	2.39
			2672	4.82
IRPCHD	1	IMP. REVISED - RESP REC CHILD SUPPORT PAYMENTS 1 = Yes..... 2 = No..... 99 = LEGITIMATE SKIP.....	1862	3.36
			50901	91.82
			2672	4.82
IIPCHD	1	IRPCHD - IMPUTATION INDICATOR 1 = Questionnaire data..... 3 = Statistically imputed data..... 9 = Legitimate skip.....	52670	95.01
			93	0.17
			2672	4.82
IRFAMCHD	1	IMP. REVISED - FAM REC CHILD SUPPORT PAYMENTS 1 = Yes..... 2 = No..... 99 = LEGITIMATE SKIP.....	6420	11.58
			46343	83.60
			2672	4.82
IIFAMCHD	1	IRFAMCHD - IMPUTATION INDICATOR 1 = Questionnaire data..... 3 = Statistically imputed data..... 9 = Legitimate skip.....	52465	94.64
			298	0.54
			2672	4.82
IRPOTH	1	IMP. REVISED - RESP REC OTH INCOME FROM OTH SOURCE 1 = Yes..... 2 = No..... 99 = LEGITIMATE SKIP.....	3088	5.57
			49675	89.61
			2672	4.82
IIPOTH	1	IRPOTH - IMPUTATION INDICATOR 1 = Questionnaire data..... 3 = Statistically imputed data..... 9 = Legitimate skip.....	52614	94.91
			149	0.27
			2672	4.82
IRFAMOTH	1	IMP. REVISED - FAM REC OTH INC FR OTH SOURCE 1 = Yes..... 2 = No..... 99 = LEGITIMATE SKIP.....	6720	12.12
			46043	83.06
			2672	4.82

LABEL	LEN	DESCRIPTION	HOUSEHOLD COMPOSITION (ROSTER)		PAGE:	684
			FREQ	%		
IIFAMOTH	1	IRFAMOTH - IMPUTATION INDICATOR				-
		1 = Questionnaire data.....	52116	94.01		
		3 = Statistically imputed data.....	647	1.17		
		9 = Legitimate skip.....	2672	4.82		
IRPINC3	1	RECODE - IMP.REVISED-RESP'S TOT INC				
		1 = Less than \$10,000 (Including Loss).....	30886	55.72		
		2 = \$10,000 - \$19,999.....	8337	15.04		
		3 = \$20,000 - \$29,999.....	5437	9.81		
		4 = \$30,000 - \$39,999.....	3690	6.66		
		5 = \$40,000 - \$49,999.....	2514	4.54		
		6 = \$50,000 - \$74,999.....	2672	4.82		
		7 = \$75,000 or more.....	1899	3.43		
IIPINC3	1	IRPINC3 - IMPUTATION INDICATOR				
		1 = Questionnaire data.....	53607	96.70		
		3 = Statistically imputed data.....	1828	3.30		
IRFAMIN3	1	RECODE - IMP.REVISED - TOT FAM INCOME				
		1 = Less than \$10,000 (Including Loss).....	5492	9.91		
		2 = \$10,000 - \$19,999.....	6985	12.60		
		3 = \$20,000 - \$29,999.....	6657	12.01		
		4 = \$30,000 - \$39,999.....	6204	11.19		
		5 = \$40,000 - \$49,999.....	6087	10.98		
		6 = \$50,000 - \$74,999.....	9872	17.81		
		7 = \$75,000 or more.....	14138	25.50		
IIFAMIN3	1	IRFAMIN3 - IMPUTATION INDICATOR				
		1 = Questionnaire data.....	49243	88.83		
		2 = Logically assigned data.....	4	0.01		
		3 = Statistically imputed data.....	6188	11.16		
(QHI01)		The next questions are about [SAMPLE MEMBER POSS] health insurance coverage and the kinds and amounts of income that [SAMPLE MEMBER] and other people in your family receive.				
		NOTE: Beginning in 2003, respondents under the age of 65 who reported that they were covered by Medicare were asked to confirm their answer.				
		Medicare is a health insurance program for persons 65 and older and for certain disabled persons. Is [SAMPLE MEMBER A] covered by Medicare?				
MEDICARE	2	COVERED BY MEDICARE				
		1 = Yes.....	2729	4.92		
		2 = No.....	52530	94.76		
		94 = DON'T KNOW.....	137	0.25		
		97 = REFUSED.....	19	0.03		
		98 = BLANK (NO ANSWER).....	20	0.04		

LABEL	LEN	DESCRIPTION	HOUSEHOLD COMPOSITION (ROSTER)	PAGE:	685
				FREQ	%
(QHI02)		NOTE: The variable CAIDCHIP was created from responses to the first question shown below for respondents who were aged 20 or older. For respondents who were aged 12 to 19, CAIDCHIP was created from responses to the two questions shown below. This variable replaces the variable MEDICAID that was present in prior years. Beginning in 2003, respondents aged 65 or older who reported that they were covered by Medicaid were asked to confirm their answer.			-
		Medicaid is a public assistance program that pays for medical care for low income and disabled persons. The Medicaid program in [STATE FILL] is also called [MEDIFILL].			
		Is [SAMPLE MEMBER A] covered by Medicaid?			
		Is [SAMPLE MEMBER A] currently covered by [CHIPFILL]?			
CAIDCHIP	2	COVERED BY MEDICAID/CHIP			
		1 = Yes.....	8895	16.05	
		2 = No.....	46127	83.21	
		85 = BAD DATA Logically assigned.....	21	0.04	
		94 = DON'T KNOW.....	350	0.63	
		97 = REFUSED.....	21	0.04	
		98 = BLANK (NO ANSWER).....	21	0.04	
(QHI03)		Is [SAMPLE MEMBER A] currently covered by TRICARE, or CHAMPUS, CHAMPVA, the VA, or military health care?			
		These programs cover active duty and retired career military personnel and their dependents and survivors and also disabled veterans and their dependents and survivors.			
CHAMPUS	2	COV BY TRICARE, CHAMPUS, CHAMPVA, VA, MILITARY			
		1 = Yes.....	1688	3.05	
		2 = No.....	53577	96.65	
		94 = DON'T KNOW.....	130	0.23	
		97 = REFUSED.....	20	0.04	
		98 = BLANK (NO ANSWER).....	20	0.04	
(QHI06)		Private health insurance can be obtained through work, such as through an employer, union, or professional association or by paying premiums directly to a health insurance company.			
		Is [SAMPLE MEMBER A] currently covered by private health insurance?			
PRVHLTIN	2	COVERED BY PRIVATE INSURANCE			
		1 = Yes.....	34778	62.74	
		2 = No.....	20295	36.61	
		94 = DON'T KNOW.....	319	0.58	
		97 = REFUSED.....	23	0.04	
		98 = BLANK (NO ANSWER).....	20	0.04	

LABEL	LEN	DESCRIPTION	HOUSEHOLD COMPOSITION (ROSTER)	PAGE:	686
				FREQ	%
(QHI07)		Was [SAMPLE MEMBER POSS] private health insurance obtained through work, such as through an employer, union, or professional association?		-	-
GRPHLTIN	2	PRIVATE PLAN OFFERED THROUGH EMPLOYER OR UNION			
		1 = Yes.....	31767	57.30	
		2 = No.....	2919	5.27	
		94 = DON'T KNOW.....	90	0.16	
		97 = REFUSED.....	25	0.05	
		98 = BLANK (NO ANSWER).....	339	0.61	
		99 = LEGITIMATE SKIP (PRVHLTIN = 2).....	20295	36.61	
(QHI08)		Does [SAMPLE MEMBER POSS] private health insurance include coverage for treatment for any of the following conditions?			
		Alcohol abuse or alcoholism?			
HLTINALC	2	ALCOHOL ABUSE OR ALCOHOLISM			
		1 = Yes.....	15679	28.28	
		2 = No.....	4041	7.29	
		94 = DON'T KNOW.....	15048	27.15	
		97 = REFUSED.....	33	0.06	
		98 = BLANK (NO ANSWER).....	339	0.61	
		99 = LEGITIMATE SKIP (PRVHLTIN = 2).....	20295	36.61	
(QHI09)		Drug abuse?			
HLTINDRG	2	DRUG ABUSE			
		1 = Yes.....	15615	28.17	
		2 = No.....	4128	7.45	
		94 = DON'T KNOW.....	15023	27.10	
		97 = REFUSED.....	35	0.06	
		98 = BLANK (NO ANSWER).....	339	0.61	
		99 = LEGITIMATE SKIP (PRVHLTIN = 2).....	20295	36.61	
(QHI10)		Mental or emotional problems?			
HLTINMNT	2	MENTAL OR EMOTIONAL DIFFICULTIES			
		1 = Yes.....	22539	40.66	
		2 = No.....	2759	4.98	
		94 = DON'T KNOW.....	9470	17.08	
		97 = REFUSED.....	33	0.06	
		98 = BLANK (NO ANSWER).....	339	0.61	
		99 = LEGITIMATE SKIP (PRVHLTIN = 2).....	20295	36.61	
(QHI11)		Is [SAMPLE MEMBER A] currently covered by any kind of health insurance, that is, any policy or program that provides or pays for medical care?			
HLTINNOS	2	COVERED BY HEALTH INSUR (NOT OTHERWISE SPECIFIED)			
		1 = Yes.....	1291	2.33	
		2 = No.....	9308	16.79	
		94 = DON'T KNOW.....	29	0.05	
		98 = BLANK (NO ANSWER).....	20	0.04	
		99 = LEGITIMATE SKIP.....	44787	80.79	

LABEL	LEN	DESCRIPTION	HOUSEHOLD COMPOSITION (ROSTER)		PAGE: FREQ	687 %
			-----	-----		
(QHI13)		During the past 12 months, was there any time when [SAMPLE MEMBER] did not have any kind of health insurance or coverage?				-
HLCLNOTYR	2	ANYTIME DID NOT HAVE HEALTH INS/COVER PAST 12 MOS				
		1 = Yes.....	4350	7.85		
		2 = No.....	41219	74.36		
		85 = BAD DATA Logically assigned.....	3	0.01		
		94 = DON'T KNOW.....	126	0.23		
		97 = REFUSED.....	25	0.05		
		98 = BLANK (NO ANSWER).....	405	0.73		
		99 = LEGITIMATE SKIP.....	9307	16.79		
(QHI14)		During the past 12 months, about how many months were [FILL WEREWAS] without any kind of health insurance or coverage?				
HLCLNOTMO	2	PAST 12 MOS, HOW MANY MOS W/O COVERAGE				
		RANGE = 1 - 12	4328	7.81		
		94 = DON'T KNOW.....	22	0.04		
		97 = REFUSED.....	25	0.05		
		98 = BLANK (NO ANSWER).....	534	0.96		
		99 = LEGITIMATE SKIP.....	50526	91.14		
(QHI15)		About how long has it been since (you/SAMPLE MEMBER) last had any kind of health coverage?				
HLCLLAST	2	TIME SINCE LAST HAD HEALTH CARE COVERAGE				
		1 = Within the past 6 months.....	1646	2.97		
		2 = More than 6 months ago, but within the past year..	1242	2.24		
		3 = More than 1 year ago, but within the past 3 years.	2160	3.90		
		4 = More than 3 years ago.....	2485	4.48		
		5 = Never had coverage.....	1705	3.08		
		85 = BAD DATA Logically assigned.....	1	0.00		
		94 = DON'T KNOW.....	69	0.12		
		97 = REFUSED.....	25	0.05		
		98 = BLANK (NO ANSWER).....	407	0.73		
		99 = LEGITIMATE SKIP.....	45695	82.43		

HOUSEHOLD COMPOSITION (ROSTER)			PAGE:	688
LABEL	LEN	DESCRIPTION	FREQ	%
(QHI17)		Which of the reasons on this card is the main reason why [SAMPLE MEMBER] stopped being covered by health insurance?		-
HLLOSRSN	2	MAIN REASON STOPPED COVERED BY HEALTH INSURANCE		
		1 = Pers in family w/health ins lost job/chng employer	1462	2.64
		2 = Lost Medicaid/Med Assist b/c new job/incr income.	592	1.07
		3 = Lost Medicaid/Med Assist some other reason.....	623	1.12
		4 = Cost is too high/can't afford premiums.....	1758	3.17
		5 = Became ineligible because of age or leaving school	1411	2.55
		6 = Employer does not offer coverage, or not eligible.	589	1.06
		7 = Got divorced or separated from person w/insurance.	133	0.24
		8 = Death of spouse or parent.....	41	0.07
		9 = Insurance company refused coverage.....	87	0.16
		10 = Don't need it.....	216	0.39
		11 = Received Medicaid/med insur only while pregnant...	289	0.52
		12 = Some other reason.....	353	0.64
		85 = BAD DATA Logically assigned.....	7	0.01
		94 = DON'T KNOW.....	37	0.07
		97 = REFUSED.....	30	0.05
		98 = BLANK (NO ANSWER).....	407	0.73
		99 = LEGITIMATE SKIP.....	47400	85.51
(QHI18)		Which of the reasons on this card describe why [SAMPLE MEMBER] never had health insurance coverage?		
HLNVCOST	2	COST TOO HIGH		
		1 = Response entered.....	958	1.73
		6 = Response not entered.....	736	1.33
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED.....	25	0.05
		98 = BLANK (NO ANSWER).....	430	0.78
		99 = LEGITIMATE SKIP.....	53275	96.10
HLNVOFFR	2	EMPLOYER DOESN'T OFFER		
		1 = Response entered.....	419	0.76
		6 = Response not entered.....	1275	2.30
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED.....	25	0.05
		98 = BLANK (NO ANSWER).....	430	0.78
		99 = LEGITIMATE SKIP.....	53275	96.10
HLNVREF	2	INSURANCE COMPANY REFUSED COVERAGE		
		1 = Response entered.....	43	0.08
		6 = Response not entered.....	1651	2.98
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED.....	25	0.05
		98 = BLANK (NO ANSWER).....	430	0.78
		99 = LEGITIMATE SKIP.....	53275	96.10
HLNVNEED	2	DON'T NEED IT		
		1 = Response entered.....	252	0.45
		6 = Response not entered.....	1442	2.60
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED.....	25	0.05
		98 = BLANK (NO ANSWER).....	430	0.78
		99 = LEGITIMATE SKIP.....	53275	96.10

LABEL	LEN	DESCRIPTION	HOUSEHOLD COMPOSITION (ROSTER)		PAGE:	689
			FREQ	%		
HLNVSOR	2	NEVER HAD HLTH INS SOME OTHER REASON				-
		1 = Response entered.....	122	0.22		
		6 = Response not entered.....	1572	2.84		
		94 = DON'T KNOW.....	11	0.02		
		97 = REFUSED.....	25	0.05		
		98 = BLANK (NO ANSWER).....	430	0.78		
		99 = LEGITIMATE SKIP.....	53275	96.10		

The following variable, IRPINSUR, is the imputation revised version of the edited variable PRVHLTIN.

IRPINSUR	1	IMPUTATION - REVISED PRIVATE HEALTH INSURANCE				
		1 = Yes, respondent does have private health insurance	35002	63.14		
		2 = No, respondent does not have private health insur.	20433	36.86		

IIPINSUR	1	IMPUTATION - INDICATOR IRPINSUR				
		1 = Questionnaire data.....	55073	99.35		
		3 = Statistically imputed data.....	362	0.65		

For IRINSUR, a respondent is classified as having any health insurance (IRINSUR=1) if he/she satisfied ANY of the following conditions.

- (1) Covered by Private Health Insurance (PRVHLTIN=1)
- (2) Covered by Medicare (MEDICARE=1)
- (3) Covered by Medicaid (answered question QHI02 as yes)
- (4) Covered by Champus, Champva, Va, or Military (CHAMPUS=1)

A respondent is classified as NOT having any health insurance (IRINSUR=2) if he/she met EVERY one of the following conditions.

- (1) Not covered by Private Health Insurance (PRVHLTIN=2)
- (2) Not covered by Medicare (MEDICARE=2)
- (3) Not covered by Medicaid (answered question QHI02 as no)
- (4) Not covered by Champus, Champva, Va, or Military (CHAMPUS=2)

Responses to question QHI02 were used in part to create the variable CAIDCHIP. However, CAIDCHIP took into account responses to another question that was not used to create IRINSUR.

If the respondent is not classified as having or not having any health insurance according to the respondent's answers to questions about private health insurance, Medicare, Medicaid, or military health coverage, then he/she is imputed to either of these two categories, where consistency is maintained between IRINSUR, IRINSUR3, and IRPINSUR.

IRINSUR	1	IMPUTATION - REVISED HEALTH INSURANCE				
		1 = Yes, respondent does have health insurance.....	43714	78.86		
		2 = No, respondent does not have health insurance.....	11721	21.14		

IIINSUR	1	IMPUTATION - INDICATOR IRINSUR				
		1 = Questionnaire data.....	55025	99.26		
		2 = Logically assigned data.....	4	0.01		
		3 = Statistically imputed data.....	406	0.73		

HOUSEHOLD COMPOSITION (ROSTER)			PAGE:	690
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	The IRINSUR3 variable is similar to IRINSUR. The only difference is that it uses the variable CAIDCHIP (Covered by Medicaid or state health insurance programs for children) instead of MEDICAID (Covered by Medicaid), and it uses an additional variable, HLTINNOS (covered by any other health insurance). This results from changes in the 2001 questionnaire when compared to previous years.	-----	-

For IRINSUR3, a respondent is classified as having any health insurance (IRINSUR3=1) if he/she satisfied ANY of the following conditions.

- (1) Covered by Private Health Insurance (PRVHLTIN=1)
- (2) Covered by Medicare (MEDICARE=1)
- (3) Covered by Medicaid or state health insurance programs for children (CAIDCHIP=1)
- (4) Covered by Champus, Champva, Va, or Military (CHAMPUS=1)
- (5) Covered by any type of health insurance (not otherwise specified) (HLTINNOS=1)

A respondent is classified as NOT having any health insurance (IRINSUR3=2) if he/she met EVERY one of the following conditions.

- (1) Not covered by Private Health Insurance (PRVHLTIN=2)
- (2) Not covered by Medicare (MEDICARE=2)
- (3) Not covered by Medicaid or state health insurance programs for children (CAIDCHIP=2)
- (4) Not covered by Champus, Champva, Va, or Military (CHAMPUS=2)
- (5) Not covered by any type of health insurance (not otherwise specified) (HLTINNOS=2)

If the respondent is not classified as having or not having any health insurance according to PRVHLTIN, MEDICARE, CAIDCHIP, CHAMPUS, and HLTINNOS, then he/she is imputed to either of these categories, where consistency is maintained between IRINSUR, IRINSUR3, and IRPINSUR.

IRINSUR3	1	IMPUTATION - REVISED HEALTH INSURANCE			
		1 = Yes, respondent does have health insurance.....	46012	83.00	
		2 = No, respondent does not have health insurance....	9423	17.00	
IIINSUR3	1	IMPUTATION - INDICATOR IRINSUR3			
		1 = Questionnaire data.....	54998	99.21	
		2 = Logically assigned data.....	4	0.01	
		3 = Statistically imputed data.....	433	0.78	

LABEL	LEN	DESCRIPTION	HOUSEHOLD COMPOSITION (ROSTER)	PAGE:	691
				FREQ	%

		Starting in 2002, missing values in the variables describing the type of health insurance were imputed. In particular, missing values in the edited variables PRVHLTIN (private health insurance), MEDICARE, CAIDCHIP (Medicaid/children's state-assisted health insurance), CHAMPUS, and a modified version of HLTINNOS (other health insurance) were imputed. The overall health insurance variable was then created by combining the information from the detailed imputation-revised variables in the variable IRINSUR4. This differs from the method used in 1999-2001 where the edited health insurance variables were combined before imputation to create a recoded overall health insurance variable, the missing values of which were imputed in the variable IRINSUR3. As in previous years, missing values in PRVHLTIN were imputed. However, the name has changed (IRPINSUR in 1999-2001, IRPRVHLT in 2002) to reflect the fact that the imputation of missing values in PRVHLTIN was univariate from 1999-2001, and multivariate (with the other detailed variables) in 2002.			
IRMCDCHP	1	IMPUTATION REVISED CAIDCHIP			
		1 = Yes, respondent does have Medicaid/CHIP.....	9004	16.24	
		2 = No, respondent does not have Medicaid/CHIP.....	46431	83.76	
IIMCDCHP	1	IMPUTATION INDICATOR FOR IRMCDCHP			
		1 = Questionnaire data.....	55022	99.25	
		3 = Statistically imputed data.....	413	0.75	
IRMEDICR	1	IMPUTATION REVISED MEDICARE			
		1 = Yes, respondent does have Medicare.....	2732	4.93	
		2 = No, respondent does not have Medicare.....	52703	95.07	
IIMEDICR	1	IMPUTATION INDICATOR FOR IRMEDICR			
		1 = Questionnaire data.....	55259	99.68	
		3 = Statistically imputed data.....	176	0.32	
IRCHMPUS	1	IMPUTATION REVISED CHAMPUS			
		1 = Yes, R has Tricare, Champus, VA, Military health..	1694	3.06	
		2 = No,R doesn't have Tricare,Chmps,VA,Military health	53741	96.94	
IICHMPUS	1	IMPUTATION INDICATOR FOR IRCHMPUS			
		1 = Questionnaire data.....	55265	99.69	
		3 = Statistically imputed data.....	170	0.31	
IRPRVHLT	1	IMPUTATION REVISED PRIVATE HEALTH INSURANCE			
		1 = Yes, R does have private health insurance.....	34991	63.12	
		2 = No, R does not have private health insurance.....	20444	36.88	
IIPRVHLT	1	IMPUTATION INDICATOR FOR IRPRVHLT			
		1 = Questionnaire data.....	55073	99.35	
		3 = Statistically imputed data.....	362	0.65	

LABEL	LEN	DESCRIPTION	PAGE:	692
			FREQ	%
-----	-----	A respondent is eligible for the other health insurance question if they satisfied the following conditions.	-----	-
		(1) Not Covered by Private Insurance (IRPRVHLT=2)		
		(2) Not Covered by Medicare (IRMEDICR=2)		
		(3) Not Covered by Medicaid/CHIPCOV (IRMCDCHP=2)		
		(4) Not Covered by Champus, ChampVA, VA, or Military (IRCHMPUS=2)		
		Otherwise, they are not eligible and IROTHHLT=99		
IROTHHLT	2	IMPUTATION REVISED OTHER HEALTH INSURANCE		
		1 = Yes, R is covered by other health insurance.....	1315	2.37
		2 = No, R is not covered by other health insurance....	9426	17.00
		99 = Legitimate Skip.....	44694	80.62
IIOTHHLT	1	IMPUTATION INDICATOR FOR IROTHHLT		
		1 = Questionnaire data.....	10598	19.12
		3 = Statistically imputed data.....	433	0.78
		9 = Legitimate skip.....	44404	80.10

LABEL	LEN	DESCRIPTION	PAGE:	693
			FREQ	%

RECODED INCOME AND INSURANCE				

NOTE: The variables in this section are recoded variables that were created from one or more of the variables from the preceding section.				
The following variable, GOVTPROG, was created by examination of these government assistance program variables: Supplemental Security Income (IRFAMSSI), food stamps (IRFSTAMP), cash assistance (IRFAMPMT), and non-cash assistance (IRFAMSVC).				
GOVTPROG 1 PARTICIPATED IN ONE OR MORE GOVT ASSIST PROGRAMS				
1 = YES (ANY SOURCE VARIABLE=1).....				
2 = NO (ALL SOURCE VARIABLES=2).....				
INCOME 1 TOTAL FAMILY INCOME RECODE				
1 = Less than \$20,000.....				
2 = \$20,000 - \$49,999.....				
3 = \$50,000 - \$74,999.....				
4 = \$75,000 or More.....				
NOTE: The following variable, POVERTY2, was created by the examination of family size, number of children in household, and level of total family income (IRFAMIN3). Levels are based on the prior year's federal poverty thresholds, as published by the U.S. Census Bureau.				
A poverty threshold was assigned for each combination of family size and number of children in the household. For each level of income (IRFAMIN3), the midpoint of each range was assigned as the effective family income. However, for the highest level of income, \$100,000 or more, an effective family income of \$120,000 was assigned. Effective family income was divided by the poverty threshold and multiplied by 100 to show family income as a percentage of the federal poverty threshold. Respondents aged 18 to 22 currently living in a college dormitory (GQTYPE2='C') were set to SAS missing and excluded from the poverty universe.				
POVERTY2 is a revised version of the variable POVERTY, created in 2003-2005 NSDUHs, which did not take into account certain family relationships when determining a respondent's poverty level.				
POVERTY2 1 POVERTY LEVEL (% OF US CENSUS POVERTY THRESHOLD)				
. = Persons aged 18 to 22 living in a college dorm....				
1 = <100% of fed pov threshold (See comment above)....				
2 = 100-199% of fed pov threshold (See comment above)....				
3 = >=200% of fed pov threshold (See comment above)...				

LABEL	LEN	DESCRIPTION	RECODED INCOME AND INSURANCE	PAGE:	694
				FREQ	%

			NOTE: The variable HLCALLFG is a created "flag" variable that indicates when a respondent (or proxy) reported that the respondent was covered by all of the following: Medicare, Medicaid, the Children's Health Insurance Program (if aged 12 to 19), military health care, and private health insurance. The variable HLCALL99 also is a created "flag" variable that indicates when respondents were reported to be covered by Medicare, Medicaid, military health care, and private health insurance. This HLCALL99 variable is comparable to HLCALLFG in 1999, when these four types of health insurance were the only types of current coverage that were asked about in the interview.		-
HLCALLFG	2	FLAG IF EVERY FORM OF HEALTH INS REPORTED			
		1 = Answered yes to all current health insurance Qs...		13	0.02
		98 = BLANK (NO ANSWER).....		55422	99.98
HLCALL99	2	YES TO MEDICARE/MEDICAID/CHAMPUS/PRVHLTIN			
		1 = Yes (see comment above).....		13	0.02
		98 = BLANK (NO ANSWER).....		55422	99.98
NOTE: The following variable, ANYHTI2, was created from the source variables MEDICARE, CAIDCHIP, CHAMPUS, PRVHLTIN, and HTINNOS.					
ANYHTI2	2	COVERED BY ANY HEALTH INSURANCE - RECODE			
		1 = Yes.....		45695	82.43
		2 = No.....		9307	16.79
		94 = DON'T KNOW.....		384	0.69
		97 = REFUSED.....		25	0.05
		98 = OTHER MISSING.....		24	0.04
For IRINSUR4, a respondent is classified as having any health insurance (IRINSUR4=1) if they satisfied ANY of the following conditions.					
(1)		Covered by Private Insurance (IRPRVHLT=1)			
(2)		Covered by Medicare (IRMEDICR=1)			
(3)		Covered by Medicaid/CHIPCOV (IRMCDCHP=1)			
(4)		Covered by Champus, ChampVA, VA, or Military (IRCHMPUS=1)			
(5)		Covered by Other Health Insurance (IROTHHLT=1)			
A respondent is classified as NOT having any health insurance (IRINSUR4=2) if they meet EVERY one of the following conditions.					
(1)		Not Covered by Private Insurance (IRPRVHLT=2)			
(2)		Not Covered by Medicare (IRMEDICR=2)			
(3)		Not Covered by Medicaid/CHIPCOV (IRMCDCHP=2)			
(4)		Not Covered by Champus, ChampVA, VA, or Military (IRCHMPUS=2)			
(5)		Not Covered by Other Health Insurance (IROTHHLT=2)			
IRINSUR4	1	IMPUTATION REVISED OVERALL HEALTH INSURANCE			
		1 = Yes, respondent is covered by health insurance....		46009	83.00
		2 = No, respondent is not covered by health insurance.		9426	17.00

LABEL	LEN	DESCRIPTION	PAGE:	695
			FREQ	%
IIINSUR4	1	IMPUTATION INDICATOR FOR IRINSUR4		-
		1 = Questionnaire data.....	55002	99.22
		3 = Statistically imputed data.....	433	0.78
OTHINS	1	OTHER HEALTH INSURANCE		
		1 = Yes (IRMEDICR=1 or IRCHMPUS=1 or IROTHHLT=1).....	5460	9.85
		2 = No (Otherwise).....	49975	90.15

LABEL	LEN	DESCRIPTION	PAGE:	696
			FREQ	%
-----	-----	-----	-----	-
INCOME AND INSURANCE				

<p>NOTE: The variable INCSAMP reflects the split-sample design for the Income module. Respondents in Sample A received the same set of income questions as in the 2005 survey. Respondents in Sample B received a reduced set of income questions. However, edited variables continue to have the same names that they had in prior years. If a question corresponding to a given variable was not administered to respondents in Sample B, it was assigned a LEGITIMATE SKIP code.</p>				
INCSAMP	2	INCOME SPLIT SAMPLE INDICATOR		
		1 = Sample A.....	52749	95.15
		2 = Sample B.....	2686	4.85

LABEL	LEN	DESCRIPTION	PAGE:	
			FREQ	%
<hr/> INTERVIEW INFORMATION <hr/>				
LANGVER	1	LANGUAGE VERSION		
		1 = English.....	53258	96.07
		2 = Spanish.....	2177	3.93
QUARTER	1	QUARTER INDICATOR		
		1 = Quarter 1.....	12796	23.08
		2 = Quarter 2.....	15347	27.68
		3 = Quarter 3.....	13944	25.15
		4 = Quarter 4.....	13348	24.08
GQTYPE2	1	TYPE OF GROUP QUARTER		
		= Not a Group Quarter.....	54451	98.22
		C = College Dorm.....	788	1.42
		O = Other.....	196	0.35

CORE DEMOGRAPHICS			PAGE:	698
LABEL	LEN	DESCRIPTION	FREQ	%
<hr/>				
(AGE1) CORE DEMOGRAPHICS				
<hr/>				
NOTE: After a respondent has entered his/her birthdate in the first part of the questionnaire, he/she has multiple opportunities to change his/her age in response to consistency checks throughout the questionnaire. It is therefore possible for the age recorded by the respondent at the beginning of the questionnaire to be different than the age at the end of the questionnaire. The final age variable is determined using these two constituent age variables, in addition to the age calculated from the raw birthdate and the final edited interview date, the age entered in the questionnaire roster (if it exists), and the pre-interview screener age.				
<hr/>				
AGE2	2	RECODE - FINAL EDITED AGE		
		1 = Respondent is 12 years old.....	2716	4.90
		2 = Respondent is 13 years old.....	2911	5.25
		3 = Respondent is 14 years old.....	2865	5.17
		4 = Respondent is 15 years old.....	3079	5.55
		5 = Respondent is 16 years old.....	3124	5.64
		6 = Respondent is 17 years old.....	3032	5.47
		7 = Respondent is 18 years old.....	2603	4.70
		8 = Respondent is 19 years old.....	2383	4.30
		9 = Respondent is 20 years old.....	2256	4.07
		10 = Respondent is 21 years old.....	2260	4.08
		11 = Respondent is 22 or 23 years old.....	4426	7.98
		12 = Respondent is 24 or 25 years old.....	4389	7.92
		13 = Respondent is between 26 and 29 years old.....	2810	5.07
		14 = Respondent is between 30 and 34 years old.....	3017	5.44
		15 = Respondent is between 35 and 49 years old.....	8213	14.82
		16 = Respondent is between 50 and 64 years old.....	3298	5.95
		17 = Respondent is 65 years old or older.....	2053	3.70
<hr/>				
(QD08) How many times have you been married?				
<hr/>				
NOMARR2	2	NUMBER OF TIMES MARRIED		
		1 = One time.....	14925	26.92
		2 = Two or more times.....	3747	6.76
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	20	0.04
		99 = LEGITIMATE SKIP.....	36739	66.27
<hr/>				
(QD09) Have you ever been in the United States' armed forces?				
<hr/>				
SERVICE	2	EVER BEEN IN THE US ARMED FORCES		
		1 = Yes.....	2340	4.22
		2 = No.....	38398	69.27
		97 = REFUSED.....	2	0.00
		99 = LEGITIMATE SKIP.....	14695	26.51

CORE DEMOGRAPHICS			PAGE:	699
LABEL	LEN	DESCRIPTION	FREQ	%
		-----	-----	-
(QD10)		Are you currently on active duty in the armed forces, in a reserves component, or now separated or retired from either reserves or active duty?		
MILSTAT	2	CURRENT MILITARY STATUS		
		2 = In a reserves component.....	168	0.30
		3 = Now separated/retired from reserves/active duty...	2168	3.91
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	2	0.00
		99 = LEGITIMATE SKIP.....	53093	95.78
(QD12)		This question is about your overall health. Would you say your health in general is excellent, very good, good, fair, or poor?		
HEALTH	2	OVERALL HEALTH		
		1 = Excellent.....	15600	28.14
		2 = Very good.....	21937	39.57
		3 = Good.....	13572	24.48
		4 = Fair.....	3693	6.66
		5 = Poor.....	624	1.13
		94 = DON'T KNOW.....	9	0.02

LABEL	LEN	DESCRIPTION	PAGE:	700
			FREQ	%
-----				-
IMPUTED DEMOGRAPHICS				

<p>Beginning with the 2002 survey, missing values for the gender question (QD01) were no longer permitted. Thus, no imputation was required. This variable has the prefix 'IR', which stands for 'Imputation Revised', only for the sake of consistency with data sets from earlier surveys.</p>				
IRSEX	1	IMPUTATION REVISED GENDER		
		1 = Male.....	26693	48.15
		2 = Female.....	28742	51.85
IRMARIT	2	IMPUTATION REVISED MARITAL STATUS		
		1 = Married.....	14293	25.78
		2 = Widowed.....	912	1.65
		3 = Divorced or Separated.....	3485	6.29
		4 = Never Been Married.....	28253	50.97
		99 = LEGITIMATE SKIP Respondent is <= 14 years old.....	8492	15.32
IIMARIT	1	IMPUTATION INDICATOR MARITAL STATUS		
		1 = Marital status from questionnaire.....	46930	84.66
		3 = Marital status statistically imputed.....	13	0.02
		9 = LEGITIMATE SKIP Respondent is <= 14 years old.....	8492	15.32
IREDUC2	2	RECODE - IMPUTATION REVISED EDUCATION		
		1 = Fifth grade or less.....	1559	2.81
		2 = Sixth grade.....	3038	5.48
		3 = Seventh grade.....	3026	5.46
		4 = Eighth grade.....	3600	6.49
		5 = Ninth grade.....	4121	7.43
		6 = Tenth grade.....	4345	7.84
		7 = Eleventh grade.....	4584	8.27
		8 = Twelfth grade.....	12411	22.39
		9 = Freshman/13th year.....	4115	7.42
		10 = Sophomore/14th year or Junior/15th year.....	6760	12.19
		11 = Senior/16th year or Grad/Prof School (or higher)..	7876	14.21
IIEDUC2	1	IMPUTATION REVISED EDUCATION INDICATOR		
		1 = Education from questionnaire.....	55425	99.98
		3 = Education statistically imputed.....	10	0.02

LABEL	LEN	DESCRIPTION	PAGE:	701
			FREQ	%
RECODED DEMOGRAPHICS				

CATAGE	1	AGE CATEGORY		
		1 = 12-17 Years Old.....	17727	31.98
		2 = 18-25 Years Old.....	18317	33.04
		3 = 26-34 Years Old.....	5827	10.51
		4 = 35 or Older.....	13564	24.47
CATAG2	1	AGE CATEGORY RECODE (3 LEVELS)		
		1 = 12-17 Years Old.....	17727	31.98
		2 = 18-25 Years Old.....	18317	33.04
		3 = 26 or Older.....	19391	34.98
CATAG3	1	AGE CATEGORY RECODE (5 LEVELS)		
		1 = 12-17 Years Old.....	17727	31.98
		2 = 18-25 Years Old.....	18317	33.04
		3 = 26-34 Years Old.....	5827	10.51
		4 = 35-49 Years Old.....	8213	14.82
		5 = 50 or Older.....	5351	9.65
CATAG6	1	AGE CATEGORY RECODE (6 LEVELS)		
		1 = 12-17 Years Old.....	17727	31.98
		2 = 18-25 Years Old.....	18317	33.04
		3 = 26-34 Years Old.....	5827	10.51
		4 = 35-49 Years Old.....	8213	14.82
		5 = 50-64 Years Old.....	3298	5.95
		6 = 65 or Older.....	2053	3.70
CATAG7	1	AGE CATEGORY RECODE (7 LEVELS)		
		1 = 12-13 Years Old.....	5627	10.15
		2 = 14-15 Years Old.....	5944	10.72
		3 = 16-17 Years Old.....	6156	11.10
		4 = 18-20 Years Old.....	7242	13.06
		5 = 21-25 Years Old.....	11075	19.98
		6 = 26-34 Years Old.....	5827	10.51
		7 = 35 or Older.....	13564	24.47
PREGAGE2	1	PREGNANCY AGE CATEGORY RECODE		
		1 = 15-17 Years Old.....	9235	16.66
		2 = 18-25 Years Old.....	18317	33.04
		3 = 26-44 Years Old.....	11126	20.07
		4 = Otherwise (12-14, 45 or Older).....	16757	30.23
SEXAGE	1	COMBINED GENDER BY AGE CATEGORY INDICATOR		
		1 = Males Aged 12-17 (IRSEX=1 AND AGE2=1-6).....	9160	16.52
		2 = Females Aged 12-17 (IRSEX=2 AND AGE2=1-6).....	8567	15.45
		3 = Males Aged 18-25 (IRSEX=1 AND AGE2=7-12).....	8691	15.68
		4 = Females Aged 18-25 (IRSEX=2 AND AGE2=7-12).....	9626	17.36
		5 = Otherwise.....	19391	34.98

RECODED DEMOGRAPHICS			PAGE:	702
LABEL	LEN	DESCRIPTION	FREQ	%
NEWRACE2 1 RACE/HISPANICITY RECODE (7 LEVELS)				
		1 = NonHisp White.....	35318	63.71
		2 = NonHisp Black/Afr Am.....	6808	12.28
		3 = NonHisp Native Am/AK Native.....	828	1.49
		4 = NonHisp Native HI/Other Pac Isl.....	249	0.45
		5 = NonHisp Asian.....	1940	3.50
		6 = NonHisp more than one race.....	1669	3.01
		7 = Hispanic.....	8623	15.56
SEXRACE 1 COMBINED GENDER BY RACE INDICATOR				
		1 = Male, White, Not Hisp (IRSEX=1 AND NEWRACE2=1)....	17056	30.77
		2 = Female, White, Not Hisp (IRSEX=2 AND NEWRACE2=1)..	18262	32.94
		3 = Male, Black, Not Hisp (IRSEX=1 AND NEWRACE2=2)....	3070	5.54
		4 = Female, Black, Not Hisp (IRSEX=2 AND NEWRACE2=2)..	3738	6.74
		5 = Male, Hispanic (IRSEX=1 AND NEWRACE2=7).....	4277	7.72
		6 = Female, Hispanic (IRSEX=2 AND NEWRACE2=7).....	4346	7.84
		7 = Otherwise.....	4686	8.45
EDUCCAT2 1 EDUCATION RECODE				
		1 = Less than high school (IREDUC2<=7 and AGE2>=7)....	6737	12.15
		2 = High school graduate (IREDUC2=8 and AGE2>=7).....	12231	22.06
		3 = Some college (IREDUC2=9-10 and AGE2>=7).....	10865	19.60
		4 = College graduate (IREDUC2=11 and AGE2>=7).....	7875	14.21
		5 = 12 to 17 year olds (AGE2<=6).....	17727	31.98
This variable was created for use in the Healthy People tables to provide comparable data for the Healthy People 2010 Objective (http://www.healthypeople.gov/).				
EDUCATHP 1 EDUCATION RECODE FOR HEALTHY PEOPLE				
		1 = Less than high school (EDUCCAT2=1).....	6737	12.15
		2 = High school graduate (EDUCCAT2=2).....	12231	22.06
		3 = Some College/College Graduate (EDUCCAT2=3,4).....	18740	33.81
		4 = 12 to 17 year olds (EDUCCAT2=5).....	17727	31.98
HEALTH2 1 OVERALL HEALTH RECODE				
		. = Unknown (HEALTH=94).....	9	0.02
		1 = Excellent (HEALTH=1).....	15600	28.14
		2 = Very Good (HEALTH=2).....	21937	39.57
		3 = Good (HEALTH=3).....	13572	24.48
		4 = Fair/Poor (HEALTH=4,5).....	4317	7.79

LABEL	LEN	DESCRIPTION	PAGE:	703
			FREQ	%
<hr/>				
(QD13) NON-CORE DEMOGRAPHICS				
<hr/>				
For the remaining questions, I will read the question out loud, you can tell me your answer, and I will enter it into the computer.				
<hr/>				
How many times in the past 12 months have you moved?				
<hr/>				
MOVESPY2	3	# TIMES MOVED PAST 12 MONTHS		
		0 = None.....	37648	67.91
		1 = One time.....	11148	20.11
		2 = Two times.....	3858	6.96
		3 = Three or more times.....	2722	4.91
		994 = DON'T KNOW.....	34	0.06
		997 = REFUSED.....	7	0.01
		998 = BLANK (NO ANSWER).....	18	0.03
<hr/>				
NOTE: EIMOVPYR is an indicator of editing to MOVESPY2. The default value for EIMOVPYR is 1, when no editing was done to MOVESPY2. EIMOVPYR has a value of 2 when the item corresponding to MOVESPY2 had missing data but it could be logically inferred that the respondent moved zero times in the past 12 months, because SNMOV5Y2 or YEMOV5Y2 indicated zero moves in the past 5 years.				
<hr/>				
EIMOVPYR	1	EDITING INDICATOR FOR MOVESPY2		
		1 = Questionnaire data.....	55435	100.0
<hr/>				
NOTE: MOVYRFLG is a "flag" variable that indicates inconsistent reports between moves in the past 12 months in MOVESPY2 and moves in the past 5 years from either SNMOV5Y2 or YEMOV5Y2. The default value for MOVYRFLG is 98 (blank). MOVYRFLG has a value of 1 when respondents reported more moves in the past 12 months than they reported for moves in the past 5 years. However, no editing was done to MOVESPY2, SNMOV5Y2, or YEMOV5Y2 in these situations.				
<hr/>				
MOVYRFLG	2	CONSISTENCY FLAG FOR MOVESPY2 VS SNMOV5Y2/YEMOV5Y2		
		1 = Moves in past yr greater than moves in past 5 yrs.	843	1.52
		98 = BLANK (NO ANSWER).....	54592	98.48

LABEL	LEN	DESCRIPTION	PAGE:	704
			FREQ	%
(QD17)		NOTE: The school enrollment variable SCHENRL is analogous to the variable ENROLED from prior years. SCHENRL takes into account information from follow-up probes if respondents originally reported that they were not enrolled in school. Based on these probes, respondents were coded as yes (i.e., enrolled) if they were on break from school and intended to return to school once their break was over. SCHENRL was assigned a code of 11 if the respondent reported currently being enrolled but there was uncertainty about the respondent's school enrollment status.		-
		The next questions are about school. Are you now attending or are you currently enrolled in school? By "school," we mean an elementary school, a junior high or middle school, a high school, or a college or university. Please include home schooling as well.		
SCHENRL	2	NOW ENROLLED IN ANY SCHOOL		
		1 = Yes.....	26690	48.15
		2 = No.....	28702	51.78
		3 = Yes LOGICALLY ASSIGNED (LFSCHWH2=778).....	1	0.00
		4 = No LOGICALLY ASSIGNED.....	3	0.01
		5 = Yes LOGICALLY ASSIGNED (LFSCHWH2=601).....	5	0.01
		11 = Yes (SCHDSKIP = 30).....	11	0.02
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	22	0.04
(QD18)		NOTE: This variable corresponds to the variable EDUCNOW2 from 1999 and 2000.		
		What grade or year of school are you now attending? Please tell me the number from the card.		
		What grade or year of school will you be attending when your vacation is over? Please tell me the number from the card.		
EDUCATN2	2	WHAT GRADE IN NOW/WILL BE IN		
		1 = 5th Grade or lower.....	91	0.16
		2 = 6th Grade.....	1084	1.96
		3 = 7th Grade.....	2664	4.81
		4 = 8th Grade.....	2856	5.15
		5 = 9th Grade.....	3048	5.50
		6 = 10th Grade.....	3089	5.57
		7 = 11th Grade.....	2993	5.40
		8 = 12th Grade.....	2763	4.98
		9 = College or university/1st year.....	2237	4.04
		10 = College or university/2nd Year, 3rd year.....	3524	6.36
		11 = College or university/4th Year, 5th or higher year	2337	4.22
		12 = Missing.....	44	0.08
		13 = LEGITIMATE SKIP.....	28705	51.78

NON-CORE DEMOGRAPHICS			PAGE:	705
LABEL	LEN	DESCRIPTION	FREQ	%
(QD19)		NOTE: The variable SDNTFTP corresponds to the variable STUDNT that existed in prior years. The name was changed in 2002 because the wording of the question was different for respondents who reported that they were "not" enrolled but were on school break and intended to return to school when their break was over.		-
		Are you a full-time student or a part-time student?		
		Will you be a full-time student or a part-time student?		
SDNTFTP	2	FULL OR PART TIME		
		1 = FULL-TIME.....	24325	43.88
		2 = PART-TIME.....	2361	4.26
		89 = LEGITIMATE SKIP Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	14	0.03
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	28	0.05
		99 = LEGITIMATE SKIP.....	28702	51.78
(QD20)		During the past 30 days, that is from [DATEFILL] up to and including today, how many whole days of school did you miss because you were sick or injured?		
SCHDSICK	2	HOW MANY DAYS MISSED SCHOOL FROM SICK		
		RANGE = 1 - 30	7742	13.97
		0 = None.....	12938	23.34
		89 = LEGITIMATE SKIP Logically assigned.....	3	0.01
		90 = SCHOOL NOT IN SESSION.....	3579	6.46
		94 = DON'T KNOW.....	64	0.12
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	43	0.08
		99 = LEGITIMATE SKIP.....	31063	56.03
(QD21)		During the past 30 days, that is since [DATEFILL], how many whole days did you miss because you skipped or "cut" or just didn't want to be there?		
SCHDSKIP	2	HOW MANY DAYS MISSED SCHOOL FROM SKIPPING		
		RANGE = 1 - 30	3621	6.53
		0 = None.....	17090	30.83
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	30	0.05
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	43	0.08
		99 = LEGITIMATE SKIP.....	34644	62.49
(QD22)		Have you received a high school diploma?		
HSDIPLMA	2	RECEIVED DIPLOMA		
		1 = Yes.....	4166	7.52
		2 = No.....	2841	5.12
		3 = Yes LOG ASSN.....	8	0.01
		4 = No LOGICALLY ASSIGNED.....	75	0.14
		89 = LEGITIMATE SKIP Logically assigned.....	6	0.01
		94 = DON'T KNOW.....	1	0.00
		98 = BLANK (NO ANSWER).....	23	0.04
		99 = LEGITIMATE SKIP.....	48315	87.16

NON-CORE DEMOGRAPHICS			PAGE:	706
LABEL	LEN	DESCRIPTION	FREQ	%
(QD23)		Have you received a GED certificate of high school completion?		-
HSGED	2	RECEIVED GED		
		1 = Yes.....	535	0.97
		2 = No.....	2314	4.17
		89 = LEGITIMATE SKIP Logically assigned.....	6	0.01
		94 = DON'T KNOW.....	1	0.00
		98 = BLANK (NO ANSWER).....	98	0.18
		99 = LEGITIMATE SKIP.....	52481	94.67

LABEL	LEN	DESCRIPTION	PAGE:	707
			FREQ	%
(QD24)		Please look at this card and tell me which one of these reasons best describes why you left school before receiving a high school diploma. Just give me the number.		-
LF SCHWH2	3	WHY YOU LEFT SCHOOL		
1		School was boring or I didn't want to be there....	484	0.87
2		I got pregnant/I got someone pregnant.....	359	0.65
3		I got in trouble or expelled for selling drugs....	24	0.04
4		I got in trouble or expelled for using drugs.....	23	0.04
5		I got in trouble or expelled some other reason....	199	0.36
6		I often got into trouble.....	191	0.34
7		I had to get a job (or work more hours).....	415	0.75
8		I was getting bad grades.....	155	0.28
9		I wasn't learning anything.....	106	0.19
10		I got married (or moved in with boy/girlfriend)...	73	0.13
11		I moved fr another country/didn't enroll/lang prob	124	0.22
12		I was treated badly at school.....	86	0.16
13		I became ill (or injured).....	43	0.08
14		I went to jail/prison.....	32	0.06
15		I had responsibilities at home/personal problems..	317	0.57
16		Other reason.....	26	0.05
41		Family member became ill/sick/died.....	3	0.01
42		I wasn't admitted/couldn't attend school of choice	3	0.01
43		Parents/guardian/partner wouldn't allow me to.....	8	0.01
46		Learning disabled.....	7	0.01
48		Attended school in another country; degree unspdfd	3	0.01
50		Moved away; didn't enroll, got behind, or unspec..	22	0.04
51		Skipping school/excessive absenteeism.....	7	0.01
52		Too expensive/couldn't afford.....	21	0.04
54		No transportation/school too far away.....	6	0.01
56		Grade,credit discrepancies/lacked credits/document	16	0.03
57		School low priority.....	3	0.01
58		All the schooling/preferrred that was available....	5	0.01
59		Wasn't requird/didn't have to go/not needed/custom	18	0.03
60		Against my religion/beliefs.....	11	0.02
66		Too old.....	9	0.02
67		Got job/apprenticeship, necessity unspecified....	3	0.01
71		Didn't pass/take end of grade/school test.....	15	0.03
77		Left for mental health reasons; otherwise unspfd..	4	0.01
600		Never went to school/no school available.....	3	0.01
601		Home schooling.....	5	0.01
602		Went to technical school/community college.....	5	0.01
603		Graduated/finished high school in another country.	3	0.01
605		Completed HS/certificate, general.....	5	0.01
606		Received GED.....	2	0.00
607		Pursuing GED/proficiency exam/re-enrolling.....	9	0.02
778		I am still in school.....	1	0.00
994		DON'T KNOW.....	2	0.00
998		BLANK (NO ANSWER).....	98	0.18
999		LEGITIMATE SKIP.....	52481	94.67

NON-CORE DEMOGRAPHICS			PAGE:	708
LABEL	LEN	DESCRIPTION	FREQ	%
<hr/>				
(QD25)	How old were you when you stopped attending school?			
LFTSCHA2	3	AGE WHEN STOPPED ATTENDING SCHOOL		
RANGE = 11 - 18				
10 = Left at age 10 or younger..... 31 0.06				
19 = Left at age 19 or older..... 143 0.26				
985 = BAD DATA Logically assigned..... 12 0.02				
989 = LEGITIMATE SKIP Logically assigned..... 6 0.01				
994 = DON'T KNOW..... 15 0.03				
997 = REFUSED..... 4 0.01				
998 = BLANK (NO ANSWER)..... 98 0.18				
999 = LEGITIMATE SKIP..... 52481 94.67				
<hr/>				
(QI24)	The last question is: How many different telephone numbers do you have in this household? Don't count business numbers or extensions with the same number.			
TELNO2	2	# OF TELEPHONE LINES IN HOUSEHOLD		
0 = None..... 12094 21.82				
1 = One..... 40169 72.46				
2 = Two or more..... 3117 5.62				
94 = DON'T KNOW..... 11 0.02				
97 = REFUSED..... 20 0.04				
98 = BLANK (NO ANSWER)..... 24 0.04				

LABEL	LEN	DESCRIPTION	PAGE:	709
			FREQ	%
-----	-----	RECODED NON-CORE DEMOGRAPHICS	-----	-
RECODED NON-CORE DEMOGRAPHICS				

<p>A respondent was defined as a full-time college student if they were aged 18 to 22, enrolled in school (SCHENRL=1,5,11), enrolled at the college level (EDUCATN2=9,10,11), and a full-time student (SDNFTPT=1). Respondents in the category "Other persons aged 18 to 22" include those not enrolled in school, enrolled in college part time, enrolled in other grades either full or part-time, or enrolled with no other information available.</p>				
COLLENR	1	COLLEGE ENROLLMENT - FULL TIME		
		. = Unknwn Enrollment, Aged 18-22 (SCHENRL=97,98).....	5	0.01
		1 = Full-Time College Student Aged 18-22.....	4514	8.14
		2 = Other Persons Aged 18-22.....	7158	12.91
		3 = Persons Aged 12-17, 23 or Older.....	43758	78.94
<p>A respondent was defined as a full or part-time college student if they were aged 18 to 22, enrolled in school (SCHENRL=1,5,11), enrolled at the college level (EDUCATN2=9,10,11), and if they were a full-time (SDNFTPT=1) or part-time (SDNFTPT=2) student. Otherwise a respondent was defined as not enrolled in college (SCHENRL=2,4) or as an "Other Person Aged 18-22" (enrolled in other grades either full or part-time, or enrolled with no other information available).</p>				
COLLENR2	1	COLLEGE ENROLLMENT		
		. = Unknwn Enrollment, Aged 18-22 (SCHENRL=97,98).....	5	0.01
		1 = Full-Time College Student Aged 18-22.....	4514	8.14
		2 = Part-Time College Student Aged 18-22.....	739	1.33
		3 = Not Enrolled (SCHENRL=2,4) Aged 18-22.....	5217	9.41
		4 = Others Persons Aged 18-22.....	1202	2.17
		5 = Persons Aged 12-17, or 23 or Older.....	43758	78.94

LABEL	LEN	DESCRIPTION	PAGE:	710
			FREQ	%
EMPLOYMENT AND WORKPLACE				
EMPLOYMENT AND WORKPLACE				
NOTE:		The variable JBSTATR2 was created from questions that asked respondents whether they worked in the past week, whether they usually work 35 or more hours per week, and where relevant, reasons why they did not work in the past week. Respondents who did not know or refused to report whether they worked in the past week but indicated that they did not work in the past 12 months were classified in JBSTATR2 as not having a job. In addition, respondents who reported that they had no job but were looking for work were not classified as being in the labor force unless they reported making specific efforts to find work.		
JBSTATR2	3	WORK SITUATION IN PAST WEEK - RECODE		
1	= Worked at full-time job, past week.....	19711	35.56	
2	= Worked at part time job, past week.....	8053	14.53	
3	= Has job or volunteer worker, did not work past wk.	2535	4.57	
4	= Unemployed/on layoff, looking for work.....	2863	5.16	
5	= Disabled.....	1289	2.33	
6	= Keeping house full-time.....	2253	4.06	
7	= In school/training.....	5746	10.37	
8	= Retired.....	1859	3.35	
9	= Does not have a job, some other reason.....	2610	4.71	
10	= MISSING.....	24	0.04	
11	= LEGITIMATE SKIP.....	8492	15.32	
(QD27)		Even though you did not work at any time last week, did you have a job or business?		
WRKHAVJB	2	DID YOU HAVE A JOB OR BUSINESS		
1	= Yes.....	2637	4.76	
2	= No.....	16507	29.78	
89	= LEGITIMATE SKIP Logically assigned.....	1	0.00	
97	= REFUSED.....	3	0.01	
98	= BLANK (NO ANSWER).....	21	0.04	
99	= LEGITIMATE SKIP.....	36266	65.42	
(QD28)		How many hours did you work last week at all jobs or businesses?		
WRKHRWS2	3	HOW MANY HOURS WORKED LAST WEEK		
RANGE =	1 - 60	26610	48.00	
61	= 61 or more.....	1123	2.03	
989	= LEGITIMATE SKIP Logically assigned.....	1	0.00	
994	= DON'T KNOW.....	36	0.06	
997	= REFUSED.....	8	0.01	
998	= BLANK (NO ANSWER).....	21	0.04	
999	= LEGITIMATE SKIP.....	27636	49.85	

LABEL	LEN	DESCRIPTION	EMPLOYMENT AND WORKPLACE	PAGE:	711
				FREQ	%

NOTE: The industry variable WRKIDST2 corresponds to the variable WRKINDU2 prior to 2003. The variable name was changed to reflect changes to the industry codes in the 2003 NSDUH. Because of changes in 2003, caution is advised in comparing data from WRKIDST2 with data in WRKINDU2 from prior years. Industry categories do not correspond exactly between the two variables. Even when the same broad industry categories appear in the two variables, the types of industries or the definitions of the specific industries within these broad categories may not be the same. As in previous years, respondents with multiple jobs chose which job to describe. Hence, it is possible that some respondents described their work in the National Guard or Military Reserves even though they responded previously that they are not currently on active duty in the Armed Forces.					

Which of these categories best describes the business or industry in which you work?					

WRKIDST2	4	TYPE OF BUSINESS OR INDUSTRY			
		1 = Agriculture, Forestry, Fishing, & Hunting.....	524	0.95	
		2 = Mining.....	160	0.29	
		3 = Construction.....	2588	4.67	
		4 = Manufacturing, Nondurable Goods.....	988	1.78	
		5 = Manufacturing, Durable Goods.....	1764	3.18	
		6 = Transportation & Utilities.....	1003	1.81	
		7 = Information & Communications.....	662	1.19	
		8 = Wholesale Trade, Durable Goods.....	338	0.61	
		9 = Wholesale Trade, Nondurable Goods.....	364	0.66	
		10 = Retail Trade.....	4344	7.84	
		11 = Finance, Insur, Real Estate, Rental & Leasing....	1628	2.94	
		12 = Professional/Scientific/Mgmt/Admin/Waste Mgmt....	2844	5.13	
		13 = Education, Health & Social Services.....	5598	10.10	
		14 = Arts/Entertain/Recreation/Accommodation/Food Svcs.	4864	8.77	
		15 = Public Administration.....	1108	2.00	
		16 = Other Services (Except Public Admin).....	1558	2.81	
		17 = Armed Forces.....	13	0.02	
		9990 = NOT REPORTED/NOT CODABLE.....	41	0.07	
		9994 = DON'T KNOW.....	5	0.01	
		9997 = REFUSED.....	21	0.04	
		9998 = BLANK (NO ANSWER).....	21	0.04	
		9999 = LEGITIMATE SKIP.....	24999	45.10	

EMPLOYMENT AND WORKPLACE			PAGE:	712
LABEL	LEN	DESCRIPTION	FREQ	%
<hr/>				
		NOTE: The occupation variable WRKOCUP2 corresponds to the variable WRKOCCU2 prior to 2003. The variable name was changed to reflect changes to the occupation codes in the 2003 NSDUH. Because of changes in 2003, caution is advised in comparing data from WRKOCUP2 with data in WRKOCCU2 from prior years. Occupation categories do not correspond exactly between the two variables. Even when the same broad occupation categories appear in the two variables, the types of occupations or the definitions of the specific occupations within these broad categories may not be the same. As in previous years, respondents with multiple jobs chose which job to describe. Hence, it is possible that some respondents described their work in the National Guard or Military Reserves even though they responded previously that they are not currently on active duty in the Armed Forces.		-
		What kind of work do you do? That is, what is your occupation?		
WRKOCUP2	4	KIND OF WORK/JOB TITLE PRIMARY JOB		
		1 = Executive/Administrative/Managerial/Financial.....	2714	4.90
		2 = Professional (not Education/Entertainment/Media)..	2395	4.32
		3 = Education and Related Occupations	1523	2.75
		4 = Entertainers, Sports, Media, and Communications...	612	1.10
		5 = Technicians and Related Support Occupations.....	1564	2.82
		6 = Sales Occupations.....	4075	7.35
		7 = Office & Administrative Support Workers.....	4027	7.26
		8 = Protective Service Occupations.....	608	1.10
		9 = Service Occupations, Except Protective.....	5928	10.69
		10 = Farming, Fishing, & Forestry Occupations.....	313	0.56
		11 = Installation, Maintenance & Repair Workers.....	965	1.74
		12 = Construction Trades & Extraction Workers.....	2125	3.83
		13 = Production, Machinery Setters/Operators/Tenders...	1788	3.23
		14 = Transportation & Material Moving Workers.....	1715	3.09
		15 = Armed Forces.....	13	0.02
		9990 = NOT REPORTED/NOT CODABLE.....	19	0.03
		9994 = DON'T KNOW.....	2	0.00
		9997 = REFUSED.....	24	0.04
		9998 = BLANK (NO ANSWER).....	26	0.05
		9999 = LEGITIMATE SKIP.....	24999	45.10

(INOC06) Which of these categories best describes the business in which you work?

WRKBZCA2	2	CATEG THAT BEST DESCRI BUSINESS YOU WORK IN		
		1 = Private for-profit company or business.....	21146	38.15
		2 = Private not-for-profit company or business.....	2080	3.75
		3 = Local government (city, county, etc.).....	1863	3.36
		4 = State government.....	1650	2.98
		5 = Federal/Foreign government or international.....	643	1.16
		6 = Self-employed in an incorporated business.....	939	1.69
		7 = Self-employed in an unincorporated business.....	1444	2.60
		8 = Working without pay in a family business/farm.....	124	0.22
		94 = DON'T KNOW.....	494	0.89
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	26	0.05
		99 = LEGITIMATE SKIP.....	24999	45.10

EMPLOYMENT AND WORKPLACE			PAGE:	713
LABEL	LEN	DESCRIPTION	FREQ	%
(QD33)		Now, think about the past 12 months, from [DATEFILL] through today. Did you work at a job or business at any time during the past 12 months?		-
WRKEDYR	2	PAST 12 MOS, WORKED AT ANY JOB		
		1 = Yes.....	5841	10.54
		2 = No.....	10663	19.24
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	20	0.04
		99 = LEGITIMATE SKIP.....	38903	70.18
(QD34)		Have you been self-employed at any time during the past 12 months?		
WRKSLFEM	2	PAST 12 MOS, SELF EMPLOYED		
		1 = Yes.....	2845	5.13
		2 = No.....	30849	55.65
		3 = Yes LOGICALLY ASSIGNED (raw var not blank).....	77	0.14
		5 = Yes LOGICALLY ASSIGNED (from skip pattern).....	2464	4.44
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	11	0.02
		98 = BLANK (NO ANSWER).....	24	0.04
		99 = LEGITIMATE SKIP.....	19155	34.55
(QD35)		How many different employers, including yourself, have you had in the past 12 months?		
WRKJOBS2	2	PAST 12 MOS, HOW MANY EMPLOYERS		
		1 = One.....	22855	41.23
		2 = Two.....	9434	17.02
		3 = Three.....	2711	4.89
		4 = Four or more.....	1225	2.21
		94 = DON'T KNOW.....	18	0.03
		97 = REFUSED.....	13	0.02
		98 = BLANK (NO ANSWER).....	24	0.04
		99 = LEGITIMATE SKIP.....	19155	34.55
(QD37)		During the past 12 months, was there ever a time when you did not have at least one job or business?		
WRKUNEMP	2	PAST 12 MOS, TIME WITH NO JOB		
		1 = Yes.....	6705	12.10
		2 = No.....	23696	42.75
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	21	0.04
		99 = LEGITIMATE SKIP.....	24999	45.10

EMPLOYMENT AND WORKPLACE			PAGE:	714
LABEL	LEN	DESCRIPTION	FREQ	%
(QD38)		In how many weeks during the past 12 months did you not have at least one job or business?		-
WRKUNWKS	2	HOW MANY WKS W/O JOB IN PAST 12 MOS		
		RANGE = 1 - 52	6631	11.96
		85 = BAD DATA Logically assigned.....	15	0.03
		94 = DON'T KNOW.....	57	0.10
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	27	0.05
		99 = LEGITIMATE SKIP.....	48695	87.84
WRKLSTY2	4	WHAT YEAR LAST WORKED		
		RANGE = 1961 - 2007	10967	19.78
		1960 = 1960 or earlier.....	63	0.11
		9985 = BAD DATA Logically assigned.....	1	0.00
		9989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		9991 = NEVER WORKED AT A JOB OR BUSINESS.....	5400	9.74
		9994 = DON'T KNOW.....	69	0.12
		9997 = REFUSED.....	8	0.01
		9998 = BLANK (NO ANSWER).....	23	0.04
		9999 = LEGITIMATE SKIP.....	38903	70.18
NOTE: The industry variable WRKIDSY2 corresponds to the variable WRKINDY2 prior to 2003. The variable name was changed to reflect changes to the industry codes in the 2003 NSDUH. Because of these changes, caution is advised in comparing data from WRKIDSY2 with data in WRKINDY2 from prior years. Industry categories do not correspond exactly between the two variables. Even when the same broad industry categories appear in the two variables, the types of industries or the definitions of the specific industries within these broad categories may not be the same.				
Which of these categories best describes the business or industry in which you worked?				
WRKIDSY2	4	TYPE OF BUSINESS OR INDUSTRY		
		1 = Agriculture, Forestry, Fishing, & Hunting.....	136	0.25
		2 = Mining.....	11	0.02
		3 = Construction.....	452	0.82
		4 = Manufacturing, Nondurable Goods.....	186	0.34
		5 = Manufacturing, Durable Goods.....	276	0.50
		6 = Transportation & Utilities.....	144	0.26
		7 = Information & Communications.....	111	0.20
		8 = Wholesale Trade, Durable Goods.....	38	0.07
		9 = Wholesale Trade, Nondurable Goods.....	62	0.11
		10 = Retail Trade.....	1004	1.81
		11 = Finance, Insur, Real Estate, Rental & Leasing.....	164	0.30
		12 = Professional/Scientific/Mgmt/Admin/Waste Mgmt.....	555	1.00
		13 = Education, Health & Social Services.....	737	1.33
		14 = Arts/Entertain/Recreation/Accommodation/Food Svcs.	1515	2.73
		15 = Public Administration.....	139	0.25
		16 = Other Services (Except Public Admin).....	274	0.49
		17 = Armed Forces.....	12	0.02
		9990 = NOT REPORTED/NOT CODABLE.....	15	0.03
		9994 = DON'T KNOW.....	3	0.01
		9997 = REFUSED.....	10	0.02
		9998 = BLANK (NO ANSWER).....	24	0.04
		9999 = LEGITIMATE SKIP.....	49567	89.41

EMPLOYMENT AND WORKPLACE			PAGE:	715
LABEL	LEN	DESCRIPTION	FREQ	%
<hr/>				
		NOTE: The occupation variable WRKOCUY2 corresponds to the variable WRKOCCY2 prior to 2003. The variable name was changed to reflect changes to the occupation codes in the 2003 NSDUH. Because of these changes, caution is advised in comparing data from WRKOCUY2 with data in WRKOCCY2 from prior years. Occupation categories do not correspond exactly between the two variables. Even when the same broad occupation categories appear in the two variables, the types of occupations or the definitions of the specific occupations within these broad categories may not be the same.		
<hr/>				
What kind of work did you do? That is, what was your occupation?				
<hr/>				
WRKOCUY2	4	KIND OF WORK/JOB TITLE PRIMARY JOB		
		1 = Executive/Administrative/Managerial/Financial.....	188	0.34
		2 = Professional (not Education/Entertainment/Media)..	174	0.31
		3 = Education and Related Occupations.....	179	0.32
		4 = Entertainers, Sports, Media, and Communications...	140	0.25
		5 = Technicians and Related Support Occupations.....	177	0.32
		6 = Sales Occupations.....	1028	1.85
		7 = Office & Administrative Support Workers.....	788	1.42
		8 = Protective Service Occupations.....	119	0.21
		9 = Service Occupations, Except Protective.....	1688	3.05
		10 = Farming, Fishing, & Forestry Occupations.....	113	0.20
		11 = Installation, Maintenance & Repair Workers.....	105	0.19
		12 = Construction Trades & Extraction Workers.....	387	0.70
		13 = Production, Machinery Setters/Operators/Tenders...	341	0.62
		14 = Transportation & Material Moving Workers.....	382	0.69
		15 = Armed Forces.....	12	0.02
		9990 = NOT REPORTED/NOT CODABLE.....	10	0.02
		9997 = REFUSED.....	10	0.02
		9998 = BLANK (NO ANSWER).....	27	0.05
		9999 = LEGITIMATE SKIP.....	49567	89.41
<hr/>				
(INOC12)		Which of these categories best describes the business in which you worked?		
<hr/>				
WRKBZCY2	2	CATEG THAT BEST DESCRI BUSINESS YOU WORKED		
		1 = Private for-profit company or business.....	4412	7.96
		2 = Private not-for-profit company or business.....	313	0.56
		3 = Local government (city, county, etc.).....	396	0.71
		4 = State government.....	182	0.33
		5 = Federal/Foreign government or international.....	105	0.19
		6 = Self-employed in an incorporated business.....	66	0.12
		7 = Self-employed in an unincorporated business.....	185	0.33
		8 = Working without pay in a family business/farm....	28	0.05
		94 = DON'T KNOW.....	141	0.25
		97 = REFUSED.....	13	0.02
		98 = BLANK (NO ANSWER).....	27	0.05
		99 = LEGITIMATE SKIP.....	49567	89.41

EMPLOYMENT AND WORKPLACE			PAGE:	716
LABEL	LEN	DESCRIPTION	FREQ	%
(QD40)		During the past 30 days, that is from [DATEFILL] up to and including today, how many whole days of work did you miss because you were sick or injured?		-
WORKDAYS	2	# DAYS MISSED WORK FOR INJURY/ILLNESS PAST 30 DAYS		
		RANGE = 1 - 30	7055	12.73
		0 = None.....	23321	42.07
		85 = BAD DATA Logically assigned.....	12	0.02
		94 = DON'T KNOW.....	18	0.03
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	21	0.04
		99 = LEGITIMATE SKIP.....	24999	45.10
(QD41)		During the past 30 days, that is from [DATEFILL] up to and including today, how many whole days of work did you miss because you just didn't want to be there?		
WORKBLAH	2	# DAYS SKIPPED WORK PAST 30 DAYS		
		RANGE = 1 - 30	3459	6.24
		0 = None.....	26926	48.57
		85 = BAD DATA Logically assigned.....	3	0.01
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	21	0.04
		99 = LEGITIMATE SKIP.....	24999	45.10
(QD42)		Thinking about the location where you work, how many people work for your employer out of this office, store, etc.?		
LOCSIZE	2	# PEOPLE THAT WORK FOR EMPLOYER - RESP'S LOCATION		
		1 = Less than 10 people.....	8717	15.72
		2 = 10-24 people.....	6584	11.88
		3 = 25-99 people.....	7046	12.71
		4 = 100-499 people.....	4823	8.70
		5 = 500 people or more.....	3141	5.67
		94 = DON'T KNOW.....	88	0.16
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	21	0.04
		99 = LEGITIMATE SKIP.....	24999	45.10
(QD43)		At your workplace, is there a written policy about employee use of alcohol or drugs?		
DRGPLCY	2	WORKPLACE HAVE WRITTEN POLICY DRUG/ALCOHOL USE		
		1 = Yes.....	21463	38.72
		2 = No.....	7294	13.16
		94 = DON'T KNOW.....	1652	2.98
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	21	0.04
		99 = LEGITIMATE SKIP.....	24999	45.10

EMPLOYMENT AND WORKPLACE			PAGE:	717
LABEL	LEN	DESCRIPTION	FREQ	%
(QD44)		Does this policy cover only alcohol, only drugs, or both alcohol and drugs?		-
PLCYCOV	2	DID POLICY COVER ALCOHOL, DRUGS, OR BOTH		
		1 = Only alcohol.....	217	0.39
		2 = Only drugs.....	782	1.41
		3 = Both alcohol and drugs.....	20103	36.26
		94 = DON'T KNOW.....	360	0.65
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	1673	3.02
		99 = LEGITIMATE SKIP.....	32293	58.25
(QD45)		At your workplace, have you ever been given any educational information regarding the use of alcohol or drugs?		
WKDRGED	2	AT WORK, GIVEN EDUCATION ON DRUGS/ALC		
		1 = Yes.....	9844	17.76
		2 = No.....	19385	34.97
		3 = Don't remember.....	975	1.76
		94 = DON'T KNOW.....	206	0.37
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	21	0.04
		99 = LEGITIMATE SKIP.....	24999	45.10
(QD46)		Through your workplace, is there access to any type of employee assistance program or other type of counseling program for employees who have alcohol or drug-related problems?		
DRGPRGM	2	ANY ASSISTANCE PROGRAM OFFERED THROUGH WRK		
		1 = Yes.....	10946	19.75
		2 = No.....	15324	27.64
		94 = DON'T KNOW.....	4135	7.46
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	21	0.04
		99 = LEGITIMATE SKIP.....	24999	45.10
(QD47)		Does your workplace ever test its employees for alcohol use?		
USALCTST	2	WORKPLACE TESTS FOR ALCOHOL USAGE		
		1 = Yes.....	8405	15.16
		2 = No.....	20299	36.62
		94 = DON'T KNOW.....	1703	3.07
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	21	0.04
		99 = LEGITIMATE SKIP.....	24999	45.10
(QD48)		Does your workplace ever test its employees for drug use?		
USDRGTST	2	WORKPLACE TESTS FOR DRUG USAGE		
		1 = Yes.....	12851	23.18
		2 = No.....	16208	29.24
		94 = DON'T KNOW.....	1348	2.43
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	21	0.04
		99 = LEGITIMATE SKIP.....	24999	45.10

EMPLOYMENT AND WORKPLACE			PAGE:	718
LABEL	LEN	DESCRIPTION	FREQ	%
(QD49)		Does your workplace test its employees for drug or alcohol use as part of the hiring process?		-
TSTHIRE	2	TEST FOR DRUG/ALC AS HIRING PROCESS		
		1 = Yes.....	10802	19.49
		2 = No.....	2064	3.72
		94 = DON'T KNOW.....	182	0.33
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	1440	2.60
		99 = LEGITIMATE SKIP.....	40939	73.85
(QD50)		Does your workplace test its employees for drug or alcohol use on a random basis?		
TSTRAND	2	TEST ON RANDOM BASIS		
		1 = Yes.....	7474	13.48
		2 = No.....	4813	8.68
		94 = DON'T KNOW.....	761	1.37
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	1440	2.60
		99 = LEGITIMATE SKIP.....	40939	73.85
(QD51)		According to the policy at your workplace, what happens to an employee the first time he or she tests positive for illicit drugs?		
FIRSTPOS	2	WHAT HAPPENS FIRST TIME CAUGHT		
		1 = Handled on indiv basis/policy does not spec what..	1937	3.49
		2 = Employee is fired.....	6481	11.69
		3 = Employee is referred for treatment or counseling..	2564	4.63
		4 = Nothing happens.....	45	0.08
		5 = Something else happens.....	336	0.61
		94 = DON'T KNOW.....	1675	3.02
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	1440	2.60
		99 = LEGITIMATE SKIP.....	40939	73.85
(QD52)		Would you be more or less likely to want to work for an employer that tests its employees for drug use as part of the hiring process? Would you say more likely, less likely, or would it make no difference to you?		
WRKHIRE	2	WOULD YOU WORK FOR EMP DOES DRUG TEST PRE-HIRE		
		1 = More likely.....	12030	21.70
		2 = Less likely.....	1397	2.52
		3 = Would it make no difference to you.....	16920	30.52
		94 = DON'T KNOW.....	59	0.11
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	21	0.04
		99 = LEGITIMATE SKIP.....	24999	45.10

LABEL	LEN	DESCRIPTION	PAGE:	719
			FREQ	%
(QD53)		Would you be more or less likely to want to work for an employer that tests its employees for drug or alcohol use on a random basis? Would you say more likely, less likely, or would it make no difference to you?		-
WORKRAND	2	WOULD YOU WORK FOR EMP DOES DRUG/ALC TEST RANDOMLY		
		1 = More likely.....	10158	18.32
		2 = Less likely.....	2688	4.85
		3 = Would make no difference.....	17501	31.57
		94 = DON'T KNOW.....	58	0.10
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	21	0.04
		99 = LEGITIMATE SKIP.....	24999	45.10

LABEL	LEN	DESCRIPTION	IMPUTED EMPLOYMENT AND WORKPLACE	PAGE:	720
				FREQ	%
IMPUTED EMPLOYMENT AND WORKPLACE					

			The following variable, EMPSTATY, was created to promote consistency across survey years. The similar variable EMPSTAT3 was created in 1999 and 2000; it could not be created in the survey years since 2001 because of changes to the questionnaire. (See the comment before JBSTATR2 for more details.) The levels of EMPSTATY are close to those in the Current Population Survey. The main difference is that EMPSTATY considers people who did not have a job last week and were not looking for a job all to be unemployed. In comparison, the CPS definition requires people who did not have a job last week and were not looking for a job to be waiting to be recalled to their old job, in order for them to be classified as unemployed.		-

EMPSTATY	2	IMPUTATION REVISED EMPLOYMENT STATUS			
		1 = Employed full time.....	20833	37.58	
		2 = Employed part time.....	9380	16.92	
		3 = Unemployed.....	3192	5.76	
		4 = Other (incl. not in labor force).....	13538	24.42	
		99 = 12-14 year olds.....	8492	15.32	
IIEMPSTY	1	IMPUTATION INDICATOR EMPLOYMENT STATUS			
		1 = Employment status from questionnaire.....	46906	84.61	
		3 = Employment statistically imputed.....	37	0.07	
		9 = 12-14 years old.....	8492	15.32	
II2EMSTY	1	IMPUTATION INDICATOR EMPLOYMENT STATUS (DETAILS)			
		1 = Employment status from questionnaire.....	46906	84.61	
		3 = Emp. statistically imputed (unrestricted).....	24	0.04	
		4 = Emp. stat. imp. (restr. to full-time or part-time).....	13	0.02	
		9 = 12-14 years old.....	8492	15.32	
EMPSTAT4 is a recode of EMPSTATY and AGE2. Respondents aged 15-17 are assigned a skip code, regardless of their answers to the employment status questions.					
EMPSTAT4	2	IMPUTATION REVISED EMPLOYMENT STATUS 18+			
		1 = Employed full time.....	20390	36.78	
		2 = Employed part time.....	6858	12.37	
		3 = Unemployed.....	2104	3.80	
		4 = Other (incl. not in labor force).....	8356	15.07	
		99 = 12-17 year olds.....	17727	31.98	
IIEMPST4	1	IMPUTATION INDICATOR EMPLOYMENT STATUS 18+			
		1 = Employment status from questionnaire.....	37674	67.96	
		3 = Employment statistically imputed.....	34	0.06	
		9 = 12-17 years old.....	17727	31.98	
II2EMST4	1	IMP. IND. EMPLOYMENT STATUS 18+ (DETAILS)			
		1 = Employment status from questionnaire.....	37674	67.96	
		3 = Emp. statistically imputed (unrestricted).....	23	0.04	
		4 = Emp. stat. imp. (restr. to full-time or part-time).....	11	0.02	
		9 = 12-17 years old.....	17727	31.98	

LABEL	LEN	DESCRIPTION	PAGE:	721
			FREQ	%
		GEOGRAPHIC		-

		The variable PDEN is based on 2000 Census data and the June 2003 Core Based Statistical Area classifications provided by the Office of Management and Budget (OMB).		
PDEN	1	POPULATION DENSITY		
		1 = Segment in a CBSA with 1 million or more persons..	23180	41.81
		2 = Segm. in a CBSA with fewer than 1 million persons.	27317	49.28
		3 = Segment not in a CBSA.....	4938	8.91
COUTYP2	1	COUNTY TYPE 2		
		1 = Large Metro.....	24303	43.84
		2 = Small Metro.....	18822	33.95
		3 = Nonmetro.....	12310	22.21

LABEL	LEN	DESCRIPTION	SAMPLE WEIGHTING AND ESTIMATION VARS	PAGE:	722
-----	-----	-----	-----	FREQ	%

SAMPLE WEIGHTING AND ESTIMATION VARS					

ANALWT_C	8	FIN PRSN-LEVEL SMPLE WGHT			-
VESTR	5	ANALYSIS STRATUM			
VEREP	2	ANALYSIS REPLICATE			

VARIABLE NAME	PAGE
ABDILAAL.....	308
ABILANAL.....	307
ABILLALC.....	307
ABODALC.....	307
ABODANL.....	307
ABODCOC.....	308
ABODHAL.....	308
ABODHER.....	308
ABODIEM.....	308
ABODILAL.....	308
ABODILL.....	308
ABODINH.....	308
ABODMRJ.....	308
ABODPSY.....	308
ABODSED.....	308
ABODSTM.....	308
ABODTRN.....	308
ABUSEALC.....	305
ABUSEANL.....	305
ABUSECCOC.....	305
ABUSEHAL.....	305
ABUSEHER.....	306
ABUSEIEM.....	307
ABUSEILL.....	306
ABUSEINH.....	306
ABUSEMRJ.....	306
ABUSEPSY.....	307
ABUSESED.....	306
ABUSESTM.....	306
ABUSETRN.....	306
ABUSEXMJ.....	307
ADCOUNS.....	570
ADDEFLGR.....	209
ADDEMORJ.....	210
ADDERALL.....	198
ADDEREC.....	200
ADDEYRR.....	209
ADDPDISC.....	553
ADDPLSIN.....	554
ADDPPROB.....	556
ADDPR2WK.....	554
ADDPREV.....	553
ADDSCEV.....	553
ADDLSIN.....	554
ADFAMDOC.....	569

VARIABLE NAME	PAGE
ADHERBAL.....	571
ADLOSEV.....	553
ADLSI2WK.....	554
ADNURSE.....	570
ADOTHDOC.....	570
ADOTHHLP.....	571
ADOTHMHP.....	570
ADPB2WK.....	566
ADPBAGE.....	566
ADPBDLYA.....	565
ADPBINTF.....	565
ADPBNUM.....	566
ADPBRMBR.....	566
ADPSDAYS.....	569
ADPSHMGT.....	567
ADPSRELS.....	568
ADPSSOC.....	568
ADPSWORK.....	567
ADPSYCH.....	570
ADPSYMD.....	570
ADRELIG.....	571
ADR1X12MO.....	571
ADRXLHP.....	572
ADRNOW.....	571
ADSEEDOC.....	569
ADSMDEA.....	565
ADSOCWRK.....	570
ADTMTHLP.....	572
ADTMTNOW.....	571
ADWRAGE.....	557
ADWRCHR.....	555
ADWRCONC.....	562
ADWRDBTR.....	563
ADWRDCSN.....	562
ADWRDEPR.....	557
ADWRDIET.....	560
ADWRDISC.....	558
ADWRDLOT.....	563
ADWRDST.....	555
ADWRELES.....	558
ADWREMOR.....	559
ADWRENRG.....	561
ADWRGAIN.....	559
ADWRGNL2.....	559
ADWRGROW.....	559

VARIABLE NAME	PAGE
ADWRHRS.....	555
ADWRIMP.....	556
ADWRJINO.....	561
ADWRJITT.....	561
ADWRLOSE.....	560
ADWRLSIN.....	558
ADWRLSL2.....	560
ADWRNOGD.....	562
ADWRPLSR.....	558
ADWRPREG.....	559
ADWRPROB.....	557
ADWRSATP.....	563
ADWRSLEP.....	560
ADWRSLNO.....	561
ADWRSLOW.....	561
ADWRSMOR.....	560
ADWRSPLN.....	563
ADWRSTHK.....	563
ADWRTHOT.....	562
ADWRWRTH.....	562
AD_MDEA1.....	564
AD_MDEA2.....	564
AD_MDEA3.....	564
AD_MDEA4.....	564
AD_MDEA5.....	564
AD_MDEA6.....	564
AD_MDEA7.....	564
AD_MDEA8.....	564
AD_MDEA9.....	565
AEROS.....	58
AEROS2.....	150
AGE2.....	698
AJAMDELT.....	573
AJAMDEYR.....	573
AL30EST.....	25
ALBSTWAY.....	24
ALCAFU.....	156
ALCAFU2.....	156
ALCAFU3.....	156
ALCAGLST.....	345
ALCAVGM.....	159
ALCCUT1X.....	233
ALCCUTDN.....	232
ALCCUTEV.....	233
ALCDAYS.....	25

VARIABLE NAME	PAGE
ALCDOC.....	470
ALCEMCTD.....	235
ALCEMOPB.....	234
ALCEVER.....	22
ALCFFLAG.....	141
ALCFMCTD.....	238
ALCFMFPPB.....	237
ALCGTOVR.....	231
ALCHOSP.....	470
ALCJAIL.....	470
ALCKPLMT.....	231
ALCLAWTR.....	237
ALCLIMIT.....	231
ALCLOTTM.....	230
ALCLSACT.....	236
ALCLSEFX.....	232
ALCMDAYS.....	157
ALCMFU.....	23
ALCMHC.....	470
ALCMLU.....	346
ALCMON.....	141
ALCNDMOR.....	232
ALCPAID.....	467
ALCPCARE.....	467
ALCPCORT.....	467
ALCPDANG.....	237
ALCPEMPL.....	467
ALCPFMLY.....	467
ALCPHCTD.....	235
ALCPHLPB.....	235
ALCPINS.....	467
ALCPMILC.....	467
ALCPPUBP.....	467
ALCPSAVE.....	467
ALCREC.....	23
ALCRFIN.....	470
ALCRFOP.....	470
ALCSERPB.....	236
ALCSHG.....	471
ALCTRMT.....	465
ALCTRY.....	22
ALCTXER.....	470
ALCWDX2SX.....	233
ALCWDSMT.....	234
ALCYDAYS.....	156

VARIABLE NAME	PAGE
ALCYFU.....	22
ALCYLU.....	345
ALCYR.....	141
ALCYRBFR.....	397
ALCYRTOT.....	23
ALDAYPMO.....	24
ALDAYPWK.....	24
ALDAYPYR.....	24
ALDYSFG.....	25
ALFQFLG.....	23
ALFRAME3.....	167
ALLAST3.....	166
ALMONAVE.....	167
ALRECDK.....	166
ALRECRE.....	166
ALTOTFG.....	23
ALWKAVE.....	167
ALYRAVE.....	167
AMBIEN.....	198
AMBIFLGR.....	210
AMBIMONR.....	210
AMBIREC.....	200
AMBIYRR.....	210
AMDXPHEN.....	154
AMHINP2.....	511
AMHOUTP3.....	511
AMHRX2.....	511
AMHSVTYPE.....	512
AMHTXND2.....	512
AMHTXRC3.....	511
AMYLNIT.....	56
AMYLNIT2.....	149
AMYTAL.....	108
AMYTAL2.....	155
ANALAGE.....	76
ANALMFU.....	77
ANALMLU.....	355
ANALNEWA.....	70
ANALNEWB.....	73
ANALNEWC.....	74
ANALNEWD.....	75
ANALNEWE.....	75
ANALREC.....	77
ANALWT_C.....	722
ANALYFU.....	76

VARIABLE NAME	PAGE
ANALYLU.....	354
ANLAGLST.....	354
ANLCARD.....	66
ANLCUT1X.....	270
ANLCUTDN.....	269
ANLCUTEV.....	270
ANLDEAL2.....	402
ANLDEALR.....	366
ANLEMCTD.....	271
ANLEMOPB.....	271
ANLEVER.....	76
ANLFF1D2.....	412
ANLFF1DR.....	367
ANLFFAK2.....	412
ANLFFAKE.....	368
ANLFFBOT.....	368
ANLFFBY2.....	412
ANLFFDL2.....	412
ANLFFDLR.....	369
ANLFFDRS.....	368
ANLFFDS2.....	412
ANLFFLAS.....	370
ANLFFLSP.....	371
ANLFFNET.....	369
ANLFFNT2.....	412
ANLFFOSP.....	370
ANLFFOT2.....	413
ANLFFOTH.....	369
ANLFFRE2.....	412
ANLFFREE.....	368
ANLFFST2.....	412
ANLFFSTL.....	368
ANLFFTAK.....	369
ANLFFTAK2.....	412
ANLFLAG.....	143
ANLFMCTD.....	274
ANLFMFPB.....	274
ANLFRBUY.....	365
ANLFRBY2.....	402
ANLFRFE2.....	402
ANLFRFRE.....	365
ANLFRTK2.....	402
ANLFRTKE.....	366
ANLGTLAS.....	371
ANLGTOS2.....	372

VARIABLE NAME	PAGE
ANLGTOVR.....	268
ANLINET.....	366
ANLINET2.....	402
ANLKPLMT.....	268
ANLLAWTR.....	273
ANLLIMIT.....	268
ANLLOTTM.....	267
ANLLSACT.....	272
ANLLSEFX.....	269
ANLLTSC.....	399
ANLMON.....	143
ANLNDMOR.....	269
ANLNOLST.....	69
ANLOTHS2.....	367
ANLOTHW2.....	403
ANLOTHWY.....	366
ANLPDANG.....	273
ANLPHCTD.....	272
ANLPHLPB.....	272
ANLRX1D2.....	402
ANLRX1DR.....	364
ANLRXDRS.....	364
ANLRXDS2.....	402
ANLRXFAK.....	365
ANLRXFK2.....	402
ANLSERPB.....	273
ANLSRCFR.....	409
ANLSTOL2.....	402
ANLSTOLE.....	365
ANLWD3SX.....	270
ANLWDSTM.....	271
ANLYR.....	143
ANLYRTOT.....	77
ANXDLIF.....	488
ANXDYR.....	488
ANYBARB.....	156
ANYEDUC3.....	546
ANYHTLT12.....	694
ANYMHED.....	603
ANYMHIN.....	602
ANYMHOUT.....	602
ANYSMH.....	603
ANYSMHPS.....	604
APPSELDG.....	219
ARGUPAR.....	543

VARIABLE NAME	PAGE
ASDSHOME.....	574
ASDSVRL.....	575
ASDSREL.....	574
ASDSSOC.....	574
ASDSWRK.....	574
ASMALIF.....	488
ASMAYR.....	488
ATARAX.....	84
ATARAX2.....	152
AUALACUP.....	508
AUALCHIR.....	508
AUALHERB.....	508
AUALHLIN.....	509
AUALINET.....	509
AUALMASG.....	509
AUALOTH.....	509
AUALOTS2.....	510
AUALRELG.....	509
AUALSGRP.....	509
AUALTYR.....	508
AUINAHSP.....	494
AUINMEDU.....	493
AUINPGEN.....	493
AUINPSYH.....	493
AUINPYR.....	493
AUINRESD.....	494
AUINSFAC.....	494
AUMOTVYR.....	510
AUNMAHS2.....	495
AUNMCLN2.....	500
AUNMDOC2.....	500
AUNMDTM2.....	500
AUNMMED2.....	495
AUNMMEN2.....	499
AUNMOTO2.....	500
AUNMPGE2.....	494
AUNMPSY2.....	494
AUNMRES2.....	495
AUNMSFA2.....	495
AUNMTHE2.....	500
AUOPCLNC.....	499
AUOPDOC.....	498
AUOPDTMT.....	499
AUOPMENT.....	498
AUOPOTOP.....	499

VARIABLE NAME	PAGE
AUOPOTHER.....	498
AUOPTYR.....	498
AUOPYRS2.....	499
AUPINEMP.....	496
AUPINFM2.....	497
AUPINFRE.....	497
AUPINMCD.....	496
AUPINMCR.....	496
AUPINMIL.....	496
AUPINOFM.....	496
AUPINPHI.....	496
AUPINPRV.....	497
AUPINPUB.....	497
AUPINREH.....	496
AUPINSLF.....	495
AUPOPAMT.....	503
AUPOPEMP.....	501
AUPOPFR.....	502
AUPOPMD.....	501
AUPOPMCR.....	501
AUPOPMIL.....	502
AUPOPMOS.....	502
AUPOPOFM.....	501
AUPOPPHI.....	501
AUPOPPRV.....	502
AUPOPPUB.....	502
AUPOPREH.....	501
AUPOPSLF.....	501
AURXYR.....	503
AUUNBUSY.....	505
AUUNCfid.....	505
AUUNCmit.....	505
AUUNCost.....	504
AUUNENUF.....	504
AUUNfout.....	506
AUUNHndl.....	505
AUUNJob.....	504
AUUNMTYR.....	503
AUUNNBR.....	504
AUUNNCov.....	504
AUUNNHLP.....	505
AUUNNond.....	505
AUUNNTsp.....	506
AUUNRIM2.....	507
AUUNSor.....	506

VARIABLE NAME	PAGE
AUUNWHER.....	504
AVGGRADE.....	542
BENZOS.....	153
BINGEDRK.....	148
BINGEHVY.....	149
BKAGASLT.....	310
BKARSON.....	311
BKBURGL.....	310
BKDRUG.....	312
BKDRUNK.....	312
BKDRVINF.....	312
BKFRAUD.....	313
BKLARCNY.....	310
BKMURDER.....	311
BKMVTHTF.....	309
BKOTH.....	314
BKOTHOF2.....	315
BKPOSTOB.....	312
BKPROS.....	313
BKRAPE.....	311
BKROB.....	311
BKSEXOFF.....	313
BKSMASLT.....	310
BLNT30C1.....	222
BLNT30C2.....	222
BLNT30DY.....	222
BLNTAGE.....	220
BLNTEVER.....	220
BLNTMFU.....	221
BLNTNOMJ.....	223
BLNTREC.....	221
BLNTYFU.....	220
BLRECFL2.....	221
BOOKED.....	309
BRNCGR05.....	141
BRNCIG05.....	140
BRONCLIF.....	488
BRONCYR.....	488
BRSMK5_2.....	141
BUSPAR.....	84
BUSPAR2.....	152
BUTISOL.....	108
BUTISOL2.....	155
CA4FDAGE.....	672
CA4FDDYS.....	671

VARIABLE NAME	PAGE
CA4FDEV.....	671
CA4FDMFU.....	673
CA4FDYFU.....	672
CABNGAGE.....	669
CABNGEV.....	669
CABNGMFU.....	670
CABNGYFU.....	670
CABPLACE.....	664
CABUNDAG.....	665
CABUYFRE.....	664
CABUYWHO.....	664
CADRBAR.....	662
CADRCAR.....	661
CADREVNT.....	662
CADRHOME.....	662
CADRKANJI.....	668
CADRKCOC.....	667
CADRKDRC.....	666
CADRKHAL.....	667
CADRKHERR.....	667
CADRKINH.....	667
CADRKMRRJ.....	667
CADRKMTH.....	668
CADRKSED.....	668
CADRKSTM.....	668
CADRKTRN.....	668
CADRLAST.....	661
CADROTH.....	663
CADROTHM.....	662
CADROTS2.....	663
CADRPEOP.....	661
CADRPUBL.....	662
CADRSCHL.....	663
CAFRESP2.....	666
CAFREWHO.....	665
CAGVMONY.....	664
CAGVWHO.....	665
CAIDCHIP.....	685
CATAG2.....	701
CATAG3.....	701
CATAG6.....	701
CATAG7.....	701
CATAGE.....	701
CC30EST.....	34
CCBSTWAY.....	33

VARIABLE NAME	PAGE
CCDAYPMO.....	33
CCDAYPWK.....	33
CCDAYPYR.....	33
CCFQFLG.....	32
CCFRAME3.....	170
CCLAST3.....	169
CCMONAVE.....	170
CCRECDK.....	169
CCRECRE.....	169
CCTOTFG.....	32
CCWKAVE.....	170
CCYRAVE.....	170
CDCGMO.....	148
CDNOCGMO.....	148
CDUFLAG.....	148
CG05.....	163
CG06.....	163
CG06DK.....	163
CG06RE.....	163
CG19.....	164
CG20.....	164
CG20DK.....	165
CG20RE.....	165
CG27.....	163
CG28.....	164
CG28DK.....	164
CG28RE.....	164
CG30EST.....	4
CG36.....	165
CG37.....	165
CG37DK.....	165
CG37RE.....	166
CG43.....	166
CGR30BR2.....	21
CGR30USE.....	18
CGRAGLST.....	344
CGRFLAG.....	138
CGRMON.....	138
CGRYR.....	138
CH30EST.....	14
CHAMPUS.....	685
CHEWEVER.....	12
CHEWMFU.....	13
CHEWMLU.....	344
CHEWREC.....	13

VARIABLE NAME	PAGE
CHEWTRY.....	12
CHEWFU.....	12
CHEWLU.....	343
CHHYD.....	109
CHHYD2.....	155
CHW30BR2.....	14
CHW30USE.....	13
CHWAGLST.....	343
CHWFLAG.....	138
CHWMON.....	138
CHWYR.....	138
CI30EST.....	19
CIG100LF.....	8
CIG30AV.....	4
CIG30BR2.....	5
CIG30MEN.....	7
CIG30MLN.....	7
CIG30RO2.....	7
CIG30TPE.....	6
CIG30USE.....	4
CIGAFU.....	156
CIGAGE.....	8
CIGAGLST.....	340
CIGALCMO.....	148
CIGAREVR.....	17
CIGARMFU.....	18
CIGARMLU.....	345
CIGARREC.....	18
CIGARTRY.....	17
CIGARYFU.....	17
CIGARYLU.....	344
CIGAVGD.....	158
CIGAVGM.....	158
CIGAVOID.....	225
CIGCRAGP.....	224
CIGCRAVE.....	224
CIGDLLST.....	341
CIGDLMFU.....	8
CIGDLMLU.....	342
CIGDLYFU.....	8
CIGDLYLU.....	341
CIGDLYMO.....	7
CIGEVER.....	2
CIGFLAG.....	138
CIGFNLKE.....	226

VARIABLE NAME	PAGE
CIGFNSMK.....	225
CIGINCRS.....	229
CIGINCTL.....	225
CIGINFLU.....	228
CIGIRTBL.....	224
CIGLOTMR.....	230
CIGMDAYS.....	157
CIGMFU.....	3
CIGMLU.....	341
CIGMON.....	138
CIGNMCHG.....	228
CIGNOINF.....	229
CIGOFRSM.....	2
CIGPDAY.....	158
CIGPLANE.....	226
CIGREC.....	3
CIGREGDY.....	227
CIGREGNM.....	227
CIGREGWK.....	227
CIGRNOUT.....	226
CIGSATIS.....	229
CIGSVLHR.....	228
CIGTRY.....	2
CIGWAKE.....	230
CIGWILYR.....	2
CIGYFU.....	3
CIGYLU.....	340
CIGYR.....	138
CIGYRBFR.....	396
CIRRLIF.....	489
CIRRYSR.....	489
CKFRAME3.....	171
CKLAST3.....	170
CKMONAVE.....	171
CKRECDK.....	170
CKRECRE.....	171
CKWKAVE.....	171
CKYRAVE.....	171
CLEFLU.....	56
CLEFLU2.....	149
CLINVST.....	605
COCAGE.....	31
COAGLST.....	346
COCCUT1X.....	246
COCCUTDN.....	245

VARIABLE NAME	PAGE
COCCUTEV.....	246
COCEMCTD.....	248
COCEMOPB.....	247
COCEVER.....	31
COCFLAG.....	142
COCFLBLU.....	246
COCFMCTD.....	250
COCFMFPB.....	250
COCGTOVR.....	244
COCKPLMT.....	245
COCLAWTR.....	250
COCLIMIT.....	244
COCLOTTM.....	244
COCLSACT.....	249
COCLSEFX.....	245
COCDAYS.....	158
COCMFU.....	32
COCMLU.....	347
COCMON.....	142
COCNDMOR.....	245
COCNEEDL.....	193
COCPDANG.....	249
COCPHCTD.....	248
COCPHLPB.....	248
COCREC.....	32
COCSERP.....	249
COCUS30A.....	34
COCWDSMT.....	247
COCYFU.....	31
COCYLU.....	346
COCYR.....	142
COCYRBFR.....	397
COCYRTOT.....	32
CODEINE.....	66
CODEINE2.....	150
COLDFLGR.....	210
COLDMEDS.....	198
COLDMONR.....	210
COLDREC.....	200
COLDYR1.....	201
COLDYR2.....	203
COLDYR3.....	204
COLDYR4.....	204

VARIABLE NAME	PAGE
COLDYR5.....	205
COLDYRR.....	210
COLLENR.....	709
COLLENR2.....	709
CONDLREC.....	193
COUNMDE.....	658
COUTYP2.....	721
CPNMTHFG.....	145
CPNMTHMN.....	145
CPNMTHYR.....	145
CPNNDFLG.....	209
CPNNDMTH.....	209
CPNNDSTM.....	209
CPNPSYFG.....	146
CPNPSYMN.....	146
CPNPSYRR.....	146
CPNSTMFG.....	144
CPNSTMMN.....	144
CPNSTMYR.....	144
CR30EST.....	38
CRAKREC.....	36
CRBSTWAY.....	37
CRDAYPMO.....	37
CRDAYPWK.....	37
CRDAYPYR.....	37
CRFQFLG.....	36
CRKAGE.....	35
CRKAGLST.....	347
CRKEVER.....	35
CRKFLAG.....	142
CRKMFU.....	36
CRKMLU.....	348
CRKMON.....	142
CRKUS30A.....	38
CRKYFU.....	35
CRKYLU.....	347
CRKYR.....	142
CRKYRTOT.....	36
CRTOTFG.....	36
CYLERT.....	95
CYLERT2.....	153
DALMANE.....	109
DALMANE2.....	155
DARVTYL2.....	150
DARVTYLC.....	65

VARIABLE NAME	PAGE
DCIGAFU.....	156
DCIGMON.....	148
DEMEROL.....	66
DEMEROL2.....	150
DEPNDALC.....	302
DEPNDANL.....	303
DEPNDCCOC.....	303
DEPNDHAL.....	303
DEPNDHER.....	303
DEPNDIEM.....	304
DEPNDILL.....	303
DEPNDINH.....	303
DEPNDMRJ.....	303
DEPNDPSY.....	304
DEPNDSED.....	303
DEPNDSTM.....	303
DEPNDTRN.....	303
DEPNDXMJ.....	304
DEPRSLIF.....	489
DEPRSYR.....	489
DETAMP.....	96
DETAMP2.....	154
DEXED.....	95
DEXED2.....	154
DIABLIF.....	489
DIABYR.....	489
DIDREX.....	96
DIDREX2.....	154
DIETPIL2.....	153
DIETPILS.....	94
DILAUD.....	67
DILAUD2.....	150
DNICNSP.....	301
DOCMD.....	657
DPILANAL.....	304
DPILLALC.....	304
DR5DAY.....	26
DRGDOC.....	471
DRGHOSP.....	471
DRGJAIL.....	471
DRGMHC.....	471
DRGPLCY.....	716
DRGPRGM.....	717
DRGRFIN.....	471
DRGRFOP.....	471

VARIABLE NAME	PAGE
DRGSHG.....	471
DRGTXER.....	471
DRIVALC2.....	318
DRIVALD2.....	318
DRIVDRG2.....	318
DRKANL.....	677
DRKCOC.....	676
DRKHAL.....	677
DRKHCR.....	677
DRKIEM.....	678
DRKINH.....	677
DRKMRJ.....	676
DRKMTH.....	677
DRKSED.....	677
DRKSTM.....	677
DRKSUM.....	678
DRKTRN.....	677
DRPRVME3.....	546
DRVALDR.....	316
DRVONLY.....	316
DRVDONLY.....	317
DRVFLAG.....	317
DSTCHEER.....	548
DSTEFFRT.....	548
DSTHOPLS.....	547
DSTNGOOD.....	549
DSTNRVOS.....	547
DSTRSTLS.....	548
DYTXVST.....	605
ECSAGE.....	54
ECSAGLST.....	352
ECSFLAG.....	143
ECSMFU.....	55
ECSMLU.....	353
ECSMON.....	143
ECSREC.....	55
ECSTASY.....	43
ECSYFU.....	54
ECSYLU.....	352
ECSYR.....	143
ED4FLAG.....	669
EDFAM18.....	679
EDUCATHP.....	702
EDUCATN2.....	704
EDUCCAT2.....	702

VARIABLE NAME	PAGE
EI4FDAGE.....	672
EI4FDYDS.....	672
EI4FDMFU.....	673
EI4FDYFU.....	673
EIBNGAGE.....	669
EIBNMGMFU.....	671
EIBNGYFU.....	670
EIMOVPYR.....	703
EMPSTAT4.....	720
EMPSTATY.....	720
EQUANIL.....	85
EQUANIL2.....	152
ESKAT.....	96
ESKAT2.....	154
ETHER.....	57
ETHER2.....	149
FDOCANGR.....	629
FDOCBRK.....	629
FDOCDPR.....	629
FDOCEAT.....	629
FDOCfea.....	629
FDOCFITE.....	629
FDOCFMLY.....	629
FDOCFRND.....	629
FDOCMEND.....	630
FDOCOTH2.....	630
FDOCOTPP.....	630
FDOCSCHL.....	630
FDOCSUI.....	629
FILEDATE.....	1
FIORICET.....	67
FIORICT2.....	150
FIORINAL.....	67
FIORINL2.....	150
FIRSTPOS.....	718
FLEXERIL.....	85
FLEXERL2.....	152
FLNDILAL.....	475
FLTNDALC.....	474
FLTNDANL.....	474
FLTNDCCOC.....	474
FLTNDHAL.....	474
FLTNDHER.....	474
FLTNDILL.....	475
FLTNDINH.....	474

VARIABLE NAME	PAGE
FLTNNDMRJ.....	474
FLTNDSED.....	474
FLTNNDSTM.....	474
FLTNNDTRN.....	474
FOSTVST.....	604
FRDADLY2.....	544
FRDMEVR2.....	544
FRDMJMON.....	544
FRDPC1G2.....	544
FTNDDNSP.....	301
FUALC18.....	159
FUALC21.....	159
FUANL18.....	161
FUANL21.....	161
FUCD218.....	159
FUCD221.....	159
FUCGR18.....	159
FUCGR21.....	159
FUCIG18.....	159
FUCIG21.....	159
FUCOC18.....	160
FUCOC21.....	160
FUCRK18.....	160
FUCRK21.....	160
FUECS18.....	160
FUECS21.....	160
FUHAL18.....	160
FUHAL21.....	160
FUHER18.....	160
FUHER21.....	160
FUIEM18.....	162
FUIEM21.....	162
FUINH18.....	160
FUINH21.....	160
FULSD18.....	160
FULSD21.....	160
FUMJ18.....	159
FUMJ21.....	159
FUMTH18.....	161
FUMTH21.....	161
FUOXY18.....	161
FUOXY21.....	161
FUPCP18.....	160
FUPCP21.....	160
FUPSY18.....	161

VARIABLE NAME	PAGE
FUPSY21.....	161
FUSED18.....	161
FUSED21.....	161
FUSLT18.....	159
FUSLT21.....	159
FUSTM18.....	161
FUSTM21.....	161
FUSUM18.....	161
FUSUM21.....	161
FUTRN18.....	161
FUTRN21.....	161
GAS.....	57
GAS2.....	149
GHB.....	198
GHBFLGR.....	210
GHBMONR.....	210
GHBREC.....	199
GHBYRR.....	210
GLUE.....	57
GLUE2.....	149
GNNDCLEN.....	197
GNNDGET2.....	197
GNNDLSH1.....	196
GNNDLSH2.....	197
GNNDREUS.....	196
GOVTPROG.....	693
GQTYPE2.....	697
GRPCNSL2.....	545
GRPHLTIN.....	686
GRSKCOCC.....	218
GRSKCREG.....	218
GRSKD4_5.....	218
GRSKD5WK.....	219
GRSKHREG.....	218
GRSKHTRY.....	218
GRSKLREG.....	218
GRSKLTRY.....	218
GRSKMOCC.....	218
GRSKMREG.....	218
GRSKPKCG.....	218
HAL30USE.....	52
HALAGLST.....	349
HALCION.....	109
HALCION2.....	155
HALCUTDN.....	259

VARIABLE NAME	PAGE
HALCUTEV.....	259
HALEMCTD.....	259
HALEMOPB.....	259
HALFLAG.....	142
HALFMCTD.....	262
HALFMFPB.....	262
HALGTOVR.....	257
HALKPLMT.....	258
HALLAGE.....	49
HALLAWTR.....	261
HALLIMIT.....	258
HALLOTTM.....	257
HALLREC.....	50
HALLSACT.....	260
HALLSEFX.....	258
HALMDAYS.....	158
HALMFU.....	50
HALMLU.....	350
HALMON.....	142
HALNDMOR.....	258
HALNEWA.....	44
HALNEWB.....	47
HALNEWC.....	48
HALNEWD.....	49
HALNEWE.....	49
HALNOLST.....	43
HALPDANG.....	261
HALPHCTD.....	260
HALPHLPB.....	260
HALSERPB.....	261
HALYDAYS.....	157
HALYFU.....	49
HALYLU.....	349
HALYR.....	142
HALYRTOT.....	50
HARTDLIF.....	489
HARTDYR.....	489
HBCHMDE.....	660
HBPLIF.....	490
HBPYR.....	490
HEALTH.....	699
HEALTH2.....	702
HEFRAME3.....	172
HELAST3.....	172
HEMONAVE.....	172

VARIABLE NAME	PAGE
HEOTNDL.....	186
HEOTOTH.....	186
HEOTSMK.....	186
HEOTSNF.....	186
HEOTSP.....	186
HEPATLIF.....	489
HEPATYR.....	489
HER30USE.....	41
HERAGE.....	39
HERAGLST.....	348
HERCUT1X.....	253
HERCUTDN.....	252
HERCUTEV.....	253
HERECDK.....	172
HERECRE.....	172
HEREMCTD.....	254
HEREMOPB.....	254
HEREVER.....	39
HERFLAG.....	142
HERFMCTD.....	257
HERFMFPB.....	257
HERGTOVR.....	251
HERKPLMT.....	252
HERLAWTR.....	256
HERLIMIT.....	251
HERLOTTM.....	251
HERLSACT.....	255
HERLSEFX.....	252
HERMFU.....	39
HERMLU.....	349
HERMON.....	142
HERNDMOR.....	252
HERNEEDL.....	186
HERPDANG.....	256
HERPHCTD.....	255
HERPHLPB.....	255
HERREC.....	40
HERSERPB.....	256
HERSMOK2.....	209
HERSMOKE.....	185
HERSNIF2.....	209
HERSNIFF.....	185
HERWD3SX.....	253
HERWDSMT.....	254
HERYFU.....	39

VARIABLE NAME	PAGE
-----	-----
HERYLU.....	348
HERYR.....	142
HERYRTOT.....	40
HEWKAVE.....	173
HEYRAVE.....	172
HIVLIF.....	490
HIVYR.....	490
HL30EST.....	52
HLBSTWAY.....	51
HLCALL99.....	694
HLCALLFG.....	694
HLCLAST.....	687
HLCNOTMO.....	687
HLCNOTYR.....	687
HLDAYPMO.....	51
HLDAYPWK.....	51
HLDAYPYR.....	51
HLFQFLG.....	50
HLLOSRSN.....	688
HLNVCOST.....	688
HLNVNEED.....	688
HLNVOFFR.....	688
HLNVREF.....	688
HLNVSOR.....	689
HLTINALC.....	686
HLTINDRG.....	686
HTLTINMNT.....	686
HTLTINNOS.....	686
HTLTOTFG.....	50
HOMEVST.....	605
HOSPVST.....	604
HR30EST.....	41
HRBSTWAY.....	40
HRDAYPMO.....	41
HRDAYPWK.....	41
HRDAYPYR.....	40
HRFQFLG.....	40
HRNDLREC.....	187
HRSMKREC.....	185
HRSNFREC.....	185
HRTOTFG.....	40
HSDIPLMA.....	705
HSGED.....	706
HVYDRK2.....	148
HYDCODOP.....	151

VARIABLE NAME	PAGE
HYDROCD2.....	150
HYDROCOD.....	67
IEMAGE.....	148
IEMFLAG.....	147
IEMMON.....	147
IEMLYFU.....	148
IEMLYR.....	147
IFATHER.....	679
II2ALCD5.....	128
II2ALCFM.....	128
II2ALCFY.....	123
II2ALCRC.....	118
II2ANLFY.....	125
II2ANLRC.....	121
II2CGRFM.....	127
II2CGRRC.....	116
II2CHWFM.....	127
II2CHWRG.....	117
II2CIGFM.....	127
II2CIGRC.....	116
II2COCFM.....	129
II2COCFY.....	123
II2COCRC.....	118
II2CRKFM.....	129
II2CRKFY.....	124
II2CRKRC.....	119
II2ECSRC.....	120
II2EMST4.....	720
II2EMSTY.....	720
II2HALFM.....	130
II2HALFY.....	124
II2HALRC.....	119
II2HERFM.....	129
II2HERFY.....	124
II2HERRC.....	119
II2INHFM.....	130
II2INHFY.....	125
II2INHRC.....	120
II2LSDRC.....	120
II2MJFM.....	129
II2MJFY.....	123
II2MJRC.....	118
II2MTHFY.....	126
II2MTHRC.....	122
II2OXYFY.....	125

VARIABLE NAME	PAGE
II2OXYRC.....	121
II2PCPRC.....	120
II2SEDFY.....	126
II2SEDRC.....	122
II2SLTRC.....	117
II2SNFFM.....	128
II2SNFRC.....	118
II2STMFY.....	126
II2STMRC.....	122
II2TRNFY.....	125
II2TRNRC.....	121
IIALCAGE.....	132
IIALCD5.....	128
IIALCFM.....	128
IIALCFY.....	123
IIALCRC.....	118
IIALCYFU.....	133
IIANLAGE.....	135
IIANLFY.....	125
IIANLRC.....	121
IIANLYFU.....	136
IICD2YFU.....	131
IICDUAGE.....	131
IICGAVD.....	297
IICGCRGP.....	296
IICGCRV.....	296
IICGINCR.....	299
IICGINFL.....	299
IICGIRTB.....	296
IICGLMR.....	300
IICGNCG.....	298
IICGNCTL.....	297
IICGNINF.....	299
IICGPLN.....	297
IICGRAGE.....	131
IICGRFM.....	127
IICGRGYD.....	298
IICGRGNM.....	298
IICGRGWK.....	298
IICGROUT.....	297
IICGRRC.....	116
IICGRYFU.....	131
IICGSAT.....	300
IICGSLHR.....	299
IICHMPUS.....	691

VARIABLE NAME	PAGE
IICHWAGE.....	132
IICHWFM.....	127
IICHWR.....	117
IICHWYFU.....	132
IICIGAGE.....	131
IICIGFM.....	127
IICIGRC.....	116
IICIGYFU.....	131
IICOCAGE.....	133
IICOCFM.....	129
IICOCFY.....	123
IICOCRC.....	118
IICOCYFU.....	133
IICRKAGE.....	133
IICRKFM.....	129
IICRKFY.....	124
IICRKRC.....	119
IICRKYFU.....	133
IIECSAGE.....	135
IIECSRC.....	120
IIECSYFU.....	135
IIEDUC2.....	700
IIEMPST4.....	720
IIEMPSTY.....	720
IIFAMCHD.....	683
IIFAMIN3.....	684
IIFAMINT.....	683
IIFAMOTH.....	684
IIFAMPMT.....	682
IIFAMSOC.....	681
IIFAMSSI.....	681
IIFAMSVC.....	682
IIFAMSZ2.....	680
IIFAMWAG.....	682
IIFSTAMP.....	682
IIHALAGE.....	134
IIHALFM.....	130
IIHALFY.....	124
IIHALRC.....	119
IIHALYFU.....	134
IIHERAGE.....	134
IIHERFM.....	129
IIHERFY.....	124
IIHERRC.....	119
IIHERYFU.....	134

VARIABLE NAME	PAGE
IIHH65_2.....	680
IIHHSIZ2.....	679
IIINHAGE.....	135
IIINHFM.....	130
IIINHFY.....	124
IIINHRC.....	120
IIINHYFU.....	135
IIINSUR.....	689
IIINSUR3.....	690
IIINSUR4.....	695
IIKI17_2.....	679
IIKIDFA2.....	680
II LSDAGE.....	134
II LSDRC.....	119
II LSDYFU.....	134
II MARIT.....	700
II MCDCHP.....	691
II MEDICR.....	691
II MJAGE.....	133
II MJFM.....	128
II MJFY.....	123
II MJRC.....	118
II MJYFU.....	133
II MTHAGE.....	137
II MTHFY.....	126
II MTHRC.....	122
II MTHYFU.....	137
II OTHHLT.....	692
II OXYAGE.....	136
II OXYFY.....	125
II OXYRC.....	121
II OXYYFU.....	136
II PCHD.....	683
II PCPAGE.....	135
II PCPRC.....	120
II PCPYFU.....	135
II PINC3.....	684
II PINSUR.....	689
II PINT.....	683
II PIPLF.....	116
II PIPMN.....	117
II POTH.....	683
II PPMT.....	682
II PRVHLT.....	691
II PSOC.....	681

VARIABLE NAME	PAGE
IIPSSI.....	681
IIPSVC.....	682
IIPWAG.....	681
IISEDAGE.....	137
IISEDFY.....	126
IISEDRC.....	122
IISEDYFU.....	137
IISLTAGE.....	132
IISLTTRC.....	117
IISLTYFU.....	132
IISNFAGE.....	132
IISNPFM.....	128
IISNFRC.....	117
IISNFYFU.....	132
IISTMAGE.....	136
IISTMFY.....	126
IISTMRC.....	121
IISTMYFU.....	137
IITRNAGE.....	136
IITRNFY.....	125
IITRNRC.....	121
IITRNYFU.....	136
IIWELMOS.....	683
ILLNEED.....	472
ILLPCAID.....	467
ILLPCARE.....	467
ILLPCORT.....	468
ILLPEMPL.....	468
ILLPFMLY.....	468
ILLPINS.....	467
ILLPMILC.....	468
ILLPPUBP.....	467
ILLPSAVE.....	467
ILLTRMT.....	465
IMOTHER.....	679
IN30EST.....	64
INBSTWAY.....	63
INCOME.....	693
INCSAMP.....	696
INDAYPMO.....	63
INDAYPWK.....	63
INDAYPYR.....	63
INFQFLG.....	62
INFRAME3.....	175
INHAGE.....	61

VARIABLE NAME	PAGE
INHAGLST.....	353
INHCUTDN.....	264
INHCUTEV.....	264
INHDY30A.....	64
INHEMCTD.....	265
INHEMOPB.....	264
INHEVER.....	61
INHFLAG.....	143
INHFMCTD.....	267
INHFMFPB.....	267
INHGTOVR.....	263
INHKPLMT.....	263
INHLAWTR.....	266
INHLIMIT.....	263
INHLOTTM.....	262
INHLSACT.....	265
INHLSEFX.....	264
INHMDAYS.....	158
INHMFU.....	62
INHMLU.....	354
INHMON.....	143
INHNDMOR.....	263
INHNEWA.....	59
INHNEWB.....	60
INHNEWC.....	60
INHNEWD.....	60
INHNEWE.....	61
INHNOLST.....	58
INHOSPYR.....	480
INHPDANG.....	266
INHPHCTD.....	265
INHPHLPB.....	265
INHREC.....	62
INHSERPB.....	266
INHYDAYS.....	157
INHYFU.....	61
INHYLU.....	353
INHYR.....	143
INHYRTOT.....	62
INLAST.....	175
INMONAVE.....	176
INRECDK.....	175
INRECRE.....	175
INTOTFG.....	62
INWKAVE.....	176

VARIABLE NAME	PAGE
INYRAVE.....	176
IONAMIN.....	96
IONAMIN2.....	154
IRALCAGE.....	132
IRALCD5.....	128
IRALCFM.....	128
IRALCFY.....	123
IRALCRC.....	118
IRALCYFU.....	133
IRANLAGE.....	135
IRANLFY.....	125
IRANLRC.....	120
IRANLYFU.....	135
IRCD2YFU.....	131
IRCDUAGE.....	131
IRCGAVD.....	297
IRCGCRGP.....	296
IRCGCRV.....	296
IRCGINCR.....	299
IRCGINF.....	299
IRCGIRTB.....	296
IRCGLMR.....	300
IRCGNCG.....	298
IRCGNCTL.....	297
IRCGNINF.....	299
IRCGPLN.....	297
IRCGRAGE.....	131
IRCGRFM.....	127
IRCGRGDY.....	298
IRCGRGNM.....	298
IRCGRGWK.....	298
IRCGROUT.....	297
IRCGRRC.....	116
IRCGRYFU.....	131
IRCGSAT.....	300
IRCGSLHR.....	299
IRCHMPUS.....	691
IRCHWAGE.....	132
IRCHWFM.....	127
IRCHWRC.....	117
IRCHWYFU.....	132
IRCIGAGE.....	131
IRCIGFM.....	127
IRCIGRC.....	116
IRCIGYFU.....	131

VARIABLE NAME	PAGE
IRCOCAFE.....	133
IRCOCFM.....	129
IRCOCFY.....	123
IRCOCRC.....	118
IRCOCYFU.....	133
IRCRKAGE.....	133
IRCRKFM.....	129
IRCRKFY.....	123
IRCRKRC.....	119
IRCRKYFU.....	133
IREECSAGE.....	135
IREECSRC.....	120
IREECSYFU.....	135
IREDUC2.....	700
IRFAMCHD.....	683
IRFAMIN3.....	684
IRFAMINT.....	683
IRFAMOTH.....	683
IRFAMPT.....	682
IRFAMSOC.....	681
IRFAMSSI.....	681
IRFAMSVC.....	682
IRFAMSZ2.....	680
IRFAMWAG.....	682
IRFSTAMP.....	682
IRHALAGE.....	134
IRHALFM.....	129
IRHALFY.....	124
IRHALRC.....	119
IRHALYFU.....	134
IRHERAGE.....	134
IRHERFM.....	129
IRHERFY.....	124
IRHERRC.....	119
IRHERYFU.....	134
IRHH65_2.....	680
IRHHSIZ2.....	679
IRINHAGE.....	135
IRINHFM.....	130
IRINHFY.....	124
IRINHRC.....	120
IRINHYFU.....	135
IRINSUR.....	689
IRINSUR3.....	690
IRINSUR4.....	694

VARIABLE NAME	PAGE
IRK117_2.....	679
IRKIDFA2.....	680
IRLSDAGE.....	134
IRLSDRC.....	119
IRLSDYFU.....	134
IRMARIT.....	700
IRMCDCHP.....	691
IRMEDICR.....	691
IRMJAGE.....	133
IRMJFM.....	128
IRMJFY.....	123
IRMJRC.....	118
IRMJYFU.....	133
IRMTHAGE.....	137
IRMTHFY.....	126
IRMTHRC.....	122
IRMTHYFU.....	137
IROTHHLT.....	692
IROXYAGE.....	136
IROXYFY.....	125
IROXYRC.....	121
IROXXYFU.....	136
IRPCHD.....	683
IRPCPAGE.....	134
IRPCPRC.....	120
IRPCPYFU.....	135
IRPINC3.....	684
IRPINSUR.....	689
IRPINT.....	683
IRPIPLF.....	116
IRPIPMN.....	116
IRPOTH.....	683
IRPPMT.....	682
IRPRVHLT.....	691
IRPSOC.....	681
IRPSSI.....	681
IRPSVC.....	682
IRPWAG.....	681
IRSEDAGE.....	137
IRSEDFY.....	126
IRSEDRC.....	122
IRSEDYFU.....	137
IRSEX.....	700
IRSLTAGE.....	132
IRSLTRC.....	117

VARIABLE NAME	PAGE
IRSLTYFU.....	132
IRSNPAGE.....	132
IRSNFFM.....	127
IRSNFRC.....	117
IRSNFYFU.....	132
IRSTMAGE.....	136
IRSTMFY.....	126
IRSTMRC.....	121
IRSTMYFU.....	136
IRTRNAGE.....	136
IRTRNFY.....	125
IRTRNRC.....	121
IRTRNYFU.....	136
IRWELMOS.....	682
JBSTATR2.....	710
K6SMXADJ.....	551
KET AFLGR.....	210
KETAMINE.....	199
KETAMONR.....	210
KETAREC.....	205
KETAYRR.....	210
KLONOP12.....	152
KLONOPIN.....	83
LANGVER.....	697
LASTTXSP.....	469
LFSCHWH2.....	707
LFTSCHA2.....	708
LGAS.....	57
LGAS2.....	149
LIBRIUM.....	85
LIBRIUM2.....	152
LIFANXD.....	481
LIFASMA.....	481
LIFBRONC.....	481
LIFCIRR.....	481
LIFDEPRS.....	481
LIFDIAB.....	481
LIFHARTD.....	482
LIFHBP.....	482
LIFHEPAT.....	482
LIFHIV.....	482
LIFLUNCA.....	482
LIFNONE.....	484
LIFPANCER.....	482
LIFPNEU.....	482

VARIABLE NAME	PAGE
LIFSLPAP.....	483
LIFSTDS.....	483
LIFSTROK.....	483
LIFTINN.....	483
LIFTUBRC.....	483
LIFULCER.....	483
LIMBTRL2.....	152
LIMBTROL.....	85
LOCDOC.....	471
LOCHOSP.....	471
LOCJAIL.....	472
LOCMHC.....	471
LOCRFIN.....	471
LOCRFOP.....	471
LOCSHG.....	472
LOCSIZE.....	716
LOCTXER.....	471
LS10.....	174
LS16.....	174
LS22.....	174
LSD.....	42
LSDAGE.....	52
LSDAGLST.....	350
LSDFLAG.....	142
LSDMFU.....	53
LSDMIU.....	351
LSDMON.....	143
LSDREC.....	53
LSDYFU.....	52
LSDYLU.....	350
LSDYR.....	143
LSFRAME3.....	173
LSLAST.....	173
LSMONAVE.....	174
LSRECDK.....	173
LSRECRE.....	173
LSWKAVE.....	174
LSYRAVE.....	174
LUNCALIF.....	490
LUNCAYR.....	490
MAZANOR.....	96
MAZANOR2.....	154
MAZINDOL.....	154
MDEIMPA.....	575

VARIABLE NAME	PAGE
MDEIMPY.....	654
MDELT.....	656
MDERXO.....	657
MDETXARX.....	657
MDETXO.....	657
MDETXRX.....	657
MDEYR.....	656
MEDICARE.....	684
MEPROB.....	85
MEPROB2.....	152
MEPROBPD.....	153
MESC.....	43
MESC2.....	149
METHAGE.....	103
METHAQ.....	107
METHAQ2.....	155
METHDES.....	94
METHDES2.....	153
METHDEXM.....	155
METHDON.....	67
METHDON2.....	150
METHMFU.....	104
METHMLU.....	360
METHREC.....	104
METHYFU.....	104
METHYLU.....	360
MHASPTR2.....	519
MHLCLNC2.....	513
MHLDOC2.....	513
MHLDTM12.....	513
MHLMNT2.....	513
MHLOTH2.....	515
MHLSCHL2.....	514
MHLTHER2.....	513
MHNSPTR2.....	519
MHOSPTR2.....	519
MHPDEMP2.....	516
MHPDFRE2.....	516
MHPDMCD2.....	516
MHPDMCR2.....	516
MHPDML2.....	516
MHPDOFM2.....	515
MHPDPHI2.....	515
MHPDPRV2.....	516
MHPDPUB2.....	516

VARIABLE NAME	PAGE
MHPDREH2.....	516
MHPDSL2.....	515
MHRCFID2.....	517
MHRCMIT2.....	517
MHRCOST2.....	517
MHRENUF2.....	517
MHRFOUT2.....	518
MHRHAND2.....	518
MHRJOBS2.....	517
MHRNBRS2.....	517
MHRNCOV2.....	517
MHRNOHP2.....	518
MHRNOND2.....	518
MHSOTH2.....	518
MHRTIME2.....	518
MHRTRAN2.....	518
MHRWHER2.....	517
MILSTAT.....	699
MILTOWN.....	86
MILTOWN2.....	152
MJAFU.....	156
MJAGE.....	27
MJDAY30A.....	30
MJEVER.....	27
MJFQFLG.....	28
MJFRAME3.....	168
MJLAST3.....	167
MJMFU.....	28
MJMONAVE.....	169
MJOFLAG.....	147
MJOMON2.....	147
MJOYR2.....	147
MJPBTFRM.....	337
MJPBTPL2.....	337
MJPFRREGT.....	338
MJPFRPL2.....	338
MJPGOT.....	337
MJPRIOR.....	398
MJPRIYR.....	398
MJPRNOYR.....	398
MJREC.....	28
MJRECDK.....	168
MJRECRE.....	168
MJWKAVE.....	169
MJYFU.....	27

VARIABLE NAME	PAGE
MJYRAVE.....	168
MJYRTOT.....	28
MMBATJOB.....	326
MMBCLOSE.....	326
MMBGIVE.....	327
MMBPLACE.....	325
MMBPLOS2.....	326
MMBSELL.....	327
MMBT30DY.....	320
MMBTPYR.....	319
MMBTREC1.....	319
MMBTREC2.....	319
MMBUYWHO.....	325
MMFCLOSE.....	335
MMFGIVE.....	336
MMFKEEP.....	335
MMFPLACE.....	334
MMFPLOS2.....	335
MMFREWHO.....	334
MMFSELL.....	336
MMGETMJ.....	319
MMGGIVE.....	333
MMGKEEP.....	333
MMGSELL.....	333
MMJNPCT.....	321
MMJNPCTB.....	320
MMJNTL00.....	320
MMJNTNUM.....	320
MMLS10GM.....	322
MMLS5LBS.....	322
MMLSGMS.....	321
MMLSLBS.....	322
MMLSOZS.....	322
MMLSPCAT.....	324
MMLSPCTB.....	323
MMLSUNIT.....	321
MMT30FRQ.....	328
MMTCLOSE.....	332
MMTGIVE.....	333
MMTJNTLS.....	328
MMTJNTNM.....	328
MMTJWRCB.....	329
MMTJWRTH.....	329
MMTKEEP.....	332
MMTLGMS.....	330

VARIABLE NAME	PAGE
MMTLOZS.....	330
MMTLUNIT.....	329
MMTLWRCB.....	330
MMTLWRTH.....	331
MMTPPLACE.....	332
MMTPLOS2.....	332
MMTRADE.....	327
MMTRD30D.....	327
MMTRDREC.....	328
MMTRDWHO.....	331
MMTSELL.....	333
MORPHIN2.....	150
MORPHINE.....	67
MOVESPY2.....	703
MOVYRFLG.....	703
MR30EST.....	30
MRBSTWAY.....	29
MRDAYPMO.....	29
MRDAYPWK.....	29
MRDAYPYR.....	29
MRJAGLST.....	339
MRJCUTDN.....	240
MRJCUTEV.....	240
MRJEMCTD.....	241
MRJEMOPB.....	240
MRJFLAG.....	142
MRJFMCTD.....	243
MRJFMFPB.....	243
MRJGTOVR.....	238
MRJKPLMT.....	239
MRJLAWTR.....	243
MRJLIMIT.....	239
MRJLOTTM.....	238
MRJLSACT.....	242
MRJLSEFX.....	240
MRJMDDAYS.....	157
MRJMLU.....	340
MRJMON.....	142
MRJNDMOR.....	239
MRJPDANG.....	242
MRJPHCTD.....	241
MRJPHLPB.....	241
MRJSERPB.....	242
MRJYDAYS.....	157
MRJYLU.....	339

VARIABLE NAME	PAGE
MRJYR.....	142
MRJYRBFR.....	339
MRTOTFG.....	28
MTABSTWY.....	191
MTADYPMO.....	191
MTADYPWK.....	192
MTADYPYR.....	191
MTAFQFLG.....	191
MTANDLRC.....	189
MTBSTWAY.....	105
MTDAYPMO.....	106
MTDAYPK.....	106
MTDAYPYR.....	105
MTFQFLG.....	105
MTHAAGE.....	190
MTHAGLST.....	359
MTHAMFU.....	190
MTHAMP.....	188
MTHANEDL.....	188
MTHAREC.....	188
MTHAYFU.....	190
MTHAYTOT.....	191
MTHDEAL2.....	407
MTHDEALR.....	386
MTHEVCK.....	189
MTHFFBOT.....	387
MTHFFBY2.....	417
MTHFFDL2.....	417
MTHFFDLR.....	388
MTHFFLAS.....	389
MTHFFLSP.....	390
MTHFFNET.....	388
MTHFFNT2.....	417
MTHFFOSP.....	388
MTHFFOT2.....	418
MTHFFOTH.....	388
MTHFFRE2.....	417
MTHFFREE.....	387
MTHFFTAK.....	387
MTHFTK2.....	417
MTHFLAG.....	145
MTHFRBUY.....	386
MTHFRBY2.....	407
MTHFRFE2.....	406
MTHFRFRE.....	385

VARIABLE NAME	PAGE
MTHFRTK2.....	407
MTHFRTKE.....	386
MTHGTLAS.....	389
MTHGTOS2.....	389
MTHINET.....	386
MTHINET2.....	407
MTHLTSC4.....	401
MTHMON.....	145
MTHNCFLG.....	359
MTHNEEDL.....	187
MTHNORSN.....	189
MTHNOSP.....	189
MTHOTHS2.....	387
MTHOTHW2.....	407
MTHOTHWY.....	386
MTHSRCFR.....	411
MTHYR.....	145
MTHYRTOT.....	104
MTNDLREC.....	187
MTTOTFG.....	105
MUSCRELX.....	153
MVIN5YR2.....	542
MXMJPNLT.....	317
NDEFALC.....	475
NDEFANL.....	476
NDEFCCOC.....	476
NDEFHAL.....	476
NDEFHER.....	476
NDEFIA.....	477
NDEFILL.....	476
NDEFINH.....	476
NDEFMRJ.....	476
NDEFSED.....	476
NDEFSTM.....	476
NDEFTRN.....	476
NDLREC06.....	208
NDMRBUSY.....	440
NDMRFOUT.....	440
NDMRHNDL.....	440
NDMRJOB.....	439
NDMRLMCV.....	438
NDMRNBR.....	439
NDMRNHCV.....	438
NDMRNHLP.....	440
NDMRNOND.....	440

VARIABLE NAME	PAGE
NDMRNTSP.....	438
NDMROPN.....	439
NDMRREDY.....	439
NDMRSOR.....	441
NDMRTYPE.....	438
NDMRWHER.....	439
NDSSANS.....	301
NDSSDNP.....	301
NDTMRALC.....	428
NDTMRANL.....	429
NDTMRCOC.....	428
NDTMREFT.....	438
NDTMRHAL.....	428
NDTMRHER.....	428
NDTMRINH.....	428
NDTMRMJ.....	428
NDTMROTH.....	429
NDTMRSED.....	429
NDTMRSTM.....	429
NDTMRTRN.....	429
NDTXALC2.....	473
NDTXALCR.....	429
NDTXANL2.....	473
NDTXANLR.....	431
NDTXBUSY.....	437
NDTXCOC2.....	473
NDTXCOCR.....	430
NDTXDG1R.....	433
NDTXDG2R.....	433
NDTXDG3R.....	433
NDTXDG4R.....	434
NDTXDG5R.....	434
NDTXEFTR.....	434
NDTXFOUT.....	437
NDTXHAL2.....	473
NDTXHALR.....	431
NDTXHER2.....	473
NDTXHERR.....	430
NDTXHNDL.....	437
NDTXINH2.....	473
NDTXINHR.....	431
NDTXJOB.....	436
NDTXLMCV.....	435
NDTXMJR.....	430
NDTXMORE.....	427

VARIABLE NAME	PAGE
NDTXMRJ2	473
NDTXNBR	436
NDTXNEDR	427
NDTXNHCV	434
NDTXNHLP	437
NDTXNOND	436
NDTXNTSP	435
NDTXOPEN	435
NDTXREDY	435
NDTXSED2	473
NDTXSEDR	432
NDTXSODR	433
NDTXSOR	437
NDTXSTM2	473
NDTXSTM	432
NDTXTRN2	473
NDTXTRNR	432
NDTXTYPE	435
NDTXWHER	436
NEDCOC	209
NEDFLG01	208
NEDHER	209
NEDLRECR	207
NEDMTH	209
NEDSTM	209
NEMBBAR2	155
NEMBBARB	107
NEWRACE2	702
NILALMON	149
NITOXID	58
NITOXID2	149
NMERTMT2	480
NMHSPTR2	519
NMNNGTHS2	480
NOBOOKY2	309
NODR30A	25
NOMARR2	698
NRCH17_2	679
NSPDDPAU	552
NSPNPDAU	552
NURSMDE	659
OBLA	96
OBLA2	154
OMDMDE	657
OMHMDE	659

VARIABLE NAME	PAGE
OSTNEEDL.....	192
OSTNLREC.....	192
OTCFLAG.....	205
OTDGNDLA.....	194
OTDGNDLB.....	195
OTDGNDLC.....	195
OTDGNDLD.....	196
OTDGNDLE.....	196
OTDGNEDL.....	193
OTHANL.....	151
OTHINS.....	695
OTHMDE.....	660
OTHSED.....	155
OTHSTM.....	154
OTHTRN.....	153
OXBSTWAY.....	81
OXDAYPMO.....	82
OXDAYPWK.....	82
OXDAYPYR.....	81
OXFQFLG.....	81
OXTOTFG.....	81
OXYAGLST.....	355
OXYCAGE.....	79
OXYCMFU.....	80
OXYCMLU.....	356
OXYCODP2.....	151
OXYCONTN.....	68
OXYCREC.....	80
OXYCYFU.....	80
OXYCYLU.....	355
OXYFLAG.....	143
OXYMON.....	144
OXYRR.....	143
OXYRTOT.....	81
PANCRLIF.....	490
PANCRYR.....	490
PARCHKHW.....	542
PARHLPHW.....	542
PARLMTSN.....	543
PAROL.....	318
PAROLREL.....	316
PCP.....	42
PCPAGE.....	53
PCPAGLST.....	351
PCPFLAG.....	143

VARIABLE NAME	PAGE
PCPMFU.....	54
PCPMLU.....	352
PCPMON.....	143
PCPREC.....	54
PCPYFU.....	53
PCPYLU.....	351
PCPYR.....	143
PDEN.....	721
PERCTYL2.....	150
PERCTYLX.....	65
PEYOTE.....	42
PEYOTE2.....	149
PHENCOD.....	68
PHENCOD2.....	150
PHENOBAR.....	109
PHENOBR2.....	155
PIPE30DY.....	21
PIPEVER.....	21
PIPFLAG.....	138
PIPMON.....	138
PLACIDY2.....	155
PLACIDYL.....	109
PLCYCOV.....	717
PLEGINE.....	97
PLEGINE2.....	154
PNEULIF.....	490
PNEUYR.....	490
POVERTY2.....	693
PR09.....	176
PR10.....	177
PR11.....	177
PR12.....	177
PR13.....	178
PR19.....	178
PR20.....	178
PR21.....	178
PR22.....	178
PR23.....	179
PRALDLY2.....	544
PRBSOLV2.....	545
PRBSTWAY.....	78
PRCHORE2.....	543
PRDAYPMO.....	79
PRDAYPWK.....	79
PRDAYPYR.....	78

VARIABLE NAME	PAGE
PREG.....	488
PREG2.....	488
PREGAGE2.....	701
PREGNANT.....	480
PREGPGM2.....	545
PRELUDIN.....	97
PRELUDN2.....	154
PREVIOL2.....	545
PRFQFLG.....	78
PRGDJOB2.....	543
PRLMTTV2.....	543
PRMJEVRL2.....	544
PRMJMO.....	544
PROB.....	318
PROBATON.....	315
PROCODNP.....	151
PROPOXY.....	68
PROPOXY2.....	150
PRPKCIG2.....	544
PRPROUD2.....	543
PRRECDK.....	176
PRRECRE.....	177
PRTALK3.....	545
PRTOTFG.....	78
PRVDRGO2.....	545
PRVHLTIN.....	685
PRXYDATA.....	680
PSILCY.....	43
PSILCY2.....	149
PSY1MDE.....	658
PSY2MDE.....	658
PSYAGE2.....	146
PSYFLAG2.....	146
PSYMON2.....	146
PSYYFU2.....	146
PSYYR2.....	146
QUARTER.....	697
QUESTID2.....	1
RDIFCOC.....	219
RDIFCRK.....	219
RDIFHER.....	219
RDIFLSD.....	219
RDIFMJ.....	219
RELMDE.....	660
RESIDVST.....	604

VARIABLE NAME	PAGE
RESTTMA2.....	155
RESTTMAZ.....	108
RITMPHE2.....	153
RITMPHEN.....	95
RK5ALDLY.....	214
RK5ALWK.....	214
RKCOCOCC.....	214
RKCOCREG.....	214
RKDIFCOC.....	215
RKDIFCRK.....	215
RKDIFHER.....	216
RKDIFLSD.....	215
RKFQDBLT.....	217
RKFQDNGR.....	216
RKFQPBLT.....	216
RKFQRSKY.....	216
RKHERRREG.....	213
RKLSDRREG.....	213
RKTRYHER.....	213
RKTRYLSD.....	213
RLGATTD.....	546
RLGDCSN.....	546
RLGFRND.....	546
RLGIMPT.....	546
ROHYPNL2.....	152
ROHYPNOL.....	86
RSKDFM.....	215
RSKMJOCC.....	212
RSKMJREG.....	212
RSKPCKIG.....	212
RSKSELL.....	216
RSNMRJMO.....	222
RSNOMRJ.....	222
RTDALHAL.....	155
RXMDEYR.....	657
SALVDIV.....	199
SALVFLGR.....	210
SALVMONR.....	211
SALVREC.....	206
SALVYRR.....	210
SANOREX.....	97
SANOREX2.....	154
SCHDSICK.....	705
SCHDSKIP.....	705
SCHENRL.....	704

VARIABLE NAME	PAGE
SCHFELT.....	542
SDNTFTPT.....	705
SEDAGE.....	112
SEDAGLST.....	360
SEDCARD.....	108
SEDCUT1X.....	291
SEDCUTDN.....	290
SEDCUTEV.....	291
SEDEAL2.....	406
SEDEALR.....	391
SEDEMCTD.....	293
SEDEMOPB.....	292
SEDEVER.....	112
SEDF1D2.....	416
SEDF1DR.....	392
SEDFFAK2.....	416
SEDFFAKE.....	393
SEDFFBOT.....	393
SEDFFBY2.....	416
SEDFFDL2.....	416
SEDFFDLR.....	394
SEDFFDRS.....	393
SEDFFDSS2.....	416
SEDFFLAS.....	396
SEDFFLSP.....	396
SEDFNET.....	394
SEDFN12.....	417
SEDFOSP.....	394
SEDFOT2.....	417
SEDFOTH.....	394
SEDFRE2.....	416
SEDFFREE.....	393
SEDFST2.....	416
SEDFSTL.....	393
SEDFTAK.....	393
SEDFFTK2.....	416
SEDFLAG.....	145
SEDFMCTD.....	295
SEDFMFNB.....	295
SEDFRBUY.....	391
SEDFRBY2.....	406
SEDFRFE2.....	406
SEDFRFRE.....	391
SEDFRTK2.....	406
SEDFRTKE.....	391

VARIABLE NAME	PAGE
SEDGTLA2.....	395
SEDGTO\$2.....	395
SEDGTOVR.....	289
SEDINET.....	392
SEDINET2.....	406
SEDKPLMT.....	290
SEDLAWTR.....	295
SEDLIMIT.....	289
SEDLOTTM.....	289
SEDLISACT.....	294
SEDLSEFX.....	290
SEDLTS2.....	400
SEDMFU.....	113
SEDMLU.....	361
SEDMON.....	145
SEDNNDMOR.....	290
SEDNEWA.....	110
SEDNEWB.....	111
SEDNEWC.....	111
SEDNEWD.....	111
SEDNEWE.....	111
SEDNOLST.....	110
SEDOTHS2.....	392
SEDOTHW2.....	406
SEDOTHWY.....	392
SEDPDANG.....	294
SEDPHCTD.....	293
SEDPHLPB.....	293
SEDRREC.....	113
SEDRX1D2.....	405
SEDRX1DR.....	390
SEDRXDRS.....	390
SEDRXDS2.....	405
SEDRXFAK.....	390
SEDRXFK2.....	405
SEDSERP.....	294
SEDSRCFR.....	410
SEDstol2.....	406
SEDstole.....	391
SEDWd1sx.....	291
SEWDWSMT.....	292
SEDYFU.....	112
SEDYLU.....	361
SEDYR.....	145
SEDYRTOT.....	113

VARIABLE NAME	PAGE
SEMANGR.....	632
SEMBRK.....	632
SEMDPR.....	631
SEMEAT.....	632
SEMFEA.....	631
SEMFITE.....	632
SEMFMLY.....	632
SEMFRND.....	632
SEMMEND.....	632
SEMOTH2.....	632
SEMOTPP.....	632
SEMSCHL.....	632
SEMSUI.....	631
SERAX.....	86
SERAX2.....	152
SERVICE.....	698
SEXAGE.....	701
SEXRACE.....	702
SHCNANGR.....	628
SHCNBRK.....	628
SHCNDPR.....	627
SHCNEAT.....	628
SHCNFEA.....	627
SHCNFITE.....	628
SHCNFMLY.....	628
SHCNFRND.....	628
SHCNMEND.....	628
SHCNOTH2.....	628
SHCNOTPP.....	628
SHCNSCHL.....	628
SHCNSUI.....	627
SIMHANGR.....	610
SIMHBRK.....	609
SIMHDPR.....	608
SIMHEAT.....	610
SIMHFEA.....	609
SIMHFITE.....	611
SIMHFMLY.....	611
SIMHFRND.....	612
SIMHMEND.....	613
SIMHOTH2.....	614
SIMHOTPP.....	612
SIMHSCHL.....	613
SIMHSUI.....	608
SINUSLIF.....	491

VARIABLE NAME	PAGE
SINUSYR.....	491
SK65A.....	68
SK65A2.....	150
SLPAPLIF.....	491
SLPAPYR.....	491
SLT30BR2.....	16
SLT30FAV.....	17
SLTMFU.....	15
SLTREC.....	16
SLTTRY.....	15
SLTYFU.....	15
SMHANGR.....	623
SMHBRK.....	622
SMHDPR.....	621
SMHEAT.....	623
SMHFEEA.....	622
SMHFITE.....	624
SMHFMLY.....	624
SMHFRND.....	625
SMHMEND.....	626
SMHOTH2.....	627
SMHOTPP.....	625
SMHSCHL.....	626
SMHSUI.....	621
SMHVST.....	607
SMKFLAG.....	138
SMKMON.....	138
SMKYR.....	138
SN30EST.....	11
SNF30BR2.....	11
SNF30USE.....	10
SNFAGLST.....	342
SNFAMJEV.....	521
SNFEVER.....	9
SNFFLAG.....	138
SNFMON.....	139
SNFREC.....	10
SNFYR.....	139
SNMOV5Y2.....	520
SNRLDCSN.....	522
SNRLFRND.....	522
SNRLGIMP.....	522
SNRLGSVC.....	521
SNUFMU.....	10
SNUFMLU.....	343

VARIABLE NAME	PAGE
SNUFTRY.....	9
SNUFYFU.....	9
SNUFYLU.....	342
SNYATTAK.....	521
SNYSELL.....	520
SNYSTOLE.....	520
SOCMDE.....	658
SOLVENT.....	57
SOLVENT2.....	149
SOMA.....	86
SOMA2.....	153
SOMHANGR.....	617
SOMHBRK.....	616
SOMHDPR.....	615
SOMHEAT.....	616
SOMHFEA.....	615
SOMHFITE.....	617
SOMHFMLY.....	618
SOMHFRND.....	618
SOMHMEND.....	620
SOMHOTH2.....	620
SOMHOTPP.....	619
SOMHSCHL.....	619
SOMHSUI.....	614
SPDADPAU.....	551
SPDNNDPAU.....	552
SPDODPAU.....	551
SPDYRADJ.....	551
SPD_UADJ.....	550
SPD_USCR.....	550
SPECTALC.....	468
SPECTILL.....	469
SPILANAL.....	469
SPILLALC.....	469
SPINVST.....	606
SPOUTVST.....	606
SPPAINT.....	58
SPPAINT2.....	149
ST09.....	180
ST10.....	181
ST11.....	181
ST12.....	182
ST13.....	182
ST19.....	182
ST20.....	182

VARIABLE NAME	PAGE
ST21.....	182
ST22.....	183
ST23.....	183
STADOL.....	68
STADOL2.....	150
STBSTWAY.....	102
STDAYPMO.....	103
STDAYPWK.....	103
STDAYPYR.....	103
STDLSLIF.....	491
STDSSYR.....	491
STFQFLG.....	102
STIMAGE.....	100
STIMMFU.....	101
STIMMLU.....	359
STIMNEWA.....	98
STIMNEWB.....	99
STIMNEWC.....	99
STIMNEWD.....	100
STIMNEWE.....	100
STIMREC.....	101
STIMYFU.....	101
STIMYLU.....	358
STMAGLST.....	358
STMCARD.....	95
STMCUT1X.....	283
STMCUTDN.....	282
STMCUTEV.....	283
STMDAFLG.....	288
STMDEAL2.....	405
STMDEALR.....	380
STMEMCTD.....	285
STMEMOPB.....	285
STMEVER.....	100
STMFF1D2.....	414
STMFF1DR.....	381
STMFFAK2.....	414
STMFFAKE.....	382
STMFFBOT.....	382
STMFFBY2.....	415
STMFFDL2.....	415
STMFFDLR.....	383
STMFFDRS.....	381
STMFFDS2.....	414
STMFFLAS.....	385

VARIABLE NAME	PAGE
-----	-----
STMFFLSP.....	385
STMFFNET.....	383
STMFFNT2.....	415
STMFFPOS.....	383
STMFFOT2.....	415
STMFFOTH.....	383
STMFFRE2.....	415
STMFFREE.....	382
STMFFST2.....	415
STMFFSTL.....	382
STMFFTAK.....	382
STMFTK2.....	415
STMFLAG.....	144
STMFLBLU.....	283
STMFMCTD.....	288
STMFMFPB.....	288
STMFRBUY.....	380
STMFRBY2.....	405
STMFRFE2.....	404
STMFRFRE.....	380
STMFRTK2.....	405
STMFRTKE.....	380
STMGTLA2.....	384
STMGTOS2.....	384
STMGTOVR.....	281
STMINET.....	380
STMINET2.....	405
STMKPLMT.....	281
STMLAWTR.....	287
STMLIMIT.....	281
STMILOTTM.....	280
STMLSACT.....	286
STMLSEFX.....	282
STMLTS2.....	400
STMMON.....	144
STMNDMOR.....	282
STMNOLST.....	97
STMOTHS2.....	381
STMOTHW2.....	405
STMOTHWY.....	381
STMPDANG.....	287
STMPHCTD.....	286
STMPHLPB.....	285
STMRX1D2.....	404
STMRX1DR.....	379

VARIABLE NAME	PAGE
STMRXDRS.....	379
STMRXDS2.....	404
STMRXFAK.....	379
STMRXFK2.....	404
STMSERPB.....	287
STMSRCFR.....	410
STMSTOL2.....	404
STMSTOLE.....	379
STMWD2SX.....	284
STMWDSMT.....	284
STMYDAYS.....	157
STMYR.....	144
STMYRTOT.....	102
STNDALC.....	542
STNDDNK.....	542
STNDSCIG.....	542
STNDSMJ.....	542
STNEDL06.....	207
STNEEDLR.....	207
STNLRC06.....	208
STNLRECR.....	207
STRECDK.....	181
STRECRE.....	181
STROKLIF.....	491
STROKYR.....	491
STTOTFG.....	102
SUMAGE.....	147
SUMFLAG.....	146
SUMMON.....	147
SUMYFU.....	147
SUMYR.....	146
SV09.....	183
SV10.....	184
SV11.....	184
SV12.....	184
SV13.....	184
SVBSTWAY.....	114
SVDAYPMO.....	114
SVDAYPWK.....	115
SVDAYPYR.....	114
SVFQFLG.....	113
SVRECDK.....	183
SVRECRE.....	183
SVTOTFG.....	113
TALACEN.....	68

VARIABLE NAME	PAGE
TALACEN2.....	151
TALKPROB.....	545
TALWIN.....	69
TALWIN2.....	151
TALWINX.....	69
TALWINX2.....	151
TCHGJOB.....	542
TELNO2.....	708
TENUATE.....	97
TENUATE2.....	154
THERVST.....	605
TINNLIF.....	491
TINNYR.....	491
TOBFLAG.....	139
TOBMON.....	139
TOBYR.....	139
TOTCOKE.....	169
TOTCRACK.....	171
TOTDRINK.....	167
TOTHALL.....	173
TOOTHERO.....	172
TOTINHAL.....	175
TOTMJ.....	168
TR09.....	179
TR10.....	180
TR11.....	180
TR12.....	180
TR13.....	180
TRAMADL2.....	151
TRAMADOL.....	69
TRAMADP.....	152
TRANAGE.....	90
TRANMFU.....	91
TRANMLU.....	357
TRANREC.....	91
TRANXEN2.....	153
TRANXENE.....	86
TRANYFU.....	90
TRANYLU.....	356
TRBSTWAY.....	92
TRDAYPMO.....	92
TRDAYPWK.....	93
TRDAYPYR.....	92
TRFQFLG.....	91
TRIMEST.....	488

VARIABLE NAME	PAGE
TRNAGLST.....	356
TRNCARD.....	84
TRNCUTDN.....	276
TRNCUTEV.....	277
TRNDEAL2.....	404
TRNDEALR.....	374
TRNEMCTD.....	277
TRNEMOPB.....	277
TRNEVER.....	90
TRNEWA.....	88
TRNEWB.....	89
TRNEWC.....	89
TRNEWD.....	89
TRNEWE.....	89
TRNFF1D2.....	413
TRNFF1DR.....	375
TRNFFAK2.....	413
TRNFFAKE.....	375
TRNFFBOT.....	376
TRNFFBY2.....	413
TRNFFDL2.....	414
TRNFFDLR.....	376
TRNFFDRS.....	375
TRNFFDS2.....	413
TRNFFLAS.....	378
TRNFFLSP.....	378
TRNFFNET.....	376
TRNFFNT2.....	414
TRNFFOSP.....	377
TRNFFOT2.....	414
TRNFFOTH.....	377
TRNFFRE2.....	413
TRNFFREE.....	376
TRNFFST2.....	413
TRNFFSTL.....	375
TRNFFTAK.....	376
TRNFFTAK2.....	414
TRNFMCTD.....	280
TRNFMFPB.....	280
TRNFRBUY.....	373
TRNFRBY2.....	403
TRNFRFE2.....	403
TRNFRFRE.....	373
TRNFRTK2.....	403
TRNFRTKE.....	373

VARIABLE NAME	PAGE
TRNGTLA2.....	377
TRNGTOS2.....	378
TRNGTOVR.....	275
TRNINET.....	374
TRNINET2.....	404
TRNKPLMT.....	275
TRNLAWTR.....	279
TRNLIMIT.....	275
TRNLOTTM.....	274
TRNLSACT.....	278
TRNLSEFX.....	276
TRNLTS2.....	400
TRNNNDMOR.....	276
TRNOLST.....	87
TRNOHHS2.....	374
TRNOHWY2.....	404
TRNOHWY.....	374
TRNPDANG.....	279
TRNPHCTD.....	278
TRNPHLPB.....	278
TRNRX1D2.....	403
TRNRX1DR.....	372
TRNRXDRS.....	372
TRNRXDS2.....	403
TRNRXFAK.....	373
TRNRXFK2.....	403
TRNSERPB.....	279
TRNSRCFR.....	410
TRNSTOL2.....	403
TRNSTOLE.....	373
TRNYRTOT.....	91
TRQFLAG.....	144
TRQMON.....	144
TRQYR.....	144
TRRECDK.....	179
TRRECRE.....	179
TRTOTFG.....	91
TRYPFLGR.....	211
TRYPMONR.....	211
TRYPREC.....	205
TRYPTMN.....	199
TRYPYRR.....	211
TSTHIRE.....	718
TSTRAND.....	718
TUBRCLIF.....	492

VARIABLE NAME	PAGE
TUBRCYR.....	492
TUINAL.....	109
TUINAL2.....	155
TX12MSHG.....	463
TX12SGAD.....	463
TXALCDAG.....	458
TXALCDEV.....	458
TXALONAG.....	456
TXALONEV.....	456
TXDRGAAAG.....	459
TXDRGAEV.....	459
TXDRONAG.....	457
TXDRONEV.....	457
TXENROLL.....	455
TXEVER.....	419
TXFGADAG.....	462
TXFGALAG.....	461
TXFGDGAG.....	462
TXGAPALC.....	477
TXGPALLC.....	477
TXGPANLC.....	478
TXGPCOLC.....	478
TXGPHALC.....	478
TXGPHELC.....	478
TXGPILAL.....	477
TXGPINLC.....	478
TXGPMJLC.....	478
TXGPSELC.....	478
TXGPSTLC.....	478
TXGPTRLC.....	478
TXILALEV.....	465
TXILANAL.....	465
TXILLALC.....	465
TXLASREC.....	441
TXLTALC2.....	465
TXLTANL2.....	465
TXLTCOC2.....	465
TXLTHAL2.....	465
TXLTHER2.....	465
TXLTILL2.....	466
TXLTINH2.....	465
TXLTMJ2.....	465
TXLTSED2.....	466
TXLTSTM2.....	466
TXLTTRN2.....	466

VARIABLE NAME	PAGE
TXLTYALC.....	443
TXLTYANL.....	445
TXLTYCOC.....	444
TXLTYDU2.....	449
TXLTYHAL.....	444
TXLTYHER.....	444
TXLTYINH.....	445
TXLTYMJ.....	443
TXLTYMN2.....	442
TXLTYOU2.....	448
TXLTYSED.....	447
TXLTYSOD.....	447
TXLTYSTM.....	446
TXLTYTRN.....	446
TXMDEYR.....	656
TXNDILAL.....	472
TXNEDALC.....	472
TXNOSPEC.....	477
TXPCAID2.....	466
TXPCARE2.....	466
TXPCORT2.....	466
TXPEMPL2.....	467
TXPFMLY2.....	466
TXPINS2.....	466
TXPMILC2.....	466
TXPPUBP2.....	466
TXPSAVE2.....	466
TXPYCAID.....	450
TXPYCARE.....	450
TXPYCORT.....	452
TXPYEMPL.....	453
TXPYFMLY.....	452
TXPYFRE.....	455
TXPYINS.....	450
TXPYMILC.....	453
TXPYPUBP.....	451
TXPYSAVE.....	451
TXPYSOS.....	454
TXPYSP2.....	454
TXRCVNOW.....	426
TXRNBUSY.....	479
TXRNFOUT.....	479
TXRNHNDL.....	479
TXRNJOB.....	479
TXRNLMCV.....	478

VARIABLE NAME	PAGE
TXRNNBR.....	479
TXRNNHCV.....	478
TXRNNHLP.....	479
TXRNNOND.....	479
TXRNNSTP.....	479
TXRNNISP.....	478
TXRNOPEN.....	479
TXRNTYPE.....	479
TXRNWHER.....	479
TXSHGFLG.....	464
TXSPALC.....	469
TXSPANL.....	470
TXSPCOC.....	469
TXSPHAL.....	470
TXSPHER.....	470
TXSPINH.....	470
TXSPMRJ.....	469
TXSPSED.....	470
TXSPSTM.....	470
TXSPTRN.....	470
TXYADAAG.....	461
TXYADDAG.....	461
TXYALAGE.....	459
TXYALDAG.....	460
TXYALDRG.....	460
TXYDRAAG.....	461
TXYDRAGE.....	460
TXYDRALC.....	460
TXYRADG.....	420
TXYRDCAD.....	423
TXYRDOC.....	423
TXYRTXO.....	455
TXYRERAD.....	423
TXYREVER.....	419
TXYRHOSP.....	420
TXYRHPAD.....	420
TXYRINAD.....	421
TXYRJAIL.....	424
TXYRJLAD.....	424
TXYRMHAD.....	422
TXYRMHC.....	422
TXYRNME2.....	426
TXYROTAD.....	425
TXYROTS2.....	425
TXYRPOAD.....	422

VARIABLE NAME	PAGE
TXYRRFIN	421
TXYRFOP	421
TXYRSGAD	424
TXYRSHG	424
TXYRSOP	425
TXYRTXER	423
TXYRVSER	426
UADBAR	674
UADBUND	675
UADBWHO	675
UADCAG	676
UADCAR	674
UADEVNTI	674
UADFRD	676
UADFWHO	676
UADHOME	674
UADMONY	675
UADOTHM	674
UADOTSP	675
UADPAID	675
UADPEOP	674
UADPLACE	675
UADPUBL	674
UADROTH	675
UADSCHL	674
ULCERLIF	492
ULCERYR	492
ULTRAM	69
ULTRAM2	151
USALCTST	717
USDRGTST	717
USEACM	363
USEALCG	362
USEALMJ	363
USEMJCG	362
USENEXT	364
VALMDIA2	152
VALMDIAZ	84
VEREP	722
VESTR	722
VICOLOR	66
VICOLOR2	150
VISTAR	87
VISTAR2	153
WKDRGED	717

VARIABLE NAME	PAGE
WORKBLAH.....	716
WORKDAYS.....	716
WORKRAND.....	719
WRKBZCA2.....	712
WRKBZCY2.....	715
WRKEDYR.....	713
WRKHAVJB.....	710
WRKHIRE.....	718
WRKHRSW2.....	710
WRKIDST2.....	711
WRKIDSY2.....	714
WRKJOBS2.....	713
WRKLSTY2.....	714
WRKOCUP2.....	712
WRKOCUY2.....	715
WRKSLFEM.....	713
WRKUNEMP.....	713
WRKUNWKS.....	714
XNAXATV2.....	152
XNAXATVN.....	83
YCLIN.....	601
YDAYTRT.....	601
YEATNDYR.....	523
YECOMACT.....	538
YEDECLAS.....	539
YEDERGLR.....	539
YEDESPCL.....	539
YEDGPRGP.....	537
YEFAIACT.....	538
YEFALDLY.....	534
YEFMJEVR.....	534
YEFMJMO.....	534
YEFPKCIG.....	534
YEGALDLY.....	533
YEGMJEVR.....	533
YEGMJMO.....	533
YEGPKCIG.....	533
YEHMSLYR.....	523
YELSTGRD.....	525
YEMOV5Y2.....	523
YEOTHACT.....	539
YEPALDLY.....	532
YPECHKHW.....	527
YPECHORE.....	528
YPEGDJOB.....	529

VARIABLE NAME	PAGE
-----	-----
YEPHLPHW.....	527
YEPLMTSN.....	528
YEPLMTTV.....	528
YEPMJEVR.....	532
YEPMJMO.....	532
YEPPKCIG.....	532
YEPPROUD.....	529
YEPRBSLV.....	536
YEPRGSTD.....	537
YEPRTDNG.....	536
YEPVNTRY.....	540
YERLDCSN.....	541
YERLFRND.....	541
YERLGIMP.....	540
YERLGSVC.....	540
YESCHAET.....	538
YESCHFLT.....	524
YESCHIMP.....	524
YESCHINT.....	525
YESCHWRK.....	524
YESLFHLP.....	537
YESTSALC.....	526
YESTSCIG.....	526
YESTSDNK.....	527
YESTSMJ.....	526
YETCGJOB.....	525
YETLKBF.....	535
YETLKNON.....	535
YETLKOTA.....	535
YETLKPAR.....	535
YETLKSOP.....	535
YEVIOPRV.....	536
YEYARGUP.....	529
YEYATTAK.....	531
YEYFGTGP.....	530
YEYFGTSW.....	530
YEYHGUN.....	530
YEYSELL.....	531
YEYSTOLE.....	531
YFLADLY2.....	544
YFLMJMO.....	544
YFLPKCG2.....	544
YFLTMRJ2.....	544
YFOST.....	601
YHOME.....	601

VARIABLE NAME	PAGE
YHOSP	601
YOATTAK2	543
YOCOUNS	650
YODPDISC	633
YODPLSIN	634
YODPPROB	636
YODPR2WK	634
YODPREV	633
YODSCEV	633
YODSLSIN	634
YODSMMDE	644
YOFAMDOC	649
YOFIGHT2	543
YOGRPFT2	543
YOHERBAL	651
YOHGUN2	543
YOLOSEV	633
YOLSI2WK	634
YONURSE	650
YOOTHDOC	649
YOOTHHLP	651
YOOTHMHP	650
YOPB2WK	646
YOPBAGE	645
YOPBDLYA	645
YOPBINTF	644
YOPBNUM	645
YOPBRMBR	645
YOPSDAYS	648
YOPSHMGT	646
YOPSRELS	647
YOPSSOC	648
YOPSWORK	647
YOPSYCH	650
YOPSYMD	650
YORELIG	650
YORX12MO	651
YORXHLP	652
YORXNOW	651
YOSEEDOC	649
YOSELL2	543
YOSOCWRK	650
YOSTOLE2	543
YOTMTHLP	652
YOTMTNOW	651

VARIABLE NAME	PAGE
YOWRAGE.....	637
YOWRCHR.....	635
YOWRCONC.....	641
YOWRDBTR.....	642
YOWRDCSN.....	641
YOWRDEPR.....	637
YOWRDIE.....	639
YOWRDISC.....	637
YOWRDLCT.....	642
YOWRDST.....	635
YOWRELES.....	638
YOWREMOR.....	638
YOWRENRG.....	640
YOWRGAIN.....	638
YOWRGNL2.....	639
YOWRGROW.....	638
YOWRHRS.....	635
YOWRIMP.....	636
YOWRJINO.....	641
YOWRJITT.....	641
YOWRLOSE.....	639
YOWRLSIN.....	637
YOWRLSL2.....	639
YOWRNOD.....	642
YOWRPLSR.....	638
YOWRPREG.....	639
YOWRPROB.....	636
YOWRSATP.....	643
YOWRSLEP.....	640
YOWRSLNO.....	640
YOWRSLOW.....	640
YOWRSMOR.....	640
YOWRSPLN.....	643
YOWRSTHK.....	642
YOWRTHOT.....	641
YOWWRWRTH.....	642
YO_MDEA1.....	643
YO_MDEA2.....	643
YO_MDEA3.....	643
YO_MDEA4.....	643
YO_MDEA5.....	643
YO_MDEA6.....	644
YO_MDEA7.....	644
YO_MDEA8.....	644
YO_MDEA9.....	644

VARIABLE NAME	PAGE
-----	-----
YPED	601
YRANXD	484
YRASMA	484
YRBRONC	484
YRCIRR	484
YRDEPRS	484
YRDIAB	485
YRESID	601
YRHARTD	485
YRHBP	485
YRHEPAT	485
YRHIV	485
YRLUNCA	485
YRNONE	487
YRPANCR	486
YRPNEU	486
YRSINUS	486
YRSLPAP	486
YRSTD5	486
YRSTROK	486
YRTINN	487
YRTUBRC	487
YRULCER	487
YSCHL	602
YSDSHOME	653
YSDSOVRL	654
YSDSREL	653
YSDSSOC	653
YSDSWRK	653
YSPED	601
YTHACT2	546
YTHER	601
YUDYANGR	585
YUDYBKRU	585
YUDYDEPR	584
YUDYEATP	585
YUDYFEAR	585
YUDYFITE	585
YUDYFMLY	585
YUDYFRND	586
YUDYOTPP	586
YUDYSCHL	586
YUDYSOR	586
YUDYSUIC	584
YUDYTXN2	584

VARIABLE NAME	PAGE
YUDYTXYR.....	584
YUFCANGER.....	582
YUFCAREV.....	600
YUFCARN2.....	581
YUFCARYR.....	581
YUFCBKRU.....	582
YUFCDEPR.....	582
YUFCEATP.....	582
YUFCFEAR.....	582
YUFCFITE.....	583
YUFCFMLY.....	583
YUFCFRND.....	583
YUFCOTPP.....	583
YUFCSCHL.....	583
YUFCSOR.....	583
YUFCSUIC.....	582
YUFDANGR.....	596
YUFDBKRU.....	595
YUFDDEPR.....	595
YUFDEATP.....	596
YUFDFEAR.....	595
YUFDITE.....	596
YUFDMLY.....	596
YUFDFRND.....	596
YUFDOCN2.....	595
YUFDOCYR.....	594
YUFDOTPP.....	596
YUFDSCHL.....	597
YUFDSOR.....	597
YUFDSUIC.....	595
YUHOANGR.....	577
YUHOBKRU.....	577
YUHODEPR.....	577
YUHOEATP.....	577
YUHOFEAR.....	577
YUHOFITE.....	577
YUHOFMLY.....	578
YUHOFRND.....	578
YUHOOTPP.....	578
YUHOSCHL.....	578
YUHOSOR.....	578
YUHOSPN2.....	576
YUHOSPYR.....	576
YUHOSUIC.....	576
YUIHANGR.....	593

VARIABLE NAME	PAGE
YUIHBKRU.....	593
YUIHDEPR.....	593
YUIHEATP.....	593
YUIHPEAR.....	593
YUIHPITE.....	593
YUIHFMLY.....	594
YUIHFRND.....	594
YUIHOTPP.....	594
YUIHSCHL.....	594
YUIHSOR.....	594
YUIHSUIC.....	592
YUIHTPN2.....	592
YUIHTPYR.....	592
YUJAILEV.....	600
YUMHANGR.....	588
YUMHBKRU.....	587
YUMHCRN2.....	587
YUMHCRYR.....	586
YUMHDEPR.....	587
YUMHEATP.....	588
YUMHFEAR.....	587
YUMHFITE.....	588
YUMHFMLY.....	588
YUMHFRND.....	588
YUMHOTPP.....	588
YUMHSCHL.....	589
YUMHSOR.....	589
YUMHSUIC.....	587
YURSANGR.....	580
YURSBKRU.....	579
YURSDEPR.....	579
YURSEATP.....	580
YURSFEAR.....	579
YURSFITE.....	580
YURSFMLY.....	580
YURSFRND.....	580
YURSIDN2.....	579
YURSIDYR.....	578
YURSOTPP.....	580
YURSSCHL.....	581
YURSSOR.....	581
YURSSUIC.....	579
YUSHANGR.....	599
YUSHBKRU.....	598
YUSHCNYR.....	597

VARIABLE NAME	PAGE
YUSHDEPR.....	598
YUSHREATP.....	598
YUSHFEAR.....	598
YUSHFITE.....	599
YUSHFMLY.....	599
YUSHFRND.....	599
YUSHOTPP.....	599
YUSHSCHL.....	599
YUSHSOR.....	600
YUSHSUIC.....	598
YUSPEDYR.....	597
YUTPANGR.....	591
YUTPBKRU.....	590
YUTPDEPR.....	590
YUTPEATP.....	590
YUTPFEAR.....	590
YUTPFITE.....	591
YUTPFMLY.....	591
YUTPFRND.....	591
YUTPOTPP.....	591
YUTPSCHL.....	591
YUTPSOR.....	592
YUTPSTN2.....	589
YUTPSTYR.....	589
YUTPSUIC.....	590

VARIABLE NAME	PAGE
QUESTID2.....	1
FILEDATE.....	1
CIGEVER.....	2
CIGOFRSM.....	2
CIGWILYR.....	2
CIGTRY.....	2
CIGYFU.....	3
CIGMFU.....	3
CIGREC.....	3
CIG30USE.....	4
CG30EST.....	4
CIG30AV.....	4
CIG30BR2.....	5
CIG30TPE.....	6
CIG30MEN.....	7
CIG30MLN.....	7
CIG30RO2.....	7
CIGDLYMO.....	7
CIGAGE.....	8
CIGDLYFU.....	8
CIGDLMFU.....	8
CIG100LF.....	8
SNFEVER.....	9
SNUFTRY.....	9
SNUFYFU.....	9
SNUFMU.....	10
SNFREC.....	10
SNF30USE.....	10
SN30EST.....	11
SNF30BR2.....	11
CHEWEVER.....	12
CHEWTRY.....	12
CHEWFU.....	12
CHEWMFU.....	13
CHEWREC.....	13
CHW30USE.....	13
CH30EST.....	14
CHW30BR2.....	14
SLTTRY.....	15
SLTYFU.....	15
SLTMFU.....	15
SLTREC.....	16
SLT30BR2.....	16
SLT30FAV.....	17
CIGAREVR.....	17

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
CIGARTRY.....	17
CIGARYFU.....	17
CIGARMFU.....	18
CIGARREC.....	18
CGR30USE.....	18
CI30EST.....	19
CGR30BR2.....	21
PIPEVER.....	21
PIPE30DY.....	21
ALCEVER.....	22
ALCTRY.....	22
ALCYFU.....	22
ALCMFU.....	23
ALCREC.....	23
ALCYRTOT.....	23
ALTOTFG.....	23
ALFQFLG.....	23
ALB30WAY.....	24
ALDAYPYR.....	24
ALDAYPMO.....	24
ALDAYPWK.....	24
ALCDAYS.....	25
AL30EST.....	25
ALDYSFG.....	25
NODR30A.....	25
DR5DAY.....	26
MJEVER.....	27
MJAGE.....	27
MJYFU.....	27
MJMFU.....	28
MJREC.....	28
MJYRTOT.....	28
MRTOTFG.....	28
MJFQFLG.....	28
MRB30WAY.....	29
MRDAYPYR.....	29
MRDAYPMO.....	29
MRDAYPWK.....	29
MJDAY30A.....	30
MR30EST.....	30
COCEVER.....	31
COCA.....	31
COCFU.....	31
COCMFU.....	32
COCREC.....	32

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
COCYRTOT.....	32
CCTOTFG.....	32
CCFQFLG.....	32
CCBSTWAY.....	33
CCDAYPYR.....	33
CCDAYPMO.....	33
CCDAYPWK.....	33
COCUS30A.....	34
CC30EST.....	34
CRKEVER.....	35
CRKAGE.....	35
CRKYFU.....	35
CRKMFU.....	36
CRAKREC.....	36
CRKYRTOT.....	36
CRTOTFG.....	36
CRFQFLG.....	36
CRBSTWAY.....	37
CRDAYPYR.....	37
CRDAYPMO.....	37
CRDAYPWK.....	37
CRKUS30A.....	38
CR30EST.....	38
HEREVER.....	39
HERAGE.....	39
HERYFU.....	39
HERMFU.....	39
HERREC.....	40
HERYRTOT.....	40
HRTOTFG.....	40
HRFQFLG.....	40
HRBSTWAY.....	40
HRDAYPYR.....	40
HRDAYPMO.....	41
HRDAYPWK.....	41
HER30USE.....	41
HR30EST.....	41
LSD.....	42
PCP.....	42
PEYOTE.....	42
MESC.....	43
PSILCY.....	43
ECSTASY.....	43
HALNOLST.....	43
HALNEWA.....	44

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
HALNEWB.....	47
HALNEWC.....	48
HALNEWD.....	49
HALNEWE.....	49
HALLAGE.....	49
HALYFU.....	49
HALMFU.....	50
HALLREC.....	50
HALYRTOT.....	50
HLTOTFG.....	50
HLFQFLG.....	50
HLBSTWAY.....	51
HLDAYPYR.....	51
HLDAYPMO.....	51
HLDAYPWK.....	51
HAL3OUSE.....	52
HL30EST.....	52
LSDAGE.....	52
LSDYFU.....	52
LSDFMU.....	53
LSDREC.....	53
PCPAGE.....	53
PCPYFU.....	53
PCPMFU.....	54
PCPREC.....	54
ECSAGE.....	54
ECSYFU.....	54
ECSMFU.....	55
ECSREC.....	55
AMYLNIT.....	56
CLEFLU.....	56
GAS.....	57
GLUE.....	57
ETHER.....	57
SOLVENT.....	57
LGAS.....	57
NITOXID.....	58
SPPAINT.....	58
AEROS.....	58
INHNOLST.....	58
INHNEWA.....	59
INHNEWB.....	60
INHNEWC.....	60
INHNEWD.....	60
INHNEWE.....	61

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
INHEVER.....	61
INHAGE.....	61
INHYFU.....	61
INHMFU.....	62
INHREC.....	62
INHYRTCT.....	62
INTOTFG.....	62
INFQFLG.....	62
INBSTWAY.....	63
INDAYPYR.....	63
INDAYPMO.....	63
INDAYPK.....	63
INHDY30A.....	64
IN30EST.....	64
DARVTYLC.....	65
PERCTYLX.....	65
VICOLOR.....	66
ANLCARD.....	66
CODEINE.....	66
DEMEROL.....	66
DILAUD.....	67
FIORICET.....	67
FIORINAL.....	67
HYDROCOD.....	67
METHDON.....	67
MORPHINE.....	67
OXYCONTIN.....	68
PHENCOD.....	68
PROPOXY.....	68
SK65A.....	68
STADOL.....	68
TALACEN.....	68
TALWIN.....	69
TALWINNX.....	69
TRAMADOL.....	69
ULTRAM.....	69
ANLNOLST.....	69
ANALNEWA.....	70
ANALNEWB.....	73
ANALNEWC.....	74
ANALNEWD.....	75
ANALNEWE.....	75
ANLEVER.....	76
ANALAGE.....	76
ANALYFU.....	76

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
ANALMFU.....	77
ANALREC.....	77
ANLYRTOT.....	77
PRTOTFG.....	78
PRFQFLG.....	78
PRBSTWAY.....	78
PRDAYPYR.....	78
PRDAYPMO.....	79
PRDAYPWK.....	79
OXYCAGE.....	79
OXYCYFU.....	80
OXYCMFU.....	80
OXYCREC.....	80
OXXYRTOT.....	81
OXTOTFG.....	81
OXFQFLG.....	81
OXBSTWAY.....	81
OXDAYPYR.....	81
OXDAYPMO.....	82
OXDAYPWK.....	82
KLONOPIN.....	83
XNAXATVN.....	83
VALMDIAZ.....	84
TRNCARD.....	84
ATARAX.....	84
BUSPAR.....	84
EQUANIL.....	85
FLEXERIL.....	85
LIBRIUM.....	85
LIMBTROL.....	85
MEPROB.....	85
MILTOWN.....	86
ROHYPNOL.....	86
SERAX.....	86
SOMA.....	86
TRANXENE.....	86
VISTAR.....	87
TRNOLST.....	87
TRNEWA.....	88
TRNEWB.....	89
TRNEWC.....	89
TRNEWD.....	89
TRNEWE.....	89
TRNEVER.....	90
TRANAGE.....	90

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
TRANYFU.....	90
TRANMFU.....	91
TRANREC.....	91
TRNYRTOT.....	91
TRTOTFG.....	91
TRFQFLG.....	91
TRBSTWAY.....	92
TRDAYPYR.....	92
TRDAYPMO.....	92
TRDAYPWK.....	93
METHDES.....	94
DIETPILS.....	94
RITMPHEN.....	95
STMCARD.....	95
CYLERT.....	95
DEXED.....	95
DETAMP.....	96
DIDREX.....	96
ESKAT.....	96
IONAMIN.....	96
MAZANOR.....	96
OBLA.....	96
PLEGINE.....	97
PRELUDIN.....	97
SANOREX.....	97
TENUATE.....	97
STMNOLST.....	97
STIMNEWA.....	98
STIMNEWB.....	99
STIMNEWC.....	99
STIMNEWD.....	100
STIMNEWE.....	100
STIMEVER.....	100
STIMAGE.....	100
STIMYFU.....	101
STIMMFU.....	101
STIMREC.....	101
STMYRTOT.....	102
STTOTFG.....	102
STFQFLG.....	102
STBSTWAY.....	102
STDAYPYR.....	103
STDAYPMO.....	103
STDAYPWK.....	103
METHAGE.....	103

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
METHYFU.....	104
METHMFU.....	104
METHREC.....	104
MTHYRTOT.....	104
MTTOTFG.....	105
MTFQFLG.....	105
MTBSTWAY.....	105
MTDAYPYR.....	105
MTDAYPMO.....	106
MTDAYPWK.....	106
METHAQ.....	107
NEMBBARB.....	107
RESTMMAZ.....	108
SEDCARD.....	108
AMYTAL.....	108
BUTISOL.....	108
CHHYD.....	109
DALMANE.....	109
HALCION.....	109
PHENOBAR.....	109
PLACIDYL.....	109
TUINAL.....	109
SEDNOLST.....	110
SEDNEWA.....	110
SEDNEWB.....	111
SEDNEWC.....	111
SEDNEWD.....	111
SEDNEWE.....	111
SEDEVER.....	112
SEDADE.....	112
SEDYFU.....	112
SEDMFU.....	113
SEDREC.....	113
SEDYRTOT.....	113
SVTOTFG.....	113
SVFQFLG.....	113
SVBSTWAY.....	114
SVDAYPYR.....	114
SVDAYPMO.....	114
SVDAYPWK.....	115
IRCIGRC.....	116
IICIGRC.....	116
II2CIGRC.....	116
IRCGRRC.....	116
IICGRRC.....	116

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
II2CGRRC.....	116
IRPIPLF.....	116
IIPIPLF.....	116
IRPIPMN.....	116
IIPIPMN.....	117
IRSLTRC.....	117
IIISLTRC.....	117
II2SLTRC.....	117
IRCHWRC.....	117
IICHWRC.....	117
II2CHWRC.....	117
IRSNFRC.....	117
IISNFRC.....	117
II2SNFRC.....	118
IRALCRC.....	118
IIALCRC.....	118
II2ALCRC.....	118
IRMJRC.....	118
IIMJRC.....	118
II2MJRC.....	118
IRCOCRC.....	118
IICOCRC.....	118
II2COCRC.....	118
IRCRKRC.....	119
IICRKRC.....	119
II2CRKRC.....	119
IRHERRC.....	119
IIHERRC.....	119
II2HERRC.....	119
IRHALRC.....	119
IIHALRC.....	119
II2HALRC.....	119
IRLSDRC.....	119
IILSDRC.....	119
II2LSDRC.....	120
IRPCPRC.....	120
IIPCPRC.....	120
II2PCPRC.....	120
IRECSRC.....	120
IIECSRC.....	120
II2ECSRC.....	120
IRINHRC.....	120
IIINHRC.....	120
II2INHRC.....	120
IRANLRC.....	120

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
IIANLRC.....	121
II2ANLRC.....	121
IROXYRC.....	121
IIoxyrc.....	121
II2OXYRC.....	121
IRTRNRC.....	121
IIITRNRC.....	121
II2TRNRC.....	121
IRSTMRC.....	121
IIISTMRC.....	121
II2STMRC.....	122
IRMTHRC.....	122
IIIMTHRC.....	122
II2MTHRC.....	122
IRSEDRC.....	122
IIISEDRC.....	122
II2SEDRC.....	122
IRALCFY.....	123
IIALCFY.....	123
II2ALCFY.....	123
IRMJFY.....	123
IIIMJFY.....	123
II2MJFY.....	123
IRCOCFY.....	123
IIICOCFY.....	123
II2COCFY.....	123
IRCRKFY.....	123
IIICRKFY.....	124
II2CRKFY.....	124
IRHERFY.....	124
IIIHERFY.....	124
II2HERFY.....	124
IRHALFY.....	124
IIHALFY.....	124
II2HALFY.....	124
IRINHFY.....	124
IIINHFY.....	124
II2INHFY.....	125
IRANLFY.....	125
IIANLFY.....	125
II2ANLFY.....	125
IROXYFY.....	125
IIoxyfy.....	125
II2OXYFY.....	125
IRTRNFY.....	125

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
IITRNFY.....	125
II2TRNFY.....	125
IRSTMFY.....	126
IIISTMFY.....	126
II2STMFY.....	126
IRMTHFY.....	126
IIMTHFY.....	126
II2MTHFY.....	126
IRSEDFY.....	126
IIISEDFY.....	126
II2SEDFY.....	126
IRCIGFM.....	127
IICIGFM.....	127
II2CIGFM.....	127
IRCGRFM.....	127
IICGRFM.....	127
II2CGRFM.....	127
IRCHWFM.....	127
IICHWFM.....	127
II2CHWFM.....	127
IRSNFFM.....	127
IISNFFM.....	128
II2SNFFM.....	128
IRALCFM.....	128
IIALCFM.....	128
II2ALCFM.....	128
IRALCD5.....	128
IIALCD5.....	128
II2ALCD5.....	128
IRMJFM.....	128
IIMJFM.....	128
II2MJFM.....	129
IRCOCFM.....	129
IICOCFM.....	129
II2COCFM.....	129
IRCRKFM.....	129
IICRKFM.....	129
II2CRKFM.....	129
IRHERFM.....	129
IIHERFM.....	129
II2HERFM.....	129
IRHALFM.....	129
IIHALFM.....	130
II2HALFM.....	130
IRINHFM.....	130

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
IIINHFM.....	130
II2INHFM.....	130
IRCIGAGE.....	131
IICIGAGE.....	131
IRCGYFU.....	131
IICIGYFU.....	131
IRCDUAGE.....	131
IICDUAGE.....	131
IRCD2YFU.....	131
IICD2YFU.....	131
IRCGRAGE.....	131
IICGRAGE.....	131
IRCGRYFU.....	131
IICGRYFU.....	131
IRSLTAGE.....	132
IISLTAGE.....	132
IRSLTYFU.....	132
IISLTYFU.....	132
IRCHWAGE.....	132
IICHWAGE.....	132
IRCHWYFU.....	132
IICHWYFU.....	132
IRSNFAGE.....	132
IISNFAGE.....	132
IRSNFYFU.....	132
IISNPFU.....	132
IRALCAGE.....	132
IIALCAGE.....	132
IRALCYFU.....	133
IIALCYFU.....	133
IRMJAGE.....	133
IIIMJAGE.....	133
IRMJYFU.....	133
IIIMJYFU.....	133
IRCOCAFE.....	133
IICOCAGE.....	133
IRCOCYFU.....	133
IICOCYFU.....	133
IRCRKAGE.....	133
IICRKAGE.....	133
IRCRKYFU.....	133
IICRKYFU.....	133
IRHERAGE.....	134
IIHERAGE.....	134
IRHERYFU.....	134

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
IIHERYFU.....	134
IRHALAGE.....	134
IIHALAGE.....	134
IRHALYFU.....	134
IIHALYFU.....	134
IRLSDAGE.....	134
IIILSDAGE.....	134
IRLSDYFU.....	134
IIILSDYFU.....	134
IRPCPAGE.....	134
IIIPCPAGE.....	135
IRPCPYFU.....	135
IIIPCPYFU.....	135
IRECSAGE.....	135
IIIECSAGE.....	135
IRECSYFU.....	135
IIIECSYFU.....	135
IRINHAGE.....	135
IIINHAGE.....	135
IRINHYFU.....	135
IIINHYFU.....	135
IRANLAGE.....	135
IIIANLAGE.....	135
IRANLYFU.....	135
IIIANLYFU.....	136
IROXYAGE.....	136
IIIOXYAGE.....	136
IROXYYFU.....	136
IIIOXYYFU.....	136
IRTRNAGE.....	136
IIITRNAGE.....	136
IRTRNYFU.....	136
IIITRNYFU.....	136
IRSTMAGE.....	136
IIISTMAGE.....	136
IRSTMYFU.....	136
IIISTMYFU.....	137
IRMTHAGE.....	137
IIIMTHAGE.....	137
IRMTHYFU.....	137
IIIMTHYFU.....	137
IRSEDAGE.....	137
IIISEDAGE.....	137
IRSEDYFU.....	137
IIISEDYFU.....	137

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
CIGFLAG.....	138
CIGYR.....	138
CIGMON.....	138
CGRFLAG.....	138
CGRYR.....	138
CGRMON.....	138
PIPFLAG.....	138
PIPMON.....	138
SMKFLAG.....	138
SMKYR.....	138
SMKMON.....	138
CHWFLAG.....	138
CHWYR.....	138
CHWMON.....	138
SNFFLAG.....	138
SNFYR.....	139
SNFMON.....	139
TOBFLAG.....	139
TOBYR.....	139
TOBMON.....	139
BRNCIG05.....	140
BRNCGR05.....	141
BRSMK5_2.....	141
ALCFLAG.....	141
ALCYR.....	141
ALCMON.....	141
MRJFLAG.....	142
MRJYR.....	142
MRJMON.....	142
COCFLAG.....	142
COCYR.....	142
COCMON.....	142
CRKFLAG.....	142
CRKYR.....	142
CRKMON.....	142
HERFLAG.....	142
HERYR.....	142
HERMON.....	142
HALFLAG.....	142
HALYR.....	142
HALMON.....	142
LSDFLAG.....	142
LSDYR.....	143
LSDMON.....	143
PCPFLAG.....	143

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
PCPYR.....	143
PCPMON.....	143
ECSFLAG.....	143
ECSYR.....	143
ECSMON.....	143
INHFLAG.....	143
INHYR.....	143
INHMON.....	143
ANLFLAG.....	143
ANLYR.....	143
ANLMON.....	143
OXYFLAG.....	143
OXYYR.....	143
OXYMON.....	144
TRQFLAG.....	144
TRQYR.....	144
TRQMON.....	144
STMFLAG.....	144
STMYR.....	144
STMMON.....	144
CPNSTMFG.....	144
CPNSTMYR.....	144
CPNSTMMN.....	144
MTHFLAG.....	145
MTHYR.....	145
MTHMON.....	145
CPNMTHFG.....	145
CPNMTHYR.....	145
CPNMTHMN.....	145
SEDFLAG.....	145
SEDYR.....	145
SEDMON.....	145
PSYFLAG2.....	146
PSYR2.....	146
PSYMON2.....	146
PSYAGE2.....	146
PSYYFU2.....	146
CPNPSYFG.....	146
CPNPSYYR.....	146
CPNPSYMN.....	146
SUMFLAG.....	146
SUMYR.....	146
SUMMON.....	147
SUMAGE.....	147
SUMYFU.....	147

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
MJOFLAG	147
MJOYR2	147
MJOMON2	147
IEMFLAG	147
IEMYR	147
IEMMON	147
IEMAGE	148
IEMYFU	148
CDUFLAG	148
DCIGMON	148
CDCGMO	148
CDNOCGMO	148
CIGALCMO	148
BINGEDRK	148
HVYDRK2	148
BINGEHVY	149
NILALMON	149
PEYOTE2	149
MESC2	149
PSILCY2	149
AMYLNIT2	149
CLEFLU2	149
GAS2	149
GLUE2	149
ETHER2	149
SOLVENT2	149
LGAS2	149
NITOXID2	149
SPPAINT2	149
AEROS2	150
DARVTYL2	150
PERCTYL2	150
VICOLOR2	150
CODEINE2	150
DEMEROL2	150
DILAUD2	150
FIORICT2	150
FIORINL2	150
HYDROCD2	150
METHDON2	150
MORPHIN2	150
PHENCOD2	150
PROPOXY2	150
SK65A2	150
STADOL2	150

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
TALACEN2.....	151
TALWIN2.....	151
TALWINX2.....	151
TRAMADL2.....	151
ULTRAM2.....	151
OTHANL.....	151
PROCODNP.....	151
OXYCODP2.....	151
HYDCODOP.....	151
TRAMADP.....	152
KLONOPI2.....	152
XNAXATV2.....	152
VALMDIA2.....	152
ATARAX2.....	152
BUSPAR2.....	152
EQUANIL2.....	152
FLEXERL2.....	152
LIBRIUM2.....	152
LIMBTRL2.....	152
MEPROB2.....	152
MILTOWN2.....	152
ROHYPNL2.....	152
SERAX2.....	152
SOMA2.....	153
TRANXEN2.....	153
VISTAR2.....	153
OTHTRN.....	153
BENZOS.....	153
MEPROBPD.....	153
MUSCRELX.....	153
METHDES2.....	153
DIETPIL2.....	153
RITMPHE2.....	153
CYLERT2.....	153
DEXED2.....	154
DETAMP2.....	154
DIDREX2.....	154
ESKAT2.....	154
IONAMIN2.....	154
MAZANOR2.....	154
OBLA2.....	154
PLEGINE2.....	154
PRELUDN2.....	154
SANOREX2.....	154
TENUATE2.....	154

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
OTHSTM.....	154
AMDXPHEN.....	154
MAZINDOL.....	154
METHDEXM.....	155
METHAQ2.....	155
NEMBBAR2.....	155
RESTTMA2.....	155
AMYTAL2.....	155
BUTISOL2.....	155
CHHYD2.....	155
DALMANE2.....	155
HALCION2.....	155
PHENOBR2.....	155
PLACIDY2.....	155
TUINAL2.....	155
OTHSED.....	155
RTDALHAL.....	155
ANYBARB.....	156
CIGAFU.....	156
DCIGAFU.....	156
ALCAFU.....	156
ALCAFU2.....	156
ALCAFU3.....	156
MJAFU.....	156
ALCYDAYS.....	156
MRJYDAYS.....	157
COCYDAYS.....	157
HALYDAYS.....	157
INHYDAYS.....	157
STMYDAYS.....	157
CIGMDAYS.....	157
ALCMDAYS.....	157
MRJMDAYS.....	157
COCMDAYS.....	158
HALMDAYS.....	158
INHMDAYS.....	158
CIGPDAY.....	158
CIGAVGD.....	158
CIGAVGM.....	158
ALCAVGM.....	159
FUCIG18.....	159
FUCIG21.....	159
FUCD218.....	159
FUCD221.....	159
FUCGR18.....	159

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
FUCGR21.....	159
FUSLT18.....	159
FUSLT21.....	159
FUALC18.....	159
FUALC21.....	159
FUMJ18.....	159
FUMJ21.....	159
FUCOC18.....	160
FUCOC21.....	160
FUCRK18.....	160
FUCRK21.....	160
FUHER18.....	160
FUHER21.....	160
FUHAL18.....	160
FUHAL21.....	160
FULSD18.....	160
FULSD21.....	160
FUPCP18.....	160
FUPCP21.....	160
FUECS18.....	160
FUECS21.....	160
FUINH18.....	160
FUINH21.....	160
FUANL18.....	161
FUANL21.....	161
FUOXY18.....	161
FUOXY21.....	161
FUTRN18.....	161
FUTRN21.....	161
FUSTM18.....	161
FUSTM21.....	161
FUMTH18.....	161
FUMTH21.....	161
FUSED18.....	161
FUSED21.....	161
FUPSY18.....	161
FUPSY21.....	161
FUSUM18.....	161
FUSUM21.....	161
FUIEM18.....	162
FUIEM21.....	162
CG05.....	163
CG06.....	163
CG06DK.....	163
CG06RE.....	163

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
CG27.....	163
CG28.....	164
CG28DK.....	164
CG28RE.....	164
CG19.....	164
CG20.....	164
CG20DK.....	165
CG20RE.....	165
CG36.....	165
CG37.....	165
CG37DK.....	165
CG37RE.....	166
CG43.....	166
ALLAST3.....	166
ALRECDK.....	166
ALRECRE.....	166
TOTDRINK.....	167
ALFRAME3.....	167
ALYRAVE.....	167
ALMONAVE.....	167
ALWKAVE.....	167
MJLAST3.....	167
MJRECDK.....	168
MJRECRE.....	168
TOTMJ.....	168
MJFRAME3.....	168
MJYRAVE.....	168
MJMONAVE.....	169
MJWKAVE.....	169
CCLAST3.....	169
CCRECDK.....	169
CCRECRE.....	169
TOTCOKE.....	169
CCFRAME3.....	170
CCYRAVE.....	170
CCMONAVE.....	170
CCWKAVE.....	170
CKLAST3.....	170
CKRECDK.....	170
CKRECRE.....	171
TOTCRACK.....	171
CKFRAME3.....	171
CKYRAVE.....	171
CKMONAVE.....	171
CKWKAVE.....	171

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
-----	-----
HELAST3.....	172
HERECDK.....	172
HERECRE.....	172
TOTHERO.....	172
HEFRAME3.....	172
HEYRAVE.....	172
HEMONAVE.....	172
HEWKAVE.....	173
LSLAST.....	173
LSRECDK.....	173
LSRECRE.....	173
TOTHALL.....	173
LSFRAME3.....	173
LSYRAVE.....	174
LSMONAVE.....	174
LSWKAVE.....	174
LS10.....	174
LS16.....	174
LS22.....	174
INLAST.....	175
INRECDK.....	175
INRECRE.....	175
TOTINHAL.....	175
INFRAME3.....	175
INYRAVE.....	176
INMONAVE.....	176
INWKAVE.....	176
PR09.....	176
PRRECDK.....	176
PRRECRE.....	177
PR10.....	177
PR11.....	177
PR12.....	177
PR13.....	178
PR19.....	178
PR20.....	178
PR21.....	178
PR22.....	178
PR23.....	179
TR09.....	179
TRRECDK.....	179
TRRECRE.....	179
TR10.....	180
TR11.....	180
TR12.....	180

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
TR13.....	180
ST09.....	180
STRECDK.....	181
STRECRE.....	181
ST10.....	181
ST11.....	181
ST12.....	182
ST13.....	182
ST19.....	182
ST20.....	182
ST21.....	182
ST22.....	183
ST23.....	183
SV09.....	183
SVRECDK.....	183
SVRECRE.....	183
SV10.....	184
SV11.....	184
SV12.....	184
SV13.....	184
HERSMOKE.....	185
HRSMKREC.....	185
HERSNIFF.....	185
HRSNFREC.....	185
HERNEEDL.....	186
HEOTSMK.....	186
HEOTSNF.....	186
HEOTNDL.....	186
HEOTOTH.....	186
HEOTSP.....	186
HRNDLREC.....	187
MTHNEEDL.....	187
MTNDLREC.....	187
MTHAMP.....	188
MTHAREC.....	188
MTHANEDL.....	188
MTANDLRC.....	189
MTHEVCK.....	189
MTHNORSN.....	189
MTHNOSP.....	189
MTHAAGE.....	190
MTHAYFU.....	190
MTHAMFU.....	190
MTHAYTOT.....	191
MTAFQFLG.....	191

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
-----	-----
MTABSTWY.....	191
MTADYPYR.....	191
MTADYPMO.....	191
MTADYPWK.....	192
OSTNEEDL.....	192
OSTNLREC.....	192
COCNEEDL.....	193
CONDLREC.....	193
OTDGNEDL.....	193
OTDGNDLA.....	194
OTDGNDLB.....	195
OTDGNDLC.....	195
OTDGNDLD.....	196
OTDGNDLE.....	196
GNNDREUS.....	196
GNNDLSH1.....	196
GNNDCLEN.....	197
GNNDLSH2.....	197
GNNDGET2.....	197
GHB.....	198
ADDERALL.....	198
AMBIEN.....	198
COLDMEDS.....	198
KETAMINE.....	199
TRYPTMN.....	199
SALVDIV.....	199
GHBREC.....	199
ADDEREC.....	200
AMBIREC.....	200
COLDREC.....	200
COLDYR1.....	201
COLDYR2.....	203
COLDYR3.....	204
COLDYR4.....	204
COLDYR5.....	205
OTCFLAG.....	205
KETAREC.....	205
TRYPREC.....	205
SALVREC.....	206
STNEEDLR.....	207
STNLRECR.....	207
NEDLRECR.....	207
STNEDL06.....	207
STNLRC06.....	208
NDLREC06.....	208

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
NEDFLG01.....	208
CPNNDFLG.....	209
NEDHER.....	209
NEDCOC.....	209
NEDSTM.....	209
CPNNNDSTM.....	209
NEDMTH.....	209
CPNNDMTH.....	209
HERSMOK2.....	209
HERSNIF2.....	209
ADDEFLGR.....	209
ADDEYRR.....	209
ADDEMOR.....	210
AMBIFLGR.....	210
AMBIYRR.....	210
AMBIMONR.....	210
COLDFLGR.....	210
COLDYRR.....	210
COLDMONR.....	210
GHBFLGR.....	210
GHBYRR.....	210
GHBMONR.....	210
KETAFLGR.....	210
KETAYRR.....	210
KETAMONR.....	210
SALVFLGR.....	210
SALVYRR.....	210
SALVMONR.....	211
TRYPFLGR.....	211
TRYPYRR.....	211
TRYPMONR.....	211
RSKPKCIG.....	212
RSKMJOCC.....	212
RSKMJREG.....	212
RKTRYLSD.....	213
RKLDSDREG.....	213
RKTRYHER.....	213
RKHERRREG.....	213
RKCOCOCC.....	214
RKCOCREG.....	214
RK5ALDLY.....	214
RK5ALWK.....	214
RSKDIFMU.....	215
RKDIFLSD.....	215
RKDIFCOC.....	215

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
RKDIFCRK.....	215
RKDIFHER.....	216
RSKSELL.....	216
RKFQDNGR.....	216
RKFQRSKY.....	216
RKFQPBLT.....	216
RKFQDBLT.....	217
GRSKPKCG.....	218
GRSKMOC.....	218
GRSKMREG.....	218
GRSKCOCC.....	218
GRSKCREG.....	218
GRSKHTRY.....	218
GRSKHREG.....	218
GRSKLTRY.....	218
GRSKLREG.....	218
GRSKD4_5.....	218
GRSKD5WK.....	219
RDIFMJ.....	219
RDIFCOC.....	219
RDIFCRK.....	219
RDIFHER.....	219
RDIFLSD.....	219
APPSELDG.....	219
BLNTEVER.....	220
BLNTAGE.....	220
BLNTYFU.....	220
BLNTMFU.....	221
BLNTREC.....	221
BLRECFL2.....	221
BLNT30DY.....	222
BLNT30C1.....	222
BLNT30C2.....	222
RSNOMRJ.....	222
RSNMRJMO.....	222
BLNTNOMJ.....	223
CIGIRTBL.....	224
CIGCRAVE.....	224
CIGCRAGP.....	224
CIGINCTL.....	225
CIGAVOID.....	225
CIGFNSMK.....	225
CIGFNLKE.....	226
CIGPLANE.....	226
CIGRNOUT.....	226

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
CIGREGDY.....	227
CIGREGWK.....	227
CIGREGNM.....	227
CIGNMCHG.....	228
CIGSVLHR.....	228
CIGINFLU.....	228
CIGNOINF.....	229
CIGINCRS.....	229
CIGSATIS.....	229
CIGLOTMR.....	230
CIGWAKE.....	230
ALCLOTTM.....	230
ALCGTOVR.....	231
ALCLIMIT.....	231
ALCKPLMT.....	231
ALCNNDMOR.....	232
ALCLSEFX.....	232
ALCCUTDN.....	232
ALCCUTEV.....	233
ALCCUT1X.....	233
ALCW2SX.....	233
ALCWDSMT.....	234
ALCEMOPB.....	234
ALCEMCTD.....	235
ALCPHLPB.....	235
ALCPHCTD.....	235
ALCLSACT.....	236
ALCSERP.....	236
ALCPDANG.....	237
ALCLAWTR.....	237
ALCFMFPPB.....	237
ALCFMCTD.....	238
MRJLOTTM.....	238
MRJGTOVR.....	238
MRJLIMIT.....	239
MRJKPLMT.....	239
MRJNNDMOR.....	239
MRJLSEFX.....	240
MRJCUTDN.....	240
MRJCUTEV.....	240
MRJEMOPB.....	240
MRJEMCTD.....	241
MRJPHLPB.....	241
MRJPHCTD.....	241
MRJLSACT.....	242

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
MRJSERPB.....	242
MRJPDANG.....	242
MRJLAWTR.....	243
MRJFMFPB.....	243
MRJFMCTD.....	243
COCLOTTM.....	244
COCGTOVR.....	244
COCLIMIT.....	244
COCKPLMT.....	245
COCNDMOR.....	245
COCLSEFX.....	245
COCCUTDN.....	245
COCCUTEV.....	246
COCCUT1X.....	246
COCFLBLU.....	246
COCDW2SX.....	247
COCDWSMT.....	247
COCEMOPB.....	247
COCEMCTD.....	248
COCPHLPB.....	248
COCPHCTD.....	248
COCLSACT.....	249
COCSERPB.....	249
COCPDANG.....	249
COCLAWTR.....	250
COCFMFPB.....	250
COCFMCTD.....	250
HERLOTTM.....	251
HERGTOVR.....	251
HERLIMIT.....	251
HERKPLMT.....	252
HERNDMOR.....	252
HERLSEFX.....	252
HERCUTDN.....	252
HERCUTEV.....	253
HERCUT1X.....	253
HERWD3SX.....	253
HERWDSMT.....	254
HEREMOPB.....	254
HEREMCTD.....	254
HERPHLPB.....	255
HERPHCTD.....	255
HERLSACT.....	255
HERSERPB.....	256
HERPDANG.....	256

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
-----	-----
HERLAWTR.....	256
HERFMFPB.....	257
HERFMCTD.....	257
HALLOTTM.....	257
HALGTOVR.....	257
HALLIMIT.....	258
HALKPLMT.....	258
HALNDMOR.....	258
HALLSEFX.....	258
HALCUTDN.....	259
HALCUTEV.....	259
HALEMOPB.....	259
HALEMCTD.....	259
HALPHLPB.....	260
HALPHCTD.....	260
HALLSACT.....	260
HALSERPB.....	261
HALPDANG.....	261
HALLAWTR.....	261
HALFMFPB.....	262
HALFMCTD.....	262
INHLOTTM.....	262
INHGTOVR.....	263
INHLIMIT.....	263
INHKPLMT.....	263
INHNDMOR.....	263
INHLSEFX.....	264
INHCUTDN.....	264
INHCUTEV.....	264
INHEMOPB.....	264
INHEMCTD.....	265
INHPHLPB.....	265
INPHCTD.....	265
INHLSACT.....	265
INHSERPB.....	266
INHPDANG.....	266
INHLAWTR.....	266
INHFMFPB.....	267
INHFMCTD.....	267
ANLLOTTM.....	267
ANLGTOVR.....	268
ANLLLIMIT.....	268
ANLKPLMT.....	268
ANLNDMOR.....	269
ANLLSEFX.....	269

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
ANLCUTDN.....	269
ANLCUTEV.....	270
ANLCUT1X.....	270
ANLWD3SX.....	270
ANLWDSMT.....	271
ANLEMOPB.....	271
ANLEMCTD.....	271
ANLPHLPB.....	272
ANLPHCTD.....	272
ANLLSACT.....	272
ANLSERP.....	273
ANLPDANG.....	273
ANLLAWTR.....	273
ANLFMFPB.....	274
ANLFMCTD.....	274
TRNLOTTM.....	274
TRNGTOVR.....	275
TRNLIMIT.....	275
TRNKPLMT.....	275
TRNNNDMOR.....	276
TRNLSEFX.....	276
TRNCUTDN.....	276
TRNCUTEV.....	277
TRNEMOPB.....	277
TRNEMCTD.....	277
TRNPHLPB.....	278
TRNPHTCD.....	278
TRNLSACT.....	278
TRNSERP.....	279
TRNPDANG.....	279
TRNLAWTR.....	279
TRNFMFPB.....	280
TRNFMCTD.....	280
STMLOTTM.....	280
STMGTOVR.....	281
STMLIMIT.....	281
STMKPLMT.....	281
STMNDMOR.....	282
STMLSEFX.....	282
STMCUTDN.....	282
STMCUTEV.....	283
STM CUT1X.....	283
STMFLBLU.....	283
STMWD2SX.....	284
STMWDSMT.....	284

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
-----	-----
STMEMOPB.....	285
STMEMCTD.....	285
STMPHLPB.....	285
STMPHCTD.....	286
STMLSACT.....	286
STMSERPB.....	287
STMPDANG.....	287
STMLAWTR.....	287
STMFMFPB.....	288
STMFMCMD.....	288
STMDAFLG.....	288
SEDLOTTM.....	289
SEDGTOVR.....	289
SEDLIMIT.....	289
SEDKPLMT.....	290
SEDNDMOR.....	290
SEDLSEFX.....	290
SEDCUTDN.....	290
SEDCUTEV.....	291
SEDCUT1X.....	291
SEDWD1SX.....	291
SEWDWSMT.....	292
SEDEMOPB.....	292
SEDEMCTD.....	293
SEDPHLPB.....	293
SEDPHCTD.....	293
SEDLASACT.....	294
SEDSERPB.....	294
SEDPDANG.....	294
SEDLAWTR.....	295
SEDFMFPP.....	295
SEDFMCMD.....	295
IRCGIRTB.....	296
IICGIRTB.....	296
IRCGCRV.....	296
IICGCRV.....	296
IRCGCRGP.....	296
IICGCRGP.....	296
IRCGNCTL.....	297
IICGNCTL.....	297
IRCGAVD.....	297
IICGAVD.....	297
IRCGPLN.....	297
IICGPLN.....	297
IRCGROUT.....	297

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
IICGROUT.....	297
IRCGRGDY.....	298
IICGRGDY.....	298
IRCGRGWK.....	298
IICGRGWK.....	298
IRCGRGNM.....	298
IICGRGNM.....	298
IRCGNCG.....	298
IICGNCG.....	298
IRCGSLHR.....	299
IICGSLHR.....	299
IRCGINFL.....	299
IICGINFL.....	299
IRCGNINF.....	299
IICGNINF.....	299
IRCGINCR.....	299
IICGINCR.....	299
IRCGSAT.....	300
IICGSAT.....	300
IRCGLMR.....	300
IICGLMR.....	300
NDSSANS _P	301
NDSSDN _S P.....	301
FTNDDN _S P.....	301
DNICNSP.....	301
DEPNDALC.....	302
DEPNDANL.....	303
DEPNDCC _C	303
DEPNDHAL.....	303
DEPNDHER.....	303
DEPNDINH.....	303
DEPNDMRJ.....	303
DEPNDSED.....	303
DEPNDSTM.....	303
DEPNDTRN.....	303
DEPNDILL.....	303
DEPNDIEM.....	304
DEPNDXMJ.....	304
DEPNDPSY.....	304
DPILLALC.....	304
DPILANAL.....	304
ABUSEALC.....	305
ABUSEANL.....	305
ABUSECOC.....	305
ABUSEHAL.....	305

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
ABUSEHER.....	306
ABUSEINH.....	306
ABUSEMRJ.....	306
ABUSESED.....	306
ABUSESTM.....	306
ABUSETRN.....	306
ABUSEILL.....	306
ABUSEIEM.....	307
ABUSEXMJ.....	307
ABUSEPSY.....	307
ABILLALC.....	307
ABILANAL.....	307
ABODALC.....	307
ABODANL.....	307
ABODCOC.....	308
ABODHAL.....	308
ABODHER.....	308
ABODINH.....	308
ABODMRJ.....	308
ABODSED.....	308
ABODSTM.....	308
ABODTRN.....	308
ABODILL.....	308
ABODIEM.....	308
ABODPSY.....	308
ABODILAL.....	308
ABDILAAL.....	308
BOOKED.....	309
NOBOOKY2.....	309
BKMVTHFT.....	309
BKLARCNY.....	310
BKBURGL.....	310
BKAGASLT.....	310
BKSMASLT.....	310
BKROB.....	311
BKRAPE.....	311
BKMURDER.....	311
BKARSON.....	311
BKDRVINF.....	312
BKDRUNK.....	312
BKPOSTCB.....	312
BKDRUG.....	312
BKPROS.....	313
BKSEXOFF.....	313
BKFRAUD.....	313

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
BKOTH	314
BKOTHOF2	315
PROBATON	315
PAROLREL	316
DRVALDR	316
DRVONLY	316
DRVDONLY	317
DRVFLAG	317
MXMJPNLT	317
DRIVALC2	318
DRIVDRG2	318
DRIVALD2	318
PAROL	318
PROB	318
MMGETMJ	319
MMBTREC1	319
MMBTPYR	319
MMBTREC2	319
MMBT30DY	320
MMJNTL00	320
MMJNTNUM	320
MMJNPCTB	320
MMJNPCAT	321
MMLSUNIT	321
MMLSGMS	321
MMLS10GM	322
MMLSOZS	322
MMLSLBS	322
MMLS5LBS	322
MMLSPCTB	323
MMLSPCAT	324
MMBUYWHO	325
MMBPLACE	325
MMBPLOS2	326
MMBATJOB	326
MMBCLOSE	326
MMBSELL	327
MMBGIVE	327
MMTRADE	327
MMTRD30D	327
MMTRDREC	328
MMT30FRQ	328
MMTJNTLS	328
MMTJNTNM	328
MMTJWRCB	329

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
MMTJWRTH.....	329
MMTLUNIT.....	329
MMTLGMS.....	330
MMTLOZS.....	330
MMTLWRCB.....	330
MMTLWRTH.....	331
MMTRDWHO.....	331
MMTPPLACE.....	332
MMTPLOS2.....	332
MMTCLOSE.....	332
MMTKEEP.....	332
MMTSELL.....	333
MMTGIVE.....	333
MMGKEEP.....	333
MMGSELL.....	333
MMGGIVE.....	333
MMFREWHO.....	334
MMFPLACE.....	334
MMFPLOS2.....	335
MMFCLOSE.....	335
MMFKEEP.....	335
MMFSSELL.....	336
MMFGIVE.....	336
MJPGOT.....	337
MJPBTFRM.....	337
MJPBTPL2.....	337
MJPFRREGT.....	338
MJPFRPL2.....	338
MRJYRBFR.....	339
MRJAGLST.....	339
MRJYLU.....	339
MRJMLU.....	340
CIGAGLST.....	340
CIGYLU.....	340
CIGMLU.....	341
CIGDLLST.....	341
CIGDLYLU.....	341
CIGDLMLU.....	342
SNFAGLST.....	342
SNUFYLU.....	342
SNUFMLU.....	343
CHWAGLST.....	343
CHEWYLU.....	343
CHEWMLU.....	344
CGRAGLST.....	344

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
CIGARYLU.....	344
CIGARMLU.....	345
ALCAGLST.....	345
ALCYLU.....	345
ALCMLU.....	346
COCAGLST.....	346
COCYLU.....	346
COCMLU.....	347
CRKAGLST.....	347
CRKYLU.....	347
CRKMLU.....	348
HERAGLST.....	348
HERYLU.....	348
HERMLU.....	349
HALAGLST.....	349
HALYLU.....	349
HALMLU.....	350
LSDAGLST.....	350
LSDYLU.....	350
LSDMLU.....	351
PCPAGLST.....	351
PCPYLU.....	351
PCPMLU.....	352
ECSAGLST.....	352
ECSYLU.....	352
ECSMLU.....	353
INHAGLST.....	353
INHYLU.....	353
INHMLU.....	354
ANLAGLST.....	354
ANALYLU.....	354
ANALMLU.....	355
OXYAGLST.....	355
OXYCYLU.....	355
OXYCMLU.....	356
TRNAGLST.....	356
TRANYLU.....	356
TRANMLU.....	357
STMAGLST.....	358
STIMYLU.....	358
STIMMLU.....	359
MTHNCFLG.....	359
MTHAGLST.....	359
METHYLU.....	360
METHMLU.....	360

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
SEDAGLST.....	360
SEDYLU.....	361
SEDMLU.....	361
USEALCG.....	362
USEMJCG.....	362
USEALMJ.....	363
USEACM.....	363
USENEXT.....	364
ANLRX1DR.....	364
ANLRXDRS.....	364
ANLRXFAK.....	365
ANLSTOLE.....	365
ANLFFRERE.....	365
ANLFRBUY.....	365
ANLFRTKE.....	366
ANLDEALR.....	366
ANLINET.....	366
ANLOTHWY.....	366
ANLOTHS2.....	367
ANLFF1DR.....	367
ANLFFDRS.....	368
ANLFFAKE.....	368
ANLFFSTL.....	368
ANLFFREE.....	368
ANLFFBOT.....	368
ANLFFTAK.....	369
ANLFFDLR.....	369
ANLFFNET.....	369
ANLFFOTH.....	369
ANLFFOSP.....	370
ANLFFLAS.....	370
ANLFFLSP.....	371
ANLGTLAS.....	371
ANLGTO2.....	372
TRNRX1DR.....	372
TRNRXDRS.....	372
TRNRXFAK.....	373
TRNSTOLE.....	373
TRNFRFRE.....	373
TRNFRBUY.....	373
TRNFRTKE.....	373
TRNDEALR.....	374
TRNINET.....	374
TRNOOTHWY.....	374
TRNOTHS2.....	374

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
TRNFF1DR.....	375
TRNFFDRS.....	375
TRNFFAKE.....	375
TRNFFSTL.....	375
TRNFFREE.....	376
TRNFFBOT.....	376
TRNFFTAK.....	376
TRNFFDLR.....	376
TRNFFNET.....	376
TRNFFOTH.....	377
TRNFFOSP.....	377
TRNGTLA2.....	377
TRNGTOS2.....	378
TRNFFLAS.....	378
TRNFFLSP.....	378
STMRX1DR.....	379
STMRXDRS.....	379
STMRXFAK.....	379
STMSTOLE.....	379
STMFFRE.....	380
STMFRBUY.....	380
STMFRTKE.....	380
STMDEALR.....	380
STMINET.....	380
STMOTHWY.....	381
STMOTHS2.....	381
STMFF1DR.....	381
STMFFDRS.....	381
STMFFAKE.....	382
STMFFSTL.....	382
STMFFREE.....	382
STMFFBOT.....	382
STMFFTAK.....	382
STMFFDLR.....	383
STMFFNET.....	383
STMFFOTH.....	383
STMFFOSP.....	383
STMGTLA2.....	384
STMGTOS2.....	384
STMFFLAS.....	385
STMFFLSP.....	385
MTHFRFRE.....	385
MTHFRBUY.....	386
MTHFRTKE.....	386
MTHDEALR.....	386

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
MTHINET.....	386
MTHOTHWY.....	386
MTHOTHS2.....	387
MTHFREE.....	387
MTHFFBOT.....	387
MTHFFTAK.....	387
MTHFFDLR.....	388
MTHFFNET.....	388
MTHFFOTH.....	388
MTHFFOSP.....	388
MTHGTLAS.....	389
MTHGTOS2.....	389
MTHFFLAS.....	389
MTHFFLSP.....	390
SEDRX1DR.....	390
SEDRXDRS.....	390
SEDRXFAK.....	390
SEDSTOLE.....	391
SEDFRFRE.....	391
SEDFRBUY.....	391
SEDFRTKE.....	391
SEDDALR.....	391
SEDINET.....	392
SEDOOTHWY.....	392
SEDOOTHS2.....	392
SEDF1DR.....	392
SEDFFDRS.....	393
SEDFFAKE.....	393
SEDFFSTL.....	393
SEDFFREE.....	393
SEDFFBOT.....	393
SEDFFTAK.....	393
SEDFFDLR.....	394
SEDFFNET.....	394
SEDFFOTH.....	394
SEDFFOSP.....	394
SEDGTLA2.....	395
SEDGTO2.....	395
SEDFFLAS.....	396
SEDFFLSP.....	396
CIGYRBFR.....	396
ALCYRBFR.....	397
COCYRBFR.....	397
MJPRIOR.....	398
MJPRIYR.....	398

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
MJPRNOYR.....	398
ANLLTSC.....	399
TRNLTS2.....	400
STMITS2.....	400
SEDLTS2.....	400
MTHLTSC4.....	401
ANLRX1D2.....	402
ANLRXDS2.....	402
ANLRXFK2.....	402
ANLSTOL2.....	402
ANLFRFE2.....	402
ANLFRBY2.....	402
ANLFRTK2.....	402
ANLDEAL2.....	402
ANLINET2.....	402
ANLOTHW2.....	403
TRNRX1D2.....	403
TRNRXDS2.....	403
TRNRXFK2.....	403
TRNSTOL2.....	403
TRNFRFE2.....	403
TRNFRBY2.....	403
TRNFRTK2.....	403
TRNDEAL2.....	404
TRNINET2.....	404
TRNOHW2.....	404
STMRX1D2.....	404
STMRXDS2.....	404
STMRXFK2.....	404
STMSTOL2.....	404
STMFRFE2.....	404
STMFRBY2.....	405
STMFRTK2.....	405
STMDEAL2.....	405
STMINET2.....	405
STMOTHW2.....	405
SEDRX1D2.....	405
SEDRXDS2.....	405
SEDRXFK2.....	405
SEDSTOL2.....	406
SEDFRFE2.....	406
SEDFRBY2.....	406
SEDFRTK2.....	406
SEDEAL2.....	406
SEDINET2.....	406

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
SEDOTHW2.....	406
MTHFRFE2.....	406
MTHFRBY2.....	407
MTHFRTK2.....	407
MTHDEAL2.....	407
MTHINET2.....	407
MTHOTHW2.....	407
ANLSRCFR.....	409
TRNSRCFR.....	410
STMSRCFR.....	410
SEDSRCFR.....	410
MTHSRCFR.....	411
ANLFF1D2.....	412
ANLFFDS2.....	412
ANLFFAK2.....	412
ANLFFST2.....	412
ANLFFRE2.....	412
ANLFFBY2.....	412
ANLFFTK2.....	412
ANLFFDL2.....	412
ANLFFNT2.....	412
ANLFFOT2.....	413
TRNFF1D2.....	413
TRNFFDS2.....	413
TRNFFAK2.....	413
TRNFFST2.....	413
TRNFFRE2.....	413
TRNFFBY2.....	413
TRNFFTK2.....	414
TRNFFDL2.....	414
TRNFFNT2.....	414
TRNFFOT2.....	414
STMFF1D2.....	414
STMFFDS2.....	414
STMFFAK2.....	414
STMFFST2.....	415
STMFFRE2.....	415
STMFFBY2.....	415
STMFFTK2.....	415
STMFFDL2.....	415
STMFFNI2.....	415
STMFFOT2.....	415
SEDFF1D2.....	416
SEDFFDS2.....	416
SEDFFAK2.....	416

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
-----	-----
SEDFFST2.....	416
SEDFFRE2.....	416
SEDFFBY2.....	416
SEDFFTK2.....	416
SEDFFDL2.....	416
SEDFFNT2.....	417
SEDFFOT2.....	417
MTHFFRE2.....	417
MTHFFBY2.....	417
MTHFFTK2.....	417
MTHFFDL2.....	417
MTHFFNT2.....	417
MTHFFOT2.....	418
TXEVER.....	419
TXYREVER.....	419
TXYRADG.....	420
TXYRHOSP.....	420
TXYRHPAD.....	420
TXYRRFIN.....	421
TXYRINAD.....	421
TXYRRFCOP.....	421
TXYRPOAD.....	422
TXYRMHC.....	422
TXYRMHAD.....	422
TXYRTXER.....	423
TXYRERAD.....	423
TXYRDOC.....	423
TXYRDCAD.....	423
TXYRJAIL.....	424
TXYRJLAD.....	424
TXYRSHG.....	424
TXYRSGAD.....	424
TXYRSOP.....	425
TXYROTS2.....	425
TXYROTAD.....	425
TXYRVSER.....	426
TXYRNME2.....	426
TXRCVNOW.....	426
NDTXNEDR.....	427
NDTXMORE.....	427
NDTMRALC.....	428
NDTMRMJ.....	428
NDTMRCOC.....	428
NDTMRHER.....	428
NDTMRHAL.....	428

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
NDTMRINH.....	428
NDTMRANL.....	429
NDTMRTRN.....	429
NDTMRSTM.....	429
NDTMRSED.....	429
NDTMROTH.....	429
NDTXALCR.....	429
NDTXMJR.....	430
NDTXCOCR.....	430
NDTXHERR.....	430
NDTXHALR.....	431
NDTXINHIR.....	431
NDTXANLR.....	431
NDTXTRNR.....	432
NDTXSTM.....	432
NDTXSEDR.....	432
NDTXSODR.....	433
NDTXDG1R.....	433
NDTXDG2R.....	433
NDTXDG3R.....	433
NDTXDG4R.....	434
NDTXDG5R.....	434
NDTXEFTR.....	434
NDTXNHCV.....	434
NDTXLMCV.....	435
NDTXNTSP.....	435
NDTXTYPE.....	435
NDTXREADY.....	435
NDTXOPEN.....	435
NDTXWHER.....	436
NDTXNBR.....	436
NDTXJOB.....	436
NDTXNOND.....	436
NDTXHndl.....	437
NDTXNHLP.....	437
NDTXBUSY.....	437
NDTXFOUT.....	437
NDTXSOR.....	437
NDTMREFT.....	438
NDMRNHCV.....	438
NDMRLMCV.....	438
NDMRNTSP.....	438
NDMRTYPE.....	438
NDMRREADY.....	439
NDMROOPEN.....	439

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
NDMRWHER	439
NDMRNBR	439
NDMRJOB	439
NDMRNOND	440
NDMRHNDL	440
NDMRNHLP	440
NDMRBUSY	440
NDMRFOUT	440
NDMRSOR	441
TXLASREC	441
TXLTYMN2	442
TXLTYALC	443
TXLTYMJ	443
TXLTYCOC	444
TXLTYHER	444
TXLTYHAL	444
TXLTYINH	445
TXLTYANL	445
TXLTYTRN	446
TXLTYSTM	446
TXLTYSED	447
TXLTYSOD	447
TXLTYOU2	448
TXLTYDU2	449
TXPYINS	450
TXPYCARE	450
TXPYCAID	450
TXPYPUBP	451
TXPYSAVE	451
TXPYFMLY	452
TXPYCORT	452
TXPYMILC	453
TXPYEMPL	453
TXPYSOS	454
TXPYSP2	454
TXPYFRE	455
TXENROLL	455
TXYRDTXO	455
TXALONEV	456
TXALONAG	456
TXDRONEV	457
TXDRONAG	457
TXALCDEV	458
TXALCDAG	458
TXDRGAEV	459

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
TXDRGAAG.....	459
TXYALAGE.....	459
TXYALDRG.....	460
TXYALDAG.....	460
TXYDRAGE.....	460
TXYDRALC.....	460
TXYDRAAG.....	461
TXYADAAG.....	461
TXYADDAG.....	461
TXFGALAG.....	461
TXFGDGAG.....	462
TXFGADAG.....	462
TX12MSHG.....	463
TX12SGAD.....	463
TXSHGFLG.....	464
TXILALEV.....	465
ALCTRMT.....	465
ILLTRMT.....	465
TXILLALC.....	465
TXILANAL.....	465
TXLTALC2.....	465
TXLTMJ2.....	465
TXLTCOC2.....	465
TXLTHER2.....	465
TXLTHAL2.....	465
TXLTINH2.....	465
TXLTANL2.....	465
TXLTTRN2.....	466
TXLTSTM2.....	466
TXLTSED2.....	466
TXLTILL2.....	466
TXPINS2.....	466
TXPCARE2.....	466
TXPCAID2.....	466
TXPPUBP2.....	466
TXPSAVE2.....	466
TXPFMLY2.....	466
TXPCORT2.....	466
TXPMILC2.....	466
TXPEMPL2.....	467
ALCPINS.....	467
ALCP CARE.....	467
ALCP CAID.....	467
ALCP PUBP.....	467
ALCP SAVE.....	467

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
ALCPFMLY.....	467
ALCPCORT.....	467
ALCPMILC.....	467
ALCPEMPL.....	467
ILLPINS.....	467
ILLPCARE.....	467
ILLPCAID.....	467
ILLPPUBP.....	467
ILLPSAVE.....	467
ILLPFMLY.....	468
ILLPCORT.....	468
ILLPMILC.....	468
ILLPEMPL.....	468
SPECTALC.....	468
SPECTILL.....	469
SPILLALC.....	469
SPILANAL.....	469
LASTTXSP.....	469
TXSPALC.....	469
TXSPMRJ.....	469
TXSPCOC.....	469
TXSPHER.....	470
TXSPHAL.....	470
TXSPINH.....	470
TXSPANL.....	470
TXSPTRN.....	470
TXSPSTM.....	470
TXSPSED.....	470
ALCHOSP.....	470
ALCRFIN.....	470
ALCRFOP.....	470
ALCMHC.....	470
ALCTXER.....	470
ALCDOC.....	470
ALCJAIL.....	470
ALCSHG.....	471
DRGHOSP.....	471
DRGRFIN.....	471
DRGRFOP.....	471
DRGMHC.....	471
DRGTXER.....	471
DRGDOC.....	471
DRGJAIL.....	471
DRGSHG.....	471
LOCHOSP.....	471

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
LOCRFIN.....	471
LOCRFOP.....	471
LOCMHC.....	471
LOCTXER.....	471
LOCDOC.....	471
LOCJAIL.....	472
LOCSHG.....	472
TXNEDALC.....	472
ILLNEED.....	472
TXNDILAL.....	472
NDTXALC2.....	473
NDTXMRJ2.....	473
NDTXCOC2.....	473
NDTXHER2.....	473
NDTXHAL2.....	473
NDTXINH2.....	473
NDTXANL2.....	473
NDTXTRN2.....	473
NDTXSTM2.....	473
NDTXSED2.....	473
FLTNDALC.....	474
FLTNDMRJ.....	474
FLTNDCC.....	474
FLTNDHER.....	474
FLTNDHAL.....	474
FLTNDINH.....	474
FLTNDANL.....	474
FLTNDTRN.....	474
FLTNDSTM.....	474
FLTNDSED.....	474
FLTNDILL.....	475
FLNDILAL.....	475
NDEFALC.....	475
NDEFMRJ.....	476
NDEFcoc.....	476
NDEFHER.....	476
NDEFHAL.....	476
NDEFINH.....	476
NDEFANL.....	476
NDEFTRN.....	476
NDEFSTM.....	476
NDEFSED.....	476
NDEFIL.....	476
NDEFIA.....	477
TXGAPALC.....	477

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
TXNOSPEC.....	477
TXGPILAL.....	477
TXGPALLC.....	477
TXGPMJLC.....	478
TXGPCOLC.....	478
TXGPHELC.....	478
TXGPHALC.....	478
TXGPINLC.....	478
TXGPANLC.....	478
TXGPTRLC.....	478
TXGPSTLC.....	478
TXGPSEL.....	478
TXRNHHCV.....	478
TXRNLMCV.....	478
TXRNNTSP.....	478
TXRNTYPE.....	479
TXRNNSTP.....	479
TXRNOPEN.....	479
TXRNWHER.....	479
TXRNNBR.....	479
TXRNJOB.....	479
TXRNNOND.....	479
TXRNHNDL.....	479
TXRNNHLP.....	479
TXRNBUSY.....	479
TXRNFOUT.....	479
PREGNANT.....	480
NMERTMT2.....	480
INHOSPYR.....	480
NMNGTHS2.....	480
LIFANXD.....	481
LIFASMA.....	481
LIFBRONC.....	481
LIFCIRR.....	481
LIFDEPRS.....	481
LIFDIAB.....	481
LIFHARD.....	482
LIFHEPAT.....	482
LIFHBP.....	482
LIFHIV.....	482
LIFLUNCA.....	482
LIFPANC.....	482
LIFPNEU.....	482
LIFSTD.....	483
LIFSINUS.....	483

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
LIFSLPAP.....	483
LIFSTROK.....	483
LIFTINN.....	483
LIFTUBRC.....	483
LIFULCER.....	483
LIFNONE.....	484
YRANXD.....	484
YRASMA.....	484
YRBRONC.....	484
YRCIRR.....	484
YRDEPRS.....	484
YRDIAIB.....	485
YRHARTD.....	485
YRHEPAT.....	485
YRHBP.....	485
YRHIV.....	485
YRLUNCA.....	485
YRPANC.....	486
YRPNEU.....	486
YRSTD.....	486
YRSINUS.....	486
YRSLPAP.....	486
YRSTROK.....	486
YRTINN.....	487
YRTUBRC.....	487
YRULCER.....	487
YRNONE.....	487
PREG.....	488
PREG2.....	488
TRIMEST.....	488
ANXDLIF.....	488
ANXDYR.....	488
ASMALIF.....	488
ASMAYR.....	488
BRONCLIF.....	488
BRONCYR.....	488
CIRRLIF.....	489
CIRRYR.....	489
DEPRSLIF.....	489
DEPRSYR.....	489
DIABLIF.....	489
DIABYR.....	489
HARTDLIF.....	489
HARTDYR.....	489
HEPATLIF.....	489

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
HEPATYR.....	489
HBPLIF.....	490
HBPYR.....	490
HIVLIF.....	490
HIVYR.....	490
LUNCALIF.....	490
LUNCAYR.....	490
PANCRLIF.....	490
PANCYR.....	490
PNEULIF.....	490
PNEUYR.....	490
STDSDLIF.....	491
STDSYR.....	491
SINUSLIF.....	491
SINUSYR.....	491
SLPAPLIF.....	491
SLPAPYR.....	491
STROKLIF.....	491
STROKYL.....	491
TINNLIF.....	491
TINNYR.....	491
TUBRCLIF.....	492
TUBRCYR.....	492
ULCERLIF.....	492
ULCERYR.....	492
AUINPYR.....	493
AUINPSYH.....	493
AUINPGEN.....	493
AUINMEDU.....	493
AUINAHSP.....	494
AUINRESD.....	494
AUINSFAC.....	494
AUNMPSY2.....	494
AUNMPGE2.....	494
AUNMMED2.....	495
AUNMAHS2.....	495
AUNMRES2.....	495
AUNMSFA2.....	495
AUPINSLF.....	495
AUPINOFM.....	496
AUPINPHI.....	496
AUPINMCR.....	496
AUPINMCD.....	496
AUPINREH.....	496
AUPINEMP.....	496

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
AUPINMIL.....	496
AUPINPUB.....	497
AUPINPRV.....	497
AUPINFRE.....	497
AUPINFM2.....	497
AUOPTYR.....	498
AUOPMENT.....	498
AUOPOTHER.....	498
AUOPDOC.....	498
AUOPCLNC.....	499
AUOPDTMT.....	499
AUOPOTOP.....	499
AUOPYRS2.....	499
AUNMMEN2.....	499
AUNMTHE2.....	500
AUNMDOC2.....	500
AUNMCLN2.....	500
AUNMDTM2.....	500
AUNMOTC2.....	500
AUPOPSLF.....	501
AUPOPOFM.....	501
AUPOPPI.....	501
AUPOPMCR.....	501
AUPOPMCD.....	501
AUPOPREH.....	501
AUPOPEMP.....	501
AUPOPMIL.....	502
AUPOPPUB.....	502
AUPOPPRV.....	502
AUPOPFRE.....	502
AUPOPMOS.....	502
AUPOPAMT.....	503
AURXYR.....	503
AUUNMTYR.....	503
AUUNCOST.....	504
AUUNNBR.....	504
AUUNJOB.....	504
AUUNNCOV.....	504
AUUNENUF.....	504
AUUNWHER.....	504
AUUNCfid.....	505
AUUNCmit.....	505
AUUNNOND.....	505
AUUNHndl.....	505
AUUNNHLP.....	505

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
AUUNBUSY.....	505
AUUNFOUT.....	506
AUUNNTSP.....	506
AUUNSOR.....	506
AUUNRIM2.....	507
AUALTYR.....	508
AUALACUP.....	508
AUALCHIR.....	508
AUALHERB.....	508
AUALSGRP.....	509
AUALINET.....	509
AUALRELG.....	509
AUALHLIN.....	509
AUALMASG.....	509
AUALOTH.....	509
AUALOTS2.....	510
AUMOTVYR.....	510
AMHINP2.....	511
AMHOUTP3.....	511
AMHRX2.....	511
AMHTXRC3.....	511
AMHSVTYPE.....	512
AMHTXND2.....	512
MHLMNT2.....	513
MHLTHER2.....	513
MHLDOC2.....	513
MHLCLNC2.....	513
MHLDTMT2.....	513
MHLSCHL2.....	514
MHLOTH2.....	515
MHPDSLFB.....	515
MHPDOFM2.....	515
MHPDPHI2.....	515
MHPDMCR2.....	516
MHPDMCD2.....	516
MHPDREH2.....	516
MHPDEMP2.....	516
MHPDMIL2.....	516
MHPDPUB2.....	516
MHPDPRV2.....	516
MHPDFRE2.....	516
MHRCOST2.....	517
MHRNBRS2.....	517
MHRJOBS2.....	517
MHRNCOV2.....	517

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
MHRENUF2.....	517
MHRWHER2.....	517
MHRCFID2.....	517
MHRCMIT2.....	517
MHRNOND2.....	518
MHRHAND2.....	518
MHRNOHP2.....	518
MHRTIME2.....	518
MHRFOUT2.....	518
MHRTRAN2.....	518
MHRSOTH2.....	518
MHOSPTR2.....	519
MHNSPTR2.....	519
NMHSPTR2.....	519
MHASPTR2.....	519
SNMOV5Y2.....	520
SNYSELL.....	520
SNYSTOLE.....	520
SNYATTAK.....	521
SNFAMJEV.....	521
SNRLGSVC.....	521
SNRLGIMP.....	522
SNRLDCSN.....	522
SNRLFRND.....	522
YEMOV5Y2.....	523
YEATNDYR.....	523
YEHMSLYR.....	523
YESCHFLT.....	524
YESCHWRK.....	524
YESCHIMP.....	524
YESCHINT.....	525
YETCGJOB.....	525
YELSTGRD.....	525
YESTSCIG.....	526
YESTSMJ.....	526
YESTSALC.....	526
YESTSDNK.....	527
YPECHKHW.....	527
YPEHLPHW.....	527
YPECHORE.....	528
YEPLMTTV.....	528
YEPLMTSN.....	528
YPEGDJOB.....	529
YEPPROUD.....	529
YEYARGUP.....	529

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
YEYFGTSW.....	530
YEYFGTGP.....	530
YEYHGUN.....	530
YEYSELL.....	531
YEYSTOLE.....	531
YEYATTAK.....	531
YEPPKCIIG.....	532
YEPMJEV.....	532
YEPMJMO.....	532
YEPALDLY.....	532
YEGPKCIIG.....	533
YEGMJEVR.....	533
YEGMJMO.....	533
YEGALDLY.....	533
YEFPKCIIG.....	534
YEFMJEVR.....	534
YEFMJMO.....	534
YEFALDLY.....	534
YETLKNON.....	535
YETLKPAR.....	535
YETLKBGF.....	535
YETLKOTA.....	535
YETLKSOP.....	535
YEPRTDNG.....	536
YEPRBSLV.....	536
YEVIOPRV.....	536
YEDGPRGP.....	537
YESLFHLP.....	537
YEPRGSTD.....	537
YESCHACT.....	538
YECOMACT.....	538
YEFAIACT.....	538
YEOTHACT.....	539
YEDECLAS.....	539
YEDERGLR.....	539
YEDESPCL.....	539
YEPVNTRYR.....	540
YERLGSVC.....	540
YERLGIMP.....	540
YERLDCSN.....	541
YERLFRND.....	541
MVIN5YR2.....	542
SCHFELT.....	542
TCHGJOB.....	542
AVGGRADE.....	542

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
STNDSCIG.....	542
STNDSMJ.....	542
STNDALC.....	542
STNDDNK.....	542
PARCHKHW.....	542
PARHLPHW.....	542
PRCHORE2.....	543
PRLMTTV2.....	543
PARLMTSN.....	543
PRGDJOB2.....	543
PRPROUD2.....	543
ARGUPAR.....	543
YOFIGHT2.....	543
YOGRPFT2.....	543
YOHGUN2.....	543
YOSELL2.....	543
YOSTOLE2.....	543
YOATTAK2.....	543
PRPKCIG2.....	544
PRMJEVR2.....	544
PRMJMO.....	544
PRALDLY2.....	544
YFLPKCG2.....	544
YFLTMRJ2.....	544
YFLMJMO.....	544
YFLADLY2.....	544
FRDPCIG2.....	544
FRDMEVR2.....	544
FRDMJMON.....	544
FRDADLY2.....	544
TALKPROB.....	545
PRTALK3.....	545
PRBSOLV2.....	545
PREVIOL2.....	545
PRVDRGO2.....	545
GRPCNSL2.....	545
PREGPGM2.....	545
YTHACT2.....	546
DRPRVME3.....	546
ANYEDUC3.....	546
RLGATTD.....	546
RLGIMPT.....	546
RLGDCSN.....	546
RLGFRND.....	546
DSTNRVOS.....	547

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
DSTHOPLS.....	547
DSTRSTLS.....	548
DSTCHEER.....	548
DSTEFFRT.....	548
DSTNGOOD.....	549
SPD_USCR.....	550
SPD_UADJ.....	550
K6SMXADJ.....	551
SPDYRADJ.....	551
SPDODPAU.....	551
SPDADPAU.....	551
NSPNDPAU.....	552
SPDNDPAU.....	552
NSPDDPAU.....	552
ADDPREV.....	553
ADDSECV.....	553
ADLOSEV.....	553
ADDPDISC.....	553
ADDPLSIN.....	554
ADDSSLIN.....	554
ADLSI2WK.....	554
ADDPR2WK.....	554
ADWRHRS.....	555
ADWRDST.....	555
ADWRCHR.....	555
ADWRIMP.....	556
ADDPPROB.....	556
ADWRPROB.....	557
ADWRAGE.....	557
ADWRDEPR.....	557
ADWRDISC.....	558
ADWRLSIN.....	558
ADWRPLSR.....	558
ADWRELES.....	558
ADWREMOR.....	559
ADWRGAIN.....	559
ADWRGROW.....	559
ADWRPREG.....	559
ADWRGNL2.....	559
ADWRLOSE.....	560
ADWRDIET.....	560
ADWRLSL2.....	560
ADWRSLEP.....	560
ADWRSMOR.....	560
ADWRENRG.....	561

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
ADWRSLOW.....	561
ADWRSLNO.....	561
ADWRJITT.....	561
ADWRJINO.....	561
ADWRTHOT.....	562
ADWRCONC.....	562
ADWRDCSN.....	562
ADWRNOGD.....	562
ADWRWRTH.....	562
ADWRDLOT.....	563
ADWRDBTR.....	563
ADWRSTHK.....	563
ADWRSPLN.....	563
ADWRSATP.....	563
AD_MDEA1.....	564
AD_MDEA2.....	564
AD_MDEA3.....	564
AD_MDEA4.....	564
AD_MDEA5.....	564
AD_MDEA6.....	564
AD_MDEA7.....	564
AD_MDEA8.....	564
AD_MDEA9.....	565
ADSMMDEA.....	565
ADPBINTF.....	565
ADPBDLYA.....	565
ADPBRMBR.....	566
ADPBAGE.....	566
ADPBNUM.....	566
ADPB2WK.....	566
ADPSHMGТ.....	567
ADPSWORK.....	567
ADPSRELS.....	568
ADPSSOC.....	568
ADPSDAYS.....	569
ADSEEDOC.....	569
ADFAMDOC.....	569
ADOTHDOC.....	570
ADPSYCH.....	570
ADPSYMD.....	570
ADSOCWRK.....	570
ADCOUNS.....	570
ADOTHMHП.....	570
ADNURSE.....	570
ADRELIG.....	571

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
ADHERBAL.....	571
ADOTHHLIP.....	571
ADTMTNOW.....	571
ADRXL2MO.....	571
ADRKNOW.....	571
ADRXLHP.....	572
ADTMTHLP.....	572
AJAMDELT.....	573
AJAMDEYR.....	573
ASDSHOME.....	574
ASDSWRK.....	574
ASDSREL.....	574
ASDSSOC.....	574
ASDSOVR.....	575
MDEIMPA.....	575
YUHOSPYR.....	576
YUHOSPN2.....	576
YUHOSUIC.....	576
YUHODEPR.....	577
YUHOFEAR.....	577
YUHOBKRU.....	577
YUHOEATP.....	577
YUHQANGER.....	577
YUHOFITE.....	577
YUHOFMLY.....	578
YUHOFRND.....	578
YUHOOTPP.....	578
YUHOSCHL.....	578
YUHOSOR.....	578
YURSIDYR.....	578
YURSIDN2.....	579
YURSSUIC.....	579
YURSDEPR.....	579
YURSFEAR.....	579
YURSBKRU.....	579
YURSEATP.....	580
YURSANGER.....	580
YURSFITE.....	580
YURSFMLY.....	580
YURSFRND.....	580
YURSOTPP.....	580
YURSSCHL.....	581
YURSSOR.....	581
YUFCAHYR.....	581
YUFCAHN2.....	581

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
YUFCSUIC.....	582
YUFCDEPR.....	582
YUFCFEAR.....	582
YUFCBKRU.....	582
YUFCEATP.....	582
YUFCANGR.....	582
YUFCFITE.....	583
YUFCFMLY.....	583
YUFCFRND.....	583
YUFCCOTPP.....	583
YUFCSCHL.....	583
YUFCSOR.....	583
YUDYTXYR.....	584
YUDYTXN2.....	584
YUDYSUIC.....	584
YUDYDEPR.....	584
YUDYFEAR.....	585
YUDYBKRU.....	585
YUDYEATP.....	585
YUDYANGR.....	585
YUDYFITE.....	585
YUDYFMLY.....	585
YUDYFRND.....	586
YUDYOTPP.....	586
YUDYSCHL.....	586
YUDYSOR.....	586
YUMHCRYR.....	586
YUMHCRN2.....	587
YUMHSUIC.....	587
YUMHDEPR.....	587
YUMHFEAR.....	587
YUMHBKRU.....	587
YUMHEATP.....	588
YUMHANGR.....	588
YUMHFITE.....	588
YUMHFMLY.....	588
YUMHFRND.....	588
YUMHOTPP.....	588
YUMHSCHL.....	589
YUMHSOR.....	589
YUTPSTYR.....	589
YUTPSTN2.....	589
YUTPSUIC.....	590
YUTPDEPR.....	590
YUTPFEAR.....	590

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
YUTPBKRU.....	590
YUTPEATP.....	590
YUTPANGR.....	591
YUTPFITE.....	591
YUTPFMLY.....	591
YUTPFRND.....	591
YUTPOTPP.....	591
YUTPSCHL.....	591
YUTPSOR.....	592
YUIHTPYR.....	592
YUIHTPN2.....	592
YUIHSUIC.....	592
YUIHDEPR.....	593
YUIHFEAR.....	593
YUIHBKRU.....	593
YUIHEATP.....	593
YUIHANGR.....	593
YUIHPITE.....	593
YUIHFMLY.....	594
YUIHFRND.....	594
YUIHOTPP.....	594
YUIHSCHL.....	594
YUIHSOR.....	594
YUFDOCYR.....	594
YUFDOCN2.....	595
YUFDSUIC.....	595
YUFDEPR.....	595
YUFDFAEAR.....	595
YUFDBKRU.....	595
YUFDEATP.....	596
YUFDANGR.....	596
YUFDITE.....	596
YUFDFMLY.....	596
YUFDFRND.....	596
YUFDOTPP.....	596
YUFD SCHL.....	597
YUFDSOR.....	597
YUSPEDYR.....	597
YUSHCNYR.....	597
YUSHSUIC.....	598
YUSHDEPR.....	598
YUSHFEAR.....	598
YUSHBKRU.....	598
YUSHHEATP.....	598
YUSHANGR.....	599

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
YUSHFITE.....	599
YUSHFMLY.....	599
YUSHFRND.....	599
YUSHOTPP.....	599
YUSHSCHL.....	599
YUSHSOR.....	600
YUJAILEV.....	600
YUFCAREV.....	600
YHOSP.....	601
YRESID.....	601
YFOST.....	601
YDAYTRT.....	601
YCLIN.....	601
YTHER.....	601
YHOME.....	601
YPED.....	601
YSPED.....	601
YSCHL.....	602
ANYMHIN.....	602
ANYMHOUT.....	602
ANYSMH.....	603
ANYMHED.....	603
ANYSMHPS.....	604
HOSPVST.....	604
RESIDVST.....	604
FOSTVST.....	604
DYTXVST.....	605
CLINVST.....	605
THERVST.....	605
HOMEVST.....	605
SPINVST.....	606
SPOUTVST.....	606
SMHVST.....	607
SIMHSUI.....	608
SIMHDPR.....	608
SIMHFEA.....	609
SIMHBRK.....	609
SIMHEAT.....	610
SIMHANGR.....	610
SIMHFITE.....	611
SIMHFMLY.....	611
SIMHFRND.....	612
SIMHOTPP.....	612
SIMHSCHL.....	613
SIMHMEND.....	613

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
SIMHOTH2.....	614
SOMHSUI.....	614
SOMHDPR.....	615
SOMHFEA.....	615
SOMHBRK.....	616
SOMHEAT.....	616
SOMHANGR.....	617
SOMHFITE.....	617
SOMHFMLY.....	618
SOMHFRND.....	618
SOMHOTPP.....	619
SOMHSCHL.....	619
SOMHMEND.....	620
SOMHOTH2.....	620
SMHSUI.....	621
SMHDP.....	621
SMHFEA.....	622
SMHBRK.....	622
SMHEAT.....	623
SMHANGR.....	623
SMHFITE.....	624
SMHFMLY.....	624
SMHFRND.....	625
SMHOTPP.....	625
SMHSCHL.....	626
SMHMEND.....	626
SMHOTH2.....	627
SHCNSUI.....	627
SHCNDR.....	627
SHCNFEA.....	627
SHCNBRK.....	628
SHCNEAT.....	628
SHCNANGR.....	628
SHCNFITE.....	628
SHCNFMLY.....	628
SHCNFRND.....	628
SHCNOTPP.....	628
SHCNSCHL.....	628
SHCNMEND.....	628
SHCNOTH2.....	628
FDOCSUI.....	629
FDOC DPR.....	629
FDOC FEA.....	629
FDOC BRK.....	629
FDOCEAT.....	629

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
FDOCANGR.....	629
FDOCFITE.....	629
FDOCFMLY.....	629
FDOCFRND.....	629
FDOCOTPP.....	630
FDOCSCHL.....	630
FDOCEND.....	630
FDOCOTH2.....	630
SEMSUI.....	631
SEMDPR.....	631
SEMFEA.....	631
SEMBRK.....	632
SEMEAT.....	632
SEMANGR.....	632
SEMFITE.....	632
SEMFMLY.....	632
SEMFRND.....	632
SEMOTPP.....	632
SEMSCHL.....	632
SEMMEND.....	632
SEMOTH2.....	632
YODPREV.....	633
YODSCEV.....	633
YOLOSEV.....	633
YODPDISC.....	633
YODPLSIN.....	634
YODSLSIN.....	634
YOLSI2WK.....	634
YODPR2WK.....	634
YOWRHRS.....	635
YOWRDST.....	635
YOWRCHR.....	635
YOWRIMP.....	636
YODPPROB.....	636
YOWRPROB.....	636
YOWRAGE.....	637
YOWRDEPR.....	637
YOWRDISC.....	637
YOWRLSIN.....	637
YOWRPLSR.....	638
YOWRELES.....	638
YOWREMOR.....	638
YOWRGAIN.....	638
YOWRGROW.....	638
YOWRPREG.....	639

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
YOWRGNL2.....	639
YOWRLOSE.....	639
YOWRDIET.....	639
YOWRLSL2.....	639
YOWRSLEP.....	640
YOWRSMOR.....	640
YOWRENRG.....	640
YOWRSLOW.....	640
YOWRSLNO.....	640
YOWRJITT.....	641
YOWRJINO.....	641
YOWRTHOT.....	641
YOWRCONC.....	641
YOWRDCSN.....	641
YOWRNODG.....	642
YOWWRTH.....	642
YOWRDLOT.....	642
YOWRDBTR.....	642
YOWRSTHK.....	642
YOWRSPLN.....	643
YOWRSATP.....	643
YO_MDEA1.....	643
YO_MDEA2.....	643
YO_MDEA3.....	643
YO_MDEA4.....	643
YO_MDEA5.....	643
YO_MDEA6.....	644
YO_MDEA7.....	644
YO_MDEA8.....	644
YO_MDEA9.....	644
YODSMMDE.....	644
YOPBINTF.....	644
YOPBDLYA.....	645
YOPBRMBR.....	645
YOPBAGE.....	645
YOPBNUM.....	645
YOPB2WK.....	646
YOPSHMGT.....	646
YOPSWORK.....	647
YOPSRELS.....	647
YOPSSOC.....	648
YOPSDAYS.....	648
YOSEEDOC.....	649
YOFAMDOC.....	649
YOOTHDOC.....	649

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
YOPSYCH.....	650
YOPSYMD.....	650
YOSOCWRK.....	650
YOCOUNS.....	650
YOOTHMHP.....	650
YONURSE.....	650
YORELIG.....	650
YOHERBAL.....	651
YOOTHHLP.....	651
YOTMTNOW.....	651
YORX12MO.....	651
YORXNOW.....	651
YORXHLP.....	652
YOTMTHLP.....	652
YSDSHOME.....	653
YSDSWRK.....	653
YSDSREL.....	653
YSDSSOC.....	653
YSDSOVRL.....	654
MDEIMPY.....	654
MDELT.....	656
MDEYR.....	656
TXMDEYR.....	656
RXMDEYR.....	657
MDETXRX.....	657
MDETXARX.....	657
MDETXO.....	657
MDERXO.....	657
DOCMDE.....	657
OMDMDE.....	657
PSY1MDE.....	658
PSY2MDE.....	658
SOCMDE.....	658
COUNMDE.....	658
OMHMDE.....	659
NURSMDE.....	659
RELMDE.....	660
HBCHMDE.....	660
OTHMDE.....	660
CADRLAST.....	661
CADRPECP.....	661
CADRCAR.....	661
CADRHOME.....	662
CADROTHM.....	662
CADRPUBL.....	662

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
CADRBAR.....	662
CADREVNT.....	662
CADRSCHL.....	663
CADROTH.....	663
CADROTS2.....	663
CABUYFRE.....	664
CAGVMONY.....	664
CABUYWHO.....	664
CABPLACE.....	664
CABUNDAG.....	665
CAGVWHO.....	665
CAFREWHO.....	665
CAFRESP2.....	666
CADRKDRC.....	666
CADRKMRC.....	667
CADRKCOC.....	667
CADRKHCR.....	667
CADRKHAL.....	667
CADRKHINH.....	667
CADRKANL.....	668
CADRKTBN.....	668
CADRKSTM.....	668
CADRKMTH.....	668
CADRKSED.....	668
ED4FLAG.....	669
CABNGEV.....	669
CABNGAGE.....	669
EIBNGAGE.....	669
CABNGYFU.....	670
EIBNGYFU.....	670
CABNGMFU.....	670
EIBNGMFU.....	671
CA4FDEV.....	671
CA4FDYDS.....	671
EI4FDDYS.....	672
CA4FDAGE.....	672
EI4FDAGE.....	672
CA4FDYFU.....	672
EI4FDYFU.....	673
CA4FDMFU.....	673
EI4FDMFU.....	673
UADPEOP.....	674
UADCAR.....	674
UADHOME.....	674
UADOTHM.....	674

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
UADPUBL.....	674
UADBAR.....	674
UADEVNT.....	674
UADSCHL.....	674
UADROTH.....	675
UADOTSP.....	675
UADPAID.....	675
UADMONY.....	675
UADBWHO.....	675
UADPLACE.....	675
UADBUND.....	675
UADCAG.....	676
UADFWHO.....	676
UADFRD.....	676
DRKMRJ.....	676
DRKCOC.....	676
DRKHER.....	677
DRKHAL.....	677
DRKINH.....	677
DRKANL.....	677
DRKTRN.....	677
DRKSTM.....	677
DRKMTH.....	677
DRKSED.....	677
DRKSUM.....	678
DRKIEM.....	678
EDFAM18.....	679
IMOTHER.....	679
IFATHER.....	679
NRCH17_2.....	679
IRHHSIZ2.....	679
IIHHSIZ2.....	679
IRKI17_2.....	679
IIKI17_2.....	679
IRHH65_2.....	680
IIHHSIZ2.....	680
IRFAMSZ2.....	680
IIFAMSZ2.....	680
IRKIDFA2.....	680
IIKIDFA2.....	680
PRXYDATA.....	680
IRPSOC.....	681
IIPSOC.....	681
IRFAMSOC.....	681
IIFAMSOC.....	681

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
IRPSSI	681
IIPSSI	681
IRFAMSSI	681
IIFAMSSI	681
IRPWAG	681
IIPWAG	681
IRFAMWAG	682
IIFAMWAG	682
IRFSTAMP	682
IIFSTAMP	682
IRPPMT	682
IIPPMT	682
IRFAMPMT	682
IIFAMPMT	682
IRPSVC	682
IIPSVC	682
IRFAMSVC	682
IIFAMSVC	682
IRWELMOS	682
IIWELMOS	683
IRPINT	683
IIPINT	683
IRFAMINT	683
IIFAMINT	683
IRPCHD	683
IIPCHD	683
IRFAMCHD	683
IIFAMCHD	683
IRPOTH	683
IIPOTH	683
IRFAMOTH	683
IIFAMOTH	684
IRPINC3	684
IIPINC3	684
IRFAMIN3	684
IIFAMIN3	684
MEDICARE	684
CAIDCHIP	685
CHAMPUS	685
PRVHLTIN	685
GRPHLTIN	686
HLTINALC	686
HLTINDRG	686
HLTINMNT	686
HLTINNOS	686

Codebook Creation Date: September 20, 2012

INDEX OF VARIABLE NAMES

PAGE: 860

VARIABLE NAME	PAGE
HLCNOTYR.....	687
HLCNOTMO.....	687
HLCLAST.....	687
HLLOSRSN.....	688
HLNVCOST.....	688
HLNVOFFR.....	688
HLNVREF.....	688
HLNVNEED.....	688
HLNVSOR.....	689
IRPINSUR.....	689
IIPINSUR.....	689
IRINSUR.....	689
IIINSUR.....	689
IRINSUR3.....	690
IIINSUR3.....	690
IRMCDCHP.....	691
IIMCDCHP.....	691
IRMEDICR.....	691
IIMEDICR.....	691
IRCHMPUS.....	691
IICHMPUS.....	691
IRPRVHLT.....	691
IIPRVHLT.....	691
IROTHHHLT.....	692
IIOTHHHLT.....	692
GOVTPROG.....	693
INCOME.....	693
POVERTY2.....	693
HLCALLFG.....	694
HLCALL99.....	694
ANYHLTI2.....	694
IRINSUR4.....	694
IIINSUR4.....	695
OTHINS.....	695
INCSAMP.....	696
LANGVER.....	697
QUARTER.....	697
GQTYPE2.....	697
AGE2.....	698
NOMARR2.....	698
SERVICE.....	698
MILSTAT.....	699
HEALTH.....	699
IRSEX.....	700
IRMARIT.....	700

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
IIMARIT.....	700
IREDUC2.....	700
IIEDUC2.....	700
CATAGE.....	701
CATAG2.....	701
CATAG3.....	701
CATAG6.....	701
CATAG7.....	701
PREGAGE2.....	701
SEXAGE.....	701
NEWRACE2.....	702
SEXRACE.....	702
EDUCCAT2.....	702
EDUCATHP.....	702
HEALTH2.....	702
MOVESPY2.....	703
EIMOVPYR.....	703
MOVYRFLG.....	703
SCHENRL.....	704
EDUCATN2.....	704
SDNTFTPT.....	705
SCHDSICK.....	705
SCHDSKIP.....	705
HSDIPLMA.....	705
HSGED.....	706
LFSCHWH2.....	707
LFTSCHA2.....	708
TELNO2.....	708
COLLENR.....	709
COLLENR2.....	709
JBSTATR2.....	710
WRKHAVJB.....	710
WRKHRSW2.....	710
WRKIDST2.....	711
WRKOCUP2.....	712
WRKBZCA2.....	712
WRKEDYR.....	713
WRKSLFEM.....	713
WRKJOBS2.....	713
WRKUNEMP.....	713
WRKUNWKS.....	714
WRKLSTY2.....	714
WRKIDSY2.....	714
WRKOCUY2.....	715
WRKBZCY2.....	715

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
-----	-----
WORKDAYS.....	716
WORKBLAH.....	716
LOCSIZE.....	716
DRGPLCY.....	716
PLCYCOV.....	717
WKDRGED.....	717
DRGPRGM.....	717
USALCTST.....	717
USDRGTST.....	717
TSTHIRE.....	718
TSTRAND.....	718
FIRSTPOS.....	718
WRKHIRE.....	718
WORKRAND.....	719
EMPSTATY.....	720
IIEMPSTY.....	720
II2EMSTY.....	720
EMPSTAT4.....	720
IIEMPST4.....	720
II2EMST4.....	720
PDEN.....	721
COUTYP2.....	721
ANALWT_C.....	722
VESTR.....	722
VEREP.....	722

APPENDIX A

Drug Codes for Open-Ended Questions

APPENDIX A

Drug Codes for Open-Ended Questions (2007 CAI NSDUH)

Numerical Listing

NOTE: Due to changes in the survey instrument in 1999,
codes for some drugs may differ from those used in prior survey years.

Code	Definition
101	Butisol
102	Buticaps
103	Amytal
104	Mebaral
105	Placidyl, Ethchlorvynol
106	Doriden
107	Noludar
108	Nembutal
109	Seconal
110	Tuinal
111	Dalmane, Flurazepam
112	Restoril, Temazepam
113	Halcion, Triazolam
114	Amobarbital
115	Phenobarbital
116	Methaqualone, Sopor, Quaalude [see also 138]
117	Chloral hydrate, Noctec
118	Pentobarbital, Pentothal, Sodium pentothal, Thiopental
119	Secobarbital
120	Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED
121	USED SEDATIVE, DON'T KNOW NAME
122	Over-the-counter sleep aid; not specified <OTC>
123	Unisom <OTC>
124	Yellow jackets
126	Sominex <OTC>
127	Nytol <OTC>
128	Nervine <OTC>
129	Reds
130	Phenergan, Promethazine
131	Haldol, Haloperidol
132	Sleepettes <OTC>
136	Dimetapp <OTC>
137	7-14
138	Mandrax, Mandrix [see also 116]
139	Black widows

Code	Definition
140	Seldane
141	Dilantin
142	Belladonna
145	Red devil(s)
146	Bentyl, Dicyclomine
148	Actifed <OTC>
152	Eskabarbs
153	Luminal
154	Alurate
156	Sodium barbital
157	Barbiturates
159	Octanox
163	Blue meanies
164	Yellow zombies
171	NyQuil <OTC>
172	Dream Ease <OTC>
173	Wafers
174	Ambien, Stilnox, Zolpidem
176	Melatonin <OTC>
177	Bean
178	Quetiapine, Seroquel
179	Water tee [sic]
180	Tylenol P.M. <OTC>
181	Excedrin P.M. <OTC>
182	Melzone
183	Mysoline
184	Red and blues
186	Butalbital
187	Belladonna plant/flower/root, deadly nightshade
188	Estazolam, Prosom
189	Sonata
190	Dormin <OTC>
191	Blues
192	Promazine
193	Meclizine
194	Quiet World <OTC>
195	Lotusate, Talbutal
196	Simply Sleep <OTC>
197	Topamax, Topiramate

Code	Definition
198	Seducaps
199	Ansiovit <OTC>
201	Valium, Diazepam
202	Librium, Chlordiazepoxide HCl
203	Limbitrol [see also 276]
204	Menrium
205	Serax, Oxazepam
206	Tranxene
207	Ativan, Lorazepam, Orfidal
208	Centrax
209	Xanax, Alprazolam, Tafil, Xanax bars
210	Paxipam
211	BuSpar, Buspirone
212	Miltown
213	Equanil
214	Deprol
215	Vistaril
216	Atarax, Hydroxyzine
217	Durrax
219	SK-Lygen
220	Meprobamate
221	OTHER Tranquilizer, NOT OTHERWISE SPECIFIED
222	USED TRANQUILIZER, DONT KNOW NAME
223	Carbacot, Marbaxin, Methocarbamol, Robaxin
224	Triavil
225	Desyrel, Trazodone hydrochloride
226	Stelazine, Trifluoperazine HCl
227	Thorazine
228	Amitriptyline, Elavil
229	Librax
230	Compazine, Prochlorperazine
232	Mellaril
233	Trilafon, Perphenazine
234	Flexeril, Cyclobenzaprine
235	Imipramine
237	Dormicum, Hypnovel, Midazolam, Versed
240	Lithium carbonate, Lithonate
241	Prozac, Fluoxetine
242	Equagesic
243	Etrafon
245	Tryptophan
246	Klonopin, Clonazepam, Diocam, Rivotril
247	Adapin, Doxepin, Sinequan
249	Asendin
250	Aventyl, Nortab, Nortriptyline, Pamelor
252	Strawberry whip cream
257	Zestril

Code	Definition
259	Desipramine, Norpramin
260	PCB
262	Prolixin
263	Vivactil
266	Verstran
267	Marezine
268	Rohypnol, Flunitrazepam, roche, roofies
270	Torzien
271	Zoloft
275	Loxitane
276	Limbitrol DS [see also 203]
278	Benzodiazepines
280	Ketaset
281	Blue ringer
282	Clozapine, Clozaril
283	Paroxetine, Paxil
284	Tofranil
285	Risperdal, Risperidol, Resperidone
288	Baclofen
289	Olanzapine, Zyprexa
290	Skelaxin
291	Celexa
292	Serzone
293	Anafranil, Clomipramine
294	Fluvoxamine, Luvox
295	Mirtazapine, Remeron
296	Novoxapam
297	Cafia
298	Acepromazine, PromAce
299	Code no longer used
301	Dexedrine
302	Dexamyl
303	Eskatrol
304	Benzedrine
305	Biphetamine
306	Desoxyn
307	Tenuate, Diethylpropion
308	Tepanil
309	Didrex
310	Plegine
311	Preludin
312	Ionamin
313	Fastin, Phentermine, Adipex-P
314	Pondimin, Fenfluramine
315	Voranil
316	Sanorex
317	Mazanor
318	Ritalin, Methylphenidate
319	Cylert
320	Dextroamphetamine

Code	Definition
321	Methedrine
322	Methamphetamine ("ice" or "crank"), Meth
323	Obedrin-L.A.
324	Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED
325	USED STIMULANT, DON'T KNOW NAME
326	White cross
327	Black beauties, black beauty
328	Pink hearts
329	Bird's eggs, robin's eggs, speckled eggs
330	Blue birds, blue jays, blue robins, speckled bird
331	Blancs, whites
332	Ephedrine
333	357 Magnum, Magnum 44 <OTC>
334	Crossroads, cross tops
335	Dexatrim <OTC> [see also 347, 378]
336	Diet pills
337	White molly
339	Amphetamines
341	Pink roses
342	Purple hearts
343	Nitroglycerine
344	Bennies
345	Black molly
346	Marax
347	Phenylpropanolamine <OTC> [see also 335, 378]
348	Crystal
349	Bontril, Melfiat, Phendimetrazine
351	Cathinone, cat, khat, q'at
352	Lemons
353	No-Doz <OTC>
354	Vivarin <OTC>
355	Crystal meth
356	Dexies
357	Heart-shaped black pills
358	20/20
359	Criss cross
360	Rainbow speed
363	Bam(s)
364	Pseudoephedrine <OTC>
366	Duromine
368	Peanut butter crank
369	Artane
371	Cogentin
374	Christmas tree(s)
376	TAC
377	Albuterol, Proventil, Ventolin
378	Control <OTC> [see also 335, 347]
379	Hearts

Code	Definition
380	Pink ladies
381	P.O.T.C.
382	Footballs, pink footballs, purple footballs
383	Pre-Sate
384	Little crosses
385	Little pink ones
386	Herbal ecstasy
388	Pink lemon
390	Max Alert
393	OP 33
394	Debs
395	Black cats
396	Black RJs, RJ8
397	F-40
398	Pink crosses
401	Darvon
402	Dolene
403	SK-65
404	Wygesic
405	Levo-Dromoran
406	Percodan, Roxiprin
407	Demerol, Meperidine
408	Dilauidid, Hydromorphone
409	Tylenol with Codeine, Tylenol 3, Tylenol 4
410	Phenaphen with Codeine, Phenaphen 3
411	Talwin
412	Talwin NX
413	Talacen
414	Propoxyphene
415	Codeine
416	Anileridine
417	Morphine, Roxanol
418	Methadone, Dolophine
419	Stadol, Stadol NS
420	OTHER Analgesic, NOT OTHERWISE SPECIFIED
421	USED ANALGESIC, DON'T KNOW NAME
422	Motrin
423	Percocet
424	Fioricet
425	Advil <OTC>
426	Fiorinal
427	Darvocet, Darvocet-N
429	Frost 222
430	Aspirin, Ecotrin, Empirin <OTC>
431	Tylox
432	Rufen
433	Paregoric

Code	Definition
434	Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic, Lorcet-HD, Lorcet Plus, Maxidone, Norco, Zydome
435	Tylenol, Tylenol Extra-Strength <OTC>
436	Bufferin <OTC>
438	Anaprox, Naprosyn, Naproxen, Naxen
439	222, Canadian 222
442	Ibuprofen
443	Diflunisal, Dolobid
444	Aspirin with Codeine, Empirin 3
445	Dolex, Norgesic Forte
447	Synalgos, Synalgos DC
450	Acetaminophen, including non-Tylenol brands <OTC>
453	Organidin with Codeine
454	Novocain, Procaine
455	Fiorinal with Codeine
457	T's and blues, tee's and b's, tops and bottoms
458	Finalin, Mepergan, Mepergan Fortis, Meprozine
462	Norflex
465	Fentanyl, Duragesic, Sublimaze
466	Midol <OTC>
467	Tolectin
468	Excedrin <OTC>
469	Leritine
470	Cafergot
471	Butazolidin
472	Indocin, Indomethacin
473	Pyridium
476	Duradrin, Isocom, Midrin
477	Melumbrina, Neo-Melumbrina
478	Nogirtronia
480	Robitussin AC with Codeine
481	Acular, Dolac, Ketonolac tromethamine, Torradlo
487	Ariel
490	Nalbuphine, Nubain
491	PDR
495	Red cross
496	Ultram
498	Ponstel, Mefenamic acid
499	Aleve <OTC>
501	Gasoline or lighter fluids
502	Spray paints
503	Other aerosol sprays
504	Shoeshine liquid, glue, or toluene; Super Glue; rubber cement; airplane or model glue; chemical glue
505	Lacquer thinner or other paint solvents

Code	Definition
506	Amyl nitrite, "poppers," locker room odorizer, "rush," isobutyl nitrate, bolt
507	Halothane, ether, or other anesthetics; chloroform
508	Nitrous oxide, "whippets," dentist gas
509	Correction fluids, degreasers, cleaning fluids, Liquid Paper [see also 524], K2r spot remover, Typewash
510	OTHER Inhalant, NOT OTHERWISE SPECIFIED
511	Markers, felt-tip pens, ink pens, Sharpies
512	Incense
516	Freon, refrigerant
517	Toluol
518	Acetone, nail polish remover
519	Helium
520	Old paint, paint
521	Propane [see also 525, 544]
522	Liquid TV (MTV), TV tuner, TV11Y
523	Matches
524	White-Out [see also 509]
525	Butane [see also 521, 544]
526	Nail polish
527	Phenyl nitrate
528	Whipped-cream can
529	Moth balls
531	Candy, powdered candy, sugar
533	Window sealant
534	Deodorant [see also 827]
536	Fire halt
537	Air horn, boat horn, condensed horn
539	ScotchGard
540	PAM
541	Binaca
542	Brasso, lens cleaner, spirits of ammonia
543	Liquid oxygen, oxygen
544	Lighter gases, not specified [see also 521, 525]
545	Car tailpipe exhaust fumes, CO, gasoline motor exhaust fumes
546	Leather protector, suede protector
548	Cologne, isopropanol vapors, rubbing alcohol
550	Methyl chloride
551	Oven cleaner
553	Pixie sticks
554	Insect killer (e.g., Raid)
555	Chillers
556	Enerjine
557	Hagwash [sic], Hogwash
558	Kool Aid
559	LOLOY

Code	Definition
560	Dishwashing detergent, laundry detergent, soap
561	Amputee gas cleanser
562	Ban apple gas
563	Acetylene
564	Electric contact cleaner
565	Trichloroethane
566	Smoked tea from Lipton tea bag
567	Pertussin spray
568	Tally
569	Peganento
571	Black jack
572	Etam
573	Furniture polish
574	Tornado
576	C.A.T.
577	Rave runners
580	Medusa
582	WD-40
585	TCL
586	Carbon from empty soft drink bottle
587	Mineral ice
588	Antifreeze
589	Tire shine/tire cleaner
590	Canned air, compressed air
591	Air brush propellant
592	Computer air duster, computer cleaner, dust-off, dust X
594	Starting fluid
595	Chlorine
596	Femo clay
597	Trichloronitrate
598	Ethylene dichloride
599	Potpourri
601	LSD ("acid") [see also 618]
602	Peyote
603	Mescaline
604	Psilocybin (mushrooms), shrooms
605	PCP ("angel dust," phencyclidine)
606	"Ecstasy" (MDMA), X-TC, "X"
607	OTHER Hallucinogen, NOT OTHERWISE SPECIFIED
609	Jimson weed
610	Crystal T
611	Greens
612	Happy stick, sherm, sherman, shermstick
613	Duckweed
614	MDA, Methylenedioxy amphetamine
615	Homemade drugs
616	DET, Dimethyltryptamine, DMT

Code	Definition
617	Morning glory seeds, morning glory tendrils, ricea
618	Acid paper, blotter (acid) [see also 601]
619	Tic
620	Blue dragon
621	Red dragon
622	Microdot(s), green microdot, purple microdot
623	Mickey, mickey mouse club, mickey mousers
624	Orange sunshine, sunshine, yellow sunshine
625	Window, window pane, 4-way pane
626	Jet fuel
627	Hawaiian wood rose, Hawaiian Woodrose seeds
628	Hawaiian rosebud seed tea
629	Rocket Fuel
630	Black Owsley
631	Purple Owsley
633	Mr. Natural
634	Unicorn
635	Ginseng seeds, ginseng weed
636	DOM, STP
637	Purple haze
639	Nutmeg, Mace
640	Purple pyramid
642	Pink Floyd
643	Mount queen, queen
645	Thai stick
648	Designer drugs
650	Datura stramonium, daytura, thorn apple
651	Mellow Yellow
652	ALD-52
653	Cricket, cricketshit
654	Eve
655	Flying elephant
656	Mars
657	Orange barrel
658	Special K, Ketamine
659	Boat
660	Toad, toad licking
662	Kanepolin
663	Animal tranquilizer, horse tranquilizer
664	Purple fingers
665	Paniolis
666	Zonick
668	Yellow tiny pills
669	Stropharia
670	Monkey dust
672	Suncrush
673	Orange

Code	Definition
674	Pee-pope
677	Skunk II
678	Banana peels
679	Hell bells
681	Lovely
682	Kif
683	Yage
686	Spider in my feet
687	Spray
688	AMP
690	RID
691	Maximum impact
693	Lemon drops
695	Angel's trumpet
698	2C-B Nexus
699	BOHA-49B
701	OTHER Opiates, NOT OTHERWISE SPECIFIED
702	Heroin
703	Opium
704	Dope
705	Speedball (heroin + cocaine)
706	Smack
707	Black tar heroin
709	Poppy
710	Laudanum
801	OTHER Drugs, NOT OTHERWISE SPECIFIED
802	THC, cannabinol, marinol, tetrahydrocannabinol
803	Marijuana, MarrJane [sic], Mary Jane, MJ, pot, weed, hemp
804	Hashish
805	Cocaine, coca, cocaPna, coke
806	Crack, rock
807	Alcohol, beer, ethanol, EtOH, pink champagne
808	All of the ones I've tried
809	Pills
810	Freebase
812	Cigars
813	Cigarettes, tobacco (type unspecified)
814	Caffeine <OTC>
815	Coffee <OTC>
816	Smokeless tobacco, snuff, chewing tobacco
817	Hard stuff
818	Nicotine
819	Inderal, Propranolol
820	Penicillin
821	Amoxicillin, Ampicillin, Pentrexyl

Code	Definition
822	Rabbit tobacco
824	Steroids
825	Theo-Dur
826	Alupent
827	Aluminum chloride [see also 534]
828	Tetracycline
829	Robitussin DM <OTC>
830	Mad bull
831	Honey oil
832	Primo
833	Bone
834	Loveboat
836	Antabuse
837	Paris 400
840	Over-the-counter cough medicine (contents unspecified) <OTC>
841	Allerest <OTC>, Contac <OTC>
843	Antihistamine, cold medicine, cold tablets <OTC>
844	Blood pressure medication
846	Erythromycin
847	GHB, NSC, gamma hydroxybutyrate
848	Liquid vitamin, vitamin pills <OTC>
849	Monosodium glutamate (MSG) <OTC>
850	Slack
852	Formaldehyde, wak [sic], whack (embalming fluid)
854	Juice
857	Wicki stick
858	Antibiotic
865	Diuretics, water pills
866	Boomers
867	Boron
873	Contraceptives, Feratal, Mircette, Ortho Novum,
874	Premarin
875	Buds
876	Glass
877	Methazolamide
880	Frios
881	YLOALE
883	Dextromethorphan hydrobromide <OTC>
884	Snow
885	Drixoral <OTC>
886	Spanish fly
891	Famotidine, Pepcid
892	Carafate, Sucralfate
893	Estrogen
894	Depakene, Depakote, Valproic acid
895	Tagamet, Cimetidine
896	Catapres, Clonidine
897	Synthroid, Levothyroxine

Code	Definition
898	Propylene
899	Bromophen
900	Not a drug
900	Non-drug reason given for a drug
1001	Benadryl, Diphenhydramine <OTC>
1002	Dimenhydrinate, Dramamine, sea/motion sickness pill <OTC>
1003	Donnatal
1004	Valerian <OTC>
1005	Imovane, Zopiclone
1006	Oxcarbazepine, Trileptal
1007	Robitussin P.M. <OTC>
1008	Rohr 714, Rorer 714
1009	Mogadon, Nitrazepam
1010	Diprivan, Propofol
1011	Lunesta
1012	Brevital, Methohexital
1013	Ambien CR
1014	Tylenol Flu Nighttime <OTC>
1015	Wild lettuce
1016	Phenazepam
2001	Sanoma, Soma, Carisoprodol
2002	Muscle relaxers
2003	Zanies, zannies, zans, zany bars
2004	Bromazepam, Lexillium, Lexomil, Lexotan
2005	Insidon, Opipramol
2006	Chlorzoxazone
2007	R2
2008	747
2009	Droperidol, Inapsine
2010	Buscopan
2011	Lexapro
2012	Geodon, Ziprasidone
2013	Hyoscyamine, Levsin
2014	Methoxisal, Robaxisal
2015	Flexodin
2016	Xanax XR
2017	Motival
2018	4 Bar, Quad Bar
2019	Ramelteon, Rozerem
2020	Invega
3001	Brown and clear
3002	Pep ups
3003	Primatene tablets <OTC>
3004	Black Cadillac
3005	Methylandlanamine
3006	Green amps

Code	Definition
3007	Nasal inhalant
3008	Miniwhtes
3009	Ephedrone, Methcathinone
3010	KOOD12
3011	Escalation
3012	Stud 100, stud the rock
3013	Tweek
3014	Uptime
3015	Fen-Phen (fenfluramine and phentermine)
3017	Dayquil <OTC>
3018	Up-johns
3019	Peppies
3020	White powder
3021	Blue balls
3023	Adderall
3024	Yohimbe
3025	Moles [sic]
3026	Bupropion, Wellbutrin, Zyban
3027	Energy pills
3028	Blackbirds
3029	Soccerballs
3030	Red hearts
3031	Brethine, Bricanyl, Terbutaline
3032	Heads up
3033	Metabolife <OTC>
3034	Speckleberry
3035	Blacks
3036	Ripped fuel <OTC>
3037	Effexor
3038	Obenil
3039	Theophed
3040	Hyper pills
3041	Desbutal
3042	30-30
3043	Brown bodies
3044	Caffeine pills <OTC>
3045	Stay awakes <OTC>
3047	Sudafed <OTC>
3048	Diet Pep <OTC>
3049	Truck driver's speed
3050	Mini thins
3051	Betel nut, beetlenut
3052	Speed; otherwise unspecified
3053	Maxair, Pirbuterol
3054	Up you(r) gas
3055	Clenbuterol
3056	Xenadrine <OTC>
3057	Diet Fuel <OTC>
3058	Metabolift <OTC>
3059	Metabolize and Save <OTC>
3060	Hydroxycut <OTC>

Code	Definition
3061	Metab-O-Lite <OTC>
3062	Homemade stimulants
3063	Dymetadrine <OTC>
3064	Ephedra, Ma Huang
3065	MA-300 <OTC>
3066	Alert Blue and Clear <OTC>
3067	Spancap
3068	Mini Two-way Action <OTC>
3069	DextroStat
3070	Synatan
3071	Adipokinetix <OTC>
3072	Purple Blast <OTC>
3073	Over-the-counter diet pill; otherwise unspecified <OTC>
3074	Stay Trim <OTC>
3075	Inibex
3076	Norephedrine <OTC>
3077	Concerta
3078	Blue and clears
3079	Orlistat, Xenical
3080	Meridia, Sibutramine
3081	P2P, Phenyl-2-propanone
3082	Fat burner; not otherwise specified
3083	Redotex
3084	Cartwheels
3085	Thermo Carb <OTC>
3086	Adderall XR
3087	Strattera
3088	Super Stingers <OTC>
3089	Christina, Tina
3090	Modafinil, Provigil
3091	Black bombers
3092	Metadata CD
3093	Supercaps
3094	Dexamethylphenidate, Focalin
3095	LoCarb Turbo <OTC>
3096	Yaba
3097	Bamadex
3098	Zantrex 3 <OTC>
3099	Asenlix, Clobenzorex
3100	Over-the-counter stimulant; not otherwise specified <OTC>
3101	Dexitac Stay Alert Stimulant. <OTC>
3102	Methylin
3103	RedLine. <OTC>
3104	Slimquick. <OTC>
3105	Affinato
3106	Sedalmerck
3107	Guarana. <OTC>
3108	Wellbutrin XL
3109	Dietrex <OTC>
3187	Greenies

Code	Definition
3188	Anorex, Leptoprin <OTC>
3189	BetaLean <OTC>
3190	Primatene Mist <OTC>
4001	Actron, Ketoprofen, Orudis, Oruvail
4002	Imitrex, Sumatriptan
4005	Etodolac, Lodine
4007	Happy pills
4008	Brown gel pills
4009	Smilies
4011	Atretol, Carbamazepine, Carbatrol, Epitol, Tegretol
4013	Fenoprofen, Nalfron
4014	Akineton, Biperiden
4018	Nuprin <OTC>
4022	Buprenex
4023	Pamprin <OTC>
4024	Reynol [sic]
4025	Viserol [sic]
4026	Ventrex [sic]
4027	Rorer
4028	Arthrotec
4029	Feldine, Piroxicam
4030	Triple "S"
4031	Cough syrup/medicine with Codeine
4032	Flarex
4033	Vicoprofen
4034	Lilly red
4035	Nabumetone, Relafin
4036	Stagesic
4037	Kadian, MS Contin
4038	Propacet
4039	Daypro, Oxyprozin
4040	Ridaura
4041	Maxalt
4042	M-33
4043	Tramadol
4044	Hydrocodone
4045	Dolgic, Phrenilin Forte
4046	Oxycodone or unspecified oxycodone products
4047	Roxicet
4049	Headache power <OTC>
4050	Percogesic <OTC>
4051	Celebrex
4052	Endocet
4053	Codydramol
4054	Zomax
4055	Vioxx
4056	Cataflam, Diclofenac
4057	Mejoral
4058	Totem poles
4059	Zomig, Zolmitriptan

Code	Definition
4060	Ansaid, Flurbiprophen
4061	Oramorph SR
4062	Iophen-C Liquid
4063	Naprelan
4064	Epidrin
4065	Roxicodone
4066	Suprax
4067	OxyContin
4068	Roxilox
4069	Benflogin
4070	Flexagen <OTC>
4071	Syncol
4072	Oxycet
4073	Temgesic
4074	Provil <OTC>
4075	Disalcid, Salflex, Salsalate
4076	Over-the-counter pain reliever; not otherwise specified <OTC>
4077	Tee's
4078	Spasmoproxyn
4079	Anbesol <OTC>
4080	Morphidex
4081	Avamigran
4082	Analgin, Dipyrone, Metamizol, Metamizole, Prodolina
4083	Ultracet
4084	Aktren
4085	Advil Migraine <OTC>
4086	Parafon Forte
4087	Butorphanol tartrate, Torbutrol
4088	Synthetic heroin
4089	Brompton's solution/mixture
4090	Dorixina
4091	K4
4092	Pain reliever lotion, rub; not specified
4093	Tylex, Solpadeine
4094	Tombstones
4095	Dihydrocodeine
4096	Bextra, Valdecoxib
4097	Tussionex
4098	Banamine
4099	Anacin <OTC>
4100	Excedrin Migraine <OTC>
4101	Myprodol
4102	Meloxicam, Mobic
4103	Terpin Hydrate with Codeine
4104	Dolo-Neurobion
4105	Hydrocodone with APAP; otherwise unspecified
4106	Atroveran
4107	Panlor
4108	Homemade analgesics

Code	Definition
4109	Suboxone
4110	Avinza
4111	Clinoril, Sulinac
4112	Saridone
4113	Cosanyl
4114	Nimesulide
4115	Pantopon
4116	Phenergan with Codeine, promethazine with Codeine
4117	Oxy-IR
4118	Sufenta
4119	Buprenorphine, Subutex
4120	Opana, Oxymorphone
4121	Dorflex
4122	Combiflam
4123	Dolorex
5001	Bleach
5003	Methane
5004	Ink print, paper
5005	Cobra rush
5006	Brake fluid
5007	Fly nap
5008	R-R
5011	Ozone
5012	Negros
5013	Lebel 12
5014	Spray O Buzz
5015	MCH
5016	Masking tape, tape adhesive
5017	Oil, lubricant; otherwise unspecified
5018	B-12 (Spanish)
5019	Melted plastic
5020	Wet cement
5021	Octane booster
5022	Carbon dioxide, CO ₂ , dry ice hits
5023	Double eagle
5024	Candle, citronella candle
5025	Lime salt
5026	Silly putty
5027	Benzene
5028	Carburetor cleaner, engine cleaner
5029	Floor wax
5030	Polyurethane spray
5031	Naphtha
5032	Nitrogen
5033	Sur-noxem
5034	Hippie crack
5035	Brake cleaner
5036	Wart remover
5037	Wood filler, wood putty
5038	Tywall

Code	Definition
5039	Acetate
5040	Methanol, wood alcohol
5042	Fuels other than gasoline
5043	Carbona
5044	Powdered cleansers; e.g. Ajax, Comet, Boraxo
5045	Cleaner; not otherwise specified
5046	Glass/window cleaner
5047	Tetrafluoroethylene
5048	MEK, Methyl ethyl ketone
5049	Hand sanitizer; contents unspecified
5050	Burned rubber
5051	Hair chemicals
5052	Silly String
5053	Electronics cleaner
5054	Gum freezer, gum remover
5055	PVC
5056	Eucalyptus oil
5057	Argon
5058	Sealers/sealants; type unspecified
5059	Transmission fluid
5060	Crayons
5061	Lip balm, lip gloss
5062	Amazing Elastic Plastic
5063	Drano
5064	Erasers
5065	Nail polish dryer, quick drying treatment for nails
5066	Simply Green
5067	Wet Ones wipes
5068	Smoke from a fire
5069	Febreze
5070	Silicone
5071	Purell
5072	Air blast
5073	Goof off
5074	Floor wax stripper
5075	Pine-sol
5076	Water repellant; type unspecified
5077	Resistol
5078	Axe body spray
5079	Shellac
5080	Tetrachloroethene
5081	Photographic development fluid
5082	Chalk dust
5083	Ethyl chloride
5084	Dry cleaning fluid/solvent
5085	Toilet bowl hook-ons
5086	Dry Fab
5087	Tennis balls
5088	Jungle juice
5089	Tattoo Goo Color Guard Spray

Code	Definition
5090	PVC Cleaner
5091	Germ-X
5092	Burning/ignited permanent marker
5093	Goo Gone
5094	Scotch Brite
5095	"The Works" shower cleaner
5096	Hemp rope
5097	Lysol; aerosol unspecified
5098	Axe/Axe deodorant; aerosol unspecified
5099	HydroCide
5100	TCE, Trichlorethylene
5101	Difluoroethane
5102	Xylene; otherwise unspecified
5103	Shoe dye
5104	Shoe cleaner; otherwise unspecified
5169	Baking soda
5170	Baby powder
5171	Mouthwash
5172	Shampoo
5173	Tire inflator/sealer; aerosol unspecified
5174	Belt dressing
5175	Acetylene chloride
6001	Collapsing little birds
6003	Cocahina
6004	Hallucinogen seeds
6005	Sassafras tea
6006	Super X
6007	Bathtub
6008	8-Ball
6010	Atrepabelladona (flower)
6012	Cloud 9, cloud 13
6013	Lion's tail
6014	Indo
6015	Crysta
6016	Nas
6017	Meesha
6019	Black dust, black duct [sic]
6021	Snake bite kit (anti-venom)
6022	Tequila worm, agave worm
6023	Euphoria
6024	Blue Jesus
6025	Yellow jell
6026	KJ
6027	Judyfly
6028	Laced flower
6029	DXM
6030	Root
6031	Strychnine
6032	TSP
6033	Ramstein

Code	Definition
6034	Pigface
6035	Campana (flower)
6036	Coco weed
6037	Fry
6038	Triplets, trips
6039	Blue Hawaii
6040	Dank
6041	Leaky leak
6042	Super K
6043	Diviner's sage, Salvia divinorum
6044	Gel caps, gel tabs
6045	Blackboards
6046	Aquafoot
6047	Water
6048	Dex
6049	Locoseeds, locoweed seeds
6050	High roller
6051	Tryptamine, not otherwise specified
6052	Acrylic resin
6053	Toothpicks
6054	Spiny apples
6055	Liberty caps
6056	Wet
6057	Silk
6058	Purple life
6059	Satan flower
6060	Ololiuhqui
6061	5-MeO-DMT
6062	Madderwort, wormwood
6063	Foxglove
6064	Marigold buttons
6065	3CPO
6066	Purple rain
6067	Venus
6068	Blue ice
6069	Peach
6070	DTP
6071	Sinicuichi
6072	JUNO
6073	Rolls
6074	LSA
6075	Trinity
6076	Lemon 714
6077	San Pedro
6078	Trumpet flowers
6079	Sugar cubes
6080	Purple passion
6081	Shabu
6083	CCC, "Triple C," C3 <OTC>
6084	Devil dust
6085	Dips
6086	Flakes

Code	Definition
6087	Ibogaine
6088	Brugmansia
6089	Cake
6090	Heaven
6091	Ergot, rye mold
6092	TCP
6093	Mitsubishi
6094	Mushrooms, specifically not psilocybin
6095	Super cool, super kool
6096	Bananadine
6097	Banana slug slime
6098	Dust; not otherwise specified
6099	Kathmandu Temple Kiff
6100	2C-T-7, T7
6101	Alice in Wonderland
6102	Absinthe
6103	Ayahuasca
6104	Tish
6105	Alpha-methyltryptamine, AMT, IT-290, 3-IT
6106	Paramethoxyamphetamine, PMA
6107	Ambrosia
6108	Gorilla biscuits
6109	2, 5-Dimethoxyamphetamine, DMA
6110	Mad dog
6111	Syrian rue
6112	2C-T-2
6113	Candy flip
6114	Molly; not otherwise specified
6115	Foxy
6116	Nepenthes
6117	Dragon (with color; not blue/red)
6118	Adrenochrome
6119	Scoop
6120	Lucky seven
6121	Cactus; specifically not peyote
6122	MMDA
6123	Mighty Quinn
6124	Mormon tea
6125	MDEA
6126	2,5-Dimethoxy-4-iodophenethylamine, 2C-I
6127	Skittles
6128	Henbane
6129	Beaner
6130	5-MeO-DiPT, foxy methoxy
6131	Mandrakes
6132	Amanita mushrooms, fly agaric
6133	Acorus calamus, sweet flag
6134	Anadenanthrea colubrina, cohoba, vilca, yopo
6135	5-MeO-AMT

Code	Definition
6136	Spook
6137	Harmaline
6138	2,5-Dimethoxy-4-ethyl-phenethylamine, 2C-E
6139	2,5-Dimethoxy-4-chlorophenethylamine, 2c-c
6140	MIPT, N-Methyl-N-isopropyltryptamine
6141	Dipropyltryptamine, DPT
6142	Snake venom
6143	2C-X
6144	Di-isopropyl-tryptamine, DiPT
6145	Scooby snacks
6146	5-MeO; otherwise unspecified
6147	Phenethylamines; otherwise unspecified
6148	Mimosa tree bark
6149	Tiletamine
6150	Mantis root
6151	Matrix
6152	Cigarette dipped in embalming fluid
6153	Asthmador
6154	2,5-Dimethoxy-4-methylphenethylamine, 2C-D
6155	5-MeO-T, 5-Methoxytryptamine
6156	TMA, Trimethoxyamphetamine
6157	Taters
6158	Mulberry seeds/plant
6159	2,5-Dimethoxy-4-methylthiophenethylamine, 2C-T
6160	Wacky Weed
6161	Thujone
6162	4-MeO-DMT
6163	Devil's trumpet
6164	Tenocyclidine
6165	PMMA, Paramethoxymethamphetamine
6166	BZP, Benzylpiperazine
6167	4-HO-DMT, Psilocin
6168	2,5-Dimethoxy-4-iodoamphetamine, DOI
8001	Robitussin elixir
8002	Zantac
8003	Yesca
8004	Guaifenesin
8005	Imodium AD <OTC>
8006	Laxative <OTC>
8007	Gabapentin, Neurontin
8008	Antidepressant; type unspecified
8009	Allergy pills/antihistamine; type unspecified
8010	Zyrtec, Cetirizine
8011	Herb, flower, plant; type unspecified

Code	Definition
8012	Coricidin <OTC>
8013	Maalox <OTC>
8014	Throat spray/lozenge; type unspecified <OTC>
8015	Bengay <OTC>
8016	Icy Hot <OTC>
8017	Buscapina
8018	Claritromicina
8019	Azithromycin, Z-pack, Zithromax
8020	Allegra, Altiva
8021	Cipro, Ciprofloxacin, Clloxam
8022	Creatine <OTC>
8023	Myoflex <OTC>
8024	Asthma inhaler, asthma medication, bronchial dilators
8025	Claritin, Claritin D <OTC>
8026	Powder
8027	Loradine
8028	Bactine <OTC>
8029	Flexall <OTC>
8030	Tums <OTC>
8031	Sugar pills
8032	Prilosec
8033	Heart medication; type unspecified
8034	Nutri-calm <OTC>
8035	Prednisone
8036	Norvasc
8037	Thermochrome 5000 <OTC>
8038	Coldact
8039	Kaopectate <OTC>
8040	Trioxsalen
8041	Garlic, garlic oil, garlic tablets <OTC>
8042	Alka Seltzer <OTC>
8043	Accolate
8044	Cephalexin, Keflex
8045	Gax-X <OTC>
8046	Slim Fast <OTC>
8047	Pepcid AC <OTC>
8048	Theophylline
8049	Sorbitol
8050	Tavist D <OTC>
8051	Sinex <OTC>
8052	Bactrim, Septra
8053	Dristan <OTC>
8054	Becloment, Beconase
8055	Flonase
8056	Vicks VapoRub <OTC>
8057	Natacyn, Natamycin ophthalmic
8058	Cough medicine/syrup; type unspecified
8059	Peroxyl <OTC>
8060	Blue nitro

Code	Definition
8061	Entex LA
8062	Mylanta <OTC>
8063	Heparin
8064	Triaminic <OTC>
8065	Tylenol Cold Medication <OTC>
8066	Viagra
8067	Testosterone
8068	Hemorrhoid cream
8069	Decadron, Dexamethasone
8070	Advil Cold and Sinus <OTC>
8071	Augmentin
8072	Deca-Durabolin, Nandrolone decanoate
8073	Deconamine
8074	Fansidar
8075	Effergin <OTC>
8076	Sanzolol, Stanazolol, Winstrol
8077	Azmacort
8078	Vitamin K
8079	Insulin
8080	Depotrone
8081	Primobolan
8082	Robinul
8083	Testosterone cypronate
8084	Methandrostenol <OTC>
8085	Anti-psychotics/schizophrenic; type unspecified
8086	Provera
8087	Benzocaine
8088	Dianabol
8089	Sustanol <OTC>
8090	Sustanon, Sostenon
8091	Benedrex <OTC>
8092	Decaderm
8093	Stacker 2, Stacker 3, <OTC>
8094	Pepto Bismol <OTC>
8095	Over-the-counter asthma pills; not specified <OTC>
8096	Thermicore <OTC>
8097	Zanaflex
8098	Potassium chloride
8099	Somitech
8100	Kava Kava <OTC>
8101	Colace <OTC>
8102	Nasacort, Triamcinolone
8103	Testosterona 200
8104	Thermadrene <OTC>
8105	Sustiva
8106	Methoxy-7 <OTC>
8107	Diovan, Valsartan
8108	Atenonol
8109	Apple cider and vinegar pills <OTC>

Code	Definition
8110	Over-the-counter drug/pills; type unspecified <OTC>
8111	Silver chloride
8112	hCG, Human Chorionic Gonadotropin
8113	Test 250 <OTC>
8114	Lidocaine
8115	Vicks 44 <OTC>
8116	Herbal Ease <OTC>
8117	Hydrocortisone
8118	Smoking; not otherwise specified
8119	Regal medicated oil
8120	Difulcan
8121	Invitase
8122	Trenbol
8123	Tylenol Sinus <OTC>
8124	Deca-diabolin
8125	Comtrex <OTC>
8126	Valtrex
8127	Damiana <OTC>
8128	Glucosamine <OTC>
8129	Equipoise, Equipoise
8130	Zantac 75 <OTC>
8131	Acacia Gum, carbisol <OTC>
8132	D-bol, Liquid D-bol
8133	Mega Teen <OTC>
8134	Glucophage, Metformin
8135	Verapamil
8136	Montekulast, Singulair
8137	5-HTP, 5-Hydroxytryptophan <OTC>
8138	Chlorphenamine maleate, Chlorpheniramine maleate, Piriton <OTC>
8139	Chloroquine, Nivaquine
8140	Anamine
8141	Gamma butyrolactone, GBL
8142	Conex Plus
8143	Mycelex
8144	Clarinex, Desloratadine
8145	Cooking extracts (vanilla, lemon, etc.) <OTC>
8146	Tabcin <OTC>
8147	Tylenol Flu <OTC>
8148	Met-Rx <OTC>
8149	Desenfriol <OTC>
8150	Biolex wound gel <OTC>
8151	Flu shot; otherwise unspecified
8152	Thermogenics; otherwise unspecified <OTC>
8153	Nexium
8154	Beta Blocker; otherwise unspecified
8155	Telithromycin
8156	Flumethasone
8157	Colirio

Code	Definition
8158	Lipitor
8159	Loperamide, Virola
8160	Eprosartan, Teveten
8161	Echinacea <OTC>
8162	Prevacid
8163	Ditropan
8164	Testosterone propionate
8165	Anavar
8166	White girl
8167	T3, Tri-iodothyronine
8168	Fluoride
8169	TheraFlu <OTC>
8170	Muscle stimulator spray; contents unspecified
8171	Dietary supplements; otherwise unspecified
8172	Cortisone
8173	Chlorhexidine, Exidine
8174	Betadine, Efodine, Iodine <OTC>
8175	CortiSlim <OTC>
8176	TrimSpa <OTC>
8177	Face/body cleanser; contents unspecified
8178	Norateen
8179	Artemesia
8180	Avonex
8181	Corgard
8182	Clindamycin
8183	St. John's Wort <OTC>
8184	Zofran
8185	Pro Plus <OTC>
8186	Lomotil
8187	Xylocaine
8188	Anadrol
8189	Furosemide, Lasix
8190	Benegal
8191	L-Dopa
8192	Delsym <OTC>
8193	Pertussin <OTC>
8194	Afrin <OTC>
8195	Anti-seizures; type unspecified
8196	Hirudoid
8197	Chronic
8198	Handle bars
8199	Neurobion
8200	Dan(s), Dan Dan(s); no other information
8201	Watson(s); no other information
8202	Intal
8203	Bar; otherwise unspecified
8204	Phloroglucinol, Spasfon
8205	Tylenol Allergy <OTC>
8206	Delatestryl, Testosterone enanthate

Code	Definition
8207	Terpin hydrate
8208	Romilar, form unspecified
8209	Red Bull Energy Drink <OTC>
8210	Mylan(s); no other information
8211	Precose
8212	Finaplix Gold, Trembolona QV75, Trenbolone
8213	Ranitidine
8214	Robo, Robo tripping
8215	Yager's liniment <OTC>
8216	Red Dawn GHR Release <OTC>
8217	Anti-diarrhea medication; type unspecified
8218	Attention deficit disorder meds; type unspecified [added in 2006; changed to code 8229 beginning in 2007]
8219	A & D ointment <OTC>
8220	Lavender <OTC>
8221	Omnadren
8222	Protein-based weight gain product, type unspecified
8223	Chocolate
8225	Cymbalta, Duloxetine
8226	Bitrex
8227	Sativa; otherwise unspecified
8228	Boldo
8229	ADHD/ADD medication; otherwise unspecified
8230	Advair
8231	Tussin medication, no other information
8232	Rat/rodent poison; contents unspecified
8233	Keppra, Levetiracetam
8234	Lamisil
8235	Benzonatate, Tessalon
8236	Lyrica, Pregabalin
8237	Kratom
8238	Decongestant; type unspecified
8239	Drotaverine, Drotin

Alphabetical Listing

NOTE: Due to changes in the NSDUH instrument in 1999,
codes for some drugs may differ from those used in prior survey years.

Definition	Code
100, Stud	3012
12 (Spanish), B-	5018
12, Lebel	5013
13, Cloud	6012
2, Stacker <OTC>	8093
2,5-Dimethoxy-4-chlorophenethylamine	6139
2,5-Dimethoxy-4-ethyl-phenethylamine	6138
2,5-Dimethoxy-4-iodoamphetamine	6168
2,5-Dimethoxy-4-iodophenethylamine	6126
2,5-Dimethoxy-4-methylphenethylamine	6154
2,5-Dimethoxy-4-methylthiophenethylamine	6159
2,5-Dimethoxyamphetamine	6109
20/20	358
200, Testosterona	8103
222	439
222, Canadian	439
222, Frost	429
250, Test <OTC>	8113
2C-B	698
2c-c	6139
2C-D	6154
2C-E	6138
2C-I	6126
2C-T	6159
2C-T-2	6112
2C-T-7	6100
2C-X	6143
3, Empirin	444
3, Phenaphen	410
3, Stacker <OTC>	8093
3, Tylenol	409
3, Zantrex <OTC>	3098
300, AM-<OTC>	3065
30-30	3042
33, OP	393
357 Magnum <OTC>	333
3CPO	6065
3-IT	6105
4 Bar	2018
4, Tylenol	409
40, F-	397
400, Paris	837
44, Magnum <OTC>	333
44, Vicks <OTC>	8115

Definition	Code
4-Chlorophenethylamine, 2,5-dimethoxy-	6139
4-Ethyl-phenethylamine, 2,5-dimethoxy-	6138
4-HO-DMT	6167
4-Iodoamphetamine, 2,5-dimethoxy-	6168
4-Iodophenethylamine, 2,5-dimethoxy-	6126
4-MeO-DMT	6162
4-Methylphenethylamine, 2,5-dimethoxy-	6154
4-Methylthiophenethylamine, 2,5-dimethoxy-	6159
4-way pane	625
5000, Thermochrome <OTC>	8037
52, ALD-	652
5-Dimethoxy-4-chlorophenethylamine, 2,	6139
5-Dimethoxy-4-ethyl-phenethylamine, 2,	6138
5-Dimethoxy-4-iodoamphetamine, 2,	6168
5-Dimethoxy-4-iodophenethylamine, 2,	6126
5-Dimethoxy-4-methylphenethylamine, 2,	6154
5-Dimethoxy-4-methylthiophenethylamine, 2,	6159
5-Dimethoxyamphetamine, 2,	6109
5-HTP <OTC>	8137
5-Hydroxytryptophan <OTC>	8137
5-MeO; otherwise unspecified	6146
5-MeO-AMT	6135
5-MeO-DiPT	6130
5-MeO-DMT	6061
5-MeO-T	6155
5-Methoxytryptamine	6155
7-14	137
714, Lemon	6076
714, Rohr	1008
714, Rorer	1008
747	2008
75, Zantac <OTC>	8130
8-Ball	6008
9, Cloud	6012
A & D ointment <OTC>	8219
Absinthe	6102
Acacia Gum	8131
Accolate	8043

Definition	Code
Acepromazine	298
Acetaminophen <OTC>	450
Acetate	5039
Acetone	518
Acetylene	563
Acetylene chloride	5175
Acid	601
Acid paper	618
Acid, Blotter	618
Acid, Mefenamic	498
Acid, Valproic	894
Acorus calamus	6133
Acrylic resin	6052
Actifed <OTC>	148
Action, Mini Two-way <OTC>	3068
Actron	4001
Acular	481
AD, Imodium <OTC>	8005
Adapin	247
ADD medication, ADHD/; otherwise unspecified	8229
Adderall	3023
Adderall XR	3086
ADHD/ADD medication; otherwise unspecified	8229
Adhesive tape	5016
Adipex-P	313
Adipokinetix <OTC>	3071
Adrenalin	3046
Adrenochrome	6118
Advair	8230
Advil <OTC>	425
Advil Cold and Sinus <OTC>	8070
Advil Migraine <OTC>	4085
Aerosol sprays other than spray paints	503
Affinato	3105
Afrin <OTC>	8194
Agaric, Fly	6132
Agave worm	6022
Aid, Kool	558
Aid; not specified <OTC>, Over-the-counter Sleep	122
Air blast	5072
Air brush propellant	591
Air duster, Computer	592
Air horn	537
Air, Canned	590
Air, Compressed	590
Airplane glue	504
Akineton	4014
Aktren	4084
Albuterol	377

Definition	Code
Alcohol	807
Alcohol, Rubbing	548
Alcohol, Wood	5040
ALD-52	652
Alert Blue and clear <OTC>	3066
Alert Stimulant, Dexitac Stay <OTC>	3101
Alert, Max	390
Aleve <OTC>	499
Alice in Wonderland	6101
Alka Seltzer <OTC>	8042
All of the ones I've tried	808
Allegra	8020
Allerest <OTC>	841
Allergy pills/antihistamine; type unspecified	8009
Allergy, Tylenol <OTC>	8205
Alpha-methyltryptamine	6105
Alprazolam	209
Altiva	8020
Aluminum chloride	827
Alupent	826
Alurate	154
AM-300 <OTC>	3065
Amanita mushrooms	6132
Amazing Elastic Plastic	5062
Ambien	174
Ambien CR	1013
Ambrosia	6107
Amitriptyline	228
Ammonia, Spirits of	542
Amobarbital	114
Amoxicillin	821
AMP	688
Amphetamine, Methylenedioxy	614
Amphetamines	339
Ampicillin	821
Amps, Green	3006
Amputee gas cleanser	561
AMT	6105
AMT, 5-MeO	6135
Amyl nitrite	506
Amytal	103
Anacin <OTC>	4099
Anadenanthrea colubrina	6134
Anadrol	8188
Anafranil	293
Analgesics, Homemade	4108
Analgin	4082
Anamine	8140
Anaprox	438
Anavar	8165
Anbesol <OTC>	4079

Definition	Code
Anesthetics other than halothane and ether	507
Anexsia	434
Angel dust	605
Angel's trumpet	695
Anileridine	416
Animal tranquilizer	663
Anorex <OTC>	3188
Ansaid	4060
Ansiovit <OTC>	199
Antabuse	836
Antibiotic	858
Antidepressant; type unspecified	8008
Anti-diarrhea medication; type unspecified	8217
Antifreeze	588
Antihistamine	843
Antihistamine, Allergy pills/; type unspecified	8009
Antipsychotics/schizophrenic; type unspecified	8085
Anti-seizures; type unspecified	8195
Apple cider and vinegar pills <OTC>	8109
Apple gas, Ban	562
Apple, Thorn	650
Apples, Spiny	6054
Aquafoot	6046
Argon	5057
Ariel	487
Artane	369
Artemesia	8179
Arthrotec	4028
Asendin	249
Asenlix	3099
Aspirin <OTC>	430
Aspirin with Codeine	444
Asthma inhaler	8024
Asthma medication	8024
Asthma pills, Over-the-counter; not otherwise specified <OTC>	8095
Asthmador	6153
Atarax	216
Atenonol	8108
Ativan	207
Atrepabelladona (flower)	6010
Atretol	4011
Atroveran	4106
Attention deficit disorder meds; type unspecified [added in 2006; changed to code 8229 beginning in 2007]	8218
Augmentin	8071
Avamigran	4081
Aventyl	250

Definition	Code
Avinza	4110
Avonex	8180
Awakes, Stay <OTC>	3045
Axe body spray	5078
Axe/Axe deodorant; aerosol unspecified	5098
Ayahuasca	6103
Azithromycin	8019
Azmacort	8077
B-12 (Spanish)	5018
Baby powder	5170
Baclofen	288
Bactine <OTC>	8028
Bactrim	8052
Baking soda	5169
Ball, 8-	6008
Balls, Blue	3021
Balls, Moth	529
Balls, Tennis	5087
Balm, Lip	5061
Bam(s)	363
Bamadex	3097
Ban apple gas	562
Banamine	4098
Banana peels	678
Banana slug slime	6097
Bananadine	6096
Bar, 4	2018
Bar, quad	2018
Bar; otherwise unspecified	8203
Barbital, Sodium	156
Barbiturates	157
Bark, Mimosa tree	6148
Barrel, Orange	657
Bars, Handle	8198
Bars, Xanax	209
Bars, Zany	2003
Bathtub	6007
Bean	177
Beaner	6129
Beauties, Black	327
Beauty, Black	327
Beclovent	8054
Beconase	8054
Beer	807
Beetlenut	3051
Belladonna	142
Belladonna flower	187
Belladonna plant	187
Belladonna root	187
Bells, Hell	679
Belt dressing	5174

Definition	Code
Benadryl	1001
Benegal	8190
Benflogin	4069
Bengay <OTC>	8015
Bennies	344
Bentyl	146
Benzedrex <OTC>	8091
Benzedrine	304
Benzene	5027
Benzocaine	8087
Benzodiazepines	278
Benzonatate	8235
Benzylpiperazine	6166
Beta Blocker; otherwise unspecified	8154
Betadine <OTC>	8174
BetaLean <OTC>	3189
Betel nut	3051
Bextra	4096
Binaca	541
Biolex wound gel <OTC>	8150
Biperiden	4014
Biphetamine	305
Bird eggs	329
Bird, Speckled	330
Birds, Blue	330
Birds, Collapsing little	6001
Biscuits, Gorilla	6108
Bismol, Pepto <OTC>	8094
Bite kit, Snake	6021
Bitrex	8226
Black beauties	327
Black beauty	327
Black bombers	3091
Black Cadillac	3004
Black cats	395
Black duct [sic]	6019
Black dust	6019
Black jack	571
Black molly	345
Black Owsley	630
Black pills, Heart-shaped	357
Black RJs	396
Black tar heroin	707
Black widows	139
Blackbirds	3028
Blackboards	6045
Blacks	3035
Blancs	331
Blast, Air	5072
Blast, Purple <OTC>	3072
Bleach	5001
Blocker, Beta; otherwise unspecified	8154

Definition	Code
Blood pressure medication	844
Blotter (acid)	618
Blue and Clear, Alert <OTC>	3066
Blue and clears	3078
Blue balls	3021
Blue birds	330
Blue dragon	620
Blue Hawaii	6039
Blue ice	6068
Blue jays	330
Blue Jesus	6024
Blue meanies	163
Blue nitro	8060
Blue ringer	281
Blue robins	330
Blues	191
Blues, Red and	184
Blues, T's and	457
Boat	659
Boat horn	537
Bodies, Brown	3043
Body cleanser, Face/; contents unspecified	8177
Body spray, Axe	5078
BOHA-49B	699
Boldo	8228
Bolt	506
Bombers, Black	3091
Bone	833
Bontril	349
Boomers	866
Booster, Octane	5021
Boron	867
Bottle, Carbon from empty soft drink	586
Bottoms, Tops and	457
Bowl hook-ons, Toilet	5085
Brake cleaner	5035
Brake fluid	5006
Brasso	542
Brethnine	3031
Brevital	1012
Bricanyl	3031
Brite, Scotch	5094
Bromazepam	2004
Bromophen	899
Brompton's solution/mixture	4089
Bronchial dilators	8024
Brown and clear	3001
Brown bodies	3043
Brown gel pills	4008
Brugmansia	6088
Brush propellant, Air	591

Definition	Code
B's, Tee's and	457
Buds	875
Bufferin <OTC>	436
Bull Energy Drink, Red <OTC>	8209
Bull, Mad	830
Buprenex	4022
Buprenorphine	4119
Bupropion	3026
Burned rubber	5050
Burner, Fat; not otherwise specified	3082
Burning/ignited permanent marker	5092
Buscapina	8017
Buscopan	2010
BuSpar	211
Buspirone	211
Butalbital	186
Butane	525
Butazolidin	471
Buticaps	102
Butisol	101
Butorphanol tartrate	4087
Butter crank, Peanut	368
Butyrolactone, Gamma	8141
BZP	6166
Cannabinol	802
Cataflam	4056
Catapres	896
Cats, Black	395
CCC	6083
CD, Metadate	3092
Celebrex	4051
Celexa	291
Cement, Rubber	504
Cement, Wet	5020
Centrax	208
Cephalexin	8044
Cetirizine	8010
Chalk dust	5082
Champagne, Pink	807
Chemical glue	504
Chemicals, Hair	5051
Chewing tobacco	816
Chillers	555
Chloral hydrate	117
Chlordiazepoxide	202
Chlorhexidine	8173
Chloride, Acetylene	5175
Chloride, Aluminum	827
Chloride, Ethyl	5083
Chloride, Methyl	550
Chloride, Potassium	8098

Definition	Code
Chloride, Silver	8111
Chlorine	595
Chloroform	507
Chlorophenethylamine, 2-5-dimethoxy-	6139
4-	
Chloroquine	8139
Chlorphenamine maleate	8138
Chlorpheniramine maleate	8138
Chloroxazone	2006
Chocolate	8223
Chorionic Gonadotropin, Human	8112
Christina	3089
Christmas tree(s)	374
Chronic	8197
Cider and vinegar pills, Apple <OTC>	8109
Cigarette dipped in embalming fluid	6152
Cigarettes, (type unspecified)	813
Cigars	812
Ciloxan	8021
Cimetidine	895
Cipro	8021
Ciprofloxacin	8022
Citronella candle	5024
Clarinex	8144
Claritin <OTC>	8025
Claritin D <OTC>	8025
Claritromicina	8018
Clay, Femo	596
Cleaner, "The Works" shower	5095
Cleaner, Brake	5035
Cleaner, Carburetor	5028
Cleaner, Computer	592
Cleaner, Electronics	5053
Cleaner, Engine	5028
Cleaner, Glass/window	5046
Cleaner, Lens	542
Cleaner, not otherwise specified	5045
Cleaner, Oven	551
Cleaner, PVC	5090
Cleaner, Shoe; otherwise unspecified	5104
Cleaner, Tire shine/tire	589
Cleaning fluid/solvent, Dry	5084
Cleaning fluids	509
Cleanser, Face/body; contents unspecified	8177
Cleansers, Powdered; e.g. Ajax, Comet, Boraxo	5044
Clear, Alert Blue and <OTC>	3066
Clear, Brown and	3001
Clears, Blue and	3078
Clenbuterol	3053
Clindamycin	8182

Definition	Code
Clinoril	4111
Clobenzorex	3099
Clomipramine	293
Clonazepam	246
Clonidine	896
Cloud 13	6012
Cloud 9	6012
Cloves	639
Clozapine	282
Clozaril	282
Club, Mickey Mouse	623
CO	545
CO ₂	5022
Cobra rush	5005
CocaPna	805
Cocahina	6003
Cocaine	805
Coco weed	6036
Codeine	415
Codeine, Aspirin with	444
Codeine, Cough syrup/medicine with	4031
Codeine, Fiorinal with	455
Codeine, Organidin with	453
Codeine, Phenaphen with	410
Codeine, Promethazine with	4116
Codeine, Robitussin AC with	480
Codeine, Terpin Hydrate with	4103
Codeine, Tylenol with	409
Codydramol	4053
Coffee <OTC>	815
Cogentin	371
Co-Gesic	434
Cohoba	6134
Coke	805
Colace <OTC>	8101
Cold and Sinus, Advil <OTC>	8070
Cold Medication, Tylenol <OTC>	8065
Cold medicine <OTC>	843
Cold tablets <OTC>	843
Coldact	8038
Colirio	8157
Collapsing little birds	6001
Cologne	548
Color Guard Spray, Tattoo Goo	5089
Colubrina, Anadenanthrea	6134
Combiflam	4122
Compazine	230
Compressed air	590
Computer air duster	592
Computer cleaner	592
Comtrex <OTC>	8125
Concerta	3077

Definition	Code
Condensed horn	537
Conex Plus	8142
Contac <OTC>	841
Contact cleaner, Electric	564
Contin, MS	4037
Contraceptives	873
Control	378
Cooking extracts (vanilla, lemon, etc.) <OTC>	8145
Cool, Super	6095
Corgard	8181
Coriciden <OTC>	8012
Correction fluids	509
CortiSlim <OTC>	8175
Cortisone	8172
Cosanyl	4113
Cough syrup/medicine with Codeine	4031
Cough medicine, over-the-counter (contents unspecified) <OTC>	840
Cough medicine/syrup; type unspecified	8058
CR, Ambien	1013
Crack	806
Crack, Hippie	5034
Crank	322
Crank, Peanut butter	368
Crayons	5060
Cream, Hemorrhoid	8068
Cream, Strawberry whip	252
Creatine <OTC>	8022
Cricket	653
Cricketshit	653
Criss Cross	359
Cross tops	334
Cross, Criss	359
Cross, Red	495
Cross, White	326
Crosses, Little	384
Crosses, Pink	398
Crossroads	334
Crysta	6015
Crystal	348
Crystal meth	355
Crystal T	610
Cubes, Sugar	6079
Cyclobenzaprine	234
Cylert	319
Cymbalta	8225
Cypronate, Testosterone	8083
D, Claritin <OTC>	8025
D, Tavist <OTC>	8050
Dalmane	111

Definition	Code
Damiana <OTC>	8127
Dan Dan(s); no other information	8200
Dan(s)	8200
Darvocet	427
Darvocet-N	427
Darvon	401
Datura stramonium	650
Dawn GHR Release, Red <OTC>	8216
Daypro	4039
Dayquil <OTC>	3017
Daytura	650
D-bol	8132
D-bol, Liquid	8132
DC, Synalgos	447
Deadly nightshade	187
Debs	394
Decaderm	8092
Deca-diabolin	8124
Decadron	8069
Deca-Durabolin	8072
Deconamine	8073
Deconate, Nandralone	8072
Decongestant; type unspecified	8238
Deficit disorder meds, Attention; type unspecified [added in 2006; changed to code 8229 beginning in 2007]	8218
Degreasers	509
Delatestryl	8206
Delsym <OTC>	8192
Demerol	407
Dentist gas	508
Deodorant	534
Deodorant, Axe/Axe; aerosol unspecified	5098
Depakene	894
Depakote	894
Depotrone	8080
Deprol	214
Desbutal	3041
Desenfriol <OTC>	8149
Designer drugs	648
Desipramine	259
Desloratadine	8144
Desoxyn	306
Desyrel	225
DET	616
Detergent, Dishwashing	560
Detergent, Laundry	560
Development fluid, Photographic	5081
Devil dust	6084
Devil(s), Red	145
Devil's trumpet	6163

Definition	Code
Dex	6048
Dexamethasone	8069
Dexamyl	302
Dexatrim <OTC>	335
Dexedrine	301
Dexies	356
Dexitac Stay Alert Stimulant <OTC>	3101
Dexmethylphenidate	3094
Dextroamphetamine	320
Dextromethorphan hydrobromide <OTC>	883
DextroStat	3069
Dianabol	8088
Diarrhea medication; type unspecified, Anti-	8217
Dichloride, Ethylene	598
Diclofenac	4056
Dicyclomine	146
Didrex	309
Diet Fuel <OTC>	3057
Diet Pep <OTC>	3048
Diet pill, Over-the-counter; not otherwise specified <OTC>	3073
Diet pills	336
Dietary supplements; otherwise unspecified	8171
Diethylpropion	307
Dietrex <OTC>	3109
Diflunisal	443
Difluoroethane	5101
Difulcan	8120
Dihydrocodeine	4095
Di-isopropyl-tryptamine	6144
Dilantin	141
Dilators, Bronchial	8024
Dilauidid	408
Dimenhydrinate <OTC>	1002
Dimetapp <OTC>	136
Dimethoxy-4-chlorophenethylamine, 2-5-	6139
Dimethoxy-4-ethyl-phenethylamine, 2-5-	6138
Dimethoxy-4-iodoamphetamine, 2,5-	6168
Dimethoxy-4-methylphenethylamine, 2,5-	6154
Dimethoxy-4-methylthiophenethylamine, 2,5-	6159
Dimethoxyamphetamine, 2,5-	6109
Dimethyltryptamine	616
Diocam	246
Diovan	8107
Diphenhydramine <OTC>	1001
Dipped in embalming fluid, Cigarette	6152

Definition	Code
Diprivan	1010
Dipropyltryptamine	6141
Dips	6085
DiPT	6144
Dipyrrone	4082
Disalcid	4075
Dishwashing detergent	560
Disorder meds, Attention deficit; type unspecified; [added in 2006; changed to code 8229 beginning in 2007]	8218
Ditropan	8163
Diuretics	865
Diviner's sage	6043
Divinorum, Salvia	6043
DMA	6109
DMT	616
DMT, 4-HO-	6167
DMT, 4-MeO-	6162
DMT, 5-MeO-	6061
Dog, Mad	6110
DOI	6168
Dolac	481
Dolene	402
Dolex	445
Dolgilic	4045
Dolobid	443
Dolo-Neurobion	4104
Dolophine	418
Dolorex	4123
DOM	636
Donnatal	1003
Dopa, L-	8191
Dope	704
Dorflex	4121
Doriden	106
Dorixina	4090
Dormicum	237
Dormin <OTC>	190
Double eagle	5023
Downers	120
Doxepin	247
DPT	6141
Dragon (with color; not blue/red)	6117
Dragon, Blue	620
Dragon, Red	621
Dramamine <OTC>	1002
Drano	5063
Dream Ease <OTC>	172
Dressing, Belt	5174
Drink, Red Bull Energy <OTC>	8209
Dristan <OTC>	8053
Driver's speed, Truck	3049

Definition	Code
Drixoral <OTC>	885
Droperidol	2009
Drops, Lemon	693
Drotaverine	8239
Drotin	8239
Drug/pills, Over-the-counter; type unspecified <OTC>	8110
Drugs, Designer	648
Drugs, Homemade	615
Dry cleaning fluid/solvent	5084
Dry ice hits	5022
Dryer, Nail polish	5065
Drying treatment for nails, quick	5065
DTP	6070
Duckweed	613
Duct, Black [sic]	6019
Duloxetine	8225
Durabolin, Deca-	8072
Duradin	476
Duragesic	465
Duromine	366
Durrax	217
Dust, Angel	605
Dust, Black	6019
Dust, Chalk	5082
Dust, Devil	6084
Dust, Monkey	670
Dust; not otherwise specified	6098
Duster, Computer air	592
DXM	6029
Dye, Shoe	5103
Dymetadrine <OTC>	3063
Eagle, Double	5023
Ease, Dream <OTC>	172
Ease, Herbal <OTC>	8116
Echinacea <OTC>	8161
Ecotrin <OTC>	430
Ecstasy	606
Ecstasy, Herbal	386
Effergin <OTC>	8075
Effexor	3037
Efodine <OTC>	8174
Eggs, Bird	329
Eggs, Robin's	329
Eggs, Speckled	329
Elastic Plastic, Amazing	5062
Electric contact cleaner	564
Electronics cleaner	5053
Elephant, Flying	655
Elixir, Robitussin	8001
Embalming fluid	852

Definition	Code
Embalming fluid, Cigarette dipped in	6152
Empirin <OTC>	430
Empirin 3	444
Empty soft drink bottle, Carbon from	586
Enanthate, Testosterone	8206
Endocet	4052
Energine	556
Energy Drink, Red Bull <OTC>	8209
Energy pills	3027
Engine cleaner	5028
Entex LA	8061
Ephedra	3064
Ephedrine	332
Ephedrone	3009
Epidrin	4064
Epinephrine	3046
Epitol	4011
Eprosartan	8160
Equagesic	242
Equanil	213
Equipoise	8129
Equipose	8129
Erasers	5064
Ergot	6091
Erythromycin	846
Escalation	3011
Eskabar	152
Eskatrol	303
Estazolam	188
Estrogen	893
Etam	572
Ethanol	807
Ethchlorvynol	105
Ether	507
Ethyl chloride	5083
Ethyl ketone, Methyl	5048
Ethylene dichloride	598
Ethyl-phenethylamine, 2-5-dimethoxy-4-	6138
Etodolac	4005
EtOH	807
Etrafon	243
Eucalyptus oil	5056
Euphoria	6023
Eve	654
Excedrin <OTC>	468
Excedrin Migraine <OTC>	4100
Excedrin P.M. <OTC>	181
Exhaust fumes, Car tailpipe	545
Exhaust fumes, Gasoline motor	545
Exidine	8173

Definition	Code
Extracts, Cooking (vanilla, lemon, etc.) <OTC>	8145
Extra-Strength, Tylenol <OTC>	435
F-40	397
Fab, Dry	5086
Face/body cleanser; contents unspecified	8177
Famotidine	891
Fansidar	8074
Fast, Slim <OTC>	8046
Fastin	313
Fat burner; not otherwise specified	3082
Febreze	5069
Feet, Spider in my	686
Feldine	4029
Felt-tip pens	511
Femo clay	596
Fenfluramine	314
Fenfluramine and phentermine, Fen-Phen	3015
Fenoprofen	4013
Fen-Phen (fenfluramine and phentermine)	3015
Fentanyl	465
Ferutal	873
Filler, Wood	5037
Finalin	458
Finaplex Gold	8212
Fingers, Purple	664
Fioricet	424
Fiorinal	426
Fiorinal with Codeine	455
Fire halt	536
Fire, Smoke from a	5068
Flag, Sweet	6133
Flakes	6086
Flarex	4032
Flexagen <OTC>	4070
Flexall <OTC>	8029
Flexeril	234
Flexodin	2015
Flip, Candy	6113
Flonase	8055
Floor wax	5029
Floor wax stripper	5074
Flower, Atrepabelladona	6010
Flower, Belladonna	187
Flower, Campana	6035
Flower, Laced	6028
Flower, plant, Herb; type unspecified	8011
Flower, Satan	6059
Flowers, Trumpet	6078

Definition	Code
Floyd, Pink	642
Flu Nighttime, Tylenol <OTC>	1014
Flu shot; otherwise unspecified	8151
Flu, Tylenol <OTC>	8147
Fluid), Whack (embalming	852
Fluid, Brake	5006
Fluid, Cigarette dipped in embalming	6152
Fluid, Photographic development	5081
Fluid, Starting	594
Fluid, Transmission	5059
Fluid/Solvent, Dry cleaning	5084
Fluids, Cleaning	509
Fluids, Correction	509
Fluids, Lighter	501
Flumethasone	8156
Flunitrazepam	268
Fluoride	8168
Fluoxetine	241
Flurazepam	111
Flurbiprophen	4060
Fluvoxamine	294
Fly agaric	6132
Fly, Spanish	886
Flying elephant	655
Flynap	5007
Focalin	3094
Football, Pink	382
Footballs	382
Footballs, Purple	382
Formaldehyde	852
Forte, Norgesic	445
Forte, Parafon	4086
Forte, Phrenilin	4045
Fortis, Mepergan	458
Foxglove	6063
Foxy	6115
Foxy methoxy	6130
Freebase	810
Freezer, Gum	5054
Freon	516
Frios	880
Frost 222	429
Fry	6037
Fuel, Diet <OTC>	3057
Fuel, Jet	626
Fuel, Ripped <OTC>	3036
Fuel, Rocket	629
Fuels other than gasoline	5042
Fumes, Car tailpipe exhaust	545
Fumes, Gasoline motor exhaust	545
Furniture polish	573
Furosemide	8189

Definition	Code
Gabapentin	8007
Gain product; Protein-based weight; type unspecified	8222
Gamma butyrolactone	8141
Gamma hydroxybutyrate	847
Garlic <OTC>	8041
Garlic oil <OTC>	8041
Garlic tablets <OTC>	8041
Gas, Apple Ban	562
Gas, Dentist	508
Gas, Up you(r) <OTC>	3054
Gases, Lighter; not specified	544
Gasoline	501
Gasoline motor exhaust fumes	545
Gasoline, Fuels other than	5042
Gas-X <OTC>	8045
GBL	8141
Gel caps	6044
Gel pills, Brown	4008
Gel tabs	6044
Gel, Biolex wound <OTC>	8150
Geodon	2012
Germ-X	5091
GHB	847
GHR Release, Red Dawn <OTC>	8216
Ginseng seeds	635
Ginseng weed	635
Girl, White	8166
Glass	876
Glass/window cleaner	5046
Glory seeds, Morning	617
Glory tendrils, Morning	617
Gloss, Lip	5061
Glucophage	8134
Glucosamine <OTC>	8128
Glue	504
Glue, Airplane	504
Glue, Chemical	504
Glue, Model	504
Glue, Super	504
Glutamate (MSG), Monosodium <OTC>	849
Gold, Finaplix	8212
Gonadotropin, Human Chorionic	8112
Goo, Goo	5093
Goo Color Guard Spray, Tattoo	5089
Goo Gone	5093
Goof off	5073
Gorilla biscuits	6108
Green amps	3006
Green microdot	622

Definition	Code
Green, Simply	5066
Greenies	3187
Greens	611
Guaifenesin	8004
Guarana <OTC>	3107
Guard Spray, Tattoo Goo Color	5089
Gum freezer	5054
Gum remover	5054
Gum, Acacia	8131
Hagwash [sic]	557
Hair chemicals	5051
Halcion	113
Haldol	131
Hallucinogen seeds	6004
Haloperidol	131
Halothane	507
Halt, Fire	536
Hand sanitizer; contents unspecified	5049
Handle bars	8198
Happy pills	4007
Happy stick	612
Hard stuff	817
Harmaline	6137
Hashish	804
Hawaii, Blue	6039
Hawaiian rosebud seed tea	628
Hawaiian wood rose	627
Hawaiian Woodrose seeds	627
Haze, Purple	637
hCG	8112
HCl, Trifluoperazine	226
HD, Lorcet-	434
Headache powder <OTC>	4049
Heads up	3032
Hearts	379
Hearts, Pink	328
Hearts, Purple	342
Hearts, Red	3030
Heart-shaped black pills	357
Heaven	6090
Helium	519
Hell bells	679
Hemorrhoid cream	8068
Hemp rope	5096
Henbane	6128
Heparin	8063
Herb, flower, plant; type unspecified	8011
Herb, Natural	6011
Herbal Ease <OTC>	8116
Herbal ecstasy	386
Heroin	702

Definition	Code
Heroin, Black tar	707
Heroin, Synthetic	4088
High roller	6050
Hippie crack	5034
Hits, Dry ice	5022
HO-DMT, 4-	6167
Hogwash	557
Homemade analgesics	4108
Homemade drugs	615
Homemade stimulants	3062
Honey oil	831
Hook-ons, Toilet bowl	5085
Horn, Air	537
Horn, Boat	537
Horn, Condensed	537
Horse tranquilizer	663
Hot, Icy <OTC>	8016
Huang, Ma	3064
Human Chorionic Gonadotropin	8112
Hydrate with Codeine, Terpin	4103
Hydrate, Chloral	117
Hydrate, Terpin	8207
Hydrobromide, Dextromethorphan <OTC>	883
Hydrochloride, Trazodone	225
HydroCide	5099
Hydrocodone	4044
Hydrocodone with APAP; otherwise unspecified	4105
Hydrocortisone	8117
Hydromorphone	408
Hydroxybutyrate, Gamma	847
Hydroxycut <OTC>	3060
Hydroxyzine	216
Hyoscyamine	2013
Hyper pills	3040
Hypnovel	237
Ibogaine	6087
Ibuprofen	442
Ice	322
Ice hits, Dry	5022
Ice, Blue	6068
Ice, Mineral	587
Icy Hot <OTC>	8016
Imipramine	235
Imitrex	4002
Imodium AD <OTC>	8005
Imovane	1005
Impact, Maximum	691
In my feet, Spider	686
Inapsine	2009

Definition	Code
Incense	512
Inderal	819
Indo	6014
Indocin	472
Indomethacin	472
Inflator/sealer, Tire; aerosol unspecified	5173
Inhalant, Nasal	3007
Inhaler, Asthma	8024
Inibex	3075
Ink pens	511
Ink print	5004
Insect killer (e.g. Raid)	554
Insidon	2005
Insulin	8079
Intal	8202
Invega	2020
Invitase	8121
Iodine <OTC>	8174
Iodoamphetamine, 2,5-dimethoxy-4-	6168
Ionamin	312
Iophen-C Liquid	4062
Isobutyl nitrate	506
Isocom	476
Isopropanol vapors	548
Isopropyl-tryptamine, Di-	6144
Isopropyltryptamine, N-methyl-N-	6140
IT-290	6105
Jack, Black	571
Jackets, Yellow	124
Jays, Blue	330
Jell, Yellow	6025
Jesus, Blue	6024
Jet Fuel	626
Jimson weed	609
John's Wort, St. <OTC>	8183
Judyfly	6027
Juice	854
Juice, Jungle	5088
Jungle juice	5088
JUNO	6072
K, Special	658
K, Super	6042
K, Vitamin	8078
K2r spot remover	509
K4	4091
Kadian	4037
Kanepolin	662
Kaopectate <OTC>	8039
Kathmandu Temple Kiff	6099
Kava Kava <OTC>	8100

Definition	Code
Keflex	8044
Keppra	8233
Ketamine	658
Ketaset	280
Ketone, Methyl ethyl	5048
Ketoprofen	4001
Ketorolac tromethamine	481
Khat	351
Kief [sic]	682
Kif	682
Kiff, Kathmandu Temple	6099
Killer, Insect (e.g. Raid)	554
Kit, Snake bite	6021
KJ	6026
Klonopin	246
KOOD12	3010
Kool Aid	558
Kool, Super	6095
Kratom	8237
L.A. Entex	8061
Laced flower	6028
Lacquer thinner	505
Ladies, Pink	380
Lamisil	8234
Lasix	8189
Laudanum	710
Laundry detergent	560
Lavendar <OTC>	8220
Laxative <OTC>	8006
Leak, Leaky	6041
Leaky leak	6041
Leather protector	546
Lebel 12	5013
Lemon 714	6076
Lemon Drops	693
Lemon), Cooking extracts (vanilla, etc. <OTC>	8145
Lemon, Pink	388
Lemons	352
Lens cleaner	542
Leptoprin <OTC>	3188
Leritine	469
Lettuce, Wild	1015
Levetiracetam	8233
Levo-Dromoran	405
Levothyroxine	897
Levsin	2012
Lexapro	2011
Lexillium	2004
Lexomil	2004
Lexotan	2004

Definition	Code
Liberty caps	6055
Librax	229
Librium	202
Lidocaine	8114
Life, Purple	6058
Lighter fluids	501
Lighter gases, not specified	544
Lilly red	4034
Limbitrol [see also 276]	203
Limbitrol DS [see also 203]	276
Lime salt	5025
Liniment, Yager's	8215
Lion's tail	6013
Lip balm	5061
Lip gloss	5061
Lipitor	8158
Lipton tea bag, Smoked tea from	566
Liquid D-bol	8132
Liquid oxygen	543
Liquid Paper [see also 524]	509
Liquid TV (MTV)	522
Liquid vitamin <OTC>	848
Liquid, Iophen-C	4062
Liquid, Shoeshine	504
Lithium carbonate	240
Lithonate	240
Little birds, Collapsing	6001
Little crosses	384
Little pink ones	385
LoCarb Turbo <OTC>	3095
Locker room odorizer	506
Locoweed seeds	6049
Locoweeds	6049
Lodine	4005
LOLOY	559
Lomotil	8186
Loperamide	8159
Loradine	8027
Lorazepam	207
Lorcet Plus	434
Lorcet-HD	434
Lotion, rub, Pain reliever; not specified	4092
Lotusate	195
Loveboat	834
Lovely	681
Loxitane	275
Lozenge, Throat spray; type unspecified <OTC>	8014
LSA	6074
LSD	601
Lubricant, Oil; otherwise unspecified	5017
Lucky seven	6120

Definition	Code
Luminal	153
Lunesta	1011
Luvox	294
Lyrica	8236
Lysol; aerosol unspecified	5097
M-33	4042
Ma Huang	3064
Maalox <OTC>	8013
Mad Bull	830
Mad dog	6110
Madderwort	6062
Magnum 44 <OTC>	333
Magnum, 357 <OTC>	333
Maleate, Chlorphenamine	8138
Maleate, Chlorpheniramine	8138
Mandrakes	6131
Mandrax [see also 116]	138
Mandrix [see also 116]	138
Mantis root	6150
Marax	346
Marbaxin	223
Marezine	267
Marigold buttons	6064
Marijuana	803
Marinol	802
Marker, Burning/ignited permanent	5092
Markers	511
MarrJane [sic]	803
Mars	656
Mary Jane	803
Masking tape	5016
Matches	523
Matrix	6151
Max Alert	390
Maxair	3053
Maxalt	4041
Maxidone	434
Maximum impact	691
Mazanor	317
MCH	5015
MDA	614
MDEA	6125
MDMA	606
Meanies, Blue	163
Mebaral	104
Meclizine	193
Medicated oil, Regal	8119
Medication, ADHD/ADD; otherwise unspecified	8229
Medication, Anti-diarrhea; type unspecified	8217

Definition	Code
Medication, Asthma	8024
Medication, Blood pressure	844
Medication, Tylenol Cold <OTC>	8065
Medicine with Codeine, Cough syrup/	4031
Medicine, Cold <OTC>	843
Medicine, over-the-counter cough (contents unspecified) <OTC>	840
Medicine/syrup, Cough; type unspecified	8058
Meds, Attention deficit disorder; type unspecified [added in 2006; changed to code 8229 beginning in 2007]	8218
Medusa	580
Meesha	6017
Mefenamic acid	498
Mega Teen <OTC>	8133
Mejoral	4057
MEK	5048
Melatonin <OTC>	176
Melfiat	349
Mellaril	232
Mellow Yellow	651
Meloxicam	4102
Melted plastic	5019
Melumbrina	477
Melzone	182
Menrium	204
MeO-AMT, 5-	6135
MeO-DMT, 4-	6162
Mepergan	458
Mepergan Fortis	458
Meperidine	407
Meprobamate	220
Meprozine	458
Meridia	3080
Mescaline	603
Metabolife <OTC>	3033
Metabolift <OTC>	3058
Metab-O-Lite <OTC>	3061
Metabolize and Save <OTC>	3059
Metamizol	4082
Metamizole	4082
Metformin	8134
Meth	322
Meth, Crystal	355
Methadone	418
Methandrostenol <OTC>	8084
Methamphetamine	322
Methane	5003
Methanol	5040
Methaqualone [see also 138]	116
Methazolamide	877
Methcathinone	3009

Definition	Code
Methedrine	321
Methocarbamol	223
Methohexital	1012
Methoxisal	2014
Methoxy, Foxy	6130
Methoxy-7 <OTC>	8106
Methyl chloride	550
Methyl ethyl ketone	5048
Methylandlanamine	3005
Methylenedioxy amphetamine	614
Methylin	3102
Methyl-N-isopropyltryptamine, N-	6140
Methylphenethylamine, 2,5-dimethoxy- 4-	6154
Methylphenidate	318
Methylthiophenethylamine, 2,5- dimethoxy-4-	6159
Methyltryptamine, Alpha-	6105
Met-Rx <OTC>	8148
Mickey	623
Mickey Mouse club	623
Mickey mousers	623
Microdot(s)	622
Microdot, Green	622
Microdot, Purple	622
Midazolam	237
Midol <OTC>	466
Midrin	476
Mighty Quinn	6123
Migraine, Advil <OTC>	4085
Migraine, Excedrin <OTC>	4100
Miltown	212
Mimosa tree bark	6148
Mineral ice	587
Mini Thins	3050
Mini Two-way action <OTC>	3060
Miniwhites	3008
MIPT	6140
Mircette	873
Mirtazapine	295
Mist, Primatene <OTC>	3190
Mitsubishi	6093
Mixture, Brompton's solution/	4089
MJ	803
MMDA	6122
Mobic	4102
Modafinil	3090
Model glue	504
Mogadon	1009
Mold, Rye	6091
Moles [sic]	3025
Molly, Black	345

Definition	Code
Molly, White	337
Molly; not otherwise specified	6114
Monkey dust	670
Monosodium glutamate (MSG) <OTC>	849
Montekulast	8136
Mormon tea	6124
Morning glory seeds	617
Morning glory tendrils	617
Morphidex	4080
Morphine	417
Moth balls	529
Motion sickness pill <OTC>	1002
Motival	2017
Motor exhaust fumes, Gasoline	545
Motrin	422
Motrin IB <OTC>	4048
Mount queen	643
Mouse club, Mickey	623
Mousers, Mickey	623
Mouthwash	5171
Mr. Natural	633
MS Contin	4037
MSG, Monosodium glutamate <OTC>	849
MTV, Liquid TV	522
Mulberry seeds/plant	6158
Muscle relaxers	2002
Muscle stimulator spray; contents unspecified	8170
Mushrooms	604
Mushrooms, Amanita	6132
Mushrooms, specifically not psilocybin	6094
My feet, Spider in	686
Mycelex	8143
Mylan(s); no other information	8210
Mylanta <OTC>	8062
Myoflex <OTC>	8023
Myprodol	4101
Mysoline	183
N, Darvocet-	427
Nabumetone	4035
Nail polish	526
Nail polish dryer	5065
Nail polish remover	518
Nails, Quick drying treatment for	5065
Nalbuphine	490
Nalfron	4013
Nandrolone decanoate	8072
Nap, Fly	5007
Naphtha	5031
Naprelan	4063
Naprosyn	438

Definition	Code
Naproxen	438
Nas	6016
Nasacort	8102
Nasal Inhalant	3007
Natacyn	8057
Natamycin ophthalmic	8057
Natural, Mr.	633
Naxen	438
Negros	5012
Nembutal	108
Neo-Melumbrina	477
Nepenthes	6116
Nervine <OTC>	128
Neurobion	8199
Neurobion, Dolo-	4104
Neurontin	8007
Nexium	8153
Nexus	698
Nicotine	818
Nightshade, Deadly	187
Nighttime, Tylenol Flu <OTC>	1014
Nimesulide	4114
N-isopropyltryptamine, N-methyl-	6140
Nitrate, Isobutyl	506
Nitrate, Phenyl	527
Nitrazepam	1009
Nitrite, Amyl	506
Nitro, Blue	8060
Nitrogen	5032
Nitroglycerine	343
Nitrous oxide	508
Nivaquine	8139
N-methyl-N-isopropyltryptamine	6140
Noctec	117
No-Doz <OTC>	353
Nogirtronia	478
Noludar	107
Norateen	8178
Norco	434
Norephedrine <OTC>	3076
Norflex	462
Norgesic Forte	445
Norpramin	259
Nortab	250
Nortriptyline	250
Norvasc	8036
Novocain	454
Novoxapam	296
NS, Stadol	419
NSC	847
Nubain	490
Nuprin <OTC>	4018

Definition	Code
Nut, Betel	3051
Nutmeg	639
Nutri-calm <OTC>	8034
NyQuil <OTC>	171
Nytol <OTC>	127
Obedrin-L.A.	323
Obenil	3038
Octane booster	5021
Octanox	159
Odorizer, Locker room	506
Off, Goof	5073
Oil, Eucalyptus	5056
Oil, Honey	831
Oil, lubricant; otherwise unspecified	5017
Oil, Regal medicated	8119
Ointment, A & D <OTC>	8219
Olanzapine	289
Old paint	520
Ololiuhqui	6060
Omnadren	8221
Ones wipes, Wet	5067
Ones, Little pink	385
Ons, Toilet bowl hook-	5085
OP 33	393
Opana	4120
Opipramol	2005
Opium	703
Oramorph SR	4061
Orange	673
Orange barrel	657
Orange sunshine	624
Orfidal	207
Organidin with Codeine	453
Orlistat	3079
Ortho Novum	873
Orudis	4001
Oruvail	4001
Other aerosol sprays besides spray paints	503
Other anesthetics besides halothane and ether	507
Other paint solvents besides lacquer thinner	505
Oven cleaner	551
Over-the-counter asthma pills; not otherwise specified <OTC>	8095
Over-the-counter cough medicine (contents unspecified) <OTC>	840
Over-the-counter diet pill; not otherwise specified <OTC>	3073
Over-the-counter drug/pills; type unspecified <OTC>	8110

Definition	Code
Over-the-counter pain reliever; not otherwise specified <OTC>	4076
Over-the-counter stimulant; not otherwise specified <OTC>	3100
Owsley, Black	630
Owsley, Purple	631
Oxazepam	205
Oxcarbazepine	1006
Oxide, Nitrous	508
Oxyacet	4072
Oxycodone or unspecified oxycodone products	4046
OxyContin	4067
Oxygen	543
Oxygen, Liquid	543
Oxy-IR	4117
Oxymorphone	4120
Oxyprozin	4039
Ozone	5011
P.M., Excedrin <OTC>	181
P.M., Robitussin <OTC>	1007
P.M., Tylenol <OTC>	180
P.O.T.C.	381
P2P	3081
Pack, Z-	8019
Pain reliever lotion, rub; not specified	4092
Pain reliever, Over-the-counter; not otherwise specified <OTC>	4076
Paint	520
Paint solvents other than lacquer thinner	505
Paint, Old	520
Paints, Spray	502
PAM	540
Pamelor	250
Pamprin <OTC>	4023
Pane, 4-way	625
Pane, Window	625
Paniolis	665
Panlor	4107
Pantopon	4115
Paper	5004
Paper, Acid	618
Paper, Liquid	509
Parafon Forte	4086
Paramethoxyamphetamine	6106
Paramethoxymethamphetamine	6165
Paregoric	433
Paris 400	837
Paroxetine	283
Passion, Purple	6080
Paxil	283
Paxipam	210

Definition	Code
PCB	260
PCP	605
PDR	491
Peach	6069
Peanut butter crank	368
Pedro, San	6078
Peels, Banana	678
Pee-pope	674
Peganento	569
Penicillin	820
Pens, Felt-tip	511
Pens, Ink	511
Pentobarbital	118
Pentothal	118
Pentothal, Sodium	118
Pentrexyl	821
Pep ups	3002
Pep, Diet <OTC>	3048
Pepcid	891
Pepcid AC <OTC>	8047
Peppies	3019
Pepto Bismol <OTC>	8094
Percocet	423
Percodan	406
Percogesic <OTC>	4050
Permanent marker, Burning/ignited	5992
Peroxyl <OTC>	8059
Perphenazine	233
Pertussin spray	567
Peyote	602
Phen, Fen (fenfluramine and phentermine)	3015
Phenaphen 3	410
Phenaphen with Codeine	410
Phenazepam	1016
Phencyclidine	605
Phendimetrazine	349
Phenergan	130
Phenergan with Codeine	4116
Phenethylamine, 2-5-dimethoxy-4-ethyl-	6138
Phenethylamines; otherwise unspecified	6147
Phenobarbital	115
Phentametrazine	349
Phentermine	313
Phentermine and fenfluramine, Fen-Phen	3015
Phenyl nitrate	527
Phenyl-2-propanone	3081
Phenylpropanolamine	347
Phloroglucinol	8204
Photographic development fluid	5081

Definition	Code
Phrenilin Forte	4045
Pigface	6034
Pill, Over-the-counter diet; not otherwise specified <OTC>	3073
Pill, Sea/motion sickness pill <OTC>	1002
Pills	809
Pills, Apple cider and vinegar <OTC>	8109
Pills, Brown gel	4008
Pills, Caffeine <OTC>	3044
Pills, Diet	336
Pills, Energy	3027
Pills, Happy	4007
Pills, Heart-shaped black	357
Pills, Hyper	3040
Pills, Over-the-counter asthma; not otherwise specified <OTC>	8095
Pills, Sugar	8032
Pills, Vitamin <OTC>	848
Pills, Yellow tiny	668
Pills/antihistamine, Allergy; type unspecified	8009
Pills; Over-the-counter drug/; type unspecified <OTC>	8110
Pine-sol	5075
Pink champagne	807
Pink crosses	398
Pink Floyd	642
Pink football	382
Pink hearts	328
Pink ladies	380
Pink lemon	388
Pink ones, Little	385
Pink roses	341
Pirbuterol	3053
Piriton <OTC>	8138
Piroxicam	4029
Pixie sticks	553
Placidyl	105
Plant, Belladonna	187
Plant; type unspecified, Herb, flower,	8011
Plastic, Amazing Elastic	5062
Plastic, Melted	5019
Plegine	310
Plus, Conex	8142
Plus, Loracet	434
Plus, Pro <OTC>	8185
PMA	6106
PMMA	6165
Poison, Rat/rodent; contents unspecified	8232
Poles, Totem	4058
Polish dryer, Nail	5065
Polish remover, Nail	518
Polish, Furniture	573

Definition	Code
Polish, Nail	526
Polyurethane spray	5030
Pondimin	314
Ponstel	498
Poppers	506
Pot	803
Potassium chloride	8098
Potpourri	599
Powder	8026
Powder, Baby	5170
Powder, Headache <OTC>	4049
Powder, White	3020
Powdered candy	531
Powdered cleansers; e.g. Ajax, Comet, Boraxo	5044
Precose	8211
Prednisone	8035
Pregabalin	8236
Preludin	311
Premarin	874
Pre-Sate	383
Pressure medication, Blood	844
Prevacid	8162
Prilosec	8032
Primatene Mist <OTC>	3190
Primatene tablets <OTC>	3003
Primo	832
Primobolan	8081
Print, Ink	5004
Pro Plus <OTC>	8185
Procaine	454
Prochlorperazine	230
Prodolina	4082
Product, Protein-based weight gain; type unspecified	8222
Prolixin	262
PromAce	298
Promazine	192
Promethazine	130
Promethazine with Codeine	4116
Propacet	4038
Propane	521
Propellant, Air brush	591
Propionate, Testosterone	8164
Propofol	1010
Propoxyphene	414
Propranolol	819
Propylene	898
Prosom	188
Protector, Leather	546
Protector, Suede	546

Definition	Code
Protein-based weight gain product, type unspecified	8222
Proventil	377
Provera	8086
Provigil	3090
Provil <OTC>	4074
Prozac	241
Pseudoephedrine <OTC>	364
Psilocin	6167
Psilocybin	604
Purell	5071
Purple Blast <OTC>	3072
Purple fingers	664
Purple footballs	382
Purple haze	637
Purple hearts	342
Purple life	6058
Purple microdot	622
Purple Owsley	631
Purple passion	6080
Purple pyramid	640
Purple rain	6066
Putty, Silly	5026
Putty, Wood	5037
PVC	5055
PVC Cleaner	5090
Pyramid, Purple	640
Pyridium	473
Q'at	351
Quaalude [see also 138]	116
Quad Bar	2018
Queen	643
Queen, Mount	643
Quetiapine	178
Quick drying treatment for nails	5065
Quiet World <OTC>	194
Quinn, Mighty	6123
QV75, Trembolona	8212
R2	2007
Rabbit tobacco	822
Raid), Insect killer (e.g.	554
Rain, Purple	6066
Rainbow speed	360
Ramelteon	2019
Ramstein	6033
Ranitidine	8213
Rat/rodent poison; contents unspecified	8232
Rave runners	577
Red and blues	184
Red Bull Energy Drink <OTC>	8209

Definition	Code
Red cross	495
Red Dawn GHR Release <OTC>	8216
Red devil(s)	145
Red dragon	621
Red hearts	3030
Red, Lilly	4034
RedLine <OTC>	3103
Redotex	3083
Reds	129
Refrigerant	516
Regal medicated oil	8119
Relafin	4035
Relaxers, Muscle	2002
Release, Red Dawn GHR <OTC>	8216
Reliever lotion, rub, Pain; not specified	4092
Reliever, Over-the-counter pain; not otherwise specified <OTC>	4076
Remeron	295
Remover, Gum	5054
Remover, K2R Spot	509
Remover, Nail polish	518
Remover, Wart	5036
Repellant; type unspecified, Water	5076
Resin, Acrylic	6052
Resistol	5077
Resperidone	285
Restoril	112
Reynol [sic]	4024
Ricea	617
RID	690
Ridaura	4040
Ringer, blue	281
Ripped fuel <OTC>	3036
Risperdal	285
Risperadol	285
Ritalin	318
Rivotril	246
RJ8	396
RJs, Black	396
Robaxin	223
Robaxisal	2014
Robin's eggs	329
Robins, Blue	330
Robinul	8082
Robitussin AC with Codeine	480
Robitussin DM <OTC>	829
Robitussin Elixir	8001
Robitussin P.M. <OTC>	1007
Robo	8214
Robo tripping	8214
Robomol	223
Roche	268

Definition	Code
Rock	806
Rock, Stud the	3012
Rocket fuel	629
Rodent poison, Rat/; contents unspecified	8232
Rohr 714	1008
Rohypnol	268
Roller, High	6050
Rolls	6073
Romilar, form unspecified	8208
Roofies	268
Room odorizer, Locker	506
Root	6030
Root, Belladonna	187
Root, Mantis	6150
Rope, Hemp	5096
Rorer	4027
Rorer 714	1008
Rose, Hawaiian wood	627
Rosebud seed tea, Hawaiian	628
Roses, Pink	341
Roxanol	417
Roxicet	4047
Roxicodone	4065
Roxilox	4068
Roxiprin	406
Royerem	2019
R-R	5008
Rub, Pain reliever lotion; not specified	4092
Rubber cement	504
Rubber, Burned	5050
Rubbing alcohol	548
Rue, Syrian	6111
Rufen	432
Runners, Rave	577
Rush	506
Rush, Cobra	5005
Rx, Met- <OTC>	8148
Rye mold	6091
Sage, Diviner's	6043
Salflex	4075
Salsalate	4075
Salt, Lime	5025
Salvia divinorum	6043
San Pedro	6077
Sanitizer, Hand; contents unspecified	5049
Sanoma	2001
Sanorex	316
Sanzolol	8076
Saridone	4112
Sassafras tea	6005

Definition	Code
Satan flower	6059
Sativa; otherwise unspecified	8227
Save, Metabolize and <OTC>	3059
Schizophrenic, Anti-psychotics/; type unspecified	8085
Scooby snacks	6145
Scoop	6119
Scotch Brite	5094
ScotchGard	539
Sealant, Window	533
Sealants, Sealers/; type unspecified	5058
Sealer, Tire inflator; aerosol unspecified	5173
Sealers/sealants; type unspecified	5058
Seasickness pill <OTC>	1002
Secobarbital	119
Seconal	109
Sedalmerk	3106
Seducaps	198
Seed tea, Hawaiian rosebud	628
Seeds, Ginseng	635
Seeds, Hallucinogen	6004
Seeds, Hawaiian Woodrose	627
Seeds, Locoweed	6049
Seeds, Morning glory	617
Seeds/plant, Mulberry	6158
Seizures, Anti-; type unspecified	8195
Seldane	140
Seltzer, Alka <OTC>	8042
Separa	8052
Serax	205
Seroquel	178
Serzone	292
Seven, Lucky	6120
Shabu	6081
Shampoo	5172
Sharpies	511
Shellac	5079
Sherm	612
Sherman	612
Shermstick	612
Shine/tire cleaner, Tire	589
Shoe cleaner; otherwise unspecified	5104
Shoe dye	5103
Shoeshine liquid	504
Shot, Flu; otherwise unspecified	8151
Shower cleaner, "The Works"	5095
Shrooms	604
Sibutramine	3080
Sickness pill, Sea/Motion <OTC>	1002
Silicone	5070
Silk	6057
Silly putty	5026

Definition	Code
Silly String	5052
Silver chloride	8111
Simply Green	5066
Simply Sleep <OTC>	196
Sinequan	247
Sinex <OTC>	8051
Singulair	8136
Sinicuichi	6071
Sinus, Advil Cold and <OTC>	8070
Sinus, Tylenol <OTC>	8123
SK-65	403
Skelaxin	290
Skittles	6127
SK-Lygen	219
Skunk II	677
Slack	850
Sleep aid, Over-the-counter; not specified <OTC>	122
Sleep, Simply <OTC>	196
Sleepettes <OTC>	132
Slim Fast <OTC>	8046
Slime, Banana slug	6097
Slimquick <OTC>	3104
Slug slime, Banana	6097
Smack	706
Smilies	4009
Smoke from a fire	5068
Smoked tea from Lipton tea bag	566
Smokeless tobacco	816
Smoking; not otherwise specified	8118
Snacks, Scooby	6145
Snake bite kit	6021
Snake venom	6142
Snow	884
Snuff	816
Soap	560
Soccerballs	3029
Soda, Baking	5169
Sodium barbital	156
Sodium pentothal	118
Soft drink bottle, Carbon from empty	586
Sol, Pine	5075
Solpadeine	4093
Solution/mixture, Brompton's	4089
Solvent, Dry cleaning fluid/	5084
Solvents, Paint, other than lacquer thinner	505
Soma	2001
Samatech	8099
Sominex <OTC>	126
Sonata	189
Sopor [see also 138]	116

Definition	Code
Sorbitol	8049
Sostenon	8090
Spancap	3067
Spanish fly	886
Spasfon	8204
Spasmoproxyn	4078
Special K	658
Speckleberry	3034
Speckled birds	330
Speckled eggs	329
Speed, Rainbow	360
Speed, Truck driver's	3049
Speed; otherwise unspecified	3052
Speedball (heroin + cocaine)	705
Spider in my feet	686
Spiny apples	6054
Spirits of ammonia	542
Spook	6136
Spot remover, K2r	509
Spray	687
Spray O Buzz	5014
Spray paints	502
Spray, Axe body	5078
Spray, Muscle stimulator; contents unspecified	8170
Spray, Pertussin	567
Spray, Polyurethane	5030
Spray, Tattoo Goo Color Guard	5089
Spray/lozenge, Throat; type unspecified <OTC>	8014
Sprays, other than spray paints, Aerosol	503
SR, Oramorph	4061
St. John's Wort <OTC>	8183
Stacker 2 <OTC>	8093
Stacker 3 <OTC>	8093
Stadol	419
Stadol NS	419
Stagesic	4036
Stanozolol	8076
Starting fluid	594
Stay Alert Stimulant, Dexitac <OTC>	3101
Stay awakes <OTC>	3045
Stay Trim <OTC>	3074
Stelazine	226
Steroids	824
Stick, Happy	612
Stick, Thai	645
Stick, Wicki	857
Sticks, Pixie	553
Stilnox	174
Stimulant, Dexitac Stay Alert <OTC>	3101

Definition	Code
Stimulant, Over-the-counter; not otherwise specified <OTC>	3100
Stimulants, Homemade	3062
Stimulator spray, Muscle; contents unspecified	8170
Stingers, Super <OTC>	3088
STP	636
Stramonium, Datura	650
Straterra	3087
Strawberry whip cream	252
String, Silly	5052
Stripper, Floor wax	5074
Stropharia	669
Strychnine	6031
Stud 100	3012
Stud the rock	3012
Stuff, Hard	817
Sublimaze	465
Suboxone	4109
Subutex	4119
Sucralfate	892
Sudafed <OTC>	3047
Suede protector	546
Sufenta	4118
Sugar	531
Sugar cubes	6079
Sugar pills	8031
Sulinac	4111
Sumatriptan	4002
Suncrush	672
Sunshine	624
Sunshine, Orange	624
Sunshine, Yellow	624
Super cool	6095
Super Glue	504
Super K	6042
Super kool	6095
Super Stingers <OTC>	3088
Super X	6006
Supercaps	3093
Supplements, Dietary; otherwise unspecified	8171
Suprax	4066
Sur-noxem	5033
Sustanol	8089
Sustanon	8090
Sustiva	8105
Sweet flag	6133
Synalgos	447
Synalgos DC	447
Synatan	3070
Syncol	4071

Definition	Code
Synthetic heroin	4088
Synthroid	897
Syrian rue	6111
Syrup, Cough medicine/; type unspecified	8058
Syrup/medicine with Codeine, Cough	4031
T3	8167
T7	6100
Tabcin <OTC>	8146
Tablets, Cold	843
Tablets, garlic <OTC>	8041
Tablets, Primatine <OTC>	3003
Tabs, Gel	6044
TAC	376
Tafil	209
Tagamet	895
Tail, Lion's	6013
Tailpipe exhaust fumes, Car	545
Talacen	413
Talbutal	195
Tally	568
Talwin	411
Talwin NX	412
Tape, Adhesive	5016
Tape, Masking	5016
Tar heroin, Black	707
Tartrate, Butorphanol	4087
Taters	6157
Tattoo Goo Color Guard Spray	5089
Tavist D <OTC>	8050
TCE	5100
TCL	585
TCP	6092
Tea, Hawaiian rosebud seed	628
Tea, Mormon	6124
Tea, Sassafras	6005
Tee [sic], Water	179
Teen, Mega <OTC>	8133
Tee's	4077
Tee's and b's	457
Tegretol	4011
Telithromycin	8155
Temazepam	112
Temgesic	4073
Temple, Kiff Kathmandu	6099
Tendrils, Morning glory	617
Tennis balls	5087
Tenocyclidine	6164
Tenuate	307
Tepanil	308
Tequila worm	6022

Definition	Code
Terbutaline	3031
Terpin hydrate	8207
Terpin Hydrate with Codeine	4103
Tessalon	8235
Test 250 <OTC>	8113
Testosterona 200	8103
Testosterone	8067
Testosterone cypronate	8083
Testosterone enanthate	8206
Testosterone propionate	8164
Tetrachloroethene	5080
Tetracycline	828
Tetrafluoroethylene	5047
Tetrahydrocannabinol	802
Teveten	8160
Thai stick	645
THC	802
The Works shower cleaner	5095
Theo-Dur	825
Theophed	3039
Theophylline	8048
TheraFlu <OTC>	8169
Thermadrene <OTC>	8104
Thermicore <OTC>	8096
Thermo Carb <OTC>	3085
Thermochrome 5000 <OTC>	8037
Thermogenics; otherwise unspecified <OTC>	8152
Thinner, Lacquer	505
Thins, Mini	3050
Thiopental	118
Thorazine	227
Thorn apple	650
Throat spray/lozenge; type unspecified <OTC>	8014
Thujone	6161
Tic	619
Tiletamine	6149
Tina	3089
Tiny pills, Yellow	668
Tire cleaner, Tire shine/	589
Tire inflator/sealer; aerosol unspecified	5173
Tire shine/tire cleaner	589
Tish	6104
TMA	6156
Toad	660
Toad licking	660
Tobacco, Chewing	816
Tobacco, Rabbit	822
Tobacco, Smokeless	816
Tobacco, type unspecified	813
Tofranil	284

Definition	Code
Toilet bowl hook-ons	5085
Tolectin	467
Toluene	504
Toluol	517
Tombstones	4094
Toothpicks	6053
Topamax	197
Topiramate	197
Tops and bottoms	457
Tops, Cross	334
Toradol	481
Torbutrol	4087
Tornado	574
Torzien	270
Totem poles	4058
Tramadol	4043
Tranquilizer, Animal	663
Tranquilizer, Horse	663
Transmission fluid	5059
Tranxene	206
Trazodone hydrochloride	225
Treatment for nails, quick drying	5065
Tree bark, Mimosa	6148
Tree(s), Christmas	374
Trembolona QV75	8212
Trenbol	8122
Trenbolone	8212
Triamcinolone	8102
Triaminic <OTC>	8064
Triavil	224
Triazolam	113
Trichlorethylene	5100
Trichloroethane	565
Trichloronitrate	597
Trifluoperazine HCl	226
Tri-iodothyronine	8167
Trilafon	233
Trileptal	1006
Trim, Stay <OTC>	3074
Trimethoxyamphetamine	6156
TrimSpa <OTC>	8176
Trinity	6075
Trioxsalen	8040
Triple "S"	4030
Triple C <OTC>	6083
Triplets	6038
Tripping, Robo	8214
Trips	6038
Triptaneve [sic]	6051
Truck driver's speed	3049
Trumpet flowers	6078
Trumpet, Devil's	6163

Definition	Code
Trumpets, Angel	695
Tryptamine, Di-isopropyl-	6144
Tryptamine, not otherwise specified	6051
Tryptophan	245
T's and blues	457
TSP	6032
Tuinal	110
Tums <OTC>	8030
Tuner, TV	522
Turbo, LoCarb <OTC>	3095
Tussin medication, no other information	8231
Tussionex	4097
TV (MTV), Liquid	522
TV Tuner	522
TV11Y	522
Tweek	3013
Two-way Action, Mini <OTC>	3068
Tylenol <OTC>	435
Tylenol 3	409
Tylenol 4	409
Tylenol Allergy <OTC>	8205
Tylenol Cold Medication <OTC>	8065
Tylenol Extra-Strength <OTC>	435
Tylenol Flu <OTC>	8146
Tylenol Flu Nighttime <OTC>	1014
Tylenol P.M. <OTC>	180
Tylenol Sinus <OTC>	8123
Tylenol with Codeine	409
Tylex	4093
Tylox	431
Typewash	509
Tywall	5038
Ultracet	4083
Utram	496
Unicorn	634
Unisom <OTC>	123
Up You(r) Gas	3054
Up, Heads	3032
Up-johns	3018
Uppers	324
Ups, Head	3032
Ups, Pep	3002
Uptime	3014
Valdecoxib	4096
Valerian <OTC>	1004
Valium	201
Valproic acid	894
Valsartan	8107
Valtrex	8126

Definition	Code
Vanilla), Cooking extracts (lemon, etc. <OTC>	8145
Vapors, Isopropanol	548
VapoRub, Vicks <OTC>	8056
Venom, Snake	6142
Ventolin	377
Ventrex [sic]	4026
Venus	6067
Verapamil	8135
Versed	237
Verstran	266
Viagra	8066
Vicks 44 <OTC>	8115
Vicks VapoRub <OTC>	8056
Vicodin	434
Vicoprofen	4033
Vilca	6134
Vinegar pills, Apple cider and <OTC>	8109
Vioxx	4055
Virola	8159
Viserol [sic]	4025
Vistaril	215
Vitamin K	8078
Vitamin pills <OTC>	848
Vitamin, Liquid <OTC>	848
Vivactil	263
Vivarin <OTC>	354
Voranil	315
Wacky Weed	6160
Wafers	173
Wak [sic]	852
Wart remover	5036
Water	6047
Water pills	865
Water repellant; type unspecified	5076
Water tee [sic]	179
Watson(s); no other information	8201
Wax, Floor	5029
Way pane, 4-	625
WD-40	582
Weed	803
Weed, Ginseng	635
Weed, Wacky	6160
Weight gain product, Protein-based; type unspecified	8222
Wellbutrin	3026
Wellbutrin XL	3108
Wet	6056
Wet cement	5020
Wet Ones wipes	5067
Whack	852

Definition	Code
Whip cream, Strawberry	252
Whipped-cream can	528
Whippets	508
White cross	326
White girl	8166
White molly	337
White powder	3020
White-Out	524
Whites	331
Wicki stick	857
Widows, Black	139
Wild lettuce	1015
Window	625
Window cleaner, Glass/	5046
Window pane	625
Window sealant	533
Winstrol	8076
Wipes, Wet Ones	5067
Wonderland, Alice in	6101
Wood alcohol	5040
Wood filler	5037
Wood putty	5037
Wood rose, Hawaiian	627
Woodrose seeds, Hawaiian	627
Works" shower cleaner, "The	5095
World, Quiet <OTC>	194
Worm, Agave	6022
Worm, Tequila	6022
Wormwood	6062
Wort, St. John's <OTC>	8183
Wound gel, Biolex <OTC>	8150
Wygesic	404
X	606
X, 2C-	6143
X, Super	6006
Xanax	209
Xanax bars	209
Xanax XR	2016
Xenadrine <OTC>	3056
Xenical	3079
XL, Wellbutrin	3108
XR, Adderall	3086
XR, Xanax	2016
XR, Zanax	2016
X-TC	606
Xylene; otherwise unspecified	5102
Xylocaine	8187
Yaba	3096
Yage	683
Yager's liniment <OTC>	8215
Yellow jackets	124

Definition	Code
Yellow jell	6025
Yellow sunshine	624
Yellow tiny pills	668
Yellow zombies	164
Yellow, Mellow	651
Yesca	8003
YLOALE	881
Yohimbe	3023
Yopo	6134
You(r) Gas, Up	3054
Zanaflex	8097
Zanies	2003
Zannies	2003
Zans	2003
Zantac	8002
Zantac 75 <OTC>	8130
Zany bars	2003
Zentro [sic]	3025
Zestril	257
Ziprasidone	2012
Zithromax	8019
Zofran	8184
Zolmitriptan	4059
Zoloft	271
Zolpidem	174
Zomax	4054
Zombies, yellow	164
Zomig	4059
Zonick	666
Zopiclone	1005
Z-pack	8019
Zyban	3026
Zydome	434
Zyprexa	289
Zyrtec	8010

APPENDIX B

Consolidated Drug Other Specify Tables

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All Drugs Specified
101	Butisol	1	0.02
105	Placidyl, Ethchlorvynol	4	0.08
106	Doriden	1	0.02
108	Nembutal	2	0.04
109	Seconal	6	0.13
110	Tuinal	4	0.08
111	Dalmane, Flurazepam	3	0.06
112	Restoril, Temazepam	3	0.06
115	Phenobarbital	7	0.15
116	Methaqualone, Sopor, Quaalude	39	0.82
120	Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	13	0.27
122	Over-the-counter sleep aid; not specified <OTC>	1	0.02
123	Unisom <OTC>	3	0.06
124	Yellow jackets	3	0.06
129	Reds	4	0.08
130	Phenergan, Promethazine	5	0.11
131	Haldol, Haloperidol	5	0.11
137	7-14	3	0.06
139	Black widows	1	0.02
142	Belladonna	2	0.04
148	Actifed <OTC>	1	0.02
153	Luminal	1	0.02
157	Barbiturates	1	0.02
171	NyQuil <OTC>	9	0.19
174	Ambien, Stilnox, Zolpidem	92	1.94
176	Melatonin <OTC>	3	0.06
178	Quetiapine, Seroquel	56	1.18
180	Tylenol P.M. <OTC>	11	0.23
186	Butalbital	1	0.02
187	Belladonna plant/flower/root, deadly nightshade	1	0.02
189	Sonata	5	0.11
201	Valium, Diazepam	139	2.93
202	Librium, Chlordiazepoxide HCl	2	0.04
207	Ativan, Lorazepam, Orfidal	13	0.27
209	Xanax, Alprazolam, Tafil, Xanax bars	204	4.29

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All Drugs Specified
211	BuSpar, Buspirone	2	0.04
215	Vistaril	1	0.02
216	Atarax, Hydroxyzine	1	0.02
220	Meprobamate	1	0.02
221	OTHER Tranquilizer, NOT OTHERWISE SPECIFIED	8	0.17
223	Carbacot, Marbaxin, Methocarbamol, Robaxin	2	0.04
224	Triavil	1	0.02
225	Desyrel, Trazodone hydrochloride	25	0.53
226	Stelazine, Trifluoperazine HCl	1	0.02
227	Thorazine	3	0.06
228	Amitriptyline, Elavil	9	0.19
232	Mellaril	1	0.02
234	Flexeril, Cyclobenzaprine	34	0.72
240	Lithium carbonate, Lithonate	2	0.04
241	Prozac, Fluoxetine	5	0.11
246	Clonazepam, Diocam, Klonopin, Rivotril	34	0.72
247	Adapin, Doxepin, Sinequan	1	0.02
267	Marezine	1	0.02
268	Rohypnol, Flunitrazepam, roche, roofies	7	0.15
271	Zoloft	6	0.13
280	Ketaset	1	0.02
283	Paroxetine, Paxil	2	0.04
285	Risperdal, Risperadol, Resperidone	3	0.06
289	Olanzapine, Zyprexa	4	0.08
290	Skelaxin	4	0.08
291	Celexa	3	0.06
295	Mirtazapine, Remeron	4	0.08
302	Dexamyl	1	0.02
303	Eskatrol	1	0.02
306	Desoxyn	1	0.02
311	Preludin	4	0.08
313	Fastin, Phentermine, Adipex-P	11	0.23
316	Sanorex	2	0.04
318	Ritalin, Methylphenidate	12	0.25
319	Cylert	1	0.02

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All Drugs Specified
320	Dextroamphetamine	1	0.02
322	Methamphetamine ("ice" or "crank"), Meth	99	2.08
324	Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED	13	0.27
326	White cross	16	0.34
327	Black beauties, black beauty	25	0.53
328	Pink hearts	1	0.02
329	Bird"s eggs, robin"s eggs, speckled eggs	3	0.06
331	Blancs, whites	1	0.02
332	Ephedrine	10	0.21
333	357 Magnum, Magnum 44 <OTC>	2	0.04
334	Crossroads, cross tops	5	0.11
336	Diet pills	2	0.04
339	Amphetamines	3	0.06
344	Bennies	1	0.02
345	Black molly	3	0.06
346	Marax	1	0.02
348	Crystal	4	0.08
349	Bontril, Melfiat, Phendimetrazine	2	0.04
351	Cathinone, cat, khat, Q"at	1	0.02
353	No-Doz <OTC>	4	0.08
354	Vivarin <OTC>	1	0.02
355	Crystal meth	21	0.44
364	Pseudoephedrine <OTC>	2	0.04
374	Christmas tree(s)	2	0.04
377	Albuterol, Proventil, Ventolin	9	0.19
401	Darvon	1	0.02
406	Percodan, Roxiprin	1	0.02
407	Demerol, Meperidine	15	0.32
408	Dilaudid, Hydromorphone	24	0.51
409	Tylenol with Codeine, Tylenol 3, Tylenol 4	9	0.19
411	Talwin	2	0.04
413	Talacen	1	0.02
415	Codeine	11	0.23
417	Morphine, Roxanol	56	1.18
418	Methadone, Dolophine	23	0.48

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All Drugs Specified
419	Stadol, Stadol NS	4	0.08
420	OTHER Analgesic, NOT OTHERWISE SPECIFIED	53	1.12
422	Motrin	39	0.82
423	Percocet	48	1.01
425	Advil <OTC>	71	1.49
427	Darvocet, Davocet-N	16	0.34
430	Aspirin, Ecotrin, Empirin <OTC>	29	0.61
431	Tylox	2	0.04
434	Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic	147	3.09
435	Tylenol, Tylenol Extra-Strength <OTC>	79	1.66
438	Anaprox, Naprosyn, Naproxen, Naxen	26	0.55
442	Ibuprofen	81	1.70
450	Acetaminophen <OTC>	4	0.08
454	Novocain, Procaine	1	0.02
457	T"s and blues, tee"s and b"s, tops and bottoms	1	0.02
458	Finalin, Mepergan, Mepergan Fortis, Meprozine	3	0.06
465	Fentanyl, Duragesic, Sublimaze	11	0.23
466	Midol <OTC>	8	0.17
468	Excedrin <OTC>	3	0.06
477	Melumbrina, Neo-Melumbrina	3	0.06
496	Ultram	5	0.11
499	Aleve <OTC>	16	0.34
501	Gasoline or lighter fluids	19	0.40
502	Spray paints	3	0.06
503	Other aerosol sprays	40	0.84
504	Shoeshine liquid, glue, or toluene	18	0.38
505	Lacquer thinner or other paint solvents	3	0.06
506	Amyl nitrite, "poppers,"locker room odorizer,"rush"	9	0.19
507	Halothane, ether, or other anesthetics; chloroform	5	0.11
508	Nitrous oxide, "whippets," dentist gas	26	0.55
509	Correction fluids, degreasers, cleaning fluids	1	0.02
510	OTHER Inhalant, NOT OTHERWISE SPECIFIED	19	0.40
511	Markers, felt-tip pens, ink pens	171	3.60
516	Freon, refrigerant	17	0.36
518	Acetone, nail polish remover	11	0.23

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All Drugs Specified
519	Helium	26	0.55
520	Old paint, paint	6	0.13
524	White-Out	22	0.46
525	Butane	1	0.02
526	Nail polish	15	0.32
528	Whipped-cream can	16	0.34
531	Candy, powdered candy, sugar	2	0.04
534	Deodorant	1	0.02
539	Scotch-Gard	2	0.04
540	PAM	6	0.13
545	Car tailpipe exhaust fumes, CO	1	0.02
548	Cologne, isopropanol vapors, rubbing alcohol	1	0.02
553	Pixie sticks	1	0.02
554	Insect killer (e.g., Raid)	1	0.02
566	Smoked tea from Lipton tea bag	2	0.04
582	WD-40	4	0.08
589	Tire shine/tire cleaner	1	0.02
590	Canned air, compressed air	6	0.13
592	Computer air duster, computer cleaner, dust-off	140	2.95
601	LSD ("acid")	57	1.20
602	Peyote	3	0.06
603	Mescaline	5	0.11
604	Psilocybin (mushrooms), shrooms	73	1.54
605	PCP ("angel dust," phencyclidine)	10	0.21
606	"Ecstasy" (MDMA), X-TC, "X"	12	0.25
607	OTHER Hallucinogen, NOT OTHERWISE SPECIFIED	50	1.05
609	Jimson weed	9	0.19
612	Happy stick, sherm, sherman, shermstick	1	0.02
614	MDA, Methylenedioxy amphetamine	11	0.23
616	DET, Dimethyltryptamine, DMT	35	0.74
617	Morning glory seeds, morning glory tendrils, ricea	18	0.38
618	Acid paper, blotter (acid)	4	0.08
622	Microdot(s), green microdot, purple microdot	7	0.15
624	Orange sunshine, sunshine, yellow sunshine	1	0.02
625	Window, window pane, 4-way pane	3	0.06

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All Drugs Specified
627	Hawaiian wood rose, Hawaiian Woodrow seeds	2	0.04
636	DOM, STP	5	0.11
639	Nutmeg, Mace	5	0.11
640	Purple pyramid	1	0.02
650	Datura stramonium, daytura, thorn apple	4	0.08
651	Mellow Yellow	1	0.02
658	Special K, Ketamine	47	0.99
660	Toad, toad licking	1	0.02
663	Animal tranquilizer, horse tranquilizer	4	0.08
679	Hell bells	1	0.02
695	Angel"s trumpet	4	0.08
698	2-CB, Nexus	19	0.40
701	OTHER Opiates, NOT OTHERWISE SPECIFIED	3	0.06
702	Heroin	48	1.01
703	Opium	14	0.29
704	Dope	1	0.02
707	Black tar heroin	2	0.04
801	OTHER Drugs, NOT OTHERWISE SPECIFIED	17	0.36
802	THC, cannabinol, marinol, tetrahydrocannabinol	11	0.23
803	Marijuana, MarrJane, Mary Jane, MJ, pot, weed	61	1.28
804	Hashish	2	0.04
805	Cocaine, coca, cocaine, coke	49	1.03
806	Crack, rock	16	0.34
807	Alcohol, beer, ethanol, EtOH, pink champagne	20	0.42
809	Pills	8	0.17
813	Cigarettes, tobacco (type unspecified)	5	0.11
820	Penicillin	4	0.08
821	Amoxicillin, Ampicillin, Pentrexly	7	0.15
824	Steroids	12	0.25
828	Tetracycline	1	0.02
829	Robitussin DM <OTC>	28	0.59
841	Allerest <OTC>, Contac <OTC>	1	0.02
843	Cold medicine, cold tablets <OTC>	2	0.04
847	GHB, NSC, gamma hydroxybutyrate	7	0.15
848	Liquid vitamin, vitamin pills <OTC>	5	0.11

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All Drugs Specified
852	Formaldehyde, wak, whack (embalming fluid)	3	0.06
857	Wicki stick	1	0.02
858	Antibiotic	2	0.04
883	Dextromethorphan hydrobromide <OTC>	17	0.36
894	Depakene, Depakote, Valproic acid	1	0.02
896	Catapres, Clonidine	1	0.02
900	Not a drug	1	0.02
1001	Benadryl, Diphenhydramine <OTC>	18	0.38
1002	Dimenhydrinate,Dramamine,sea/motion sickness <OTC>	17	0.36
1006	Trileptal, Oxcarbazepine	1	0.02
1008	Rohr 714, Rorer 714	2	0.04
1011	Lunesta	10	0.21
1013	Ambien CR	4	0.08
2001	Sanoma, Soma, Carisoprodol	49	1.03
2002	Muscle relaxers	11	0.23
2003	Zanies, zannies, zans, zany bars	6	0.13
2011	Lexapro	3	0.06
2017	Motival	2	0.04
2018	4 Bar, Quad Bar	3	0.06
2019	Ramelteon, Rozerem	2	0.04
2020	Invega	1	0.02
3001	Brown and clear	1	0.02
3007	Nasal inhalant	1	0.02
3015	Fen-Phen (fenfluramine and phentermine)	1	0.02
3023	Adderall	452	9.51
3026	Bupropion, Wellbutrin, Zyban	3	0.06
3027	Energy pills	1	0.02
3035	Blacks	2	0.04
3044	Caffeine pills <OTC>	2	0.04
3045	Stay awakes <OTC>	1	0.02
3050	Mini thins	3	0.06
3051	Betel nut, beetlenut	1	0.02
3052	Speed; otherwise unspecified	38	0.80
3055	Clenbuterol	1	0.02
3060	Hydroxycut <OTC>	1	0.02

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All Drugs Specified
3064	Ephedra, Ma Huang	2	0.04
3069	DextroStat	1	0.02
3077	Concerta	20	0.42
3086	Adderall XR	3	0.06
3087	Strattera	5	0.11
3090	Provigil, Modafinil	6	0.13
3094	Dexmethylphenidate, Focalin	5	0.11
3099	Asenlix, Clobenzorex	1	0.02
3102	Methylin	1	0.02
3108	Wellbutrin XL	1	0.02
3109	Dietrex <OTC>	1	0.02
3187	Greenies	1	0.02
4011	Atretol, Carbamazepine, Carbatrol, Epitol,Tegretol	2	0.04
4022	Buprenex	1	0.02
4031	Cough medicine with Codeine	6	0.13
4033	Vicoprofen	1	0.02
4035	Nabumetone, Relafin	1	0.02
4037	Kadian, MS Contin	2	0.04
4043	Tramadol	6	0.13
4044	Hydrocodone	44	0.93
4046	Oxycodone or unspecified oxycodone products	54	1.14
4047	Roxicet	7	0.15
4049	Headache power <OTC>	3	0.06
4051	Celebrex	1	0.02
4052	Endocet	3	0.06
4055	Vioxx	3	0.06
4059	Zomig, Zolmitriptan	1	0.02
4065	Roxicodone	3	0.06
4067	OxyContin	100	2.10
4073	Temgesic	1	0.02
4076	OTC Pain reliever; not otherwise specified <OTC>	1	0.02
4082	Analgin, Dipyrone, Metamizol, Metamizole, Prodolin	3	0.06
4083	Ultracet	5	0.11
4102	Mobic, Meloxicam	2	0.04
4109	Suboxone	10	0.21

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All Drugs Specified
4110	Avinza	1	0.02
4111	Clinoril, Sulinac	1	0.02
4116	Phenergan with Codeine, promethazine	2	0.04
4117	Oxy-IR	1	0.02
4119	Buprenorphine, Subutex	1	0.02
4120	Opana, Oxymorphone	2	0.04
4121	Dorflex	1	0.02
4122	Combiflam	2	0.04
4123	Dolorex	1	0.02
5001	Bleach	2	0.04
5022	Carbon dioxide, CO2, dry ice hits	2	0.04
5024	Candle, citronella candle	1	0.02
5028	Carburetor cleaner, engine cleaner	3	0.06
5032	Nitrogen	1	0.02
5045	Cleaner; not otherwise specified	1	0.02
5049	Hand sanitizer; contents unspecified	5	0.11
5052	Silly String	1	0.02
5053	Electronics cleaner	7	0.15
5055	PVC	1	0.02
5064	Erasers	1	0.02
5071	Purell	1	0.02
5075	Pine-sol	2	0.04
5076	Water repellant; type unspecified	1	0.02
5077	Resistol	1	0.02
5078	Axe body spray	2	0.04
5083	Ethyl chloride	1	0.02
5090	PVC Cleaner	1	0.02
5097	Lysol; aerosol unspecified	2	0.04
5098	Axe/Axe deodorant; aerosol unspecified	7	0.15
5100	TCE, Trichlorethylene	1	0.02
5101	Difluoroethane	1	0.02
5102	Xylene; otherwise unspecified	1	0.02
5103	Shoe dye	1	0.02
5104	Shoe cleaner; otherwise unspecified	1	0.02
6029	DXM	51	1.07

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All Drugs Specified
6043	Diviner"s sage, Salvia divinorum	191	4.02
6044	Gel caps, gel tabs	1	0.02
6048	Dex	2	0.04
6056	Wet	2	0.04
6061	5-MeO-DMT	4	0.08
6062	Madderwort, wormwood	3	0.06
6071	Sinicuchi	1	0.02
6074	LSA	13	0.27
6083	CCC, "Triple C," C3 <OTC>	24	0.51
6087	Ibogaine	1	0.02
6100	2C-T-7, T7	2	0.04
6102	Absinthe	11	0.23
6103	Ayahuasca	1	0.02
6105	Alpha-methyltryptamine, AMT, IT-290, 3-IT	5	0.11
6112	2C-T-2	4	0.08
6114	Molly; not otherwise specified	7	0.15
6115	Foxy	3	0.06
6118	Adrenochrome	1	0.02
6126	2,5-Dimethoxy-4-iodophenethylamine, 2C-I	10	0.21
6127	Skittles	2	0.04
6130	5-MeO-DiPT, foxy methoxy	1	0.02
6132	Amanita mushrooms, fly agaric	2	0.04
6134	Anadenanthrea colubrina, cohoba, vilca	1	0.02
6135	5-MeO-AMT	4	0.08
6138	2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine	6	0.13
6144	DiPT, Di-isopropyl-tryptamine	1	0.02
6159	2,5-Dimethoxy-4-methylthiophenethylamine, 2C-T	1	0.02
6160	Wacky Weed	1	0.02
6161	Thujone	1	0.02
6163	Devil"s trumpet	1	0.02
6165	PMMA, Paramethoxymethamphetamine	1	0.02
6166	BZP, Benzylpiperazine	1	0.02
6167	4-HO-DMT, Psilocin	1	0.02
6168	2,5-Dimethoxy-4-iodoamphetamine, DOI	1	0.02
8002	Zantac	9	0.19

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All Drugs Specified
8006	Laxative <OTC>	1	0.02
8007	Gabapentin, Neurontin	12	0.25
8009	Allergy pills/antihistamine; type unspecified	2	0.04
8010	Zyrtec, Cetirizine	3	0.06
8011	Herb, flower, plant; type unspecified	10	0.21
8012	Coricidin <OTC>	43	0.90
8013	Maalox <OTC>	1	0.02
8017	Buscapina	1	0.02
8024	Asthma inhaler, asthma medication, bronchial dilator	15	0.32
8025	Claritin, Claritin D <OTC>	2	0.04
8030	Tums <OTC>	1	0.02
8056	Vicks VapoRub/inhaler <OTC>	2	0.04
8058	Cough medicine/syrup; type unspecified	15	0.32
8064	Triaminic <OTC>	1	0.02
8067	Testosterone	6	0.13
8072	Deca-Durabolin, Nandrolone decanoate	1	0.02
8076	Winstrol	2	0.04
8079	Insulin	2	0.04
8085	Anti-psychotics/schizophrenic; type unspcfcd	1	0.02
8088	Dianabol	1	0.02
8090	Sustanon, Sostenon	2	0.04
8093	Stacker 2/Stacker 3 <OTC>	1	0.02
8094	Pepto Bismol <OTC>	2	0.04
8097	Zanaflex	3	0.06
8110	Over-the-counter drug/pills; type unspecified<OTC>	2	0.04
8114	Lidocaine	1	0.02
8117	Hydrocortisone	1	0.02
8129	Equipoise, Equipose	1	0.02
8140	Anamine	1	0.02
8146	Tabcin <OTC>	1	0.02
8198	Handle bars, handlebars	2	0.04
8199	Neurobion	1	0.02
8200	Dan(s), Dan Dan(s); no other information	1	0.02
8201	Watson(s); no other information	1	0.02
8203	Bar; otherwise unspecified	5	0.11

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All Drugs Specified
8212	Finaplix Gold, Trembolona QV75, Trenbolone	1	0.02
8213	Ranitidine	2	0.04
8214	Robo, robo tripping	3	0.06
8223	Chocolate	1	0.02
8225	Cymbalta, Duloxetine	1	0.02
8227	Sativa; otherwise unspecified	1	0.02
8228	Boldo	1	0.02
8230	Advair	1	0.02
8231	Tussin medication, no other information	1	0.02
8232	Rat/rodent poison; contents unspecified	1	0.02
8233	Keppra, Levetiracetam	1	0.02
8234	Lamisil	1	0.02
8236	Lyrica, Pregabalin	1	0.02
8238	Decongestant; type unspecified	1	0.02
8239	Drotaverine, Drotin	1	0.02

Tabulation of INHALANT Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All INHALANT Drugs Specified
322	Methamphetamine ("ice" or "crank"), Meth	1	0.17
348	Crystal	1	0.17
377	Albuterol, Proventil, Ventolin	7	1.20
430	Aspirin, Ecotrin, Empirin <OTC>	1	0.17
501	Gasoline or lighter fluids	7	1.20
503	Other aerosol sprays	35	5.98
504	Shoeshine liquid, glue, or toluene	13	2.22
506	Amyl nitrite, "poppers," "locker room odorizer," "rush"	7	1.20
508	Nitrous oxide, "whippets," dentist gas	9	1.54
510	OTHER Inhalant, NOT OTHERWISE SPECIFIED	8	1.37
511	Markers, felt-tip pens, ink pens	167	28.55
516	Freon, refrigerant	12	2.05
518	Acetone, nail polish remover	10	1.71
519	Helium	25	4.27
520	Old paint, paint	4	0.68
524	White-Out	19	3.25
525	Butane	1	0.17
526	Nail polish	14	2.39
528	Whipped-cream can	16	2.74
531	Candy, powdered candy, sugar	2	0.34
534	Deodorant	1	0.17
539	Scotch-Gard	2	0.34
540	PAM	6	1.03
545	Car tailpipe exhaust fumes, CO	1	0.17
548	Cologne, isopropanol vapors, rubbing alcohol	1	0.17
553	Pixie sticks	1	0.17
554	Insect killer (e.g., Raid)	1	0.17
582	WD-40	4	0.68
589	Tire shine/tire cleaner	1	0.17
590	Canned air, compressed air	5	0.85
592	Computer air duster, computer cleaner, dust-off	125	21.37
601	LSD ("acid")	1	0.17
801	OTHER Drugs, NOT OTHERWISE SPECIFIED	1	0.17
803	Marijuana, MarrJane, Mary Jane, MJ, pot, weed	7	1.20
805	Cocaine, coca, cocaina, coke	1	0.17

Tabulation of INHALANT Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All INHALANT Drugs Specified
807	Alcohol, beer, ethanol, EtOH, pink champagne	3	0.51
809	Pills	4	0.68
900	Not a drug	1	0.17
5001	Bleach	2	0.34
5022	Carbon dioxide, CO2, dry ice hits	2	0.34
5024	Candle, citronella candle	1	0.17
5028	Carburetor cleaner, engine cleaner	2	0.34
5032	Nitrogen	1	0.17
5045	Cleaner; not otherwise specified	1	0.17
5049	Hand sanitizer; contents unspecified	5	0.85
5052	Silly String	1	0.17
5053	Electronics cleaner	6	1.03
5064	Erasers	1	0.17
5071	Purell	1	0.17
5075	Pine-sol	2	0.34
5076	Water repellant; type unspecified	1	0.17
5077	Resistol	1	0.17
5078	Axe body spray	2	0.34
5090	PVC Cleaner	1	0.17
5097	Lysol; aerosol unspecified	2	0.34
5098	Axe/Axe deodorant; aerosol unspecified	7	1.20
5101	Difluoroethane	1	0.17
5102	Xylene; otherwise unspecified	1	0.17
5103	Shoe dye	1	0.17
5104	Shoe cleaner; otherwise unspecified	1	0.17
8024	Asthma inhaler, asthma medication, bronchial dilator	15	2.56
8056	Vicks VapoRub/inhaler <OTC>	2	0.34

Tabulation of HALLUCINOGEN Other Species

Drug Code	Drug Name	Number of Times Mentioned in Other Species	% Of All HALLUCINOGEN Drugs Specified
105	Placidyl, Ethchlorvynol	1	0.09
116	Methaqualone, Sopor, Quaalude	1	0.09
123	Unisom <OTC>	2	0.19
130	Phenergan, Promethazine	1	0.09
142	Belladonna	2	0.19
174	Ambien, Stilnox, Zolpidem	3	0.28
187	Belladonna plant/flower/root, deadly nightshade	1	0.09
209	Xanax, Alprazolam, Tafil, Xanax bars	5	0.47
246	Clonazepam, Diocam, Klonopin, Rivotril	2	0.19
267	Marezine	1	0.09
268	Rohypnol, Flunitrazepam, roche, roofies	3	0.28
280	Ketaset	1	0.09
322	Methamphetamine ("ice" or "crank"), Meth	22	2.06
332	Ephedrine	1	0.09
348	Crystal	2	0.19
355	Crystal meth	9	0.84
409	Tylenol with Codeine, Tylenol 3, Tylenol 4	1	0.09
415	Codeine	1	0.09
417	Morphine, Roxanol	2	0.19
418	Methadone, Dolophine	1	0.09
420	OTHER Analgesic, NOT OTHERWISE SPECIFIED	1	0.09
423	Percocet	2	0.19
434	Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic	5	0.47
435	Tylenol, Tylenol Extra-Strength <OTC>	1	0.09
501	Gasoline or lighter fluids	12	1.13
502	Spray paints	3	0.28
503	Other aerosol sprays	5	0.47
504	Shoeshine liquid, glue, or toluene	5	0.47
505	Lacquer thinner or other paint solvents	3	0.28
506	Amyl nitrite, "poppers,"locker room odorizer,"rush"	2	0.19
507	Halothane, ether, or other anesthetics; chloroform	5	0.47
508	Nitrous oxide, "whippets," dentist gas	16	1.50
509	Correction fluids, degreasers, cleaning fluids	1	0.09
510	OTHER Inhalant, NOT OTHERWISE SPECIFIED	11	1.03
511	Markers, felt-tip pens, ink pens	3	0.28

Tabulation of HALLUCINOGEN Other Species

Drug Code	Drug Name	Number of Times Mentioned in Other Species	% Of All HALLUCINOGEN Drugs Specified
516	Freon, refrigerant	5	0.47
518	Acetone, nail polish remover	1	0.09
519	Helium	1	0.09
520	Old paint, paint	2	0.19
524	White-Out	3	0.28
526	Nail polish	1	0.09
566	Smoked tea from Lipton tea bag	2	0.19
590	Canned air, compressed air	1	0.09
592	Computer air duster, computer cleaner, dust-off	15	1.41
601	LSD ("acid")	52	4.88
602	Peyote	3	0.28
603	Mescaline	5	0.47
604	Psilocybin (mushrooms), shrooms	70	6.57
605	PCP ("angel dust," phencyclidine)	5	0.47
606	"Ecstasy" (MDMA), X-TC, "X"	8	0.75
607	OTHER Hallucinogen, NOT OTHERWISE SPECIFIED	50	4.69
609	Jimson weed	9	0.84
612	Happy stick, sherm, sherman, shermstick	1	0.09
614	MDA, Methylenedioxy amphetamine	10	0.94
616	DET, Dimethyltryptamine, DMT	35	3.28
617	Morning glory seeds, morning glory tendrils, ricea	18	1.69
618	Acid paper, blotter (acid)	4	0.38
622	Microdot(s), green microdot, purple microdot	7	0.66
624	Orange sunshine, sunshine, yellow sunshine	1	0.09
625	Window, window pane, 4-way pane	3	0.28
627	Hawaiian wood rose, Hawaiian Woodrow seeds	2	0.19
636	DOM, STP	5	0.47
639	Nutmeg, Mace	5	0.47
640	Purple pyramid	1	0.09
650	Datura stramonium, daytura, thorn apple	4	0.38
651	Mellow Yellow	1	0.09
658	Special K, Ketamine	19	1.78
660	Toad, toad licking	1	0.09
663	Animal tranquilizer, horse tranquilizer	2	0.19
679	Hell bells	1	0.09

Tabulation of HALLUCINOGEN Other Species

Drug Code	Drug Name	Number of Times Mentioned in Other Species	% Of All HALLUCINOGEN Drugs Specified
695	Angel"s trumpet	4	0.38
698	2-CB, Nexus	19	1.78
703	Opium	12	1.13
707	Black tar heroin	1	0.09
801	OTHER Drugs, NOT OTHERWISE SPECIFIED	1	0.09
802	THC, cannabinol, marinol, tetrahydrocannabinol	5	0.47
803	Marijuana, MarrJane, Mary Jane, MJ, pot, weed	19	1.78
804	Hashish	1	0.09
805	Cocaine, coca, cocaina, coke	3	0.28
806	Crack, rock	2	0.19
809	Pills	4	0.38
829	Robitussin DM <OTC>	26	2.44
843	Cold medicine, cold tablets <OTC>	2	0.19
847	GHB, NSC, gamma hydroxybutyrate	7	0.66
852	Formaldehyde, wak, whack (embalming fluid)	3	0.28
857	Wicki stick	1	0.09
883	Dextromethorphan hydrobromide <OTC>	16	1.50
1001	Benadryl, Diphenhydramine <OTC>	5	0.47
1002	Dimenhydrinate,Dramamine,sea/motion sickness <OTC>	14	1.31
1011	Lunesta	1	0.09
2003	Zanies, zannies, zans, zany bars	1	0.09
3023	Adderall	1	0.09
3051	Betel nut, beetlenut	1	0.09
3052	Speed; otherwise unspecified	5	0.47
4044	Hydrocodone	3	0.28
4067	OxyContin	8	0.75
5028	Carburetor cleaner, engine cleaner	1	0.09
5053	Electronics cleaner	1	0.09
5055	PVC	1	0.09
5083	Ethyl chloride	1	0.09
5100	TCE, Trichlorethylene	1	0.09
6029	DXM	49	4.60
6043	Diviner"s sage, Salvia divinorum	191	17.92
6044	Gel caps, gel tabs	1	0.09
6048	Dex	2	0.19

Tabulation of HALLUCINOGEN Other Species

Drug Code	Drug Name	Number of Times Mentioned in Other Species	% Of All HALLUCINOGEN Drugs Specified
6056	Wet	2	0.19
6061	5-MeO-DMT	4	0.38
6062	Madderwort, wormwood	3	0.28
6071	Sinicuichi	1	0.09
6074	LSA	13	1.22
6083	CCC, "Triple C," C3 <OTC>	16	1.50
6087	Ibogaine	1	0.09
6100	2C-T-7, T7	2	0.19
6102	Absinthe	11	1.03
6103	Ayahuasca	1	0.09
6105	Alpha-methyltryptamine, AMT, IT-290, 3-IT	5	0.47
6112	2C-T-2	4	0.38
6114	Molly; not otherwise specified	7	0.66
6115	Foxy	3	0.28
6118	Adrenochrome	1	0.09
6126	2,5-Dimethoxy-4-iodophenethylamine, 2C-I	10	0.94
6127	Skittles	1	0.09
6130	5-MeO-DiPT, foxy methoxy	1	0.09
6132	Amanita mushrooms, fly agaric	2	0.19
6134	Anadenanthrea colubrina, cohoba, vilca	1	0.09
6135	5-MeO-AMT	4	0.38
6138	2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine	6	0.56
6144	DiPT, Di-isopropyl-tryptamine	1	0.09
6159	2,5-Dimethoxy-4-methylthiophenethylamine, 2C-T	1	0.09
6160	Wacky Weed	1	0.09
6161	Thujone	1	0.09
6163	Devil's trumpet	1	0.09
6165	PMMA, Paramethoxymethamphetamine	1	0.09
6166	BZP, Benzylpiperazine	1	0.09
6167	4-HO-DMT, Psilocin	1	0.09
6168	2,5-Dimethoxy-4-iodoamphetamine, DOI	1	0.09
8011	Herb, flower, plant; type unspecified	6	0.56
8012	Coricidien <OTC>	27	2.53
8058	Cough medicine/syrup; type unspecified	11	1.03
8110	Over-the-counter drug/pills; type unspecified<OTC>	1	0.09

Tabulation of HALLUCINOGEN Other Species

Drug Code	Drug Name	Number of Times Mentioned in Other Species	% Of All HALLUCINOGEN Drugs Specified
8203	Bar; otherwise unspecified	3	0.28
8214	Robo, robo tripping	3	0.28
8223	Chocolate	1	0.09
8227	Sativa; otherwise unspecified	1	0.09
8231	Tussin medication, no other information	1	0.09
8232	Rat/rodent poison; contents unspecified	1	0.09

Tabulation of PAIN RELIEVER Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All PAIN RELIEVER Drugs Specified
105	Placidyl, Ethchlorvynol	1	0.07
108	Nembutal	1	0.07
109	Seconal	2	0.13
110	Tuinal	3	0.20
112	Restoril, Temazepam	1	0.07
116	Methaqualone, Sopor, Quaalude	22	1.47
120	Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	2	0.13
124	Yellow jackets	1	0.07
129	Reds	1	0.07
130	Phenergan, Promethazine	4	0.27
131	Haldol, Haloperidol	2	0.13
137	7-14	3	0.20
148	Actifed <OTC>	1	0.07
157	Barbiturates	1	0.07
171	NyQuil <OTC>	6	0.40
174	Ambien, Stilnox, Zolpidem	4	0.27
178	Quetiapine, Seroquel	9	0.60
180	Tylenol P.M. <OTC>	7	0.47
186	Butalbital	1	0.07
201	Valium, Diazepam	116	7.73
207	Ativan, Lorazepam, Orfidal	7	0.47
209	Xanax, Alprazolam, Tafil, Xanax bars	156	10.40
221	OTHER Tranquilizer, NOT OTHERWISE SPECIFIED	2	0.13
223	Carbacot, Marbaxin, Methocarbamol, Robaxin	1	0.07
224	Triavil	1	0.07
225	Desyrel, Trazodone hydrochloride	4	0.27
228	Amitriptyline, Elavil	2	0.13
234	Flexeril, Cyclobenzaprine	24	1.60
241	Prozac, Fluoxetine	2	0.13
246	Clonazepam, Diocam, Klonopin, Rivotril	25	1.67
268	Rohypnol, Flunitrazepam, roche, roofies	3	0.20
271	Zoloft	3	0.20
285	Risperdal, Risperadol, Resperidone	1	0.07
290	Skelaxin	2	0.13
291	Celexa	1	0.07

Tabulation of PAIN RELIEVER Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All PAIN RELIEVER Drugs Specified
318	Ritalin, Methylphenidate	8	0.53
324	Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED	1	0.07
327	Black beauties, black beauty	1	0.07
332	Ephedrine	1	0.07
364	Pseudoephedrine <OTC>	1	0.07
401	Darvon	1	0.07
407	Demerol, Meperidine	8	0.53
408	Dilaudid, Hydromorphone	5	0.33
409	Tylenol with Codeine, Tylenol 3, Tylenol 4	6	0.40
415	Codeine	9	0.60
417	Morphine, Roxanol	25	1.67
418	Methadone, Dolophine	13	0.87
419	Stadol, Stadol NS	2	0.13
420	OTHER Analgesic, NOT OTHERWISE SPECIFIED	52	3.47
422	Motrin	39	2.60
423	Percocet	44	2.93
425	Advil <OTC>	68	4.53
427	Darvocet, Davocet-N	16	1.07
430	Aspirin, Ecotrin, Empirin <OTC>	25	1.67
431	Tylox	2	0.13
434	Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic	131	8.73
435	Tylenol, Tylenol Extra-Strength <OTC>	71	4.73
438	Anaprox, Naprosyn, Naproxen, Naxen	26	1.73
442	Ibuprofen	78	5.20
450	Acetaminophen <OTC>	4	0.27
454	Novocain, Procaine	1	0.07
458	Finalin, Mepergan, Mepergan Fortis, Meprozine	3	0.20
465	Fentanyl, Duragesic, Sublimaze	10	0.67
466	Midol <OTC>	8	0.53
468	Excedrin <OTC>	3	0.20
477	Melumbrina, Neo-Melumbrina	2	0.13
496	Ultram	5	0.33
499	Aleve <OTC>	15	1.00
606	"Ecstasy" (MDMA), X-TC, "X"	1	0.07
701	OTHER Opiates, NOT OTHERWISE SPECIFIED	2	0.13

Tabulation of PAIN RELIEVER Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All PAIN RELIEVER Drugs Specified
802	THC, cannabinol, marinol, tetrahydrocannabinol	2	0.13
803	Marijuana, MarrJane, Mary Jane, MJ, pot, weed	1	0.07
820	Penicillin	4	0.27
821	Amoxicillin, Ampicillin, Pentrexly	6	0.40
828	Tetracycline	1	0.07
829	Robitussin DM <OTC>	2	0.13
841	Allerest <OTC>, Contac <OTC>	1	0.07
848	Liquid vitamin, vitamin pills <OTC>	1	0.07
858	Antibiotic	2	0.13
894	Depakene, Depakote, Valproic acid	1	0.07
1001	Benadryl, Diphenhydramine <OTC>	4	0.27
1002	Dimenhydrinate,Dramamine,sea/motion sickness <OTC>	2	0.13
1006	Trileptal, Oxcarbazepine	1	0.07
1008	Rohr 714, Rorer 714	2	0.13
1011	Lunesta	1	0.07
2001	Sanoma, Soma, Carisoprodol	43	2.87
2002	Muscle relaxers	7	0.47
2003	Zanies, zannies, zans, zany bars	5	0.33
2011	Lexapro	2	0.13
2018	4 Bar, Quad Bar	2	0.13
3023	Adderall	42	2.80
3026	Bupropion, Wellbutrin, Zyban	2	0.13
3044	Caffeine pills <OTC>	1	0.07
3052	Speed; otherwise unspecified	1	0.07
3099	Asenlix, Clobenzorex	1	0.07
3102	Methylin	1	0.07
4011	Atretol, Carbamazepine, Carbatrol, Epitol,Tegretol	1	0.07
4022	Buprenex	1	0.07
4031	Cough medicine with Codeine	6	0.40
4035	Nabumetone, Relafin	1	0.07
4037	Kadian, MS Contin	1	0.07
4043	Tramadol	5	0.33
4044	Hydrocodone	40	2.67
4046	Oxycodone or unspecified oxycodone products	48	3.20
4047	Roxicet	7	0.47

Tabulation of PAIN RELIEVER Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All PAIN RELIEVER Drugs Specified
4049	Headache power <OTC>	2	0.13
4051	Celebrex	1	0.07
4052	Endocet	3	0.20
4055	Vioxx	3	0.20
4059	Zomig, Zolmitriptan	1	0.07
4065	Roxicodone	3	0.20
4067	OxyContin	32	2.13
4076	OTC Pain reliever; not otherwise specified <OTC>	1	0.07
4082	Analgin, Dipyrrone, Metamizol, Metamizole, Prodolin	1	0.07
4083	Ultracet	5	0.33
4102	Mobic, Meloxicam	2	0.13
4109	Suboxone	6	0.40
4110	Avinza	1	0.07
4111	Clinoril, Sulinac	1	0.07
4116	Phenergan with Codeine, promethazine	2	0.13
4117	Oxy-IR	1	0.07
4119	Buprenorphine, Subutex	1	0.07
4120	Opana, Oxymorphone	2	0.13
4121	Dorflex	1	0.07
4122	Combiflam	2	0.13
4123	Dolorex	1	0.07
6029	DXM	1	0.07
6083	CCC, "Triple C," C3 <OTC>	7	0.47
6127	Skittles	1	0.07
8002	Zantac	9	0.60
8007	Gabapentin, Neurontin	10	0.67
8009	Allergy pills/antihistamine; type unspecified	1	0.07
8010	Zyrtec, Cetirizine	3	0.20
8012	Coricidin <OTC>	10	0.67
8013	Maalox <OTC>	1	0.07
8017	Buscapina	1	0.07
8025	Claritin, Claritin D <OTC>	2	0.13
8030	Tums <OTC>	1	0.07
8058	Cough medicine/syrup; type unspecified	1	0.07
8064	Triaminic <OTC>	1	0.07

Tabulation of PAIN RELIEVER Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All PAIN RELIEVER Drugs Specified
8085	Anti-psychotics/schizophrenic; type unspcfcd	1	0.07
8094	Pepto Bismol <OTC>	2	0.13
8097	Zanaflex	1	0.07
8114	Lidocaine	1	0.07
8117	Hydrocortisone	1	0.07
8146	Tabcin <OTC>	1	0.07
8198	Handle bars, handlebars	2	0.13
8199	Neurobion	1	0.07
8200	Dan(s), Dan Dan(s); no other information	1	0.07
8201	Watson(s); no other information	1	0.07
8203	Bar; otherwise unspecified	2	0.13
8213	Ranitidine	2	0.13
8225	Cymbalta, Duloxetine	1	0.07
8230	Advair	1	0.07
8233	Keppra, Levetiracetam	1	0.07
8234	Lamisil	1	0.07
8236	Lyrica, Pregabalin	1	0.07
8239	Drotaverine, Drotin	1	0.07

Tabulation of STIMULANT Other Species

Drug Code	Drug Name	Number of Times Mentioned in Other Species	% Of All STIMULANT Drugs Specified
105	Placidyl, Ethchlorvynol	1	0.16
109	Seconal	1	0.16
115	Phenobarbital	1	0.16
120	Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	1	0.16
124	Yellow jackets	1	0.16
129	Reds	1	0.16
139	Black widows	1	0.16
180	Tylenol P.M. <OTC>	1	0.16
201	Valium, Diazepam	1	0.16
209	Xanax, Alprazolam, Tafil, Xanax bars	6	0.94
240	Lithium carbonate, Lithonate	1	0.16
241	Prozac, Fluoxetine	1	0.16
271	Zoloft	2	0.31
291	Celexa	1	0.16
302	Dexamyl	1	0.16
303	Eskatrol	1	0.16
311	Preludin	1	0.16
313	Fastin, Phentermine, Adipex-P	11	1.72
316	Sanorex	2	0.31
318	Ritalin, Methylphenidate	3	0.47
319	Cylert	1	0.16
320	Dextroamphetamine	1	0.16
322	Methamphetamine ("ice" or "crank"), Meth	6	0.94
324	Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED	10	1.56
326	White cross	16	2.50
327	Black beauties, black beauty	23	3.59
328	Pink hearts	1	0.16
329	Bird"s eggs, robin"s eggs, speckled eggs	3	0.47
331	Blancs, whites	1	0.16
332	Ephedrine	7	1.09
333	357 Magnum, Magnum 44 <OTC>	2	0.31
334	Crossroads, cross tops	5	0.78
336	Diet pills	2	0.31
339	Amphetamines	3	0.47
344	Bennies	1	0.16

Tabulation of STIMULANT Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All STIMULANT Drugs Specified
345	Black molly	3	0.47
346	Marax	1	0.16
349	Bontril, Melfiat, Phendimetrazine	2	0.31
353	No-Doz <OTC>	4	0.62
354	Vivarin <OTC>	1	0.16
355	Crystal meth	1	0.16
364	Pseudoephedrine <OTC>	1	0.16
374	Christmas tree(s)	1	0.16
377	Albuterol, Proventil, Ventolin	1	0.16
409	Tylenol with Codeine, Tylenol 3, Tylenol 4	1	0.16
415	Codeine	1	0.16
417	Morphine, Roxanol	1	0.16
423	Percocet	1	0.16
430	Aspirin, Ecotrin, Empirin <OTC>	1	0.16
435	Tylenol, Tylenol Extra-Strength <OTC>	4	0.62
442	Ibuprofen	2	0.31
499	Aleve <OTC>	1	0.16
606	"Ecstasy" (MDMA), X-TC, "X"	1	0.16
802	THC, cannabinol, marinol, tetrahydrocannabinol	1	0.16
848	Liquid vitamin, vitamin pills <OTC>	1	0.16
1001	Benadryl, Diphenhydramine <OTC>	1	0.16
2002	Muscle relaxers	1	0.16
2011	Lexapro	1	0.16
3001	Brown and clear	1	0.16
3007	Nasal inhalant	1	0.16
3015	Fen-Phen (fenfluramine and phentermine)	1	0.16
3023	Adderall	402	62.71
3026	Bupropion, Wellbutrin, Zyban	1	0.16
3027	Energy pills	1	0.16
3044	Caffeine pills <OTC>	1	0.16
3045	Stay awakes <OTC>	1	0.16
3050	Mini thins	3	0.47
3052	Speed; otherwise unspecified	21	3.28
3055	Clenbuterol	1	0.16
3060	Hydroxycut <OTC>	1	0.16

Tabulation of STIMULANT Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All STIMULANT Drugs Specified
3064	Ephedra, Ma Huang	2	0.31
3069	DextroStat	1	0.16
3077	Concerta	20	3.12
3086	Adderall XR	3	0.47
3087	Strattera	5	0.78
3090	Provigil, Modafinil	6	0.94
3094	Dexmethylphenidate, Focalin	5	0.78
3108	Wellbutrin XL	1	0.16
3109	Dietrex <OTC>	1	0.16
3187	Greenies	1	0.16
8011	Herb, flower, plant; type unspecified	1	0.16
8012	Coriciden <OTC>	2	0.31
8058	Cough medicine/syrup; type unspecified	1	0.16
8093	Stacker 2/Stacker 3 <OTC>	1	0.16
8140	Anamine	1	0.16
8238	Decongestant; type unspecified	1	0.16

Tabulation of SEDATIVE Other Species

Drug Code	Drug Name	Number of Times Mentioned in Other Species	% Of All SEDATIVE Drugs Specified
106	Doriden	1	0.44
111	Dalmane, Flurazepam	3	1.32
112	Restoril, Temazepam	1	0.44
115	Phenobarbital	1	0.44
120	Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	10	4.39
131	Haldol, Haloperidol	1	0.44
153	Luminal	1	0.44
171	NyQuil <OTC>	2	0.88
174	Ambien, Stilnox, Zolpidem	74	32.46
176	Melatonin <OTC>	3	1.32
178	Quetiapine, Seroquel	28	12.28
180	Tylenol P.M. <OTC>	2	0.88
189	Sonata	3	1.32
201	Valium, Diazepam	8	3.51
207	Ativan, Lorazepam, Orfidal	1	0.44
209	Xanax, Alprazolam, Tafil, Xanax bars	5	2.19
221	OTHER Tranquilizer, NOT OTHERWISE SPECIFIED	1	0.44
225	Desyrel, Trazodone hydrochloride	13	5.70
228	Amitriptyline, Elavil	4	1.75
234	Flexeril, Cyclobenzaprine	2	0.88
246	Clonazepam, Diocam, Klonopin, Rivotril	2	0.88
247	Adapin, Doxepin, Sinequan	1	0.44
283	Paroxetine, Paxil	1	0.44
289	Olanzapine, Zyprexa	2	0.88
291	Celexa	1	0.44
295	Mirtazapine, Remeron	3	1.32
327	Black beauties, black beauty	1	0.44
409	Tylenol with Codeine, Tylenol 3, Tylenol 4	1	0.44
418	Methadone, Dolophine	2	0.88
425	Advil <OTC>	1	0.44
430	Aspirin, Ecotrin, Empirin <OTC>	1	0.44
434	Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic	2	0.88
435	Tylenol, Tylenol Extra-Strength <OTC>	1	0.44
442	Ibuprofen	1	0.44
658	Special K, Ketamine	3	1.32

Tabulation of SEDATIVE Other Species

Drug Code	Drug Name	Number of Times Mentioned in Other Species	% Of All SEDATIVE Drugs Specified
821	Amoxicillin, Ampicillin, Pentrexly	1	0.44
896	Catapres, Clonidine	1	0.44
1001	Benadryl, Diphenhydramine <OTC>	8	3.51
1002	Dimenhydrinate,Dramamine,sea/motion sickness <OTC>	1	0.44
1011	Lunesta	8	3.51
1013	Ambien CR	3	1.32
2001	Sanoma, Soma, Carisoprodol	2	0.88
2019	Ramelteon, Rozerem	2	0.88
3023	Adderall	1	0.44
3052	Speed; otherwise unspecified	1	0.44
4011	Atretol, Carbamazepine, Carbatrol, Epitol,Tegretol	1	0.44
4044	Hydrocodone	1	0.44
4046	Oxycodone or unspecified oxycodone products	2	0.88
4049	Headache power <OTC>	1	0.44
4109	Suboxone	1	0.44
8007	Gabapentin, Neurontin	1	0.44
8009	Allergy pills/antihistamine; type unspecified	1	0.44
8011	Herb, flower, plant; type unspecified	2	0.88
8012	Coricidin <OTC>	2	0.88
8058	Cough medicine/syrup; type unspecified	1	0.44

Tabulation of SPECIAL DRUGS Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All SPECIAL DRUGS Drugs Specified
108	Nembutal	1	0.30
109	Seconal	1	0.30
110	Tuinal	1	0.30
116	Methaqualone, Sopor, Quaalude	3	0.89
131	Haldol, Haloperidol	1	0.30
174	Ambien, Stilnox, Zolpidem	2	0.60
178	Quetiapine, Seroquel	1	0.30
201	Valium, Diazepam	1	0.30
202	Librium, Chlordiazepoxide HCl	1	0.30
207	Ativan, Lorazepam, Orfidal	1	0.30
209	Xanax, Alprazolam, Tafil, Xanax bars	4	1.19
227	Thorazine	1	0.30
246	Clonazepam, Diocam, Klonopin, Rivotril	2	0.60
306	Desoxyn	1	0.30
311	Preludin	3	0.89
318	Ritalin, Methylphenidate	1	0.30
322	Methamphetamine ("ice" or "crank"), Meth	32	9.52
332	Ephedrine	1	0.30
348	Crystal	1	0.30
355	Crystal meth	6	1.79
406	Percodan, Roxiprin	1	0.30
407	Demerol, Meperidine	7	2.08
408	Dilaudid, Hydromorphone	19	5.65
411	Talwin	2	0.60
417	Morphine, Roxanol	28	8.33
418	Methadone, Dolophine	5	1.49
419	Stadol, Stadol NS	2	0.60
423	Percocet	1	0.30
434	Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic	2	0.60
457	T"s and blues, tee"s and b"s, tops and bottoms	1	0.30
465	Fentanyl, Duragesic, Sublimaze	1	0.30
511	Markers, felt-tip pens, ink pens	1	0.30
601	LSD ("acid")	3	0.89
605	PCP ("angel dust," phencyclidine)	5	1.49
606	"Ecstasy" (MDMA), X-TC, "X"	1	0.30

Tabulation of SPECIAL DRUGS Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All SPECIAL DRUGS Drugs Specified
614	MDA, Methylenedioxy amphetamine	1	0.30
658	Special K, Ketamine	3	0.89
701	OTHER Opiates, NOT OTHERWISE SPECIFIED	1	0.30
702	Heroin	40	11.90
703	Opium	1	0.30
704	Dope	1	0.30
707	Black tar heroin	1	0.30
801	OTHER Drugs, NOT OTHERWISE SPECIFIED	5	1.49
802	THC, cannabinol, marinol, tetrahydrocannabinol	3	0.89
805	Cocaine, coca, cocaina, coke	28	8.33
806	Crack, rock	5	1.49
824	Steroids	12	3.57
848	Liquid vitamin, vitamin pills <OTC>	2	0.60
3023	Adderall	2	0.60
3035	Blacks	2	0.60
3052	Speed; otherwise unspecified	6	1.79
4037	Kadian, MS Contin	1	0.30
4046	Oxycodone or unspecified oxycodone products	4	1.19
4067	OxyContin	54	16.07
4073	Temgesic	1	0.30
4109	Suboxone	3	0.89
8067	Testosterone	6	1.79
8072	Deca-Durabolin, Nandrolone decanoate	1	0.30
8076	Winstrol	2	0.60
8079	Insulin	2	0.60
8088	Dianabol	1	0.30
8090	Sustanon, Sostenon	2	0.60
8129	Equipoise, Equipose	1	0.30
8212	Finaplix Gold, Trembolona QV75, Trenbolone	1	0.30

Tabulation of TRANQUILIZER Other Species

Drug Code	Drug Name	Number of Times Mentioned in Other Species	% Of All TRANQUILIZER Drugs Specified
101	Butisol	1	0.47
105	Placidyl, Ethchlorynol	1	0.47
109	Seconal	2	0.93
112	Restoril, Temazepam	1	0.47
115	Phenobarbital	5	2.34
116	Methaqualone, Sopor, Quaalude	13	6.07
123	Unisom <OTC>	1	0.47
124	Yellow jackets	1	0.47
129	Reds	2	0.93
131	Haldol, Haloperidol	1	0.47
171	NyQuil <OTC>	1	0.47
174	Ambien, Stilnox, Zolpidem	9	4.21
178	Quetiapine, Seroquel	18	8.41
180	Tylenol P.M. <OTC>	1	0.47
189	Sonata	2	0.93
201	Valium, Diazepam	12	5.61
202	Librium, Chlordiazepoxide HCl	1	0.47
207	Ativan, Lorazepam, Orfidal	4	1.87
209	Xanax, Alprazolam, Tafil, Xanax bars	24	11.21
211	BuSpar, Buspirone	2	0.93
215	Vistaril	1	0.47
216	Atarax, Hydroxyzine	1	0.47
220	Meprobamate	1	0.47
221	OTHER Tranquilizer, NOT OTHERWISE SPECIFIED	5	2.34
223	Carbacot, Marbaxin, Methocarbamol, Robaxin	1	0.47
225	Desyrel, Trazodone hydrochloride	8	3.74
226	Stelazine, Trifluoperazine HCl	1	0.47
227	Thorazine	2	0.93
228	Amitriptyline, Elavil	3	1.40
232	Mellaril	1	0.47
234	Flexeril, Cyclobenzaprine	8	3.74
240	Lithium carbonate, Lithonate	1	0.47
241	Prozac, Fluoxetine	2	0.93
246	Clonazepam, Diocam, Klonopin, Rivotril	3	1.40
268	Rohypnol, Flunitrazepam, roche, roofies	1	0.47

Tabulation of TRANQUILIZER Other Species

Drug Code	Drug Name	Number of Times Mentioned in Other Species	% Of All TRANQUILIZER Drugs Specified
271	Zoloft	1	0.47
283	Paroxetine, Paxil	1	0.47
285	Risperdal, Risperadol, Resperidone	1	0.47
289	Olanzapine, Zyprexa	2	0.93
290	Skelaxin	2	0.93
295	Mirtazapine, Remeron	1	0.47
374	Christmas tree(s)	1	0.47
377	Albuterol, Proventil, Ventolin	1	0.47
413	Talacen	1	0.47
425	Advil <OTC>	1	0.47
434	Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic	4	1.87
435	Tylenol, Tylenol Extra-Strength <OTC>	1	0.47
477	Melumbrina, Neo-Melumbrina	1	0.47
658	Special K, Ketamine	22	10.28
663	Animal tranquilizer, horse tranquilizer	2	0.93
807	Alcohol, beer, ethanol, EtOH, pink champagne	1	0.47
848	Liquid vitamin, vitamin pills <OTC>	1	0.47
1013	Ambien CR	1	0.47
2001	Sanoma, Soma, Carisoprodol	4	1.87
2002	Muscle relaxers	3	1.40
2017	Motival	2	0.93
2018	4 Bar, Quad Bar	1	0.47
3023	Adderall	4	1.87
4033	Vicoprofen	1	0.47
4043	Tramadol	1	0.47
4067	OxyContin	3	1.40
4082	Analgin, Dipyrone, Metamizol, Metamizole, Prodolin	2	0.93
6083	CCC, "Triple C," C3 <OTC>	1	0.47
8006	Laxative <OTC>	1	0.47
8007	Gabapentin, Neurontin	1	0.47
8011	Herb, flower, plant; type unspecified	1	0.47
8097	Zanaflex	2	0.93
8228	Boldo	1	0.47

Tabulation of TREATMENT Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All TREATMENT Drugs Specified
122	Over-the-counter sleep aid; not specified <OTC>	1	0.55
201	Valium, Diazepam	1	0.55
209	Xanax, Alprazolam, Tafil, Xanax bars	4	2.20
285	Risperdal, Risperadol, Resperidone	1	0.55
322	Methamphetamine ("ice" or "crank"), Meth	38	20.88
324	Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED	2	1.10
351	Cathinone, cat, khat, Q"at	1	0.55
355	Crystal meth	5	2.75
418	Methadone, Dolophine	2	1.10
425	Advil <OTC>	1	0.55
430	Aspirin, Ecotrin, Empirin <OTC>	1	0.55
434	Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic	3	1.65
435	Tylenol, Tylenol Extra-Strength <OTC>	1	0.55
508	Nitrous oxide, "whippets," dentist gas	1	0.55
601	LSD ("acid")	1	0.55
604	Psilocybin (mushrooms), shrooms	3	1.65
606	"Ecstasy" (MDMA), X-TC, "X"	1	0.55
702	Heroin	8	4.40
703	Opium	1	0.55
801	OTHER Drugs, NOT OTHERWISE SPECIFIED	10	5.49
803	Marijuana, MarrJane, Mary Jane, MJ, pot, weed	34	18.68
804	Hashish	1	0.55
805	Cocaine, coca, cocaine, coke	17	9.34
806	Crack, rock	9	4.95
807	Alcohol, beer, ethanol, EtOH, pink champagne	16	8.79
813	Cigarettes, tobacco (type unspecified)	5	2.75
883	Dextromethorphan hydrobromide <OTC>	1	0.55
2020	Invega	1	0.55
3052	Speed; otherwise unspecified	4	2.20
4067	OxyContin	3	1.65
6029	DXM	1	0.55
8012	Coricidien <OTC>	2	1.10
8058	Cough medicine/syrup; type unspecified	1	0.55
8110	Over-the-counter drug/pills; type unspecified<OTC>	1	0.55

APPENDIX C

Tobacco Brand Codes for Open-Ended Questions

The final tobacco brand codes were created from listings of brands that appeared on the computer screen(s) corresponding to that particular type of tobacco, or from answers that respondents specified, if they indicated use of "a brand not on this list." For each tobacco product (cigarettes, chewing tobacco, snuff, and cigars), the available responses in the contiguous order of appearance on the screen (based on the 1999 through 2004 CAI instruments) were used to initially create each tobacco product group. Although the tobacco brands that appeared on the screens for respondents changed beginning in 2005 for cigarettes, snuff, and cigars, the editing and coding procedures in this survey year continued to use existing codes that had been developed prior to 2005. For example, American Spirit cigarettes became the first brand on the screen for question CG11 in 2005 ("The next questions are about the brand of cigarettes you smoke -- the brand is the name that is on the pack. During the past 30 days, what brand of cigarettes did you smoke most often?"). For consistency with prior years, however, mention of American Spirit cigarettes continues to retain a code of 161, even though CG11=1 (with this answer verified in question CG13) would indicate that the respondent smoked American Spirit cigarettes most often in the past 30 days.

Tobacco brand codes 100-199 and 1000-1999 represent cigarette brands, codes 200-299 and 2000-2999 represent chewing tobacco brands, codes 300-399 and 3000-3999 represent snuff brands, and codes 400-499 and 4000-4999 represent cigar brands. Additional codes were added to each group list as needed. Miscellaneous tobacco and non-tobacco groups are represented by the 500-599, 600-699, 700-799, and 800-899 series.

For tobacco brands that respondents could choose from a list, no distinction was made in the coding between situations where respondents chose that particular brand from the list, and those where respondents reported use of "a brand not on this list" and then specified use of that brand. In addition, there was no distinction between particulars such as menthol, light, or full-flavor varieties in the coding. In addition, the coding took into account situations where respondents might specify a brand that corresponded to a different type of tobacco. For example, if a snuff brand was specified as a brand of "chewing tobacco," then the reported brand of "chewing tobacco" was assigned a code in the 300 series, corresponding to snuff.

APPENDIX C

Tobacco Brand Codes for Open-Ended Questions (2007 CAI NSDUH)

Numerical Listing

Code	Definition
Cigarette Brands	
101	Basic
102	Benson & Hedges
103	Cambridge
104	Camel
105	Capri
106	Carlton
107	Doral
108	Forsyth
109	GPC
110	Kent
111	Kool
112	Marlboro
113	Merit
114	Misty
115	Monarch
116	Montclair
117	More
118	Newport
119	Pall Mall
120	Parliament
121	Private Label
122	Salem
123	Vantage
124	Viceroy
125	Virginia Slims
126	Winston
127	Alpine
128	Barclay
129	Belair
130	Best Value
131	Bristol
132	Bugler (roll-your-own)
133	Century
134	Chesterfield
135	Commander
136	Covington
137	Eve
138	Harley Davidson
139	Jasmine
140	Lark
141	L & M

Code	Definition
142	Lucky Strike
143	Magna
144	Maverick
145	Max
146	Now
147	Old Gold
148	Players
149	Pyramid
150	Raleigh
151	Richland
152	Saratoga
153	Satin
154	State Express
155	Sterling
156	Style
157	Tareyton
158	Top (roll-your-own)
159	Triumph
160	True
161	American Spirit
162	Austin
163	Bali Hai
164	Bali-Shag (roll-your-own)
165	Best Buy cigarettes
166	Bidis; brand unspecified
167	Black Death
168	Brandon
169	Bronson
170	Cartier
171	Checkers
172	Cimarron
173	Clove; brand unspecified
174	Dave's
175	Djarum cigarettes
176	Drum (roll-your-own)
177	Du Maurier
178	Dunhill cigarettes
179	Eagle
180	Export A
181	Fiesta
182	First Choice
183	First Class
184	Gauloises

Code	Definition
185	Generic cigarettes; brand unspecified
186	Gold Coast
187	Gudang Guram
188	Gunsmoke
189	Hi-Value
190	Jacks
191	Jester (roll-your-own)
192	Kailas Bidis
193	Kamel Red
194	Legend
195	Malibu
196	Mainstreet
197	Marker
198	Medallion
199	Meridian
1001	Nat Sherman cigarettes
1002	Omaha
1003	Piel Roja
1004	Planet
1005	Private Stock
1006	Quality Smokes
1007	Rally
1008	Rave
1009	Rollrich (roll-your-own)
1010	Rothman
1011	Sampoerna
1012	Seven Stars/Mild Sevens
1013	Slim Price
1014	Sobranie
1015	Springwater Vanilla
1016	Summit
1017	Sundance
1018	USA Gold
1019	Vegas cigarettes
1020	Waves
1021	Yours
1022	Bailey
1023	Sport
1024	Prime
1025	Ultra Buy
1026	Bull Durham
1027	Mustang
1028	Value; brand unspecified
1029	Tourney
1030	BV Bonus Value
1031	House Blend
1032	American Spirit rolling tobacco
1033	Hollywood
1034	Cardinal
1035	Cherokee
1036	Courier
1037	DTC

Code	Definition
1038	Samson (roll-your-own)
1039	Lewiston
1040	Smokin Joes cigarettes
1041	Sonoma
1042	Tall
1043	Tempo
1044	Worth
1045	Turkish Specials
1046	Delicados cigarettes
1047	New York New York cigarettes
1048	Carnival
1049	Honey B's cigarettes
1050	USA
1051	Belmont
1052	Premium One
1053	Wills
1054	Omar Sharif
1055	Geronimo
1056	Black Clove
1057	Sovereign
1058	Gitanes
1059	Krakatoa Kretek
1060	Kuta Kretek
1061	Signature
1062	Sincerely Yours
1063	Fantasia
1064	Seneca; company brand unspecified
1065	Splash
1066	John Player
1067	Amsterdam Shag (roll-your-own)
1068	Superkings
1069	Zig-Zag (roll-your-own)
1070	Value Time
1071	Value & Quality
1072	Chaparral
1073	Grand
1074	Khrong Thip
1075	Star cigarettes
1076	Highway
1077	Prince (Denmark)
1078	Brentwood
1079	Amsterdamer (roll-your-own)
1080	Monaco
1081	Sebring
1082	Tahoe
1083	Liggett Select
1084	Image
1085	Special
1086	Smoker Friendly cigarettes
1087	Virginian
1088	Marlin
1089	Grand Prix

Code	Definition
1090	Gold
1091	Dreams
1092	Native
1093	Roger
1094	Shield
1095	Patriot
1096	Sweet Afton
1097	Winner
1098	Sher Bidi
1099	Pilot
1100	Kite (roll-your-own)
1101	Jakarta
1102	Impala
1103	Popular
1104	Canyon
1105	Sixty-1
1106	Niagara
1107	Palace cigarettes
1108	Nobel
1109	Boots
1110	Eclipse
1111	Epic
1112	Kentucky's Best
1113	Sweet Dreams
1114	Scotch Buy
1115	Montana
1116	Revenge
1117	American
1118	Kingsport
1119	Express 555
1120	Durant
1121	Quality
1122	Boston
1123	CT
1124	Focus
1125	Silk Cut
1126	GT-One
1127	Amazone Guarana
1128	Double Diamond
1129	Goldlight
1130	Class A
1131	Alas
1132	Natural Blend
1133	Golden Lights
1134	Bronco
1135	Silva Thins
1136	Bonus Value
1137	Craven "A"
1138	Tucson
1139	305's
1140	Golden Virginia (roll-your-own)
1141	Market

Code	Definition
1142	Move
1143	Putter
1144	Arbo (roll-your-own)
1145	Coronas cigarettes
1146	Optiva
1147	Westport
1148	Chocolate Dreams
1149	Victory
1150	Parisiennes
1151	Faros
1152	X-tra
1153	Marathon
1154	Carlyle
1155	Capitol
1156	Chancellor
1157	Matinee
1158	Maxim
1159	Mundail
1160	Nise
1161	Point
1162	Tough Guy
1163	Backard
1164	Dynamic
1165	Scenic 101
1166	Davidoff cigarettes
1167	Sago
1168	Jade
1169	Omni
1170	McClintock (roll-your-own)
1171	Astra
1172	Campton
1173	Lobo
1174	Unify
1175	Caster
1176	Cowboys
1177	Silvers
1178	Charter
1179	Quest
1180	Berkeley
1181	Darshan
1182	Golden Beach
1183	Redbull (roll-your-own)
1184	Sky Dancer
1185	Esquire
1186	Always Save
1187	Old Holborn (roll-your-own)
1188	Silverton
1189	A-One Bidi
1190	Beacon
1191	Derby
1192	Old Hillside (roll-your-own)
1193	MVP

Code	Definition
1194	Infinity
1195	White Rhino
1196	Generals cigarettes
1197	Columbus Classic
1198	Homer
1199	Larson
1200	Old Kentucky
1201	All Star
1202	Competidora
1203	Kingsley
1204	American Diamond
1205	First USA/First US
1206	Stoker's (roll-your-own)
1207	Canadian Natural (roll-your-own)
1208	Havana cigarettes
1209	Lookout (roll-your-own)
1210	Colt cigarettes
1211	Echo cigarettes
1212	Euro
1213	Iceberg (roll-your-own)
1214	Midnight Special (roll-your-own)
1215	Ridgeway
1216	Romy
1217	Smokers Warehouse (roll-your-own)
1218	G-Smoke
1219	Brave, The
1220	GP Club
1221	Cheyenne cigarettes
1222	Gold Crest
1223	Axis
1224	Primo
1225	Bridgeport
1226	Citation
1227	Gambler (roll-your-own)
1228	Circle Z
1229	Goldflake
1230	Peter Stuyvesant
1231	MCD
1232	Sandia
1233	Ronhill
1234	Opal
1235	Farmer's Gold (roll-your-own)
1236	Bao-dao
1237	Omar
1238	Way
1239	Nova
1240	Gold Rush cigarettes
1241	Bison
1242	10/20
1243	Liberty
1244	Liberty Gold
1245	Smoke 1

Code	Definition
1246	Southern Classics
1247	Buffalo
1248	Desert Sun
1249	Classic Canadian (roll-your-own)
1250	Hava Club
1251	Kingston
1252	Lotto
1253	Montego
1254	Tracker
1255	Value Pride
1256	Black Diamond
1257	Rex, company brand unspecified
1258	SingleStick (roll-your-own)
1259	Tex
1260	Nevada
1261	Poker
1262	Bishop
1263	Storm
1264	Knights
1265	Exact
1266	Claremont
1267	Cobra
1268	Decade
1269	D Best One
1270	Southern Cross
1271	Fred
1272	Royals cigarettes
1273	Philip Morris cigarette; brand unspecified
1274	Classic
1275	Kentucky Smooth (roll-your-own)
1276	Fortuna
1277	Berley
1278	Bracar
1279	Business Club
1280	Bridgeton
1281	Dimitrino Shepherds Hotel
1282	Sonic
1283	Golden Harvest (roll-your-own)
1284	Honor
1285	Baisha
1286	Lakes
1287	Wild Horse
1288	Yukon
1289	4Aces (roll-your-own)
1290	Peter Jackson
1291	Southern Harvest (roll-your-own)
1292	Silver Eagle
1293	Sunny
1294	CTC Select
1295	Appu Bidis
1296	King Mountain

Code	Definition
1297	Echo rolling tobacco
1298	Danish Export rolling tobacco
1299	Premis
1300	Karelia
1301	Raison
1302	Texan
1303	White Horse
1304	Ace
1305	DJ Mix
1306	Blackjack (roll-your-own)
1998	Roll-your-own cigarette; brand otherwise unspecified
1999	Cigarette; brand otherwise unspecified
Chewing Tobacco Brands	
201	Beech-Nut
202	Chattanooga Chew
203	Day's Work
204	Granger
205	H.B. Scott
206	Levi Garrett
207	Red Fox
208	Red Man
209	Taylor's Pride
210	Totems
211	Work Horse
212	Apple Jack
213	Ball Park
214	Best Buy chewing tobacco
215	Big Leaf
216	Blackbull
217	Bowie
218	Cannonball
219	Durango
220	Lancaster
221	Mail Pouch
222	Morgan's
223	Peachy Big Leaf
224	Rough Country
225	Trophy
226	WB
227	Havana Blossom
228	Southern Pride
229	Union Workman
230	Stoker chewing tobacco
231	Cottonboll
232	Apple Plug tobacco
233	Bloodhound Thick Plug
234	Red Horse
235	King B
236	J. D. Blend
237	Our Pride
238	Big Red

Code	Definition
239	Tinsley
240	Amish
241	Tennessee Chew
242	Black Maria
243	Mammoth Cave
244	Oliver Twist
245	Warren County
246	Kuber Khaini
247	Cumberland Twist
248	Star chewing tobacco
249	Good Bite
250	Tulsi
251	Wild Duck twist
252	Country Blend
253	Kentucky King Twist
2998	Homemade chewing tobacco
2999	Chewing tobacco; brand otherwise unspecified
Snuff Brands	
301	Copenhagen
302	Gold River
303	Happy Days
304	Hawken
305	Kodiak
306	Redwood
307	Silver Creek
308	Skoal
309	Timber Wolf
310	Bruton
311	Cooper
312	Cougar
313	Dental
314	Honey Bee snuff
315	Navy
316	Red Seal
317	Rooster
318	Square
319	Tops snuff
320	Tube Rose
321	Garrett snuff
322	Peach
323	Mint Snuff
324	Ralph's snuff
325	Renegades
326	Kayak
327	CC Sweet
328	Ozona
329	Dean Swift
330	Extreme
331	Sequoia
332	Grizzly
333	President

Code	Definition
334	Honest Scotch
335	McChrystals
336	Wilsons
337	General snuff
338	Longhorn
339	Dr. Rumney's
340	Stonewall
341	Husky
342	Manikchand
343	Baba 120
344	Railroad Mills
345	Revel
346	Samuel Gawith
347	Skruf
348	Taboka
349	Camel Snus
3998	Homemade snuff/smokeless tobacco
3999	Snuff; brand otherwise unspecified
Cigar Brands	
401	Antonio y Cleopatra
402	Backwoods
403	Bering
404	Black & Mild
405	Captain Black
406	Casa Silva
407	Cuesta-Rey
408	Dutch Masters
409	El Producto
410	Erik Filter
411	Garcia y Vega
412	Havatampa
413	King Edward
414	La Corona
415	Little Nippers
416	Macanudos
417	Muriel
418	Partagas
419	Phillies
420	Rigoletto
421	Robert Burns
422	Roi-Tan
423	Swisher Sweets
424	Tijuana Smalls
425	Universal
426	White Owl
427	William Penn
428	Winchester
429	Al Capone
430	Arango Sportsman
431	Arturo Fuente
432	Ashton
433	Astral

Code	Definition
434	Baccarat
435	Balmoral
436	Ben Franklin
437	Blackstone
438	Blair
439	Blunts; brand unspecified
440	Butera
441	Cherry Blend
442	Churchill; brand unspecified
443	Cohiba
444	Cojimar
445	Corona; brand unspecified
446	Cortina
447	Cremosa Cubanos
448	Cuban; brand unspecified
449	Cubana; brand unspecified
450	Dannemann
451	Davidoff cigars
452	Don Diego
453	Don Jose
454	Don Lino
455	Don Rene
456	Don Sebastian
457	Don Tomas
458	Dunhill cigars
459	Dutch Treats
460	El Rey del Mundo
461	Fonseca
462	Grenadiers
463	Griffin's
464	H. Upmann
465	Habana/Havana; brand unspecified
466	Habana Gold
467	Henry Clay
468	Hobo
469	Hoya De Monterrey
470	Hugo Cassar
471	Infiesta
472	Joya De Nicaragua
473	Jr Ultimate
474	King
475	La Aurora
476	La Gloria Cubana
477	La Tradicion
478	La Unica
479	La Flor Dominicana
480	Las Cabrillas
481	Lone Wolf
482	Martinez y Cia
483	Mi Cubano
484	Middleton Cherry Blend
485	Monero

Code	Definition
486	Montecristo
487	Oliveros
488	Optimo
489	Opus X
490	Padron
491	Parodi Cella
492	Primetime Little Cigars
493	Prince Albert cigars
494	Punch
495	Puros Indios
496	Romeo y Julieta
497	Royal Jamaica
498	Schimmelpennick
499	Stag
4001	Sweets; brand unspecified
4002	Tampa; brand unspecified
4003	Te Amo
4004	Temple Hall
4005	Thompson
4006	Tiparillo
4007	Wolf Brothers
4008	Lars Tetens
4009	Bahia
4010	Big Butt
4011	Tobacco Place
4012	Five Star
4013	Cubita
4014	Avanti
4015	Windsor
4016	Dominican; brand unspecified
4017	Rum Runner
4018	Nat Sherman cigars
4019	J.R. Tobacco
4020	Onyx
4021	Credo; brand unspecified
4022	Excalibur
4023	John T's
4024	Sierra Sweets
4025	Middleton Gold and Mild
4026	Habana Black and Gold
4027	Nicaraguan; brand unspecified
4028	Casa Blanca
4029	Celestino Vega
4030	Felipe Gregorio
4031	Playboy
4032	Montesino
4033	Diamond Crown
4034	La Fontana
4035	Muniemaker
4036	La Finca
4037	V Centennial
4038	Flor de Oliva Grand Cameroon

Code	Definition
4039	Palace cigars
4040	Reas
4041	Miami Suites
4042	R & J Famous
4043	Rosa Cuba
4044	Zino
4045	Havana Honey
4046	Monte Carlo
4047	Delicados cigars
4048	Travis Club
4049	Purofino
4050	Fuente
4051	Avo
4052	Carl Upmann
4053	Bolivar
4054	Acid
4055	La Diva
4056	Thomas Hinds
4057	Perfecto Garcia
4058	Denobili
4059	VM Santana
4060	Honduran; brand unspecified
4061	Jamaican; brand unspecified
4062	Ducados
4063	Topper
4064	Djarum cigarillos
4065	Franco
4066	New York cigars
4067	United States; brand unspecified
4068	Caribbean Rounds
4069	Leon Jimenes
4070	Montecruz
4071	Miflin's Choice
4072	Gurkha
4073	Dos Reinas
4074	Arizona
4075	Napa
4076	Key West
4077	Caoba
4078	Flor Cabana
4079	Montoya
4080	Quirantes
4081	Royales
4082	Papayo
4083	C.A.O. Moontrance
4084	Tatiana
4085	Supre Sweets
4086	Dos Hombres
4087	El Cordoba
4088	Don Guillermo
4089	Las Vegas
4090	Caribbean Petites

Code	Definition
4091	Tamayo & Pareto
4092	Hemingway
4093	Cabanas
4094	Canaria D'Oro
4095	Ben Bay Crystals
4096	Black Jack cigars
4097	Cusano
4098	La Primadora
4099	Meharis
4100	Madrigal Habana
4101	Ornelas
4102	Tamboril
4103	Keep Moving
4104	Villiger
4105	Belinda
4106	Habanos
4107	Por Larranaga
4108	Don Antonio
4109	Don Pablo
4110	Drew Estates
4111	Joya del Rey
4112	Maria Mancini
4113	Olor
4114	Plasencia
4115	Porfirio
4116	Sosa
4117	Robusto; type unspecified
4118	Vegas cigars
4119	Marsh Wheeling
4120	Alternativos
4121	Columbian; type unspecified
4122	George Burns
4123	Cameo
4124	Panetella; type unspecified
4125	Carinos
4126	Don Mateo
4127	Hamiltons
4128	Panter
4129	Hoja
4130	Smokin Joes cigars
4131	Moyorga
4132	El Gozo
4133	De Graaff
4134	John Hay
4135	Sinatra
4136	Markers Mark
4137	Luiz Martinez
4138	Havana Blend
4139	La Paloma
4140	Saint Luis Rey
4141	Carbonell
4142	Caballeros

Code	Definition
4143	La Palma de Oro
4144	Hula girl
4145	Calixto Lopez
4146	Argos
4147	Aurora
4148	Brazilian cigars; type unspecified
4149	Jose Marti
4150	Quintero
4151	Ramrod
4152	Reveria
4153	Mendez y Lopez
4154	New Orleans
4155	Smoker Friendly cigars
4156	Ritemeester
4157	Victor Sinclair
4158	Island Collection
4159	Don Alberto
4160	Santa Damiana
4161	Craftsman's Bench
4162	Don Yeyo
4163	Romero
4164	Vega Fina
4165	Cinco Vegas
4166	Dona Flora
4167	La Guardia
4168	National
4169	Alcazar
4170	OneOff
4171	Camacho
4172	J.T.
4173	La Surina
4174	Natural cigars
4175	Perdomo
4176	Primo Del Rey
4177	Heather Phillips
4178	Royal Blunt EZ Tube
4179	Colt cigars
4180	Matacan
4181	Cuban Bullet
4182	Farias
4183	Sancho Panza
4184	Helix
4185	El Toro
4186	Remedios
4187	1886 Queens
4188	898
4189	Memoria de Cuba
4190	Little Havana
4191	Havana Gold
4192	Smoker's Choice
4193	Belmondo
4194	La Floridita

Code	Definition
4195	Double Corona, brand unspecified
4196	San Andres
4197	Blender's Gold
4198	Cifuentes
4199	Cuban Delights
4200	El Rico Habano
4201	Gonzalez y Martinez
4202	Hacienda
4203	Omega
4204	Tres Hermanos
4205	Viajante, brand unspecified
4206	Demitasse, brand unspecified
4207	Racer little cigars
4208	Habano Primero
4209	Heaven
4210	Occidental
4212	Diesel
4213	Mantequilla
4214	Sir Elliot's
4215	Bauza
4216	Carlos Torano
4217	Roly
4218	Jad
4219	Gold Rush
4220	Old Port cigarillos
4221	Cordova
4222	Dirt
4223	La Perla Habana
4224	Jose Benito
4225	Tueros
4226	Crystal
4227	El Dente
4228	FX Smith
4229	Indian Tabac
4230	Candlelight
4231	Jose Girbes
4232	Sweet Outlaws
4233	Castros Cuban
4234	Don Juan
4235	Natural Root
4236	Hats Off
4237	Rocky Patels
4238	Royal Cubans
4239	Lauro's
4240	Little Cigar Factory
4241	Guantanamera
4242	Pom Pom cigarillos
4243	Dean's Lil' Cigars
4244	Diablo
4245	Oliva O
4246	Fink
4247	Don Kiki

Code	Definition
4248	Hector Hernandez
4249	Mexican cigar; brand unspecified
4250	La Aroma de Cuba
4251	Murillo
4252	Don Rex
4253	Rushmore
4254	Spirit of Cuba
4255	Sweet Daddies
4256	Wise Guys
4257	Phillip & King - Cuban rejects
4258	Don Elliott
4259	Alvaro
4260	Don Elias
4261	Joya del Jefe Centennial Reserve
4262	El Presidente
4263	Torano Exodus
4264	Costa Rican; brand unspecified
4265	Cheyenne little cigars
4266	Java
4267	Don Lugo
4268	EverMore
4269	Trinidad
4270	Don Augusto
4271	Don Dominguez
4272	Jose Gener
4273	Dominico
4274	Dutch Delights
4275	Mr. B
4276	Holland cigars; brand unspecified
4277	Licenciados
4278	Gispert
4279	Randelllo X
4280	Graycliff
4281	Roughneck
4282	Vendetta little cigars
4283	Supreme Blend little cigars
4284	Muriel Sweets little cigars
4285	Royal Hawaiian
4286	Casillas
4287	Dark Horse little cigars
4288	Boaz little cigars
4289	Cupido
4290	Moonshine Crooks
4291	M1 cigars
4292	Derringer little cigars
4293	Ibold
4294	Smokin Joes Little Cigars
4295	Santa Fe little cigars
4296	Kingpin
4297	Padilla
4298	Vaquero Little Cigars
4299	Nording

Code	Definition
4300	Fat Rum
4301	La Corona Whiffs
4302	Mike Ditka
4303	Vigilante Esteban Carrera
4304	Flor de Jardin
4305	Guatemalan cigar; brand unspecified
4306	Red Buck little cigars
4307	Black Cat
4308	Stampede little cigars
4309	Isla Del Sol
4310	JR Alternatives
4311	Kahlua (Drew Estates)
4312	Golden Harvest little cigars
4997	Little cigars; brand otherwise unspecified
4998	Homemade cigars
4999	Cigar/Cigarillo; brand otherwise unspecified

Pipe Tobacco or Miscellaneous Tobacco

501	Prince Albert tobacco
502	Sir Walter Raleigh tobacco
503	Velvet tobacco
504	Bighorn tobacco
505	Hookah tobacco/tobacco in hookah
5999	Pipe tobacco; brand otherwise unspecified

Miscellaneous Classifications

601	Homegrown
701	Marijuana
702	Cocaine
703	Coca leaves
704	Betel nut
705	Permanent marker
706	Aerosol spray
707	Carburetor cleaner
708	Heroin
801	Nicorette
802	Honey Rose herbal cigarettes
803	Herbal cigarette, not otherwise specified
804	Ecstacy herbal cigarettes
805	Smokey Mountain herbal snuff
806	Herbal Gold herbal cigarettes
807	Ariva tobacco lozenge
808	Herbal Dreams cigarettes

Alphabetical Listing

Definition	Code
(Drew Estates), Kahlua	4311
1, Smoke	1245
10/20	1242
101, Scenic	1165
120, Baba	343
1886 Queens	4187
305's	1139
4Aces (roll-your-own)	1289
898	4188
A, Class	1130
A, Craven	1137
A, Export	180
Ace	1304
Acid	4054
Aerosol spray	706
Afton, Sweet	1096
Al Capone	429
Alas	1131
Albert cigars, Prince	493
Albert tobacco, Prince	501
Alberto, Don	4159
Alcazar	4169
All Star	1201
Alpine	127
Alternatives, JR	4310
Alternativos	4120
Alvaro	4259
Always Save	1186
Amazone Guarana	1127
American	1117
American Diamond	1204
American Spirit	161
American Spirit rolling tobacco	1032
Amish	240
Amo, Te	4003
Amsterdam Shag (roll-your-own)	1067
Amsterdamer (roll-your-won)	1079
Andres, San	4196
Antonio y Cleopatra	401
Antonio, Don	4108
A-One Bidi	1189
Apple Jack	212
Apple Plug tobacco	232
Appu Bidis	1295
Arango Sportsman	430
Arbo (roll-your-own)	1144

Definition	Code
Argos	4146
Ariva tobacco lozenge	807
Arizona	4074
Aroma de Cuba, La	4250
Arturo Fuente	431
Ashton	432
Astra	1171
Astral	433
Augusto, Don	4270
Aurora	4147
Aurora, La	475
Austin	162
Avanti	4014
Avo	4051
Axis	1223
B, King	235
B, Mr.	4275
Baba 120	343
Baccarat	434
Backard	1163
Backwoods	402
Bahia	4009
Bailey	1022
Baisha	1285
Bali Hai	163
Bali-Shag (roll-your-own)	164
Ball Park	213
Balmoral	435
Bao-dao	1236
Barclay	128
Basic	101
Bauza	4215
Bay Crystals, Ben	4095
Beach, Golden	1182
Beacon	1190
Bee snuff, Honey	314
Beech-Nut	201
Belair	129
Belinda	4105
Belmondo	4193
Belmont	1051
Ben Bay Crystals	4095
Ben Franklin	436
Bench, Craftsman's	4161
Benito, Jose	4224
Benson & Hedges	102
Bering	403

Definition	Code
Berkeley	1180
Berley	1277
Best Buy chewing tobacco	214
Best Buy cigarettes	165
Best One, D	1269
Best Value	130
Best, Kentucky's	1112
Betel nut	704
Bidi, A-One	1189
Bidi, Sher	1098
Bidis, Appu	1295
Bidis, Kailas	192
Bidis; brand unspecified	166
Big Butt	4010
Big Leaf	215
Big Leaf, Peachy	223
Big Red	238
Bighorn tobacco	504
Bishop	1262
Bison	1241
Bite, Good	249
Black & Mild	404
Black and Gold, Habana	4026
Black Cat	4307
Black Clove	1056
Black Death	167
Black Diamond	1256
Black Jack cigars	4096
Black Maria	242
Black, Captain	405
Blackbull	216
Blackjack (roll-your-own)	1306
Blackstone	437
Blair	438
Blanca, Casa	4028
Blend little cigars, Supreme	4283
Blend, Cherry	441
Blend, Country	252
Blend, Havana	4138
Blend, House	1031
Blend, J.D.	236
Blend, Middleton Cherry	484
Blend, Natural	1132
Blender's Gold	4197
Bloodhound Thick Plug	233
Blossom, Havana	227
Blunt EZ Tube, Royal	4178
Blunts; brand unspecified	439
Boaz little cigars	4288
Bolivar	4053
Bonus Value	1136

Definition	Code
Bonus Value, BV	1030
Boots	1109
Boston	1122
Bowie	217
Bracar	1278
Brandon	168
Brave, The	1219
Brazilian cigars; type unspecified	4148
Brentwood	1078
Bridgeport	1225
Bridgeton	1280
Bristol	131
Bronco	1134
Bronson	169
Brothers, Wolf	4007
Bruton	310
B's cigarettes, Honey	1049
Buck little cigars, Red	4306
Buffalo	1247
Bugler (roll-your-own)	132
Bull Durham	1026
Bullet, Cuban	4181
Burns, George	4122
Burns, Robert	421
Business Club	1279
Butera	440
Butt, Big	4010
Buy chewing tobacco, Best	214
Buy cigarettes, Best	165
Buy, Scotch	1114
Buy, Ultra	1025
BV Bonus Value	1030
C.A.O. Moontrance	4083
Caballeros	4142
Cabana, Flor	4078
Cabanas	4093
Cabrillas, Las	480
Calixto Lopez	4145
Camacho	4171
Cambridge	103
Camel	104
Camel Snus	349
Cameo	4123
Campton	1172
Canadian Natural (roll-your-own)	1207
Canadian, Classic (roll-your-own)	1249
Canaria D'Oro	4094
Candlelight	4230
Cannonball	218
Canyon	1104

Definition	Code
Caoba	4077
Capitol	1155
Capone, Al	429
Capri	105
Captain Black	405
Carbonell	4141
Carburetor cleaner	707
Cardinal	1034
Caribbean Petites	4090
Caribbean Rounds	4068
Carinos	4125
Carl Upmann	4052
Carlo, Monte	4046
Carlos Torano	4216
Carlton	106
Carlyle	1154
Carnival	1048
Carrera, Vigilante Esteban	4303
Cartier	170
Casa Blanca	4028
Casa Silva	406
Casillas	4286
Cassar, Hugo	470
Caster	1175
Castros Cuban	4233
Cat, Black	4307
Cave, Mammoth	243
CC Sweet	327
Celestino Vega	4029
Cella, Parodi	491
Centennial Reserve, Joya del Jefe	4261
Centennial, V	4037
Century	133
Chancellor	1156
Chaparral	1072
Charter	1178
Chattanooga Chew	202
Checkers	171
Cherokee	1035
Cherry Blend	441
Cherry Blend, Middleton	484
Chesterfield	134
Chew, Chattanooga	202
Chew, Tennessee	241
Chewing tobacco, Homemade	2998
Chewing tobacco, Star	248
Chewing tobacco; brand unspecified	2999
Cheyenne cigarettes	1221
Cheyenne little cigars	4265
Chocolate Dreams	1148
Choice, First	182

Definition	Code
Choice, Miflin's	4071
Choice, Smoker's	4192
Churchill; brand unspecified	442
Cia, Martinez y	482
Cifuentes	4198
Cigar Factory, Little	4240
Cigar/Cigarillo; brand unspecified	4999
Cigarette, Herbal; not otherwise specified	803
Cigarette, Philip Morris; brand unspecified	1273
Cigarette, Roll-your-own; brand unspecified	1998
Cigarette; brand unspecified	1999
Cigarettes, Cheyenne	1221
Cigarettes, Colt	1210
Cigarettes, Coronas	1145
Cigarettes, Davidoff	1166
Cigarettes, Djarum	175
Cigarettes, Dunhill	178
Cigarettes, Echo	1211
Cigarettes, Generals	1196
Cigarettes, Generic; brand unspecified	185
Cigarettes, Gold Rush	1240
Cigarettes, Havana	1208
Cigarettes, Herbal Dreams	808
Cigarettes, Honey Rose herbal	802
Cigarettes, Royals	1272
Cigarettes, Smoker Friendly	1086
Cigarettes, Star	1075
Cigarillos, Djarum	4064
Cigarillos, Old Port	4220
Cigarillos, Pom Pom	4242
Cigars, Black Jack	4096
Cigars, Boaz little	4288
Cigars, Cheyenne little	4265
Cigars, Colt	4179
Cigars, Costa Rican; brand unspecified	4264
Cigars, Cuban; brand unspecified	448
Cigars, Dark Horse little	4287
Cigars, Dean's Lil'	4243
Cigars, Derringer little	4292
Cigars, Dunhill	458
Cigars, Gold Rush	4219
Cigars, Golden Harvest little	4312
Cigars, Habana/Havana; brand unspecified	465
Cigars, Little; brand unspecified	4997
Cigars, M1	4291
Cigars, Muriel Sweets little	4284
Cigars, Natural	4174

Definition	Code
Cigars, Primetime Little	492
Cigars, Racer little	4207
Cigars, Red Buck little	4306
Cigars, Santa Fe little	4295
Cigars, Smoker Friendly	4155
Cigars, Smokin Joes Little	4294
Cigars, Stampede little	4308
Cigars, Supreme Blend little	4283
Cigars, Vaquero Little	4298
Cigars, Vendetta little	4282
Cimarron	172
Cinco Vegas	4165
Circle Z	1228
Citation	1226
Claremont	1266
Class A	1130
Class, First	183
Classic	1274
Classic Canadian (roll-your-own)	1249
Classic, Columbus	1197
Classics, Southern	1246
Clay, Henry	467
Cleaner, Carburetor	707
Cleopatra, Antonio y	401
Clove, Black	1056
Clove; brand unspecified	173
Club, Business	1279
Club, GP	1220
Club, Hava	1250
Club, Travis	4048
Coast, Gold	186
Cobra	1267
Coca leaves	703
Cocaine	702
Cohiba	443
Cojimar	444
Collection, Island	4158
Colt cigarettes	1210
Colt cigars	4179
Columbian; type unspecified	4121
Columbus Classic	1197
Commander	135
Competidora	1202
Cooper	311
Copenhagen	301
Cordoba, El	4087
Cordova	4221
Corona Whiffs, La	4301
Corona, Double; brand unspecified	4195
Corona, La	414
Corona; brand unspecified	445

Definition	Code
Coronas cigarettes	1145
Cortina	446
Costa Rican cigars; brand unspecified	4264
Cottonboll	231
Cougar	312
Country Blend	252
Country, Rough	224
County, Warren	245
Courier	1036
Covington	136
Cowboys	1176
Craftsman's Bench	4161
Craven "A"	1137
Credo; brand unspecified	4021
Creek, Silver	307
Cremosa Cubanos	447
Crest, Gold	1222
Crooks, Moonshine	4290
Cross, Southern	1270
Crown, Diamond	4033
Crystal	4226
Crystals, Ben Bay	4095
CT	1123
CTC Select	1294
Cuba, La Aroma de	4250
Cuba, Memoria de	4189
Cuba, Rosa	4043
Cuba, Spirit of	4254
Cuban Bullet	4181
Cuban cigars; brand unspecified	448
Cuban Delights	4199
Cuban rejects, Phillip & King -	4257
Cuban, Castros	4233
Cubana, La Gloria	476
Cubana; brand unspecified	449
Cubano, Mi	483
Cubanos, Cremosa	447
Cubans, Royal	4238
Cubita	4013
Cuesta-Rey	407
Cumberland Twist	247
Cupido	4289
Cusano	4097
Cut, Silk	1125
D Best One	1269
Daddies, Sweet	4255
Damiana, Santa	4160
Dancer, Sky	1184
Danish Export rolling tobacco	1298
Dannemann	450

Definition	Code
Dao, Bao-	1236
Dark Horse little cigars	4287
Darshan	1181
Dave's	174
Davidoff cigarettes	1166
Davidoff cigars	451
Davidson, Harley	138
Day's Work	203
Days, Happy	303
De Cuba, La Aroma	4250
De Cuba, Memoria	4189
De Graaff	4133
De Jardin, Flor	4304
De Monterrey, Hoya	469
De Nicaragua, Joya	472
De Oliva Grand Cameroon, Flor	4038
De Oro, La Palma	4143
Dean Swift	329
Dean's Lil' Cigars	4243
Death, Black	167
Decade	1268
Del Mundo, El Rey	460
Del Rey, Joya	4111
Del Rey, Primo	4176
Del Sol, Isla	4309
Delicados cigarettes	1046
Delicados cigars	4047
Delights, Cuban	4199
Delights, Dutch	4274
Demitasse, brand unspecified	4206
Denobili	4058
Dental	313
Dente, El	4227
Derby	1191
Derringer little cigars	4292
Desert Sun	1248
Diablo	4244
Diamond Crown	4033
Diamond, American	1204
Diamond, Black	1256
Diamond, Double	1128
Diego, Don	452
Diesel	4212
Dimitrino Shepherds Hotel	1281
Dirt	4222
Ditka, Mike	4302
Diva, La	4055
DJ Mix	1305
Djarum cigarettes	175
Djarum cigarillos	4064
Dominguez, Don	4271

Definition	Code
Dominican cigars; brand unspecified	4016
Dominicana, La Flor	479
Dominico	4273
Don Alberto	4159
Don Antonio	4108
Don Augusto	4270
Don Diego	452
Don Dominguez	4271
Don Elias	4260
Don Elliott	4258
Don Guillermo	4088
Don Jose	453
Don Juan	4234
Don Kiki	4247
Don Lino	454
Don Lugo	4267
Don Mateo	4126
Don Pablo	4109
Don Rene	455
Don Rex	4252
Don Sebastian	456
Don Tomas	457
Don Yeyo	4162
Dona Flora	4166
Doral	107
D'Oro, Canaria	4094
Dos Hombres	4086
Dos Reinas	4073
Double Corona, brand unspecified	4195
Double Diamond	1128
Dr. Rumney's	339
Dreams	1091
Dreams cigarettes, Herbal	808
Dreams, Chocolate	1148
Dreams, Sweet	1113
Drew Estates	4110
Drum (roll-your-own)	176
DTC	1037
Du Maurier	177
Ducados	4062
Duck twist, Wild	251
Dunhill cigarettes	178
Dunhill cigars	458
Durango	219
Durant	1120
Durham, Bull	1026
Dutch Delights	4274
Dutch Masters	408
Dutch Treats	459
Dynamic	1164

Definition	Code
Eagle	179
Eagle, Silver	1292
Echo cigarettes	1211
Echo rolling tobacco	1297
Eclipse	1110
Ecstacy herbal cigarettes	804
Edward, King	413
El Cordoba	4087
El Dente	4227
El Gozo	4132
El Presidente	4262
El Producto	409
El Rey del Mundo	460
El Rico Habano	4200
El Toro	4185
Elias, Don	4260
Elliot's, Sir	4214
Elliott, Don	4258
Epic	1111
Erik Filter	410
Esquire	1185
Estates), Kahlua (Drew	4311
Estates, Drew	4110
Esteban Carrera, Vigilante	4303
Euro	1212
Eve	137
EverMore	4268
Exact	1265
Excalibur	4022
Exodus, Torano	4263
Export A	180
Export rolling tobacco, Danish	1298
Express 555	1119
Express, State	154
Extreme	330
EZ Tube, Royal Blunt	4178
Factory, Little Cigar	4240
Famous, R & J	4042
Fantasia	1063
Farias	4182
Farmer's Gold (roll-your-own)	1235
Faros	1151
Fat Rum	4300
Fe little cigars, Santa	4295
Felipe Gregorio	4030
Fiesta	181
Filter, Erik	410
Fina, Vega	4164
Finca, La	4036
Fink	4246

Definition	Code
First Choice	182
First Class	183
First US	1205
First USA	1205
Five Star	4012
Flor Cabana	4078
Flor de Jardin	4304
Flor de Oliva Grand Cameroon	4038
Flora, Dona	4166
Floridita, La	4194
Focus	1124
Fonseca	461
Fontana, La	4034
Forsyth	108
Fortuna	1276
Fox, Red	207
Franco	4065
Franklin, Ben	436
Fred	1271
Friendly cigarettes, Smoker	1086
Friendly cigars, Smoker	4155
Fuente	4050
Fuente, Arturo	431
FX Smith	4228
Gambler (roll-your-own)	1227
Garcia y Vega	411
Garcia, Perfecto	4057
Garrett snuff	321
Garrett, Levi	206
Gauloises	184
Gawith, Samuel	346
Gener, Jose	4272
General snuff	337
Generals cigarettes	1196
Generic cigarettes; brand unspecified	185
George Burns	4122
Geronimo	1055
Girbes, Jose	4231
Girl, Hula	4144
Gispert	4278
Gitanes	1058
Gloria Cubana, La	476
Gold	1090
Gold and Mild, Middleton	4025
Gold Coast	186
Gold Crest	1222
Gold herbal cigarettes, Herbal	806
Gold River	302
Gold Rush cigarettes	1240
Gold Rush cigars	4219

Definition	Code
Gold, Blender's	4197
Gold, Farmer's (roll-your-own)	1235
Gold, Habana	466
Gold, Habana Black and	4026
Gold, Havana	4191
Gold, Liberty	1244
Gold, Old	147
Gold, USA	1018
Golden Beach	1182
Golden Harvest (roll-your-own)	1283
Golden Harvest little cigars	4312
Golden Lights	1133
Golden Virginia (roll-your-own)	1140
Goldflake	1229
Goldlight	1129
Gonzalez y Martinez	4201
Good Bite	249
Gozo, El	4132
GP Club	1220
GPC	109
Graaff, De	4133
Grand	1073
Grand Prix	1089
Granger	204
Graycliff	4280
Gregorio, Felipe	4030
Grenadiers	462
Griffin's	463
Grizzly	332
G-Smoke	1218
GT-One	1126
Guantanamera	4241
Guarana, Amazone	1127
Guardia, La	4167
Guatemalan cigars; brand unspecified	4305
Gudang Guram	187
Guillermo, Don	4088
Gunsmoke	188
Guram, Gudang	187
Gurkha	4072
Guy, Tough	1162
Guys, Wise	4256
H. Upmann	464
H.B. Scott	205
Habana Black and Gold	4026
Habana Gold	466
Habana, La Perla	4223
Habana, Madrigal	4100
Habana/Havana cigars; brand unspecified	465

Definition	Code
Habano Primero	4208
Habano, El Rico	4200
Habanos	4106
Hacienda	4202
Hai, Bali	163
Hall, Temple	4004
Hamiltons	4127
Happy Days	303
Harley Davidson	138
Harvest (roll-your-own), Golden	1283
Harvest (roll-your-own), Southern	1291
Harvest little cigars, Golden	4312
Hats Off	4236
Hava Club	1250
Havana Blend	4138
Havana Blossom	227
Havana cigarettes	1208
Havana Gold	4191
Havana Honey	4045
Havana cigars, Habana/; brand unspecified,	465
Havana, Little	4190
Havatampa	412
Hawaiian, Royal	4285
Hawken	304
Hay, John	4134
Heather Phillips	4177
Heaven	4209
Hector Hernandez	4248
Hedges, Benson &	102
Helix	4184
Hemingway	4092
Henry Clay	467
Herbal cigarette, not otherwise specified	803
Herbal cigarettes, Ecstacy	804
Herbal cigarettes, Herbal Gold	806
Herbal cigarettes, Honey Rose	802
Herbal Dreams cigarettes	808
Herbal Gold herbal cigarettes	806
Herbal snuff, Smokey Mountain	805
Hermanos, Tres	4204
Hernandez. Hector	4248
Heroin	708
Highway	1076
Hillside, Old (roll-your-own)	1192
Hinds, Thomas	4056
Hi-Value	189
Hobo	468
Hoja	4129
Holborn, Old (roll-your-own)	1187

Definition	Code
Holland cigars; brand unspecified	4276
Hollywood	1033
Hombres, Dos	4086
Homegrown	601
Homemade chewing tobacco	2998
Homemade cigars	4998
Homemade snuff/smokeless tobacco	3998
Homer	1198
Honduran cigars; brand unspecified	4060
Honest Scotch	334
Honey Bee snuff	314
Honey B's cigarettes	1049
Honey Rose herbal cigarettes	802
Honey, Havana	4045
Honor	1284
Hookah tobacco/tobacco in hookah	505
Horse little cigars, Dark	4287
Horse, Red	234
Horse, White	1303
Horse, Wild	1287
Horse, Work	211
Hotel, Dimitrino Shepherds	1281
House Blend	1031
Hoya De Monterrey	469
Hugo Cassar	470
Hula girl	4144
Husky	341
Ibold	4293
Iceberg (roll-your-own)	1213
Image	1084
Impala	1102
Indian Tabac	4229
Indios, Puros	495
Infiesta	471
Infinity	1194
Isla Del Sol	4309
Island Collection	4158
J Famous, R &	4042
J.D. Blend	236
J.R. Tobacco	4019
J.T.	4172
Jack, Apple	212
Jack cigars, Black	4096
Jacks	190
Jackson, Peter	1290
Jad	4218
Jade	1168
Jakarta	1101
Jamaica, Royal	497

Definition	Code
Jamaican cigars; brand unspecified	4061
Jardin, Flor de	4304
Jasmine	139
Java	4266
Jefe Centennial Reserve, Joya del	4261
Jester (roll-your-own)	191
Jimenes, Leon	4069
Joes cigarettes, Smokin	1040
Joes cigars, Smokin	4130
Joes Little Cigars, Smokin	4294
John Hay	4134
John Player	1066
John T's	4023
Jose Benito	4224
Jose Gener	4272
Jose Girbes	4231
Jose Marti	4149
Jose, Don	453
Joya De Nicaragua	472
Joya del Jefe Centennial Reserve	4261
Joya del Rey	4111
JR Alternatives	4310
Jr Ultimate	473
Juan, Don	4234
Julieta, Romeo y	496
Kahlua (Drew Estates)	4311
Kailas Bidis	192
Kamel Red	193
Karelia	1300
Kayak	326
Keep Moving	4103
Kent	110
Kentucky King Twist	253
Kentucky Smooth (roll-your-own)	1275
Kentucky, Old	1200
Kentucky's Best	1112
Key West	4076
Khaini, Kuber	246
Kiki, Don	4247
King	474
King - Cuban rejects, Phillip &	4257
King B	235
King Edward	413
King Mountain	1296
King Twist, Kentucky	253
Kingpin	4296
Kingsley	1203
Kingsport	1118
Kingston	1251
Kite (roll-your-own)	1100

Definition	Code
Knights	1264
Kodiak	305
Kool	111
Krakatoa Kretek	1059
Kretek, Kuta	1060
Krong Thip	1074
Kuber Khaini	246
Kuta Kretek	1060
L & M	141
La Aroma de Cuba	4250
La Aurora	475
La Corona	414
La Corona Whiffs	4301
La Diva	4055
La Finca	4036
La Flor Dominicana	479
La Floridita	4194
La Fontana	4034
La Gloria Cubana	476
La Guardia	4167
La Palma de Oro	4143
La Paloma	4139
La Perla Habana	4223
La Primadora	4098
La Surina	4173
La Tradicion	477
La Unica	478
Label, Private	121
Lakes	1286
Lancaster	220
Lark	140
Larranaga, Por	4107
Lars Tetens	4008
Larson	1199
Las Cabrillas	480
Las Vegas	4089
Lauro's	4239
Leaf, Big	215
Leaf, Peachy Big	223
Leaves, Coca	703
Legend	194
Leon Jimenes	4069
Levi Garrett	206
Lewiston	1039
Liberty	1243
Liberty Gold	1244
Licenciados	4277
Liggett Select	1083
Lights, Golden	1133
Lil' Cigars, Dean's	4243

Definition	Code
Lino, Don	454
Little Cigar Factory	4240
Little cigars, Boaz	4288
Little cigars, Cheyenne	4265
Little cigars, Dark Horse	4287
Little cigars, Derringer	4292
Little cigars, Golden Harvest	4312
Little cigars, Muriel Sweets	4284
Little Cigars, Primetime	492
Little cigars, Racer	4207
Little cigars, Red Buck	4306
Little cigars, Santa Fe	4295
Little Cigars, Smokin Joes	4294
Little cigars, Stampede	4308
Little cigars, Supreme Blend	4283
Little Cigars, Vaquero	4298
Little cigars, Vendetta	4282
Little cigars; brand unspecified	4997
Little Havana	4190
Little Nippers	415
Lobo	1173
Lone Wolf	481
Longhorn	338
Lookout (roll-your-own)	1209
Lopez, Calixto	4145
Lopez, Mendez y	4153
Lotto	1252
Lozenge, Ariva tobacco	807
Lucky Strike	142
Lugo, Don	4267
Luis Rey, Sanit	4140
Luiz Martinez	4137
M Santana, V	4059
M1 cigars	4291
Macanudos	416
Madrigal Habana	4100
Magna	143
Mail Pouch	221
Mainstreet	196
Malibu	195
Mall, Pall	119
Mammoth Cave	243
Man, Red	208
Mancini, Maria	4112
Manikchand	342
Mantequilla	4213
Marathon	1153
Maria Mancini	4112
Maria, Black	242
Marijuana	701

Definition	Code
Mark, Markers	4136
Marker	197
Marker, Permanent	705
Markers Mark	4136
Market	1141
Marlboro	112
Marlin	1088
Marsh Wheeling	4119
Marti, Jose	4149
Martinez y Cia	482
Martinez, Gonzalez y	4201
Martinez, Luiz	4137
Masters, Dutch	408
Matacan	4180
Mateo, Don	4126
Matinee	1157
Maurier, Du	177
Maverick	144
Max	145
Maxim	1158
McChrystals	335
McClintock (roll-your-own)	1170
MCD	1231
Medallion	198
Meharis	4099
Memoria de Cuba	4189
Mendez y Lopez	4153
Meridian	199
Merit	113
Meth, Methamphetamine ("ice" or "crank")	709
Mexican cigars; brand unspecified	4249
Mi Cubano	483
Miami Suites	4041
Middleton Cherry Blend	484
Middleton Gold and Mild	4025
Midnight Special (roll-your-own)	1214
Miflin's Choice	4071
Mike Ditka	4302
Mild Sevens, Seven Stars/	1012
Mild, Black &	404
Mild, Middleton Gold and	4025
Mills, Railroad	344
Mint Snuff	323
Misty	114
Mix, DJ	1305
Monaco	1080
Monarch	115
Monero	485
Montana	1115
Montclair	116

Definition	Code
Monte Carlo	4046
Montecristo	486
Montecruz	4070
Montego	1253
Monterrey, Hoya De	469
Montesino	4032
Montoya	4079
Moonshine Crooks	4290
Moontrance, C.A.O.	4083
More	117
Morgan's	222
Morris cigarette, Philip; brand unspecified	1273
Mountain herbal snuff, Smokey	805
Mountain, King	1296
Move	1142
Moving, Keep	4103
Moyorga	4131
Mr. B	4275
Mundail	1159
Mundo, El Rey del	460
Muniemaker	4035
Muriel	417
Muriel Sweets little cigars	4284
Murillo	4251
Mustang	1027
MVP	1193
Napa	4075
Nat Sherman cigarettes	1001
Nat Sherman cigars	4018
National	4168
Native	1092
Natural Blend	1132
Natural cigar	4174
Natural Root	4235
Natural, Canadian (roll-your-own)	1207
Navy	315
Nevada	1260
New Orleans	4154
New York cigars	4066
New York New York cigarettes	1047
Newport	118
Niagara	1106
Nicaragua, Joya De	472
Nicaraguan cigars; brand unspecified	4027
Nicorette	801
Nippers, Little	415
Nise	1160
Nobel	1108
Nording	4299

Definition	Code
Nova	1239
Now	146
Nut, Betel	704
O, Oliva	4245
Occidental	4210
Off, Hats	4236
Old Gold	147
Old Hillside (roll-your-own)	1192
Old Holborn (roll-your-own)	1187
Old Kentucky	1200
Old Port cigarillos	4220
Oliva Grand Cameroon, Flor de	4038
Oliva O	4245
Oliver Twist	244
Oliveros	487
Olor	4113
Omaha	1002
Omar	1237
Omar Sharif	1054
Omega	4203
Omni	1169
One, Bidi, A-	1189
One, D Best	1269
One, Premium	1052
OneOff	4170
Onyx	4020
Opal	1234
Optimo	488
Optiva	1146
Opus X	489
Orleans, New	4154
Ornelas	4101
Oro, La Palma de	4143
Our Pride	237
Outlaws, Sweet	4232
Owl, White	426
Ozona	328
Pablo, Don	4109
Padilla	4297
Padron	490
Palace cigarettes	1107
Palace cigars	4039
Pall Mall	119
Palma de Oro, La	4143
Paloma, La	4139
Panetella; type unspecified	4124
Panter	4128
Panza, Sancho	4183
Papayo	4082

Definition	Code
Pareto, Tamayo &	4091
Parisiennes	1150
Park, Ball	213
Parliament	120
Parodi Cella	491
Partagas	418
Patels, Rocky	4237
Patriot	1095
Peach	322
Peachy Big Leaf	223
Penn, William	427
Perdomo	4175
Perfecto Garcia	4057
Perla Habana, La	4223
Permanent marker	705
Peter Jackson	1290
Peter Stuyvesant	1230
Petites, Caribbean	4090
Philip Morris cigarette; brand unspecified	1273
Phillies	419
Phillip & King - Cuban rejects	4257
Phillips, Heather	4177
Piel Roja	1003
Pilot	1099
Pipe tobacco; brand unspecified	5999
Place, Tobacco	4011
Planet	1004
Plasencia	4114
Playboy	4031
Player, John	1066
Players	148
Plug tobacco, Apple	232
Plug, Bloodhound Thick	233
Point	1161
Poker	1261
Pom Pom cigarillos	4242
Popular	1103
Por Larranaga	4107
Porfirio	4115
Port cigarillos, Old	4220
Pouch, Mail	221
Premis	1299
Premium One	1052
President	333
Price, Slim	1013
Pride, Our	237
Pride, Southern	228
Pride, Taylor's	209
Pride, Value	1255
Primadora, La	4098

Definition	Code
Prime	1024
Primero, Habano	4208
Primetime Little Cigars	492
Primo	1224
Primo Del Rey	4176
Prince (Denmark)	1077
Prince Albert cigars	493
Prince Albert tobacco	501
Private Label	121
Private Stock	1005
Prix, Grand	1089
Producto, El	409
Punch	494
Purofino	4049
Puros Indios	495
Putter	1143
Pyramid	149
Quality	1121
Quality Smokes	1006
Quality, Value &	1071
Queens, 1886	4187
Quest	1179
Quintero	4150
Quirantes	4080
R & J Famous	4042
Racer little cigars	4207
Railroad Mills	344
Raison	1301
Raleigh	150
Raleigh tobacco, Sir Walter	502
Rally	1007
Ralph's snuff	324
Ramrod	4151
Randelllo X	4279
Rave	1008
Reas	4040
Red Buck little cigars	4306
Red Fox	207
Red Horse	234
Red Man	208
Red Seal	316
Red, Big	238
Red, Kamel	193
Redbull (roll-your-own)	1183
Redwood	306
Reinas, Dos	4073
Rejects, Phillip & King - Cuban	4257
Remedios	4186
Rene, Don	455

Definition	Code
Renegades	325
Reserve, Joya del Jefe Centennial	4261
Revel	345
Revenge	1116
Reveria	4152
Rex, company brand unspecified	1257
Rex, Don	4252
Rey del Mundo, El	460
Rey, Cuesta-	407
Rey, Joya del	4111
Rey, Primo Del	4176
Rey, Saint Luis	4140
Rhino, White	1195
Rican cigars, Costa; brand unspecified	4264
Richland	151
Rico Habano, El	4200
Ridgeway	1215
Rigoletto	420
Ritemeester	4156
River, Gold	302
Robert Burns	421
Robusto; type unspecified	4117
Rocky Patels	4237
Roger	1093
Roi-Tan	422
Roja, Piel	1003
Rolling tobacco, American Spirit	1032
Rolling tobacco, Echo	1297
Rolling tobacco, Danish Export	1298
Rollrich (roll-your-own)	1009
Roll-your-own cigarette; brand unspecified	1998
Roly	4217
Romeo y Julieta	496
Romero	4163
Romy	1216
Ronhill	1233
Rooster	317
Root, Natural	4235
Root, Natural	4235
Rosa Cuba	4043
Rose herbal cigarettes, Honey	802
Rose, Tube	320
Rothman	1010
Rough Country	224
Roughneck	4281
Rounds, Caribbean	4068
Royal Blunt EZ Tube	4178
Royal Cubans	4238
Royal Hawaiian	4285
Royal Jamaica	497

Definition	Code
Royales	4081
Royals cigarettes	1272
Rum Runner	4017
Rum, Fat	4300
Rumney's, Dr.	339
Runner, Rum	4017
Rush cigarettes, Gold	1240
Rush cigars, Gold	4219
Rushmore	4253
Sago	1167
Saint Luis Rey	4140
Salem	122
Sampoerna	1011
Samson (roll-your-own)	1038
Samuel Gawith	346
San Andres	4196
Sancho Panza	4183
Sandia	1232
Santa Damiana	4160
Santa Fe little cigars	4295
Santana, VM	4059
Saratoga	152
Satin	153
Save, Always	1186
Scenic 101	1165
Schimmelpennick	498
Scotch Buy	1114
Scotch, Honest	334
Scott, H.B.	205
Seal, Red	316
Sebastian, Don	456
Sebring	1081
Select, CTC	1294
Select, Liggett	1083
Seneca; company brand unspecified	1064
Sequoia	331
Seven Stars/Mild Sevens	1012
Sevens, Seven Stars/Mild	1012
Shag, Amsterdam (roll-your-own)	1067
Shag, Bali- (roll-your-own)	164
Sharif, Omar	1054
Shepherds Hotel, Dimitrino	1281
Sher Bidi	1098
Sherman cigarettes, Nat	1001
Sherman cigars, Nat	4018
Shield	1094
Sierra Sweets	4024
Signature	1061
Silk Cut	1125
Silva Thins	1135

Definition	Code
Silva, Casa	406
Silver Creek	307
Silver Eagle	1292
Silvers	1177
Silverton	1188
Sinatra	4135
Sincerely Yours	1062
Sinclair, Victor	4157
SingleStick (roll-your-own)	1258
Sir Elliot's	4214
Sir Walter Raleigh tobacco	502
Sixty-1	1105
Skoal	308
Skruf	347
Sky Dancer	1184
Slim Price	1013
Slims, Virginia	125
Smalls, Tijuana	424
Smith, FX	4228
Smoke 1	1245
Smoke, G-	1218
Smoker Friendly cigarettes	1086
Smoker Friendly cigars	4155
Smoker's Choice	4192
Smokers Warehouse (roll-your-own)	1217
Smokes, Quality	1006
Smokey Mountain herbal snuff	805
Smokin Joes cigarettes	1040
Smokin Joes cigars	4130
Smokin Joes Little Cigars	4294
Smooth (roll-your-own), Kentucky	1275
Snuff, Garrett	321
Snuff, General	337
Snuff, Ralph's	324
Snuff, Smokey Mountain herbal	805
Snuff/smokeless tobacco, Homemade	3998
Snuff; brand unspecified	3999
Snus, Camel	349
Sobranie	1014
Sol, Isla Del	4309
Sonic	1282
Sonoma	1041
Sosa	4116
Southern Classics	1246
Southern Cross	1270
Southern Harvest (roll-your-own)	1291
Southern Pride	228
Sovereign	1057
Special	1085
Special, Midnight (roll-your-own)	1214
Specials, Turkish	1045

Definition	Code
Spirit of Cuba	4254
Spirit rolling tobacco, American	1032
Spirit, American	161
Splash	1065
Sport	1023
Sportsman, Arango	430
Spray, Aerosol	706
Springwater Vanilla	1015
Square	318
Stag	499
Stampede little cigars	4308
Star chewing tobacco	248
Star cigarettes	1075
Star, All	1201
Star, Five	4012
Stars/Mild Sevens, Seven	1012
State Express	154
States cigars, United; brand unspecified	4067
Sterling	155
Stock, Private	1005
Stoker chewing tobacco	230
Stoker's (roll-your-own)	1206
Stonewall	340
Storm	1263
Strike, Lucky	142
Stuyvesant, Peter	1230
Style	156
Suites, Miami	4041
Summit	1016
Sun, Desert	1248
Sundance	1017
Sunny	1293
Superkings	1068
Supre Sweets	4085
Supreme Blend little cigars	4283
Surina, La	4173
Sweet Afton	1096
Sweet Daddies	4255
Sweet Dreams	1113
Sweet Outlaws	4232
Sweet, CC	327
Sweets little cigars, Muriel	4282
Sweets, Sierra	4024
Sweets, Supre	4085
Sweets, Swisher	423
Sweets; brand unspecified	4001
Swift, Dean	329
Swisher Sweets	423
Tabac, Indian	4229
Taboka	348

Definition	Code
Tahoe	1082
Tall	1042
Tamayo & Pareto	4091
Tamboril	4102
Tampa; brand unspecified	4002
Tan, Roi-	422
Tareyton	157
Tatiana	4084
Taylor's Pride	209
Te Amo	4003
Temple Hall	4004
Tempo	1043
Tennessee Chew	241
Tetens, Lars	4008
Tex	1259
Texan	1302
Thick Plug, Bloodhound	233
Thins, Silva	1135
Thip, Khrong	1074
Thomas Hinds	4056
Thompson	4005
Tijuana Smalls	424
Timber Wolf	309
Time, Value	1070
Tinsley	239
Tiparillo	4006
Tobacco in hookah, Hookah tobacco/	505
Tobacco lozenge, Ariva	807
Tobacco Place	4011
Tobacco, American Spirit rolling	1032
Tobacco, Apple Plug	232
Tobacco, Bighorn	504
Tobacco, Danish Export rolling	1298
Tobacco, Echo rolling	1297
Tobacco, Homemade chewing	2998
Tobacco, Homemade snuff/smokeless	3998
Tobacco, Pipe; brand unspecified	5999
Tobacco, Prince Albert	501
Tobacco, R.J.	4019
Tobacco, Sir Walter Raleigh	502
Tobacco, Star chewing	248
Tobacco/tobacco in hookah, Hookah	505
Tomas, Don	457
Top (roll-your-own)	158
Topper	4063
Tops snuff	319
Torano, Carlos	4216
Torano, Exodus	4263
Toro, El	4185
Totems	210
Tough Guy	1162

Definition	Code
Tourney	1029
Tracker	1254
Tradicion, La	477
Travis Club	4048
Treats, Dutch	459
Tres Hermanos	4204
Trinidad	4269
Triumph	159
Trophy	225
True	160
T's, John	4023
Tube Rose	320
Tube, Royal Blunt EZ	4178
Tucson	1138
Tueros	4225
Tulsi	250
Turkish Specials	1045
Twist, Cumberland	247
Twist, Kentucky King	253
Twist, Oliver	244
Twist, Wild Duck	251
Ultimate, Jr	473
Ultra Buy	1025
Unica, La	478
Unify	1174
Union Workman	229
United States cigars; brand unspecified	4067
Universal	425
Upmann, Carl	4052
Upmann, H.	464
US, First	1205
USA	1050
USA Gold	1018
USA, First	1205
V Centennial	4037
Value & Quality	1071
Value Pride	1255
Value Time	1070
Value, Best	130
Value, Bonus	1136
Value, BV Bonus	1030
Value, Hi-	189
Value; brand unspecified	1028
Vanilla, Springwater	1015
Vantage	123
Vaquero Little Cigars	4298
Vega Fina	4164
Vega, Celestino	4029
Vega, Garcia y	411

Definition	Code
Vegas cigarettes	1019
Vegas cigars	4118
Vegas, Cinco	4165
Vegas, Las	4089
Velvet	503
Vendetta little cigars	4282
Viajante, brand unspecified	4205
Viceroy	124
Victor Sinclair	4157
Victory	1149
Vigilante Esteban Carrera	4303
Villiger	4104
Virginia Slims	125
Virginia, Golden (roll-your-own)	1140
Virginian	1087
VM Santana	4059
Walter Raleigh tobacco, Sir	502
Warehouse, Smokers (roll-your-own)	1217
Warren County	245
Waves	1020
Way	1238
WB	226
West, Key	4076
Westport	1147
Wheeling, Marsh	4119
Whiffs, La Corona	4301
White Horse	1303
White Owl	426
White Rhino	1195
Wild Duck twist	251
Wild Horse	1287
William Penn	427
Wills	1053
Wilsons	336
Winchester	428
Windsor	4015
Winner	1097
Winston	126
Wise Guys	4256
Wolf Brothers	4007
Wolf, Lone	481
Wolf, Timber	309
Work Horse	211
Work, Day's	203
Workman, Union	229
Worth	1044
X, Opus	489
X, Randelllo	4279
X-tra	1152

Definition	Code
Yeyo, Don	4162
York cigarettes, New York New	1047
York cigars, New	4066
Yours	1021
Yours, Sincerely	1062
Yukon	1288
Z, Circle	1228
Zig-Zag (roll-your-own)	1069
Zino	4044

APPENDIX D

Recoded Substance Dependence and Abuse Variable Documentation

The 2007 National Survey on Drug Use and Health (NSDUH) computer-assisted interviewing (CAI) instrumentation included questions that were designed to measure dependence and abuse of illicit drugs, alcohol, and dependence on nicotine (cigarettes). For nicotine (cigarettes), questions pertaining to dependence were based on criteria from the Nicotine Dependence Syndrome Scale (NDSS; Shiffman, Hickcox, Gnys, Paty, & Kassel, 1995; Shiffman, Waters, & Hickcox, 2004) and the Fagerstrom Test of Nicotine Dependence (FTND; Fagerstrom, 1978; Heatherton, Kozlowski, Frecker, & Fagerstrom, 1991). The above-mentioned criteria were first used to measure nicotine dependence in NSDUH in 2003. For substances other than nicotine (cigarettes), which include alcohol, cocaine, heroin, pain relievers, sedatives, marijuana, tranquilizers, stimulants, hallucinogens, and inhalants, dependence and abuse questions were based on the criteria in the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*, 4th edition (American Psychiatric Association [APA], 1994). Due to the complexity of defining the dependence and abuse variables, additional details regarding the creation of these variables are included in this appendix.

Given the current editing and imputation procedures, along with the use of both core and noncore questions to determine whether a respondent was asked the dependence and abuse questions, users should be aware of the possible inconsistencies that may exist between the dependence and abuse variables and the imputed substance use and frequency of use variables for selected substances.

Responses from core substance use, frequency of substance use, and noncore substance use questions were used as criteria to determine whether a respondent was asked the alcohol and/or illicit drug dependence and abuse questions. Unknown responses to the core substance use and frequency of substance use questions were imputed. However, the imputation process did not take into account data reported in the noncore CAI modules. Therefore, responses to the dependence and abuse questions that were inconsistent with responses to the imputed substance use or frequency of use questions could exist. These inconsistent responses remained in the edited data and were not excluded in the creation of the dependence and abuse recodes. Since different sets of criteria were used as skip logic for each substance, different types of inconsistencies between the dependence and abuse variables and the imputed substance use and frequency of substance use variables could occur by substance. These inconsistencies are discussed in further detail in the appropriate sections on each substance.

Differences also exist between the methodologies used for determining dependence on nicotine (cigarettes) and for determining dependence on other substances. For example, to classify as nicotine (cigarette) dependent, a respondent must be a past month user of cigarettes. However, to classify as dependent on one of the other substances by *DSM-IV* criteria, a respondent must be a past year user of that substance. A second difference is that the Nicotine Dependence Syndrome Scale (NDSS) questions are imputed in order to optimize the number of respondents who may be classified for nicotine (cigarette) dependence, unlike the *DSM-IV* dependence questions that are used in the nonimputed, edited form.

Nicotine (Cigarette) Dependence

The 2007 NSDUH CAI questions designed to assess nicotine (cigarette) dependence were based on the NDSS and the FTND. To identify patterns of nicotine (cigarette) dependence within the 2007 NSDUH data, variable indicators were created to measure dependence on nicotine through the use of cigarettes. A respondent was defined as being dependent if he or she met either the NDSS or the FTND criteria for dependence.

Nicotine Dependence Syndrome Scale (NDSS):

The conceptual roots of the NDSS are similar to those behind the *DSM-IV* concept of dependence (Edwards & Gross, 1976). The 2007 NSDUH contains 19 NDSS questions that address five aspects of dependence:

1. Smoking drive (compulsion to smoke driven by nicotine craving and withdrawal)
 - a. After not smoking for a while, you need to smoke in order to feel less restless and irritable (IRCGIRTB)
 - b. When you don't smoke for a few hours, you start to crave cigarettes (IRCGCRV)
 - c. You sometimes have strong cravings for a cigarette where it feels like you're in the grip of a force you can't control (IRCGCRGP)
 - d. You feel a sense of control over your smoking - that is, you can "take it or leave it" at any time (IRCGNCTL)
 - e. You sometimes worry that you will run out of cigarettes (IRCGROUT).
2. Nicotine tolerance
 - a. Since you started smoking, the amount you smoke has increased (IRCGINCR)
 - b. Compared to when you first started smoking, you need to smoke a lot more now in order to be satisfied (IRCGSAT)
 - c. Compared to when you first started smoking, you can smoke much, much more now before you start to feel anything (IRCGLMR).
3. Continuous smoking
 - a. You smoke cigarettes fairly regularly throughout the day (IRCGRGDY)
 - b. You smoke about the same amount on weekends as on weekdays (IRCGRGWK)
 - c. You smoke just about the same number of cigarettes from day to day (IRCGRGNM)
 - d. It's hard to say how many cigarettes you smoke per day because the number often changes (IRCGNCG)
 - e. It's normal for you to smoke several cigarettes in an hour, then not have another one until hours later (IRCGSLHR).
4. Behavioral priority (preferring smoking over other reinforcing activities)
 - a. You tend to avoid places that don't allow smoking, even if you would otherwise enjoy them (IRCGAVD)
 - b. There are times when you choose not to be around your friends who don't smoke because they won't like it if you smoke (friends question - CIGFNLKE)
 - c. Even if you're traveling a long distance, you'd rather not travel by airplane because you wouldn't be allowed to smoke (IRCGPLN).
5. Stereotypy (fixed patterns of smoking)
 - a. Do you have any friends who do not smoke cigarettes (friends question - CIGFNSMK)

- b. The number of cigarettes you smoke per day is often influenced by other things - how you're feeling, or what you're doing, for example (IRCGINFL)
- c. Your smoking is not affected much by other things. For example, you smoke about the same amount whether you're relaxing or working, happy or sad, alone or with others (IRCGNINF).

Each of these five domains can be assessed by a separate measure, but an average score across all domains also can be obtained for overall nicotine dependence (Shiffman et al., 2004). The NDSS algorithm for calculating this average score was based on the respondent's answers to 17 of the 19 questions listed above. The items regarding nonsmoking friends (4b - CIGFNLKE and 5a - CIGFNSMK) were excluded due to higher item nonresponse rates.

For respondents who answered 16 of the 17 NDSS nicotine (cigarette) dependence questions used in the NDSS algorithm, imputation using the 16 answered NDSS items as covariates in a weighted least squares regression model was implemented (Ault et al., 2009).

Responses to items IRCGIRTB, IRGCGRV, IRCGCRGP, IRCGAVD, IRCGPLN, IRCGROUT, IRCGRGDY, IRCGRGWK, IRCGRGNM, IRCGNINF, IRCGINCR, IRCGSAT, and IRCGLMR were coded from 1 to 5 where

- 1= Not at all true of me
- 2= Sometimes true of me
- 3= Moderately true of me
- 4= Very true of me
- 5= Extremely true of me.

Responses to items IRCGNCTL, IRCGNCG, IRCGSLHR, and IRCGINFL were reverse coded from 5 to 1 where

- 5= Not at all true of me
- 4= Sometimes true of me
- 3= Moderately true of me
- 2= Very true of me
- 1= Extremely true of me.

For respondents who reported smoking cigarettes in the past month, the NDSS score, NDSSANSP, was calculated as the sum of the responses to the previous questions divided by 17. The NDSS score was calculated only for those who had responses to all 17 questions after imputation. If a respondent did not have valid responses (based on actual reporting and imputation) to all 17 questions, then his or her NDSS score was defined as missing.

A respondent was defined as nicotine dependent, NDSSDNSP=1, if the NDSS score was greater than or equal to 2.75. If the NDSS score was less than 2.75 or missing, then the respondent was determined to be nondependent, NDSSDNSP=0, based on the NDSS. The threshold of 2.75 was derived by examining the distribution of scores in other samples of smokers who were administered the NDSS, including a contrast of scores obtained for nondependent smokers (chippers) versus heavy smokers (Shiffman, Paty, Kassel, Gnys, & Zettler-Segal, 1994).

Fagerstrom Test of Nicotine Dependence (FTND):

The FTND is a multi-item measure of dependence, but much of its ability to discriminate dependent smokers derives from a single item assessing how soon after waking smokers have their first cigarette (Heatherton, Kozlowski, Frecker, Rickert, & Robinson, 1989). Because most nicotine is cleared from the bloodstream overnight, smokers typically wake in nicotine deprivation, and rapid movement to smoke is considered a sign of dependence. A respondent who reported smoking cigarettes in the past month was defined as nicotine dependent based on the FTND, FTNDDNSP, if the first cigarette smoked was within 30 minutes of waking up on the days he or she smoked (CIGWAKE=1 or 2).

Nicotine (Cigarette) Dependence:

Using both the NDSS and the FTND, a respondent was defined as having nicotine (cigarette) dependence in the past month, DNICNSP, if he or she met either the NDSS (NDSSDNSP=1) or FTND (FTNDDNSP=1) criteria for dependence.

DSM-IV Dependence and Abuse

The 2007 NSDUH CAI questions were designed to assess substance dependence and abuse of alcohol and illicit drugs based on the criteria for dependence and abuse in the *DSM-IV* (APA, 1994). For marijuana, inhalants, hallucinogens, and tranquilizers, a respondent was defined as having dependence if he or she met three or more of six standard dependence criteria. A seventh withdrawal criterion was added for alcohol, pain relievers, cocaine, heroin, sedatives, and stimulants. A respondent was defined as having dependence if he or she met three or more of seven dependence criteria. For each illicit drug and alcohol, a respondent was defined as having abused that substance if he or she met one or more of four abuse criteria and was determined not to be dependent upon the substance of interest.

For alcohol and marijuana, the criteria used to determine whether a respondent was asked the dependence and abuse questions included past year use of the respective substance and reported use of the respective substance on more than 5 days in the past year. Because respondents were asked the dependence and abuse questions if they reported substance use in the past year, regardless of whether they reported their frequency of substance use in the past year, inconsistencies could occur where the imputed frequency of use variable indicated less frequent use than required for respondents to be asked the dependence and abuse questions originally.

For heroin and cocaine, the criteria included reporting past year use in a core drug module or past year use in the noncore special drugs module. Inconsistencies could occur when core substance use variables indicated no use in the past year but a dependence and abuse variable indicated substance dependence or abuse.

For hallucinogens, pain relievers, tranquilizers, inhalants, and sedatives, the only criterion used was that the respondent reported past year use of the respective substance. Thus, no inconsistencies could occur where the respondent was considered a nonuser of the substance but was dependent on or abusing the substance.

For stimulants, prior to the 2005 NSDUH, the criteria included only reporting past year stimulant use in a core drug module or past year use in the noncore special drugs module. Inconsistencies could occur when either the core or the noncore substance use variables indicated no use in the past year but a dependence and abuse variable indicated substance dependence or abuse. In 2005 and 2006, new questions were added to the noncore special drugs module to identify respondents who had used methamphetamine but had failed to report it in the core prescription stimulant module because they did not think of methamphetamine as a prescription drug. In 2005, new questions were added concerning past year methamphetamine use: "Have you ever, even once, used methamphetamine?" and "Have you ever, even once, used a needle to inject methamphetamine?" In 2006, an additional follow-up consistency question was added to confirm prior responses about methamphetamine use: "Earlier, the computer recorded that you have never used methamphetamine. Which answer is correct?" Persons identified as methamphetamine users in these new questions were also administered the stimulant dependence and abuse questions. However, based on the decisions made during the analysis of the new methamphetamine data, respondents who met the criteria for stimulant dependence or abuse but had reported past year methamphetamine use *only* on these new 2005 and 2006 special drug use questions (i.e., did not indicate methamphetamine use from the core drug module or other questions in the noncore special drugs module) were categorized as NOT having past year stimulant dependence or abuse. Furthermore, if these same respondents were categorized as not having past year dependence on or abuse of any other substance (e.g., pain relievers,

tranquilizers, or sedatives for the psychotherapeutic drug grouping), then they were categorized as NOT having past year dependence on or abuse of psychotherapeutics, illicit drugs, illicit drugs or alcohol, and illicit drugs and alcohol. Further details are provided in Section B.4.6 of Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings* (Office of Applied Studies [OAS], 2008).

A respondent might have provided ambiguous information about past year use of any individual substance, in which case these respondents were not asked the dependence and abuse questions for that substance. Subsequently, these respondents could be imputed to be past year users of the respective substance. In this situation, the dependence and abuse data were unknown. Thus, these respondents were classified as not dependent on or abusing the respective substance, without ever having been asked the dependence and abuse questions.

Listed below are the definitions used for each of the individual dependence and abuse measures, as well as specific notes about inconsistency issues for each measure. Additional variables were created using a combination of these individual dependence and abuse measures and are listed in the main part of the codebook.

Substance Dependence Recodes Defined with Withdrawal Criteria

ALCOHOL:

To be defined with alcohol dependence, DEPNDALC, a respondent must have met three or more of these alcohol dependence criteria:

- (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of alcohol (ALCLOTTM=1 or ALCGTOVR=1)
- (2) Used alcohol more often than intended or was unable to keep set limits on alcohol use (ALCKPLMT=2)
- (3) Needed to use alcohol more than before to get desired effects or noticed that same amount of alcohol use had less effect than before (ALCNDMOR=1 or ALCLSEFX=1)
- (4) Inability to cut down or stop using alcohol every time tried or wanted to (ALCCUTEV=2)
- (5) Continued to use alcohol even though it was causing problems with emotions, nerves, mental health, or physical problems (ALCEMCTD=1 or ALCPHCTD=1)
- (6) Alcohol use reduced or eliminated involvement or participation in important activities (ALCLSACT=1)
- (7) Reported experiencing two or more alcohol withdrawal symptoms at the same time that lasted longer than a day after alcohol use was cut back or stopped. Symptoms include (i) sweating or feeling that heart was beating fast, (ii) having hands tremble, (iii) having trouble sleeping, (iv) vomiting or feeling nauseous, (v) seeing, hearing, or feeling things that were not really there, (vi) feeling like could not sit still, (vii) feeling anxious, and (viii) having seizures or fits. (ALCWDSMT=1).

Note: A respondent could answer the dependence questions if he or she reported using alcohol in the past year, regardless of whether he or she reported the frequency of days in which he or she drank an alcoholic beverage. Thus, cases may exist where a respondent was classified as dependent on alcohol but drank an alcoholic beverage less than 6 days in the past year according to the imputed frequency of use variable (IRALCFY).

COCAINE:

To be defined with cocaine dependence, DEPNDCOC, a respondent must have met three or more of these cocaine dependence criteria:

- (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of cocaine (COCLLOTTM=1 or COCGTOVR=1)
- (2) Used cocaine more often than intended or was unable to keep set limits on cocaine use (COCKPLMT=2)
- (3) Needed to use cocaine more than before to get desired effects or noticed that same amount of cocaine use had less effect than before (COCNDMOR=1 or COCLSEFX=1)
- (4) Inability to cut down or stop using cocaine every time tried or wanted to (COCCUTEV=2)
- (5) Continued to use cocaine even though it was causing problems with emotions, nerves, mental health, or physical problems (COCEMCTD=1 or COCPHCTD=1)
- (6) Cocaine use reduced or eliminated involvement or participation in important activities (COCLSACT=1)

- (7) Reported feeling blue or down when trying to stop or cut down using cocaine (COCFLBLU=1) as well as experiencing two or more additional cocaine withdrawal symptoms at the same time that lasted longer than a day after cocaine use was cut back or stopped. Symptoms include (i) feeling tired or exhausted, (ii) having bad dreams, (iii) having trouble sleeping or sleeping more than normal, (iv) feeling hungry more often, and (v) feeling either very slowed down or could not sit still. (COCWDSMT=1).

Note: A respondent could answer the dependence questions if he or she reported injecting cocaine with a needle in the past year, even if he or she reported not using cocaine in the past year. Thus, cases may exist where a respondent was classified as being dependent on cocaine, even though he or she had not used cocaine in the past year according to the imputed recency variable (COCYR).

HEROIN:

To be defined with heroin dependence, DEPNDHER, a respondent must have met three or more of these heroin dependence criteria:

- (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of heroin (HERLOTTM=1 or HERGTOVR=1)
- (2) Used heroin more often than intended or was unable to keep set limits on heroin use (HERKPLMT=2)
- (3) Needed to use heroin more than before to get desired effects or noticed that same amount of heroin use had less effect than before (HERNDMOR=1 or HERLSEFX=1)
- (4) Inability to cut down or stop using heroin every time tried or wanted to (HERCUTEV=2)
- (5) Continued to use heroin even though it was causing problems with emotions, nerves, mental health, or physical problems (HEREMCTD=1 or HERPHCTD=1)
- (6) Heroin use reduced or eliminated involvement or participation in important activities (HERLSACT=1)
- (7) Reported experiencing three or more heroin withdrawal symptoms at the same time that lasted longer than a day after heroin use was cut back or stopped. Symptoms include (i) feeling kind of blue or down, (ii) vomiting or feeling nauseous, (iii) having cramps or muscle aches, (iv) having teary eyes or a runny nose, (v) feeling sweaty, having enlarged eye pupils, or having body hair standing up on skin, (vi) having diarrhea, (vii) yawning, (viii) having a fever, and (ix) having trouble sleeping. (HERWDSMT=1).

Note: A respondent could answer the dependence questions if he or she reported injecting with a needle, smoking, sniffing, or snorting heroin in the past year, even if he or she reported not using heroin in the past year. Thus, cases may exist where a respondent was classified as dependent on heroin, even though he or she had not used heroin in the past year according to the imputed recency variable (HERYR).

PAIN RELIEVERS:

To be defined with pain reliever dependence, DEPNDANL, a respondent must have met three or more of these pain reliever dependence criteria:

- (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of pain relievers (ANLLOTTM=1 or ANLGTOVR=1)

- (2) Used pain relievers more often than intended or was unable to keep set limits on pain reliever use (ANLKPLMT=2)
- (3) Needed to use pain relievers more than before to get desired effects or noticed that same amount of pain reliever use had less effect than before (ANLNDMOR=1 or ANLLSEFX=1)
- (4) Inability to cut down or stop using pain relievers every time tried or wanted to (ANLCUTEV=2)
- (5) Continued to use pain relievers even though they were causing problems with emotions, nerves, mental health, or physical problems (ANLEMCTD=1 or ANLPHCTD=1)
- (6) Pain reliever use reduced or eliminated involvement or participation in important activities (ANLLSACT=1)
- (7) Reported experiencing three or more pain reliever withdrawal symptoms at the same time that lasted longer than a day after pain reliever use was cut back or stopped. Symptoms include (i) feeling kind of blue or down, (ii) vomiting or feeling nauseous, (iii) having cramps or muscle aches, (iv) having teary eyes or a runny nose, (v) feeling sweaty, having enlarged pupils, or having body hair standing up on skin, (vi) having diarrhea, (vii) yawning, (viii) having a fever, and (ix) having trouble sleeping. (ANLWDSMT=1).

SEDATIVES:

To be defined with sedative dependence, DEPNDSED, a respondent must have met three or more of these sedative dependence criteria:

- (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of sedatives (SEDLOTTM=1 or SEDGTOVR=1)
- (2) Used sedatives more often than intended or was unable to keep set limits on sedative use (SEDKPLMT=2)
- (3) Needed to use sedatives more than before to get desired effects or noticed that same amount of sedative use had less effect than before (SEDNDMOR=1 or SEDLSEFX=1)
- (4) Inability to cut down or stop using sedatives every time tried or wanted to (SEDCUTEV=2)
- (5) Continued to use sedatives even though they were causing problems with emotions, nerves, mental health, or physical problems (SEDEMCTD=1 or SEDPHCTD=1)
- (6) Sedative use reduced or eliminated involvement or participation in important activities (SEDLSACT=1)
- (7) Reported experiencing two or more sedative withdrawal symptoms at the same time that lasted longer than a day after sedative use was cut back or stopped. Symptoms include (i) sweating or feeling that heart was beating fast, (ii) having hands tremble, (iii) having trouble sleeping or sleeping more than normal, (iv) vomiting or feeling nauseous, (v) seeing, hearing, or feeling things that were not really there, (vi) feeling like could not sit still, (vii) feeling anxious, and (viii) having seizures or fits. (SEDWDSMT=1).

STIMULANTS:

To be defined with stimulant dependence, DEPNDSTM, a respondent must have been routed to the dependence and abuse questions in 2007 based on variables in the skip logic that existed in 2004 (STMDAFLG=98) and must have met three or more of these stimulant dependence criteria (i.e., respondents who did not indicate methamphetamine use or other

stimulant use from the core drug module or questions in the noncore special drugs module [other than the two questions added in 2005 and 2006 as mentioned above] and who met three or more of these stimulant dependence criteria were categorized as NOT having past year stimulant dependence):

- (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of stimulants (STMLOTTM=1 or STMGTOVR=1)
- (2) Used stimulants more often than intended or was unable to keep set limits on stimulant use (STMKPLMT=2)
- (3) Needed to use stimulants more than before to get desired effects or noticed that same amount of stimulant use had less effect than before (STMNDMOR=1 or STMLSEFX=1)
- (4) Inability to cut down or stop using stimulants every time tried or wanted to (STMCUTEV=2)
- (5) Continued to use stimulants even though they were causing problems with emotions, nerves, mental health, or physical problems (STMEMCTD=1 or STMPHCTD=1)
- (6) Stimulant use reduced or eliminated involvement or participation in important activities (STMLSACT=1)
- (7) Reported feeling blue or down when trying to stop or cut down using stimulants (STMFLBLU=1) as well as experiencing two or more additional stimulant withdrawal symptoms at the same time that lasted longer than a day after stimulant use was cut back or stopped. Symptoms include (i) feeling tired or exhausted, (ii) having bad dreams, (iii) having trouble sleeping or sleeping more than normal, (iv) feeling hungry more often, and (v) feeling either very slowed down or like could not sit still. (STMWDSMT=1).

Note: A respondent could answer the dependence questions if he or she reported injecting stimulants (including methamphetamine) with a needle in the past year, even if he or she reported not using stimulants in the past year. Thus, cases may exist where a respondent was classified as being dependent on stimulants, even though he or she had not used stimulants in the past year according to the imputed recency variable (CPNSTMYR).

Substance Dependence Recodes Defined without Withdrawal Criteria

HALLUCINOGENS:

To be defined with hallucinogen dependence, DEPNDHAL, a respondent must have met three or more of these hallucinogen dependence criteria:

- (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of hallucinogens (HALLOTTM=1 or HALGTOVR=1)
- (2) Used hallucinogens more often than intended or was unable to keep set limits on hallucinogen use (HALKPLMT=2)
- (3) Needed to use hallucinogens more than before to get desired effects or noticed that same amount of hallucinogen use had less effect than before (HALNDMOR=1 or HALLSEFX=1)
- (4) Inability to cut down or stop using hallucinogens every time tried or wanted to (HALCUTEV=2)
- (5) Continued to use hallucinogens even though they were causing problems with emotions, nerves, mental health, or physical problems (HALEMCTD=1 or HALPHCTD=1)
- (6) Hallucinogen use reduced or eliminated involvement or participation in important activities (HALLSACT=1).

INHALANTS:

To be defined with inhalant dependence, DEPNDINH, a respondent must have met three or more of these inhalant dependence criteria:

- (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of inhalants (INHLOTTM=1 or INHGTOVR=1)
- (2) Used inhalants more often than intended or was unable to keep set limits on inhalant use (INHKPLMT=2)
- (3) Needed to use inhalants more than before to get desired effects or noticed that same amount of inhalant use had less effect than before (INHNDMOR=1 or INHLSEFX=1)
- (4) Inability to cut down or stop using inhalants every time tried or wanted to (INHCUTEV=2)
- (5) Continued to use inhalants even though they were causing problems with emotions, nerves, mental health, or physical problems (INHEMCTD=1 or INHPHCTD=1)
- (6) Inhalant use reduced or eliminated involvement or participation in important activities (INHLSACT=1).

MARIJUANA:

To be defined with marijuana dependence, DEPNDMRJ, a respondent must have met three or more of these marijuana dependence criteria:

- (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of marijuana (MRJLOTTM=1 or MRJGTOVR=1)
- (2) Used marijuana more often than intended or was unable to keep set limits on marijuana use (MRJKPLMT=2)

- (3) Needed to use marijuana more than before to get desired effects or noticed that same amount of marijuana use had less effect than before (MRJNDMOR=1 or MRJLSEFX=1)
- (4) Inability to cut down or stop using marijuana every time tried or wanted to (MRJCUTEV=2)
- (5) Continued to use marijuana even though it was causing problems with emotions, nerves, mental health, or physical problems (MRJEMCTD=1 or MRJPHCTD=1)
- (6) Marijuana use reduced or eliminated involvement or participation in important activities (MRJLSACT=1).

Note: A respondent could answer the dependence questions if he or she reported using marijuana in the past year, regardless of whether he or she reported the frequency of days in which he or she used marijuana. Thus, cases may exist where a respondent was classified as dependent on marijuana but used marijuana less than 6 days in the past year according to the imputed frequency of use variable (IRMJFY).

TRANQUILIZERS:

To be defined with tranquilizer dependence, DEPNDTRN, a respondent must have met three or more of these tranquilizer dependence criteria:

- (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of tranquilizers (TRNLOTTM=1 or TRNGTOVR=1)
- (2) Used tranquilizers more often than intended or was unable to keep set limits on tranquilizer use (TRNKPLMT=2)
- (3) Needed to use tranquilizers more than before to get desired effects or noticed that same amount of tranquilizer use had less effect than before (TRNNDMOR=1 or TRNLSEFX=1)
- (4) Inability to cut down or stop using tranquilizers every time tried or wanted to (TRNCUTEV=2)
- (5) Continued to use tranquilizers even though they were causing problems with emotions, nerves, mental health, or physical problems (TRNEMCTD=1 or TRNPHTCD=1)
- (6) Tranquilizer use reduced or eliminated involvement or participation in important activities (TRNLSACT=1).

Substance Abuse Recodes

ALCOHOL:

To be defined with abuse of alcohol, ABUSEALC, a respondent must have met one or more of these alcohol abuse criteria in the past year and must not have been dependent upon alcohol in the past year (DEPNDALC=0):

- (1) Serious problems at home, work, or school caused by using alcohol, such as
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(ALCSERPB=1)
- (2) Used alcohol regularly and then did something that might have put you in physical danger (ALCPDANG=1)
- (3) Use of alcohol caused you to do things that repeatedly got you in trouble with the law (ALCLAWTR=1)
- (4) Problems with family or friends that were probably caused by using alcohol (ALCFMFPB=1) and continued to use alcohol even though you thought using alcohol caused these problems (ALCFMCTD=1).

Note: A respondent could answer the abuse questions if he or she reported using alcohol in the past year, regardless of whether he or she reported the frequency of days in which he or she drank an alcoholic beverage. Thus, cases may exist where a respondent was classified to have abused alcohol but drank an alcoholic beverage less than 6 days in the past year according to the imputed frequency of use variable (IRALCFY).

COCAINE:

To be defined with abuse of cocaine, ABUSECOC, a respondent must have met one or more of these cocaine abuse criteria in the past year and must not have been dependent upon cocaine in the past year (DEPNDCC=0):

- (1) Serious problems at home, work, or school caused by using cocaine, such as
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(COCSERPB=1)
- (2) Used cocaine regularly and then did something that might have put you in physical danger (COCPDANG=1)
- (3) Use of cocaine caused you to do things that repeatedly got you in trouble with the law (COCLAWTR=1)
- (4) Problems with family or friends probably caused by using cocaine (COCFMFPB=1) and continued to use cocaine even though you thought using cocaine caused these problems (COCFMCTD=1).

Note: A respondent could answer the abuse questions if he or she reported injecting cocaine with a needle in the past year, even if he or she reported not using cocaine in the past year. Thus, cases may exist where a respondent was classified to have abused cocaine, even though he or she had not used cocaine in the past year according to the imputed recency variable (COCYR).

HALLUCINOGENS:

To be defined with abuse of hallucinogens, ABUSEHAL, a respondent must have met one or more of these hallucinogen abuse criteria in the past year and must not have been dependent upon hallucinogens in the past year (DEPNDHAL=0):

- (1) Serious problems at home, work, or school caused by using hallucinogens, such as
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(HALSERPB=1)
- (2) Used hallucinogens regularly and then did something that might have put you in physical danger (HALPDANG=1)
- (3) Use of hallucinogens caused you to do things that repeatedly got you in trouble with the law (HALLAWTR=1)
- (4) Problems with family or friends caused by using hallucinogens (HALFMFPB=1) and continued to use hallucinogens even though you thought using hallucinogens caused these problems (HALFMCTD=1).

HEROIN:

To be defined with abuse of heroin, ABUSEHER, a respondent must have met one or more of these heroin abuse criteria in the past year and must not have been dependent upon heroin in the past year (DEPNDHER=0):

- (1) Serious problems at home, work, or school caused by using heroin, such as
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(HERSERPB=1)
- (2) Used heroin regularly and then did something that might have put you in physical danger (HERPDANG=1)
- (3) Use of heroin caused you to do things that repeatedly got you in trouble with the law (HERLAWTR=1)
- (4) Problems with family or friends probably caused by using heroin (HERFMFPB=1) and continued to use heroin even though you thought using heroin caused these problems (HERFMCTD=1).

Note: A respondent could answer the abuse questions if he or she reported injecting with a needle, smoking, sniffing, or snorting heroin in the past year, even if he or she reported not using heroin in the past year. Thus, cases may exist where a respondent was classified to have abused heroin, even though he or she had not used heroin in the past year according to the imputed recency variable (HERYR).

INHALANTS:

To be defined with abuse of inhalants, ABUSEINH, a respondent must have met one or more of these inhalant abuse criteria in the past year and must not have been dependent upon inhalants in the past year (DEPNDINH=0):

- (1) Serious problems at home, work, or school caused by using inhalants, such as
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(INHSERPB=1)
- (2) Used inhalants regularly and then did something that might have put you in physical danger (INHPDANG=1)
- (3) Use of inhalants caused you to do things that repeatedly got you in trouble with the law (INHLAWTR=1)
- (4) Problems with family or friends caused by using inhalants (INHFMFPB=1) and continued to use inhalants even though you thought using inhalants caused these problems (INHFMCTD=1).

MARIJUANA:

To be defined with abuse of marijuana, ABUSEMRJ, a respondent must have met one or more of these marijuana abuse criteria in the past year and must not have been dependent upon marijuana in the past year (DEPNDMRJ=0):

- (1) Serious problems at home, work, or school caused by using marijuana, such as
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(MRJSERPB=1)
- (2) Used marijuana regularly and then did something that might have put you in physical danger (MRJPDANG=1)
- (3) Use of marijuana caused you to do things that repeatedly got you in trouble with the law (MRJLAWTR=1)
- (4) Problems with family or friends caused by using marijuana (MRJFMFPB=1) and continued to use marijuana even though you thought using marijuana caused these problems (MRJFMCTD=1).

Note: A respondent could answer the abuse questions if he or she reported using marijuana in the past year, regardless of whether he or she reported the frequency of days in which he or she used marijuana. Thus, cases may exist where a respondent was classified to have abused marijuana but used marijuana less than 6 days in the past year according to the imputed frequency of use variable (IRMJFY).

PAIN RELIEVERS:

To be defined with abuse of pain relievers, ABUSEANL, a respondent must have met one or more of these pain reliever abuse criteria in the past year and must not have been dependent upon pain relievers in the past year (DEPNDANL=0):

- (1) Serious problems at home, work, or school caused by using pain relievers, such as
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(ANLSERP=1)
- (2) Used pain relievers regularly and then did something that might have put you in physical danger (ANLPDANG=1)
- (3) Use of pain relievers caused you to do things that repeatedly got you in trouble with the law (ANLLAWTR=1)
- (4) Problems with family or friends probably caused by using pain relievers (ANLFMFPB=1) and continued to use pain relievers even though you thought using pain relievers caused these problems (ANLFMCTD=1).

SEDATIVES:

To be defined with abuse of sedatives, ABUSESED, a respondent must have met one or more of these sedative abuse criteria in the past year and must not have been dependent upon sedatives in the past year (DEPNDSED=0):

- (1) Serious problems at home, work, or school caused by using sedatives, such as
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(SEDSERP=1)
- (2) Used sedatives regularly and then did something that might have put you in physical danger (SEDPDANG=1)
- (3) Use of sedatives caused you to do things that repeatedly got you in trouble with the law (SEDLAWTR=1)
- (4) Problems with family or friends probably caused by using sedatives (SEDFMFPB=1) and continued to use sedatives even though you thought using sedatives caused these problems (SEDFMCTD=1).

STIMULANTS:

To be defined with abuse of stimulants, ABUSESTM, a respondent must have been routed to the dependence and abuse questions in 2007 based on variables in the skip logic that existed in 2004 (STMDAFLG=98), must have met one or more of these stimulant abuse criteria in the past year (i.e., respondents who did not indicate methamphetamine use or other stimulant use from the core drug module or questions in the noncore special drugs module [other than the two questions added in 2005 and 2006, as mentioned previously] and who met one or more of

these stimulant abuse criteria were categorized as NOT having abused stimulants in the past year), and must not have been dependent upon stimulants in the past year (DEPNDSTM=0):

- (1) Serious problems at home, work, or school caused by using stimulants, such as
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(STMSERPB=1)
- (2) Used stimulants regularly and then did something that might have put you in physical danger (STMPDANG=1)
- (3) Use of stimulants caused you to do things that repeatedly got you in trouble with the law (STMLAWTR=1)
- (4) Problems with family or friends probably caused by using stimulants (STMFMFNB=1) and continued to use stimulants even though you thought that using stimulants caused these problems (STMFMCND=1).

Note: A respondent could answer the abuse questions if he or she reported injecting stimulants (including methamphetamine) with a needle in the past year, even if he or she reported not using stimulants in the past year. Thus, cases may exist where a respondent was classified to have abused stimulants, even though he or she had not used stimulants in the past year according to the imputed recency variable (CPNSTMYR).

TRANQUILIZERS:

To be defined with abuse of tranquilizers, ABUSETRN, a respondent must have met one or more of these tranquilizer abuse criteria in the past year and must not have been dependent upon tranquilizers in the past year (DEPNDTRN=0):

- (1) Serious problems at home, work, or school caused by using tranquilizers, such as
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(TRNSERPB=1)
- (2) Used tranquilizers regularly and then did something that might have put you in physical danger (TRNPDANG=1)
- (3) Use of tranquilizers caused you to do things that repeatedly got you in trouble with the law (TRNLAWTR=1)
- (4) Problems with family or friends caused by using tranquilizers (TRNFMFNB=1) and continued to use tranquilizers even though you thought using tranquilizers caused these problems (TRNFMCND=1).

References

- Ault, K., Aldworth, J., Barnett-Walker, K., Carpenter, L., Copello, E., Frechtel, P., Liu, B., & Martin, P. (2009, February). Imputation report. In *2007 National Survey on Drug Use and Health: Methodological resource book* (Section 11, prepared for the Substance Abuse and Mental Health Services Administration, Office of Applied Studies, under Contract No. 283-2004-00022, Deliverable No. 39, RTI/0209009.377.007). Research Triangle Park, NC: RTI International
- American Psychiatric Association. (1994). *Diagnostic and statistical manual of mental disorders (DSM-IV)* (4th ed.). Washington, DC: Author.
- Edwards, G., & Gross, M. M. (1976). Alcohol dependence: Provisional description of a clinical syndrome. *British Medical Journal*, 1(6017), 1058-1061.
- Fagerstrom, K. O. (1978). Measuring degree of physical dependence to tobacco smoking with reference to individualization of treatment. *Addictive Behaviors*, 3, 235-241.
- Heatherton, T. F., Kozlowski, L. T., Frecker, R. C., & Fagerstrom, K. O. (1991). The Fagerstrom Test for Nicotine Dependence: A revision of the Fagerstrom Tolerance Questionnaire. *British Journal of Addiction*, 86, 1119-1127.
- Heatherton, T. F., Kozlowski, L. T., Frecker, R. C., Rickert, W., & Robinson, J. (1989). Measuring the heaviness of smoking: Using self-reported time to the first cigarette of the day and number of cigarettes smoked per day. *British Journal of Addiction*, 84, 791-799.
- Office of Applied Studies. (2008). *Results from the 2007 National Survey on Drug Use and Health: National findings* (DHHS Publication No. SMA 08-4343, NSDUH Series H-34). Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Shiffman, S., Hickcox, M., Gnys, M., Paty, J. A., & Kassel, J. D. (1995, March). *The Nicotine Dependence Syndrome Scale: Development of a new measure*. Poster presented at the annual meeting of the Society for Research on Nicotine and Tobacco, San Diego, CA.
- Shiffman, S., Paty, J. A., Kassel, J. D., Gnys, M., & Zettler-Segal, M. (1994). Smoking behavior and smoking history of tobacco chippers. *Experimental and Clinical Psychopharmacology*, 2, 126-142.
- Shiffman, S., Waters, A. J., & Hickcox, M. (2004). The Nicotine Dependence Syndrome Scale: A multidimensional measure of nicotine dependence. *Nicotine & Tobacco Research*, 6, 327-348.

APPENDIX E

Recoded Serious Psychological Distress Variable Documentation

For the 2007 National Survey on Drug Use and Health (NSDUH), serious psychological distress (SPD) was measured using the K6 screening instrument for nonspecific psychological distress (Furukawa, Kessler, Slade, & Andrews, 2003; Kessler et al., 2003). In NSDUH reports prior to 2004 and in pre-2006 questionnaires, the K6 scale was used to measure serious mental illness (SMI). For a detailed discussion of the reasons that the K6 was used to measure SPD instead of SMI for the 2004 and later NSDUH reports, as well as details on a methodological history of SPD, see Section B.4.4 of Appendix B in the *Results from the 2004 National Survey on Drug Use and Health: National Findings* (Office of Applied Studies [OAS], 2005).

Changes to the 2008 questionnaire resulted in the retroactive creation of adjusted variables for 2005 in order to allow multiyear analyses. The Mental Health module in the 2008 questionnaire (referred to as the Psychological Distress module in 2007) was revised to include questions related to two functional impairment scales. See Aldworth, Kott, Yu, Mosquin, and Barnett-Walker (2010) for more details. In addition, the K6 questions were revised to ask about two reference periods: (1) the past 30 days and (2) the month in the past 12 months when the distress was the worst (if different than the past 30 days). This change allowed for both past year and past month measures of SPD to be developed. The 2008 past year SPD measure (SPDYR) was created by combining both responses from past month and worst month in the past year K6 items. Due to these changes in the questionnaire, the 2008 past year SPD variable was not comparable with the past year SPD variable from the 2004 through 2007 NSDUHs (SPD_UADJ) and was therefore renamed. Because of the lack of comparability in the past year SPD measure and the fact that the past month measure of SPD more closely corresponds with SPD reference periods reported in other surveys, such as the National Health Interview Survey and the Behavioral Risk Factor Surveillance System, only past month SPD was presented in the 2008 and 2009 mental health detailed tables (OAS, 2009; Center for Behavioral Health Statistics and Quality, 2010).

A study was implemented to assess the possibility of generating adjusted past year SPD variables for 2004 through 2007, which could be compared with past year variables from 2008 and later NSDUHs. Results of this study suggested that adjusted past year SPD variables for 2004 through 2007 were comparable with past year SPD variables from 2008 and later NSDUHs. Therefore, a statistically adjusted version of past year SPD was created for 2005 through 2007, which is described in more detail later in this appendix. Adjusted variables were not created for 2004, because the 2004 estimates were subject to a higher degree of sampling fluctuation due to the split-sample design.

Listed below are the K6 questions for both reference periods (the past 30 days and the month in the past 12 months when the distress was the worst), their associated edited variable names, and possible response categories for each question. Note that the questions regarding the past 30 days (DSTxxx30) and the question asking whether there was a worse month in the past 12 months than the past 30 days (DSTWORST) were not asked in 2007, because they were not added to the questionnaire until 2008. Also note that the wording of the questions regarding the worst month (DSTxxxx) is from the 2007 questionnaire. However, there were minor wording changes beginning in 2008 to account for the additional questions.

The following seven questions are from the 2008 questionnaire. These questions were not asked in 2007, but they are included here as a reference because statistically adjusted 2007 past year SPD variables were created to be comparable with those from 2008.

DSTNRV30 During the past 30 days, how often did you feel nervous?

- 1 All of the time
 - 2 Most of the time
 - 3 Some of the time
 - 4 A little of the time
 - 5 None of the time
- DK/REF

Response categories are the same for the next five questions:

DSTHOP30 During the past 30 days, how often did you feel hopeless?

DSTRST30 During the past 30 days, how often did you feel restless or fidgety?

DSTCHR30 During the past 30 days, how often did you feel so sad or depressed that nothing could cheer you up?

DSTEFF30 During the past 30 days, how often did you feel that everything was an effort?

DSTNGD30 During the past 30 days, how often did you feel down on yourself or, no good, or worthless?

DSTWORST The last questions asked about how you have been feeling in the past 30 days. Now think about the past 12 months. Was there a month in the past 12 months when you felt more depressed, anxious, or emotionally stressed than you felt during the past 30 days?

- 1=Yes
- 2>No

The following six questions are from the 2007 questionnaire. Slightly modified versions of these questions were asked in 2008 of respondents with DSTWORST=1.

DSTNRVOS Most people have periods when they are not at their best emotionally. Think of one month in the past 12 months when you were the most depressed, anxious, or emotionally stressed. If there was no month like this, think of a typical month.

During that month, how often did you feel nervous?

- 1 All of the time

- 2 Most of the time
- 3 Some of the time
- 4 A little of the time
- 5 None of the time
- DK/REF

Response categories are the same for the following questions:

- | | |
|-----------------|---|
| DSTHOPLS | During that same month when you were at your worst emotionally . . .
how often did you feel hopeless? |
| DSTRSTLS | During that same month when you were at your worst emotionally . . .
how often did you feel restless or fidgety? |
| DSTCHEER | During that same month when you were at your worst emotionally . . .
how often did you feel so sad or depressed that nothing could cheer you up? |
| DTEFFRT | During that same month when you were at your worst emotionally . . .
how often did you feel that everything was an effort? |
| DSTNGOOD | During that same month when you were at your worst emotionally . . .
how often did you feel down on yourself, no good, or worthless? |

Based on the K6 questions above, two sets of recoded SPD variables are available on the data file. The first set, referred to as unadjusted SPD, is based only on the K6 questions found in the 2007 questionnaire, referencing the worst month during the past 12 months. The unadjusted variables are used in the 2007 detailed tables (OAS, 2008). The second set, referred to as adjusted SPD, is statistically adjusted to be comparable with recodes in 2008 and later NSDUHs that take into account both reference periods (i.e., past 30 days and worst month during the past 12 months). Below are details on how each set of recoded SPD variables is defined and how to implement multiyear comparisons.

Unadjusted SPD

In 2007, based on the six worst month items of the K6 scale (DSTNRVOS, DSTHOPLS, DSTRSTLS, DSTCHEER, DTEFFRT, and DSTNGOOD), an SPD score variable (SPD_USCR) was created by transforming the reported response category for each of the six questions so that "all of the time" was coded 4, "most of the time" was coded 3, "some of the time" was coded 2, "a little of the time" was coded 1, and "none of the time" was coded 0, along with response options of "don't know," refusals, bad data, blanks, and legitimate skips. The SPD score variable (SPD_USCR) was calculated by summing these assigned values across all six variables and had values of 0 to 24.

The final analysis variable (SPD_UADJ) is based on the SPD score variable (SPD_USCR) and indicates whether each adult respondent has been classified as having SPD. Adults were classified as having past year SPD (SPD_UADJ=1) if their SPD score was 13 or greater (SPD_USCR>=13), and they were classified as not having past year SPD

(SPD_UADJ=0) if their SPD score was less than 13 (SPD_USCR<13). This cut point was chosen to equalize false positives and false negatives (Kessler et al., 2003). Exceptions included youths aged 12 to 17 who were assigned the standard SAS missing code (SPD_UADJ=.) since the K6 scale was not administered to respondents younger than 18.

Adjusted SPD

For 2008 and later years, each of the two sets of K6 questions listed above were given a score between 0 and 24 using the same scoring procedures as those described above for SPD_USCR. A worst K6 total score variable (K6SCMAX) was created that takes on the higher of the two K6 total scores for the past 30 days or past 12 months, and a respondent is considered to have past year SPD (SPDYR) if $K6SCMAX \geq 13$. Due to these changes in 2008, the K6 total score (K6SCMAX) and past year SPD (SPDYR) variables are not comparable with corresponding variables for 2005 through 2007 (SPD_USCR and SPD_UADJ) and thus have different variable names.

In order to be able to make SPD comparisons across survey years starting with 2005, adjusted versions of worst K6 total score (K6SMXADJ) and past year SPD (SPDYRADJ) variables were created. Because the past 30-day questions did not exist for 2005 through 2007, a statistical adjustment was applied to yield scores comparable with those from 2008 and later NSDUHs. See Aldworth et al. (2010) for details regarding the adjustment method. A respondent is considered to have past year SPD (SPDYRADJ) if $K6SMXADJ \geq 13$.

For the analyses of trends across time using these adjusted recodes starting with the 2005 data, revised variables should be created that take on the values of the adjusted variables K6SMXADJ and SPDYRADJ, respectively for 2005 through 2007, and the values of K6SCMAX and SPDYR, respectively for 2008 and later NSDUHs. Both sets of variables are based on the full sample of data, so the standard analysis weight (ANALWT_C) should be used.

References

- Aldworth, J., Kott, P., Yu, F., Mosquin, P., & Barnett-Walker, K. (2010, December). Analysis of effects of 2008 NSDUH questionnaire changes: Methods to adjust adult MDE and SPD estimates and to estimate SMI in 2005-2007 (prepared for the Substance Abuse and Mental Health Services Administration, Office of Applied Studies, under Contract No. 283-2004-00022, RTI/0209009.486.024). Research Triangle Park, NC: RTI International.
- Center for Behavioral Health Statistics and Quality. (2010). *Results from the 2009 National Survey on Drug Use and Health: Mental health detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Furukawa, T. A., Kessler, R. C., Slade, T., & Andrews, G. (2003). The performance of the K6 and K10 screening scales for psychological distress in the Australian National Survey of Mental Health and Well-Being. *Psychological Medicine*, 33(2), 357-362.
- Kessler, R. C., Barker, P. R., Colpe, L. J., Epstein, J. F., Gfroerer, J. C., Hiripi, E., Howes, M. J., Normand, S. L., Manderscheid, R. W., Walters, E. E., & Zaslavsky, A. M. (2003). Screening for serious mental illness in the general population. *Archives of General Psychiatry*, 60(2), 184-189.
- Office of Applied Studies. (2005). *Results from the 2004 National Survey on Drug Use and Health: National findings* (DHHS Publication No. SMA 05-4062, NSDUH Series H-28). Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Office of Applied Studies. (2008). *Results from the 2007 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Office of Applied Studies. (2009). *Results from the 2008 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration.

APPENDIX F

Recoded Depression Variable Documentation

The 2007 National Survey on Drug Use and Health (NSDUH) computer-assisted interviewing (CAI) instrumentation included two modules, the adult depression module and the adolescent depression module, which were designed to measure whether or not respondents had experienced a major depressive episode (MDE) in their lifetime and past year. Additional questions to assess impairment levels caused by MDE and treatment received for depression were included at the end of each MDE module.

This appendix provides details about the questions designed to assess MDE, comparability issues across survey years, development of adjusted lifetime and past year MDE variables, variable naming conventions, and analysis and weighting information. Variable specifications for lifetime and past year MDE as well as MDE with severe impairment are also provided.

The NSDUH CAI questions designed to assess MDE symptoms were based on the criteria in the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*, 4th edition (American Psychiatric Association, 1994). More specifically, MDE questions for adults were adapted from the depression section of the National Comorbidity Survey-Replication (NCS-R; Harvard School of Medicine, 2005), and those for adolescents (youths) were adapted from the depression section of the National Comorbidity Survey-Adolescent (NCS-A; Harvard School of Medicine, 2005). To make the modules developmentally appropriate for youths, there are minor wording differences in a few questions between the adult and youth modules. A person was defined as having had a lifetime MDE if he or she had five or more of nine symptoms for MDE in the same 2-week period in his or her lifetime, in which at least one of the symptoms was a depressed mood or loss of interest or pleasure in daily activities. A person was defined as having MDE in the past year if he or she had a lifetime MDE and a period of time in the past 12 months when he or she felt depressed or lost interest or pleasure in daily activities for 2 weeks or longer, while also having some of the other symptoms for lifetime MDE.

When the depression modules were first introduced in 2004, all youth respondents, but only half of adult respondents, received the questions because of a split-sample design. Further details on the 2004 split sample are provided in Appendix A of the 2004 national findings report (Office of Applied Studies [OAS], 2005b). Starting with the 2005 NSDUH, all youth and adult respondents received the questions in their respective depression modules. In the 2008 NSDUH, the adult mental health module (known as the psychological distress module in 2007) was updated. This module precedes the adult depression module in the questionnaire, which remained unchanged. In this revised 2008 mental health module, the K6 questions on nonspecific psychological distress were asked about two reference periods, the past 30 days and the month in the past 12 months when the distress was the worst. In addition, adult respondents were administered the mental health module through a split-sample design consisting of one of two impairment scales, an abbreviated World Health Organization Disability Assessment Schedule (WHODAS) or the Sheehan Disability Scale (SDS), to measure impairment due to emotions, nerves, or mental health. See the 2008 Recoded Mental Health Variable Documentation codebook appendix for further details. Starting in 2009, the split sample was removed, and the CAI instrument included only the WHODAS questions.

These changes and the fact that this revised mental health module precedes the adult depression module within the questionnaire could have influenced the adult respondent's answers

to subsequent depression-related items. This type of influence is referred to as a context effect. A detailed analysis was conducted to examine potential context effects on MDE variables based on the changes in the mental health module. It was determined that MDE estimates for adults aged 18 or older from 2008 could not be compared with the 2007 and prior year estimates. Two subsamples (i.e., WHODAS and SDS) also were examined to determine whether the MDE data from the two 2008 subsamples were comparable. Because of differences in MDE estimates between the two samples, combining the SDS and WHODAS half-samples to produce an overall 2008 adult MDE estimate is not recommended. This applies to all adult MDE-related estimates (treatment/counseling for MDE, MDE-related impairment, etc.). See Appendix B, Section B.4.7, in the 2008 national findings report (OAS, 2009) for further details on the decisions on the 2008 analyses.

Starting with the 2009 NSDUH, the mental health module includes only the WHODAS questions; therefore, the estimates for adult MDE from 2009 onward can be compared with the WHODAS half-sample from 2008. See Appendix B, Section B.4.2, in the 2009 mental health findings report (Center for Behavioral Health Statistics and Quality [CBHSQ], 2010) for details on the 2009 analyses.

In order to be able to use the full sample of 2008 data and also to make adult MDE comparisons across survey years starting with 2005 and continuing through 2008 and later years, adjusted versions of adult lifetime MDE (AJAMDELT) and adult past year MDE (AJAMDEYR) variables were created retroactively for the years 2005 through 2008. These adjusted variables were created to make MDE estimates from the SDS half-sample in 2008 and all adult respondents for 2005 through 2007 comparable with the MDE estimates based on the WHODAS half-sample in 2008 and all adult respondents in later years. In the 2008 data, the values of the adjusted MDE variables are identical to the values of the unadjusted MDE variables for respondents in the WHODAS subsample. Lifetime and past year MDE status variables for respondents in the SDS subsample were adjusted by a two-step process in which the adjustment procedure was first applied at an individual level to the past year MDE indicator variable, and then to the lifetime indicator variable. The adjustment was done in such a way that consistency was enforced between past year and lifetime MDE; that is, a respondent with past year MDE could not be adjusted to have no lifetime MDE. Specifically, a weighted logistic regression was fit for the NSDUH data from 2005 to 2009 with past year MDE as the binary dependent variable. Independent variables in this model controlled for the questionnaire differences between NSDUHs from 2005 to 2007 and NSDUHs from 2008 and 2009, as well as for the context effects associated with the SDS half sample in 2008. This model was used to compute predicted probabilities of past year MDE for each respondent. The predicted probabilities, which can have any value between 0 and 1, then were dichotomized such that each respondent was specified as having or not having MDE in the past year. Adjusted lifetime MDE estimates were similarly constructed, with the additional condition that respondents reporting past year MDE were assumed to have lifetime MDE. No adjusted variables were created for the adult impairment or depression treatment variables. Details about the adjustment of the adult MDE data for 2005 to 2008 can be found in a report describing these procedures (Aldworth, Kott, Yu, Mosquin, & Barnett-Walker, 2012).

For adolescents aged 12 to 17, MDE estimates are comparable throughout all years beginning with 2004. No changes were made to the 2008 questionnaire that would affect the

responses to youth depression items. Changes in 2009 to the youth mental health service utilization (YMHSU) module, which precedes the adolescent depression module in the questionnaire, were also found to not affect comparability of the youth depression variables for 2009 and prior years. These changes included the replacement of five questions that asked about receipt of special education services and school counseling and time spent in jail or foster care with questions that asked about receipt of mental health services in the education and justice system sectors. For more information on the 2009 youth analyses results, see Appendix B, Section B.4.2, in the 2009 mental health findings report (CBHSQ, 2010).

Naming Conventions

In the 2004-2007 NSDUHs, MDE data from both the adult and youth modules were used to create single, combined recoded lifetime (MDELT) and past year (MDEYR) MDE variables, even though adult and youth data were not comparable because of wording differences between the modules. For example, the lifetime MDE variable in the datasets prior to 2008 contained both adolescent lifetime MDE created using data from the adolescent section and adult lifetime MDE created using data from the adult section. In the 2004-2007 detailed tables, analyses using combined variables were subset to the age group of interest to present estimates separately for adults and youths (OAS, 2005a; 2006; 2007; 2008). Note that in the 2004 detailed tables only, estimates were also presented for adults and youths combined, but producing combined estimates is no longer recommended.

Starting with the 2008 NSDUH, the MDE variables were renamed, and a separate set of variables was created each for adults and for youths. The new variable names have continued to be used in the 2009 and later NSDUHs. Under the new naming convention, adult MDE variables begin with "A" and youth MDE variables begin with "Y" (e.g., AMDEYR, YMDEYR). Variables where youth and adult data were not combined into a single variable prior to 2008 were not renamed for adolescents (i.e., YSDSHOME, YSDSWRK, YSDSREL, YSDSSOC, YSDSOVRL, and MDEIMPY), since there was no change in variable construction or comparability. In addition, prior to 2008, the combined set of MDE variables was located in the Recoded Adult and Adolescent Depression section of the codebook. Currently, all adult and youth MDE variables are now located in either the Recoded Adult Depression or Recoded Adolescent Depression sections, respectively.

For adults, the 2008 variable name change denotes a break in the trend for the estimates due to the context effects noted earlier. To address the break in the trend, an adjustment was applied to the 2005-2008 adult MDE data, and the resulting new variables have retroactively been added to the respective data files. These adjusted adult MDE variables begin with the abbreviation "AJ" for "adjusted" (i.e., AJAMDEYR, AJAMDELT). With the addition of the adjusted adult MDE variables, the documentation for the existing adult MDE variables has been retroactively revised to refer to the existing variables as unadjusted adult MDE variables.

In summary, for adults, the new variable names indicate that the MDE data from 2008 or later should not be compared or combined with unadjusted variables from 2004 to 2007. However, adjusted variables were later added for 2005 through 2008 to allow comparisons across years from 2005 onward. Adjusted adult MDE variables are not available for 2004. The adjusted variables for 2005 through 2008 can be renamed to match the adult past year MDE

(AMDEYR) and adult lifetime MDE (AMDELT) variables for 2009 and subsequent years to produce comparable estimates across years, as seen in the 2010 mental health detailed tables (CBHSQ, 2012).

New variable names indicate changes that may or may not impact comparability with prior years. As described above, the 2008 adult MDE estimates are not considered comparable with 2007 and prior years. For adolescents, despite the new variable names, the MDE data from 2008 or later can be compared or combined with MDE data from 2004 to 2007 since there was no change to the youth modules. But in order to do so, either the original or new set of youth MDE variables should be renamed to match the other so that the data can be combined. See the 2008 Recoded Depression Variable Documentation codebook appendix for sample code on how to rename the 2008 variables back to prior year names. In addition, a summary of variable names and comparability across years is presented in Table 1 for both adult and youth lifetime and past year MDE. All variables in a column are comparable for the time periods specified despite nonidentical variable names.

Table 1. Lifetime and Past Year Major Depressive Episode (MDE) Variable Comparability: 2004 NSDUH and Later Survey Years

NSDUH Survey Year	Adult MDE			Youth MDE
	Comparable Variables 2004-2007	Comparable Variables 2008 and Later Years Unadjusted Data	Comparable Variables 2005 and Later Years Adjusted Data	Comparable Variables 2004 and Later Years
2004	MDELT, MDEYR ¹			MDELT, MDEYR ¹
2005-2007	MDELT, MDEYR ¹		AJAMDELT, AJAMDEYR	MDELT, MDEYR ¹
2008		AMDELT, AMDEYR ²	AJAMDELT, AJAMDEYR	YMDELT, YMDEYR
2009 and Later Years		AMDELT, AMDEYR	AMDELT, AMDEYR	YMDELT, YMDEYR

NOTE: All the variables within the same column are comparable across years, once the variables have been renamed to match.

¹ To use these lifetime and past year MDE variables in comparisons, the data must be subset to adults or youths depending on the analysis of interest. Presenting estimates using combined adult and youth data is not recommended due to wording differences between the adult and youth modules.

² To use these lifetime and past year MDE variables in comparisons, the data must be subset to the WHODAS subsample (MHSAMP08=1).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2004 and later.

Weights

Analyses using unadjusted 2006 and 2007 MDE variables for adults or youths, such as those in the 2007 detailed tables (OAS, 2008), should be weighted using the standard analysis weight (ANALWT_C). To generate adult trend estimates from 2004 to 2007, see the 2005 codebook documentation for specific weighting details to account for the 2004 split sample. Analyses using MDE variables for youths across all years should be weighted by the standard analysis weight (ANALWT_C).

To analyze the 2005-2008 adjusted adult MDE variables in conjunction with the 2009 and subsequent year adult MDE variables (e.g., the MDE multiyear trend analyses published in

the 2010 mental health detailed tables [CBHSQ, 2012]), the standard analysis weight (ANALWT_C) should be used across all years.

Furthermore, when creating estimates based on more than a single year of data, the appropriate weight for each year should be divided by the number of years of data that are combined to correctly estimate weighted population totals. For example, if a user combines 2005-2008 data to generate an annual average using the adjusted adult MDE variables, users should divide ANALWT_C by 4.

MDE Variable Specifications

The 2007 NSDUH measures the nine attributes (symptoms) associated with MDE from the questions below. The following questions are the adult versions of the questions used to define the lifetime MDE variable recode (MDELT) found in the Recoded Adult and Adolescent Depression section of the codebook. Similar questions were asked of youth respondents.

The questions below, shown with their associated question indicator from the CAI specifications, refer to the worst period of time the respondent has had that stands out in his or her mind; or, if he or she does not recall a worst period of time, the questions refer to the most recent period of time when the respondent experienced any or all of the following: sadness, discouragement, or lack of interest in most things. **It should be noted that no exclusions were made for MDE caused by medical illness, bereavement, or substance use disorders.**

During that [worst/most recent] period of time...

1. Depressed mood most of the day

- a. ... did you feel sad, empty, or depressed **most of the day nearly every day?** (AD24A)
- b. ... did you feel discouraged about how things were going in your life **most of the day nearly every day?** (AD24C)

A respondent was assigned a positive response to this symptom (D_MDEA1=1) if he or she answered yes to either of the above questions.

2. Markedly diminished interest of pleasure in all or almost all activities most of the day

- a. ... did you lose interest in almost all things like work and hobbies and things you like to do for fun? (AD24E)
- b. ... did you lose the ability to take pleasure in having good things happen to you, like winning something or being praised or complimented? (AD24F)

A respondent was assigned a positive response to this symptom (D_MDEA2=1) if he or she answered yes to either of the above questions.

3. Weight

- a. Did you have a much smaller appetite than usual nearly every day during that time? (AD26A)

- b. Did you have a much **larger** appetite than usual nearly every day? (AD26B)
- c. Did you gain weight without trying to during that [worst/most recent] period of time? (AD26C)
 - i. ... because you were growing? (AD26C1)
 - ii. ... because you were pregnant? (AD26C2)
- d. How many pounds did you gain? (AD26D)
- e. Did you lose weight without trying to? (AD26E)
 - i. ... because you were sick or on a diet? (AD26E1)
- f. How many pounds did you lose? (AD26F)

A respondent was assigned a positive response to this symptom (D_MDEA3=1) if he or she answered yes to questions 'a' or 'b' above, or the answer to either question 'd' or 'f' was greater than or equal to 10. (Note that 'd' was only asked if ' c_i ' and ' c_{ii} ' were not 'yes,' and 'f' was only asked if ' e_i ' was not 'yes.'')

4. Insomnia or hypersomnia

- a. Did you have a lot more trouble than usual falling asleep, staying asleep, or waking too early nearly every night during that [worst/most recent] period of time? (AD26G)
- b. During that [worst/most recent] period of time, did you sleep a lot more than usual nearly every night? (AD26H)

A respondent was assigned a positive response to this symptom (D_MDEA4=1) if he or she answered yes to either of the above questions.

5. Psychomotor agitation or retardation

- a. Did you talk or move more slowly than is normal for you nearly every day? (AD26L)
 - i. (if AD26L=1) Did anyone else notice that you were talking or moving slowly? (AD26M)
- b. Were you so restless or jittery nearly every day that you paced up and down or couldn't sit still? (AD26N)
 - i. (if AD26N=1) Did anyone else notice that you were restless? (AD26O)

A respondent was assigned a positive response to this symptom (D_MDEA5=1) if he or she answered yes to either of the above ' a_i ' or ' b_i ' questions.

6. Fatigue or loss of energy

- a. During that [worst/most recent] period of time, did you feel tired or low in energy nearly every day even when you had not been working very hard? (AD26J)

A respondent was assigned a positive response to this symptom (D_MDEA6=1) if he or she answered yes to the above question.

7. Feelings of worthlessness

- a. Did you feel that you were not as good as other people nearly every day? (AD26U)
- b. Did you feel totally worthless nearly every day? (AD26V)

A respondent was assigned a positive response to this symptom (D_MDEA7=1) if he or she answered yes to question 'b' above.

8. Diminished ability to think or concentrate or indecisiveness

- a. During that [worst/most recent] time period, did your thoughts come much more slowly than usual or seem confused nearly every day? (AD26P)
- b. Did you have a lot more trouble concentrating than usual nearly every day? (AD26R)
- c. Were you unable to make decisions about things you ordinarily have no trouble deciding about? (AD26S)

A respondent was assigned a positive response to this symptom (D_MDEA8=1) if he or she answered yes to any of the above questions.

9. Recurrent thoughts of death or recurrent suicide ideation

- a. Did you often think about death, either your own, someone else's, or death in general? (AD26AA)
- b. During that period, did you ever think it would be better if you were dead? (AD26BB)
- c. Did you think about committing suicide? (AD26CC)
 - i. Did you make a suicide plan? (AD26DD)
 - ii. Did you make a suicide attempt? (AD26EE)

A respondent was assigned a positive response to this symptom (D_MDEA9=1) if he or she answered yes to any of the above questions.

Respondents were classified with lifetime MDE if they had five of the nine above attributes. Respondents who have had MDE in their lifetime (MDELT=1 for both adults and youths) and who have reported that they had a period of depression lasting 2 weeks or longer, while also having some of the symptoms mentioned during the past 12 months (ADPB2WK=1 for adults and YOPB2WK=1 for youths), were classified as having past year depression (MDEYR=1 for both adults and youths).

Respondents with lifetime MDE and respondents with recurrent thoughts of death or recurrent suicide ideation (D_MDEA9=1 for adults and D_MDEA9Y=1 for youths), regardless of MDE classification, were guided through the remainder of the questionnaire. Note that because of this second criterion, variables for treatment of depression may have values for respondents who were not classified as having lifetime MDE. If the subpopulation of interest is respondents with lifetime MDE or past year MDE, these restrictions should be implemented in the analysis using the appropriate variables.

MDE with Severe Impairment Variable Specifications

Respondents defined as having had MDE in the past year then were asked questions from the SDS to measure the level of functional impairment in major life activities reported to be caused by the MDE in the past 12 months (Leon, Olfson, Portera, Farber, & Sheehan, 1997).


The SDS measures mental health-related impairment in four major life activities or role domains. These four domains are defined separately for adults aged 18 or older and youths aged 12 to 17 to reflect the different roles associated with the two age groups. Each module consists of four questions that are assessed on a 0 to 10 visual analog scale with categories of "none" (0), "mild" (1-3), "moderate" (4-6), "severe" (7-9), and "very severe" (10).

A maximum impairment score (ASDSOVRL for adults and YSDSOVRL for youths) is then defined as the single highest severity level of role impairment across the four SDS role domains. The four SDS role domain variables were recoded so that no interference = 1, mild = 2, moderate = 3, severe = 4, and very severe = 5. A maximum level of interference over all four domains was then defined (ASDSOVRL or YSDSOVRL). Ratings greater than or equal to 7 on the scale (ASDSOVRL or YSDSOVRL=4, 5) were considered severe impairment. Estimates of MDE with role impairment using the SDS (MDEIMPA=1 for adults and MDEIMPY=1 for youths) for 2006 and 2007 are included in the 2007 detailed tables (OAS, 2008), despite estimates of MDE with role impairment using the SDS not being included in the 2006 detailed tables (OAS, 2007). The 2006 and 2007 adult MDE with severe impairment data are not comparable with 2008 and later years for the reason discussed previously. Youth MDE with severe impairment data are comparable from 2006 onward. Estimates for role impairment were calculated separately for youths and adults because the four domains are slightly different for the two groups. The questions pertaining to the four domains are listed below for both adults and youths.

Adult Depression Module: Functional Impairment

AD66a Think about the time in the past 12 months when these problems with your mood were **most severe**.

Using the 0 to 10 scale shown below, where 0 means **no** interference and 10 means **very severe** interference, select the number that describes how much these problems interfered with each of the following activities during that period. You can use any number between 0 and 10 to answer. If this activity doesn't apply to you, type 95.




How much did your [depression symptoms] interfere with your home management, like cleaning, shopping, and working around the house, apartment, or yard?

- AD66b** During the time in the past 12 months when your [depression symptoms] were most severe, how much did this interfere with your ability to work?
- AD66c** How much did your [depression symptoms] interfere with your ability to form and maintain **close** relationships with other people during that period of time?
- AD66d** How much did [depression symptoms] interfere with your social life during that period of time?

Adolescent Depression Module: Functional Impairment

- YD66a** Think about the time in the past 12 months when these problems with your mood were the **worst**.
- Using the 0 to 10 scale shown below, where 0 means **no** problems and 10 means **very severe** problems, select the number that describes how much your [depression symptoms] caused problems with each of the following activities during that time. You can use any number between 0 and 10 to answer. If this activity doesn't apply to you, type 95.



- How much did your [depression symptoms] cause problems with your chores at home?
- YD66b** During the time in the past 12 months when your [depression symptoms] were worst, how much did this cause problems with your ability to do well at school or work?
- YD66c** How much did your [depression symptoms] cause problems with your ability to get along with your family during that time?
- YD66d** How much did your [depression symptoms] cause problems with your social life during that time?

References

- Aldworth, J., Kott, P., Yu, F., Mosquin, P., & Barnett-Walker, K. (2012). Analysis of effects of 2008 NSDUH questionnaire changes: Methods to adjust adult MDE and SPD estimates and to estimate SMI in the 2005-2009 surveys. In *2010 National Survey on Drug Use and Health: Methodological resource book* (Section 16b, prepared for the Substance Abuse and Mental Health Services Administration, Contract No. HHSS283200800004C, RTI/0211838.108.006.024). Research Triangle Park, NC: RTI International.
- American Psychiatric Association. (1994). *Diagnostic and statistical manual of mental disorders* (DSM-IV) (4th ed.). Washington, DC: American Psychiatric Association.
- Center for Behavioral Health Statistics and Quality. (2010). *Results from the 2009 National Survey on Drug Use and Health: Mental health findings* (HHS Publication No. SMA 10-4609, NSDUH Series H-39). Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Center for Behavioral Health Statistics and Quality. (2012). *Results from the 2010 National Survey on Drug Use and Health: Mental health detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Harvard School of Medicine. (2005). *Home page: National Comorbidity Survey (NCS)*. Retrieved March 5, 2009, from <http://www.hcp.med.harvard.edu/ncs/>
- Leon, A. C., Olfson, M., Portera, L., Farber, L., & Sheehan, D. V. (1997). Assessing psychiatric impairment in primary care with the Sheehan Disability Scale. *International Journal of Psychiatry in Medicine*, 27(2), 93-105.
- Office of Applied Studies. (2005a). *Results from the 2004 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Office of Applied Studies. (2005b). *Results from the 2004 National Survey on Drug Use and Health: National findings* (DHHS Publication No. SMA 05-4062, NSDUH Series H-28). Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Office of Applied Studies. (2006). *Results from the 2005 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Office of Applied Studies. (2007). *Results from the 2006 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Office of Applied Studies. (2008). *Results from the 2007 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration.

Office of Applied Studies. (2009). *Results from the 2008 National Survey on Drug Use and Health: National findings* (HHS Publication No. SMA 09-4434, NSDUH Series H-36). Rockville, MD: Substance Abuse and Mental Health Services Administration.

APPENDIX G

Occupational Classification System for PUF Recodes

2003 Census Code	Occupation category
1	Executive/Admin/Managerial/Financial
	Chief Executives
	General and Operations Managers
	Legislators
	Advertising and Promotions Managers
	Marketing and Sales Managers
	Public Relations Managers
	Administrative Services Managers
	Computer and Information Systems Managers
	Financial Managers
	Human Resources Managers
	Industrial Production Managers
	Purchasing Managers
	Transportation, Storage, and Distribution Managers
	Farm, Ranch, and Other Agricultural Managers
	Farmers and Ranchers
	Construction Managers
	Education Administrators
	Engineering Managers
	Food Service Managers
	Funeral Directors
	Gaming Managers
	Lodging Managers
	Medical and Health Services Managers
	Natural Sciences Managers
	Postmasters and Mail Superintendents
	Property, Real Estate, and Community Association Managers
	Social and Community Service Managers
	Managers, All Other
	Agents and Business Managers of Artists, Performers, and Athletes
	Purchasing Agents and Buyers, Farm Products
	Wholesale and Retail Buyers, Except Farm Products
	Purchasing Agents, Except Wholesale, Retail, and Farm Products
	Claims Adjusters, Appraisers, Examiners, and Investigators
	Compliance Officers, Except Agriculture, Construction, Health and Safety, and Transportation
	Cost Estimators
	Human Resources, Training, and Labor Relations Specialists
	Logisticians
	Management Analysts
	Meeting and Convention Planners
	Other Business Operations Specialists
	Accountants and Auditors
	Appraisers and Assessors of Real Estate
	Budget Analysts
	Credit Analysts
	Financial Analysts
	Personal Finance Advisors
	Insurance Underwriters
	Financial Examiners
	Loan Counselors and Officers
	Tax Examiners, Collectors, and Revenue Agents
	Tax Preparers
	Financial Specialists, All Other
2	Professional (not Educ/Entertain/Media)
	Computer Scientists and Systems Analysts
	Computer Programmers
	Computer Software Engineers
	Computer Support Specialists
	Database Administrators
	Network and Computer Systems Administrators
	Network Systems and Data Communications Analysts
	Actuaries
	Mathematicians
	Operations Research Analysts
	Statisticians
	Miscellaneous Mathematical Occupations
	Architects, Except Naval
	Surveyors, Cartographers, and Photogrammetrists
	Aerospace Engineers
	Agriculture Engineers
	Biomedical Engineers
	Chemical Engineers
	Civil Engineers
	Computer Hardware Engineers
	Electrical and Electronics Engineers
	Environmental Engineers
	Industrial Engineers, Including Health and Safety
	Marine Engineers and Naval Architects
	Materials Engineers
	Mechanical Engineers
	Mining and Geological Engineers, Including Mining Safety Engineers
	Nuclear Engineers
	Petroleum Engineers
	Engineers, All Other
	Agricultural and Food Scientists
	Biological Scientists
	Conservation Scientists and Foresters
	Medical Scientists
	Astronomers and Physicists
	Atmospheric and Space Scientists
	Chemists and Materials Scientists
	Environmental Scientists and Geoscientists
	Physical Scientists, All Other
	Economists
	Market and Survey Researchers
	Psychologists
	Sociologists
	Urban and Regional Planners
	Miscellaneous Social Scientists and Related Workers
	Counselors
	Social Workers
	Miscellaneous Community and Social Service Specialists
	Clergy
	Directors, Religious Activities and Education
	Religious Workers, All Other
	Lawyers
	Judges, Magistrates, and Other Judicial Workers
	Paralegals and Legal Assistants
	Miscellaneous Legal Support Workers

2003 Census Code	Occupation category
	Chiropractors
	Dentists
	Dietitians and Nutritionists
	Optometrists
	Pharmacists
	Physicians and Surgeons
	Physician Assistants
	Podiatrists
	Registered Nurses
	Audiologists
	Occupational Therapists
	Physical Therapists
	Radiation Therapists
	Recreational Therapists
	Respiratory Therapists
	Speech-Language Pathologists
	Therapists, All Other
	Veterinarians
	Health Diagnosing and Treating Practitioners, All Other
3	Education and Related Occupations
	Postsecondary Teachers
	Preschool and Kindergarten Teachers
	Elementary and Middle School Teachers
	Secondary School Teachers
	Special Education Teachers
	Other Teachers and Instructors
	Archivists, Curators, and Museum Technicians
	Librarians
	Library Technicians
	Teacher Assistants
	Other Education, Training, and Library Workers
4	Entertainers, Sports, Media, Communications
	Artists and Related Workers
	Designers
	Actors
	Producers and Directors
	Athletes, Coaches, Umpires, and Related Workers
	Dancers and Choreographers
	Musicians, Singers, and Related Workers
	Entertainers and Performers, Sports and Related Workers, All Other
	Announcers
	News Analysts, Reporters and Correspondents
	Public Relations Specialists
	Editors
	Technical Writers
	Writers and Authors
	Miscellaneous Media and Communication Workers
	Broadcast and Sound Engineering Technicians and Radio Operators
	Photographers
	Television, Video, and Motion Picture Camera Operators and Editors
	Media and Communication Equipment Workers, All Other
5	Technicians and Related Support Occupations
	Drafters
	Engineering Technicians, Except Drafters
	Surveying and Mapping Technicians
	Agriculture and Foods Science Technicians
	Biological Technicians
	Chemical Technicians
	Geological and Petroleum Technicians
	Nuclear Technicians
	Other Life, Physical, and Social Science Technicians
	Clinical Laboratory Technologists and Technicians
	Dental Hygienists
	Diagnostic Related Technologists and Technicians
	Emergency Medical Technicians and Paramedics
	Health Diagnosing and Treating Practitioner Support Technicians
	Licensed Practical and Licensed Vocational Nurses
	Medical Records and Health Information Technicians
	Opticians, Dispensing
	Miscellaneous Health Technologists and Technicians
	Other Healthcare Practitioners and Technical Occupations
	Nursing, Psychiatric, and Home Health Aides
	Occupational Therapist Assistants and Aides
	Physical Therapist Assistants and Aides
	Massage Therapists
	Dental Assistants
	Medical Assistants and Other Healthcare Support Occupations
6	Sales Occupations
	First-Line Supervisors/Managers of Retail Sales Workers
	First-Line Supervisors/Managers of Non-Retail Sales Workers
	Cashiers
	Counter and Rental Clerks
	Parts Salespersons
	Retail Salespersons
	Advertising Sales Agents
	Insurance Sales Agents
	Securities, Commodities, and Financial Services Sales Agents
	Travel Agents
	Sales Representatives, Services, All Other
	Sales Representatives, Wholesale and Manufacturing
	Models, Demonstrators, and Product Promoters
	Real Estate Brokers and Sales Agents
	Sales Engineers
	Telemarketers
	Door-To-Door Sales Workers, News and Street Vendors, and Related Workers
	Sales and Related Workers, All Other
7	Office and Administrative Support Workers
	First-Line Supervisors/Managers of Office and Administrative Support Workers
	Switchboard Operators, Including Answering Service
	Telephone Operators
	Communications Equipment Operators, All Other

2003 Census Code	Occupation category
	Bill and Account Collectors Billing and Posting Clerks and Machine Operators Bookkeeping, Accounting, and Auditing Clerks Gaming Cage Workers Payroll and Timekeeping Clerks Procurement Clerks Tellers Brokerage Clerks Correspondence Clerks Court, Municipal, and License Clerks Credit Authorizers, Checkers, and Clerks Customer Service Representatives Eligibility Interviewers, Government Programs File Clerks Hotel, Motel, and Resort Desk Clerks Interviewers, Except Eligibility and Loan Library Assistants, Clerical Loan Interviewers and Clerks New Accounts Clerks Order Clerks Human Resources Assistants, Except Payroll and Timekeeping Receptionists and Information Clerks Reservation and Transportation Ticket Agents and Travel Clerks Information and Record Clerks, All Other Cargo and Freight Agents Couriers and Messengers Dispatchers Meter Readers, Utilities Postal Service Clerks Postal Service Mail Carriers Postal Service Mail Sorters, Processors, and Processing Machine Operators Production, Planning, and Expediting Clerks Shipping, Receiving, and Traffic Clerks Stock Clerks and Order Fillers Weighers, Measurers, Checkers, and Samplers, Recordkeeping Secretaries and Administrative Assistants Computer Operators Data Entry Keyers Word Processors and Typists Desktop Publishers Insurance Claims and Policy Processing Clerks Mail Clerks and Mail Machine Operators, Except Postal Service Office Clerks, General Office Machine Operators, Except Computer Proofreaders and Copy Markers Statistical Assistants Office and Administrative Support Workers, All Other
8	Protective Service Occupations
	First-Line Supervisors/Managers of Correctional Officers First-Line Supervisors/Managers of Police and Detectives First-Line Supervisors/Managers of Fire Fighting and Prevention Workers Supervisors, Protective Service Workers, All Other Fire Fighters Fire Inspectors Bailiffs, Correctional Officers, and Jailers Detectives and Criminal Investigators
	Fish and Game Wardens Parking Enforcement Workers Police and Sheriff's Patrol Officers Transit and Railroad Police Animal Control Workers Private Detectives and Investigators Security Guards and Gaming Surveillance Officers Crossing Guards Lifeguards and Other Protective Service Workers
9	Service Occupations, Except Protective
	Chefs and Head Cooks First-Line Supervisors/Managers of Food Preparation and Serving Workers Cooks Food Preparation Workers Bartenders Combined Food Preparation and Serving Workers, Including Fast Food Counter Attendants, Cafeteria, Food Concession, and Coffee Shop Waiters and Waitresses Food Servers, Nonrestaurant Dining Room and Cafeteria Attendants and Bartender Helpers Dishwashers Hosts and Hostesses, Restaurant, Lounge, and Coffee Shop Food Preparation and Serving Related Workers, All Other
	First-Line Supervisors/Managers of Housekeeping and Janitorial Workers First-Line Supervisors/Managers of Landscaping, Lawn Service, and Groundskeeping Janitors and Building Cleaners Maids and Housekeeping Cleaners Pest Control Workers Grounds Maintenance Workers
	First-Line Supervisors/Managers of Gaming Workers First-Line Supervisors/Managers of Personal Service Workers Animal Trainers Nonfarm Animal Caretakers Gaming Services Workers Motion Picture Projectionists Ushers, Lobby Attendants, and Ticket Takers Miscellaneous Entertainment Attendants and Related Workers
	Funeral Service Workers Barbers Hairdressers, Hairstylists, and Cosmetologists Miscellaneous Personal Appearance Workers Baggage Porters, Bellhops, and Concierges Tour and Travel Guides Transportation Attendants Child Care Workers Personal and Home Care Aides Recreation and Fitness Workers Residential Advisors Personal Care and Service Workers, All Other
10	Farming/Fishing/Forestry Occupations

2003 Census Code	Occupation category
	First-Line Supervisors/Managers/Contractors of Farming, Fishing, and Forestry Workers Agricultural Inspectors Animal Breeders Graders and Sorters, Agricultural Products Other Agricultural Workers Fishers and Related Fishing Workers Hunters and Trappers Forest and Conservation Workers Logging Workers
11 Installation, Maintenance, and Repair Workers	
	First-Line Supervisors/Managers of Mechanics, Installers, and Repairers Computer, Automated Teller, and Office Machine Repairers Radio and Telecommunications Equipment Installers and Repairers Avionics Technicians Electric Motor, Power Tool, and Related Repairers Electrical and Electronics Installers and Repairers, Transportation Equipment Electrical and Electronics Repairers, Industrial and Utility Electronic Equipment Installers and Repairers, Motor Vehicles Electronic Home Entertainment Equipment Installers and Repairers Security and Fire Alarm Systems Installers Aircraft Mechanics and Service Technicians Automotive Body and Related Repairers Automotive Glass Installers and Repairers Automotive Service Technicians and Mechanics Bus and Truck Mechanics and Diesel Engine Specialists Heavy Vehicle and Mobile Equipment Service Technicians and Mechanics Small Engine Mechanics Miscellaneous Vehicle and Mobile Equipment Mechanics, Installers, and Repairers Control and Valve Installers and Repairers Heating, Air Conditioning, and Refrigeration Mechanics and Installers Home Appliance Repairers Industrial and Refractory Machinery Mechanics Maintenance and Repair Workers, General Maintenance Workers, Machinery Millwrights Electrical Power-Line Installers and Repairers Telecommunications Line Installers and Repairers Precision Instrument and Equipment Repairers Coin, Vending, and Amusement Machine Servicers and Repairers Commercial Divers Locksmiths and Safe Repairers Manufactured Building and Mobile Home Installers Riggers Signal and Track Switch Repairers Helpers – Installation, Maintenance, and Repair Workers Other Installation, Maintenance, and Repair Workers
12 Construction Trades and Extraction Workers	
	First-Line Supervisor/Managers of Construction Trades and Extraction Workers
	Boilermakers Brickmasons, Blockmasons, and Stonemasons Carpenters Carpet, Floor, and Tile Installers and Finishers Cement Masons, Concrete Finishers, and Terrazzo Workers Construction Laborers Paving, Surfacing, and Tamping Equipment Operators Pile-Driver Operators Operating Engineers and Other Construction Equipment Operators Drywall Installers, Ceiling Tile Installers, and Tapers Electricians Glaziers Insulation Workers Painters, Construction and Maintenance Paperhangers Pipelayers, Plumbers, Pipefitters, and Steamfitters Plasterers and Stucco Masons Reinforcing Iron and Rebar Workers Roofers Sheet Metal Workers Structural Iron and Steel Workers Helpers, Construction Trades Construction and Building Inspectors Elevator Installers and Repairers Fence Erectors Hazardous Materials Removal Workers Highway Maintenance Workers Rail-Track Laying and Maintenance Equipment Operators Septic Tank Servicers and Sewer Pipe Cleaners Miscellaneous Constructions and Related Workers Derrick, Rotary Drill, and Service Unit Operators, Oil, Gas, and Mining Earth Drillers, Except Oil and Gas Explosives Workers, Ordnance Handling Experts, and Blasters Mining Machine Operators Roof Bolters, Mining Roustabouts, Oil and Gas Helpers – Extraction Workers Other Extraction Workers
13 Prod/Machinery/Setters/Operators/Tenders	
	First-Line Supervisors/Managers of Production and Operating Workers Aircraft Structure, Surfaces, Rigging, and Systems Assemblers Electrical, Electronics, and Electromechanical Assemblers Engine and Other Machine Assemblers Structural Metal Fabricators and Fitters Miscellaneous Assemblers and Fabricators
	Bakers Butchers and Other Meat, Poultry, and Fish Processing Workers Food and Tobacco Roasting, Baking, and Drying Machine Operators and Tenders Food Batchmakers Food Cooking Machine Operators and Tenders
	Computer Control Programmers and Operators

2003

**Census Occupation category
Code**

Extruding and Drawing Machine Setters, Operators, and Tenders, Metal and Plastic	Power Plant Operators
Forging Machine Setters, Operators, and Tenders, Metal and Plastic	Stationary Engineers and Boiler Operators
Rolling Machine Setters, Operators, and Tenders, Metal and Plastic	Water and Liquid Waste Treatment Plant and System Operators
Cutting, Punching, and Press Machine Setters, Operators, and Tenders, Metal and Plastic	Miscellaneous Plant and System
Drilling and Boring Machine Tool Setters, Operators, and Tenders, Metal and Plastic	Chemical Processing Machine Setters, Operators, and Tenders
Grinding, Lapping, Polishing, and Buffing Machine Tool Setters, Operators, and Tenders, Metal and Plastic	Crushing, Grinding, Polishing, Mixing, and Blending Workers
Lathe and Turning Machine Tool Setters, Operators and Tenders, Metal and Plastic	Cutting Workers
Milling and Planing Machine Setters, Operators, and Tenders, Metal and Plastic	Extruding, Forming, Pressing, and Compacting Machine Setters, Operators, and Tenders
Machinists	Furnace, Kiln, Oven, Drier, and Kettle Operators and Tenders
Metal Furnace and Kiln Operators and Tenders	Inspectors, Testers, Sorters, Samplers, and Weighers
Model Makers and Patternmakers, Metal and Plastic	Jewelers and Precious Stone and Metal Workers
Molders and Molding Machine Setters, Operators, and Tenders, Metal and Plastic	Medical, Dental, and Ophthalmic Laboratory Technicians
Multiple Machine Tool Setters, Operators, and Tenders, Metal and Plastic	Packaging and Filling Machine Operators and Tenders
Tool and Die Makers	Painting Workers
Welding, Soldering, and Brazing Workers	Photographic Process Workers and Processing Machine Operators
Heat Treating Equipment Setters, Operators, and Tenders, Metal and Plastic	Semiconductor Processors
Lay-Out Workers, Metal and Plastic	Cementing and Gluing Machine Operators and Tenders
Plating and Coating Machine Setters, Operators, and Tenders, Metal and Plastic	Cleaning, Washing, and Metal Pickling Equipment Operators and Tenders
Tool Grinders, Filers, and Sharpeners	Cooling and Freezing Equipment Operators and Tenders
Metalworkers and Plastic Workers, All Other	Etchers and Engravers
Bookbinders and Bindery Workers	Molders, Shapers, and Casters, Except Metal and Plastic
Job Printers	Paper Goods Machine Setters, Operators, and Tenders
Prepress Technicians and Workers	Tire Builders
Printing Machine Operators	Helpers – Production Workers
Laundry and Dry-Cleaning Workers	Production Workers, All Other
Pressers, Textile, Garment, and Related Materials	
Sewing Machine Operator	
Shoe and Leather Workers and Repairers	14 Transportation and Material Moving Workers
Shoe Machine Operators and Tenders	Supervisors, Transportation and Material Moving Workers
Tailors, Dressmakers, and Sewers	Aircraft Pilots and Flight Engineers
Textile Bleaching and Dyeing Machine Operators and Tenders	Air Traffic Controllers and Airfield Operations Specialists
Textile Cutting Machine Setters, Operators, and Tenders	Ambulance Drivers and Attendants, Except Emergency Medical Technicians
Textile Knitting and Weaving Machine Setters, Operators, and Tenders	Bus Drivers
Textile Winding, Twisting, and Drawing Out Machine Setters, Operators, and Tenders	Driver/Sales Workers and Truck Drivers
Extruding and Forming Machine Setters, Operators, and Tenders, Synthetic and Glass Fibers	Taxi Drivers and Chauffeurs
Fabric and Apparel Patternmakers	Motor Vehicle Operators, All Other
Upholsters	Locomotive Engineers and Operators
Textile, Apparel, and Furnishings Workers, All Other	Railroad Brake, Signal, and Switch Operators
Cabinetmakers and Bench Carpenters	Railroad Conductors and Yardmasters
Furniture Finishers	Subway, Streetcar, and Other Rail Transportation Workers
Model Makers and Patternmakers, Wood	Sailors and Marine Oilers
Sawing Machine Setters, Operators, and Tenders, Wood	Ship and Boat Captains and Operators
Woodworking Machine Setters, Operators, and Tenders, Except Sawing	Ship Engineers
Woodworkers, All Other	Bridge and Lock Tenders

2003

**Census Occupation category
Code**

Dredge, Excavating, and Loading Machine Operators
Hoist and Winch Operators
Industrial Truck and Tractor Operators
Cleaners of Vehicles and Equipment
Laborers and Freight, Stock, and Material Movers,
Hand
Machine Feeders and Offbearers
Packers and Packagers, Hand
Pumping Station Operators
Refuse and Recyclable Material Collectors
Shuttle Car Operators
Tank Car, Truck, and Ship Loaders
Material Moving Workers, All Other

15 Armed Forces

Armed Forces

APPENDIX H

**Industry Classification System
for PUF Recodes**

2003	Census	Industry category	Code
1	Agriculture, Forestry, Fishing and Hunting		
	Crop production		
	Animal production		
	Forestry except Logging		
	Logging		
	Fishing, hunting, and trapping		
	Support activities for agriculture and forestry		
2	Mining		
	Oil and gas extraction		
	Coal mining		
	Metal ore mining		
	Nonmetallic mineral mining and quarrying		
	Not specified type of mining		
	Support activities for mining		
3	Construction		
	Constructions (Includes the cleaning of buildings and dwellings is incidental during construction and immediately after construction)		
4	Manufacturing, Nondurable Goods		
	Food Manufacturing		
	Animal food, grain and oilseed milling		
	Sugar and confectionery products		
	Fruit and vegetable preserving and specialty foods		
	Dairy products		
	Animal slaughtering and processing		
	Retail bakeries		
	Bakeries, except retail		
	Seafood and other miscellaneous food		
	Not specified food industries		
	Beverage and Tobacco Product Manufacturing		
	Beverage		
	Tobacco		
	Textile Mills and Textile Product Mills		
	Fiber, yarn, and thread mills		
	Fabric mills, except knitting		
	Textile and fabric finishing and coating mills		
	Carpets and rugs		
	Textile product mills except carpets and rugs		
	Apparel Manufacturing		
	Knitting mills		
	Cut and sew apparel		
	Apparel accessories and other apparel		
	Leather and Allied Product Manufacturing		
	Footwear		
	Leather tanning and products, except footwear		
	Paper Manufacturing		
	Pulp, paper, and paperboard mills		
	Paperboard containers and boxes		
	Miscellaneous paper and pulp products		
	Printing and Related Support Activities		
	Printing and related support activities		
	Petroleum and Coal Products Manufacturing		
	Petroleum refining		
	Miscellaneous petroleum and coal products		
	Chemical Manufacturing		
	Resin, synthetic rubber and fibers, and filaments		
	Agricultural chemicals		
	Pharmaceuticals and medicines		
	Paint, coating, and adhesives		
	Soap, cleaning compound, and cosmetics		
	Industrial and miscellaneous chemicals		
	Plastics and Rubber Product Manufacturing		
5	Manufacturing, Durable Goods		
	Plastics products		
	Tires		
	Rubber products, except tires		
	Nonmetallic Mineral Product Manufacturing		
	Pottery, ceramics, and related products		
	Structural clay products		
	Glass and glass products		
	Cement, concrete, lime, and gypsum products		
	Miscellaneous nonmetallic mineral products		
	Metal Industries		
	Iron and steel mills and steel products		
	Aluminum production and processing		
	Nonferrous metal, except aluminum, production and processing		
	Foundries		
	Metal forgings and stampings		
	Cutlery and hand tools		
	Structural metals, and tank and shipping containers		
	Machine shops; turned products; screws, nuts and bolts		
	Coating, engraving, heat treating and allied activities		
	Ordnance		
	Miscellaneous fabricated metal products		
	Not specified metal industries		
	Machinery Manufacturing		
	Agricultural implements		
	Construction mining and oil field machinery		
	Commercial and service industry machinery		
	Metalworking machinery		
	Engines, turbines, and power transmission equipment		
	Machinery		
	Not specified machinery		
	Computer and Electronic Product Manufacturing		
	Computer and peripheral equipment		
	Communications, audio, and video equipment		
	Navigational, measuring, electrometrical, and control instruments		
	Electronic components and products		
	Electrical Equipment, Appliances, and Component Manufacturing		
	Household appliances		
	Electrical machinery, equipment, and supplies		
	Transportation Equipment Manufacturing		
	Motor vehicles and motor vehicle equipment		
	Aircraft and parts		
	Aerospace products and parts		
	Railroad rolling stock		
	Ship and boat building		
	Other transportation equipment		
	Wood Products, including Furniture, Manufacturing		
	Sawmills and wood preservation		
	Veneer, plywood, and engineered wood products		
	Prefabricated wood buildings and mobile homes		
	Miscellaneous wood products		
	Furniture and fixtures		
	Miscellaneous Manufacturing		
	Medical equipment and supplies		
	Toys, amusement, and sporting goods		
	Miscellaneous manufacturing		
	Not specified industries		

2003	Census	Industry category
	Code	
6	Transportation and Utilities	
	Electric power generation, transmission and distribution	Farm supplies
	Natural gas distribution	Miscellaneous nondurable goods
	Electric and gas, and other combinations	Wholesale electronic markets, agents, and brokers
	Water, steam, air conditioning, and irrigation systems	Not specified trade
	Sewage treatment facilities	
	Not specified utilities	
	Air transportation	
	Rail transportation	
	Water transportation	
	Truck transportation	
	Bus service and urban transit	
	Taxi and limousine service	
	Pipeline transportation	
	Scenic and sightseeing transportation	
	Services incidental to transportation	
	Postal Service	
	Couriers and messengers	
	Warehousing and storage	
7	Information And Communication	
	Publishing Industries	
	Newspaper publishers	
	Publishing, except newspapers and software	
	Software publishing	
	Motion pictures and video industries	
	Sound recording industries	
	Broadcasting and Telecommunications	
	Radio and television broadcasting and cable	
	Internet and publishing and broadcasting	
	Wired telecommunications carriers	
	Other telecommunication services	
	Internet service providers	
	Data processing, hosting, and related services	
	Information Services and Data Processing	
	Services	
	Libraries and archives	
	Other information services	
8	Wholesale Trade, Durable Goods	
	Motor vehicles, parts and supplies	
	Furniture and home furnishing	
	Lumber and other construction materials	
	Professional and commercial equipment and supplies	
	Metals and minerals, except petroleum	
	Electrical goods	
	Hardware, plumbing and heating equipment, and supplies	
	Machinery, equipment, and supplies	
	Recyclable materials	
	Miscellaneous durable goods	
9	Wholesale Trade, Nondurable Goods	
	Paper and paper products	
	Drugs, sundries, and chemical and allied products	
	Apparel, fabrics, and notions	
	Groceries and related products	
	Farm product raw materials	
	Petroleum and petroleum products	
	Alcoholic beverages	
10	Retail Trade	
	Automobile dealers	
	Other motor vehicle dealers	
	Auto parts, accessories, and tire stores	
	Furniture and home furnishings stores	
	Household appliance stores	
	Radio, TV, and computer stores	
	Building material and supplies dealers	
	Hardware stores	
	Lawn and garden equipment and supplies stores	
	Grocery stores	
	Specialty food stores	
	Beer, wine, and liquor stores	
	Pharmacies and drug stores	
	Health and personal care, except drug	
	Gasoline stations	
	Clothing and accessories, except shoe	
	Shoe stores	
	Jewelry, luggage, and leather goods stores	
	Sporting goods, camera, and hobby and toy stores	
	Sewing, needlework and piece goods stores	
	Music stores	
	Book stores and news dealers	
	Department stores and Discount stores	
	Miscellaneous general merchandise stores	
	Retail florists	
	Office supplies and stationary stores	
	Used merchandise stores	
	Gift, novelty, and souvenir shops	
	Miscellaneous stores	
	Electronic shopping	
	Electronic auctions	
	Mail order houses	
	Vending machine operators	
	Fuel dealers	
	Other direct selling establishments	
	Not specified trade	
11	Finance, Insurance, Real Estate, And Rental And Leasing	
	Finance and Insurance	
	Banking and related activities	
	Savings institutions, including credit unions	
	Non-depository credit and related activities	
	Securities, commodities, funds, trusts, and other financial investments	
	Insurance carriers and related activities	
	Real Estate and Rental and Leasing	
	Real estate	
	Automotive equipment rental and leasing	
	Video tape and disk rental	
	Other consumer goods rental	
	Commercial, industrial, and other intangible assets rental and leasing	
12	Professional, Scientific, Management, Administrative, And Waste Management Services	
	Professional, Scientific, and Technical Services	
	Legal services	

2003	Census	Industry category	Code
		Accounting, tax preparation, bookkeeping and payroll services	
		Architectural, engineering, and related services	
		Specialized design services	
		Computer systems design and related services	
		Management, scientific and technical consulting services	
		Scientific research and development services	
		Advertising and related services	
		Veterinary services	
		Other professional, scientific and technical services	
		Management, Administrative and Support, and Waste Management Services	
		Management of companies and enterprises	
		Employment services	
		Business support services	
		Travel arrangements and reservation services	
		Investigation and security services	
		Services to buildings and dwellings (except cleaning during construction and immediately after construction)	
		Landscaping services	
		Other administrative, and other support services	
		Waste management and remediation services	
13	Educational, Health And Social Services		
		Educational Services	
		Elementary and secondary school	
		Colleges, including junior colleges, and universities	
		Business, technical, and trade schools and training	
		other schools, instruction and educational services	
		Health Care	
		Offices of physicians	
		Offices of dentists	
		Office of chiropractors	
		Offices of optometrists	
		Offices of other health practitioners	
		Outpatient care centers	
		Home health care services	
		Other health care services	
		Hospitals	
		Nursing care facilities	
		Residential care facilities, without nursing	
		Social Assistance	
		Individual and family services	
		Community food and housing, and emergency services	
		Vocational rehabilitation services	
		Child day care services	
14	Arts, Entertainment, Recreation, Accommodations, and Food Services		
		Arts, Entertainment, and Recreation	
		Independent artists, performing arts, spectator sports and related industries	
		Museums, art galleries, historical sites, and similar institutions	
		Bowling centers	
		Other amusement, gambling, and recreation industries	
		Accommodations and Food Services	
		Traveler accommodation	
2003	Census	Industry category	Code
		Recreational vehicle parks and camps, and rooming and boarding houses	
		Restaurants and other food services	
		Drinking places, alcohol beverages	
15	Public Administration		
		Executive offices and legislative bodies	
		Public finance activities	
		Other general government and support	
		Justice, public order, and safety activities	
		Administration of human resource programs	
		Administration of environmental quality and housing programs	
		Administration of economic programs and space research	
		National security and international affairs	
16	Other Services (Except Public Administration)		
		Repair and Maintenance	
		Automotive repair and maintenance	
		Car washes	
		Electronic and precision equipment repair and maintenance	
		Commercial and industrial machinery and equipment repair and maintenance	
		Personal and household goods repair and maintenance	
		Footwear and leather goods repair	
		Personal and Laundry Services	
		Barber shops	
		Beauty salons	
		Nail salons and other personal care services	
		Dry cleaning and laundry services	
		Funeral homes, cemeteries and crematories	
		Other personal services	
		Religious, Grantmaking, Civic, Business, and Similar Organizations	
		Religious organizations	
		Civic, social, advocacy organizations and grantmaking and giving services	
		Labor unions	
		Business, professional, political and similar organizations	
		Private Households	
17	Armed Forces (for CPS only)		
		Armed Forces	
		CPS Special Codes	
		Problem Referral	
		Uncodable (includes Refused, Retired, reported Classified, or Not in Labor Force)	
		Active Duty Military (for Census and ACS)	
		U.S. Army	
		U.S. Air Force	
		U.S. Navy	
		U.S. Marines	
		U.S. Coast Guard	
		U.S. Armed Forces, Branch Not Specified	
		Military Reserves or National Guard	

APPENDIX I

Key Mental Health Variables

Several changes were made to the 2004 and 2008 National Survey on Drug Use and Health (NSDUH) questionnaires that affected mental health measures such as serious mental illness (SMI), serious psychological distress (SPD), and lifetime and past year major depressive episode (MDE). For several of these measures, these changes resulted in noncomparable measures that caused breaks in the trends. For some of these variables, adjusted measures were created that allowed comparisons of estimates across the years where the changes were made. Refer to Aldworth, Kott, Yu, Mosquin, and Barnett-Walker (in press) for further details.

Starting with the 2010 NSDUH, this appendix was included in the codebook to aid users when considering mental health measures across time. It provides several tables that list a set of the most commonly used mental health measures and their availability from 2002 to 2010. These tables also show whether there are comparable or adjusted measures available for the years indicated. Table 1 lists key mental health measures for youths aged 12 to 17, Table 2 lists key mental health measures for adults aged 18 or older, and Table 3 lists the mental health measures that have adjusted versions that allow for the comparisons of estimates across the years where changes were made. These tables may be updated and included in 2011 or subsequent NSDUH codebooks as other comparable measures are developed.

Table 1. Key Mental Health Measures for Persons Aged 12 to 17: 2002-2010

Mental Health Measure (Variable Name)	Years Available							
	2002	2003	2004	2005	2006	2007	2008	2009-2010
Lifetime Major Depressive Episode (MDELT, YMDELT)			*	*	*	*	X	X
Past Year Major Depressive Episode (MDEYR, YMDEYR)			*	*	*	*	X	X
MDE with Severe Role Impairment (MDEIMPY)					X	X	X	X
Received Treatment for MDE from MD in Past Year (TXMDEYR, YTXMDEYR)			*	*	*	*	X	X
Received Treatment for MDE from Prescription Drugs in Past Year (RXMDEYR, YRXMDEYR)			*	*	*	*	X	X
Received Treatment for MDE from Either MD or Prescription Drugs in Past Year (MDETXRX, YMDETXRX)			*	*	*	*	X	X
Received Treatment for MDE from MD Only (MDETXO, YMDETXO)			*	*	*	*	X	X
Received Treatment for MDE from Prescription Drugs Only (MDERXO, YMDERXO)			*	*	*	*	X	X
Received Treatment in Inpatient Specialty Mental Health Setting (ANYMHIN)	X	X	X	X	X	X	X	X
Received Treatment in Outpatient Specialty Mental Health Setting (ANYMHOUT)	X	X	X	X	X	X	X	X
Received Treatment in Specialty Mental Health Setting (ANYSMH)	X	X	X	X	X	X	X	X
Received Treatment in Education Setting (ANYMHED, ANYMHED2)	-	-	-	-	-	-	-	X
Received Treatment in General Medical Setting (YPED)	X	X	X	X	X	X	X	X
Received Treatment in Juvenile Justice Setting (YJAIL)								X
Number of Visits for Inpatient Specialty MH Services (SPINVST)					X	X	X	X
Number of Visits for Outpatient Specialty MH Services (SPOUTVST)					X	X	X	X
Number of Visits for Specialty MH Services (SMHVST)					X	X	X	X
Received Specialty MH Services for Feeling Depressed (SMHDPR)					X	X	X	X
Received Specialty MH Services because of Problems with Home or Family (SMHFMLY)					X	X	X	X
Received Specialty MH Services because of Breaking Rules (SMHBRK)					X	X	X	X

Table 1. Key Mental Health Measures for Persons Aged 12 to 17: 2002-2010 (continued)

Mental Health Measure (Variable Name)	Years Available							
	2002	2003	2004	2005	2006	2007	2008	2009-2010
Received Specialty MH Services because Thought about or Attempted Suicide (SMHSUI)					X	X	X	X
Received Specialty MH Services because Felt Very Afraid and Tense (SMHFEA)					X	X	X	X
Received Specialty MH Services because of Problems at School (SMHSCHL)					X	X	X	X
Received Specialty MH Services because of Trouble Controlling Anger (SMHANGR)					X	X	X	X
Received Specialty MH Services because of Problems with Friends (SMHFRND)					X	X	X	X
Received Specialty MH Services because of Problems with Other People (SMHOTPP)					X	X	X	X
Received Specialty MH Services because of Eating Problems (SMHEAT)					X	X	X	X
Received Specialty MH Services because of Getting into Physical Fights (SMHFITE)					X	X	X	X
Received Specialty MH Services because of Diagnosed Mental Disorder (SMHMEND)					X	X	X	X

MD = medical doctor, MDE = major depressive episode, MH = mental health.

NOTE: The letter X indicates that the measure is available for the year(s) shown. An asterisk (*) indicates that a comparable measure to 2008 and later years is available for the year(s) shown. An en dash (–) indicates that a comparable measure to 2008 and later years is not available, but this measure can be used for the previous year(s) shown. An empty cell indicates that the measure is not available.

NOTE: The standard analysis weight, ANALWT_C, should be used for all measures and years.

NOTE: This table lists only the most commonly used mental health measures; it does not constitute a comprehensive list.

NOTE: This table was finalized on September 22, 2011.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2010.

Table 2. Key Mental Health Measures for Persons Aged 18 or Older: 2002-2010

Mental Health Measure (Variable Name)	Years Available							
	2002	2003	2004	2005	2006	2007	2008	2009-2010
Received Treatment for MDE from MD in Past Year (TXMDEYR, ATXMDEYR)			–	–	–	–	X	X
Received Treatment for MDE from Prescription Drugs in Past Year (RXMDEYR, ARXMDEYR)			–	–	–	–	X	X
Received Treatment for MDE from Either MD or Prescription Drugs in Past Year (MDETXRX, AMDETXRX)			–	–	–	–	X	X
Received Treatment for MDE from MD Only (MDETO, AMDETZO)			–	–	–	–	X	X
Received Treatment for MDE from Prescription Drugs Only (MDERZO, AMDERZO)			–	–	–	–	X	X
Received Treatment for MDE from General Practitioner (DOCMDE, ADOCMDDE)			–	–	–	–	X	X
Received Treatment for MDE from Other MD (OMDMDE, AOMDMDE)			–	–	–	–	X	X
Received Treatment for MDE from Psychologist (PSY1MDE, APSY1MDE)			–	–	–	–	X	X
Received Treatment for MDE from Psychiatrist (PSY2MDE, APSY2MDE)			–	–	–	–	X	X
Received Treatment for MDE from Social Worker (SOCMDE, ASOCMDE)			–	–	–	–	X	X
Received Treatment for MDE from Counselor (COUNMDE, ACOUNMDE)			–	–	–	–	X	X
Received Treatment for MDE from Other MH Professional (OMHMDE, AOMHMDE)			–	–	–	–	X	X
Received Treatment for MDE from Nurse/Occupational Therapist (NURSMDE, ANURSMDE)			–	–	–	–	X	X
Received Treatment for MDE from Religious Advisor (RELMDE, ARELMDE)			–	–	–	–	X	X
Received Treatment for MDE from Another Healer (HBCHMDE, AHBCHMDE)			–	–	–	–	X	X
Received Treatment for MDE from Other Professional (OTHMDE, AOOTHMDE)			–	–	–	–	X	X

Table 2. Key Mental Health Measures for Persons Aged 18 or Older: 2002-2010 (continued)

Mental Health Measure (Variable Name)	Years Available							
	2002	2003	2004	2005	2006	2007	2008	2009-2010
Received Any Mental Health Treatment in Past Year (AMHTXRC3)	X	X	X	X	X	X	X	X
Received Inpatient MH Treatment in Past Year (AMHINP2)	X	X	X	X	X	X	X	X
Received Outpatient MH Treatment in Past Year (AMHOUTP3)	X	X	X	X	X	X	X	X
Received Prescription Meds MH Treatment in Past Year (AMHRX2)	X	X	X	X	X	X	X	X
Perceived Need but Did Not Receive MH Treatment in Past Year (AMHTXND2)	X	X	X	X	X	X	X	X
Received Outpatient MH Treatment at MH Clinic/Center in Past Year (MHLMNT2, MHLMNT3) ¹		*	*	*	*	*	*	X
Received Outpatient MH Treatment from Private Therapist in Past Year (MHLTHER2, MHLTHER3) ¹		*	*	*	*	*	*	X
Received Outpatient MH Treatment from Non-Clinic Doctor's Office in Past Year (MHLDODC2, MHLDODC3) ¹		*	*	*	*	*	*	X
Received Outpatient MH Treatment from Medical Clinic in Past Year (MHLCNCC2, MHLCNCC3) ¹		*	*	*	*	*	*	X
Respondent or Other Family Member Paid for Outpatient MH Treatment in Past Year (MHPDSL2)		X	X	X	X	X	X	X
Private Health Insurance Paid for Outpatient MH Treatment in Past Year (MHPDPHI2)		X	X	X	X	X	X	X
Medicare Paid for Outpatient MH Treatment in Past Year (MHPDMCR2)		X	X	X	X	X	X	X
Medicaid Paid for Outpatient MH Treatment in Past Year (MHPDMCD2)		X	X	X	X	X	X	X
Employer Paid for Outpatient MH Treatment in Past Year (MHPDEMP2)		X	X	X	X	X	X	X
Did Not Receive MH Treatment because Could Not Afford Cost (MHRCOST2)		X	X	X	X	X	X	X
Did Not Receive MH Treatment because Thought Could Handle Problem without Treatment (MHRHAND2)		X	X	X	X	X	X	X
Did Not Receive MH Treatment because Did Not Know Where To Go (MHRWHER2)		X	X	X	X	X	X	X
Did Not Receive MH Treatment because Did Not Have Time (MHRTIME2)		X	X	X	X	X	X	X

Table 2. Key Mental Health Measures for Persons Aged 18 or Older: 2002-2010 (continued)

Mental Health Measure (Variable Name)	Years Available							
	2002	2003	2004	2005	2006	2007	2008	2009-2010
Did Not Receive MH Treatment because Did Not Think Treatment Would Help (MHRNOHP2)		X	X	X	X	X	X	X
Did Not Receive MH Treatment because of Concerns about Confidentiality (MHRCFID2)		X	X	X	X	X	X	X
Did Not Receive MH Treatment because Insurance Did Not Pay Enough (MHRENUF2)		X	X	X	X	X	X	X
Did Not Receive MH Treatment because Did Not Think Treatment Was Needed (MHRNOND2)		X	X	X	X	X	X	X
Did Not Receive MH Treatment because Fear of Neighbors Negative Opinion (MHRNBRS2)		X	X	X	X	X	X	X
Did Not Receive MH Treatment because Fear of Being Committed (MHRCMIT2)		X	X	X	X	X	X	X
Suicidal Thoughts in Past Year (MHSUITHK)							X	X
Suicidal Plans in Past Year (MHSUIPLN)							X	X
Suicidal Attempts in Past Year (MHSUITRY)							X	X
K6 Total Score in Past Month (K6SCMON)							X	X
Past Month Serious Psychological Distress Indicator (SPDMON)							X	X
K6 Total Score in Worst Month of Past Year (K6SCYR)							X	X
Alternative Worst K6 Total Score (WSPDSC2)							X	X
WHODAS Total Score (WHODASC2)							X	X
Alternative WHODAS Total Score (WHODASC3)							X	X
Predicted Serious Mental Illness Probability (SMIPP)							X	X
Serious Mental Illness in Past Year (SMIYR)							X	X
Any Mental Illness in Past Year (AMIYR)							X	X
Mild Mental Illness Indicator (LMIYR)							X	X

Table 2. Key Mental Health Measures for Persons Aged 18 or Older: 2002-2010 (continued)

Mental Health Measure (Variable Name)	Years Available							
	2002	2003	2004	2005	2006	2007	2008	2009-2010
Moderate Mental Illness Indicator (MMIYR)							X	X
Serious or Moderate Mental Illness Indicator (SMMIYR)							X	X
Categorical Mental Illness Indicator (MI_CAT)							X	X

K6 = six-item nonspecific psychological distress scale, MD = medical doctor, MDE = major depressive episode, MH = mental health, WHODAS = abbreviated eight-item World Health Organization Disability Assessment Schedule.

NOTE: The letter X indicates that the measure is available for the year(s) shown; an italicized letter X indicates the measure's current exclusion from the public use file (PUF) for the year(s) indicated (however, excluded variables are expected to be present in future updates of the data files). An asterisk (*) indicates that a comparable measure with 2008 and later years is available for the year(s) shown. An en dash (–) indicates that a comparable measure with 2008 and later years is not available, but this measure can be used for the previous year(s) shown. An empty cell indicates that the measure is not available.

NOTE: The standard analysis weight, ANALWT_C, should be used for all measures and years, with the following exceptions: For AMIYR, SMMIYR, MMIYR, and LMIYR in 2008, the mental health half-sample analysis weight, MHSAWT_C, should be used in conjunction with the sample indicator that subsets to the 2008 WHODAS half-sample data (MHSAMP08=1).

NOTE: This table lists only the most commonly used mental health measures; it does not constitute a comprehensive list.

NOTE: This table was finalized on September 22, 2011.

¹ Respondents who reported receiving no outpatient mental health treatment are coded as No for 2009, but are coded as missing for previous years.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2010.

Table 3. Comparable Versions of Key Mental Health Measures for Persons Aged 18 or Older: 2002-2010

Mental Health Measure	Years Available				
	2002-2003	2004	2005-2007	2008	2009-2010
Lifetime Major Depressive Episode			AJAMDELT	AJAMDELT	AMDELT
Past Year Major Depressive Episode			AJAMDEYR	AJAMDEYR	AMDEYR
K6 Total Score in Worst Month of Past Year Based on Long Form Module	SMI_SUM	SPD_ASCR			
K6 Total Score in Worst Month of Past Year Based on Short Form Module		SPD_RSCR	SPD_USCR		
Worst K6 Total Score in Past Year ¹			K6SMXADJ	K6SCMAX	K6SCMAX
Past Year Serious Psychological Distress ² Indicator Based on Long Form Module	SMI	SPD_ADJ, SPD_UADJ ³			
Past Year Serious Psychological Distress Indicator Based on Short Form Module		SPD_RADJ	SPD_UADJ		
Past Year Serious Psychological Distress Indicator Based on Worst K6 Total Score			SPDYRADJ	SPDYR	SPDYR

K6 = six-item nonspecific psychological distress scale.

NOTE: All variables within a row are comparable across the years indicated, even if they have different names.

NOTE: The standard analysis weight, ANALWT_C, should be used for all measures and years, except as indicated in footnote 3 below.

NOTE: This table lists only the mental health measures with adjusted versions for comparability across years.

NOTE: This table was finalized on September 22, 2011.

¹ Worst K6 Total Score in Past Year is the maximum of K6 Total Score in Past Month (K6SCMON) and K6 Total Score in Worst Month of Past Year (K6SCYR).

² In the 2002 and 2003 NSDUHs, serious psychological distress was referred to as serious mental illness.

³ SPD_UADJ, restricted to the 2004 Sample A (Long Form), was used in the 2004 NSDUH detailed tables (Office of Applied Studies, 2005). SPD_ADJ was created so that comparisons of serious psychological distress based on the long form can be made between 2002, 2003, and the full 2004 sample. The standard analysis weight, ANALWT_C, should be used for SPD_ADJ, but for SPD_UADJ in 2004, the Sample A analysis weight, SPDWT_C, should be used in conjunction with the sample indicator that subsets to the 2004 Sample A data (ADLTSAMP=1).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2010.

References

- Aldworth, J., Kott, P., Yu, F., Mosquin, P., & Barnett-Walker, K. (in press). Analysis of effects of 2008 NSDUH questionnaire changes: Methods to adjust adult MDE and SPD estimates and to estimate SMI in the 2005-2009 surveys. In *2010 National Survey on Drug Use and Health: Methodological resource book* (Section 16b, prepared for the Substance Abuse and Mental Health Services Administration, Center for Behavioral Health Statistics and Quality, under Contract No. HHSS283200800004C, RTI/0211838.108.005).
- Office of Applied Studies. (2005, September). *Results from the 2004 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration. [Available at <http://oas.samhsa.gov/WebOnly.htm>]