

Plants that heal: *a walking garden*

Every plant in this garden earns its place twice over — once for the calming, sensory experience it gives the people who walk past it, and again for the deep medicinal and cultural heritage many of them carry. This catalogue pairs each species with a photograph, a recognition cue and a short note on its healing value.

PIETERMARITZBURG · KWAZULU-NATAL MIDLANDS · 32 PLANTS ACROSS SEVEN GARDEN USES

CONTENTS

Aromatic

Medicinal

Birds

Pollinators

Calming visual

Shade

Keep out

Care guide

Combinations

Credits

FILTER BY BENEFIT

● Scent / aromatherapy

● Calming colour

● Movement & sound

● Touch

● Labelled edible part

● Attracts birds

● Attracts butterflies

● Medicinal heritage

● Shade / shelter

☞ Aromatic & sensory

*eleven
plants*

Scent, texture, flavour and colour within arm's reach of the path — the most direct route to calm.



Peppermint pelargonium

Pelargonium tomentosum


LOOK FOR: soft, fuzzy leaves with a peppermint scent when gently touched.

CARE: Semi-shade, moist but well-drained soil; water at soil level and trim leggy stems.

Soft, velvety leaves release a cool peppermint scent on touch — an invitation to slow down and engage the senses.

● Scent

● Touch



Wild rosemary

Eriocephalus africanus

LOOK FOR: silvery, fine foliage and small white flower heads.

CARE: Full sun and sharp drainage; water to establish, then let soil dry between deep waterings.

Silvery aromatic foliage that's grounding and water-wise; the resinous scent settles the mind.

● Scent

● Touch

● Medicinal



Heteropyxis / Lavender tree

Heteropyxis natalensis

LOOK FOR: aromatic leaves, pale bark and warm bronze autumn colour.

CARE: Sunny to light shade; moderate summer water, mulch, and protect young trees from cold wind.

Crushed leaves smell of lavender — a sleep-and-calm associated scent — with warm autumn colour for year-round interest.

● Scent

● Colour

● Shade



Wild jasmine

Jasminum multipartitum

LOOK FOR: glossy leaves and starry white, sweetly scented flowers.

CARE: Well-drained composted soil; avoid overwatering and prune after flowering to shape.

Sweetly perfumed white flowers over an arbour create a memorable, mood-lifting "scent destination" — lovely in the evening.

● Scent

● Colour



Garden geranium

Pelargonium x hortorum / Pelargonium hybrids

LOOK FOR: rounded, softly scented leaves and bright clusters of pink, red, white or purple flowers.

CARE: Full sun to light shade, well-drained soil, regular deadheading and careful watering at the roots.

Colourful flowers lift the mood, while many scented-leaf varieties add a gentle touch-and-smell experience for path edges and containers.

● Colour ● Scent ● Touch



Lavender

Lavandula angustifolia

LOOK FOR: narrow grey-green leaves and upright purple flower spikes with a strong calming scent.

CARE: Full sun, excellent drainage, light feeding and pruning after flowering to prevent woody growth.

The purple flowers and familiar fragrance are strongly associated with calm, rest and sensory grounding.

● Scent ● Colour ● Pollinators



Basil

Ocimum basilicum / *Ocimum* spp.

LOOK FOR: soft, fragrant green leaves; annual sweet basil is tender, while some African basils become shrubby.

CARE: Morning sun, rich soil, steady water and frequent tip-pinching for leafy growth.

A familiar culinary herb with uplifting fragrance; flowering African basils also bring bees and gentle movement into the garden.

● Scent

● Edible part

● Pollinators



Lemongrass

Cymbopogon citratus

LOOK FOR: tall arching grass blades that release a strong lemon scent when rubbed.

CARE: Full sun, compost-rich soil, regular summer water and annual cutting back of old leaves.

Tall scented foliage adds movement, sound and a useful lemon note for tea or culinary interpretation.

● Scent

● Movement

● Edible part



Lemon verbena

Aloysia citrodora

LOOK FOR: narrow, slightly rough leaves with an intense lemon fragrance when crushed.

CARE: Warm sun, well-drained soil, moderate water and pruning to keep a leafy shrub shape.

Its clean lemon scent is immediate and memorable, making it a useful stop for sensory signage and supervised tea-garden interpretation.

● Scent

● Edible part

● Touch



Gardenia

Gardenia jasminoides

LOOK FOR: glossy dark leaves and creamy white flowers with a rich sweet perfume.

CARE: Bright filtered light or morning sun, acidic composted soil, mulch and consistent moisture.

The white flowers and strong perfume create a quiet, elegant scent moment near seating areas or entrances.

● Scent

● Colour

● Glossy leaves



Thyme

Thymus vulgaris

LOOK FOR: tiny aromatic leaves on low woody stems, often forming a soft ground-covering mat.

CARE: Full sun, lean gritty soil, little water and light trimming after flowering.

Low, aromatic foliage works well along edges where touch and scent can be noticed without blocking views.

● Scent

● Edible part

● Touch



African wormwood

Artemisia afra

umhlonyane

LOOK FOR: soft grey, finely divided leaves with a sharp herbal scent.


CARE: Full sun, good drainage and a hard winter prune for fresh spring growth.

One of South Africa's most-used traditional medicines (colds, fevers, coughs); soft silver foliage and a clean, clarifying aroma.

● Medicinal

● Scent

● Touch



Wild garlic

Tulbaghia violacea

isihaqa

LOOK FOR: narrow garlic-scented leaves and mauve star-shaped flowers.

CARE: Full sun to partial shade; regular summer water for flowers, then divide crowded clumps.

Long-lasting mauve flowers and a bee-and-butterfly draw; traditionally associated with colds and flu; the garlic-scented leaves need clear labelling and supervised use.

● Colour

● Butterflies

● Medicinal

● Edible part



Bulbine

Bulbine frutescens

LOOK FOR: succulent green leaves and yellow-orange flower spikes.

CARE: Full sun, free-draining composted soil; water sparingly once established and deadhead.

Cheerful orange-yellow flowers almost year-round; its leaf gel is a classic first-aid remedy for burns, bites and grazes.

● Colour

● Medicinal

● Pollinators



Cancer bush

Sutherlandia / Lessertia frutescens

LOOK FOR: red pea-like flowers followed by inflated papery pods.

CARE: Full sun and very free drainage; little water, no overwatering, replace older plants.

A revered traditional tonic and immune plant; red flowers and inflated papery pods make it a story-rich specimen.

● Medicinal

● Colour



Krantz aloe

Aloe arborescens

LOOK FOR: branching rosettes and upright orange-red winter flower candles.

CARE: Full sun, gritty drainage and deep infrequent watering; keep roots dry in winter.

Bold sculptural form with winter nectar that brings sunbirds in close; leaf gel soothes burns and skin.

● Medicinal

● Birds

● Colour

🐦 Bird-attracting *five plants*

Birdsong, colour and movement — the living "positive distractions" of a healing garden.



Cape honeysuckle

Tecoma capensis

LOOK FOR: glossy hedge growth and orange tubular flowers.

CARE: Sun or semi-shade; water weekly while establishing and prune hard to control shape.

Orange-red tubular flowers reliably pull in sunbirds — fast colour and life for a focal bed.

● Birds

● Colour



Wild dagga

Leonotis leonurus

LOOK FOR: tall stems with orange flower whorls around the stem.

CARE: Full sun, compost and growing-season water; cut back after flowering for strong regrowth.

Tall orange flower whorls bring sunbirds and strong vertical structure; traditionally a calming remedy.

● Birds

● Medicinal

● Colour



Tree fuchsia

Halleria lucida

LOOK FOR: small tree form, orange-red tube flowers and dark fruit.

CARE: Nutrient-rich loam and steady water while young; protect young trees from frost.

Locally native; nectar flowers feed sunbirds and the fruit feeds many birds — a living, animated, water-wise tree.

● Birds

● Shade



Crane flower

Strelitzia reginae

LOOK FOR: paddle-shaped leaves and orange-blue bird-like blooms.

CARE: Sun to light shade, composted soil and regular summer water; do not disturb clumps often.

Iconic sculptural "bird" blooms double as sunbird nectar — a strong, exotic visual anchor.

● Birds

● Colour



Num-num

Carissa macrocarpa

LOOK FOR: glossy thorny hedge, white star flowers and red plum-like fruit.

CARE: Sun to semi-shade; deep water until established, then prune as a dense hedge.

Fragrant white flowers, glossy leaves and edible red fruit — a multi-sensory hedge that feeds birds and offers a recognisable edible fruit when correctly identified and supervised.

● Scent

● Edible part

● Birds

🦋 Butterfly & pollinator

four
plants

Gentle, mesmerising movement — textbook "soft fascination" that restores tired attention.



Wild peach

Kiggelaria africana

LOOK FOR: oval leaves, orange split fruit and a light shade-tree canopy.

CARE: Sun or light shade; moderate water when young and leave caterpillars as part of the ecology.

Host tree for the garden acraea butterfly, so it guarantees butterflies — and the birds that follow them; fine shade too.

● Butterflies

● Birds

● Shade



Sagewood

Buddleja salviifolia

LOOK FOR: grey-green wrinkled leaves and lilac honey-scented flower sprays.

CARE: Full sun, good drainage and a prune after flowering to keep it compact.

Honey-scented lilac flower trusses that hum with butterflies and bees — scent, sound and movement together.

● Butterflies

● Scent

● Sound



Bush violet

Barleria obtusa

LOOK FOR: low mounding growth with soft mauve-blue flowers.

CARE: Sun to semi-shade; prune after autumn flowering and pinch tips for more bloom.

A froth of soft mauve-blue autumn flowers — a calming colour wash and a butterfly draw when colour is most welcome.

● Colour

● Butterflies



Plumbago

Plumbago auriculata

LOOK FOR: pale blue flower clusters and a loose scrambling habit.

CARE: Sun to semi-shade; compost, moderate water and regular cutting back to control spread.

Soft sky-blue flowers — among the most soothing colours available — host blue butterflies and shelter small birds.

● Colour

● Butterflies

● Birds

☞ Calming visual *four plants*

Colour, form and movement chosen to lower arousal and quiet a busy mind.



Agapanthus

Agapanthus praecox

LOOK FOR: strap leaves and tall blue or white flower spheres.

CARE: Full sun, compost-rich drainage and weekly deep spring-summer watering for best flowers.

Blue-and-white flower globes are among the most calming in the palette; mass plantings read as serene and orderly. (*Toxic if eaten — label.*)

● Colour



Wild iris

Dietes grandiflora

LOOK FOR: sword-like leaves and white flowers with mauve-yellow markings.

CARE: Full sun or light shade; composted soil and good summer water for maximum flowering.

Elegant white-and-mauve blooms on swaying stems; evergreen and serene — a low-effort calming anchor.

● Colour

● Movement



Clivia

Clivia miniata

LOOK FOR: dark strap leaves and orange trumpets in shade.

CARE: Dappled shade, compost mulch and summer water; reduce watering in winter.

Glowing orange flowers that bring warmth and life to deep shade — turning dark corners into welcoming refuges. (*Toxic if eaten — label.*)

● Colour

● Shade-lover



Red grass

Themeda triandra

LOOK FOR: fine seed heads and copper-red colour in dry months.

CARE: Full sun, lean soil and first-year water; cut old seed heads late winter.

The garden's movement-and-sound layer — sways, rustles and catches low light, and feeds seed-eating birds. Native to the local veld.

● Movement

● Birds



Cape chestnut

Calodendrum capense

LOOK FOR: glossy leaves and clouds of pink spring blossom.

CARE: Warm sun, deep composted soil and plenty of spring-summer water while young.

Clouds of fragrant pink spring blossom (an uplifting seasonal event), generous dappled shade for rest, and a butterfly draw.

● Shade

● Scent

● Butterflies

● Colour

☞ Plants to keep out

recognise & remove

Beautiful but highly toxic — unsafe for an unsupervised public garden. Learn them by sight.



Oleander

Nerium oleander

LOOK FOR: narrow leathery leaves and showy pink, white or red flowers; remove on sight.

CARE: Do not plant; remove with gloves, bag waste, and never burn or compost trimmings.

Every part is highly poisonous and it's also a declared invasive in South Africa. Exclude entirely.

● Do not plant



Angel's trumpet

Brugmansia / Datura spp.

LOOK FOR: large hanging trumpet flowers and soft broad leaves; remove on sight.

CARE: Do not plant; remove with protective clothing and keep all plant parts away from children.

All parts highly toxic and hallucinogenic — a frequent cause of poisoning. Keep out, especially anywhere children visit.

● Do not plant

Watering & Care Guide

Use this as the garden team's practical maintenance sheet. Adjust watering after rain, during heat waves and while new plants are establishing.

New planting

Water deeply at the root zone for the first 8-12 weeks, then reduce frequency as roots settle.

Mulch

Keep a 50-75 mm organic mulch layer around plants, pulled back from stems and trunks.

Check before watering

Feel the soil below the mulch. If it is still cool and damp, wait; if dry below finger depth, water deeply.

Plant	Watering	Light & Soil	Care Work	Watch / Safety
Peppermint pelargonium	Regular light-to-moderate water while establishing; keep evenly moist in hot spells, never waterlogged.	Semi-shade or bright filtered light; fertile, well-drained soil or a potting mix with compost.	Pinch or trim to keep it bushy; remove tired stems and keep air moving around the fuzzy leaves.	Avoid wet, stagnant foliage and heavy shade.
Wild rosemary	Low once established; water deeply during long dry spells rather than little-and-often.	Full sun; sandy or loamy, very well-drained soil.	Lightly shape after flowering or in late autumn; avoid rich, wet soil.	Overwatering makes this aromatic shrub weak and short-lived.
Lavender tree	Moderate; deep water in warm months while young, then reduce once established.	Full sun to light shade; loamy, well-drained soil with compost.	Mulch annually; prune only to lift the canopy or remove crossing branches.	Young trees need frost and wind protection.
Wild jasmine	Moderate; water during dry spells but allow the soil to drain and dry slightly.	Sun to partial shade; prepared, composted, well-drained soil.	Tip-prune young shoots for density; shape or reduce after flowering.	Too much water can cause dieback.
African wormwood	Moderate in active summer growth; lower once established and avoid wet soil.	Full sun; average to moderately fertile, well-drained soil.	Cut back hard in winter; divide or take cuttings when clumps spread.	Rich wet soil can cause root problems and floppy growth.
Wild garlic	Moderate; water regularly in the growing season and reduce in winter.	Full sun gives best flowers; light, well-drained soil with compost.	Remove spent flower stalks; divide clumps every few years.	Avoid waterlogged soil and label edible use clearly.
Bulbine	Low to moderate; let soil dry slightly between waterings.	Full sun or light semi-shade; well-drained soil enriched with compost.	Deadhead for more flowers; prune or divide when untidy.	Root rot follows soggy soil.
Cancer bush	Low once established; water new plants until rooted, then only in dry periods.	Full sun; poor to average soil is fine if drainage is excellent.	Allow self-seeding or replace after a few seasons; avoid transplanting large plants.	Short-lived and dislikes wet containers.
Krantz aloe	Low; water deeply, then let soil dry before watering again.	Full sun; well-drained, compost-enriched sandy or loamy soil.	Remove spent flower stalks and old leaves; feed lightly in spring if needed.	Severe frost and wet roots are the main risks.

Plant	Watering	Light & Soil	Care Work	Watch / Safety
Cape honeysuckle	Moderate in the first year and in full sun; lower in semi-shade once established.	Full sun for best flowers, semi-shade tolerated; well-drained soil.	Clip as a hedge or cut back after flowering flushes to prevent sprawling.	Can become unruly if not pruned.
Wild dagga	Moderate during active growth; reduce when dormant or cool.	Full sun; rich, well-drained loam with compost and mulch.	Cut back after flowering or late winter; feed with organic fertiliser at spring growth.	Leggy stems need seasonal pruning.
Tree fuchsia	Moderate; grows fastest with year-round moisture but tolerates dry periods when established.	Sun, semi-shade or dappled shade; fertile, well-drained loam.	Lightly trim to shape; mulch and compost young trees.	Young plants are more frost-sensitive.
Crane flower	Moderate; keep evenly moist in warm growth but never waterlogged.	Full sun to light shade; rich, well-drained soil or large tubs.	Remove old leaves and spent flower stalks; feed during active growth.	Moved or divided clumps can take years to flower again.
Num-num	Moderate while establishing; once rooted, water deeply and let soil dry between waterings.	Full sun for fruiting, semi-shade tolerated; compost-enriched, well-drained soil.	Prune to hedge shape; mulch to protect shallow feeder roots.	Thorns near paths need careful placement and trimming.
Wild peach	Moderate while establishing; drought tolerant once established but grows faster with seasonal water.	Sun to light shade; well-drained soil with compost at planting.	Prune low shoots if a clear trunk is wanted; mulch young trees.	Butterfly caterpillars may defoliate it temporarily; trees usually recover.
Sagewood	Low to moderate; water deeply in dry spells and let soil drain.	Full sun for best flowering; well-drained average soil.	Prune after flowering because it flowers on older wood; add compost in late winter.	Protect young plants from hard frost and cold wind.
Bush violet	Moderate during establishment and dry summer spells.	Sun or semi-shade; well-drained garden soil.	Prune after flowering for compact growth; nip spring shoots to encourage flowers.	Can become woody if not cut back.
Plumbago	Moderate while establishing; drought resistant once settled, but flowers better with summer water.	Full sun to semi-shade; any good soil, improved with compost.	Cut back after winter or after growth flushes; train or clip as needed.	Scrambles and suckers if allowed to roam.
Agapanthus	Moderate to high in spring and summer; deep weekly watering is better than shallow sprinkling.	Full sun or light semi-shade; rich, well-drained soil with compost.	Remove spent stalks; divide crowded clumps in spring when flowering declines.	Toxic if eaten, so label in public areas.
Wild iris	Moderate; water well in summer, but tolerate drier periods once established.	Full sun or light shade; well-composted, well-drained soil.	Remove old leaves and spent flower stems; split clumps if overcrowded.	May self-seed; remove unwanted seedlings.
Clivia	Regular in summer growth; reduce in winter and let soil dry slightly between watering.	Dappled shade; well-composted, well-drained, airy soil.	Mulch annually; feed in summer; remove yellow leaves and spent stems.	Leaves burn in sun, and the plant is toxic if eaten.
Red grass	Water during the first year; after establishment, low water is usually enough.	Full sun; average to clay soil, preferably not overly rich.	Comb or cut back old growth at the end of winter before new shoots.	Overwatering and overfeeding can make grasses floppy.
Cape chestnut	Moderate to generous in spring and summer, especially while establishing.	Warm sunny position; deep, fertile, well-composted, well-drained soil.	Mulch widely, protect from persistent wind, and train a balanced canopy while young.	Young trees need frost and wind protection.
Oleander	No garden watering plan: exclude it from the planting scheme.	Keep out of public or unsupervised gardens.	If present, wear gloves, long sleeves and eye protection; bag and dispose of cut material safely.	All parts are highly toxic; smoke from burning is also dangerous.

Plant	Watering	Light & Soil	Care Work	Watch / Safety
Angel's trumpet	No garden watering plan: exclude it from the planting scheme.	Keep out of public or unsupervised gardens.	Wear gloves and eye protection for removal; bag plant material and clean tools afterwards.	All parts are toxic and sap/perfume can irritate sensitive people.
Garden geranium	Moderate; water when the top soil dries, and reduce in cool weather.	Full sun to light shade; fertile, well-drained soil or containers.	Deadhead regularly, pinch leggy stems, and remove yellow leaves.	Avoid wet leaves and waterlogged soil, which invite fungal disease.
Lavender	Low to moderate; water deeply while establishing, then let soil dry between waterings.	Full sun; gritty, alkaline-to-neutral, well-drained soil.	Trim after flowering and lightly shape in spring; avoid cutting into old bare wood.	Humid, wet soil can shorten its life.
Basil	Moderate to regular; keep evenly moist but not soggy, especially in heat.	Morning sun or full sun with good water; fertile, compost-rich soil.	Pinch tips often, remove flowers for leaf production, or leave some flowers for bees.	Sweet basil is frost tender and usually annual.
Lemongrass	Moderate to generous in summer; reduce in winter and avoid standing water.	Full sun; fertile, well-drained soil with compost and mulch.	Cut back tired leaves at the end of winter; divide large clumps when crowded.	Leaf edges can be sharp, so keep it back from narrow paths.
Lemon verbena	Moderate; water regularly in hot growth, then reduce in winter.	Full sun to light shade; light, well-drained soil enriched with compost.	Prune in spring after cold damage risk, and pinch tips for bushiness.	Can drop leaves in cold weather; protect young plants from frost.
Gardenia	Moderate and consistent; keep soil evenly moist but not saturated.	Morning sun or bright filtered light; acidic, compost-rich, well-drained soil.	Mulch, feed with acid-loving fertiliser, and prune lightly after flowering.	Yellow leaves often signal alkaline soil, poor drainage or nutrient stress.
Thyme	Low; water to establish, then allow soil to dry between deep waterings.	Full sun; lean, sandy or gritty, sharply drained soil.	Trim lightly after flowering and replace woody old plants when they thin out.	Dislikes wet feet and heavy shade.

Care notes were cross-checked with SANBI PlantZAfrica plant profiles and supplementary horticultural toxicity/growing references for species where watering details were limited.

Using project photographs

The catalogue now uses reference photographs for every plant. For a final site-specific version, replace these with photographs taken in the actual garden so visitors can recognise the plants exactly as they will see them on the path.

Keep the file and the `healing_garden_images` folder together. If you change a photo, keep the same filename or update the matching `src` value in the card.

Suggested Garden Combinations

These photo boards use the actual plant pictures from the catalogue so non-specialists can recognise the look, height layer and planting role of each combination.

Dry Sunny Aromatic Bed

Full sun, low water, silver foliage, herbs and warm flower accents.



Lavender

Middle layer



Thyme

Front edge



Wild rosemary

Middle layer



Bulbine

Front edge



Krantz aloe

Back layer



Red grass

Back layer

Use this bed for hot, open areas with very good drainage.

Dry Sunny Aromatic Bed

Low-water, full-sun planting with silver foliage, herbs and warm flower accents.

Best for the hottest, driest edge of the garden. Keep soil sharply drained.

- Lavender
- Thyme
- Wild rosemary
- Bulbine
- Krantz aloe
- Red grass

Lemon & Tea Sensory Bed

Fragrant leaves for touch, scent and supervised tea-garden interpretation.



Lemongrass

Back layer



Lemon verbena

Middle layer



Basil

Front edge



**Peppermint
pelargonium**

Front edge



Wild garlic

Front edge

Best beside a path where visitors can smell leaves without stepping into the bed.

Lemon & Tea Sensory Bed

A fragrant path-side bed for touch, scent and supervised culinary interpretation.

Plant near a path so visitors can smell leaves without stepping into the bed.

- Lemongrass
- Lemon verbena
- Basil
- Pelargonium
- Wild garlic

Fragrant Flower Entrance Bed

Perfumed shrubs and soft flowers for entries, benches and slow walking moments.



Gardenia

Middle layer



Wild jasmine

Back layer



**Garden
geranium**

Front edge



Heteropyxis

Back layer



Clivia

Front edge

Keep Gardenia in richer, slightly acidic soil; place Lavender on the drier edge if used nearby.

Fragrant Flower Entrance Bed


Perfumed shrubs and soft flowers for benches, entries and slow walking moments.

Give Gardenia richer, slightly acidic soil and keep Lavender to the drier front edge.

- Gardenia
- Wild jasmine
- Geranium
- Heteropyxis
- Clivia

Bird & Sunbird Bed

Nectar, fruit, height and movement to bring birds close to the walkway.



Set thorny Num-num back from paths and prune Cape honeysuckle often.

Bird & Sunbird Bed


Nectar, fruit, height and movement to bring life close to the walkway.

Keep thorny Num-num set back from tight paths; prune Cape honeysuckle often.

- Cape honeysuckle
- Wild dagga
- Krantz aloë
- Tree fuchsia
- Strelitzia
- Num-num

Butterfly & Pollinator Bed

Layered flowering plants for bees, butterflies and soft fascination.



Let some basil flower for bees and keep Plumbago pruned around smaller plants.

Butterfly & Pollinator Bed

Layered flowers for bees, butterflies and soft fascination.

Let some basil flower for bees, and prune Plumbago so it does not swallow smaller plants.

- Sagewood
- Plumbago
- Bush violet
- Wild peach
- Basil
- Tulbaghia

Shade & Resting Bed

A calm seating garden with dappled shade, white flowers and glossy foliage.



Cape chestnut

Back layer



Clivia

Front edge




Wild iris

Middle layer



Gardenia

Middle layer



Wild jasmine

Back layer

Best for a bench or pause point. Mulch roots and water young trees deeply.

Shade & Resting Bed

A calm seating garden with dappled shade, white flowers and glossy foliage.

Best for a bench or pause point. Keep roots mulched and water young trees deeply.

- Cape chestnut
- Clivia
- Wild iris
- Gardenia
- Wild jasmine

Photo credits

Reference photographs are from Wikimedia Commons. Click a plant name to open the source file page and full license details.

1. **Peppermint pelargonium** *Pelargonium tomentosum*. Photo: Michael Wolf. License: CC BY-SA 3.0.
Pelargonium tomentosum 05.jpg
2. **Wild rosemary** *Eriocephalus africanus*. Photo: S. Edwards, Sydenham. License: Public domain.
African Rosemary.jpg
3. **Lavender tree** *Heteropyxis natalensis*. Photo: Rotational. License: Public domain.
Heteropyxis natalensis01.jpg
4. **Wild jasmine** *Jasminum multipartitum*. Photo: SAplants. License: CC BY-SA 4.0.
Jasminum multipartitum 5Dsr 1-2066.jpg
5. **African wormwood** *Artemisia afra*. Photo: H Brisse (upload by Abalg). License: CC BY-SA 3.0.
Artemisia afra 07102003 Afrique du sud.jpg
6. **Wild garlic** *Tulbaghia violacea*. Photo: Wikimedia Commons contributor. License: CC BY-SA 3.0.
Tulbaghia (Society Garlic).jpg
7. **Bulbine** *Bulbine frutescens*. Photo: Stan Shebs. License: CC BY-SA 3.0.
Bulbine frutescens 2.jpg
8. **Cancer bush** *Sutherlandia / Lessertia frutescens*. Photo: Andrawaag. License: CC BY-SA 4.0.
2018-08-05 Sutherlandia frutescens.jpg
9. **Krantz aloe** *Aloe arborescens*. Photo: Zeynel Cebeci. License: CC BY-SA 4.0.
Aloe arborescens - Candelabra aloe 01.jpg
10. **Cape honeysuckle** *Tecoma capensis*. Photo: Franz Xaver. License: CC BY-SA 4.0.
Tecoma capensis 3.jpg
11. **Wild dagga** *Leonotis leonurus*. Photo: Urban. License: Public domain.
Leonotis leonorus10.jpg
12. **Tree fuchsia** *Halleria lucida*. Photo: Stan Shebs. License: CC BY-SA 3.0.
Halleria lucida 3.jpg
13. **Crane flower** *Strelitzia reginae*. Photo: Brocken Inaglor. License: CC BY-SA 3.0.
Bird of Paradise flower.JPG
14. **Num-num** *Carissa macrocarpa*. Photo: Forest & Kim Starr. License: CC BY 3.0.
Starr 010820-0009 Carissa macrocarpa.jpg
15. **Wild peach** *Kiggelaria africana*. Photo: SAplants. License: CC BY-SA 4.0.
Kiggelaria africana 1DS-II 3742.jpg
16. **Sagewood** *Buddleja salviifolia*. Photo: Wikimedia Commons contributor. License: CC BY-SA 4.0.
Buddleja salvifolia.jpg
17. **Bush violet** *Barleria obtusa*. Photo: SAplants. License: CC BY-SA 4.0.
Barleria obtusa 1DS-II 4-3309.jpg
18. **Plumbago** *Plumbago auriculata*. Photo: ErgoSum88. License: Public domain.
Blue flowers01.JPG
19. **Agapanthus** *Agapanthus praecox*. Photo: Craig Franklin. License: CC BY-SA 3.0 au.
BCBG Agapanthus Praecox 04.jpg
20. **Wild iris** *Dietes grandiflora*. Photo: Rojer Wisner. License: CC BY 2.0.
Dietes grandiflora or Fairy Iris.jpg
21. **Clivia** *Clivia miniata*. Photo: Bernard DUPONT from FRANCE. License: CC BY-SA 2.0.
Bush Lily (Clivia miniata) (32603733520).jpg
22. **Red grass** *Themeda triandra*. Photo: Peripitus. License: CC BY-SA 3.0.
Themeda triandra - kangaroo grass.jpg
23. **Cape chestnut** *Calodendrum capense*. Photo: Melburnian. License: CC BY 2.5.
Calodendrum capense.jpg
24. **Oleander** *Nerium oleander*. Photo: Giuseppe Frizzi. License: Public domain.
Dettaglio - Apocinaceae Nerium oleander Lin. Erbario Frizzi Perugia n. 270.jpg
25. **Angel's trumpet** *Brugmansia / Datura spp.*. Photo: Wikimedia Commons contributor. License: CC BY-SA 3.0.
Brugmansia.jpg
26. **Garden geranium** *Pelargonium x hortorum / Pelargonium hybrids*. Photo: Hardyplants. License: CC0.
Pelargonium x hortorum mixed.jpg

- | | |
|--|---|
| <p>27. Lavender <i>Lavandula angustifolia</i>. Photo: Norbert Nagel. License: CC BY-SA 3.0.
<i>Lavandula angustifolia - lavender - Lavendel - 01.jpg</i></p> <p>28. Basil <i>Ocimum basilicum</i> / <i>Ocimum spp.</i>. Photo: Castielli. License: CC BY-SA 3.0.
<i>Basil-Basilico-Ocimum basilicum-albahaca.jpg</i></p> <p>29. Lemongrass <i>Cymbopogon citratus</i>. Photo: Wikimedia Commons contributor. License: CC BY 2.0.
<i>YosriNov04Pokok Serai.JPG</i></p> | <p>30. Lemon verbena <i>Aloysia citrodora</i>. Photo: ViajeroExtraviado. License: CC BY-SA 4.0.
<i>Leaves of Aloysia citrodora.jpg</i></p> <p>31. Gardenia <i>Gardenia jasminoides</i>. Photo: Md Arif bd. License: CC BY-SA 4.0.
<i>Gardenia jasminoides flower.jpg</i></p> <p>32. Thyme <i>Thymus vulgaris</i>. Photo: Naturpuur. License: CC BY 4.0.
<i>Thymian (Thymus vulgaris), Nationalpark Hohe Tauern.jpg</i></p> |
|--|---|

Medicinal, cultural and care notes are recorded for educational and signage purposes only — not medical advice, and not a suggestion to harvest, prepare or ingest any plant. Edible uses require correct identification, permission and supervision. Species such as agapanthus, clivia and all plants in the keep-out section are toxic if eaten and should be labelled accordingly. Plant data drawn from SANBI / PlantZAfrica and standard South African horticultural and ethnobotanical sources.