

LINUX MCQ

1. Which of the following command is used to count the total number of lines, words, and characters contained in a file?
 - A) wc
 - B) wcount
 - C) countw
 - D) None of the above
2. Identify the command which is used to remove files.
 - A) delete
 - B) rm
 - C) dm
 - D) erase
3. Identify the hardware structure which is not supported by Red Hat?
 - A) IBM-compatible
 - B) Alpha
 - C) SPARC
 - D) Macintosh
4. Among the following command which is used with vi editors to delete a single character?
 - A) a
 - B) x
 - C) y
 - D) z
5. Choose the TCP/IP Protocol which is used for remote terminal connection service?
 - A) FTP
 - B) UDP
 - C) RARP
 - D) TELNET
6. The Physical layer of the network
 - A) constructs packets of data and sends them across the network

B) controls error detection and correction

C) defines the electrical characteristics of signals passed between the computer and communication devices

D) All of the above

E) None of the above

7. How many networks and nodes per network are allowed by the class B network?

A) 127 networks and 16,777,216 nodes per network

B) 16,384 networks and 65,534 nodes per network

C) 2,097,152 networks and 254 nodes per network

D) All of the above

E) None of the above

8. What service is used to translate domain name to IP addresses?

A) NFS

B) SMB

C) NIS

D) DNS

E) None of the above

9. Which of the following command is used to create a linux installation hoot floppy?

A) mkboot disk

B) bootfp disk

C) ww and rawwrite

D) dd and rawrite

E) None of the above

10. How can you add Amit, a new user, to your system?

A) Using useradd

B) Using adduser

C) Using linuxconf

D) All of the above

E) None of the above

11. The dmesg command

A) Shows user login logoff attempts

B) Shows the syslog file for info messages

C) kernel log messages

D) Shows the daemon log messages

12. The command “mknod myfifo b 4 16”

A) Will create a block device if user is root

B) Will create a block device for all users

C) Will create a FIFO if user is not root

D) None of the mentioned

13. Which command is used to set terminal IO characteristic?

A) tty

B) cty

C) pty

D) stty

14. Which command is used to record a user login session in a file

A) macro

B) read

C) script

D) none of the mentioned

15. Which command is used to display the operating system name

A) os

B) unix

C) kernel

D) uname

16. Who founded Linux Kernel?

A) Thompson and Dennis Ritchie

B) Linus Torvalds

C) Linus Torvalds and Ken Thompson

D) Richard Stallman

17. What is the core of the Linux operating system?

A) Vi Editor

B) Command Line

C) Terminal

D) Kernel

18. Which is/are the directories that come under the Binary directory?

A) /bin

B) /sbin

C) /lib

- D) /opt
- E) All of the above

19. The directory is a type of file?

- A) Yes
- B) No

20. Which symbol represents the top-level directory?

- A) ~
- B) @
- C) #
- D) /

21. The Command do you use to create Linux file system is

- A) fsck
- B) mkfs
- C) mount
- D) None of the mentioned

22. Which of the following directory contains configuration files in Linux?

- A) /dev/
- B) /etc/
- C) /bin/
- D) /root/

23. The maximum filename size in Linux in bytes is 255.

- A) True
- B) False

24. Which command is used to remove files?

- A) rm
- B) dm
- C) erase
- D) delete

25. _____ command is used to remove the directory.

- A) rdir
- B) rd
- C) rmdir
- D) None of the above

26. Total primary partitions that can exist on one drive is _____

- A) 1
- B) 2
- C) 16
- D) 4

27. FSF stands for _____

- A) File server first
- B) Free software file
- C) Free software Foundation
- D) First server first

28. Which of the following is used to back up over typing errors in vi?

- A) \$
- B) #
- C) @
- D) !

29. Identify the command used to add printing jobs to the queue.

- A) lpd
- B) lpq
- C) lpc
- D) lpr

30. Choose the server which is used with the BIND package?

- A) shhttp
- B) dns
- C) named
- D) httpd

31. By default, which port does squid listen to?

- A) 4322
- B) 3128
- C) 7334
- D) 2314

32. Which of the following commands is used to display the octal value of the text?

- A) od
- B) oct
- C) octal
- D) text_oct

33. GNU stands for _____.

- A) Greek Needed Unix
- B) General Unix
- C) GNU's Not Unix
- D) General Noble Unix

34. What is the core of the Linux operating system?

- A) Terminal
- B) Kernel
- C) Command
- D) Terminal

35. Which command is used to display the unix version

- A) `uname -r`
- B) `uname -n`
- C) `uname -t`
- D) `kernel`

36. Which command is used to print a file

- A) `print`
- B) `ptr`
- C) `lpr`
- D) none of the mentioned

37. Using which command you find resource limits to the session?

- A) `rlimit`
- B) `ulimit`
- C) `setrlimit`
- D) `getrlimit`

38. Which option of `ls` command used to view file inode number

- A) `-l`
- B) `-o`
- C) `-a`
- D) `-i`

39. `Find / -name '*'` will

- A) List all files and directories recursively starting from /
- B) List a file named * in /
- C) List all files in / directory
- D) List all files and directories in / directory

40. Write the command to display the current date in the form dd/mm/yyyy.

- A) `date +%d/%m/%Y`

- B) date +"%d/%m/%Y"
- C) date +%d/%m/20%y
- D) date +"%d/%m/20%y"

41. The command syntax to display the file 'sample.txt' one page at a time is

- A) man sample.txt>more
- B) cat sample.txt<more
- C) cat sample.txt|more
- D) none of the mentioned

42. Which one shows the name of the operating system?

- A) uname -n
- B) uname -r
- C) uname -o
- D) uname -m

43. How do you add (append) a file "file1" to the example.tar file

- A) no you cannot add a file to example.tar
- B) tar -cvf example.tar file1
- C) tar -rvf file1 example.tar
- D) tar -evf file1 example.tar

44. How to execute ls command inside a vi editor?

- A) !ls
- B) :ls
- C) :!ls
- D) we can't execute

45. Which command gives the first byte where the difference is in the file1 & file2?

- A) diff
- B) cmp
- C) comm
- D) ls -a

46. To open a file file1 with cursor at line number 4

- A) vi +num file1
- B) vi +set num file1
- C) vi + "set num" file1
- D) vi +/se nu file1

47. Sed is a command typically used for

- A) Perform complex calculations
- B) Perform FIFO based non-blocking I/O
- C) Modify/print selective contents of a file
- D) None of the mentioned

48. What communication command provides communication to another user logged on by writing to the bottom of their terminal?

- A) talk
- B) write
- C) chat
- D) transmit

49. Which screen manipulation command sets the screen back to normal?

- A) tput cup
- B) tput smso

C) tput rmso

D) tput blink

50. Which command will you use to see the available routes?

A) show route

B) route status

C) netstat -r

D) none of the mentioned

51. Which command is used to view compressed text file contents

A) cat

B) type

C) zcat

D) print

52. Which command changes a file's group owner

A) cgrp

B) chgrp

C) change

D) group

53. Which command is used to extract intermediate result in a pipeline

A) tee

B) extract

C) exec

D) none of the mentioned

54. Which command is used to extract a column from a text file

A) paste

B) get

C) cut

D) tar

55. Which command is used to display disk consumption of a specific directory

A) du

B) ds

C) dd

D) dds

56. Which command is used to perform backup in unix?

A) backup

B) cpio

C) zip

D) gzip

57. The dmesg command

A) Shows user login logoff attempts

B) Shows the syslog file for info messages

C) kernel log messages

D) Shows the daemon log messages

58. The command “mknod myfifo b 4 16”

A) Will create a block device if user is root

B) Will create a block device for all users

C) Will create a FIFO if user is not root

D) None of the mentioned

59. Which command is used to set terminal IO characteristic?

A) tty

B) ctty

C) pty

D) stty

60. Which command is used to record a user login session in a file

A) macro

B) read

C) script

D) none of the mentioned

61. Which command runs the shell built-in command 'command' with the given argument?

A) builtin

B) caller

C) there is no command present for this purpose

D) none of the mentioned

62. Which option of the command 'cd' use the actual filesystem path for cd.. and the value of pwd?

A) -l

B) -L

C) -p

D) -P

63. Which command generates possible completions for string according to the and write it to standard output?

A) compgen

B) complete

- C) continue
- D) none of the mentioned

64. Which command executes 'command' in place of the current process instead of creating a new process?

- A) exec
- B) command
- C) trap
- D) none of the mentioned

65. Which Linux command is used to see all the hidden files?

- A) ls
- B) ls -h
- C) ls -a
- D) dir -a

66. Which Linux command is used to give a full listing?

- A) ls -F
- B) ls -h
- C) ls -a
- D) dir -a

67. Which Linux command is used to go back from a folder to the folder before that?

- A) cd..
- B) cd
- C) cd/

D) chdir

68. If you want to create a new directory named XYZ, which command will be used for this purpose?

A) cd XYZ

B) chdir XYZ

C) mkdir XYZ

D) md XYZ

69. Which Linux command is used to create a new file?

A) create

B) file

C) tch

D) touch

70. Which Linux command is used to copy files through the command line?

A) cp

B) copy

C) fcp

D) filecopy

71. Which is the correct command syntax to rename a file "abc.txt" to "pqr.txt"?

A) mv abc.txt pqr.txt

B) mv pqr.txt abc.txt

C) mv -a pqr.txt abc.txt

D) mv -all pqr.txt abc.txt

72. Just like the Windows Search command, which command is used in Linux?

A) search

B) find

C) findall

D) locate

73. Which argument with locate command helps us to ignore the case while searching the file in the Linux system?

A) -c

B) -i

C) -a

D) -x

74. Which is the correct command syntax to locate a file containing the words "hello" and "this"?

A) locate -i *hello*this

B) locate -i **hello**this

C) locate -i *hello*this*

D) locate -i **hello**this**

75. If you want any command to be done with administrative or root privileges, you can use the ____ command.

A) sud

B) sudo

C) super

D) superuser

76. The "sudo" command stands for ____.

A) su

B) superuser does

C) superuser do

D) super do

77. Which Linux command is used to see the available disk space in each of the partitions in your system?

A) disk

B) diskspace

C) available

D) df

78. Which Linux command is used to check the computer's hostname?

A) hostname

B) host

C) comph

D) hname

79. The ____ command gives you your IP address in your network.

A) hostname

B) hostname -I

C) host -I

D) hostname -i

80. Which Linux command is used to check your connection to a server?

A) connection

B) isconnect

C) check

D) ping

81. Which Linux command is used to clear the terminal if it gets filled up with too many commands?

A) clear

B) clean

C) cls

D) clr

82. OSS stands for ____.

A) Open System Software

B) Open Source Software

C) Open System Source

D) None of the above

83. Which Linux command is used to force all buffers to disk?

A) sync

B) fflush

C) flush

D) clearx

84. To create a swap partition by using fdisk, which partition's system ID type should be used?

A) 1

B) 82

C) 5

D) 83

85. Which of the following command is used to change the working directory?

- A) changed
- B) chdr
- C) dr
- D) cd

86. LILO stands for _____ -

- A) Linux Leveraging Order
- B) Linux loader
- C) Linux Low Order
- D) None of the above

87. NIS

- A) is a simple directory service whose main purpose is to allow remote authentication of systems on local network systems
- B) allows configuration-such as password and group files
- C) is Network Information Service
- D) was formerly known as yellow page

88. Which of the following command is used to sort the lines of data in a file in alphabetical order?

- A) sh
- B) sort -r
- C) sort
- D) st

89. Routing is performed by which of the following layers

- A) Transport layer
- B) data link layer

C) network layer

D) session layer

90. What type of installations requires a special boot disk?

A) FTP

B) NFS

C) PCMCIA

D) All of the above

91. RPM _____

A) assigns a dynamic IP address

B) is used to keep track of the users

C) stands for Red Hat Package Manager

D) None of the above

92. Identify this script which is run for setting a global defaults for users

A) /etc/.log

B) /etc/.bashrc

C) /etc/.profile

D) /etc/profile

93. Linux Kernel was founded by?

A) Richard Stallman

B) Linus Torvalds

C) Bill Gates

D) Ben Thomas

94. Which of the following command can force all buffers to disk?

A) save

B) flush

- C) edbuff
- D) sync

95. The dialogue control and token management are responsible for?

- A) Session layers
- B) Datalink layer
- C) Transport layer
- D) Network layer

96. The main Apache configuration file is?

- A) /etc/httpd/config.ini
- B) /etc/apache.conf
- C) /etc/httpd/conf/httpd.conf
- D) /etc/srm.conf

97. Which of the following command is used to see the services running in the NFS server?

- A) serverinfo
- B) rpcinfo
- C) infserv
- D) NFSinfo

98. Choose the following statement is true or false: Directory is a type of file.

- A) True
- B) False

99. Identify the default file system type of Linux

- A) ext3
- B) ext2
- C) ext
- D) mimix

100. Which of the following sign is used to represent the user home directory?

- A) /
- B) .
- C) ~
- D) ..

- | | | | | |
|-------|-------|-------|-------|-------|
| 1. A | 21. B | 41. C | 61. A | 81. A |
| 2. B | 22. B | 42. C | 62. D | 82. B |
| 3. D | 23. A | 43. C | 63. A | 83. A |
| 4. B | 24. A | 44. C | 64. A | 84. B |
| 5. D | 25. C | 45. B | 65. C | 85. D |
| 6. C | 26. D | 46. A | 66. A | 86. B |
| 7. B | 27. C | 47. C | 67. A | 87. C |
| 8. D | 28. B | 48. A | 68. C | 88. C |
| 9. D | 29. D | 49. C | 69. D | 89. D |
| 10. D | 30. C | 50. C | 70. A | 90. D |

11. C	31. B	51. C	71. A	91. C
12. A	32. A	52. B	72. D	92. D
13. D	33. C	53. A	73. B	93. B
14. C	34. B	54. C	74. A	94. D
15. D	35. A	55. A	75. B	95. D
16. B	36. C	56. B	76. C	96. C
17. D	37. B	57. C	77. D	97. A
18. E	38. D	58. A	78. A	98. A
19. A	39. A	59. D	79. B	99. A
20. D	40. A	60. C	80. D	100. C