

1.In which language UNIX is written?

- a) C++
- b) C
- c) JAVA
- d) Python

Ans:b

2.Which command is used for printing the current working directory?

- a) dir
- b) HOME
- c) cd
- d) pwd

Ans:d

3.Which command is used for comparing two files?

- a) comp
- b) cmp
- c) comm
- d) diff

Ans:b

4. Which symbol is used to change permissions for hidden files in Unix?

- a) *
- b) \$
- c) &
- d) .

Ans:d

5.How can we escape to the UNIX shell without quitting vi editor?

- a) using `':sh'` command and using `ctrl-Z`
- b) using `':sh'` command
- c) using `ctrl-Z`
- d) using `ctrl-D`

Ans:a

6.Which of the following command is used to create a child shell?

- a) `sh`
- b) `env`
- c) `wait`
- d) `fork`

Ans:a

7.Which Unix command is used for counting words, lines, and characters in a file?

- a) `wc`
- b) `man`
- c) `count`
- d) `diff`

Ans:a

8.Which command is used for acquiring superuser status?

- a) `su`
- b) `pu`
- c) `super`
- d) `admn`

Ans:a

9.Which of the following cannot be performed by cat command?

- a) appending files
- b) deleting files
- c) creating files
- d) displaying files

Ans:b

10. In Unix, for what purpose bc command is used?

- a) for copying files
- b) as a process table viewer
- c) as an editor
- d) as a calculator

Ans:d

11.Which command is used to delete all files in a directory?

- a) del *
- b) rm *
- c) mv *
- d) rmdir *

Ans:b

12.Which part of the Unix operating system interacts with the hardware?

- a) Application program
- b) Vi editor
- c) Shell
- d) Kernel

Ans:d

13.script command is used for _____

- a) recording history
- b) recording our session
- c) recording passwords
- d) recording scripts

Ans:b

14.Which command is used as an alternative to echo command?

- a) ls
- b) printf
- c) wc
- d) ps

Ans:b

15.Which command is used for displaying date and calendar in UNIX?

- a) date and cal
- b) DATE and CAL
- c) date and calendar
- d) dt and cl

Ans:a

16. To clear the screen in vi editor, _____ is used.

- a) ctrl-h
- b) ctrl-l
- c) ctrl-p
- d) ctrl-v

Ans:b

17.To quit vi editor without saving the buffer we can use

- a) :q
- b) :c
- c) :w
- d) :q!

Ans:d

18.Which of the following key is used to enter in ex-mode?

- a) ESC
- b) i
- c) :
- d) ;

Ans:c

19.Which one of the following command can delete a directory which is not empty?

- a) rm -r
- b) rmdir
- c) rm *
- d) del *

Ans:a

20.Which command is used with vi editor to search a pattern in the forward direction?

- a) /
- b) //
- c) ?
- d) ??

Ans:a

21.Which command is used to sort the lines of data in a file in reverse order

- a)sort

- b)sh
- c)st
- d)sort -r

Ans:d

22.Which command is used to terminate a process?

- a)shutdown
- b)haltsys
- c)cancel
- d)kill

Ans:d

23.Which of the following commands is used to identify the type of file by context?

- a)ls
- b)cat
- c)file
- d)more

Ans:c

24.Which command is used to display the characteristics of a process?

- a)pid
- b)du

c)ps

d)au

Ans:c

25.Which command is used to display a file contents in octal form?

a)cd

b)od

c)of

d)oct

Ans:b

26.What does the 'chmod 755 file.txt' command do?

a) Gives full permissions to the owner and read-only to others

b) Gives read and execute permissions to everyone

c) Gives full permissions to the owner and read-only to group and others

d) Gives read, write, and execute permissions to everyone

Ans:b

27.Which signal is typically sent to a process to terminate it?

a) SIGTERM

b) SIGKILL

c) SIGSTOP

d) SIGINT

Ans:a

28.Which symbol represents the user's home directory?

a)~

b)@

c)#

d)/

Ans:a

29.The ____ command gives you your IP address in your network.

a)hostname

b)hostname -l

c)host -l

d)hostname -i

Ans:b

30.The operators ">" and ">>" are known as ____.

a)Insertion operators

b)Exertion operators

c)Redirection operators

d)None of the above

Ans:c

31.What does GRUB stand for?

a)Grand Unified Bootloader

b)Grand Unification Bootloader

c)Great Unique Bootloader

d)Gum Removal Under Boot

Ans:a

32.Which answer assists you in finding help on the whois command?

a)help whois

b)man whois

c)none of these

d)man help whois

Ans:b

33.To read one or more files and type them on standard output, you use:

a)ls

b)cat

c)type

d)biff

Ans:b

34.Which of the following accurately describes a “ping?”

- a)sends ICMP packets to target device/server to verify if it's online.
- b)makes an audible ping each time a disk drive start spinning
- c)verifies that the routing tables comply to the current network state
- d)sends TCP packets to target device/server to verify if it's online.

Ans:a

35.What is the purpose of the 'grep' command in Unix?

- a) To create new files
- b) To delete files
- c) To search for patterns in files
- d) To move files from one location to another

Ans:c

36.Which command is used to create a symbolic link in Unix?

- a) ln -s
- b) ln -l

- c) slink
- d) symlink

Ans:a

37.Which environment variable stores the user's home directory path in Unix?

- a) \$usrhome
- b) \$homedir
- c) \$HOME
- d) \$userdir

Ans:c

38._____ command is used to remove the directory.

- a)rdir
- b)rd
- c)rmdir
- d)None of the above

Ans:c

39._____is not a communication command.

- a)mail
- b)mesg
- c)grep
- d)write

Ans:c

40.Which of the following combination of keys is used to exit from the terminal?

- a)Ctrl + z
- b)Ctrl + t
- c)Ctrl + d
- d)Ctrl + e

Ans:c

41.What is the purpose of the 'awk' command in Unix?

- a) To search for files
- b) To extract and manipulate text data
- c) To compile C programs
- d) To compress files

Ans:b

42.Which command is used to set an environment variable in Unix?

- a) setenv

- b) envset
- c) export
- d) set

Ans:c

43.In Vim how can we move to the first line in a file?

- a):\$
- b)k
- c):0
- d)Arrow Up

Ans:c

44.What does the 'cron' system in Unix handle?

- a) User authentication
- b) System backups
- c) Job scheduling
- d) Network configuration

Ans:c

45.Which is NOT a feature of UNIX?

- a)user friendly
- b)multiuser
- c)security

d)multitasking

Ans:a

46.Which among the processes is first to run in UNIX?

a)Bash

b)shell

c)authentication

d)Browser

Ans:b

47.Which among the commands is used to create a new process?

a)ping

b)fork

c)mkdir

d)mkfs

Ans:b

48.To report the amount of free disk space available on all mounted file systems you use the command:

a)free

b)fs

c)du

d)df

Ans:d

49.The ____ term stands for the calendar. It displays the current month's calendar with the current day highlighted.

- a)calendar
- b)calc
- c)cal
- d)None of the above

Ans:c

50.The netstat command give information on:

- a)active sockets
- b)open sockets
- c)routing tables
- d)All are correct

Ans:d

51.In Unix, what is the purpose of the 'tar' command?

- a) To create compressed archives
- b) To list the contents of a directory
- c) To copy files between directories
- d) To display the disk usage of files

Ans:a

52.Which command is used to view the active network connections in Unix?

- a) netstat
- b) ifconfig
- c) conninfo
- d) netview

Ans:a

53.What is the purpose of the 'cut' command in Unix?

- a) To remove files
- b) To cut text from a file
- c) To split files into smaller parts
- d) To display file contents

Ans:b

54.Which command is used to display the last few lines of a file in Unix?

- a) head
- b) tail
- c) last
- d) bottom

Ans:b

55.What does the 'alias' command do in Unix?

- a) Creates a new user
- b) Defines a new command or sets of commands
- c) Lists all available commands
- d) Deletes a file

Ans:b

56.Which command is used to find and replace text within a file in Unix?

- a) replace
- b) findreplace
- c) sed
- d) switch

Ans:c

57.What is the purpose of the 'chroot' command in Unix?

- a) Change user password
- b) Change ownership of files
- c) Change root directory for a process
- d) Change file permissions

Ans:c

58.Which command is used to compress files in Unix?

- a) compress
- b) zip
- c) gzip
- d) pack

Ans:c

59.Which command is used to find files based on their permissions in Unix?

- a) find
- b) locate
- c) grep
- d) permfind

Ans:a

60.What is the purpose of the 'iptables' command in Unix?

- a) Manage network interfaces
- b) Create and manage virtual machines
- c) Configure firewall rules
- d) Monitor system performance

Ans:c

61.Which command is used to change the priority of a running process in Unix?

- a) renice

- b) prioritize
- c) nice
- d) priority

Ans:a

62.Which command is used to display the first few lines of a file in Unix?

- a) start
- b) first
- c) head
- d) begin

Ans:c

63.What is the purpose of the 'uniq' command in Unix?

- a) Delete duplicate files
- b) Remove duplicate lines from a sorted file
- c) Merge multiple files
- d) Find unique files

Ans:b

64.Which command is used to change the group ownership of a file in Unix?

- a) chgrp
- b) groupmod

- c) chown
- d) groupchown

Ans:a

65.Which command is used to list the environment variables in Unix?

- a) envlist
- b) listenv
- c) setenv
- d) env

Ans:d

66.In Unix, what does the 'lsof' command do?

- a) List all files in a directory
- b) List open files and associated processes
- c) List system processes
- d) List system logs

Ans:b

67.Which command is used to create a new user in Unix?

- a) useradd
- b) adduser
- c) newuser
- d) createuser

Ans:a

68.What is the purpose of the 'ssh' command in Unix?

- a) Change the shell for a user
- b) Securely connect to remote systems
- c) Share files between users
- d) Shutdown the system

Ans:b

69.Which command is used to set the system hostname in Unix?

- a) hostname
- b) sethostname
- c) host
- d) systemname

Ans:a

70.What is the purpose of the 'tee' command in Unix?

- a) Display system time
- b) Copy files between directories
- c) Display file contents
- d) Read from standard input and write to standard output and files

Ans:d

71. Which command is used to display the last modification time of a file in Unix?

- a) lastmod
- b) mtime
- c) stat
- d) lmod

Ans:c

72. In Unix, which command is used to change the access time of a file?

- a) touch
- b) atime
- c) utime
- d) ctime

Ans:a

73. What does the 'umask' command in Unix do?

- a) Display user accounts
- b) Set the default permissions for new files
- c) Display the user's home directory
- d) Delete user accounts

Ans:b

74. Which command is used to terminate a non-responsive program in Unix?

- a) halt
- b) kill
- c) stop
- d) end

Ans:b

75. What is the purpose of the 'mount' command in Unix?

- a) List mounted filesystems
- b) Mount a new filesystem
- c) Display disk usage
- d) Create a new directory

Ans:b

76. Which command is used to change the ownership of a symbolic link in Unix?

- a) chown
- b) chgrp
- c) chlownd
- d) chslink

Ans:a

77. What is the purpose of the 'basename' command in Unix?

- a) Display the full path of a file
- b) Display the contents of a file
- c) Display the directory name of a file
- d) Display the base name of a file

Ans:d

78.Which command is used to send a signal to a process in Unix?

- a) signal
- b) notify
- c) kill
- d) terminate

Ans:c

79.What does the 'cut' command do in Unix when used with the '-d' option?

- a) Deletes files
- b) Cuts text from a file
- c) Selects specific columns from a file
- d) Counts the number of lines in a file

Ans:c

80.Which command is used to change the ownership of a directory and its contents in Unix?

- a) chown -r

- b) chgrp -R
- c) chmod -d
- d) chdir -a

Ans:a

81.What is the purpose of the 'find' command in Unix?

- a) Display system information
- b) Search for files and directories
- c) Find open network connections
- d) List running processes

Ans:b

82.Which command is used to list all users currently logged in to the system in Unix?

- a) activeusers
- b) who
- c) users
- d) loggedin

Ans:b

83.In Unix, what is the purpose of the 'chsh' command?

- a) Change shell for a user
- b) Change system hostname
- c) Change file permissions

d) Change directory ownership

Ans:a

84.Which command is used to copy files and directories in Unix?

a) cp

b) mv

c) copy

d) duplicate

Ans:a

85.What is the purpose of the 'echo' command in Unix when used with the '-n' option?

a) Display the current working directory

b) Create a new file

c) Suppress the newline character

d) Display the environment variables

Ans:c

86.Which command is used to display the inode number of a file in Unix?

a) inode

b) ls -i

c) inum

d) stat -i

Ans:b

87.What does the 'file' command do in Unix when used with the '-i' option?

- a) Display file content
- b) List all available files
- c) Show information about the system
- d) Show MIME type of a file

Ans:d

88.Which command is used to change the group ownership of a symbolic link in Unix?

- a) chgrp
- b) chown
- c) chglink
- d) chslink

Ans:a

89.What is the purpose of the 'uname' command in Unix?

- a) Display the system time
- b) Display user information
- c) Display the user's name
- d) Display system information

Ans:b

90. Which command is used to create a new group in Unix?

- a) newgroup
- b) addgroup
- c) groupadd
- d) creategroup

Ans:c

91. What is the purpose of the 'umount' command in Unix?

- a) Mount a new filesystem
- b) Unmount a mounted filesystem
- c) Display system memory usage
- d) Uninstall software packages

Ans:b

92. Which command is used to change the permissions of a file so that it's executable in Unix?

- a) chmod +x
- b) chmod -x
- c) chmod e
- d) chmod a+x

Ans:a

93. In Unix, what does the 'man' command stand for?

- a) Manual
- b) Manager
- c) Master
- d) Manage

Ans:a

94.Which command is used to display the process status in Unix?

- a) ps
- b) process
- c) stat
- d) status

Ans:a

95.What is the purpose of the 'uptime' command in Unix?

- a) Display the current date and time
- b) Display the system uptime
- c) Show system resource usage
- d) List all running processes

Ans:b

96.Which command is used to send output to both the screen and a file in Unix?

- a) redirect

- b) output
- c) duplicate
- d) tee

Ans:d

97.What is the purpose of the 'du' command in Unix?

- a) Display system disk usage
- b) List directory contents
- c) Count the number of files
- d) Display file attributes

Ans:a

98.Which command is used to change the owner of a file in Unix?

- a) chown
- b) chuser
- c) own
- d) owner

Ans:a

99.In Unix, what is the purpose of the 'cpio' command?

- a) Copy files between directories
- b) Create and extract archives
- c) List the contents of a directory

d) Compare files

Ans:b

100.Which command is used to display the contents of a compressed file in Unix?

a) gzcat

b) zcat

c) unzip

d) untar

Ans:b

