

Embed Form Generator

A high-level, stack-agnostic build guide for an admin page that lets a merchant configure a public order form and generate embed snippets for any website.

Reference: based on the page at </dashboard/admin/embed> in the Ordello CRM. This document describes **what to build**, in the exact order the page presents it. It does not prescribe a stack — pick React/Next, Vue, plain HTML, or anything else.

How to read this guide. Each section corresponds to a real region of the page. Field tables show every input, toggle, and dropdown — including hidden fields that only appear when a parent toggle is on. Nothing is skipped.

1. What this page does

The Embed Form Generator is a two-step admin tool. **Step 1** lets the merchant configure which fields appear on their public order form (state field type, email, WhatsApp, address requirements, package name, delivery date question, confirmation checkbox, and a commitment-fee notice). **Step 2** picks one of the merchant's products that has active packages and emits three embed options: a direct shareable link, an HTML iframe snippet (with auto-resize and UTM forwarding), and an Elementor-friendly version with usage steps.

Settings are global to the merchant — changing them updates every embed URL the merchant has already shared. The Generate step is per-product.

2. Overall page layout

The page sits inside the standard admin shell. Build the shell first; the embed page is a single route inside it.

- **Left sidebar (fixed, ~200px wide):** brand block at the top, vertical nav list below (Dashboard, Orders, Abandoned Carts, Scheduled Deliveries, Deliveries, Inventory, Sales Reps, Sales Teams, Agents, Payroll, Customers, Expenses, Finance & Accounting, Ad Tracking, User Management, Round-Robin, **Embed Form (active here)**, AI Agent, AI Sandbox, AI/SMS Tokens, Notifications). User profile pill and Sign Out at the bottom.
- **Top-right corner:** a small token-balance pill that links to the AI tokens page.
- **Main content area:** breadcrumb (Dashboard → Embed Form Generator), then page title, subtitle, then a two-tab tablist, then the active tab's panel.
- **Tabs:** two pill-style tabs side by side — *Create Order Form* (default) and *Generate*. Only one panel is visible at a time.

3. Page header

Field / Element	What it does & how to build it
Breadcrumb	Two segments: <i>Dashboard</i> (link to admin home) → <i>Embed Form Generator</i> (current page, not a link). Use a chevron separator.
Page title	Large bold heading: Embed Form Generator .
Subtitle	One-line muted caption explaining the page in plain language (something like: customise and embed your order form on any website).
Tab list	Two tabs sitting in a rounded background pill. Tab 1: Create Order Form (icon: cart). Tab 2: Generate (icon: cart-with-arrow). Active tab has a white card background; inactive tab is transparent.

4. Tab 1 — Create Order Form

Renders one tall card titled **Order Form Settings** with a one-line muted caption below the title. Inside the card, the settings appear in this exact order. Save and preview controls sit at the bottom outside the card.

4.1 State field

Field / Element	What it does & how to build it
Label	State field (left-aligned label)
Control	Dropdown (combobox button that opens a popover menu) with 2 options : 1. <i>Free-text input</i> 2. <i>Dropdown (36 Nigerian states)</i> — default.
Helper text below	Small muted line clarifying that the dropdown option only applies when the order form is set to NGN; for any other currency the field falls back to free text.
Behaviour	Selection saves to merchant settings. The public order form reads it at render time. Pre-fill the 36 states list server-side; do not let the merchant edit it.

4.2 Show email field

Field / Element	What it does & how to build it
Label + helper	Show email field with a one-line muted caption (e.g. adds an optional email input to the form).
Control	Single toggle switch on the right edge of the row. Default: OFF.

Field / Element	What it does & how to build it
Behaviour	Pure on/off — toggling it does not reveal sub-fields. When ON, the public form shows an optional email input; when OFF, no email input is rendered.

4.3 WhatsApp group (grouped card)

Wrap these two switches in their own bordered sub-card so they read as a unit:

Field / Element	What it does & how to build it
Show WhatsApp field	Toggle. Default: ON. Helper text explains that turning it off hides the WhatsApp number input from the public form.
Required (sub-toggle)	Toggle. Default: ON. Helper: off means customers can skip the field; on means they must fill it. Should remain visible even when the parent toggle is on; you can grey it out (or hide it) when the parent toggle is off.

4.4 Required fields (grouped card)

Field / Element	What it does & how to build it
Card heading	Required fields with a small muted caption noting that phone is always required and these settings control the other customer-detail toggles.
Address required	Toggle. Default: ON. Off lets customers submit without entering an address.
City required	Toggle. Default: ON. Off lets customers submit without entering a city.

4.5 Show package name

Field / Element	What it does & how to build it
Label + helper	Show package name with a muted line saying it shows the package name above the description in the package picker on the public form.
Control	Toggle. Default: ON.

4.6 Delivery-date question (grouped card)

Field / Element	What it does & how to build it
Parent toggle	Ask “ When would you like it delivered? ” with helper text explaining it captures the customer's preferred delivery window. Default: ON. When OFF, the entire group below collapses and is hidden.
Input style (dropdown)	Combobox with 2 options : 1. <i>Quick</i> — pick from preset options (default) 2. <i>Range</i> — date picker with bounds Switching modes swaps the controls below.
Quick mode controls	Section heading Quick options to show , followed by 3 checkboxes in this order: • <i>Today</i> (checked by default) • <i>Tomorrow</i> (checked by default) • <i>Next tomorrow</i> with the muted hint (<i>day after tomorrow</i>) (unchecked by default) Persist which boxes the merchant ticks; the public form renders only those choices.
Range mode controls	Two number inputs side by side: • <i>Earliest (days from today)</i> — default 0, integer, with spinner arrows. • <i>Latest (days from today)</i> — default 7, integer, with spinner arrows. Validate $\text{Earliest} \leq \text{Latest}$ before saving.

4.7 Confirmation checkbox (grouped card)

Field / Element	What it does & how to build it
Parent toggle	Require a confirmation checkbox with helper text explaining the customer must tick this before they can submit the form. Default: ON. When OFF, the field below collapses.
Checkbox text	Multi-line textarea (resizable). On the right of its label sits a Reset to default link with a small undo icon — clicking it restores the system default string. Pre-fill on first render with the system default.
Default text	A short readiness-confirmation sentence about the customer being financially prepared and available to receive the product within a 1–3 day window. (<i>Write your own copy here when rebuilding — keep it under 200 chars.</i>)

4.8 Commitment fee notice (grouped card)

Field / Element	What it does & how to build it
Parent toggle	Show commitment fee notice with a muted caption explaining it displays a notice above the submit button which the customer must respond to before submitting, and that you can optionally allow “I disagree” without blocking the order. Default: OFF. When OFF, the two child fields are hidden entirely.
Allow “I disagree” (sub-toggle)	Toggle. Default: ON when the parent is on. Helper says it shows both choices on the public form and still allows submission when either is selected. If OFF, the customer must agree to proceed.
Notice text	Multi-line textarea (resizable). Same Reset to default link/icon pattern as the checkbox text. Pre-fill with the system default on first render.
Default text	A short notice about a flat commitment fee for orders outside major cities, shown before dispatch. <i>(Again, write your own copy.)</i>

4.9 Save and preview row

Field / Element	What it does & how to build it
Save changes button	Sits below the card on the left. Disabled by default (greyed out). Becomes enabled (solid blue) the moment any field above changes. Click → POST settings → show toast → reset disabled state.
Preview form link	Sits to the right of Save. Renders as text with an external-link icon. Opens the public order form in a new tab using the merchant's first eligible product, e.g. <a href="/order-form/embed?product=<id>&currency=NGN">/order-form/embed?product=<id>&currency=NGN . Always enabled (no save needed to preview).

5. Tab 2 — Generate

Switching to this tab replaces the settings card with a list of products. The header (page title, subtitle, tablist) stays the same. The tab body has three parts.

5.1 “How it works” banner

Field / Element	What it does & how to build it
Banner	A soft-blue rounded banner at the top of the tab body. Contains a one-line explanation that only products with active packages can have embed forms, with the word Inventory rendered as an inline link to <code>/dashboard/admin/inventory</code> so the merchant can jump there to set up packages.
Section heading	Products Ready for Embed with a small info icon next to the heading (tooltip on hover). Muted caption below: these products have packages and can generate embed forms.
Empty state (if no eligible products)	If the merchant has zero products with active packages, replace the list with an empty-state card pointing back to Inventory.

5.2 Product card (one per eligible product)

Each eligible product renders as a bordered card with two visual states: **(A)** the configuration state shown before generating, and **(B)** the output state shown after the merchant clicks Generate. The card never collapses — the bottom region simply swaps between the two states.

State A — configuration (default)

Field / Element	What it does & how to build it
Header row	Left: square product icon + product name (bold) + product description (muted, shows “No description” when empty). Right: a small {n} packages badge with a box icon, then a Manage Packages button that links to the product's package admin page.
Redirect URL (Optional)	Single-line text input. Placeholder shows a sample thank-you URL. Helper line below: optional URL to redirect the customer to after a successful order. Validate as URL on save.
Select Currency	Dropdown (combobox) with 5 options in this order: 1.  — <i>Nigerian Naira</i> (default) 2. <i>GH</i>  — <i>Ghanaian Cedi</i> 3. <i>\$</i> — <i>US Dollar</i> 4. <i>£</i> — <i>British Pound</i> 5. <i>€</i> — <i>Euro</i> Each row shows the symbol followed by the full name.
Generate Embed URL	Full-width solid blue primary button at the bottom of the card. On click, the card transitions to State B. Do not navigate away.

State B — output (after clicking Generate)

The Redirect URL, Currency, and Generate button are **replaced** with a nested tablist of three tabs. The header row (icon, name, packages badge, Manage button) stays exactly as it was.

Field / Element	What it does & how to build it
Sub-tablist	Three pill tabs in this order: 1. Direct Link (default active) 2. HTML/Iframe 3. Elementor
Direct Link tab	Above the field: muted caption (e.g. share this direct link to your order form). A read-only text input prefilled with the public URL: <code>/order-form/embed?product=<productId>&currency=<code></code> . Append <code>&redirect=...</code> if a Redirect URL was provided. On the right of the input: a copy icon button and an open-external icon button that opens the URL in a new tab.
HTML/Iframe tab	Above the field: muted caption (copy and paste this code into your HTML page). A read-only code block (monospace, light grey background, syntax-coloured) containing the iframe + script (described in §5.3). A Copy button sits at the top-right of the code block.
Elementor tab	Above the field: muted caption noting it is for WordPress with the Elementor page builder. Same code block + Copy button as the HTML/Iframe tab. Below the code block, a soft-blue help box titled Elementor Integration Steps with a numbered list of 6 short instructions (open Elementor editor, drag in an HTML widget, paste the code, set widget width to Full Width 100%, set a height $\geq 800\text{px}$, update and preview). Write the steps in your own words.

5.3 The embed snippet — what to emit

Both the HTML/Iframe and Elementor tabs emit the same code. Build a server-side or client-side string template that produces:

- An **iframe** with id `ordo-order-embed`, src pointing to `/order-form/embed?product=...¤cy=...`, width 100%, initial height ~800, no border, rounded corners, subtle drop shadow, and a descriptive title attribute (e.g. “{Product} Order Form”).
- A small **script** immediately after the iframe that does two jobs:
- **UTM forwarding:** read these query params from the parent page — `utm_source`, `utm_medium`, `utm_campaign`, `utm_content`, `utm_term` — and append any non-empty ones to the iframe src. This keeps Facebook / TikTok / Google attribution correct after the iframe loads.
- **Auto-resize:** listen for `postMessage` events on window; when a message of type `ordo-resize` arrives, set the iframe's height to the value in `data.height + 20 px`. The public form must `postMessage` its content height on every layout change.

Why this matters. Without UTM forwarding the merchant loses ad attribution. Without auto-resize the iframe shows an internal scrollbar and breaks conversions on mobile. Both behaviours are part of the embed value-prop, not optional polish.

6. Behaviour rules to enforce

- **Settings are global per merchant.** Editing any setting in Tab 1 affects every embed URL the merchant has already shared — no per-product overrides.
- **Save is disabled until dirty.** Track a *dirty* flag; enable Save only when the current form state differs from the last saved state.
- **Hidden child fields stay unmounted.** When a parent toggle goes OFF, unmount the children rather than just hiding them — so the saved state cleanly omits them.
- **Reset to default** only resets the single field it sits next to (Checkbox text or Notice text). It does not reset the whole form.
- **State dropdown is conditional.** The “Dropdown (36 Nigerian states)” option is only honoured when the order-form currency is NGN. For any other currency, the public form falls back to free-text regardless of this setting.
- **Preview link always works.** Even before the merchant has saved any setting, Preview should open the public form using the latest persisted settings.
- **Generate is per-product.** Two product cards can be in different states (one in State A, one in State B) at the same time. Track UI state per card.
- **The output tabs are sticky per card.** If the merchant clicked Generate, switched the sub-tab to HTML/Iframe, then scrolled away — switching back should still show HTML/Iframe, not jump back to Direct Link.
- **Copy buttons must give feedback.** Briefly swap the icon to a check or show a “Copied!” tooltip for 1–2 seconds after a successful copy.

7. Suggested data model (stack-agnostic)

Two logical entities back this page. Names are illustrative; map them to your stack.

7.1 OrderFormSettings (singleton per merchant)

```
stateFieldType: 'free_text' | 'ng_dropdown'
showEmail: bool
showWhatsapp: bool
whatsappRequired: bool
addressRequired: bool
cityRequired: bool
showPackageName: bool
askDeliveryDate: bool
deliveryInputStyle: 'quick' | 'range'
quickOptions: { today: bool, tomorrow: bool, nextTomorrow: bool }
rangeBounds: { earliestDays: int, latestDays: int }
requireConfirmCheckbox: bool
checkboxText: string
showCommitmentFeeNotice: bool
allowDisagree: bool
noticeText: string
```

7.2 EmbedConfig (per product)

```
productId: string
redirectUrl: string | null
currency: 'NGN' | 'GHS' | 'USD' | 'GBP' | 'EUR'
```

On Generate, you don't actually have to persist anything if you don't want to — the snippet is fully derivable from `productId + currency + redirectUrl`. Persisting it is only useful if you later want analytics on which embed configs the merchant has been generating.

8. Recommended build order

Tackling this top-to-bottom keeps the surface area manageable and gets you a working preview within the first day.

Step 1 — Shell. Build the admin shell: sidebar, top-right token pill, breadcrumb, page title block. Just navigation chrome, no logic.

Step 2 — Tablist. Add the two-tab pill component with Tab 1 active by default and the right icons. No content yet — just verify switching works.

Step 3 — Static settings card. Render every section in §4 with hard-coded defaults. No save, no API. Confirm every toggle, dropdown, and conditional reveal behaves as documented.

Step 4 — Wire up settings persistence. Connect the dirty-flag, GET on mount, PUT on save. Add toast feedback. Ensure Reset-to-default works for the two textareas.

Step 5 — Public order form (parallel track). Build the consumer-facing `/order-form/embed` page so Preview works. This is a separate page; this guide does not cover it.

Step 6 — Generate tab — list state. Fetch products with active packages, render the card list, the “How it works” banner, and the empty state.

Step 7 — Generate tab — output state. Wire the per-card state machine, the three sub-tabs, the URL builder, and the iframe + script template. Add UTM forwarding and the `postMessage` resize listener.

Step 8 — Polish. Copy-button feedback, Elementor steps box, mobile responsiveness, loading and error states for the API calls.

One thing this guide deliberately omits: visual styling — exact colours, spacings, shadows, font choices. Match your existing admin's design tokens. The reference uses a clean white-card-on-light-grey-background look with deep-blue primary buttons and small rounded corners (~8px); copy that vibe if you want a neutral, professional feel.

9. Quick checklist before you ship

- Every setting in §4 saves and reloads correctly.
- Every toggle's hidden children are unmounted when the parent is OFF.
- Preview opens in a new tab and reflects the latest saved settings.
- Generate produces a working public URL for at least one product.
- The iframe snippet auto-resizes on content change in the public form.
- UTM params on the parent page reach the iframe src.
- Copy buttons confirm with visible feedback.
- Empty state is shown when the merchant has zero products with packages.
- All five currencies render correctly (symbol + name) in the dropdown.
- Both delivery-date input styles (quick / range) round-trip through save and render correctly on the public form.

Done. If you build everything in this guide, your page will mirror the reference page section-for-section, field-for-field, with no missing controls and no surprise behaviours.