




IUPAC

SKM SIR (SURENDRA MISHRA SIR)

(227) 


(or) 

2-Methyl Propan-2-ol


(228) 

Glycerol/Clycenine

Propan-1,2,3-Triol


(229) 

2-Bromo Cyclohexan-1,4-diol


(230) 

P-Bromo-q-chloro hexan-γ,δ-diol


6 6 1 5

(231) 


2,5-Di methyl Phenol
or
2,5-Di methyl Benzenol

(232) 


5-Chloro-3-methyl Benzene-1,2-diol

(233) 

1-(Cyclohex-3-enyl) propan-2-ol

(234) 


4-(Prop-2-enyl) Cyclohexan-1-ol

(235) 

4-Ethyl Cyclohex-3-enol

(#) Amines :-

Preffix	Suffix
Amino	Amine




(236) 


Ethanamine

(237) 


Propan-1-amine

(238) 

2–methyl–2–Propanamine

(239) 


Pentan-2-amine

(240) 


N-methyl Ethanamine

(241) 


N-methyl Propan-1-amine

(242) 


1-Bromo-(N,2)-dimethyl propan-1-amine

(243) 


3-Bromo-N-methyl butan-2-amine.

(244) 

N,N-Di methyl Ethanamine


(245) 

(N,N,3) tri methyl pentan-2-amine

(246) 


N-Cyclopentyl-N-Methyl Cyclohexan-amine

(247)




N-Cyclobutyl-N-Cyclopropyl Benzeneamine

(248)




N-methyl-N(1-methyl Ethyl) Butan-2-amine.

N-methyl-N-isopropyl Butan-2-amine.


(249) 

N-Phenyl-N-propyl Benzenamine.

(250) 

N,N-Di Ethyl Ethanamine.

(#) Naming of Epoxy Compound:




Pricipal chain

⇒ Side chain


(P,Q) Epoxy (Prefix)

(251)




(1,2) Epoxy Ethane

(252)




(1,2) Epoxy Propane

(253)



(1,2)-epoxy-2-methyl Propane


Epoxy ⇒ Cyclic ether




⇒ Side chain

prefix ⇒ epoxy

(P, q) Epoxy.


(254) 

2,4 -Epoxy -3-Ethyl-3-methyl Hexane


(255) 

(THF)
(Tetrahydrofuran)


(1,4) Epoxy Butane.

(256) 


7,7- DiBromo-(3,5) Epoxy
-4-methylidine
Hepta-1,5-diene

(257) 


(1,2)(2,3)-Di Epoxy Propane

(258) 


(1,2)(3,4)-Di epoxy butane

(259) 


(1,2) Epoxy Cyclohexane

(260) 


(1,2)(3,4)(5,6) Triepoxy Cyclohexane

(261) 

Boss




(4,5)-Epoxy-3-methoxy 6-oxo Cyclohexane -1,2-di Carboxylic acid anhydride.

(262) 

(1,2)(5,7) Dicpoxy-4-Cyclobutyl 3-Cyclopropyl heptane.

Cyclobutyl



(263) 1-Cyclobutyl-4-(1,3) Epoxy propyl cyclohexane.

(1,3)-Epoxy Propyl


Naming of Bicyclo

Bicyclo Compound: Compounds having two Rings with at least two carbon atom common.

Ex:




Bridge head Carbon:



(#) **Naming of Bicyclo Componds :-**

Bicycloc Compound :- Two Rings having at least "2" Atom Common

Ex.




Rule–1 :- Numbering wd always starts from Bridge head

Rule–2 :- Numbering starts from Bridge head & then move towards


largest ⟶ smaller ⟶ smallest

~~2P + 1P + WR + 1S + 2S~~


(264)




Bicyclo [1,1,0] Butane

(265) 

Bicyclo [4,2,1] Nonane

(266) 

Bicyclo[3,3,0] Octane


(267) 

1-Bromo-2,5-Dimethyl Bicyclo[2,2,2] octane

(268)




(269)




4-Bromo-4-Chloro Bicyclo[4,2,2] Dec-9-ene-1,8-diol


(270)



(271)



Spiro: Compound with two Rings with exactly one Carbon atom common.




(#) **IUPAC of Spiro**

⇒ **Two Rings habing Exactly one atom in common**

Rule–1 No always start from adjacent atom of common atom.


Rule–2 Numbering Process on Smaller Ring Than on layer Ring.

(272)




Spiro [2,2] pentane


(273)




Spiro [2,3] Hexane

(274) 


Spiro [2,3] Hex–1–ene

(275) 

Spiro [2,3] Hex–4–ene

(276) 


(277)




(278)



(279)



(280)



Blue Book

Chapter-10 Ex-1 (70-100).