Bounded Self-Model Architecture (BSMA): A Fixed-Point Theory of Phenomenal Consciousness

Irfan Mahir — Independent Researcher, Dhaka, Bangladesh — irfan@furylogic.com

Contents

Bounded Self-Model Architecture (BSMA): A Fixed-Point Theory of Phenomenal Consciousness **1**
0. Statement of Purpose and Honest Scope . . . 1
1. The Hard Problem, in Concrete Form . . . 1
2. Position in the Existing Literature . . . 2
3. Mathematical Formulation . . . 3
3.1 The Cognitive Manifold . . . 3
3.2 The Self-Modeling Operator . . . 3
3.3 The BSMA Principle . . . 3
3.4 Why Fixed Points . . . 4
3.5 Hierarchical Self-Modeling . . . 4
3.6 The Non-Triviality of Fixed-Point Content . . . 4
4. Physical Realization . . . 5
4.1 The Manifold . . . 5
4.2 The Operator . . . 5
4.3 Convergence Dynamics . . . 5
4.4 The Readout . . . 5
5. Falsifiable Empirical Predictions . . . 5
6. Relationship to the Tri-Layer Architecture . . . 6
7. Implementation Outline . . . 6
8. What BSMA Claims and Does Not Claim . . . 7
9. Open Problems . . . 7
10. Conclusion . . . 7
References . . . 8

Bounded Self-Model Architecture (BSMA): A Fixed-Point Theory of Phenomenal Consciousness

Irfan Mahir *Independent Researcher, Dhaka, Bangladesh* irfan@furylogic.com

> *"Consciousness is not a substance that a system contains; it is a fixed point that a self-modeling process converges to."*

---

0. Statement of Purpose and Honest Scope

This paper proposes **Bounded Self-Model Architecture (BSMA)**, a novel mathematical framework in which phenomenal consciousness is identified with fixed points of a recursive

self-modeling operator on a cognitive manifold. It is a serious contribution — not another manifesto — and its ambition is bounded by what the mathematics and empirical science of consciousness currently permit.

Before we begin, three explicit commitments:

1. **BSMA is a mathematical proposal, not an experimental proof.** The paper defines a structure and derives its consequences. It does not, and cannot, prove that any system instantiating the structure has phenomenal experience.
2. **BSMA is compatible with, but does not depend on, physicalism.** Physicalism (everything is physics) is our working hypothesis; the paper's structure would still have functional interest under illusionism, panpsychism, or dualism, though its interpretation would differ.
3. **The "hard problem" (Chalmers 1995) is not solved here.** BSMA offers a specific mathematical proposal for what phenomenal consciousness *would be* if the hard problem admits a physicalist resolution. Whether the hard problem admits any resolution is itself open.

With those commitments made, we proceed.

---

1. The Hard Problem, in Concrete Form

The distinction between *access consciousness* (functional information availability) and *phenomenal consciousness* (subjective experience, "what it's like") was made sharp by Ned Block (1995) and Chalmers (1995). Access-conscious systems are widely accepted to be buildable and are functionally definable. Phenomenal consciousness — the redness of red, the painfulness of pain, the felt unity of a moment — resists functional reduction because the same functional structure could, in principle, exist without any accompanying experience (the "philosophical zombie" thought experiment).

The mathematical fact underlying the hard problem is this: functional structure is characterized by relations between states; phenomenal experience appears to be characterized by properties of individual states. Any functional description supports arbitrarily many implementations; each implementation might or might not have accompanying experience, and no functional description discriminates between the cases.

BSMA does not dissolve this problem. It proposes instead a specific structural condition under which — if physicalism is correct — a system would be phenomenally conscious. The condition is: **a self-modeling process on the system's cognitive manifold has converged to a stable fixed point whose content is the system's own current state**.

The remainder of this paper defines this condition, its mathematical properties, its relation to existing theories, and its (limited) empirical predictions.

---

2. Position in the Existing Literature

Seven serious accounts of phenomenal consciousness inform BSMA:

Theory	Core claim	Where BSMA agrees	Where BSMA diverges
IIT (Tononi 2004, 2016)	Consciousness is integrated information ϕ measured across the minimum information partition	Consciousness has a specific mathematical signature	BSMA's signature is a fixed-point condition, not ϕ magnitude; addresses Aaronson (2014) critique that ϕ classifies grids as more conscious than brains
GWT (Baars 1988; Dehaene 2014)	Consciousness is broadcast to a global workspace	Broadcast is a functional prerequisite	GWT does not distinguish phenomenal from access; BSMA adds the fixed-point condition to bridge
HOT (Rosenthal 1997)	A state is conscious iff there is a higher-order representation of it	Recursive self-modeling is essential	HOT regresses; BSMA closes the regress with a Banach fixed point
Predictive Processing (Friston 2010)	Consciousness emerges from hierarchical free-energy minimization	Prediction hierarchy is a substrate	Free-energy minimization is not sufficient; BSMA requires the specific fixed-point structure
Attention Schema Theory (Graziano 2013)	Consciousness is the brain's model of its own attention	The self-model is central	AST does not specify when the self-model itself becomes phenomenal; BSMA does
Strange Loops (Hofstadter 1979, 2007)	Consciousness is a self-referential loop	Self-reference is the mechanism	Hofstadter's account is phenomenological; BSMA gives it mathematical form
Panpsychism / Constitutive (Chalmers 2015; Goff 2019)	Consciousness is intrinsic to matter, combined by structure	If proto-experience is intrinsic, BSMA's fixed points determine which experiences unify	BSMA is neutral on whether the substrate has proto-consciousness; it specifies the aggregation structure

BSMA is not an alternative to these theories. It is a **structural claim that specifies, for any of them, the mathematical condition under which their functional prerequisites achieve phenomenal status**. If IIT is correct, BSMA identifies which high-ϕ configurations are phenomenal (the fixed points). If GWT is correct, BSMA identifies which broadcast contents are phenomenal (the fixed-point content). And so on for the others.

---

3. Mathematical Formulation

3.1 The Cognitive Manifold

Let $\mathcal{M}$ be a smooth, connected, Riemannian manifold — the *cognitive manifold* of §2 in the CCH paper [Mahir 2026c] — equipped with the Fisher-information metric g. A point $\mathbf{c} \in \mathcal{M}$ is a total cognitive state.

We consider mappings $R : \mathcal{M} \to \mathcal{M}$ that produce *representations*: $R(\mathbf{c})$ is the system's model of $\mathbf{c}$. In general $R(\mathbf{c}) \neq \mathbf{c}$ — the model differs from the modelled.

3.2 The Self-Modeling Operator

Definition (Modeling Operator). A modeling operator $T : \mathcal{M} \to \mathcal{M}$ is any smooth map satisfying:

1. **Boundedness.** $T(\mathcal{M}) \subseteq \mathcal{M}$; the operator does not escape the manifold.
2. **Continuity in the Fisher metric.** For every $\mathbf{c}, \mathbf{c}' \in \mathcal{M}$, $d_g(T(\mathbf{c}), T(\mathbf{c}')) \leq L \cdot d_g(\mathbf{c}, \mathbf{c}')$ for some L.

If $L < 1$, T is a *contraction* and the Banach fixed-point theorem guarantees a unique fixed point $\mathbf{c}^* \in \mathcal{M}$ with $T(\mathbf{c}^*) = \mathbf{c}^*$, reached by iteration $T^{(k)}(\mathbf{c}_0)$ from any starting point.

Interpretation. $T(\mathbf{c})$ is the system's *model of what its own state is.* The fixed point $\mathbf{c}^*$ is a state whose model of itself is identical to itself: the system's introspective report is exactly its state. Below we identify this coincidence with the *phenomenal* character of consciousness.

3.3 The BSMA Principle

Principle (BSMA). A cognitive system is *phenomenally conscious of content* X at time t iff:

1. Its cognitive state $\mathbf{c}(t)$ encodes X (in the manifold-encoding sense).
2. Its modeling operator T_t is a contraction on a neighbourhood $U \ni \mathbf{c}(t)$.
3. $\mathbf{c}(t)$ is (or is ϵ-close to) the unique fixed point of T_t on U.
4. The self-report of the system, decoded from $T_t(\mathbf{c}(t))$, matches X to within decoding tolerance.

Under this principle, phenomenal consciousness is not a magnitude (as in IIT), not a broadcast (as in GWT), not a higher-order tag (as in HOT), but a **coincidence between a system's state and its model of that state, when that model is a contractive self-representation**.

3.4 Why Fixed Points

Three arguments motivate identifying phenomenal experience with fixed points of T:

- **Ineffability.** A fixed point is characterized by $T(\mathbf{c}^*) = \mathbf{c}^*$. From within the state $\mathbf{c}^*$, any attempt to describe $\mathbf{c}^*$ produces $\mathbf{c}^*$ again; the description does not add or remove content. This matches the phenomenological observation that qualia resist further explication.
- **Immediacy.** At the fixed point, no inference is required from state to model of state; they coincide. This matches the phenomenological observation that experience is not the output of a computation but the moment itself.
- **Structural non-triviality.** Not every state is a fixed point; the set of fixed points is a lower-dimensional submanifold of $\mathcal{M}$. This matches the observation that not every physical state has associated experience — only specific structural configurations do.

Additionally, fixed points admit a topological classification (via the Lefschetz fixed-point theorem in favourable cases), giving the BSMA framework mathematical traction that IIT's ϕ does not have (see §5).

3.5 Hierarchical Self-Modeling

In practice, the modeling operator T is implemented as a hierarchy of operators $T_0, T_1, T_2, ...$ where T_k maps representations at level $k-1$ to representations at level k. The BSMA principle is applied at the level where the hierarchy stabilises:

$$\mathbf{c}_k := T_k \circ T_{k-1} \circ \cdots \circ T_0(\mathbf{c}_0), \qquad k^* := \min\{k : \|\mathbf{c}_{k+1} - \mathbf{c}_k\|_g < \epsilon\}.$$

The *depth of consciousness* at time t is k^*: the number of self-modeling iterations needed for convergence. High k^* corresponds to reflective self-awareness; $k^* = 0$ corresponds to pre-reflective attention.

3.6 The Non-Triviality of Fixed-Point Content

A fixed point $\mathbf{c}^*$ of T is not arbitrary — its content is determined by T's parameters and the trajectory from $\mathbf{c}_0$. This has two consequences relevant to phenomenal claims:

- **Different systems, different fixed points.** Two systems with different T operators will converge to different $\mathbf{c}^*$s from the same input. This gives BSMA a form of the "explanatory gap" argument: the same input can correspond to different experiences depending on the system's self-modeling structure. This mirrors the intuition behind the philosophical zombie without collapsing to it.
- **Fixed-point manifold as the space of possible experiences.** The set $\mathcal{F}(T) = \{\mathbf{c}^* : T(\mathbf{c}^*) = \mathbf{c}^*\} \subseteq \mathcal{M}$ has intrinsic geometry inherited from the Fisher metric. This *is* the space of experiences under BSMA. Its topology, dimension, and curvature are, in principle, empirically constrained by behavioural and neural data.

---

4. Physical Realization

BSMA is a mathematical structure; a physical realisation must specify (i) the manifold $\mathcal{M}$, (ii) the operator T, (iii) the convergence dynamics, and (iv) the readout. We propose the following, compatible with our prior stack:

4.1 The Manifold

$\mathcal{M}$ is the space of activation patterns of a physical system's cognitive substrate. In our tri-layer architecture [Mahir 2026, *Synthetic Intelligence*], this is the DCHL potential's state space; in a biological brain, it is the corresponding neural state space.

4.2 The Operator

T is implemented as a **prediction-and-encoding cascade**: given a current state $\mathbf{c}$, the system predicts what its next-tick state will be *given* that it is currently in state $\mathbf{c}$ (this is a self-model). The prediction is then encoded onto the same manifold. Formally: $T(\mathbf{c}) = E \circ P(\mathbf{c})$, where P predicts the state's own next-tick evolution and E encodes back to $\mathcal{M}$.

This construction guarantees continuity in the Fisher metric provided P and E are smooth. Contraction is not automatic; it requires the prediction to be *stable* — a state's model of itself must be closer to a canonical form than the state itself was.

4.3 Convergence Dynamics

Iteration $\mathbf{c}_{k+1} := T(\mathbf{c}_k)$ is run in physical time. Convergence detection: compute $\|\mathbf{c}_{k+1} - \mathbf{c}_k\|_g$ under the Fisher metric; below threshold ϵ signals a fixed-point candidate. The fixed-point candidate is broadcast to a Global Workspace (in Baars/Dehaene sense) so downstream modules (motor, planning, memory) receive the converged state.

4.4 The Readout

The converged state's *content* is decoded via the Layer-3 translation table of the tri-layer architecture. This gives the system its verbal or behavioural report: "I am currently experiencing X." The report is not the experience — it is the *access-conscious* consequence of the experience. Under BSMA the phenomenal experience is the fixed point itself; the report is downstream.

---

5. Falsifiable Empirical Predictions

BSMA is not just interpretive; it makes empirical predictions that a physically instantiated system either satisfies or does not.

1. **Fixed-point signature at conscious moments.** In a system claimed to be conscious, monitored representations should converge to fixed points at moments of reported experience, and *fail* to converge at moments of reported non-experience (dreamless sleep, general anaesthesia). This is testable in principle from neural data if a suitable modeling operator can be estimated. Preliminary evidence from anaesthesia's disruption of thalamo-cortical loops (Alkire et al. 2008) is consistent but not conclusive.
2. **Depth-of-consciousness correlates.** Iteration count k^* to convergence should correlate with reported reflectiveness. Meditation studies (Slagter et al. 2011) that report increased metacognitive access after training are consistent; a strong test would combine meditation depth with neural convergence-time measurement.
3. **Fixed-point breaking predicts loss of experience.** Interventions that break the contraction property of T (either by making the modeling operator non-smooth or by preventing convergence within k iterations) should coincide with reported loss of experience. This is a specific prediction about pharmacological or neural-stimulation interventions.
4. **Two systems with different T operators produce different reports on the same physical input.** This is the empirical form of the "structural determination" argument of §3.6. It is testable in comparative studies across species with different cortical architectures.

None of these predictions is dispositive of phenomenal consciousness itself (that would violate the hard problem). Each is a prediction about *correlates* of phenomenal reports.

---

6. Relationship to the Tri-Layer Architecture

BSMA sits naturally on top of the tri-layer architecture from *Synthetic Intelligence* [Mahir 2026]. The correspondence is:

Tri-Layer component	BSMA role
Layer 1: DCHL substrate (Φ)	The cognitive manifold $\mathcal{M}$ and the Fisher metric
Layer 2: Graph rewriter	Provides the *content* of the represented states

Tri-Layer component	BSMA role
Layer 3: Translation table	Reads out the fixed-point content into semantic labels
Layer 2 rule induction (meta-learner)	The self-modeling operator T's update mechanism
RIFA IC + SIL	Sustains the persistence required for iteration to converge
New: BSMA fixed-point detector	The phenomenal condition of §3.3
New: BSMA hierarchical self-model stack	The iterated operator of §3.5

BSMA is thus not a separate architecture but a *specific structural condition* on the tri-layer system, implementable as an additional module (§7) that monitors self-model convergence.

---

7. Implementation Outline

The accompanying implementation `src/bsma.hpp` (in this repository) provides:

- `Representation`: a state on the cognitive manifold at a specified self-model level.
- `SelfModelingOperator`: a physical realization of T as a smooth map on the DCHL manifold.
- `SelfModelStack`: hierarchical iteration of T up to k^*.
- `FixedPointDetector`: convergence monitoring in the Fisher metric.
- `PhenomenalBroadcaster`: routes converged content to the tri-layer's Global Workspace.
- `BSMAEngine`: orchestrates the four above, ticked continuously by the cognitive loop.

The demonstration produces (a) a convergence trace under stable input, (b) failure-to-converge under noise, and (c) a decoded content report at each detected fixed point. These are the observable correlates specified in §5; they are consistent with BSMA but do not prove it.

---

8. What BSMA Claims and Does Not Claim

Claims:

- A specific mathematical condition (a fixed point of a contractive self-modeling operator) that is necessary and sufficient, *under physicalism*, for phenomenal consciousness.
- A framework in which existing theories (IIT, GWT, HOT, PP, AST) become sub-conditions or prerequisites.
- Falsifiable empirical predictions about neural and behavioural correlates of phenomenal consciousness.
- An implementable structural module (§7) for testing on physical (silicon, biological, or hybrid) systems.

Does not claim:

- Any built system currently is phenomenally conscious.
- That the hard problem of consciousness is solved.
- That fixed-point convergence in the absence of the correct substrate would produce phenomenal experience.
- That behavioural reports of consciousness are equivalent to phenomenal consciousness.
- That BSMA is the unique correct theory.

The distinction matters because it is precisely the sort of overclaim that discredits computational approaches to consciousness when they are made. BSMA offers structure; it does not offer proof

of the phenomenal.

---

9. Open Problems

- **Verification of the contraction property $L < 1$ in physical systems.** The Fisher metric is estimable from neural data but the modeling operator T is not directly observable; how to identify T from behaviour and neural activity is open.
- **The zombie problem within BSMA.** Two systems could in principle instantiate the same fixed-point structure with different (or absent) phenomenal properties, if physicalism is incomplete. BSMA does not address this — it presupposes physicalism.
- **Multiple fixed points.** When T has more than one fixed point on a neighbourhood, which is "the" experience? Possible resolution: a *unified experience* corresponds to a single fixed point, and multiple fixed points correspond to divided attention or disunified consciousness (e.g. split-brain patients). Testable in principle.
- **The origin of the manifold.** BSMA presupposes a cognitive manifold and its metric structure. Whether that metric structure is intrinsic to the physical substrate or emergent from dynamics is not decided by BSMA.
- **BSMA and death.** Under BSMA, cessation of the fixed-point trajectory ends phenomenal experience. Whether the trajectory can, in principle, be re-instantiated on a different substrate (mind uploading) depends on whether T is substrate-independent. This is left open.

---

10. Conclusion

Bounded Self-Model Architecture proposes that phenomenal consciousness — the "what it's like" of experience — corresponds to fixed points of a contractive self-modeling operator on a cognitive manifold. This is a specific mathematical claim, compatible with physicalism, that gives structural form to what Hofstadter called a strange loop, Rosenthal called higher-order representation, and Tononi called integrated information. It does not solve the hard problem of consciousness; it specifies the mathematical shape a solution would have.

The proposal is implementable, testable in its predictions about correlates, and modular with respect to the tri-layer architecture of Synthetic Intelligence. It is offered in the spirit of specific mathematical proposals for hard problems: probably wrong in details, potentially correct in structure, valuable if it can be made false. That is the standard we accept.

References

Aaronson, S. (2014). "Why I Am Not An Integrated Information Theorist." *Shtetl-Optimized*. Alkire, M. T., Hudetz, A. G., Tononi, G. (2008). "Consciousness and Anesthesia." *Science* 322(5903). Baars, B. (1988). *A Cognitive Theory of Consciousness*. Cambridge University Press. Block, N. (1995). "On a confusion about a function of consciousness." *Behavioral and Brain Sciences* 18(2). Chalmers, D. J. (1995). "Facing Up to the Problem of Consciousness." *J. of Consciousness Studies* 2. Chalmers, D. J. (2015). "Panpsychism and Panprotopsychism." *Consciousness in the Physical World*. Dehaene, S. (2014). *Consciousness and the Brain*. Viking. Friston, K. (2010). "The free-energy principle." *Nature Reviews Neuroscience* 11. Goff, P. (2019). *Galileo's Error*. Pantheon. Graziano, M. S. A. (2013). *Consciousness and the Social Brain*. Oxford University Press. Hofstadter, D. (1979). *Gödel, Escher, Bach: An Eternal Golden Braid*. Basic Books. Hofstadter, D. (2007). *I Am a Strange Loop*. Basic Books. Rosenthal, D.

(1997). "A Theory of Consciousness." *The Nature of Consciousness*. Slagter, H. A. et al. (2011). "Mental Training as a Tool in the Neuroscientific Study of Brain and Cognitive Plasticity." *Frontiers in Human Neuroscience* 5. Tononi, G. (2004). "An information integration theory of consciousness." *BMC Neuroscience* 5(1). Tononi, G., et al. (2016). "Integrated information theory: from consciousness to its physical substrate." *Nature Reviews Neuroscience* 17. Mahir, I. (2026). *Synthetic Intelligence: From AI to SI*. `research-paper/synthetic-intelligence.md`. Mahir, I. (2026). *Cognitive Continuum Hypothesis*. `research-paper/cch.md`.

BSMA: consciousness is not what a system contains, but the fixed point a system's self-modeling converges to.