

POP



THE GOLDEN ORGANIZER
DEVELOPING STAGE

Diego Rincon

Contents

Introduction	2
Database	3
Design.....	3
Data dictionary.....	4
Relationship	5
Files and folders	6
HTML – Main 	6
CSS 	6
FONTS 	6
IMG 	7
BG 	7
LOGO 	7
JS 	7
MODULES 	7
SERVICES 	8
Screenshots.....	9
Responsive view.....	13
Changes.....	14
Code	15
HTML.....	15
CSS.....	17
JS	20
PHP.....	25
conn.php	25
login.php	25
registerNewUser.php.....	26
sessionCheck.php.....	26
Testing.....	27
Validations	30
Empty fields.....	30
Invalid inputs.....	30
References	31
YouTube channels	31
Udemy courses.....	33

Introduction

There's a lot of material out there about making websites and code to copy and paste, something that helps me to practice before implementations in my project. The big problems start when your question is so specific that it becomes hard to write the right question in the search engines.

This is the first time I get myself into a huge project as this one with no preparation, when I thought about making this web/app a long time ago I knew it would take some good time to be completed but I never expected it to take so long, now I know.

It should be said that before starting this project, I had never used JS or PHP and I had never connected a web page to a database before, the relationship between one language and another is probably what took the longest, since my doubts were very specific. In addition, most online courses are from older versions of the languages and it is more difficult to get courses from current versions.


Despite knowing about the use of libraries and tools that would help me to make web pages faster, I chose to work with the base languages, I preferred to work in this way since it was my first time using JS and PHP and before using libraries, I prefer to understand the fundamentals of the languages, in addition to this way I also have more control over all the elements of my pages.

Many were the problems encountered and many more remained to be found, but happily I can say that I have managed to find a solution for all those who until now I have encountered.

Database

MySQL is the database management system I used for this project, I had experience working with this software from previous exercises and it is the most known for database management. I used Microsoft excel software for the rest of the organization process as it is one of my favourite tools for doing such things.

Design



Data dictionary

USERS			
Field Name	Data Type	Data Size	Key
UserID	Int	11	PK
Username	Varchar	25	
Email	Varchar	50	
Password	Varchar	50	
JoinDate	Date		
Active	tinyint	1	
UserType	Varchar	10	

CONTACTS			
Field Name	Data Type	Data Size	Key
ContactID	Int	5	PK
Name	Varchar	25	
Surname	Varchar	25	
Mobile	Varchar	11	
Phone	Varchar	11	
Email	Varchar	50	
Relationship	Varchar	25	
Postcode	Varchar	11	
Address	Varchar	255	
OwnerID	Int	5	FK

NOTES			
Field Name	Data Type	Data Size	Key
NoteID	Int	5	PK
Title	Varchar	25	
Category	Varchar	25	
Note	Varchar	1000	
CreateDate	Date		
OwnerID	Int	5	FK

PASSWORDS			
Field Name	Data Type	Data Size	Key
PassID	Int	5	PK
Title	Varchar	25	
User	Varchar	25	
Password	Varchar	50	
Link	Varchar	255	
OwnerID	Int	5	FK


REMINDERS			
Field Name	Data Type	Data Size	Key
RemID	Int	5	PK
ItemID	Int	5	FK
NotifyDate	Date		
OwnerID	Int	5	FK

TRASH			
Field Name	Data Type	Data Size	Key
TrashID	Int	5	PK
ItemID	Int	5	FK
TrashDate	Date		
OwnerID	Int	5	FK

LINKS			
Field Name	Data Type	Data Size	Key
LinkID	Int	5	PK
Title	Varchar	25	
Link	Varchar	255	
Category	Varchar	25	
OwnerID	Int	5	FK

CALENDAR			
Field Name	Data Type	Data Size	Key
CalenID	Int	5	PK
EventTitle	Varchar	25	
Category	Varchar	25	
Description	Varchar	200	
StartDate	Date		
EndDate	Date		
OwnerID	Int	5	FK

Relationship



Files and folders

Try to keep everything in an order that you could work with, this is not an easy thing to achieve when working on such a large project, but the more I progressed the better I understood how I should have worked from the beginning. The resulting files are as follows:

HTML – Main

Name	Date modified	Type	Size
 css	29/04/2020 14:48	File folder	
 fonts	26/04/2020 07:12	File folder	
 img	26/04/2020 07:12	File folder	
 js	26/04/2020 07:12	File folder	
 services	26/04/2020 07:12	File folder	
 index.html	22/04/2020 09:13	Microsoft Edge H...	4 KB
 page2.html	29/04/2020 15:55	Microsoft Edge H...	22 KB

CSS

Name	Date modified	Type	Size
 contactStyle.css	29/04/2020 14:11	CSS Source File	4 KB
 icons.css	17/04/2020 13:45	CSS Source File	4 KB
 indexStyle.css	15/04/2020 21:36	CSS Source File	4 KB
 linksPageStyle.css	28/04/2020 02:25	CSS Source File	7 KB
 noteStyle.css	28/04/2020 01:23	CSS Source File	9 KB
 page2ContentStyle.css	21/04/2020 18:47	CSS Source File	2 KB
 page2MenusStyle.css	20/04/2020 13:46	CSS Source File	3 KB
 passwordStyle.css	29/04/2020 16:31	CSS Source File	1 KB
 toolsKit.css	26/04/2020 07:59	CSS Source File	4 KB

FONTS

Name	Date modified	Type	Size
 icomoon.eot	11/04/2020 20:17	EOT File	16 KB
 icomoon.svg	11/04/2020 20:17	Microsoft Edge H...	56 KB
 icomoon.ttf	11/04/2020 20:17	TrueType font file	16 KB
 icomoon.woff	11/04/2020 20:17	WOFF File	16 KB

IMG

Name	Date modified	Type	Size
bg	29/04/2020 08:50	File folder	
logo	26/04/2020 07:12	File folder	
user.svg	15/04/2020 06:17	Microsoft Edge H...	2 KB

BG

Name	Date	Type	Size	Tags
bgpic.jpg	19/11/2019 14:32	JPG File	125 KB	electronic; d...
bgpic3.jpg	21/03/2020 18:48	JPG File	29 KB	
bgpic8.jpg	21/03/2020 20:06	JPG File	149 KB	
fb.jpg	29/04/2020 08:49	JPG File	23 KB	
pngfuel.com.png	26/04/2020 07:26	PNG File	104 KB	

LOGO

Name	Date	Type	Size	Tags
logo.png	12/12/2019 16:48	PNG File	416 KB	
logotext.png	18/02/2020 07:46	PNG File	34 KB	
redlogo.png	18/02/2020 07:40	PNG File	108 KB	
redlogotext.png	18/02/2020 07:45	PNG File	29 KB	

JS

Name	Date modified	Type	Size
modules	29/04/2020 14:59	File folder	
index.js	28/04/2020 01:48	JavaScript Source ...	8 KB
page2.js	29/04/2020 13:23	JavaScript Source ...	2 KB

MODULES

Name	Date modified	Type	Size
contacts.js	29/04/2020 14:41	JavaScript Source ...	2 KB
links.js	29/04/2020 08:55	JavaScript Source ...	2 KB
menus.js	19/04/2020 19:17	JavaScript Source ...	3 KB
notes.js	25/04/2020 20:38	JavaScript Source ...	17 KB
passwords.js	29/04/2020 15:01	JavaScript Source ...	1 KB

SERVICES

Name	Date modified	Type	Size
 conn.php	23/04/2020 01:17	PHP Source File	1 KB
 dataServer.php	22/04/2020 09:27	PHP Source File	1 KB
 deleteNote.php	25/04/2020 20:37	PHP Source File	1 KB
 login.php	15/04/2020 22:52	PHP Source File	1 KB
 newNote.php	23/04/2020 00:14	PHP Source File	2 KB
 registerNewUser.php	15/04/2020 21:24	PHP Source File	1 KB
 sessionCheck.php	15/04/2020 04:40	PHP Source File	1 KB
 sessionStarter.php	15/04/2020 03:46	PHP Source File	1 KB
 updateNote.php	25/04/2020 19:31	PHP Source File	2 KB




Screenshots



A browser window showing the POP login page. The page has a grey background with a white hexagonal pattern. The main content is a white card with the title "POP" and a yellow logo. Below the logo is the text "the GOLDEN organizer". There are two buttons: "Log in" and "Sign up". The "Log in" button is active. Below the buttons are three input fields: "Email" (containing "example@example.com"), "Password" (containing "Password"), and a "forgot password?" link. A green "Log in" button is at the bottom.

A browser window showing the POP sign-up page. The page has a grey background with a white hexagonal pattern. The main content is a white card with the title "POP" and a yellow logo. Below the logo is the text "the GOLDEN organizer". There are two buttons: "Log in" and "Sign up". The "Sign up" button is active. Below the buttons are four input fields: "Name" (containing "John Smith"), "Email" (containing "example@example.com"), "Password" (containing "Password"), and "Retype Password" (containing "Retype Password"). There is a checkbox for "Accept Terms & Conditions" and a green "Sign up" button at the bottom.

A browser window showing the POP login page with validation errors. The page has a grey background with a white hexagonal pattern. The main content is a white card with the title "POP" and a yellow logo. Below the logo is the text "the GOLDEN organizer". There are two buttons: "Log in" and "Sign up". The "Log in" button is active. Below the buttons are three input fields: "Email" (containing "example@example.com"), "Password" (containing "Password"), and a "forgot password?" link. Each input field has a red error message below it: "This field cannot be blank". A green "Log in" button is at the bottom.

A browser window showing the POP sign-up page with validation errors. The page has a grey background with a white hexagonal pattern. The main content is a white card with the title "POP" and a yellow logo. Below the logo is the text "the GOLDEN organizer". There are two buttons: "Log in" and "Sign up". The "Sign up" button is active. Below the buttons are four input fields: "Name" (containing "John Smith"), "Email" (containing "example@example.com"), "Password" (containing "Password"), and "Retype Password" (containing "Retype Password"). Each input field has a red error message below it: "This field cannot be blank". There is a checkbox for "Accept Terms & Conditions" which is checked. A green "Sign up" button is at the bottom.





Cansebero y Garee - Justic

POP

localhost/0webs/zWork/page2.html#

POP

+ New contact

D

Diego Rincon

Diana Robles

L

Laura Lujan

T

Thanos Matagente ...

Diego Rincon



Mobile
+44 123-456-7890

Phone
+44 123-456-7890

Email:
example@example.com

Address:
Address line 1
Address line 2
Town/City
Postcode

Delete

Cansebero y Garee - Justic

POP

localhost/0webs/zWork/page2.html#

POP

+ New password

F

Facebook

Flicker

G

Gmail

M

Mega downloader

Gmail



Username
@username

Website URL
https://www.example.com

Email
example@example.com


Password
.....



☐
Copy

Note:
Write your note here!

Delete

Responsive view





Changes

As you may have noticed, although most things stayed as planned there are details that changed due to the functionality required or just to make it look better.

Code

The indentation in this copy of the code is made to two spaces to make it look better, but in the code it has an indentation of tab which is equal to four spaces.

HTML

```
<!DOCTYPE html>
<html>
<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, user-scalable=no, initial-
scale=1.0, maximum-scale=1.0, minimum-scale=1.0">
  <meta property="og:url" content="http://diegos-link.c1.biz/" /> <!--
Open Graph tags to customize shared link previews. -->
  <meta property="og:type" content="website" />
  <meta property="og:title" content="POP" />
  <meta property="og:description" content="The golden organizer, organize your
life with Pop." />
  <meta property="og:image" content="http://diegos-
link.c1.biz/pop/logo.png" />
  <title>POP - Home</title>
  <link rel="stylesheet" type="text/css" href="css/toolsKit.css">
  <link rel="stylesheet" type="text/css" href="css/indexStyle.css">
</head>

<body>

  <div class="formBox shadow1">

    <section class="formHead align-center">
      <p>POP</p>
      
      <h2>the <span class="goldenText"> GOLDEN</span> organizer</h2>
    </section>

    <div class = "tabinator topTabs align-center"> <!-->

      <input type = "radio" id = "tab1" name = "tabs" checked>
      <label for = "tab1">Log in</label>
      <input type = "radio" id = "tab2" name = "tabs">
      <label for = "tab2">Sign up</label>
      <input type = "radio" id = "tab3" name = "tabs">

    <div id = "content1">
      <form method="post" class="align-left formulario">
        <br><br>
        <label for="email" class="smallLabel">Email</label>
        <input type="text" name="email" placeholder="example@example.com"
class="inPut">
        <div class="errorMsg"></div>
        <br><br>
        <label for="password" class="smallLabel">Password</label>
        <input type="password" name="password" placeholder="Password"
class="inPut">
        <div class="errorMsg"></div>
        <p class="align-right p1">
          <label for = "tab3" class="smallText link-style">forgot
password?</label>
        </p>
      </form>
    </div>
  </div>
</body>
</html>
```

```

        <br><br>
        <div class="align-center btnStyle">
            <input type="submit" name="login" value="Log in">
        </div>
    </form>
</div>

<div id = "content2">
    <form method="post" class="align-left formulario">
        <br><br>
        <label for="name" class="smallLabel">Name</label>
        <input type="text" name="name" placeholder="John Smith" class="inPut">
        <div class="errorMsg"></div>
        <br><br>
        <label for="email" class="smallLabel">Email</label>
        <input type="email" name="email" placeholder="example@example.com"
class="inPut">
        <div class="errorMsg"></div>
        <br><br>
        <label for="password" class="smallLabel">Password</label>
        <input type="password" name="password" placeholder="Password"
class="inPut">
        <div class="errorMsg"></div>
        <br><br>
        <label for="password" class="smallLabel">Retype Password</label>
        <input type="password" name="password" placeholder="Retype Password"
class="inPut">
        <div class="errorMsg"></div>
        <p class="smallText margin-T2r dis-flex vAlign-center margin-1r"><input
type="checkbox" required="true"> Accept&nbsp;<span class="blackText link-style">
Terms &amp; Conditions</span></p>
        <div class="align-center btnStyle">
            <input type="submit" name="login" value="Sign up">
        </div>
    </form>
</div>

<div id = "content3">
    <form method="post" class="align-left formulario">
        <br><br>
        <label for="email" class="smallLabel">Email</label>
        <input type="email" name="email" placeholder="example@example.com"
class="inPut">
        <div class="errorMsg"></div>
        <div class="warningMsg" id="resetWarning"></div>
        <br><br>
        <div class="align-center btnStyle">
            <input type="submit" name="login" value="Reset">
        </div>
    </form>
</div>

</div>

</div>

<!-- SCRIPTS DOWN HERE \\/ -->
<script type="module" src="js/index.js"></script>
</body>

</html>

```

CSS

```
body{
/* background-color: #EAEAEA;*/
  background-color: #343c6b;
/* background-color: #edd69c;*/
  font-family: 'Open Sans', sans-serif; /* needed to display the image */
  background-repeat: no-repeat; /* make it appear only once */
  background-image: url("../img/bg/bgpic8.jpg");
  background-attachment: fixed;
  background-position: bottom left;
  background-size: cover;
}

.formBox{
  background-color: #DADADA;
  width: 350px;
  min-height: 500px;
  margin: 1rem auto;
  margin-top: 2rem;
}

/* FORM HEAD */
.formHead p{
  font-size: 4rem;
  font-weight: bold;
  padding: 0.7rem;
}

.formHead img{
  width: 200px;
  margin-bottom: 0.7rem;
}

.formHead h2{
  font-size: 1.3rem;
}

/* FORM TABS */
.tabinator {
  position: relative;
  padding: 1.5rem;
}

.tabinator input[type="radio"] {
  display: none;
}

.tabinator label[for="tab1"],
.tabinator label[for="tab2"]{
  display: inline-block;
  padding: 15px 25px;
  color: dimgray;
  font-weight: bold;
  margin-bottom: -1px;
  background-color: rgba(0,0,0,0.05);
  border: 1px solid darkgray;
  border-radius: 5px 5px 0 0;
}
```

```

.tabinator label[for="tab1"]:hover,
.tabinator label[for="tab2"]:hover {
  color: #888;
  cursor: pointer;
}

.tabinator input:checked + label[for="tab1"],
.tabinator input:checked + label[for="tab2"] {
  position: relative;
  color: #000;
  background-color: #EAEAEA;
  border: 1px solid #bbb;
  border-bottom: 1px solid #EAEAEA;
  border-radius: 5px 5px 0 0;
}

.tabinator input:checked + label[for="tab1"]:after,
.tabinator input:checked + label[for="tab2"]:after {
  display: block;
  content: '';
  position: absolute;
  top: 0; right: 0; bottom: 0; left: 0;
  box-shadow: rgba(0, 0, 0, 0.27) 0px -10px 10px -10px;
}

#content1, #content2, #content3 {
  background-color: #EAEAEA;
  display: none;
  border: 1px solid darkgray;
  padding: 15px;
  border-radius: 0px 3px 3px 3px;
}

#tab1:checked ~ #content1,
#tab2:checked ~ #content2,
#tab3:checked ~ #content3 {
  display: block;
  box-shadow: 0 0 10px #939393;
}

/* ### FORM CONTENT ### */
.smallLabel{
background-color: black;
position: absolute;
font-size: 12px;
color: #fff;
/* color:#444; */
padding: 2px;
transition: all 0.3s;
letter-spacing: 1px;
}

.smallText{
font-size: 12px;
color: #777;
}

.inPut{
margin: auto;
width: 200px;
display: block;
background: #EAEAEA;

```

```

    line-height: 1rem;
    padding: 5px;
    border: 0px;
    border-bottom: #A3A3A3 solid 2px;
    margin-top: 1rem;
    font-size: 1rem;
    color: #666;
}

.inPut:-webkit-autofill{ /*cambia color de fondo de auto relleno*/
    -webkit-text-fill-color: #666;
    box-shadow: 0 0 0px 1000px #EAEAEA inset;
    font-size: 1rem;
}

#content1 form .p1{
    margin-right: 2rem;
    margin-top: 5px;
}

.btnStyle input[type="submit"]{
    border: 1px #999999 solid;
    border-radius: 4px;
    padding: 12px 48px;
    box-shadow: 0 6px 10px 0 rgba(0,0,0,0.19);
    font-weight: bold;
    background: #8ED9BA;
    color: #444;
    font-size: 0.9rem;
    cursor: pointer;
}

/* VALIDATION */

.errorMsg{
width: 200px;
margin: 0 auto;
text-align: center;
font-size: 0.8rem;
padding: 0.2rem;
background-color: #F3D2D2;
visibility: hidden;
}

.warningMsg{
width: 200px;
margin: 5px auto;
text-align: center;
font-size: 1rem;
padding: 0.4rem;
color: dimgrey;
background-color: rgb(252, 233, 170);
visibility: hidden;
}

@media only screen and (min-width: 600px) {
    .formBox{
        margin-top: 10vh;
    }
}

```

JS

```
var formularios = document.getElementsByClassName('formulario');
var inputs = document.querySelectorAll('.inPut');

var login_form = formularios[0];
var reg_form = formularios[1];
var reset_form = formularios[2];

window.onload = function Main() {

    checkSession();
    eventsListeners();
}

function checkSession() {

    if (sessionStorage.getItem('SessionEmail') &&
        sessionStorage.getItem('SessionID')) {
        location.href = 'page2.html';
    }
}

function eventsListeners() {

    login_form.addEventListener('submit', function (e) {
        e.preventDefault();
        eventLogin();
    });

    reg_form.addEventListener('submit', function (e) {
        e.preventDefault();
        eventRegister();
    });

    reset_form.addEventListener('submit', function (e) {
        e.preventDefault();
        eventResetEmail();
    });
};

function eventResetEmail() {

    var emailFromReset = inputs[6];

    verifyEmail(emailFromReset, 6);

    if (verifyEmail(emailFromReset, 6)) {
        alert("Service not available yet");
    } else {

    }

}
```



```

function eventRegister() {

    var userNameFromRegister = inputs[2];
    var emailFromRegister = inputs[3];
    var passwordFromRegister = inputs[4];
    var passwordRepeatFromRegister = inputs[5];

    verifyUserName(userNameFromRegister, 2)
    verifyEmail(emailFromRegister, 3);
    verifyPassword(passwordFromRegister, 4)
    verify2ndPassword(passwordRepeatFromRegister, passwordFromRegister, 5)

    if (verifyUserName(userNameFromRegister, 2) && verifyEmail(emailFromRegister,
3) && verifyPassword(passwordFromRegister, 4) &&
verify2ndPassword(passwordRepeatFromRegister, passwordFromRegister, 5)) {

        var datos = new FormData(reg_form);

        console.log(datos);
        console.log(datos.get('email'));
        console.log(datos.get('password'));

        fetch('services/registerNewUser.php', {
            method: 'POST',
            body: datos
        })

            .then(res => res.json())
            .then(data => {
                console.log(data)

                if (data === 'error1') {
                    invalidInputHandler(inputs[3], "Existing account", 3);

                }else {
                    validInputHandler(inputs[2], 2);
                    validInputHandler(inputs[3], 3);
                    validInputHandler(inputs[4], 4);
                    validInputHandler(inputs[5], 5);

                    reg_form.reset();
                    alert("Account created Successfully! :)")
                    location.href = 'index.html';

                }

            });

    } else {
        console.warn('Else in eventRegister!!');
    }
}

function eventLogin() {

    var emailFromLogin = inputs[0];
    var passwordFromLogin = inputs[1];

    verifyEmail(emailFromLogin, 0);

```

```

verifyPassword(passwordFromLogin, 1);

if (verifyEmail(emailFromLogin, 0) && verifyPassword(passwordFromLogin, 1)) {

    var datos = new FormData(login_form);

    // console.log(datos);
    // console.log(datos.get('email'));
    // console.log(datos.get('password'));

    fetch('services/login.php', {
        method: 'POST',
        body: datos
    })

    .then(res => res.json())
    .then(data => {
        console.log(data)
        if (data === 'error1') {
            invalidInputHandler(inputs[0], "Email does not exist", 0);
        }

        if (data === 'error2') {
            invalidInputHandler(inputs[1], "Password incorrect", 1);
        }

        if (data !== 'error1' && data !== 'error2') {
            validInputHandler(inputs[0], 0);
            validInputHandler(inputs[1], 1);
            sessionStorage.setItem('SessionEmail', data['Email']);
            sessionStorage.setItem('SessionID', data['UserID']);
            sessionStorage.setItem('SessionUser', data['Username']);

            location.href = 'page2.html';
        }
    });

} else {
    console.warn('Fields empty!');
}

}

/***/ Checkers */

function verifyEmail(emailInput, indexOfElement) {
    if (!checkIfEmpty(emailInput, indexOfElement)) { //check is not empty.
    } else if (!checkInputLength(emailInput, indexOfElement, 2, 50)){
    } else if (!checkValidEmailFormat(emailInput, indexOfElement)) { //check if an
email is valid.
    } else {
        return true
    }
}

function verifyPassword(passwordInput, indexOfElement) {
    if (!checkIfEmpty(passwordInput, indexOfElement)) { //check is not empty.
    } else if (!checkInputLength(passwordInput, indexOfElement, 8, 50)) { //check
length of input

```

```

    } else {
        return true
    }
}

function verify2ndPassword(passwordInput, comparingPasswordValue, indexOfElement)
{
    if (!checkIfEmpty(passwordInput, indexOfElement)) { //check is not empty.
    } else if (!checkInputLength(passwordInput, indexOfElement, 8, 50)) { //check
length of input
    } else if (!checkInputsMatch(passwordInput, comparingPasswordValue,
indexOfElement)){
    }else{
        return true
    }
}

function verifyUserName(userNameInput, indexOfElement){
    if (!checkIfEmpty(userNameInput, indexOfElement)) { //check is not empty.
    }else if (!checkInputLength(userNameInput, indexOfElement, 2, 25)){
    } else {
        return true
    }
}

/** START OF THE TOOLS DEVELOPED TO HANDLE THE INPUTS FUNCTIONS */

function checkIfEmpty(inputValue, indexOfElement) {
    var errorMsg = "This field cannot be blank";
    var checkTrim = inputValue.value.trim();

    if (checkTrim == '') {
        invalidInputHandler(inputValue, errorMsg, indexOfElement);
        return false;
    } else {
        validInputHandler(inputValue, indexOfElement);
        return true;
    }
}

function checkValidEmailFormat(inputValue, indexOfElement) {
    var errorMsg = "Not a valid email";

    if (!emailFormat(inputValue.value)) {
        invalidInputHandler(inputValue, errorMsg, indexOfElement);
        return false;
    } else {
        validInputHandler(inputValue, indexOfElement);
        return true;
    }
}

function emailFormat(email) {
    return /^(^<>()\[\]\.\.,;\s@""]+(\.^[^<>()\[\]\.\.,;\s@""]+)*|("\.+"))@((\[[0-9]{1,3}\. [0-9]{1,3}\. [0-9]{1,3}\. [0-9]{1,3}\]|((\a-zA-Z\-[0-9]+\.)+[a-zA-Z]{2,}))$/.test(email);
}

```

```

function checkInputLength(inputValue, indexOfElement, minLength, maxLength) {
    var errorMsg = "Length (min "+minLength+" - max "+maxLength+"");
    var inputVal = inputValue.value.trim();

    if (inputVal.length < minLength || inputVal.length > maxLength) {
        invalidInputHandler(inputValue, errorMsg, indexOfElement);
        return false;
    } else {
        validInputHandler(inputValue, indexOfElement);
        return true;
    }
}

function checkInputsMatch(inputValue, comparingValue, indexOfElement){
    var errorMsg = "Must match";

    if (inputValue.value != comparingValue.value) {
        invalidInputHandler(inputValue, errorMsg, indexOfElement);
        return false;
    } else {
        validInputHandler(inputValue, indexOfElement);
        return true;
    }
}

function validInputHandler(inputValue, indexOfElement) {
    inputValue.style.borderBottomColor = "#19C12C"; //Set bottom border GREEN.

    var errorMessage = document.querySelectorAll('.errorMsg');
    errorMessage[indexOfElement].style.visibility = 'hidden';
}

function invalidInputHandler(inputValue, errorMsg, indexOfElement) {
    inputValue.style.borderBottomColor = "#e74c3c"; //Set bottom border RED.

    var errorMessage = document.querySelectorAll('.errorMsg');
    errorMessage[indexOfElement].style.visibility = 'visible';
    errorMessage[indexOfElement].textContent = errorMsg;
}

```

PHP

conn.php

```
<?php

    $connection = new mysqli('localhost','root','','pop');

    mysqli_set_charset($connection, 'utf8');

?>
```

login.php

```
<?php

    include 'conn.php';

    $value = $_POST['email'] ?? '';

    $valuep = $_POST['password'] ?? '';

    $sel = $connection ->query("SELECT * FROM users WHERE Email= '$value' ");

    $contador = mysqli_num_rows($sel);

    if($contador == 0)
    {
        echo json_encode('error1');
    }else {

        $fila = $sel -> fetch_assoc();

        if($fila['Password'] != $valuep){
            echo json_encode('error2');
        }else{
            echo json_encode($fila);
        }
    }

?>
```

registerNewUser.php

```
<?php

include 'conn.php';

$username = $_POST['name'] ?? '';
$email = $_POST['email'] ?? '';
$password = $_POST['password'] ?? '';
$userType = "user";

$emailQuery = $connection ->query("SELECT * FROM users WHERE Email= '$email' ");

$counter = mysqli_num_rows($emailQuery);

if($counter == 1) {

    echo json_encode('error1');

}else {

    $addingQuery = $connection ->query("INSERT INTO `users` (`UserID`,
`Username`, `Email`, `Password`, `JoinDate`, `Active`, `UserType`)
VALUES (NULL, '$username', '$email', '$password', current_timestamp(), '1',
'$userType')");

    echo json_encode('success');

}

?>
```

sessionCheck.php

```
<?php
$user = '';

session_start();
session_destroy();

if (isset($_SESSION['usuario'])){
    $user = $_SESSION['usuario'];
}else {
    $user = 0;
}

?>
```

Pop - the golden organizer

Test Log

#	Item being tested	Test case	Test data	Expected result	Actual result	Comments
1	Web page load	load	load	load successfully	As expected	
2	login input [email]	missing @	dgmail.com	error msg	As expected	
3	login input [email]	no valid email	d@gmail.m	error msg	As expected	
4	login input [email]	non-existent mail	d@gmail.com	error msg	As expected	
5	login input [email]	valid email	dr@gmail.com	log in	As expected	
6	login input [password]	short password	123	error msg	As expected	
7	login input [password]	long password	12345678912345678912345678912345678912345678912345	error msg	As expected	
8	login input [password]	no valid password	1234567890	error msg	As expected	
9	login input [password]	valid password	123456789	log in	As expected	
10	register input [name]	any input	Diego.7 - >	accepted	As expected	
11	register input [email]	missing @	dgmail.com	error msg	As expected	
12	register input [email]	no valid email	d@gmail.m	error msg	As expected	
13	register input [email]	non-existent mail	d@gmail.com	error msg	As expected	
14	register input [email]	valid email	dr@gmail.com	create account	As expected	
15	register input [password 1]	short password	123	error msg	As expected	
16	register input [password 1]	long password	12345678912345678912345678912345678912345678912345	error msg	As expected	
17	register input [password 1]	no valid password	1234567890	error msg	As expected	
18	register input [password 1]	valid password	123456789	create account	As expected	
19	register input [password 2]	different password from password 1	12345678	error msg	As expected	
20	register input [password 2]	equal password as password 1	123456789	create account	As expected	
21	register input check box	unchecked	unchecked	error msg	As expected	
22	register input check box	checked	checked	create account	As expected	
23	register and log in buttons	click	click	send data to check	As expected	

Pop - the golden organizer

Test Log

#	Item being tested	Test case	Test data	Expected result	Actual result	Comments
24	Menu button	mouseover	mouseover	display menu	As expected	
25	Account button	mouseover	mouseover	display account menu	As expected	
26	search bar	mouseover	mouseover	expand	As expected	
27	search bar	enter input	note	display all items with the word "note"	not working	to be implemented in future
28	navigation menu	click notes	click	display notes	As expected	
29	navigation menu	click bin	click	display bin	As expected	funtions need to be added
30	navigation menu	click calendar	click	display calendar	working msg	to be implemented in future
31	navigation menu	click links	click	display links	As expected	funtions need to be added
32	navigation menu	click reminders	click	display reminders	working msg	to be implemented in future
33	navigation menu	click contacts	click	display contacts	As expected	funtions need to be added
34	navigation menu	click passwords	click	display passwords	As expected	funtions need to be added
35	central navigation menu	click notes	click	display notes	As expected	
36	central navigation menu	click bin	click	display bin	As expected	funtions need to be added
37	central navigation menu	click calendar	click	display calendar	working msg	to be implemented in future
38	central navigation menu	click links	click	display links	As expected	funtions need to be added
39	central navigation menu	click reminders	click	display reminders	working msg	to be implemented in future
40	central navigation menu	click contacts	click	display contacts	As expected	funtions need to be added
41	central navigation menu	click passwords	click	display passwords	As expected	funtions need to be added

Pop - the golden organizer

Test Log

#	Item being tested	Test case	Test data	Expected result	Actual result	Comments
42	central navigation menu	click log out	click	log out	As expected	
43	add new note	click	click	Display textarea	As expected	
44	add new note [title]	insert special characters	!"£\$%^&*()?/*-+	Accepted	As expected	
45	add new note [note]	insert special characters	!"£\$%^&*()?/*-+	Accepted	As expected	
46	assign category	select existing category	click "Test category"	assing "Test category" as the note category	As expected	
47	assign category	create new category	input "Category 2"	assing "Category 2" as the note category	As expected	
48	add new note	close collapsable	click "x"	clear text area, close collapsable	As expected	
49	add new note	create a new note	click "√"	clear text area, add new note	As expected	
50	display by category button	display categories	mouseover	display categories	As expected	
51	display by category button	select category	click "Test category"	display notes with the "Test category" category	As expected	
52	display by category button	select display All	click "All"	display all notes	As expected	
53	note menu	display options	mouseover	display options	As expected	
54	note menu [edit]	edit note	click	display note information, allow user to edit note	As expected	
55	note menu [delete]	confirm before delete	click	display a new button asking user "Yes?"	As expected	
56	note menu [delete][Yes?]	delete note	click	delete note	As expected	
57						
58						
59						
60						
61						

Validations

Empty fields

The first screenshot shows the login form with empty fields. The second screenshot shows the signup form with empty fields and a validation message.

POP
the **GOLDEN** organizer

Log in Sign up

Email
example@example.com
This field cannot be blank

Password
Password
This field cannot be blank
forgot password?

Log in

POP
the **GOLDEN** organizer

Log in Sign up

Name
John Smith
This field cannot be blank

Email
example@example.com
This field cannot be blank

Password
Password
This field cannot be blank

Retype Password
Retype Password
This field cannot be blank

☐ Accept Terms & Conditions

Please check this box if you want to proceed.

Invalid inputs

The first screenshot shows the login form with invalid email and password. The second screenshot shows the signup form with invalid email, password, and retype password.

POP
the **GOLDEN** organizer

Log in Sign up

Email
SSSSSSS
Not a valid email

Password

Length (min 8 - max 50)
forgot password?

Log in

POP
the **GOLDEN** organizer

Log in Sign up

Name
John Smith
This field cannot be blank

Email
dddd@ssss
Not a valid email

Password

Length (min 8 - max 50)

Retype Password

Must match

☒ Accept Terms & Conditions

Sign up

References

Coolors. (2020, February 5). *Colour palettes - Coolors* . Retrieved from Coolors : <https://coolors.co/>


Majewski, M. (2019, March 12). *Blog - Leankit*. Retrieved from Leankit:
<https://leankit.com/blog/2019/03/top-6-software-development-methodologies/>

Open Sans. (n.d.). Retrieved 25, 2020, from <https://fonts.google.com/specimen/Open+Sans>

Ouriken. (2019, November 28). *Which one is right for you: Waterfall or Agile?* Retrieved from ouriken: <http://ouriken.com/blog/which-one-is-right-for-you-waterfall-or-agile/>

Wikipedia. (2020, February 3). *Open Sans - Wikipedia*. Retrieved from Wikipedia:
https://en.wikipedia.org/wiki/Open_Sans

YouTube channels




Fazt ✓
190.000 suscriptores • 320 vídeos
Soy Fazt, y en este Canal Podrás Encontrar Todo de Programación y Desarrollo Web, Desde hacer tu propio logo de tu Marca ...

SUSCRITO




FalconMasters ✓
364.000 suscriptores • 465 vídeos
Aprende diseño y desarrollo web desde cero con increíbles diseños, ejemplos, practicas y mucho mas. ✓ Curso Completo de ...

SUSCRITO



Dev Ed ✓
298.000 suscriptores • 155 vídeos
Learn web development, web design, 3d modelling, tools like figma and more without getting bored! The goes of this channel is to ...

SUSCRITO



Fazt Code
43.100 suscriptores • 229 vídeos
Fazt Code es un canal de tutoriales de programación en general, podrás encontrar desde ejemplos de desarrollo web, ...

SUSCRITO



Soy Dalto

19.100 suscriptores • 110 videos

Mi nombre es Lucas Dalto, soy un Programador de Argentina, y quiero invitarte a que aprendas a programar. Lucas Dalto te va a ...

SUSCRITO



Platzi ✓

829.000 suscriptores • 1536 videos

Platzi es educación online efectiva donde y cuando quieras. Aprende diseño, desarrollo web, marketing y negocios digitales.

SUSCRITO



Yoney Gallardo

431.000 suscriptores • 1094 videos

En este canal encontrarás videos de Tecnología, tutoriales y cursos de diferentes programas y aplicaciones, desde temáticas y ...


SUSCRITO



Pabs Monestel

621 suscriptores • 158 videos

SUSCRITO



Academind ✓

501.000 suscriptores • 582 videos

There's always something to learn! Whether you want to have look at Angular Tutorials or Guides, Vue.js, other Frontend ...

SUSCRITO



J&G Proyectos Web

82.300 suscriptores • 114 videos

J&G Proyectos web Un canal dedicado a mostrar tutoriales y tips sobre diseño web, programación, soporte técnico y otras ...

SUSCRITO



codigofacilito ✓

610.000 suscriptores • 2811 videos

Visita CódigoFacilito.com para aprender desarrollo web frontend, backend, desarrollo móvil para Android y iOS y mucho más.

SUSCRITO



Udemy courses

 Android Studio, Instalación, Emuladores, Git, Plugins y Tips Alain Nicolás Tello, Ing. en Sistemas Computacionales,... 11 % completa... ★★★★★ Tu calificación EMPEZAR CURSO	 Aprende a publicar tus páginas web Daniel López F, Programador y desarrollador de Software /... EMPEZAR CURSO	 Programación Android 01 Conceptos generales Javier San José Ortiz, Ingeniero Industrial EMPEZAR CURSO	 Aprende a crear animaciones y efectos interactivos con CSS3 Juan Fernando Urrego, Diseñador Visual y Desarrollador Web EMPEZAR CURSO
 Machine Learning. Curso básico de Machine Learning Redait Media, Ingeniería de software EMPEZAR CURSO	 Curso de FlexBox desde 0 Erick Mines, WebMaster y CEO en Aulaideal.com EMPEZAR CURSO	 60+ Herramientas de desarrollo y diseño web Fernando Herrera, A Full-Stack Developer & Teacher EMPEZAR CURSO	 CodeIgniter 3 de cero a Experto. El mejor framework de PHP David Navarro, Programador web EMPEZAR CURSO
 Lógica Programación: Aprende Programar en Cualquier... Sayyab Tariq, Técnico Superior en Desarrollo Aplicaciones Web EMPEZAR CURSO	 Javascript Curso Gratis 2020 Elio Marciano, Informatic Engineer - Programmer 5 % completado ★★★★★ Deja una calificación	 Aprende PHP y MySQLi, conceptos básicos para... Soluciones Informáticas J&D, Ingenieros en Tecnologías de la... 32 % completa... ★★★★★ Tu calificación	 Programador web: Cookies y Sesiones en PHP Juan De La Torre Domingo, Desarrollador Web 62 % completa... ★★★★★ Deja una calificación
 Introducción teórica a los frameworks de desarrollo para... Victor Robles, Desarrollador web EMPEZAR CURSO	 Java Tutorial for Complete Beginners John Purcell, Software Development Trainer EMPEZAR CURSO	 Inteligencia Emocional para Emprendedores Marcos Benvenuto, Analista de Sistema - Coach - Asesor de... EMPEZAR CURSO	 ButterKnife para desarrollo Android [2019] David Cruz Anaya, JavaScript Full-Stack and Mobile Engineer EMPEZAR CURSO
 C++ Desarrollo de Videojuego 2D Arcade paso a paso Pablo Tilotta, Analista Programador Experto - 31 años ... EMPEZAR CURSO	 Introducción a Git & GitHub Christian Granados, Monroy EMPEZAR CURSO	 Como Crear un CRUD con PHP y SQL Server render2web Tus Recursos Diseño, Desarrollo, Web y 3D EMPEZAR CURSO	 Angular: Convierte cualquier template HTML en una WebAPP Fernando Herrera, A Full-Stack Developer & Teacher EMPEZAR CURSO
 Aprende a crear páginas web con HTML5 y CSS3 Daniel López F, Programador y desarrollador de Software /... EMPEZAR CURSO	 Fundamentos de Programación, Algoritmos en java y JavaScript Cristian David Henao Hoyos, Ing de Sistemas y Computación,... EMPEZAR CURSO	 Aprende Programación con Diagramas de Flujo Alejandro Miguel Taboada Sanchez, Programador EMPEZAR CURSO	 Cómo Programar para Emprendedores - HTML y CSS Pablo Farias Navarro, Certified Game Developer and Founder of... EMPEZAR CURSO