Kodewala Academy(25th Aug, 2026) - Java Backend Test # 2

Sudarshan Patil
Sept. 25, 2026, 10:03 a.m.

You've survived the test. The results will arrive soon. 😎

Your score: 91% 36.25/40
Duration: 0:15:07

1. Which keyword allows JVM to call the main method? — 1 / 1 point

Your Answer: ✓ Correct

- ○ static
- ○ void
- ✓ ● public
- ○ main

2. Why is the main method declared static? — 1 / 1 point

Your Answer: ✓ Correct

- ○ To improve memory
- ✓ ● To avoid object creation
- ○ To make code faster
- ○ To return values

3. In Java, file name and public class name: — 1 / 1 point

Your Answer: ✓ Correct

- ○ Can be different
- ✓ ● Must be same
- ○ Need not match
- ○ Depend on OS

4. Which of the following is a valid Java identifier? — 1 / 1 point

Your Answer: ✓ Correct

- ○ 123name
- ○ employee-id
- ✓ ● total_sum
- ○ first name

5. Java identifiers are: — 1 / 1 point

Your Answer: ✓ Correct

- ○ Case-insensitive
- ○ Numeric only
- ○ Uppercase only
- ✓ ● Case-sensitive

6. What is the default value of a boolean variable? — 1 / 1 point

Your Answer: ✓ Correct

- ○ true
- ✓ ● false
- ○ 0
- ○ null

7. Which variable is declared inside a method? — 1 / 1 point

Your Answer: ✓ Correct

- ○ Instance Variable
- ○ Static Variable
- ✓ ● Local Variable
- ○ Member Variable

8. Which variable belongs to an object? — 1 / 1 point

Your Answer: ✓ Correct

- ✓ ● Instance Variable
- ○ Static Variable
- ○ Local Variable
- ○ Final Variable

9. There is only one copy of a ______ variable for the entire class. — 1 / 1 point

Your Answer: ✓ Correct

- ○ Member Variable
- ✓ ● Static Variable
- ○ Local Variable
- ○ Final Variable

10. Which operator is used for assignment? — 1 / 1 point

Your Answer: ✓ Correct

- ○ ==
- ✓ ● =
- ○ !=
- ○ >=

11. Which operator returns true only when both conditions are true? — 1 / 1 point

Your Answer: ✓ Correct

- ○ ||
- ○ !
- ○ ==
- ✓ ● &&

12. Which of the following is a benefit of methods? — 1 / 1 point

Your Answer: ✓ Correct

- ○ Code duplication
- ○ Reduced readability
- ✓ ● Reusability
- ○ Increased complexity

13. What is the output? — 1 / 1 point

```
boolean a = true;

boolean b = false;

System.out.println(a || b);
```

Your Answer: ✓ Correct

- ✓ ● true
- ○ false
- ○ 1
- ○ Compilation Error

14. Which of the following is a non-primitive data type? — 1 / 1 point

Your Answer: ✓ Correct

- ○ char
- ○ long
- ○ double
- ✓ ● String

15. Which access modifier allows access only within the same class? — 1 / 1 point

Your Answer: ✓ Correct

- ○ protected
- ✓ ● private
- ○ default
- ○ prblic

16. What is the purpose of command-line arguments? — 1 / 1 point

Your Answer: ✓ Correct

- ○ Compile code
- ✓ ● Pass dynamic input at runtime
- ○ Store bytecode
- ○ Create objects

17. What will happen if the public class name and file name are different? — -0.25 / 1 point

Your Answer: ✗ Incorrect

- ○ Runtime Error
- ○ Program executes normally
- ✓ ○ Compile Time Error
- ✗ ● JVM Exception

18. What is the output? — 1 / 1 point

```
int x = 10;

System.out.println(x > 5 && x < 20);
```

Your Answer: ✓ Correct

- ○ false
- ✓ ● true
- ○ 30
- ○ Compilation Error

19. Which memory optimization issue can occur if instance variables are used where static variables should be used? — -0.25 / 1 point

Your Answer: ✗ Incorrect

- ✗ ● Stack Overflow
- ○ Deadlock
- ○ Data Corruption
- ✓ ○ Increased Memory Consumption

20. Which statement about local variables is TRUE? — 1 / 1 point

Your Answer: ✓ Correct

- ○ Can have access modifiers
- ○ Receive default values
- ✓ ● Must be initialized before use
- ○ Exist throughout program execution

21. public static void main(String[] args) — 1 / 1 point

```
{

   System.out.println(args.length);

}
```

java Test A B C

Your Answer: ✓ Correct

- ○ 2
- ✓ ● 3
- ○ 4
- ○ Compilation Error

22. Which of the following can be accessed without creating an object? — 1 / 1 point

Your Answer: ✓ Correct

- ○ Instance Variable
- ○ Instance Method
- ✓ ● Static Variable
- ○ Constructor

23. Which statement regarding protected members is correct? — 1 / 1 point

Your Answer: ✓ Correct

- ○ Accessible only inside class
- ○ Accessible only inside package
- ○ Accessible everywhere
- ✓ ● Accessible in same package and subclasses

24. What is the output? — 1 / 1 point

```
boolean a = false;

boolean b = true;

System.out.println(!(a || b));
```

Your Answer: ✓ Correct

- ○ 1
- ○ true
- ✓ ● false
- ○ true and false

25. Which of the following is NOT a valid method name according to conventions? — 1 / 1 point

Your Answer: ✓ Correct

- ○ calculateSalary()
- ○ printMessage()
- ○ sendEmail()
- ✓ ● EmployeeData()

26. Which scenario is best suited for a static variable? — 1 / 1 point

Your Answer: ✓ Correct

- ○ Employee Name
- ○ Account Balance
- ○ Shopping Cart Items
- ✓ ● Company Name Shared by All Employees

27. What is the primary purpose of Access Modifiers in Java? — 1 / 1 point

Your Answer: ✓ Correct

- ○ To improve program execution speed
- ✓ ● To control the visibility and accessibility of classes, methods, and variables
- ○ To reduce memory consumption
- ○ To convert source code into bytecode

28. A banking application has a variable balance. The company policy states that balance should not be modified directly by any class outside BankAccount. — 1 / 1 point

Which access modifier should be used for the balance variable?

Your Answer: ✓ Correct

- ○ public
- ✓ ● private
- ○ protected
- ○ default

29. An e-commerce application has the following requirements: — 1 / 1 point

- Every product has its own price.
- All products share the same GST_RATE = 18%.

Which design is most appropriate?

Your Answer: ✓ Correct

- ○ price → static, GST_RATE → instance
- ✓ ● price → instance, GST_RATE → static
- ○ Both should be instance variables
- ○ Both should be static variables

30. An application stores employee IDs. The expected number of employees may grow to several million in the future. — 1 / 1 point

Which data type is the safer choice?

Your Answer: ✓ Correct

- ○ byte
- ○ boolean
- ○ short
- ✓ ● int

31. A file-processing application needs the file path to be supplied at runtime because it changes between environments (Dev, QA, Prod). — 1 / 1 point

What is the best approach?

Your Answer: ✓ Correct

- ○ Hardcode the file path
- ○ Store it in a local variable
- ✓ ● Take it as a command-line argument
- ○ Store it in a method

32. banking application performs this validation: — 1 / 1 point

if(balance > 0 && accountActive)

If balance > 0 is false, what happens?

Your Answer: ✓ Correct

- ○ Both conditions are evaluated
- ○ Only second condition is evaluated
- ○ Compile-time error occurs
- ✓ ● Second condition is skipped

33. Which Eclipse shortcut is used to execute the current line of code and move to the next line during debugging? — 1 / 1 point

Your Answer: ✓ Correct

- ○ F5
- ✓ ● F6
- ○ F7
- ○ F8

34. During debugging in Eclipse, you are stopped at a method call and want to enter inside that method to debug its code. Which shortcut should you use? — 1 / 1 point

Your Answer: ✓ Correct

- ✓ ● F5
- ○ F6
- ○ F7
- ○ F8

35. During debugging in Eclipse, you want to continue program execution until the next breakpoint is encountered. Which shortcut should you use? — 1 / 1 point

Your Answer: ✓ Correct

- ○ F5
- ○ F6
- ○ F7
- ✓ ● F8

36. While debugging in Eclipse, you have stepped into a method and now want to return to the calling method. Which shortcut should you use? — 1 / 1 point

Your Answer: ✓ Correct

- ○ F5
- ○ F6
- ✓ ● F7
- ○ F8

37. class Student { — -0.25 / 1 point

```
   int id;

   String name;

}

public class Test {

   public static void main(String[] args) {

      Student s = new Student();

      System.out.println(s.id);

      System.out.println(s.name);

   }

}
```

What will be the output?

Your Answer: ✗ Incorrect

- ✗ ● 0
null
- ○ null
0
- ✓ ○ Compilation Error
- ○ Garbage Value
Garbage Value

38. class Employee { — 1 / 1 point

```
   Employee(int id) {

      System.out.println(id);

   }

   public static void main(String[] args) {

      Employee e = new Employee();

   }

}
```

What will happen?

Your Answer: ✓ Correct

- ○ Default constructor will be automatically created
- ○ Object will be created with id = 0
- ✓ ● Compilation error
- ○ Runtime exception

39. Which is the superclass of all classes in Java? — 1 / 1 point

Your Answer: ✓ Correct

- ○ Class
- ✓ ● Object
- ○ Main
- ○ System

40. package com.a; — 1 / 1 point

```
public class Test

 {

   int x = 10;

   protected int y = 20;

   public int z = 30;

}

----------------------------------------------------------------

package com.b;

import com.a.Test;

public class Main {

   public static void main(String[] args) {

      Test t = new Test();

      System.out.println(t.x);

      System.out.println(t.y);

      System.out.println(t.z);

   }

}
```

What will happen?

Your Answer: ✓ Correct

- ○ Prints 10 20 30
- ○ Runtime Exception
- ✓ ● Compilation
- ○ Prints 30 only

Logout