```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
 <title>Vue入门之event message</title>
  <!-- 新 Bootstrap 核心 CSS 文件 -->
  <link rel="stylesheet"</pre>
href="http://cdn.bootcss.com/bootstrap/3.3.0/css/boot
strap.min.css">
  <!-- 可选的Bootstrap主题文件(一般不用引入) -->
  <link rel="stylesheet"</pre>
href="http://cdn.bootcss.com/bootstrap/3.3.0/css/boot
strap-theme.min.css">
  <!-- jQuery文件。务必在bootstrap.min.js 之前引入 -->
  <script
src="http://cdn.bootcss.com/jquery/1.11.1/jquery.min.
is"></script>
  <!-- 最新的 Bootstrap 核心 JavaScript 文件 -->
  <script
src="http://cdn.bootcss.com/bootstrap/3.3.0/js/bootst
rap.min.js"></script>
  <script src="https://unpkg.com/vue/dist/vue.js">
</script>
  <script src="https://unpkg.com/vue-router/dist/vue-</pre>
router.js"></script>
</head>
<body>
  <div id="app">
    cproduct-list :products="products" v-
on:addpro="addToCarts"> </product-list>
    <hr>
    <cart :cart-products="carts"> </cart>
  </div>
  <script>
    var eventBus = new Vue();
    Vue.component('cart', {
      template:
```

```
<table class="table table-borderd table-striped"
table-hover">
    <thead>
      商品编号
       商品名
       数量
       操作
      </thead>
    {{ item.id }}
       {{ item.name }}
       {{ item.count }}
       <button type="button"
@click="removeCarts(item)" class="btn btn-success"><i</pre>
class="glyphicon glyphicon-remove"></i></button>
       data: function () {
      return {
      }
    },
    methods: {
      removeCarts: function (item) {
       eventBus.$emit('remo', item)
      }
    },
    props: ['cartProducts']
   })
   Vue.component('product-list', {
```

```
template:
    <table class="table table-borderd table-striped"
table-hover">
    <thead>
      商品编号
       商品名
        操作
      </thead>
    {{ item.id }}
       {{ item.name }}
        <button type="button" v-
on:click="addToCarts(item)" class="btn btn-success">
<i class="glyphicon glyphicon-shopping-cart"></i>
</button>
        data: function () {
      return {
      }
    }.
    methods: {
      addToCarts: function (item) {
        this.$emit('addpro', item)
      }
    },
    props: ['products'],
   })
   var app = new Vue({
    el: '#app',
    data: {
```

```
products: [
          { id: '1', name: '鳄鱼' },
          { id: '2', name: '蛇' },
          { id: '3', name: '兔子' },
          { id: '4', name: '驴' },
          { id: '5', name: '孔雀' }
        ],
        carts: []
      },
      methods: {
        addToCarts: function (item) {
          var isExist = false
          for(var i=0; i<this.carts.length; i++) {</pre>
            if( item.id === this.carts[i].id ) {
              item.count = this.carts[i].count + 1
              Vue.set(this.carts, i, item)
              isExist = true
          }
          !isExist && (item.count = 1,
this.carts.push(item))
        },
        removeCarts: function (item) {
          for(var i =0; i<this.carts.length; i++) {</pre>
            if( item.id === this.carts[i].id) {
              this.carts.splice(i,1)
            }
          }
        }
      },
      mounted: function () {
        self = this;
        eventBus.$on('remo', function (item) {
          self.removeCarts(item)
        })
      }
    });
  </script>
</body>
```

