







MONEY GUARANTEE
30 days money back guarantee



30 DAYS MONEY BACK GUARANTEE
We support online 24/24 on day

< >

Produk Terlaris





Rp.392 Rp.400





Dock Washers
















Cut Thread	Rolled Thread
FLength of a cap screw is measured from the underhead bearing surface to the	e extreme end of the scr

HEX CAP SCREWS ASME B18.2.1- 1996															
			E		F			5	I .	н		J		L,	Y
												Thread Length		Transi-	
Basic	inal or Product meter	Body Diameter		Width	Across	Flats	Acr Cor		Height L		For Screw Lengths :8 in.	For Screw Lengths > 6 in.	tion Thread Length		
		Max Min		Banks Max		Min	Max	Min	Basic Max		Min	Min	Ref	Ref	Max
1/4	0.2500	0.2500	0.2450	7/16	0.438	0.428	0.505	0.488	5/32	0.163	0.150	0.106	0.750	1.000	0.250
0/16	0.3125	0.3125	0.3065	1/2	0.500	0.489	0.577	0.557	13/64	0.211	0.195	0.140	0.675	1.126	0,278
3/8	0.3750	0.3750	0.3690	9/16	0.562	0.551	0.650	0.628	15/64	0.243	0.226	0.160	1,000	1.250	0.312
7/16	0.4375	0.4376	0.4305	5/8	0.625	0.612	0.722	0.698	9/32	0.291	0.272	0.195	1.125	1.375	0.357
1/2	0.5000	0.5000	0.4930	3/4	0.750	0.736	0.866	0.840	5716	0.323	0.302	0.215	1.250	1.500	0.385
9/16	0.5625	0.5625	0.5545	13/16	0.812	0.798	0.938	0.910	23/84	0.371	0.348	0.250	1.375	1.625	0.417
5/8	0.6250	0.6250	0.6170	15/16	0.938	0.922	1.083	1.051	25/64	0.403	0.378	0.269	1,500	1.750	0,455
3/4	0.7500	0.7500	0.7410	1-1/0	1,125	1.100	1.299	1,254	15/32	0.483	0.455	0.324	1,750	2.000	0.500
7/8	0.8750	0.8750	0.8660	1-5/16	1.312	1.285	1.516	1.465	35/64	0.563	0.531	0.378	2.000	2.250	0.556
1	1.0000	1.0000	0.9900	1-1/2	1.500	1.409	1,732	1.075	39/04	0.627	0.591	0.416	2.250	2.500	0.025
1-1/8	1,1250	1.1250	1.1140	1-11/16	1.688	1.631	1.949	1.859	11/16	0.718	0.658	0.461	2.600	2.750	0.714
9-1/4	1.2500	1.2500	1.2390	1-7/0	1.075	1.012	2,165	2.066	25/92	0.913	0.749	0.530	2.750	3.000	0,714
1-1/2	1.5000	1.5000	1.4880	2-1/4	2.250	2.175	2.598	2.480	1-5/16	0.974	0.902	0.640	3.250	3.500	0.833
_	-		11			_				Nomina	Screw	Length			
	Screw Size Up to 1 in. Over 1 in. to Over 2-1/2 in. Over 4 in. to incl. 2-1/2 in. incl. to 4 in. incl. 6 in. sec.					Longer	tuen 6 in								
Tolerance on Length 7/10 and 1/2				+0	03	-0	.04	-0	.06	-0.	10	-0	18		
				7/10 at	nd 1/2	-0	00		0.00 -0.00		-0.10			10	

	Product Diameter		riami desc	mou	Nerves	F1249	Cor	ners	
Diameter		Max	Min	Basic	Mace	Min	Max	Min	Ī
1/2	0.5000	0.515	0.482	7/8	0.875	0.850	1.010	0.969	İ
5/8	0.6250	0.642	0.605	1-1/16	1.062	1.031	1.227	1.175	I
3/4	0.7500	0.768	0.729	1-1/4	1,250	1.212	1,443	1.303	i
7/0	0.8750	0.005	0.052	1-7/10	1,430	1,394	1.000	1.509	i
1	1.0000	1.022	0.976	1-5.8	1.625	1.575	1.876	1.796	i
1 1/8	1.1250	1,149	1.095	1-13/16	1,612	1.756	2.093	2.002	i
1 1/4	1.2500	1.277	1.223	2	2.000	1.938	2.309	2.209	
1 3/0	1.3750	1.404	1.045	2-3/10	2.100	2.119	2.526	2.410	
1 1/2	1.5000	1,531	1,470	2-3/9	2.376	2,300	2.742	2.622	ı
	1.0000 1.1260 1.2500 1.3750	1.022 1.149 1.277 1.404	0.976 1.098 1.223 1.345	1-5/8 1-13/16 2 2-3/19	1.612 2.000 2.100	1.575 1.756 1.938 2.119	1.876 2.003 2.309 2.526	1.796 2.002 2.209 2.410	
			Nomi	inal Scree	w Gize		7)	trough 6	
T-1	ince on I			1/2				-0.12	
· une	mee on .	engen	100	5/8				-0.12	Ī
			- 3/	4 through	:1	-0.19			















- 1	3/16	1/4	9/16	.036/.065
- 1	1/4	5/16	3/4	.051/.080
	5/16	3/8	7/8	.064/.104
- [3/8	7/16	1"	.054/.104
- [7/10	1/2	1 1/4	.054/.104
- 1	1/2	9/16	1 5/8	.086/.152
- 1	9/16	5/8	1 1/2	.016/.112
- 1	5/8	11/16	1 3/4	.108/.160
	3/4	13/16	2"	.122/.177
- 1	2/6	15/16	2 1/4	.136/.192

SIZE	ID	OD	THK
#6	5/32	3/6	.036/.065
#8	3/16	7/16	.036/.065
#10	7/32	1/2	.036/.065
#12	1/4	9/16	.051/.080
1/4	9/82	5/8	.051/.080
5/16	11/52	11/16	.051/.080
3/6	13/12	13/16	.051/.080
7/16	15/12	59/64	.051/.080
1/2	17/32	1 1/16	.074/.121
9/16	19/32	1 3/16	.074/.121
5/8	21/82	1 5/10	.074/.121
3/4	13/16	1 1/2	.108/.160
7/8	15/16	3 1/4	.108/.180
1"	1 1/10	2"	.108/.160
1 1/8	1 3/16	2 1/4	108/ 160
1 1/4	1 5/16	2 1/2	136/.192

Cut Thread	Rolled Thread
ELength of a cap screw is measured from the underhead bearing surfa-	ce to the extreme end of the scre-


			100 PI	196	ASME	B10.2.1-		
	6		G H J L,				L,	
same some					9	Thread Length		Transic
Nominal or Basic Product Diameter	Body Diameter	Width Across Flats	Width Across Corners	Head Height	Wrench- ing Height	For Serew Langths (6 in.	For Serew Lengths > 9 in.	tion Thread Length










































Pembayaran Tunai Berhasil



HOME BOLT NUT WASHER ANCHOR FAQ ABOUT

Home > Riwayat Pemesanan

Riwayat Pemesanan

ID Pemesanan	Nama Pelanggan	Nama Penerima	Status	Date Added	Total	Action
41	Yusuf Ibrahim Malik	Yusuf Ibrahim Malik	Di Kirim	08, May 2021	Rp. 3,520.00	•
43	Yusuf Ibrahim Malik	Yusuf Ibrahim Malik	Pending	08, May 2021	Rp. 880.00	•
44	Yusuf Ibrahim Malik	Yusuf Ibrahim Malik	Pending	09, May 2021	Rp. 2,310.00	•
45	Yusuf Ibrahim Malik	Yusuf Ibrahim Malik	Pending	14, May 2021	Rp. 880.00	•
46	Yusuf Ibrahim Malik	Yusuf Ibrahim Malik	Pending	15, May 2021	Rp. 1,320.00	•
47	Yusuf Ibrahim Malik	Yusuf Ibrahim Malik	Pending	15, May 2021	Rp. 2,200.00	•
48	Yusuf Ibrahim Malik	Yusuf Ibrahim Malik	Pending	18, May 2021	Rp. 1,320.00	•
49	Yusuf Ibrahim Malik	Yusuf Ibrahim Malik	Pending	19, May 2021	Rp. 880.00	•
50	Yusuf Ibrahim Malik	Yusuf Ibrahim Malik	Pending	19, May 2021	Rp. 880.00	•
51	Yusuf Ibrahim Malik	Yusuf Ibrahim Malik	Pending	20, May 2021	Rp. 330.00	•
52	Yusuf Ibrahim Malik	Yusuf Ibrahim Malik	Pending	28, May 2021	Rp. 1,980.00	•
53	Yusuf Ibrahim Malik	Yusuf Ibrahim Malik	Pending	28, May 2021	Rp. 6,930.00	•
54	Yusuf Ibrahim Malik	Yusuf Ibrahim Malik	Pending	28, May 2021	Rp. 440.00	•
56	Yusuf Ibrahim Malik	yusuf ibrahim	Pending	06, Jan 2023	Rp. 2,640.00	•

