

```
MINGW64/c/Users/H-CSE-403-39/GIT--commands-
H-CSE-403-39@H-B-CSE-L403-39 MINGW64 ~
$ git init
Initialized empty Git repository in c:/Users/H-CSE-403-39/.git/

H-CSE-403-39@H-B-CSE-L403-39 MINGW64 ~ (master)
$ git config --global user.name 'Mr112004'

H-CSE-403-39@H-B-CSE-L403-39 MINGW64 ~ (master)
$ ^C

H-CSE-403-39@H-B-CSE-L403-39 MINGW64 ~ (master)
$ git config --global user.email 'gadireddymohithreddy@gmail.com'

H-CSE-403-39@H-B-CSE-L403-39 MINGW64 ~ (master)
$ git
usage: git [-v | --version] [-h | --help] [-C <path>] [-c <name>=<value>]
          [--exec-path[=<path>]] [--html-path] [--man-path] [--info-path]
          [-p | --paginate | -P | --no-pager] [--no-replace-objects] [--no-lazy-fetch]
          [--no-optional-locks] [--no-advice] [--bare] [--git-dir=<path>]
          [--work-tree=<path>] [--namespace=<name>] [--config-env=<name>=<envvar>]
          <command> [<args>]

These are common Git commands used in various situations:

start a working area (see also: git help tutorial)
  clone      Clone a repository into a new directory
  init       Create an empty Git repository or reinitialize an existing one

work on the current change (see also: git help everyday)
  add        Add file contents to the index
  mv         Move or rename a file, a directory, or a symlink
  restore    Restore working tree files
  rm         Remove files from the working tree and from the index

rm          Remove files from the working tree and from the index

examine the history and state (see also: git help revisions)
  bisect    Use binary search to find the commit that introduced a bug
  diff      Show changes between commits, commit and working tree, etc
  grep      Print lines matching a pattern
  log       Show commit logs
  show      Show various types of objects
  status    Show the working tree status

grow, mark and tweak your common history
  backfill  Download missing objects in a partial clone
  branch    List, create, or delete branches
  commit    Record changes to the repository
  merge     Join two or more development histories together
  rebase    Reapply commits on top of another base tip
  reset     Reset current HEAD to the specified state
  switch    Switch branches
  tag       Create, list, delete or verify a tag object signed with GPG

collaborate (see also: git help workflows)
  fetch     Download objects and refs from another repository
  pull      Fetch from and integrate with another repository or a local branch
  push      Update remote refs along with associated objects

'git help -a' and 'git help -g' list available subcommands and some
concept guides. See 'git help <command>' or 'git help <concept>'
to read about a specific subcommand or concept.
See 'git help git' for an overview of the system.

H-CSE-403-39@H-B-CSE-L403-39 MINGW64 ~ (master)
$ git clone 'https://github.com/Mr112004/GIT--commands-.git'
Cloning into 'GIT--commands-'.
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
```

```
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (3/3), done.

H-CSE-403-39@H-B-CSE-L403-39 MINGW64 ~ (master)
$ cd GIT--commands-

H-CSE-403-39@H-B-CSE-L403-39 MINGW64 ~/GIT--commands- (main)
$ ls
README.md

H-CSE-403-39@H-B-CSE-L403-39 MINGW64 ~/GIT--commands- (main)
$ vim sample1

H-CSE-403-39@H-B-CSE-L403-39 MINGW64 ~/GIT--commands- (main)
$ cat sample1

H-CSE-403-39@H-B-CSE-L403-39 MINGW64 ~/GIT--commands- (main)
$ we are currently working on git
bash: we: command not found

H-CSE-403-39@H-B-CSE-L403-39 MINGW64 ~/GIT--commands- (main)
$ cat sample1

H-CSE-403-39@H-B-CSE-L403-39 MINGW64 ~/GIT--commands- (main)
$ ^[[200~
bash: $'\E[200~': command not found

H-CSE-403-39@H-B-CSE-L403-39 MINGW64 ~/GIT--commands- (main)
$
$ writing commands for GITHUB
bash: writing: command not found
```

```
$ git commit -m 'update files..'
On branch main
Your branch is up to date with 'origin/main'.

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   README.md

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        sample1

no changes added to commit (use "git add" and/or "git commit -a")

H-CSE-403-35@H-B-CSE-L403-35 MINGW64 ~/software-engineering (main)
$ git add .
warning: in the working copy of 'sample1', LF will be replaced by CRLF the next time Git touches it

H-CSE-403-35@H-B-CSE-L403-35 MINGW64 ~/software-engineering (main)
$ git commit -m 'update files..'
[main 5e7b862] update files..
 2 files changed, 3 insertions(+), 1 deletion(-)
 create mode 100644 sample1

H-CSE-403-35@H-B-CSE-L403-35 MINGW64 ~/software-engineering (main)
$ git push origin main
info: please complete authentication in your browser...
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 12 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (4/4), 349 bytes | 349.00 KiB/s, done.
Total 4 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/saishashank-18/software-engineering.git
   c692565..5e7b862  main -> main

H-CSE-403-35@H-B-CSE-L403-35 MINGW64 ~/software-engineering (main)
$

H-CSE-403-35@H-B-CSE-L403-35 MINGW64 ~/software-engineering (main)
$

H-CSE-403-35@H-B-CSE-L403-35 MINGW64 ~/software-engineering (main)
$
```