



KEHRI GAON, NEAR MAZAR PREM NAGAR, DEHRADUN UTTRAKHAND 248007

Name : Mr. Mohammad Faizan Khan

: 155152744 Age: 20 Years

Gender:

Collected
Received
Male Reported

: 06/09/2021 10:42:47AM : 06/09/2021 10:55:44AM

09:55:18PM

: 06/09/2021

Report Status : Final

SRF ID: 0911900008589

Test Name Results

SARS-CoV-2 (COVID-19) QUALITATIVE REAL TIME RT-PCR @

(Real Time PCR)

Lab No.

A/c Status

Type of Specimen Nasopharyngeal /

Ref By: SELF

Oropharyngeal Swabs

Result Negative

Note

1. ICMR Registration number for Covid -19 is DRLAL001.

- 2. Negative results do not rule out the possibility of Covid-19 infection. Presence of inhibitors, mutations & insufficient RNA specific to SARS-CoV-2 can influence the test result. Kindly correlate the results with clinical findings. A negative result in a single upper respiratory tract sample does not rule out SARS-CoV-2 infection. Hence in such cases a repeat sample should be sent. Lower respiratory tract samples like Sputum, BAL, ET aspirate are appropriate samples especially in severe and progressive lung disease.
- 3. Covid-19 Test conducted as per kits approved by ICMR / CE-IVD / USFDA.
- 4. Kindly consult referring Physician / Authorized hospitals for appropriate follow up.
- 5. Test conducted on Nasopharyngeal & Oropharyngeal Swabs
- 6. This is a qualitative test. The Ct values do not provide a measure of viral load due to inherent variability in sampling and kits. According to ICMR guidelines Ct values should not be used to gauge the severity of the disease. https://www.icmr.gov.in/pdf/covid/techdoc/Advisory_on_correlation_of_COVID_severity_with_Ct_values.pdf)

Comments

Coronaviruses (CoV) are a large family of viruses that cause illness ranging from the common cold to more severe diseases such as Middle East Respiratory Syndrome (MERS-CoV) and Severe Acute Respiratory Syndrome (SARS-CoV). Coronavirus disease (COVID-19) is a new strain that was discovered in 2019 and has not been previously identified in humans. Common signs of infection include respiratory symptoms, fever, cough, shortness of breath and breathing difficulties. In more severe cases, infection can cause pneumonia, severe acute respiratory syndrome and kidney failure.

Please note, this test is not a part of CAP scope





Regd. Office/National Reference Lab: Dr Lal PathLabs Ltd, Block-E, Sector-18, Rohini, New Delhi-110085 Web: www.lalpathlabs.com, CIN No.: L74899DL1995PLC065388

KEHRI GAON, NEAR MAZAR PREM NAGAR, DEHRADUN UTTRAKHAND 248007

Name : Mr. Mohammad Faizan Khan

Lab No. : 155152744 Age: 20 Years

Gender: Male

Collected Received Reported : 06/09/2021 10:42:47AM : 06/09/2021 10:55:44AM

: 06/09/2021 10:55:44AM : 06/09/2021 09:55:18PM

Report Status : Final

Alter The live

A/c Status : P

Dr Atul Thatai PhD, Biotechnology HOD Molecular Diagnostics NRL - Dr Lal PathLabs Ltd Sholoth Molik

Dr Shalabh Malik MD, Microbiology National Head - Microbiology &

NRL - Dr Lal PathLabs Ltd

Ref By: SELF

-----End of report -----

IMPORTANT INSTRUCTIONS

*Test results released pertain to the specimen submitted. *All test results are dependent on the quality of the sample received by the Laboratory. *Laboratory investigations are only a tool to facilitate in arriving at a diagnosis and should be clinically correlated by the Referring Physician. *Sample repeats are accepted on request of Referring Physician within 7 days post reporting. *Report delivery may be delayed due to unforeseen circumstances. Inconvenience is regretted. *Certain tests may require further testing at additional cost for derivation of exact value. Kindly submit request within 72 hours post reporting. *Test results may show interlaboratory variations. *The Courts/Forum at Delhi shall have exclusive jurisdiction in all disputes/claims concerning the test(s) & or results of test(s). *Test results are not valid for medico legal purposes. *Contact customer care Tel No. +91-11-39885050 for all queries related to test results.

(#) Sample drawn from outside source.

