Tugas Besar

PRAKTIKUM PEMROGRAMAN WEB
MEMBUAT HALAMAN WEB MENGGUNAKAN HTML

"Disusun untuk memenuhi Tugas Mata Kuliah Praktikum Pmerograman Web

Dosen Pengampu : Ade Sutedi S.T., M.Kom

Disusun Oleh :

Muhammad Rizki   2206062

Gezant Ashabil Haqdu D   2206049

JURUSAN ILMU KOMPUTER
PRODI TEKNIK INFORMATIKA
INSTITUT TEKNOLOGI GARUT
2024

1. Source Code

```
INDEX.BLADE.PHP
<!DOCTYPE html>
<html lang="id">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width,
initial-scale=1.0">
    <title>Absensi Siswa</title>
    <style>
        body {
            font-family: Arial, sans-serif;
            background-color: #f4f6f9;
            margin: 0;
            padding: 0;
        }
        header {
            background-color: #007BFF;
            color: white;
            text-align: center;
            padding: 20px;
        }
        h1, h2 {
            margin: 0;
        }
        .container {
            width: 80%;
            margin: 30px auto;
        }
        .alert-success {
            color: green;
            margin-bottom: 20px;
            font-weight: bold;
            padding: 10px;
            background-color: #d4edda;
            border-radius: 5px;
        }
        table {
            width: 100%;
            border-collapse: collapse;
            margin-top: 20px;
        }
        table th, table td {
            padding: 12px;
            border: 1px solid #ddd;
            text-align: center;
        }
        table th {
            background-color: #007BFF;
            color: white;
        }
        table tr:nth-child(even) {
            background-color: #f9f9f9;
```

```css
        }
        .form-group {
            margin-bottom: 15px;
        }
        input[type="date"], select {
            padding: 10px;
            width: 100%;
            font-size: 16px;
            border: 1px solid #ccc;
            border-radius: 5px;
        }
        button {
            background-color: #28a745;
            color: white;
            padding: 12px 25px;
            border: none;
            font-size: 16px;
            border-radius: 5px;
            cursor: pointer;
        }
        button:hover {
            background-color: #218838;
        }
        .card {
            background-color: white;
            box-shadow: 0 4px 8px rgba(0, 0, 0, 0.1);
            padding: 20px;
            border-radius: 10px;
            margin-bottom: 30px;
        }
        .table-container {
            margin-top: 30px;
        }
        .btn-edit, .btn-delete {
            padding: 8px 16px;
            font-size: 14px;
            text-decoration: none;
            border-radius: 5px;
        }
        .btn-edit {
            background-color: #ffc107;
            color: white;
        }
        .btn-edit:hover {
            background-color: #e0a800;
        }
        .btn-delete {
            background-color: #dc3545;
            color: white;
        }
        .btn-delete:hover {
            background-color: #c82333;
        }
        .action-btns {
```

```
            display: flex;
            gap: 10px;
            justify-content: center;
        }
    </style>
</head>
<body>

    <header>
        <h1>Absensi Siswa</h1>
    </header>

    <div class="container">
        @if (session('success'))
            <div class="alert-success">
                {{ session('success') }}
            </div>
        @endif

        <!-- Form Absensi -->
        <div class="card">
            <h2>Catat Kehadiran</h2>
            <form method="POST" action="{{
route('attendance.store') }}">
                @csrf
                <div class="form-group">
                    <label for="date">Tanggal:</label>
                    <input type="date" name="date"
id="date" required>
                </div>
                <table>
                    <thead>
                        <tr>
                            <th>Nama</th>
                            <th>Kelas</th>
                            <th>Status Kehadiran</th>
                        </tr>
                    </thead>
                    <tbody>
                        @foreach ($students as $student)
                            <tr>
                                <td>{{ $student->name
}}</td>
                                <td>{{ $student->class
}}</td>
                                <td>
                                    <select
name="attendance[{{ $student->id }}]">
                                        <option
value="Hadir">Hadir</option>
                                        <option
value="Izin">Izin</option>
                                        <option
value="Sakit">Sakit</option>
```

```
                                        <option
value="Alfa" selected>Alfa</option>
                                    </select>
                                </td>
                            </tr>
                        @endforeach
                    </tbody>
                </table>
                <button type="submit">Simpan
Absensi</button>
            </form>
        </div>

        <!-- Daftar Absensi -->
        <div class="card table-container">
            <h2>Daftar Absensi</h2>
            <table>
                <thead>
                    <tr>
                        <th>Nama</th>
                        <th>Kelas</th>
                        <th>Tanggal</th>
                        <th>Status</th>
                        <th>Aksi</th>
                    </tr>
                </thead>
                <tbody>
                    @foreach ($students as $student)
                        @foreach ($student->attendances as
$attendance)
                            <tr>
                                <td>{{ $student->name
}}</td>
                                <td>{{ $student->class
}}</td>
                                <td>{{ $attendance->date
}}</td>
                                <td>{{ $attendance->status
}}</td>
                                <td class="action-btns">
                                    <a href="{{
route('attendance.edit', ['student_id' => $attendance-
>student_id, 'date' => $attendance->date]) }}" class="btn-
edit">Edit</a>
                                    <form method="POST"
action="{{ route('attendance.destroy', $attendance->id) }}"
style="display:inline;">
                                        @csrf
                                        @method('DELETE')
                                        <button
type="submit" class="btn-delete">Hapus</button>
                                    </form>
                                </td>
                            </tr>
```

```
                @endforeach
              @endforeach
            </tbody>
          </table>
        </div>
    </div>

</body>
</html>
```

2. Hasil

3. Source Code

```
EDIT.BLADE.PHP

<!--

resources/views/attendance/edit.blade.php -->


@extends('layouts.app')


@section('content')

<div class="container">

    <h2>Edit Absensi</h2>


    <!-- Menampilkan pesan error jika ada -->

    @if(session('error'))

        <div   class="alert   alert-danger">{{

session('error') }}</div>

    @endif
```

```
    <!-- Formulir Edit Absensi -->
    <form                         action="{{
route('attendance.update',   ['student_id'   =>
$attendance->student_id,        'date'        =>
$attendance->date]) }}" method="POST">
        @csrf
        @method('PUT')

        <div class="form-group">
            <label        for="status">Status
Absensi</label>
            <select name="status" id="status"
class="form-control" required>
                <option    value="Hadir"    {{
$attendance->status == 'Hadir' ? 'selected' :
'' }}>Hadir</option>
                <option    value="Izin"     {{
$attendance->status == 'Izin' ? 'selected' :
'' }}>Izin</option>
                <option    value="Sakit"    {{
$attendance->status == 'Sakit' ? 'selected' :
'' }}>Sakit</option>
                <option    value="Alfa"     {{
$attendance->status == 'Alfa' ? 'selected' :
'' }}>Alfa</option>
            </select>
        </div>

        <button type="submit" class="btn btn-
primary">Simpan Perubahan</button>
    </form>
</div>
@endsection


APP.BLADE.PHP
<!DOCTYPE html>
```

```
<html lang="id">

<head>
    <meta charset="UTF-8">
    <meta                          name="viewport"
content="width=device-width,        initial-
scale=1.0">
    <title>Absensi Siswa</title>
    <link      rel="stylesheet"      href="{{
asset('css/app.css') }}">
    <style>
        /* Reset margin dan padding */
        * {
            margin: 0;
            padding: 0;
            box-sizing: border-box;
        }

        body {
            font-family: 'Segoe UI', Tahoma,
Geneva, Verdana, sans-serif;
            background-color: #f4f7fc;
            line-height: 1.6;
        }

        header {
            background-color: #007bff;
            padding: 15px 0;
            color: white;
            box-shadow: 0 2px 5px rgba(0, 0,
0, 0.1);
        }

        header nav {
            max-width: 1200px;
            margin: 0 auto;
            text-align: center;
```

```
            }

            header nav a {
                color: white;
                text-decoration: none;
                padding: 10px 20px;
                font-size: 18px;
                margin: 0 10px;
                transition:       background-color
    0.3s;
            }

            header nav a:hover {
                background-color: #0056b3;
                border-radius: 5px;
            }

            footer {
                background-color: #007bff;
                color: white;
                text-align: center;
                padding: 10px 0;
                margin-top: 30px;
            }

            footer p {
                font-size: 14px;
            }

            .container {
                max-width: 1200px;
                margin: 30px auto;
                padding: 0 15px;
            }

            .card {
                background-color: #fff;
```

```css
            border-radius: 8px;
            box-shadow: 0 2px 5px rgba(0, 0,
0, 0.1);
            padding: 20px;
            margin-bottom: 30px;
        }

        h1, h2 {
            font-size: 2rem;
            color: #333;
            margin-bottom: 10px;
        }

        .alert-success {
            background-color: #28a745;
            color: white;
            padding: 10px;
            margin-bottom: 20px;
            border-radius: 5px;
        }

        .alert-danger {
            background-color: #dc3545;
            color: white;
            padding: 10px;
            margin-bottom: 20px;
            border-radius: 5px;
        }

        table {
            width: 100%;
            border-collapse: collapse;
            margin: 20px 0;
        }

        table th, table td {
            padding: 12px;
```

```css
        text-align: center;
        border: 1px solid #ddd;
    }

    table th {
        background-color: #007bff;
        color: white;
    }

    table tr:nth-child(even) {
        background-color: #f9f9f9;
    }

    table td a {
        color: #007bff;
        text-decoration: none;
        padding: 5px 10px;
        border-radius: 5px;
    }

    table td a:hover {
        background-color: #0056b3;
        color: white;
    }

    button {
        background-color: #28a745;
        color: white;
        padding: 10px 20px;
        border: none;
        font-size: 16px;
        border-radius: 5px;
        cursor: pointer;
    }

    button:hover {
        background-color: #218838;
```

```
            }

        .form-group label {
            display: block;
            margin-bottom: 5px;
            font-size: 16px;
            color: #333;
        }

        .form-group input, .form-group select
{
            width: 100%;
            padding: 10px;
            margin-top: 5px;
            border-radius: 5px;
            border: 1px solid #ddd;
        }

        .form-group select {
            cursor: pointer;
        }

        .btn-danger {
            background-color: #dc3545;
            color: white;
        }

        .btn-danger:hover {
            background-color: #c82333;
        }

    </style>
</head>

<body>
    <header>
        <nav>
```

```
        </nav>
    </header>

    <main class="container">
        @yield('content')
    </main>

    <footer>
        <p>&copy;   KELOMPOK   10   -   SISTEM
ABSENSI</p>
    </footer>
</body>
</html>
```

4. Hasil