```
phase_topcap  |  190 training pts

Velocity RMSE (absolute  |  relative to truth-RMS):

  1. whole domain    : 1.248    (rel 0.1623)    [122600 cells]
  2. thick cylinder  : 0.8942    (rel 0.1163)    [15000 pts]
  3. on the cylinder : 0.761    (rel 0.09899)    [6000 pts]

  Pressure RMSE      : 11.45

Momentum-integral force:
  |F|                : 3.306e+05    [24945 surface pts]
  F vector           : [1.63e+05, 2.332e+05, 1.683e+05]
  F true             : [1.554e+05, 2.086e+05, 7.259e+04]    |F_true|=270114
  force error dF     : [7614, 2.458e+04, 9.57e+04]    rel=0.3669


Prior (potential-flow baseline) for reference:
  whole domain prior : 2.953
  thick cyl prior    : 3.32
  on cylinder prior  : 3.266
```

phase_topcap | 190 training pts
velocity RMSE 1) whole domain: 1.248 (rel 0.1623) 2) thick cylinder: 0.8942 (rel 0.1163) 3) on cylinder: 0.761 (rel 0.09899)
pressure RMSE: 11.45 momentum force |F|: 3.306e+05



phase_topcap | 190 training pts
velocity RMSE 1) whole domain: 1.248 (rel 0.1623) 2) thick cylinder: 0.8942 (rel 0.1163) 3) on cylinder: 0.761 (rel 0.09899)
pressure RMSE: 11.45 momentum force |F|: 3.306e+05




phase_topcap | 190 training pts
velocity RMSE 1) whole domain: 1.248 (rel 0.1623) 2) thick cylinder: 0.8942 (rel 0.1163) 3) on cylinder: 0.761 (rel 0.09899)
pressure RMSE: 11.45 momentum force |F|: 3.306e+05
posterior |u| slices along z
z=5.1
z=16.3
z=27.6
z=38.8
z=50
x
y
|u| (posterior)
18.69
16.62
14.56
12.49
10.42
8.36
6.29
4.22
2.16
0.09


phase_topcap | 190 training pts
velocity RMSE 1) whole domain: 1.248 (rel 0.1623) 2) thick cylinder: 0.8942 (rel 0.1163) 3) on cylinder: 0.761 (rel 0.09899)
pressure RMSE: 11.45 momentum force |F|: 3.306e+05
variances |u| slices along z
z=5.1
z=16.3
z=27.6
z=38.8
z=50
x
y
|u| (variances)
5.937
5.287
4.638
3.989
3.339
2.690
2.041
1.391
0.742
0.093


phase_topcap | 190 training pts
velocity RMSE 1) whole domain: 1.248 (rel 0.1623) 2) thick cylinder: 0.8942 (rel 0.1163) 3) on cylinder: 0.761 (r
pressure RMSE: 11.45 momentum force |F|: 3.306e+05
Posterior pressure, z=24.49
250
200
150
100
50
y
−100
−75
−50
−25
0
25
50
75
100
x
60
45
30
15
0
−15
−30
−45
−60
−75
pressure