

phase0 | 80 training pts

Velocity RMSE (absolute | relative to truth-RMS):


1. whole domain	: 1.785	(rel 0.2322)	[122600 cells]
2. thick cylinder	: 1.612	(rel 0.2096)	[15000 pts]
3. on the cylinder	: 1.51	(rel 0.1964)	[6000 pts]


Pressure RMSE : 23.16

Prior (potential-flow baseline) for reference:

whole domain prior	: 2.876
thick cyl prior	: 3.211
on cylinder prior	: 3.178







phase0 | 80 training pts
velocity RMSE 1) whole domain: 1.785 (rel 0.2322) 2) thick cylinder: 1.612 (rel 0.2096) 3) on cylinder: 1.51 (rel 0.1964)
pressure RMSE: 23.16





phase0 | 80 training pts
velocity RMSE: 1) whole domain: 1.785 (rel 0.2322) 2) thick cylinder: 1.612 (rel 0.2096) 3) on cylinder: 1.51 (rel 0.1964)
pressure RMSE: 23.16

posterior $|u|$ slices along z



phase0 | 80 training pts
velocity RMSE: 1) whole domain: 1.785 (rel 0.2322) 2) thick cylinder: 1.612 (rel 0.2096) 3) on cylinder: 1.51 (rel 0.1964)
pressure RMSE: 23.16

variances $|u|$ slices along z

z=5.1

z=16.3

z=27.6

z=38.8

z=50

