

phase1 | 160 training pts

Velocity RMSE (absolute | relative to truth-RMS):


1. whole domain	: 1.322	(rel 0.172)	[122600 cells]
2. thick cylinder	: 0.7766	(rel 0.101)	[15000 pts]
3. on the cylinder	: 0.6428	(rel 0.08361)	[6000 pts]


Pressure RMSE : 12.82

Prior (potential-flow baseline) for reference:

whole domain prior	: 2.876
thick cyl prior	: 3.211
on cylinder prior	: 3.178


phase1 | 160 training pts
velocity RMSE 1) whole domain: 1.322 (rel 0.172) 2) thick cylinder: 0.7766 (rel 0.101) 3) on cylinder: 0.6428 (rel 0.08361)
pressure RMSE: 12.82





phase1 | 160 training pts
velocity RMSE: 1) whole domain: 1.322 (rel 0.172) 2) thick cylinder: 0.7766 (rel 0.101) 3) on cylinder: 0.6428 (rel 0.08361)
pressure RMSE: 12.82

posterior $|u|$ slices along z



phase1 | 160 training pts
velocity RMSE: 1) whole domain: 1.322 (rel 0.172) 2) thick cylinder: 0.7766 (rel 0.101) 3) on cylinder: 0.6428 (rel 0.08361)
pressure RMSE: 12.82

variances $|u|$ slices along z

$z=5.1$

$z=16.3$

$z=27.6$

$z=38.8$

$z=50$

