

phase2 | 240 training pts

Velocity RMSE (absolute | relative to truth-RMS):


1. whole domain	: 1.276	(rel 0.166)	[122600 cells]
2. thick cylinder	: 0.717	(rel 0.09327)	[15000 pts]
3. on the cylinder	: 0.6088	(rel 0.07919)	[6000 pts]


Pressure RMSE : 12.46

Prior (potential-flow baseline) for reference:

whole domain prior	: 2.876
thick cyl prior	: 3.211
on cylinder prior	: 3.178


phase2 | 240 training pts
velocity RMSE 1) whole domain: 1.276 (rel 0.166) 2) thick cylinder: 0.717 (rel 0.09327) 3) on cylinder: 0.6088 (rel 0.07919)
pressure RMSE: 12.46





phase2 | 240 training pts
velocity RMSE: 1) whole domain: 1.276 (rel 0.166) 2) thick cylinder: 0.717 (rel 0.09327) 3) on cylinder: 0.6088 (rel 0.07919)
pressure RMSE: 12.46

posterior $|u|$ slices along z



phase2 | 240 training pts
velocity RMSE: 1) whole domain: 1.276 (rel 0.166) 2) thick cylinder: 0.717 (rel 0.09327) 3) on cylinder: 0.6088 (rel 0.07919)
pressure RMSE: 12.46

variances $|u|$ slices along z

$z=5.1$

$z=16.3$

$z=27.6$

$z=38.8$

$z=50$

