

phase0 | 80 training pts

Velocity RMSE (absolute | relative to truth-RMS):

1. whole domain	: 1.707	(rel 0.2221)	[122600 cells]
2. thick cylinder	: 1.679	(rel 0.2184)	[15000 pts]
3. on the cylinder	: 1.61	(rel 0.2094)	[6000 pts]

Pressure RMSE : 23.16


Momentum-integral force:


F	: 4.355e+05	[24945 surface pts]	
F vector	: [1.448e+05, 4.023e+05, 8.265e+04]		
F true	: [1.554e+05, 2.086e+05, 7.259e+04]		F_true =270114
force error dF	: [-1.059e+04, 1.936e+05, 1.007e+04]		rel=0.7189

Prior (potential-flow baseline) for reference:

whole domain prior	: 2.953
thick cyl prior	: 3.32
on cylinder prior	: 3.266


phase0 | 80 training pts
velocity RMSE 1) whole domain: 1.707 (rel 0.2221) 2) thick cylinder: 1.679 (rel 0.2184) 3) on cylinder: 1.61 (rel 0.2094)
pressure RMSE: 23.16 momentum force |F|: 4.355e+05





phase0 | 80 training pts
velocity RMSE: 1) whole domain: 1.707 (rel 0.2221) 2) thick cylinder: 1.679 (rel 0.2184) 3) on cylinder: 1.61 (rel 0.2094)
pressure RMSE: 23.16 momentum force |F|: 4.355e+05

posterior $|u|$ slices along z



phase0 | 80 training pts
velocity RMSE: 1) whole domain: 1.707 (rel 0.2221) 2) thick cylinder: 1.679 (rel 0.2184) 3) on cylinder: 1.61 (rel 0.2094)
pressure RMSE: 23.16 momentum force |F|: 4.355e+05

variances $|u|$ slices along z

z=5.1

z=16.3

z=27.6

z=38.8

z=50

