

phase1 | 160 training pts

Velocity RMSE (absolute | relative to truth-RMS):

1. whole domain	: 1.182	(rel 0.1538)	[122600 cells]
2. thick cylinder	: 0.7768	(rel 0.1011)	[15000 pts]
3. on the cylinder	: 0.6506	(rel 0.08463)	[6000 pts]

Pressure RMSE : 11.26

Momentum-integral force:


F	: 2.961e+05	[24945 surface pts]	
F vector	: [1.59e+05, 2.184e+05, 1.21e+05]		
F true	: [1.554e+05, 2.086e+05, 7.259e+04]		F_true =270114
force error dF	: [3592, 9777, 4.845e+04]	rel=0.1835	


Prior (potential-flow baseline) for reference:

whole domain prior	: 2.953
thick cyl prior	: 3.32
on cylinder prior	: 3.266

phase1 | 160 training pts
velocity RMSE 1) whole domain: 1.182 (rel 0.1538) 2) thick cylinder: 0.7768 (rel 0.1011) 3) on cylinder: 0.6506 (rel 0.08463)
pressure RMSE: 11.26 momentum force |F|: 2.961e+05

GPR posterior velocity magnitude





phase1 | 160 training pts
velocity RMSE: 1) whole domain: 1.182 (rel 0.1538) 2) thick cylinder: 0.7768 (rel 0.1011) 3) on cylinder: 0.6506 (rel 0.08463)
pressure RMSE: 11.26 momentum force |F|: 2.961e+05

posterior $|u|$ slices along z







$z=5.1$

$z=16.3$

$z=27.6$

$z=38.8$

$z=50$



phase1 | 160 training pts
velocity RMSE: 1) whole domain: 1.182 (rel 0.1538) 2) thick cylinder: 0.7768 (rel 0.1011) 3) on cylinder: 0.6506 (rel 0.08463)
pressure RMSE: 11.26 momentum force |F|: 2.961e+05

variances $|u|$ slices along z

z=5.1

z=16.3

z=27.6

z=38.8

z=50

