

phase2 | 240 training pts

Velocity RMSE (absolute | relative to truth-RMS):

1. whole domain	: 1.161	(rel 0.1511)	[122600 cells]
2. thick cylinder	: 0.7047	(rel 0.09167)	[15000 pts]
3. on the cylinder	: 0.6074	(rel 0.07902)	[6000 pts]

Pressure RMSE : 12.09


Momentum-integral force:


F	: 2.607e+05	[24945 surface pts]	
F vector	: [1.585e+05, 1.745e+05, 1.113e+05]		
F true	: [1.554e+05, 2.086e+05, 7.259e+04]		F_true =270114
force error dF	: [3104, -3.416e+04, 3.874e+04]		rel=0.1916

Prior (potential-flow baseline) for reference:

whole domain prior	: 2.953
thick cyl prior	: 3.32
on cylinder prior	: 3.266


phase2 | 240 training pts
velocity RMSE 1) whole domain: 1.161 (rel 0.1511) 2) thick cylinder: 0.7047 (rel 0.09167) 3) on cylinder: 0.6074 (rel 0.07902)
pressure RMSE: 12.09 momentum force |F|: 2.607e+05





phase2 | 240 training pts
velocity RMSE: 1) whole domain: 1.161 (rel 0.1511) 2) thick cylinder: 0.7047 (rel 0.09167) 3) on cylinder: 0.6074 (rel 0.07902)
pressure RMSE: 12.09 momentum force |F|: 2.607e+05

posterior $|u|$ slices along z



phase2 | 240 training pts
velocity RMSE: 1) whole domain: 1.161 (rel 0.1511) 2) thick cylinder: 0.7047 (rel 0.09167) 3) on cylinder: 0.6074 (rel 0.07902)
pressure RMSE: 12.09 momentum force |F|: 2.607e+05

variances $|u|$ slices along z

z=5.1

z=16.3

z=27.6

z=38.8

z=50

