

OSINT Investigation & Intelligence Gathering

Passive Reconnaissance & Security Assessment

Target Website: www.chicken-road2.app

TOOLS USED

curl • nslookup • host • dig • SecurityHeaders • BuiltWith •
DNSDumpster • VirusTotal • crt.sh • SSL Labs • OpenSSL

Prepared By	MANOJ
Intern ID	CA0209
Internship Organization	Cryptonic Area Cybersecurity Internship Program
Report Type	OSINT Investigation Report
Target Domain	www.chicken-road2.app
Submission Date	22 July 2026

Table of Contents

Table of Contents.....	2
1. Introduction.....	3
2. Objectives.....	3
3. Scope.....	3
4. Tools Used.....	3
5. Methodology.....	3
6. Investigation & Findings.....	4
6.1 Website Overview.....	4
6.2 HTTP Response Headers.....	4
6.3 DNS Investigation.....	5
6.4 Security Headers Analysis.....	6
6.5 Technology Fingerprinting.....	6
6.6 DNS Infrastructure.....	7
6.7 Robots.txt Analysis.....	7
6.8 VirusTotal Reputation.....	8
6.9 Certificate Transparency.....	8
6.10 SSL/TLS Assessment.....	9
6.11 Sitemap Analysis.....	9
6.12 OpenSSL Certificate Verification.....	10
7. Security Findings.....	10
8. Positive Security Observations.....	11
9. Recommendations.....	11
10. Conclusion.....	11

1. Introduction

OSINT (Open-Source Intelligence) Investigation is the process of collecting and analyzing information from publicly available sources such as websites, DNS records, and certificate logs. Intelligence gathering turns this raw data into useful insights about a target's infrastructure and security posture. This method does not involve hacking, exploitation, or unauthorized access. It only uses information that is already public. This report presents an OSINT investigation performed on chicken-road2.app to understand its hosting, technology, and security configuration using safe, passive techniques.

2. Objectives

- Identify the DNS infrastructure and hosting details of the target domain.
- Analyze HTTP response headers and security header configuration.
- Fingerprint web technologies used by the target website.
- Verify SSL/TLS certificate validity and encryption strength.
- Check domain reputation using open threat intelligence sources.

3. Scope

This investigation used only passive OSINT techniques. Information was collected from public sources such as DNS records, HTTP headers, certificate logs, and reputation databases. No active attacks, exploitation, scanning for vulnerabilities, login attempts, or unauthorized access were performed at any stage. No changes were made to the target system, and all tools used are open-source or publicly accessible platforms.

4. Tools Used

Tool	Purpose
curl	Fetch HTTP headers, robots.txt, and sitemap.xml
nslookup	Resolve domain name to IP addresses
host / dig	Enumerate DNS records (A, AAAA, HTTPS)
securityheaders.com	Evaluate HTTP security header configuration
BuiltWith	Fingerprint web technologies and frameworks
DNSDumpster	Map DNS infrastructure and hosting provider
VirusTotal	Check domain reputation across security vendors
crt.sh	Search certificate transparency logs
SSL Labs	Assess SSL/TLS configuration and grade
OpenSSL	Inspect SSL certificate chain and validity dates

5. Methodology

The investigation followed a simple, sequential passive OSINT workflow:




6. Investigation & Findings

6.1 Website Overview

Purpose: Identify the target website, its branding, and general purpose.

Observation: The site chicken-road2.app presents itself as an online casino-style gaming platform (“Chicken Road 2”) offering real-money play options.

Result: Confirms the target is a live, publicly accessible commercial gaming website.



Screenshot 01: Target website homepage overview

6.2 HTTP Response Headers

Purpose: Inspect HTTP response headers returned by the web server using curl.

Observation: The server responds via HTTP/2, uses Cloudflare as a proxy/CDN, runs Next.js, and returns a Strict-Transport-Security header.

Result: Server technology and CDN provider identified; HSTS is enabled.

```

[manuarya@kali]~$ curl -I https://www.chicken-road2.app/
(HTTP/2.0)
date: Tue, 21 Jul 2026 06:15:04 GMT
content-type: text/html; charset=utf-8
age: 0
cache-control: private, no-cache, no-store, max-age=0, must-revalidate
link: <_next/static/media/01f0c002c27ea55-s.p.woff2>; rel=preload; as=font"; crossorigin="">; type="font/woff2", <_next/static/media/1b7c300b02888acf-s.p.woff2>; rel=preload; as=font"; crossorigin="">; type="font/woff2", <_next/static/css/610f9e48d681150f.css?dl=dpL3DfH0zAXM2qfMvMmMD3psX0Ks>; rel=preload; as=style"
server: cloudflare
strict-transport-security: max-age=63072000
vary: *
next-router-state-tree, next-router-prefetch, next-router-segment-prefetch
x-match: path: /
x-powered-by: Next.js
x-vercel-cache: MISS
x-vercel-id: ladi::ladi::gg9wq-1704614503907-9e1d23b090f3
cf-cache-status: DYNAMIC
speculation-rules: {"cpu-cgi/speculation"
report-to: {"group": "cf-nel", "max_age": 1604800, "endpoints": [{"url": "https://a.nel.cloudflare.com/report/v4?s=1lgeoe7VPZ14HPwh160lQTLcgjbmee5KsAtfc3UaH6XYf9TrJ1VoYpZ51f04Wsl5VABStvKcTee5X0dK69F3CovaJrWWN2BWAaq66DpK1yZVdLkthQ1P1GBa64VH12B11ZKx2Jm30"}]}
cf-ray: 81e811a8f9a4f00a-BOS
alt-svc: h3="143"; ma=86400

```

Screenshot 02: HTTP response headers via curl

6.3 DNS Investigation

Purpose: Resolve the domain to its IPv4/IPv6 addresses and enumerate DNS records.

Observation: nslookup, host, and dig show multiple A and AAAA records pointing to Cloudflare IP ranges, along with HTTPS service binding records.

Result: Domain is protected behind Cloudflare's reverse proxy network.

```

Session Actions Edit View Help

[manuarya@kali]~$ nslookup chicken-road2.app
Server:      10.79.145.135
Address:     10.79.145.135#53

Non-authoritative answer:
Name:   chicken-road2.app
Address: 172.67.137.239
Name:   chicken-road2.app
Address: 104.21.38.193
Name:   chicken-road2.app
Address: 2606:4700:3034::6815:26c1
Name:   chicken-road2.app
Address: 2606:4700:3030::ac43:89ef

[manuarya@kali]~$

```

Screenshot 03: DNS lookup using nslookup

```

[manuarya@kali]~$ nslookup chicken-road2.app
Server:      10.79.145.135
Address:     10.79.145.135#53

Non-authoritative answer:
Name:   chicken-road2.app
Address: 172.67.137.239
Name:   chicken-road2.app
Address: 104.21.38.193
Name:   chicken-road2.app
Address: 2606:4700:3034::6815:26c1
Name:   chicken-road2.app
Address: 2606:4700:3030::ac43:89ef

[manuarya@kali]~$ host chicken-road2.app
chicken-road2.app has address 104.21.38.193
chicken-road2.app has address 172.67.137.239
chicken-road2.app has IPv6 address 2606:4700:3030::ac43:89ef
chicken-road2.app has IPv6 address 2606:4700:3034::6815:26c1
chicken-road2.app has HTTP service bindings 1 . alpm "h3,h2" ipv4hint=104.21.38.193,172.67.137.239 ech=AE+DQB86wAGCC5/6uK1SW58NHfAK18CZf0qDYKEuH51ty2caQfWAEAAAGASy2xvdWb0dGfY251Y2guY291AAA+ ipv6hint=2606:4700:3030::ac43:89ef,
2606:4700:3034::6815:26c1

[manuarya@kali]~$ dig chicken-road2.app
; eco: Dig 9.20.15-2-Debian eco>> chicken-road2.app
; global options: <cmd>
; Got answer:
; --HEADER-- opcode: QUERY, status: NOERROR, id: 52649
; flags: qr rd ra ad; QUERY: 1, ANSWER: 2, AUTHORITY: 0, ADDITIONAL: 0

; QUESTION SECTION:
; chicken-road2.app.      IN      A

; ANSWER SECTION:
chicken-road2.app.      233     IN      A      104.21.38.193
chicken-road2.app.      233     IN      A      172.67.137.239

; Query time: 16 msec
; SERVER: 10.79.145.135#53(10.79.145.135) (UDP)
; WHEN: Tue Jul 21 11:48:16 IST 2026
; MSG SIZE rcvd: 67

```

Screenshot 04: DNS enumeration using host and dig

```

(manuarya@kali)-[~]
$ dig chicken-road2.app ANY

;<<>> DiG 9.20.15-2-Debian <<>> chicken-road2.app ANY
;; global options: +cmd
;; Got answer:
;; ->HEADER<- opcode: QUERY, status: NOERROR, id: 30040
;; flags: qr rd ra; QUERY: 1, ANSWER: 2, AUTHORITY: 0, ADDITIONAL: 1

;; OPT PSEUDOSECTION:
;; EDNS: version: 0, flags:; udp: 1280
;; QUESTION SECTION:
;chicken-road2.app.                IN      ANY

;; ANSWER SECTION:
chicken-road2.app.                185     IN      AAAA    2606:4700:3030::ac43:89ef
chicken-road2.app.                185     IN      AAAA    2606:4700:3034::6815:26c1

;; Query time: 388 msec
;; SERVER: 10.79.145.135#53(10.79.145.135) (TCP)
;; WHEN: Tue Jul 21 11:49:46 IST 2026
;; MSG SIZE rcvd: 102

(manuarya@kali)-[~]
$

```

Screenshot 05: DNS ANY record query

6.4 Security Headers Analysis

Purpose: Evaluate the presence of recommended HTTP security headers.

Observation: securityheaders.com grades the site D. Strict-Transport-Security is present, but Content-Security-Policy, X-Frame-Options, X-Content-Type-Options, Referrer-Policy, and Permissions-Policy are missing.

Result: Several important security headers are absent, increasing exposure to client-side attacks.

The screenshot shows a web browser displaying the securityheaders.com report for the URL <https://www.chicken-road2.app>. The report features a large orange 'D' grade. Below the grade, it lists the site's IP address (172.67.137.239) and the report time (21 Jul 2026 06:31:21 UTC). A section titled 'Headers' shows a checklist of security headers: Strict-Transport-Security (checked), Content-Security-Policy (unchecked), X-Frame-Options (unchecked), X-Content-Type-Options (unchecked), Referrer-Policy (unchecked), and Permissions-Policy (unchecked). An 'Advanced' section notes that the site could be at risk and suggests a deeper security analysis. Below this, a 'Missing Headers' section provides detailed explanations for each missing header: Content-Security-Policy (prevents XSS attacks), X-Frame-Options (prevents clickjacking), X-Content-Type-Options (prevents MIME-sniffing), and Referrer-Policy (controls information leakage).


Screenshot 06: Security header report from securityheaders.com

6.5 Technology Fingerprinting

Purpose: Identify frameworks, analytics, and third-party technologies in use.

Observation: BuiltWith reports 44 live technologies, including Cloudflare Rocket Loader, Cloudflare Insights, and Cloudflare Web Analytics.

Result: Website relies heavily on Cloudflare services for performance and analytics.




Screenshot 07: Technology fingerprint from BuiltWith

6.6 DNS Infrastructure

Purpose: Map the domain's hosting and nameserver infrastructure.

Observation: DNSDumpster confirms the A record and nameservers are hosted under Cloudflare's ASN (13335), with direct access to origin servers blocked.

Result: Origin server is hidden behind Cloudflare, reducing direct exposure.



Screenshot 08: DNS records from DNSDumpster

6.7 Robots.txt Analysis

Purpose: Review crawler access rules defined in robots.txt.

Observation: robots.txt disallows /api/*, /go/*, and specific pages, and blocks bots like AhrefsBot, SemrushBot, dotbot, and Screaming Frog.

Result: Certain internal paths are intentionally hidden from search engine crawlers.

```

(manuarya@kali)-[~]
$ curl https://www.chicken-road2.app/robots.txt
User-Agent: *
Allow: /
Disallow: /api/*
Disallow: /go/*
Disallow: /pages/condition-utilisation

User-Agent: AhrefsBot
Disallow: *

User-Agent: SemrushBot
Disallow: /

User-Agent: dotbot
Disallow: *

User-Agent: Screaming Frog SEO Spider
Disallow: *

User-Agent: ChatGPT-User
Disallow: /

Sitemap: https://www.chicken-road2.app/sitemap.xml
(manuarya@kali)-[~]
$

```

Screenshot 09: robots.txt content

6.8 VirusTotal Reputation

Purpose: Check the domain's reputation across security vendors.

Observation: VirusTotal shows 0 out of 91 security vendors flagged the domain as malicious.

Result: No known malicious activity is associated with this domain.

VirusTotal - Domain - chi...

www.virustotal.com/gui/domain/chicken-road2.app

chicken-road2.app

0 / 91
Community Score

No security vendors flagged this domain as malicious

chicken-road2.app

Creation Date: 1 year ago
Last Analysis Date: 20 hours ago

REANALYZE More

DETECTION DETAILS RELATIONS COMMUNITY

Join our Community and enjoy additional community insights and crowdsourced detections, plus an API key to automate checks.

Security vendors' analysis

Abusix	Clean	Acronis	Clean
ADMINUSLabs	Clean	AlLabs (MONITORAPP)	Clean
AlienVault	Clean	Antiy-AVL	Clean
BitDefender	Clean	Blueliv	Clean
Certego	Clean	Chong Lua Dao	Clean
CMS Army	Clean	CNC Threat Intelligence	Clean

Do you want to automate checks?

Screenshot 10: VirusTotal domain reputation report

6.9 Certificate Transparency

Purpose: Search certificate transparency logs for issued SSL certificates.

Observation: crt.sh lists multiple certificates issued by Google Trust Services, Let's Encrypt, and Sectigo, showing a regular renewal pattern.

Result: Certificate issuance history is consistent and shows no unauthorized certificates.

cr[sh]chicken-road2.app

cr[sh]chicken-road2.app

OffSec Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB AWS Security Learning... All labs | Web Security... Homepage - LetsDefend Web Application Secur... CyberChef

cr[sh]

Identity Search

cr[sh]

cr[sh]

cr[sh]

cr[sh]

Criteria Type Identity Match: Single Search: chicken-road2.app

Certificates

crt.sh ID	Logged At	Not Before	Not After	Common Name	Matching Identities	Issuer Name
277813561448	2026-07-05	2026-07-05	2026-10-03	chicken-road2.app	*, chicken-road2.app chicken-road2.app	CeIS - Google Trust Services, CHeW1
27780365145	2026-07-05	2026-07-05	2026-10-03	chicken-road2.app	*, chicken-road2.app chicken-road2.app	CeIS - Google Trust Services, CHeW1
27180967851	2026-06-11	2026-06-11	2026-09-08	chicken-road2.app	*, chicken-road2.app chicken-road2.app	CeIS - Google Trust Services, CHeW1
26495069329	2026-05-20	2026-05-20	2026-08-18	chicken-road2.app	*, chicken-road2.app chicken-road2.app	CeIS - Google Trust Services, CHeW1
26494417278	2026-05-20	2026-05-20	2026-08-18	chicken-road2.app	*, chicken-road2.app chicken-road2.app	CeIS - Google Trust Services, CHeW1
26137818855	2026-05-07	2026-05-07	2026-08-05	chicken-road2.app	*, chicken-road2.app chicken-road2.app	CeIS - Google Trust Services, CHeW1
26176732687	2026-05-07	2026-05-07	2026-08-05	chicken-road2.app	*, chicken-road2.app chicken-road2.app	CeIS - Google Trust Services, CHeW1
25548988843	2026-04-05	2026-04-05	2026-07-04	chicken-road2.app	*, chicken-road2.app chicken-road2.app	CeIS - Google Trust Services, CHeW1
25548987828	2026-04-05	2026-04-05	2026-07-04	chicken-road2.app	*, chicken-road2.app chicken-road2.app	CeIS - Google Trust Services, CHeW1
25188745600	2026-03-19	2026-03-19	2026-06-17	chicken-road2.app	*, chicken-road2.app chicken-road2.app	CeIS - Google Trust Services, CHeW1
25188727875	2026-03-19	2026-03-19	2026-06-17	chicken-road2.app	*, chicken-road2.app chicken-road2.app	CeIS - Google Trust Services, CHeW1
24866126099	2026-03-09	2026-03-09	2026-06-07	chicken-road2.app	*, chicken-road2.app chicken-road2.app	CeIS - Google Trust Services, CHeW1
24866132295	2026-03-09	2026-03-09	2026-06-07	chicken-road2.app	*, chicken-road2.app chicken-road2.app	CeIS - Google Trust Services, CHeW1
24178457415	2026-02-04	2026-02-04	2026-05-05	chicken-road2.app	*, chicken-road2.app chicken-road2.app	CeIS - Google Trust Services, CHeW1
24178457778	2026-02-04	2026-02-04	2026-05-05	chicken-road2.app	*, chicken-road2.app chicken-road2.app	CeIS - Google Trust Services, CHeW1
23823318581	2026-01-17	2026-01-17	2026-04-17	chicken-road2.app	*, chicken-road2.app chicken-road2.app	CeIS - Google Trust Services, CHeW1
23823298189	2026-01-17	2026-01-17	2026-04-17	chicken-road2.app	*, chicken-road2.app chicken-road2.app	CeIS - Google Trust Services, CHeW1
23642168874	2026-01-08	2026-01-08	2026-04-08	chicken-road2.app	*, chicken-road2.app chicken-road2.app	CeIS - Google Trust Services, CHeW1


Screenshot 11: Certificate transparency log from crt.sh

6.10 SSL/TLS Assessment

Purpose: Assess the SSL/TLS configuration strength of the web server.

Observation: SSL Labs graded all four tested IP endpoints (IPv4 and IPv6) as B.

Result: SSL/TLS configuration is functional but not optimally hardened.



The screenshot shows the SSL Labs security assessment report for chicken-road2.app. The report includes a table with columns: Server, Test time, and Grade. The report also includes a 'Scan Another >>' link and a 'Terms and Conditions' link.

Server	Test time	Grade
1 104.21.38.193 Ready	Mon, 20 Jul 2026 09:51:29 UTC Duration: 62.227 sec	B
2 2606:4700:3030:0:0:0:ac43:89ef Ready	Mon, 20 Jul 2026 09:52:31 UTC Duration: 60.40 sec	B
3 172.67.137.239 Ready	Mon, 20 Jul 2026 09:53:31 UTC Duration: 59.764 sec	B
4 2606:4700:3034:0:0:0:6815:26c1 Ready	Mon, 20 Jul 2026 09:54:31 UTC Duration: 60.248 sec	B

Screenshot 12: SSL Labs security assessment report

6.11 Sitemap Analysis

Purpose: Review the site's sitemap.xml for structure and language variants.

Observation: The sitemap lists the homepage with alternate language links for German, Spanish, French, Polish, and Romanian.

Result: Site supports multiple locales and is actively maintained, shown by a recent lastmod date.

```
(manuarya@kali)-[~]
$ curl https://www.chicken-road2.app/sitemap.xml
<?xml version="1.0" encoding="UTF-8"?>
<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9" xmlns:xhtml="http://www.w3.org/1999/xhtml">
<url>
<loc>https://www.chicken-road2.app/</loc>
<xhtml:link rel="alternate" hreflang="de" href="https://www.chicken-road2.app/de" />
<xhtml:link rel="alternate" hreflang="es" href="https://www.chicken-road2.app/es" />
<xhtml:link rel="alternate" hreflang="fr" href="https://www.chicken-road2.app/fr" />
<xhtml:link rel="alternate" hreflang="pl" href="https://www.chicken-road2.app/pl" />
<xhtml:link rel="alternate" hreflang="ro" href="https://www.chicken-road2.app/ro" />
<lastmod>2026-07-21T06:44:39.200Z</lastmod>
<priority>1</priority>
</url>
</urlset>

(manuarya@kali)-[~]
$
```

Screenshot 13: sitemap.xml content

6.12 OpenSSL Certificate Verification

Purpose: Inspect the SSL certificate chain directly using OpenSSL.

Observation: OpenSSL confirms a valid certificate chain issued by Google Trust Services (WE1), rooted at GTS Root R4, valid for both IPv4 and IPv6 endpoints.

Result: Certificate chain is valid, trusted, and consistently applied across endpoints.

```

[mammary@kali:]-[~]
$ sudo ip netns exec chicken-road2.app443 ip netns exec 200647803018:ac43:b9ef
Connecting to 200647803018:ac43:b9ef
ipnetns2 CMSG, OoGoogle Trust Services LLC, CN=CTS Root R4
verify return:1
ipnetns1 CMSG, OoGoogle Trust Services, CN=WS1
verify return:1
ipnetns4 Chickenken-road2.app
verify return:1
time
issuer=CUS, OoGoogle Trust Services, CN=WS1
subject=Chickenken-road2.app
notBefore=Jul 3 03:37:58 2026 GMT
notAfter=Oct 3 04:13:47 2026 GMT

[mammary@kali:]-[~]
$ sudo ip netns exec chicken-road2.app:443
Connecting to 200647803018:ac43:b9ef
CONNECTED (0kB/sec)
ipnetns2 CMSG, OoGoogle Trust Services LLC, CN=CTS Root R4
verify return:1
ipnetns1 CMSG, OoGoogle Trust Services, CN=WS1
verify return:1
ipnetns4 Chickenken-road2.app
verify return:1

Certificate chain
 0 s=Chickenken-road2.app
  i=CUS, OoGoogle Trust Services, CN=WS1
 a=PKEXT: EC, (prime561); sigalg: ecdsa-with-SHA256
 vNotBefore: Jul 3 03:37:58 2026 GMT; NotAfter: Oct 3 04:13:47 2026 GMT
 1 s=CUS, OoGoogle Trust Services, CN=WS1
  i=CUS, OoGoogle Trust Services LLC, CN=CTS Root R4
 a=PKEXT: EC, (prime561); sigalg: ecdsa-with-SHA256
 vNotBefore: Dec 18 09:00:00 2021 GMT; NotAfter: Feb 20 14:00:00 2029 GMT
 2 s=CUS, OoGoogle Trust Services LLC, CN=CTS Root R4
  i=CRI, OoGlobalTrust n-a-s, CN=Root CA, CN=GlobalTrust Root CA
 a=PKEXT: EC, (secp384r1); sigalg: sha256withSM3andEncryption
 vNotBefore: Nov 19 03:43:21 2023 GMT; NotAfter: Jan 28 00:00:12 2038 GMT

Server certificate
-----BEGIN CERTIFICATE-----
MIIDTCAACAgQAwCgYKKoZIhcnRucy8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZu
dG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7
MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4
MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0
ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkx
OjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAG
GgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEz
MBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8w
LjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZu
ZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7
MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4
MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0
ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkx
OjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAG
GgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEz
MBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8w
LjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZu
ZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7
MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4
MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0
ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkx
OjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAG
GgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEz
MBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8w
LjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZu
ZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7
MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4
MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0
ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkx
OjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAG
GgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEz
MBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8w
LjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZu
ZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7
MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4
MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0
ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkx
OjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAG
GgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEz
MBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8w
LjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZu
ZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7
MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4
MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0
ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkx
OjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAG
GgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEz
MBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8w
LjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZu
ZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7
MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4
MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0
ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkx
OjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAG
GgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEz
MBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8w
LjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZu
ZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7
MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4
MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0
ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkx
OjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAG
GgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEz
MBAGGgkxOjA0ODQ4MzA7MDZuZG8wLjEzMBAGGgkxOjA0ODQ4MzA7MDZuZG8w
LjEzMBAGGgkxOjA
```

Screenshot 14: SSL certificate chain via OpenSSL

7. Security Findings

Finding	Risk	Recommendation
Missing Content-Security-Policy	Medium	Implement a CSP header to restrict script sources
Missing X-Frame-Options	Medium	Add header to prevent clickjacking attacks
Missing Referrer-Policy	Low	Set a strict referrer policy header
Missing Permissions-Policy	Low	Define a permissions policy to limit browser features
Missing X-Content-Type-Options	Low	Add 'nosniff' header to prevent MIME sniffing

8. Positive Security Observations

- HTTPS Enabled — all traffic is encrypted using TLS.
- Cloudflare Protection — origin server is shielded behind Cloudflare's proxy.
- Valid SSL Certificate — certificate chain is valid and trusted.
- VirusTotal Clean — no security vendor flagged the domain as malicious.
- Active Maintenance — sitemap shows recent updates across multiple locales.

9. Recommendations

- Implement a Content-Security-Policy header to restrict script sources.
- Add X-Frame-Options to prevent clickjacking attacks.
- Set a strict Referrer-Policy header.
- Define a Permissions-Policy to limit browser feature access.
- Add X-Content-Type-Options: nosniff to prevent MIME sniffing.

10. Conclusion

The OSINT investigation of chicken-road2.app found a website protected by Cloudflare, using valid SSL/TLS certificates and a clean reputation across security vendors. However, several recommended HTTP security headers, including Content-Security-Policy and X-Frame-Options, are missing, which could expose the site to client-side attacks such as clickjacking and cross-site scripting. Overall, the target shows a moderate security posture, with low-cost, straightforward improvements available through proper HTTP header configuration.