



	1	2	3	4	5	6	7	8
A	Power File: power.kicad_sch							
B	MCU File: mcu.kicad_sch							
C	SD Card File: sdcard.kicad_sch							
D	CAN File: can.kicad_sch							
E	Analog Inputs File: analog.kicad_sch							
F	1	2	3	4	5	6	7	8

Root sheet -- see the block sheets below		
geekopolis		
Sheet: /		
File: esp32s3-can-sd-logger.kicad_sch		
Title: ESP32-S3 CAN + microSD Automotive Logger		
Size: A3	Date:	Rev: A
KiCad E.D.A. 9.0.5	Id: 1/6	





MCU -- ESP32-S3-WROOM-1 module, USB-C, boot/reset, break-out

geekopolis

Sheet: /MCU/

File: mcu.kicad_sch

Title: ESP32-S3 CAN + microSD Automotive Logger


Size: A3

Date:

Rev: A

KiCad E.D.A. 9.0.5

Id: 3/6



SD Card -- microSD in 4-bit SDMMC mode with a switchable card supply

geekopolis

Sheet: /SD Card/

File: sdcad.kicad_sch

Title: ESP32-S3 CAN + microSD Automotive Logger

Size: A3

Date:

Rev: A

KiCad E.D.A. 9.0.5

Id: 4/6



CAN -- Isolated-ground CAN 2.0B node with selectable termination

geekopolis

Sheet: /CAN/

File: can.kicad_sch

Title: ESP32-S3 CAN + microSD Automotive Logger


Size: A3

Date:

Rev: A

KiCad E.D.A. 9.0.5

Id: 5/6



Analog Inputs -- 4 sensor channels with jumper-selected dividers and pull-up bias
geekopolis

Sheet: /Analog Inputs/
File: analog.kicad_sch

Title: ESP32-S3 CAN + microSD Automotive Logger

Size: A3	Date:	Rev: A
KiCad E.D.A. 9.0.5		Id: 6/6