

Patient ID

StratX\_2476712\_externe

Upload Date

Jan. 10, 2025

Scan ID

CT

Report Date

Jan. 14, 2025

CT Scan Date

5706.1

Scan Comments

Nov. 28, 2024

SUMMARY



- KEY
- ≥70% Voxel Density Less Than -910 HU
  - 60-70% Voxel Density Less Than -910 HU
  - 50-60% Voxel Density Less Than -910 HU
  - <50% Voxel Density Less Than -910 HU
  - ≥95% Fissure Completeness
  - 80-95% Fissure Completeness
  - <80% Fissure Completeness

RESULTS

	RIGHT LUNG				LEFT LUNG	
	RUL	RUL+RML	RML	RLL	LUL	LLL
% Fissure Completeness	65.0	99.8	68.9	99.8	99.1	99.1
% Voxel Density Less Than -910 HU	76	74	69	59	67	56
% Voxel Density Less Than -950 HU	53	51	44	37	44	33
Inspiratory Volume (ml)	2101	2824	723	1936	2123	1977

# Fissure Completeness



Patient ID

StratX\_2476712\_externe

Scan ID

CT

CT Scan Date

5706.1

Upload Date

Jan. 10, 2025

Report Date

Jan. 14, 2025

Scan Comments


Nov. 28, 2024

## RIGHT LUNG


## LEFT LUNG

	RUL	RUL+RML	RML	RLL	LUL	LLL
% Fissure Completeness	65.0	99.8	68.9	99.8	99.1	99.1


FRONT




SIDE - RIGHT LUNG



BACK



SIDE - LEFT LUNG



# Voxel Density



Patient ID

StratX\_2476712\_externe

Upload Date

Jan. 10, 2025

Scan ID

CT

Report Date

Jan. 14, 2025

CT Scan Date

5706.1

Scan Comments


Nov. 28, 2024

	RIGHT LUNG				LEFT LUNG	
	RUL	RUL+RML	RML	RLL	LUL	LLL
% Voxel Density Less Than -910 HU	76	74	69	59	67	56
% Voxel Density Less Than -950 HU	53	51	44	37	44	33


FRONT



SIDE - RIGHT LUNG



BACK



SIDE - LEFT LUNG



For visualization purposes, images are rendered for a voxel density less than -950 HU.