


Building a Crufts-Ready AWS Business Platform in 5 Weeks

Damien Jones (he/him)

AWS Consultant @ Steamhaus

2026-10-15 AWS North Community Conference


Crufts
ROYAL CANIN
JAMES WELLBELOVED
crufts.org.uk


WOLFIE & FRIENDS
DOG TRAINING

Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
26 Jan 2026	27	28	29	30	31	1 Feb
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	1 Mar
2	3	4	5	6	7	8

PDF Calendar by www.pdfcalendar.com

MrDamienJones / wolfieandfriends.co.uk

Code Issues Pull requests Actions

Commit 201398d

MrDamienJones committed on Jan 26

Initial commit

main

Monday	Tuesday					Sunday
26 Jan 2026 	27	28				1 Feb
2	3	4				8
9	10	11				15
16	17	18	19	20	21	22
23	24	25	26	27	28	1 Mar
2	3	4	5	6	7	8

Crufts THE KENNEL CLUB

PDF Calendar by www.pdfcalendar.com

5

4

3

2

1

Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
26 Jan 2026 	27	28	29	30	31	1 Feb
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	1 Mar
2	3	4	5	6	7	8

Crufts
THE KENNEL CLUB

PDF Calendar by www.pdfcalendar.com

5

4

3


2

1

Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
26 Ja 2026 	27	28	29	30	31	1 Feb
2	3	4	5	6	7	8
[illegible]	10	11	12	13	[illegible]	15
16	17	18	19	20	21	22
23	24	25	26	27	[illegible]	1 Mar
2	3	4	5	6	7	8

Crufts
THE KENNEL CLUB

PDF Calendar by www.pdfcalen


ROYAL CANIN
Crufts
THE KENNEL CLUB
crufts.org.uk
JAMES WELLBELOVED

Steamhaus

AWS Consultant

Steamhaus UK



Content Creator

amazonwebshark.com

AWS USER GROUP LANCASHIRE EST 2025

AWS User Group Leader

Lancashire UK

AWS community builders

AWS Community Builder

Data Category






STATEMENT OF WORK

ESSENTIALS

Domain



Website



Email




THREE FEATURES

Contact Page



Bookings



Payments





TIME SAVING: BUY VS BUILD

“Buy for speed”

“Build for cost”

BUY

- Email
- Booking
- Payments

BUILD


- Site
- Domain
- Contact Page



TIME SAVING: INFRA AS CODE

THREE FEATURES


Declarative



Iterable



Reusable



CDK



AMPLIFY





TIME SAVING:
AI SERVICES

Q DEVELOPER




KIRO




Q DEVELOPER

KIRO





Let's build
Plan, search, or build anything
Start with a built-in agent (optional)
See all
Spec Structured feature development
Plan Plan-only mode that helps break ideas down into an implementation pl...
Bug Fix Structured bug-fix workflow: investigate, diagnose, and resolve bugs
Quick Spec Fast spec workflow: clarify, then auto-generate requirements, d...



File Edit Selection View Go Run Terminal Help
EXPLORER
OPEN EDITORS
WOLFIEANDFRIENDS.CO.UK
.amazonq
.kiro
settings
specs
client-booking-system
.config.kiro
design.md
requirements.md
tasks.md
.pytest_cache
.venv
.vscode
aws





SITE & CONTACT PAGE



aws



AWS Cloud
AWS Account: Networking
Amazon Route53
Hosted Zone
Internet
User
AWS Account: Wolfie & Friends PROD
AWS Amplify-managed deployment
Developer
GitHub
WolfieAndFriends Repo
AWS Amplify
WolfieAndFriends App
Amazon S3
Bucket
AWS Certificate Manager
SSL Certificate
Amazon CloudFront
Distribution
AWS CDK deployment
AWS CloudFormation
Wolfie&Friends Stack
Amazon API Gateway
POST /contact
AWS Lambda
Contact Handler
Amazon DynamoDB
Contact Table
Amazon SES
SendEmail API
Zoho EMail



AWS Cloud
AWS Account: Networking
Amazon Route53
Hosted Zone
Internet
User
AWS Account: Wolfie & Friends PROD
AWS Amplify-managed deployment
Developer
GitHub
WolfieAndFriends Repo
AWS Amplify
WolfieAndFriends App
Amazon S3
Bucket
AWS Certificate Manager
SSL Certificate
Amazon CloudFront
Distribution
AWS CDK deployment
AWS CloudFormation
Wolfie&Friends Stack
Amazon API Gateway
POST /contact
AWS Lambda
Contact Handler
Amazon DynamoDB
Contact Table
Amazon SES
SendEmail API
Zoho EMail



AWS Cloud
AWS Account: Networking
Amazon Route53
Hosted Zone
Internet
User
AWS Account: Wolfie & Friends PROD
AWS Amplify-managed deployment
Developer
GitHub
WolfieAndFriends Repo
AWS Amplify
WolfieAndFriends App
Amazon S3
Bucket
AWS Certificate Manager
SSL Certificate
Amazon CloudFront
Distribution
AWS CDK deployment
AWS CloudFormation
Wolfie&Friends Stack
Amazon API Gateway
POST /contact
AWS Lambda
Contact Handler
Amazon DynamoDB
Contact Table
Amazon SES
SendEmail API
Zoho EMail



AWS Cloud
AWS Account: Networking
Amazon Route53
Hosted Zone
Internet
User
AWS Account: Wolfie & Friends PROD
AWS Amplify-managed deployment
Amazon S3
Bucket
AWS Certificate Manager
SSL Certificate
Amazon CloudFront
Distribution
Developer
GitHub
WolfieAndFriends Repo
AWS Amplify
WolfieAndFriends App
AWS CDK deployment
Amazon DynamoDB
Contact Table
AWS CloudFormation
Wolfie&Friends Stack
Amazon API Gateway
POST /contact
AWS Lambda
Contact Handler
Amazon SES
SendEmail API
Zoho EMail


AWS Cloud
AWS Account: Networking
Amazon Route53
Hosted Zone
Internet
User
AWS Account: Wolfie & Friends PROD
AWS Amplify-managed deployment
Developer
GitHub
WolfieAndFriends Repo
AWS Amplify
WolfieAndFriends App
Amazon S3
Bucket
AWS Certificate Manager
SSL Certificate
Amazon CloudFront
Distribution
AWS CDK deployment
AWS CloudFormation
Wolfie&Friends Stack
Amazon API Gateway
POST /contact
AWS Lambda
Contact Handler
Amazon DynamoDB
Contact Table
Amazon SES
SendEmail API
Zoho EMail


AWS Cloud
AWS Account: Networking
Amazon Route53
Hosted Zone
Internet
User
AWS Account: Wolfie & Friends PROD
AWS Amplify-managed deployment
Developer
GitHub
WolfieAndFriends Repo
AWS Amplify
WolfieAndFriends App
Amazon S3
Bucket
AWS Certificate Manager
SSL Certificate
Amazon CloudFront
Distribution
AWS CDK deployment
AWS CloudFormation
Wolfie&Friends Stack
Amazon API Gateway
POST /contact
AWS Lambda
Contact Handler
Amazon DynamoDB
Contact Table
Amazon SES
SendEmail API
Zoho EMail


AWS Cloud
AWS Account: Networking
Amazon Route53
Hosted Zone
Internet
User
AWS Account: Wolfie & Friends PROD
AWS Amplify-managed deployment
Developer
GitHub
WolfieAndFriends Repo
AWS Amplify
WolfieAndFriends App
Amazon S3
Bucket
AWS Certificate Manager
SSL Certificate
Amazon CloudFront
Distribution
AWS CDK deployment
Amazon DynamoDB
Contact Table
AWS CloudFormation
Wolfie&Friends Stack
Amazon API Gateway
POST /contact
AWS Lambda
Contact Handler
Amazon SES
SendEmail API
Zoho EMail


AWS Cloud
AWS Account: Networking
Amazon Route53
Hosted Zone
Internet
User
AWS Account: Wolfie & Friends PROD
AWS Amplify-managed deployment
Developer
GitHub
WolfieAndFriends Repo
AWS Amplify
WolfieAndFriends App
Amazon S3
Bucket
AWS Certificate Manager
SSL Certificate
Amazon CloudFront
Distribution
AWS CDK deployment
AWS CloudFormation
Wolfie&Friends Stack
Amazon API Gateway
POST /contact
AWS Lambda
Contact Handler
Amazon DynamoDB
Contact Table
Amazon SES
SendEmail API
Zoho EMail


AWS Cloud
AWS Account: Networking
Amazon Route53
Hosted Zone
Internet
User
AWS Account: Wolfie & Friends PROD
AWS Amplify-managed deployment
Developer
GitHub
WolfieAndFriends Repo
AWS Amplify
WolfieAndFriends App
Amazon S3
Bucket
AWS Certificate Manager
SSL Certificate
Amazon CloudFront
Distribution
AWS CDK deployment
AWS CloudFormation
Wolfie&Friends Stack
Amazon API Gateway
POST /contact
AWS Lambda
Contact Handler
Amazon DynamoDB
Contact Table
Amazon SES
SendEmail API
Zoho EMail

00:00

Contact Us

Get In Touch

We'd love to hear from you! Whether you have questions about our services or want to book a session, feel free to reach out.

Locations

South Manchester including:

Altrincham	Hale	Timperley
Bowdon	Sale	Urmston
Chorlton	Stretford	Wythenshawe

Email

Send us an email

Follow Us

For training tips and updates

Send Us a Message

Your Name

Your Email

Your Message

I consent to Wolfie and Friends storing my data to respond to my enquiry. See our Privacy Policy.


Send Message

© 2026 Wolfie & Friends. All rights reserved. | Privacy Policy




BOOKINGS & PAYMENTS



Cal.com



stripe


Cal.com

stripe


Cal.com Account
Cal.com
Wolfie&Friends
Developer Console
Cal.com
Wolfie&Friends
Booking Console
Cal.com
Account Parameters
AWS Cloud
AWS Amplify-managed deployment
User
AWS Amplify
WolfieAndFriends App
AWS Amplify
WolfieAndFriends
Booking Page
User
Cal.com
React Component
GitHub
WolfieAndFriends Repo


Cal.com Account
Cal.com
Wolfie&Friends
Developer Console
Cal.com
Wolfie&Friends
Booking Console
Cal.com
Account Parameters
AWS Cloud
AWS Amplify-managed deployment
User
AWS Amplify
WolfieAndFriends App
AWS Amplify
WolfieAndFriends
Booking Page
User
Cal.com
React Component
GitHub
WolfieAndFriends Repo


Cal.com Account
Cal.com
Wolfie&Friends
Developer Console
Cal.com
Wolfie&Friends
Booking Console
Cal.com
Account Parameters
AWS Cloud
AWS Amplify-managed deployment
User
AWS Amplify
WolfieAndFriends App
AWS Amplify
WolfieAndFriends
Booking Page
User
Cal.com
React Component
GitHub
WolfieAndFriends Repo

Wolfie & Friends - Professional Do

https://wolfieandfriends.co.uk

RPE Scale | Alexa | Outlook | White Noise | Zen Koans | Pocket: My List | Google Keep | Send to Trello | LAKES | EPICS | RESEARCH | TOOLS | Todoist | Damien Jones's alb... | Your Training Log -... | Sin

00:00

Wolfie & Friends

Home | About | Services | Hoopers | History | Contact | QR | My Account

Logout




Wolfie & Friends


Training built on trust

Professional dog training in South Manchester

Get In Touch

12:45
07/04/2026




Crufts
Royal Kennel Club
Wolfie & Friends
wolfieandfriends.co.uk
Wolfie & Friends
WOLFIE & FRIENDS
DOG TRAINING
Wolfie & Friends
Training built on trust
Professional dog training in South Manchester
Get In Touch
Our Services



6 MONTHS LATER...





SITE IMPROVEMENTS

GitHub CICD Process

Cognito User Profiles

Serverless Video Store



KIRO TIMESAVERS

KIRO TIMESAVERS

Steering & Skills



Agent Hooks





MCPs & Powers




KIRO STEERING & SKILLS




KIRO
SPECS
blog-platform
client-booking-system
cognito-user-auth
cost-protection-ddos-mitigation
dynamodb-product-catalog
video-store
AGENT HOOKS
AWS Deploy Guard PreToolUse
detect-secrets on Save PostFileSave
Frontend Lint on Save PostFileSave
Python Lint on Save PostFileSave
Run Tests After Task PostTaskExec
AGENT STEERING & SKILLS
Workspace
adr-structure
aws-profile
deployment
merge-checklist
python-venv
release-notes
Global
no-real-aws-values
architecture-selection
quick-spec
bug-fix
python-venv.md
aws-profile.md
Power: Atlassian Rovo MCP Se
.kiro > steering > python-venv.md > ...
Refine
1 ---
2 inclusion: always
3 ---
4
5 # Python Virtual Environment Rule
6
7 When executing Python commands in this project, always use the virtual environment located at `.venv`.
8
9 ## Windows Commands (PowerShell)
10
11 PowerShell is the project's default shell. Activate with `Activate.ps1` and separate commands with `;` (not `&&`, which only works in PowerShell 7+):
12
13 ```powershell
14 .venv\Scripts\Activate.ps1; cd infrastructure; python -m pytest tests/
15 ```
16
17 Or call the venv executables directly, without activating:
18
19 ```powershell
20 & .venv\Scripts\python.exe -m pytest infrastructure/tests/
21 ```
22
23 ### Windows (cmd.exe)


KIRO
SPECS
blog-platform
client-booking-system
cognito-user-auth
cost-protection-ddos-mitigation
dynamodb-product-catalog
video-store
AGENT HOOKS
AWS Deploy Guard PreToolUse
detect-secrets on Save PostFileSave
Frontend Lint on Save PostFileSave
Python Lint on Save PostFileSave
Run Tests After Task PostTaskExec
AGENT STEERING & SKILLS
Workspace
adr-structure
aws-profile
deployment
merge-checklist
python-venv
release-notes
Global
no-real-aws-values
architecture-selection
quick-spec
bug-fix
python-venv.md
aws-profile.md
Power: Atlassian Rovo MCP Se
.kiro > steering > python-venv.md > ...
Refine
1 ---
2 inclusion: always
3 ---
4
5 # Python Virtual Environment Rule
6
7 When executing Python commands in this project, always use the virtual environment located at `.venv`.
8
9 ## Windows Commands (PowerShell)
10
11 PowerShell is the project's default shell. Activate with `Activate.ps1` and separate
12 commands with `;` (not `&&`, which only works in PowerShell 7+):
13
14 ```powershell
15 .venv\Scripts\Activate.ps1; cd infrastructure; python -m pytest tests/
16 ```
17
18 Or call the venv executables directly, without activating:
19
20 ```powershell
21 & .venv\Scripts\python.exe -m pytest infrastructure/tests/
22 ```
23
24 ### Windows (cmd.exe)


KIRO
SPECS
blog-platform
client-booking-system
cognito-user-auth
cost-protection-ddos-mitigation
dynamodb-product-catalog
video-store
AGENT HOOKS
AWS Deploy Guard PreToolUse
detect-secrets on Save PostFileSave
Frontend Lint on Save PostFileSave
Python Lint on Save PostFileSave
Run Tests After Task PostTaskExec
AGENT STEERING & SKILLS
Workspace
adr-structure
aws-profile
deployment
merge-checklist
python-venv
release-notes
Global
no-real-aws-values
architecture-selection
quick-spec
bug-fix
python-venv.md
aws-profile.md
Power: Atlassian Rovo MCP Se
.kiro > steering > python-venv.md > ...
Refine
1 ---
2 inclusion: always
3 ---
4
5 # Python Virtual Environment Rule
6
7 When executing Python commands in this project, always use the virtual environment located at `.venv`.
8
9 ## Windows Commands (PowerShell)
10
11 PowerShell is the project's default shell. Activate with `Activate.ps1` and separate
12 commands with `;` (not `&&`, which only works in PowerShell 7+):
13
14 ```powershell
15 .venv\Scripts\Activate.ps1; cd infrastructure; python -m pytest tests/
16 ```
17
18 Or call the venv executables directly, without activating:
19
20 ```powershell
21 & .venv\Scripts\python.exe -m pytest infrastructure/tests/
22 ```
23
24 ### Windows (cmd.exe)

AGENT HOOKS



KIRO

SPECS
- blog-platform
- client-booking-system
- cognito-user-auth
- cost-protection-ddos-mitigation
- dynamodb-product-catalog
- video-store

AGENT HOOKS
- AWS Deploy Guard PreToolUse
- detect-secrets on Save PostFileSave
- Frontend Lint on Save PostFileSave
- Python Lint on Save PostFileSave
- Run Tests After Task PostTaskExec

AGENT STEERING & SKILLS
- Workspace
  - adr-structure
  - aws-profile
  - deployment
  - merge-checklist
  - python-venv
  - release-notes
- Global
  - no-real-aws-values
  - architecture-selection
  - quick-spec
  - bug-fix

MCP SERVERS
- atlassian-mcp-server Connected (41 tools)
- infrastructure-diagrams Connection ... Retry
- aws-mcp Connected (8 tools)
  - aws___get_presigned_url Generat...
  - aws___get_tasks Poll status of long...

Run Tests After Task | *aws-profile.md* | Power: Atlassian Rovo MCP Server

`run-tests-after-task.json`

Hook enabled

Title

Run Tests After Task

Description

Run the full test suite (run-tests.ps1) after a spec task is completed.

Trigger

Post Task Execution

Action

Ask Kiro | **Run Command**

Executes a shell command. The hook event payload is provided as JSON on stdin.


Command to execute


```
if (Test-Path .\run-tests.ps1) { powershell -ExecutionPolicy Bypass -File .\run-tests.ps1 } else { Write-Output "[run-tests-after-task] run-tests.ps1 not found, skipping" }; exit 0
```


Timeout


60 seconds

Maximum execution time for the command. Default is 60s. Set to 0 to disable.


KIRO
SPECS
blog-platform
client-booking-system
cognito-user-auth
cost-protection-ddos-mitigation
dynamodb-product-catalog
video-store
AGENT HOOKS
AWS Deploy Guard PreToolUse
detect-secrets on Save PostFileSave
Frontend Lint on Save PostFileSave
Python Lint on Save PostFileSave
Run Tests After Task PostTaskExec
AGENT STEERING & SKILLS
Workspace
adr-structure
aws-profile
deployment
merge-checklist
python-venv
release-notes
Global
no-real-aws-values
architecture-selection
quick-spec
bug-fix
MCP SERVERS
atlassian-mcp-server Connected (41 tools)
infrastructure-diagrams Connection ...
Retry
aws-mcp Connected (8 tools)
aws___get_presigned_url Generat...
aws___get_tasks Poll status of long...
Run Tests After Task
aws-profile.md
Power: Atlassian Rovo MCP Server
run-tests-after-task.json
Hook enabled
Title
Run Tests After Task
Description
Run the full test suite (run-tests.ps1) after a spec task is completed.
Trigger
Post Task Execution
Action
Ask Kiro
Run Command
Executes a shell command. The hook event payload is provided as JSON on stdin.
Command to execute
if (Test-Path .\run-tests.ps1) { powershell -ExecutionPolicy Bypass -File .\run-tests.ps1 } else { Write-Output "[run-tests-after-task] run-tests.ps1 not found, skipping" }; exit 0
Timeout
60
seconds
Maximum execution time for the command. Default is 60s. Set to 0 to disable.


KIRO
SPECS
blog-platform
client-booking-system
cognito-user-auth
cost-protection-ddos-mitigation
dynamodb-product-catalog
video-store
AGENT HOOKS
AWS Deploy Guard PreToolUse
detect-secrets on Save PostFileSave
Frontend Lint on Save PostFileSave
Python Lint on Save PostFileSave
Run Tests After Task PostTaskExec
AGENT STEERING & SKILLS
Workspace
adr-structure
aws-profile
deployment
merge-checklist
python-venv
release-notes
Global
no-real-aws-values
architecture-selection
quick-spec
bug-fix
MCP SERVERS
atlassian-mcp-server Connected (41 tools)
infrastructure-diagrams Connection ...
Retry
aws-mcp Connected (8 tools)
aws___get_presigned_url Generat...
aws___get_tasks Poll status of long...
Run Tests After Task
aws-profile.md
Power: Atlassian Rovo MCP Server
run-tests-after-task.json
Hook enabled
Title
Run Tests After Task
Description
Run the full test suite (run-tests.ps1) after a spec task is completed.
Trigger
Post Task Execution
Action
Ask Kiro
Run Command
Executes a shell command. The hook event payload is provided as JSON on stdin.
Command to execute
if (Test-Path .\run-tests.ps1) { powershell -ExecutionPolicy Bypass -File .\run-tests.ps1 } else { Write-Output "[run-tests-after-task] run-tests.ps1 not found, skipping" }; exit 0
Timeout
60
seconds
Maximum execution time for the command. Default is 60s. Set to 0 to disable.



KIRO
SPECS
blog-platform
client-booking-system
cognito-user-auth
cost-protection-ddos-mitigation
dynamodb-product-catalog
video-store
AGENT HOOKS
AWS Deploy Guard PreToolUse
detect-secrets on Save PostFileSave
Frontend Lint on Save PostFileSave
Python Lint on Save PostFileSave
Run Tests After Task PostTaskExec
AGENT STEERING & SKILLS
Workspace
adr-structure
aws-profile
deployment
merge-checklist
python-venv
release-notes
Global
no-real-aws-values
architecture-selection
quick-spec
bug-fix
MCP SERVERS
atlassian-mcp-server Connected (41 tools)
infrastructure-diagrams Connection ...
Retry
aws-mcp Connected (8 tools)
aws___get_presigned_url Generat...
aws___get_tasks Poll status of long...
Run Tests After Task
aws-profile.md
Power: Atlassian Rovo MCP Server
run-tests-after-task.json
Hook enabled
Title
Run Tests After Task
Description
Run the full test suite (run
FILE HOOKS
File Created
File Saved
File Deleted
TOOL HOOKS
Pre Tool Use
Post Tool Use
PROMPT & LIFECYCLE HOOKS
Prompt Submit
Session Start
Agent Stop
Trigger
Post Task Execution
Action
Ask Kiro
Run
Executes a shell command.
Command to execute
if (Test-Path .\run-tests.ps
Output "[run-tests-after-t
TASK HOOKS
Pre Task Execution
Post Task Execution
ts.ps1 } else { Write-
Timeout
60
seconds
Maximum execution time for the command. Default is 60s. Set to 0 to disable.


KIRO
SPECS
blog-platform
client-booking-system
cognito-user-auth
cost-protection-ddos-mitigation
dynamodb-product-catalog
video-store
AGENT HOOKS
AWS Deploy Guard PreToolUse
detect-secrets on Save PostFileSave
Frontend Lint on Save PostFileSave
Python Lint on Save PostFileSave
Run Tests After Task PostTaskExec
AGENT STEERING & SKILLS
Workspace
adr-structure
aws-profile
deployment
merge-checklist
python-venv
release-notes
Global
no-real-aws-values
architecture-selection
quick-spec
bug-fix
MCP SERVERS
atlassian-mcp-server Connected (41 tools)
infrastructure-diagrams Connection ...
Retry
aws-mcp Connected (8 tools)
aws___get_presigned_url Generat...
aws___get_tasks Poll status of long...
Run Tests After Task
aws-profile.md
Power: Atlassian Rovo MCP Server
run-tests-after-task.json
Hook enabled
Title
Run Tests After Task
Description
Run the full test suite (run-tests.ps1) after a spec task is completed.
Trigger
Post Task Execution
Action
Ask Kiro
Run Command
Executes a shell command. The hook event payload is provided as JSON on stdin.
Command to execute
if (Test-Path .\run-tests.ps1) { powershell -ExecutionPolicy Bypass -File .\run-tests.ps1 } else { Write-Output "[run-tests-after-task] run-tests.ps1 not found, skipping" }; exit 0
Timeout
60
seconds
Maximum execution time for the command. Default is 60s. Set to 0 to disable.

```
{
  "version": "v1",
  "hooks": [
    {
      "name": "Run Tests After Task",
      "trigger": "PostTaskExec",
      "description": "Run the full test suite (run-tests.ps1) after a spec task is completed.",
      "action": {
        "type": "command",
        "command": "if (Test-Path .\\run-tests.ps1) { powershell -ExecutionPolicy Bypass -File .\\run-tests.ps1 } else {
Write-Output \"[run-tests-after-task] run-tests.ps1 not found, skipping\" }; exit 0"
      }
    }
  ]
}
```


MCP & POWERS






```
{
  "mcpServers": {
    "drawio": {
      "command": "npx",
      "args": [
        "-y",
        "https://github.com/aws-samples/.../drawio-mcp-server-latest.tgz",
        "--no-cache"
      ],
      "type": "stdio",
      "autoApprove": [
        "insert_library_shape",
        "insert_vertex",
        "set_parent",
        "set_parent",
        "create_diagram",
        "search_shapes",
        "search_shapes",
        "insert_aws_icon",
        "load_diagram_from_xml"
      ]
    }
  }
}
```




File Edit Selection View Go Run Terminal Help
POWERS
INSTALLED
Add Custom Power
Import from url, folder or build your o...
Stripe Payments
Build payment integrations with Strip...
by Stripe
Atlassian Rovo MCP Server
Connect AI agents to Atlassian produ...
by Atlassian
AWS Observability
Comprehensive AWS observability pla...
by AWS
AVAILABLE
API Testing with Postman
Automate API testing and collectio...
by Postman
AWS Transform
Migrate, modernize, and upgrade c...
by AWS
CAST Imaging for AWS Transfor...
Two-phase application modernisati...
by CAST
Design to Code with Figma
Comprehensive Figma integration f...
by Figma
Miro Board Context for Codegen
Uses Miro boards as the source of t...
by Miro
.kiro
PROBLEM
PS C:
oud\w

Atlassian Rovo MCP Server

Connect AI agents to Atlassian products including Jira and Confluence, with reusable skills for common workfl...

by **Atlassian**

Try power | Uninstall | Check for updates

Description

Connect AI agents to Atlassian products including Jira and Confluence, with reusable skills for common workflows.

GitHub Repository

MCP Configuration

Open powers config

Skills

`capture-tasks-from-meeting-notes`

Analyze meeting notes to find action items and create Jira tasks for assigned work. When an agent needs to: (1) Create Jira tasks or tickets from meeting notes, (2) Extract or find action items from notes or Confluence pages, (3) Parse meeting notes for assigned tasks, or (4) Analyze notes and generate tasks for team members. Identifies assignees, looks up account IDs, and creates tasks with proper context.

`generate-status-report`

Generate project status reports from Jira issues and publish to Confluence. When an agent needs to: (1) Create a status report for a project, (2) Summarize project progress or updates, (3) Generate weekly/daily reports from Jira, (4) Publish status summaries to Confluence, or (5) Analyze project blockers and completion. Queries Jira issues, categorizes by status/priority, and creates formatted reports for delivery managers and executives.

`jira-sprint-dashboard`

Create a visual Jira sprint dashboard from Jira project, space, sprint, board, filter, JQL, work item keys, or Jira URL data. Use when the user asks for a Jira sprint dashboard, standup dashboard, sprint review, delivery review, engineering manager dashboard, WIP review, planning view, closeout view, or a visual snapshot of Jira work that is more useful than a flat report. Use the richest dashboard format supported by the current agent, such as Cursor Canvas, an interactive artifact, HTML, or Markdown.

Atlassian Rovo MCP Server

Connect AI agents to Atlassian products including Jira and Confluence, with reusable skills fo common workfl...

by **Atlassian**

Try power | Uninstall | Check for updates

Description

Connect AI agents to Atlassian products including Jira and Confluence, with reusable skills for common workflows.

GitHub Repository

MCP Configuration

Open powers config

Skills

`capture-tasks-from-meeting-notes`

Analyze meeting notes to find action items and create Jira tasks for assigned work. When an agent needs to: (1) Create Jira tasks or tickets from meeting notes, (2) Extract or find action items from notes or Confluence pages, (3) Parse meeting notes for assigned tasks, or (4) Analyze notes and generate tasks for team members. Identifies assignees, looks up account IDs, and creates tasks with proper context.

`generate-status-report`

Generate project status reports from Jira issues and publish to Confluence. When an agent needs to: (1) Create a status report for a project, (2) Summarize project progress or updates, (3) Generate weekly/daily reports from Jira, (4) Publish status summaries to Confluence, or (5) Analyze project blockers and completion. Queries Jira issues, categorizes by status/priority, and creates formatted reports for delivery managers and executives.

`jira-sprint-dashboard`

Create a visual Jira sprint dashboard from Jira project, space, sprint, board, filter, JQL, work item keys, or Jira URL data. Use when the user asks for a Jira sprint dashboard, standup dashboard, sprint review, delivery review, engineering manager dashboard, WIP review, planning view, closeout view, or a visual snapshot of Jira work that is more useful than a flat report. Use the richest dashboard format supported by the current agent, such as Cursor Canvas, an interactive artifact, HTML, or Markdown.

Atlassian Rovo MCP Server

Connect AI agents to Atlassian products including Jira and Confluence, with reusable skills for common workfl...

by **Atlassian**

Try power | Uninstall | Check for updates

Description

Connect AI agents to Atlassian products including Jira and Confluence, with reusable skills for common workflows.

GitHub Repository

MCP Configuration

Open powers config

Skills

`capture-tasks-from-meeting-notes`

Analyze meeting notes to find action items and create Jira tasks for assigned work. When an agent needs to: (1) Create Jira tasks or tickets from meeting notes, (2) Extract or find action items from notes or Confluence pages, (3) Parse meeting notes for assigned tasks, or (4) Analyze notes and generate tasks for team members. Identifies assignees, looks up account IDs, and creates tasks with proper context.

`generate-status-report`

Generate project status reports from Jira issues and publish to Confluence. When an agent needs to: (1) Create a status report for a project, (2) Summarize project progress or updates, (3) Generate weekly/daily reports from Jira, (4) Publish status summaries to Confluence, or (5) Analyze project blockers and completion. Queries Jira issues, categorizes by status/priority, and creates formatted reports for delivery managers and executives.

`jira-sprint-dashboard`

Create a visual Jira sprint dashboard from Jira project, space, sprint, board, filter, JQL, work item keys, or Jira URL data. Use when the user asks for a Jira sprint dashboard, standup dashboard, sprint review, delivery review, engineering manager dashboard, WIP review, planning view, closeout view, or a visual snapshot of Jira work that is more useful than a flat report. Use the richest dashboard format supported by the current agent, such as Cursor Canvas, an interactive artifact, HTML, or Markdown.

Atlassian Rovo MCP Server

Connect AI agents to Atlassian products including Jira and Confluence, with reusable skills for common workfl...

by **Atlassian**

Try power | Uninstall | Check for updates

Description

Connect AI agents to Atlassian products including Jira and Confluence, with reusable skills for common workflows.

GitHub Repository

MCP Configuration

Open powers config

Skills

`capture-tasks-from-meeting-notes`

Analyze meeting notes to find action items and create Jira tasks for assigned work. When an agent needs to: (1) Create Jira tasks or tickets from meeting notes, (2) Extract or find action items from notes or Confluence pages, (3) Parse meeting notes for assigned tasks, or (4) Analyze notes and generate tasks for team members. Identifies assignees, looks up account IDs, and creates tasks with proper context.

`generate-status-report`

Generate project status reports from Jira issues and publish to Confluence. When an agent needs to: (1) Create a status report for a project, (2) Summarize project progress or updates, (3) Generate weekly/daily reports from Jira, (4) Publish status summaries to Confluence, or (5) Analyze project blockers and completion. Queries Jira issues, categorizes by status/priority, and creates formatted reports for delivery managers and executives.

`jira-sprint-dashboard`

Create a visual Jira sprint dashboard from Jira project, space, sprint, board, filter, JQL, work item keys, or Jira URL data. Use when the user asks for a Jira sprint dashboard, standup dashboard, sprint review, delivery review, engineering manager dashboard, WIP review, planning view, closeout view, or a visual snapshot of Jira work that is more useful than a flat report. Use the richest dashboard format supported by the current agent, such as Cursor Canvas, an interactive artifact, HTML, or Markdown.

Atlassian Rovo MCP Server

Connect AI agents to Atlassian products including Jira and Confluence, with reusable skills for common workfl...

by **Atlassian**

Try power | Uninstall | Check for updates

Description

Connect AI agents to Atlassian products including Jira and Confluence, with reusable skills for common workflows.

GitHub Repository

MCP Configuration

Open powers config

Skills

`capture-tasks-from-meeting-notes`

Analyze meeting notes to find action items and create Jira tasks for assigned work. When an agent needs to: (1) Create Jira tasks or tickets from meeting notes, (2) Extract or find action items from notes or Confluence pages, (3) Parse meeting notes for assigned tasks, or (4) Analyze notes and generate tasks for team members. Identifies assignees, looks up account IDs, and creates tasks with proper context.

`generate-status-report`

Generate project status reports from Jira issues and publish to Confluence. When an agent needs to: (1) Create a status report for a project, (2) Summarize project progress or updates, (3) Generate weekly/daily reports from Jira, (4) Publish status summaries to Confluence, or (5) Analyze project blockers and completion. Queries Jira issues, categorizes by status/priority, and creates formatted reports for delivery managers and executives.

`jira-sprint-dashboard`

Create a visual Jira sprint dashboard from Jira project, space, sprint, board, filter, JQL, work item keys, or Jira URL data. Use when the user asks for a Jira sprint dashboard, standup dashboard, sprint review, delivery review, engineering manager dashboard, WIP review, planning view, closeout view, or a visual snapshot of Jira work that is more useful than a flat report. Use the richest dashboard format supported by the current agent, such as Cursor Canvas, an interactive artifact, HTML, or Markdown.



CURRENT STATE

STATS

121 Commits


965 Unit Tests

18 AWS Services


Route53
$9 pa $0.50 pm

Stripe
$6.10 / £4.50

Cost and usage graph



REVENUE


Monthly revenue (£)
£250
£200
£150
£100
£50
£0
March
April
May
June
July
August
September



TAKE AWAYS

DECIDE WITH CONFIDENCE


Align



Define



Commit



USE WHAT'S OUT THERE


IaC



Serverless



Managed Services



BUILD SOMETHING THAT MATTERS



WOLFIE & FRIENDS

DOG TRAINING

THANK YOU

Me & Session Resources

UG Lancashire