- Arjun
- Digvijay

# Practice Set 16.1 8th Std Maths Answers Chapter 16 Surface Area and Volume

#### Question 1.

Find the volume of a box if its length, breadth and height are 20 cm, 10.5 cm and 8 cm respectively.

Given: For cuboid shaped box,

length (I) = 20 cm, breadth (b) = 10.5 cm and height (h) = 8cm

To find: Volume of a box

Solution:

Volume of a box =  $I \times b \times h$ 

- $= 20 \times 10.5 \times 8$
- = 1680 cc
- : The volume of the box is 1680 cc.

#### Question 2.

A cuboid shaped soap bar has volume 150 cc. Find its thickness if its length is 10 cm and breadth is 5 cm.

Given: For cuboid shaped soap bar,

length (I) = 10 cm, breadth (b) = 5 cm and volume = 150 cc

To find: Thickness of the soap bar (h)

Solution:

Volume of soap bar =  $I \times b \times h$ 

- $\therefore 150 = 10 \times 5 \times h$
- 150 = 50h
- :. 15050=h
- $\therefore 3 = h$

i.e., h = 3 cm

: The thickness of the soap bar is 3 cm.

### Question 3.

How many bricks of length 25 cm, breadth 15 cm and height 10 cm are required to build a wall of length 6 m, height 2.5 m and breadth 0.5 m?

Given: For the cuboidal shape brick:

length  $(l_1) = 25$  cm,

breadth (b<sub>1</sub>) = 15 cm,

height  $(h_1) = 10 \text{ cm}$ 

For the cuboidal shape wall:

length  $(l_2) = 6 m$ ,

height  $(h_2) = 2.5 \text{ m}$ ,

breadth (b2) = 0.5 m

To find: Number of bricks required

Solution:

When all the bricks are arranged to build a wall, the volume of all the bricks is equal to volume of wall.

:. Number of bricks = volume of the wall volume of a brick

```
Allguidesite -
- Arjun
- Digvijay
i. Volume of a brick = 11 \times b1 \times h1
= 25 \times 15 \times 10 \text{ cc}
ii. l2 = 6m = 6 x 100 ...[∵ 1m = 100cm]
= 600 cm
h_2 = 2.5 \text{ m} = 2.5 \text{ x} 100 = 250 \text{ cm}
b_2 = 0.5 \text{ m} = 0.5 \text{ x} 100 = 50 \text{ cm}
Volume of the wall = 12 \times b2 \times h2
= 600 \times 50 \times 250 \text{ cc}
iii. Number of bricks = volume of the wall volume of a brick
= 600×50×25025×15×10
= 40 \times 2 \times 25
= 2000 bricks
∴ 2000 bricks are required to build the wall.
Question 4.
For rain water harvesting a tank of length 10 m, breadth 6 m and depth 3 m is built. What
is the capacity of the tank? How many litre of water can it hold?
Given: For a cuboidal tank,
Length (I) = 10 \text{ m}, breadth (b) = 6 \text{ m}, depth (h) = 3 \text{ m}
To find: Capacity of the tank and litre of water tank can hold.
Solution:
i. I = 10m = 10 x 100 ...['.' 1m = 100cm]
= 1000 cm
b = 6 \text{ m} = 6 \times 100 = 600 \text{ cm}.
h = 3 m = 3 \times 100 = 300 cm
Volume of the tank = I \times b \times h
= 1000 \times 600 \times 300
= 18,00,00,000 cc
ii. Capacity of the tank = Volume of the tank
= 18.00.00.000 cc
= 18,00,00,0001000
...[: 1 litre = 1000 cc]
= 1,80,000  litre
: The capacity of the tank is 18,00,00,000 cc and it can hold 1,80,000 litre of water.
```

# Practice Set 16.2 8th Std Maths Answers Chapter 16 Surface Area and Volume

#### Ouestion 1.

In each example given below, radius of base of a cylinder and its height are given. Then find the curved surface area and total surface area.

- Arjun
- Digvijay

i. 
$$r = 7$$
 cm,  $h = 10$  cm

ii. 
$$r = 1.4$$
 cm,  $h = 2.1$  cm

iii. 
$$r = 2.5 \text{ cm}, h = 7 \text{ cm}$$

iv. 
$$r = 70$$
 cm,  $h = 1.4$  cm

$$v. r = 4.2 cm, h = 14 cm$$

#### Solution:

i. Given: r = 7 cm and h = 10 cm

To find: Curved surface area of cylinder and total surface area

Curved surface area of the cylinder =  $2\pi rh$ 

- $= 2 \times 227 \times 7 \times 10$
- $= 2 \times 22 \times 10$
- = 440 sq.cm

Total surface area of the cylinder:

- $= 2\pi r(h + r)$
- $= 2 \times 227 \times 7(10 + 7)$
- $= 2 \times 227 \times 7 \times 17$
- $= 2 \times 22 \times 17$
- = 748 sq.cm

The curved surface area of the cylinder is 440 sq.cm and its total surface area is 748 sq.cm.

#### ii. Given: r = 1.4 cm and h = 2.1 cm

To find: Curved surface area of cylinder and total surface area

Curved surface area of the cylinder =  $2\pi rh$ 

- $= 2 \times 227 \times 1.4 \times 2.1$
- $= 2 \times 22 \times 0.2 \times 2.1$
- = 18.48 sq.cm

Total surface area of the cylinder =  $2\pi r$  (h + r)

- $= 2 \times 227 \times 1.4 (2.1 + 1.4)$
- = 2 x 227 x 1.4 x 3.5
- $= 2 \times 22 \times 0.2 \times 3.5$
- = 30.80 sq.cm
- $\therefore$  The curved surface area of the cylinder is 18.48 sq.cm and its total surface area is 30.80 sq.cm.

#### iii. Given: r = 2.5 cm and h = 7 cm

To find: Curved surface area of cylinder and total surface area

Curved surface area of the cylinder =  $2\pi rh$ 

- $= 2 \times 227 \times 2.5 \times 7$
- $= 2 \times 22 \times 2.5$
- = 110 sq.cm

Total surface area of the cylinder =  $2\pi r(h + r)$ 

- $= 2 \times 227 \times 2.5 (7 + 2.5)$
- $= 2 \times 227 \times 2.5 \times 9.5$
- = 10457
- = 149.29 sq.cm
- $\therefore$  The curved surface area of the cylinder is 110 sq.cm and its total surface area is 149.29 sq.cm.

- Arjun
- Digvijay

iv. Given: r = 70 cm and h = 1.4 cm

To find: Curved surface area of cylinder and total surface area

Curved surface area of the cylinder =  $2\pi rh$ 

- $= 2 \times 227 \times 70 \times 1.4$
- $= 2 \times 22 \times 10 \times 1.4$
- = 616 sq.cm

Total surface area of the cylinder =  $2\pi r(h + r)$ 

- $= 2 \times 227 \times 70(1.4 + 70)$
- $= 2 \times 227 \times 70 \times 71.4$
- $= 2 \times 22 \times 10 \times 71.4$
- $= 2 \times 22 \times 714$
- = 31416 sq.cm
- $\therefore$  The curved surface area of the cylinder is 616 sq.cm and its total surface area is 31416 sq.cm.

v. Given: r = 4.2 cm and h = 14 cm

To find: Curved surface area of cylinder and total surface area

Curved surface area of the cylinder =  $2\pi rh$ 

- $= 2 \times 227 \times 4.2 \times 14 = 2 \times 22 \times 4.2 \times 2$
- = 369.60 sq.cm

Total surface area of the cylinder =  $2\pi r$  (h + r)

- $= 2 \times 227 \times 4.2 (14 + 4.2)$
- $= 2 \times 227 \times 4.2 \times 18.2$
- $= 2 \times 22 \times 0.6 \times 18.2$
- = 480.48 sq.cm
- $\therefore$  The curved surface area of the cylinder is 369.60 sq.cm and its total surface area is 480.48 sq.cm.

#### Question 2.

Find the total surface area of a closed cylindrical drum if its diameter is 50 cm and height is 45 cm. ( $\pi$  = 3.14)

Given: For cylindrical drum:

Diameter (d) = 50 cm

and height (h) = 45 cm

To find: Total surface area of the cylindrical drum

Solution:

Diameter (d) = 50 cm

: radius (r) = d2=502 = 25 cm

Total surface area of the cylindrical drum =  $2\pi r$  (h + r)

- $= 2 \times 3.14 \times 25 (45 + 25)$
- $= 2 \times 3.14 \times 25 \times 70$
- = 10,990 sq.cm
- : The total surface area of the cylindrical drum is 10,990 sq.cm.

#### Question 3.

Find the area of base and radius of a cylinder if its curved surface area is 660 sq.cm and height is 21 cm.

Given: Curved surface area = 660 sq.cm, and height = 21 cm

- Arjun
- Digvijay

To find: area of base and radius of a cylinder

Solution:

i. Curved surface area of cylinder =  $2\pi rh$ 

- $\therefore$  660 = 2 x 227 x r x 21
- $\therefore$  660 = 2 x 22 x r x 3
- ∴ 6602×22×3=r
- :. 6602×66=1
- $\therefore 5 = r$

i.e., r = 5 cm

- ii. Area of a base of the cylinder =  $\pi r^2$
- $= 227 \times 5 \times 5$
- = 5507
- = 78.57 sq.cm
- :The radius of the cylinder is 5 cm and the area of its base is 78.57 sq.cm.

#### Question 4.

Find the area of the sheet required to make a cylindrical container which is open at one side and whose diameter is 28 cm and height is 20 cm. Find the approximate area of the sheet required to make a lid of height 2 cm for this container.

Given: For cylindrical container:

diameter (d) = 28 cm, height (h<sub>1</sub>) = 20 cm

For cylindrical lid: height (h2) = 2 cm

To find: i. Surface area of the cylinder with one side open

ii. Area of sheet required to made a lid

Solution:

diameter(d) = 28 cm

- : radius (r) = d2=282 = 14 cm
- i. Surface area of the cylinder with one side open = Curved surface area + Area of a base
- $= 2\pi rh_1 + \pi r^2$
- $= \pi r (2h_1 + r)$
- $= 227 \times 14 \times (2 \times 20 + 14)$
- $= 22 \times 2 \times (40 + 14)$
- $= 22 \times 2 \times 54$
- = 2376 sq.cm
- ii. Area of sheet required to made a lid = Curved surface area of lid + Area of upper surface
- $= 2\pi rh_2 + \pi r^2$
- $= \pi r (2h_2 + r)$
- $= 227 \times 14 \times (2 \times 2 + 14)$
- $= 22 \times 2 \times (4 + 14)$
- $= 22 \times 2 \times 18$
- = 792 sq cm
- : The area of the sheet required to make the cylindrical container is 2376 sq. cm and the approximate area of a sheet required to make the lid is 792 sq. cm.

- Arjun
- Digvijay

# Practice Set 16.3 8th Std Maths Answers Chapter 16 Surface Area and Volume

#### Question 1.

Find the volume of the cylinder if height (h) and radius of the base (r) are as given below.

i. r = 10.5 cm, h = 8 cm

ii. r = 2.5 m, h = 7 m

iii. r = 4.2 cm, h = 5 cm

iv. r = 5.6 cm, h = 5 cm

Solution:

i. Given: r = 10.5 cm and h = 8 cm To find: Volume of the cylinder Volume of the cylinder =  $\pi r^2 h$ 

= 227 x 10.5 x 10.5 x 8

- $= 22 \times 1.5 \times 10.5 \times 8$
- = 2772 cc
- : The volume of the cylinder is 2772 cc.

ii. Given: r = 2.5 m and h = 7 m

To find: Volume of the cylinder

Volume of the cylinder =  $\pi r^2 h$ 

- = 227 x 2.5 x 2.5 x 7
- $= 22 \times 2.5 \times 2.5$
- = 137.5 cu.m
- ∴ The volume of the cylinder is 137.5 cu.m.

iii. Given: r = 4.2 cm and h = 5 cm

To find: Volume of the cylinder Volume of the cylinder =  $\pi r^2 h$ 

- $= 227 \times 4.2 \times 4.2 \times 5$
- $= 22 \times 0.6 \times 4.2 \times 5$
- = 277.2 cc
- ∴ The volume of the cylinder is 277.2 cc.

iv. Given: r = 5.6 cm and h = 5 cm

To find: Volume of the cylinder Volume of the cylinder =  $\pi r^2 h$ 

- $= 227 \times 5.6 \times 5.6 \times 5.7$
- $= 22 \times 0.8 \times 5.6 \times 5$
- = 492.8 cc
- ∴ The volume of the cylinder is 492.8 cc.

#### Question 2.

How much iron is needed to make a rod of length 90 cm and diameter 1.4 cm?

Solution:

Given: For cylindrical rod: length of rod (h) = 90 cm, and

- Arjun
- Digvijay

diameter(d) = 1.4 cm

To find: Iron required to make a rod

diameter(d) = 1.4 cm

: radius (r) = d2=1.42 = 0.7 cm

Volume of rod =  $\pi r^2 h$ 

- $= 227 \times 0.7 \times 0.7 \times 90$
- $= 22 \times 0.1 \times 0.7 \times 90$
- = 138.60 cc
- ∴ 138.60 cc of iron is required to make the rod.

#### Question 3.

How much water will a tank hold if the interior diameter of the tank is 1.6 m and its depth is 0.7 m?

Solution:

Given: interior diameter of the tank (d) = 1.6 m

and depth (h) = 0.7 m

To find: Capacity of the tank

interior diameter of the tank (d) = 1.6 m

- ∴ Interior radius (r) = d2=1.62
- = 0.8 m
- $= 0.8 \times 100$
- ...[: 1m = 100cm]
- = 80cm

h = 0.7 m = 0.7 x 100 = 70 cm

Capacity of the tank = Volume of the tank =  $\pi r^2 h$ 

- $= 227 \times 80 \times 80 \times 70$
- $= 22 \times 80 \times 80 \times 10$
- = 1408000 cc
- = 14080001000
- ...[:.1 litre = 1000 cc]
- = 1408 litre
- ∴The tank can hold 1408 litre of water.

### Question 4.

Find the volume of the cylinder if the circumference of the base of cylinder is 132 cm and height is 25 cm.

Solution:

Given: Circumference of the base of cylinder = 132 cm and height (h) = 25 cm

To find: Volume of the cylinder

i. Circumference of base of cylinder =  $2\pi r$ 

 $\therefore 132 = 2 \times 227 \times r$ 

- ∴132×72×22=1
- ∴6×72=**r**
- $\therefore 3 \times 7 = r$
- ∴r = 21 cm

- Arjun
- Digvijay
- ii. Volume of the cylinder =  $\pi r^2 h$
- = 227 x 21 x 21 x 25
- $= 22 \times 3 \times 21 \times 25$
- = 34650 cc
- : The volume of the cylinder is 34650 cc.

## Maharashtra Board Class 8 Maths Chapter 16 Surface Area and Volume Practice Set 16.3 Intext Questions and Activities

#### Question 1.

Leonard Euler, discovered an interesting formula regarding the faces, vertices and edges of solid figures.

Count and write the faces, vertices and edges of the following figures and complete the table. From the table verify Euler's formula, F + V = E + 2. (Textbook pg. No. 113)

Name	Cube	Cuboid	Triangular Prism	Triangular pyramid	Pentagor pyramie
Shapes					
Faces (F)	6				
Vertices (V)	8	-			
Edges (E)		12			10

### Solution:

Name	Cube	Cuboid	Triangular Prism	Triangular pyramid	Pentagon pyramic
Shapes					$\triangle$
Faces (F)	6	6	5	4	6
Vertices (V)	8	8	6	4	6
Edges (E)	12	12	9	6	10

From the above table, F + V = E + 2 i.e. Euler's formula is verified.