

NP-Complete Proof Template:

Prove that Q is in NP-Complete

1) Show that $Q \in \text{NP}$.

Give a polynomial time algorithm that verifies an instance of Q in polynomial time. In other words if I give you an “answer” can you verify it polynomial time.

2) Show that $R \leq_p Q$ for some $R \in \text{NP-Complete}$

- a. Pick an instance, R, of your favorite NP-Complete problem. Usually the R you select has a structure similar to Q.
- b. Show a polynomial algorithm to transform an arbitrary instance x of R into an instance of x' of Q.
- c. Prove that $R(x) = \text{yes}$ if and only if $Q(x') = \text{yes}$. That is
 - a. If x is a “yes” solution of R then x' is a “yes” solution of Q. And
 - b. If x' is a “yes” solution of Q then x is a “yes” solution of R.

If both 1) and 2) are true then Q is in NP-Complete

NP-Complete Proof - Prove that **ALMOST-HP** is in NP-Complete

ALMOST-HP is the problem of, given an undirected graph with n vertices, determining if that graph has a simple path that visits at least $n-1$ vertices.

1) Show that **ALMOST-HP** \in NP.

Given a graph G with n vertices and a “purported” almost-ham path p , we can verify in polynomial time that p is a simple path in G with $n-1$ vertices. If p is a list of vertices we can check the adjacency lists to see if vertices are adjacent and that there are $n-1$ vertices.

2) Show that $R \leq_p$ **ALMOST-HP** for some $R \in$ NP-Complete


- a. Select $R = \mathbf{Ham-Path}$ because it has a similar structure to **ALMOST-HP**. We know Ham-Path is in NP.

Show that $\text{Ham-Path} \leq_p \mathbf{ALMOST-HP}$

- b. Show a polynomial algorithm to transform **Ham-Path** into an instance of **ALMOST-HP**.

Given a graph G we produce a new graph G' such that G has a Hamiltonian path if and only if G' has an **ALMOST-HP** path. G' is created by adding three new vertices s_1 , s_2 , and t with edges from both s_1 and s_2 to t and edges from t to every vertex in G . This transformation of G into G' can be done in polynomial time by adding 3 vertices and $n+2$ edges.

Below is an example of the transformation.



- c. Prove you are able to “solve” Ham-Path by using ALMOST-HP. Therefore ALMOST-HP is as hard as Ham-Path.

Show that the graph G has a Hamiltonian-path if and only if graph G' has an ALMOST-HP path

i) Now if G has a Hamiltonian path v_1, \dots, v_n . G' has an almost-HP path: s_1, t, v_1, \dots, v_n .

ii) If G' has an almost-Hamiltonian path then one of the endpoints must be either s_1 or s_2 , and the next vertex must be t and the path must then go into G , **skipping s_2 or s_1** (the one not already visited). Since we already have one vertex skipped, the rest of the path must visit all the vertices in G , so removing the first two edges from it produces a Hamiltonian path in G .

- d. Since Ham-Path is in NP-Complete then **ALMOST-HP** must be in NP-Hard.

Since 1) and 2) are true. ALMOST-HP is NP-Complete