

MSP Onboarding Guide



Vacation Suppression Workflow — Setup Instructions

1

Azure App Registration

Required

- Go to **portal.azure.com** and search for **App registrations** → click **New registration**
- Name it something like `n8n Vacation Form`
- Supported account types: **Single tenant** (your org only) or Multitenant depending on your setup
- Redirect URI: set type to **Web** and enter your callback URL:
`https://[your-instance].app.n8n.cloud/webhook/auth/callback`
- Click **Register**

- From the overview page copy your **Application (client) ID** and **Directory (tenant) ID**
- Go to **Certificates & secrets** → **New client secret** → copy the **Value** immediately (not the Secret ID)

- In the workflow update **Build MS Auth URL** node: replace `tenantId` and `clientId`
- In the workflow update **HTTP Exchange Code** node: replace `client_id`, `client_secret`, `tenant_id`, and `redirect_uri`

Important: Copy the secret **Value** column, not the Secret ID column. The Value is the longer string with special characters — copying the wrong one is the most common setup mistake.

2

Partner Variables node

Required

- Open the **Partner Variables** node in the workflow
- Set `partnerId` — found in SaaS Alerts under **Settings** → **API** → **Show Partner ID**
- Set `partnerName` — your MSP name exactly as it appears in SaaS Alerts
- Set `api_key` — found in SaaS Alerts under **Settings** → **API** → **API Key**

3

Gmail SMTP credentials

Required

Step A — Generate a Gmail app password

2-Step Verification must be enabled on your Google account first.

1. Go to myaccount.google.com → Security
2. Confirm **2-Step Verification** is enabled
3. Search for **App passwords** in the search bar at the top of the page
4. Give it a name (e.g. `n8n SaaS Alerts`) and click **Create**
5. Copy the 16-character password immediately — you won't see it again

Step B — Configure in n8n

Open the Gmail SMTP node → credentials.

User. Your full Gmail address

Password. The 16-character app password (no spaces)

Host. `smtp.gmail.com`

Port. 465 (SSL) or 587 (TLS)

SSL/TLS. Enabled → Save and test

- Toggle the workflow to **Active** using the switch in the top-right of the n8n editor
- Copy the **Auth Entry** webhook production URL — this is the only URL your end users need
- Test end-to-end in an incognito window before sharing with users
- Share the Auth Entry URL with end users — they authenticate with Microsoft, fill out the form, and suppressions are created automatically

**You're ready to go
live**

Users authenticate with Microsoft, fill out the travel form, and suppressions are created automatically in SaaS Alerts.