



MSP Onboarding Guide

Vacation Suppression Workflow — Setup Instructions

- Complete these four sections in order. Each section depends on the previous one being configured correctly. Do not activate the workflow until all four sections are complete.

Azure App Registration

Allows end users from any Microsoft tenant to authenticate before accessing the form

■ This workflow uses a **Multitenant** app registration — not Single tenant. MSPs typically manage customers across many different Microsoft tenants. A Single tenant app would only allow users from one tenant to authenticate, which would block every customer except one. Multitenant allows users from **any** Microsoft 365 tenant to authenticate through a single app registration.

PHASE 1 — CREATE THE REGISTRATION

- Go to **portal.azure.com** and search for **App registrations**
- Click **New registration**
- Name: n8n Vacation Form (or your preferred name)
- **Supported account types: select "Accounts in any organizational directory (Multitenant)"** — this is required, not optional
- Redirect URI: platform = **Web**, value = `https://[your-n8n-instance].app.n8n.cloud/webhook/auth/callback`

Replace [your-n8n-instance] with your actual n8n subdomain
- Click **Register**

PHASE 2 — COLLECT YOUR CREDENTIALS

- On the overview page copy your **Application (client) ID**
- On the overview page copy your **Directory (tenant) ID**

You will still need your tenant ID even though the app is Multitenant — it is used during the token exchange step

- Go to **Certificates & secrets** → **New client secret**
- Set a description and expiry, then click **Add**
- Copy the **Value** column immediately — it disappears after you navigate away

■ Copy the **Value** column — not the Secret ID column next to it. Both look like long strings but they are different. The Value contains letters, numbers, and special characters like tildes and dots. The Secret ID is a UUID with dashes. Using the wrong one will cause an authentication failure.

PHASE 3 — UPDATE THE WORKFLOW NODES

- Open the **Build MS Auth URL** code node and update:

Set `clientId` to your Application (client) ID

Set `tenantId` to `common`

Why common? Microsoft's `common` endpoint accepts authentication from any tenant. Using your own tenant ID here would restrict logins to your tenant only, blocking your customers from authenticating.

- Open the **HTTP Exchange Code** node and update:

Set `client_id` to your Application (client) ID

Set `client_secret` to your client secret Value

Set the URL to `https://login.microsoftonline.com/common/oauth2/v2.0/token`

Set `redirect_uri` to your n8n callback URL

- In **Azure Portal** → **your app** → **Authentication**, confirm the Redirect URI matches your n8n callback URL exactly — including no trailing slash

SaaS Alerts — Partner Variables node

Connects the workflow to your SaaS Alerts account

- Open the **Partner Variables** node in the workflow

- Set `partnerId`

In SaaS Alerts go to **Settings** → **API** → **Show Partner ID**

- Set `partnerName`

Enter your MSP name exactly as it appears in SaaS Alerts

- Set `api_key`

In SaaS Alerts go to **Settings** → **API** → **API Key**

■ The API key is sensitive. Do not share it or commit it to a public repository. If compromised, regenerate it immediately in SaaS Alerts.

Gmail SMTP — Confirmation email

Sends automated confirmation emails to users after a suppression is created

■ Gmail SMTP is free and does not require a paid Google Workspace account. A standard Gmail account works. 2-Step Verification must be enabled before you can generate an app password.

PHASE 1 — GENERATE A GMAIL APP PASSWORD

- Sign in to the Gmail account you want to send from
- Go to **myaccount.google.com** → **Security**
- Under "How you sign in to Google" confirm **2-Step Verification** is enabled

If it is not enabled, enable it first — app passwords cannot be created without it

- In the search bar at the top of the page search for **App passwords**
- Give it a name (e.g. n8n SaaS Alerts) and click **Create**
- Google generates a 16-character password — **copy it immediately**

This password is only shown once. If you navigate away without copying it you will need to delete it and create a new one.

PHASE 2 — CONFIGURE THE GMAIL SMTP NODE IN N8N

- Open the **Gmail SMTP** node in the workflow
- Click the credentials field and create new credentials
- **User:** your full Gmail address (e.g. yourname@gmail.com)
- **Password:** the 16-character app password — no spaces
- **Host:** smtp.gmail.com
- **Port:** 465 for SSL or 587 for TLS
- **SSL/TLS:** enabled
- Click **Save** then send a test to confirm it is working

Publish and go live

Activate the workflow and share the form URL with end users

PHASE 1 — ACTIVATE THE WORKFLOW

- In the n8n workflow editor toggle the workflow from **Inactive** to **Active** using the switch in the top-right corner
- Click **Publish** to save the active state

■ The production webhook URLs only work when the workflow is Active and Published. Test URLs (used during editing) stop working once you close the editor.

PHASE 2 — FIND THE AUTH ENTRY URL

- Open the **Auth Entry** webhook node
- Copy the **Production URL** — it will look like:

```
https://[your-n8n-instance].app.n8n.cloud/webhook/auth/start
```
- This is the only URL end users need — do not share the landing page or submit URLs directly

PHASE 3 — TEST BEFORE SHARING

- Open an **incognito/private browser window**
- Paste the Auth Entry URL and press Enter
- You should be redirected to the Microsoft login page
- Log in with a Microsoft account that exists in one of your customer tenants in SaaS Alerts
- Confirm the landing page loads with name and email pre-populated
- Submit a test form with future dates and a valid country
- Confirm the suppression appears in SaaS Alerts and the confirmation email is received

■ Always test with a real customer user account, not just your own MSP account. Your account may exist in SaaS Alerts but your customers' accounts are what matter for production use.

PHASE 4 — SHARE WITH END USERS

- Distribute the Auth Entry URL to your end users via email, helpdesk portal, or documentation
- Instruct users to submit the form at least **48 hours before departure**
- Remind users that MFA will still be enforced while traveling — only location-based alerts are suppressed

✓ **Setup complete — you're live**

Users authenticate with Microsoft 365, complete the travel form, and suppressions are created automatically in SaaS Alerts. A confirmation email is sent to the user on every successful submission.