

API: <http://20.121.118.165/>

All responses are in JSON format.

1) upload-ID

- `{{api}}/users/upload-ID/`
- POST request that accepts form-data as described below:
`{'NewFile': <file>}`
- Result is a json array as described below:

```
{
  "file_name": "NQMJ5e61e14bbb03405f9eebff8f41f4eafb.pdf",
  "details": {
    "first_name": "DECLAN TREVOR KINTU",
    "last_name": "MWANJE",
    "document_number": "B0980720",
    "DOB": "1996-04-13",
    "DOE": "2022-10-12",
    "sex": "M",
    "address": "",
    "country": "UGA",
    "region": ""
  }
}
```

2) sign-up

- `{{api}}/users/sign-up/`
- POST request form-data as described below:

```
{
  'file_name': 'NQMJ5e61e14bbb03405f9eebff8f41f4eafb.pdf',
  'username': 'mr_kintu',
  'password': '12345',
  'email': 'someone@email.com',
  'first_name': 'Declan',
  'last_name': 'Trevor',
  'doc_id': '123456789',
  'dob': '1996-04-13',
  'doe': '2025-12-31',
  'bio': 'Something about me',
  'location': 'Oshawa',
  'country': 'Uganda'
}
```
- The response is either TRUE if successful or FALSE if failure.

3) sign-in

- {{api}}/users/sign-in/
- POST request body is form-data as described below:

```
{
  'username': 'mr_kintu',
  'password': '12345'
}
```
- Response is TRUE if successful or FALSE if failure.

4) train-face

- {{api}}/users/train-face/
- POST request is form-data as described below:

```
{'name': 'Declan'}
```
- This method accesses the user's device camera to take training images of them. It returns TRUE if successful or FALSE if failure.

5) track-face

- {{api}}/users/track-face/
- GET request to track a trained face.
- Returns TRUE if successful and FALSE if failure.

6) Profile

- {{api}}/<username>/
- GET request
- Response is as described below:

```
{
  "posts": [],
  "profile": {
    "user": "mr_kintu",
    "doc_id": "123456789",
    "d_o_b": "1996-04-13",
    "d_o_e": "2025-12-31",
    "bio": "Something about me",
    "location": "Oshawa",
    "country": "Uganda",
    "url": null,
    "favourites": []
  },
  "posts_count": 0,
  "following_count": 0,
  "followers_count": 0,
  "follow_status": false
}
```

7) Follow

- `{{api}}/<username>/follow/<choice>`, where choice is 1 = like, 2 = comment and 3 = follow.
- GET request.
- Response is TRUE if successful or FALSE if failure.

8) edit-profile

- `{{api}}/users/edit-profile/`
- GET request returns current user details as described below:

```
{
  "posts": [],
  "profile": {
    "user": "mr_kintu",
    "doc_id": "123456789",
    "d_o_b": "1996-04-13",
    "d_o_e": "2025-12-31",
    "bio": "Something about me",
    "location": "Oshawa",
    "country": "Uganda",
    "url": null,
    "favourites": []
  },
  "posts_count": 0,
  "following_count": 0,
  "followers_count": 0,
  "follow_status": false
}
```

- POST request can be sent to edit user details as described below:

```
{
  'username': 'trxvxmxn',
  'email': 'trxvxmxn@email.com',
  'bio': 'My cool new bio',
  'location': 'Nairobi',
}
```

```
    'url': 'http://my-cool-site.co.ug/'
}
```

9) change-password

- {{api}}/users/change-password/
- POST request with form-data as described below:
{'new_password': '09876'}
- Response is TRUE if successful or FALSE if failure.

10) index

- {{api}}/
- GET request.
- Response body is as described below:

```
{
  "post_items": [],
  "follow_status": false,
  "profile": [
    {
      "doc_id": "123456789",
      "d_o_b": "1996-04-13",
      "d_o_e": "2025-12-31",
      "bio": "Something about me",
      "location": "Oshawa",
      "country": "Uganda",
      "url": null
    },
    {
      "doc_id": null,
      "d_o_b": "None",
      "d_o_e": "None",
      "bio": null,
      "location": null,
      "country": null,
      "url": null
    }
  ],
  "all_users": [
    {
      "username": "d-kintu",
      "email": "d-kintu@outlook.com",
      "first_name": "Declan",
      "last_name": "Kintu"
    },
    {
```

```

    {
      "username": "mr_kintu",
      "email": "someone@email.com",
      "first_name": "Declan",
      "last_name": "Trevor"
    }
  ],
  "users_paginator": ""
}

```

11) new-post

- `{{api}}/new-post/`
- POST request with form-data as described below:


```

{
  'image': <path to image>
  'caption': 'Hey, Check this out!',
  'tags': '#NewHere, #UFC, #JiuJitsu, #MuayThai'
}

```
- Response is TRUE if successful or FALSE if failure.

12) post-details

- `{{api}}/<post_id>/`
- GET request.
- Response is as described below:


```

{
  "post": {
    "id": "f12f5fd8-ed3c-442f-807f-519e5ffcdabc",
    "picture": "A:\\BuzzHub\\backend\\media\\user_30\\IMG_2351.JPG",
    "caption": "Hey, Check this out!",
    "posted": "2023-12-03",
    "tags": "post.Tag.None",
    "user": "mr_kintu",
    "likes": 0
  },
  "comments": []
}

```

13) like

- `{{api}}/<post_id>/like/`
- GET request.
- Response is TRUE if successful or FALSE if failure.

14) favourite

- `{{api}}/<post_id>/favourite/`

- GET request.
- Response is TRUE if successful or FALSE if failure.

15) Inbox

- `{{api}}/messages/`
- GET request.
- Response is as described below:


```
{
  "directs": [],
  "messages": [],
  "active_direct": null,
  "profile": "mr_kintu"
}
```

16) Directs

- `{{api}}/messages/direct/<username>/`
- GET request.
- Response is as described below:


```
{
  "directs": [],
  "messages": [],
  "active_direct": "mr_kintu"
}
```

17) Send

- `{{api}}/messages/send/`
- POST request with form-data as described below:


```
{
  'to_user': 'other user',
  'body': 'some text.'
}
```
- Response is TRUE if successful or FALSE if failure.

18) Search

- `{{api}}/messages/search/`
- POST request with form-data as described below:


```
{'query': <query data>}
```
- Response is as described below:


```
{
  'username': 'mr_kintu',
  'first_name': 'Declan',
  'last_name': 'Kintu'
}
```

19) Conversations

- {{api}}/messages/with/<username>/
- GET request.
- Response is TRUE if successful or FALSE if failure.

20) show-notification

- {{api}}/notifications/
- GET request.
- Response is as described below:

```
{
  "notifications": [
    {
      "notify_ID": 6,
      "post": "f12f5fd8-ed3c-442f-807f-519e5fffcdbc",
      "sender": "mr_kintu",
      "user": "mr_kintu",
      "notification_types": null,
      "text_preview": "",
      "date": "2023-12-03",
      "is_seen": false
    }
  ]
}
```

21) delete-notification

- {{api}}/notifications/<notification_if>/delete/
- GET request.
- Response is TRUE if successful or FALSE if failure.