Database

database/factories/LocationFactory.php
database/factories/MarqueFactory.php
database/factories/ModeleFactory.php
database/factories/UserFactory.php
database/factories/VehiculeFactory.php
database/migrations/2014_10_12_000000_create_users_table.php
database/migrations/2023_05_03_084340_create_langues_table.php
database/migrations/2023_05_03_085726_create_modeles_table.php
database/migrations/2023_05_03_085744_create_marques_table.php
database/migrations/2023_05_03_085814_create_vehicules_table.php
database/migrations/2023_05_03_085836_create_locations_table.php
database/seeders/DatabaseSeeder.php

database/factories/LocationFactory.php

```php
<?php

namespace Database\Factories;

use Illuminate\Database\Eloquent\Factories\Factory;

/**
 * @extends \Illuminate\Database\Eloquent\Factories\Factory<\App\Models\Location>
 */
class LocationFactory extends Factory
{
    /**
     * Define the model's default state.
     *
     * @return array<string, mixed>
     */
    public function definition(): array
    {
        return [
            //
        ];
    }
}
```

database/factories/MarqueFactory.php

```php
<?php

namespace Database\Factories;

use Faker\Provider\Fakecar;
use Illuminate\Database\Eloquent\Factories\Factory;

/**
 * @extends \Illuminate\Database\Eloquent\Factories\Factory<\App\Models\Marque>
 */
class MarqueFactory extends Factory
```

```
{
    /**
     * Génération d'une marque
     *
     * @return array<string, mixed>
     */
    public function definition(): array
    {
        $this->faker->addProvider(new Fakecar($this->faker));
        $vehicle = $this->faker->unique()->vehicleArray();

        return [
            'libelle' => $vehicle['brand']
        ];
    }
}
```

database/factories/ModeleFactory.php

```
<?php

namespace Database\Factories;

use Faker\Provider\Fakecar;
use Illuminate\Database\Eloquent\Factories\Factory;

/**
 * @extends \Illuminate\Database\Eloquent\Factories\Factory<\App\Models\Modele>
 */
class ModeleFactory extends Factory
{
    /**
     * Génération d'un modèle
     *
     * @return array<string, mixed>
     */
    public function definition(): array
    {
        $this->faker->addProvider(new Fakecar($this->faker));
        $vehicle = $this->faker->unique()->vehicleArray();

        return [
            'libelle' => $vehicle['model']
        ];
    }
}
```

database/factories/UserFactory.php

```
<?php

namespace Database\Factories;
```

```php
use Illuminate\Support\Str;
use App\Enum\UserCategorieEnum;
use Illuminate\Support\Facades\Hash;
use Illuminate\Database\Eloquent\Factories\Factory;

/**
 * @extends \Illuminate\Database\Eloquent\Factories\Factory<\App\Models\User>
 */
class UserFactory extends Factory
{
    /**
     * Génération d'un utilisateur
     *
     * @return array<string, mixed>
     */
    public function definition(): array
    {
        return [
            'nom' => fake()->unique()->lastName(),
            'prenom' => fake()->unique()->firstName(),
            'email' => fake()->unique()->safeEmail(),
            'password' => Hash::make('password'),
            'categorie' => fake()->randomElement(UserCategorieEnum::cases()),
            'montant_des_locations' => fake()->randomDigit(),
            'remember_token' => Str::random(10),
        ];
    }
}
```

database/factories/VehiculeFactory.php

```php
<?php

namespace Database\Factories;

use App\Enum\VehiculeTypeEnum;
use App\Enum\VehiculeStatutEnum;
use App\Enum\VehiculeTransmissionEnum;
use App\Models\Marque;
use App\Models\Modele;
use Illuminate\Database\Eloquent\Factories\Factory;

/**
 * @extends \Illuminate\Database\Eloquent\Factories\Factory<\App\Models\Vehicule>
 */
class VehiculeFactory extends Factory
{
    /**
     * Génération d'un véhicule
     *
     * @return array<string, mixed>
     */
    public function definition(): array
    {
        // Generation d'image de voiture
        $faker = \Faker\Factory::create();
```

```
        $faker->addProvider(new \Xvladqt\Faker\LoremFlickrProvider($faker));

        return [
            'image' => 'img/vehicules/' . $faker-
>image(storage_path('app/public/img/vehicules'), 3000, 2000, ['car'], false),
            'id'=> $this->faker->vehicleRegistration,
            'tarif_journalier' => fake()->randomFloat(2,1,100),
            'marque_id' => Marque::inRandomOrder()->first(),
            'modele_id' => Modele::inRandomOrder()->first(),
            'type'=> VehiculeTypeEnum::cases()[rand(0,3)]->value,
            'statut' => VehiculeStatutEnum::cases()[rand(0,2)]->value,
            'transmission' => VehiculeTransmissionEnum::cases()[rand(0,1)]->value
        ];
    }
}
```

database/migrations/2014_10_12_000000_create_users_table.php

```
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

return new class extends Migration
{
    /**
     * Run the migrations.
     */
    public function up(): void
    {
        Schema::create('users', function (Blueprint $table) {
            /**
             * Cle primaire
             */
            $table->id();

            /**
             * Colonne concernant l'utilisateur
             */
            $table->string('nom');
            $table->string('prenom');
            $table->string('email')->unique();
            $table->string('password');
            $table->enum('categorie', ['Administrateur', 'Gestionnaire', 'Client']);
            $table->decimal('montant_des_locations', 10,2)->default(0);

            /**
             * Date : Creation / Modification / Suppression
             */
            $table->timestamp('date_inscription');
            $table->timestamp('date_modification');
            $table->softDeletes('date_suppression');

            /**
             * Se rappeler de l'utilisateur
             */
```

```
            $table->rememberToken();
        });
    }

    /**
     * Reverse the migrations.
     */
    public function down(): void
    {
        Schema::dropIfExists('users');
    }
};
```

database/migrations/2023_05_03_084340_create_langues_table.php

```
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

return new class extends Migration
{
    /**
     * Run the migrations.
     */
    public function up(): void
    {
        Schema::create('langues', function (Blueprint $table) {
            /**
             * Cle Primaire
             */
            $table->id();

            /**
             * Colonne concernant l'entreprise directement
             */
            $table->string('libelle')->unique();
            $table->string('nom');
        });
    }

    /**
     * Reverse the migrations.
     */
    public function down(): void
    {
        Schema::dropIfExists('langues');
    }
};
```

database/migrations/2023_05_03_085726_create_modeles_table.php

```php
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

return new class extends Migration
{
    /**
     * Run the migrations.
     */
    public function up(): void
    {
        Schema::create('modeles', function (Blueprint $table) {
            /**
             * Cle primaire
             */
            $table->id();

            /**
             * Colonne concernant l'utilisateur
             */
            $table->string('libelle')->unique();

            /**
             * Date : Creation / Modification / Suppression
             */
            $table->timestamp('date_inscription');
            $table->timestamp('date_modification');
            $table->softDeletes('date_suppression');
        });
    }

    /**
     * Reverse the migrations.
     */
    public function down(): void
    {
        Schema::dropIfExists('modeles');
    }
};
```

database/migrations/2023_05_03_085744_create_marques_table.php

```php
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

return new class extends Migration
{
    /**
     * Run the migrations.
     */
    public function up(): void
```

```
    {
        Schema::create('marques', function (Blueprint $table) {
            /**
             * Cle primaire
             */
            $table->id();

            /**
             * Colonne concernant l'utilisateur
             */
            $table->string('libelle')->unique();

            /**
             * Date : Creation / Modification / Suppression
             */
            $table->timestamp('date_inscription');
            $table->timestamp('date_modification');
            $table->softDeletes('date_suppression');
        });
    }

    /**
     * Reverse the migrations.
     */
    public function down(): void
    {
        Schema::dropIfExists('marques');
    }
};
```

database/migrations/2023_05_03_085814_create_vehicules_table.php

```
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

return new class extends Migration
{
    /**
     * Run the migrations.
     */
    public function up(): void
    {
        Schema::create('vehicules', function (Blueprint $table) {
            /**
             * Cle primaire
             */
            $table->string('id')->primary();

            /**
             * Cle Etrangere
             */
            $table->unsignedBigInteger('modele_id');
            $table->unsignedBigInteger('marque_id');
```

```
            /**
             * Colonne concernant l'utilisateur
             */
            $table->string('image');
            $table->enum('type', ['Berline', 'Break', 'SUV', 'Monospace']);
            $table->enum('transmission', ['Manuel', 'Automatique']);
            $table->enum('statut', ['Disponible', 'En révision', 'Hors d'usage',
'Loué']);
            $table->decimal('tarif_journalier', 10,2)->default(0);

            /**
             * Date : Creation / Modification / Suppression
             */
            $table->timestamp('date_inscription');
            $table->timestamp('date_modification');
            $table->softDeletes('date_suppression');

            /**
             * Indication de la clé étrangère
             */
            $table->foreign('modele_id', 'FK_VEHICULE_MODELE')->references('id')-
>on('modeles')->onDelete('cascade');
            $table->foreign('marque_id', 'FK_VEHICULE_MARQUE')->references('id')-
>on('marques')->onDelete('cascade');

        });
    }

    /**
     * Reverse the migrations.
     */
    public function down(): void
    {
        Schema::dropIfExists('vehicules');
    }
};
```

database/migrations/2023_05_03_085836_create_locations_table.php

```
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

return new class extends Migration
{
    /**
     * Run the migrations.
     */
    public function up(): void
    {
        Schema::create('locations', function (Blueprint $table) {
            /**
             * Cle primaire
             */
```

```
            $table->id();

            /**
             * Cle Etrangere
             */
            $table->string('vehicule_id');
            $table->unsignedBigInteger('client_id');

            /**
             * Colonne concernant l'utilisateur directement
             */
            $table->date('date_debut')->nullable();
            $table->date('date_fin')->nullable();

            /**
             * Date : Creation / Modification / Suppression
             */
            $table->timestamp('date_inscription');
            $table->timestamp('date_modification');
            $table->softDeletes('date_suppression');

            /**
             * Indication de la clé étrangère
             */
            $table->foreign('vehicule_id', 'FK_LOCATION_VEHICULE')->references('id')->on('vehicules')->onDelete('cascade');
            $table->foreign('client_id', 'FK_LOCATION_CLIENT')->references('id')->on('users')->onDelete('cascade');
        });
    }

    /**
     * Reverse the migrations.
     */
    public function down(): void
    {
        Schema::dropIfExists('locations');
    }
};
```

database/seeders/DatabaseSeeder.php

```
<?php

namespace Database\Seeders;

use Illuminate\Database\Seeder;


class DatabaseSeeder extends Seeder
{
    /**
     * Générer et intégrer les données dans la base de donnée
     */
    public function run(): void
    {
        \App\Models\User::factory(10)->create();
```

```
        \App\Models\Modele::factory(10)->create();
        \App\Models\Marque::factory(10)->create();
        \App\Models\Vehicule::factory(10)->create();
    }
}
```