

# **Splunk Admin (Real Time)**


**Day 18 - Phase 2** 



# Why do we need Clustering?

Ease of management

High availability



Users


### **Indexer Cluster**

### Group of Indexers configured to replicate each others' data

- Replicates & Keeps Multiple Copies of data Index Replication
- Prevents Data loss & Promotes Data availability
- Incoming data is indexed for sure with support of Automatic

#### **Failover**

- Simplified Management
  - Coordinates configuration updates across all
    Peers/Indexers
  - Built-in distributed search capability
  - Indexer discovery Automatic load balancing




# **Indexer Cluster (cont.)**

### **Data Availability**

An indexer is always available to

- 1) Handle incoming data,
- 2) Indexed data is available for searching,



Universal Forwarder


Universal Forwarder

### **Indexer Cluster (cont.)**


### **Data Fidelity**

#### You never lose any data.

You have assurance that the data sent to the cluster is exactly the same data that gets stored in the cluster and that a search can later access.



### **Indexer Cluster (cont.)**





## **Indexer Cluster (cont.)**

### **Disaster Recovery**


With multi-site clustering, your system can

tolerate the failure of an entire data center.






Splunk Mar



### **Indexer Cluster (cont.)**

### **Search Affinity**

With multi-site clustering, search heads can access the entire set of data through their local sites, greatly reducing long-distance network traffic.



### **Search Head Cluster**

### **Group of Search Heads - Central Resource for Searching**

- Shares Knowledge objects, apps, and all other configurations
- Same Search gives same result in all Search Heads
- Some of the benefits:
  - Horizontal scaling add/remove more search heads based on the load
  - High Availability Same results across all Search Heads
  - No single point of failure Dynamic captain

