Words of Concern

Point to be As Allan Bloom has said "Education is the movement from darkness to light". Through this handbook, I have tried to illuminate what might otherwise appear as black boxes to some. In doing so, I have used references from several other authors to synthesize or simplify or elaborate information. This is not possible without omitting details that I deem trivial while dilating the data that I consider relevant to topic. Every effort has been made to avoid errors. In spite of this, some errors might have crept in. Any errors or discrepancies noted maybe brought to my notice which I shall rectify in my next revision.

This handbook is solely for educational purpose and is not for sale. This handbook shall not be reproduced or distributed or used for commercial purposes in any form or by any means.

Thanks,
Deeksha.V.
Interface College of Computer Applications (ICCA)
Davangere

Bibliography

1. PHP & MySQL for Dynamic web sites- Fourth Edition By Larry Ullman.
2. Learning PHP,MySQL and Javascript By Robin Nixon -O “REILLY publications.
3. Programming PHP By Rasmus Lerdorf,Kevin Tatroe,Peter MacIntyre.
4. SAMS Teach Yourself PHP in 24 hours,Author:Matt Zandstra,Sams Publishing.

ICCA
Interface College of Computer Applications (ICCA)

Part A

1. Write a PHP script to find odd or even number from given number.
2. Write a PHP script to find maximum of three numbers.
3. Write a PHP script to swap two numbers.
4. Write a PHP script to find the factorial of a number.
5. Write a PHP script to check whether given number is palindrome or not,
6. Write a PHP script to reverse a given number and calculate its sum.
7. Write a PHP script to generate a Fibonacci series using Recursive function.
8. Write a PHP script to implement at least seven string functions.
9. Write a PHP program to insert new item in array on any position in PHP.
10. Write a PHP script to implement constructor and destructor.

Part B

1. Write a PHP script to implement form handling using get method
2. Write a PHP script to implement form handling using post method.
3. Write a PHP script that receive form input by the method post to check the number is prime or not
4. Write a PHP script that receive string as a form input
5. Write a PHP script to compute addition of two matrices as a form input.
6. Write a PHP script to show the functionality of date and time function.
7. Write a PHP program to upload a file
8. Write a PHP script to implement database creation
9. Write a PHP script to create table
10. Develop a PHP program to design a college admission form using MYSQL database.

ICCA

Interface College of Computer Applications (ICCA)

Part A

1. Write a PHP script to find odd or even number from given number.

```
<!DOCTYPE html>
<html>
<head>
   <title>Odd or Even Checker</title>
</head>
<body>
   <h1>Odd or Even Number Checker</h1>
   <form method="post">
      Enter a number: <input type="number" name="number" required value="<?php
echo isset($_POST['number']) ? $_POST['number'] : ''; ?>">
      <input type="submit" value="Check">
   </form>
   <?php
   if($_SERVER["REQUEST_METHOD"]=="POST")
   {
      $number = $_POST["number"];
      if ($number % 2 === 0)
      {
         echo "<h3>$number is even.</h3></br>";
      }
      else
      {
         echo "<h3>$number is odd.</h3></br>";
      }

   }
   ?>
</body>
</html>
```

Output



2. Write a PHP script to find maximum of three numbers.

```
<!DOCTYPE html>
<html>
<head>
   <title>Maximum of Three Numbers</title>
</head>
<body>
```

```
    <h1>Maximum of Three Numbers</h1>
    <form method="post">
        <table>
        <tr><td>Enter First Number:</td>
        <td><input type="number" name="number1" required value="<?php echo
isset($_POST['number1']) ? $_POST['number1'] : ''; ?>"></td></tr>
        <tr><td> Enter Second Number:</td>
        <td><input type="number" name="number2" required value="<?php echo
isset($_POST['number2']) ? $_POST['number2'] : ''; ?>"></td></tr>
        <tr><td>Enter Third Number:</td>
        <td><input type="number" name="number3" required value="<?php echo
isset($_POST['number3']) ? $_POST['number3'] : ''; ?>"></td></tr>
        </table>

        <input type="submit" value="Check">
    </form>
<?php
    if($_SERVER["REQUEST_METHOD"]=="POST")
    {
        $num1 = $_POST["number1"];
        $num2 = $_POST["number2"];
        $num3 = $_POST["number3"];
        $max= max($num1,$num2,$num3);
        echo "The maximum of $num1, $num2, and $num3 is: $max";
    }

?>
```

Output



3. Write a PHP script to swap two numbers.

```
<!DOCTYPE html>
<html>
<head>
    <title>Swapping of 2 Numbers</title>
</head>
<body>
    <h1>Swapping of 2 Numbers</h1>
    <form method="post">
        <table>
            <tr><td>Enter a number:</td>
            <td><input type="number" name="number1" required value="<?php echo
isset($_POST['number1']) ? $_POST['number1'] : ''; ?>"></td></tr>
```

```
            <tr><td>Enter a number:</td>
            <td><input type="number" name="number2" required value="<?php echo
isset($_POST['number2']) ? $_POST['number2'] : ''; ?>"></td></tr>
            </table>
        <input type="submit" value="Submit">
    </form>
    <?php
    if($_SERVER["REQUEST_METHOD"]=="POST")
    {
        $num1 = $_POST["number1"];
        $num2 = $_POST["number2"];
        echo "<h3>Before Swapping</h3>";
        echo "Number1 = $num1<br/> Number2 = $num2<br/>";
            $temp = $num1;
            $num1 = $num2;
            $num2 = $temp;
        echo "<h3>After Swapping</h3>";
        echo "Number1 = $num1<br/> Number2 = $num2";
    }

?>
```

Output



Interface College of Computer Applications (ICCA)

4. Write a PHP script to find the factorial of a number.

```
<!DOCTYPE html>
<html>
<head>
    <title>Factorial of a Number</title>
</head>
<body>
    <h1>Factorial of a Number</h1>
    <form method="post">
        <table>
            <tr><td>Enter a number:</td>
            <td><input type="number" name="number1" min="0" required value="<?php
echo isset($_POST['number1']) ? $_POST['number1'] : ''; ?>"></td></tr>
        </table>
        <input type="submit" value="Submit">
    </form>
    <?php
    function factorial($n)
```

```
{
    if ($n == 0 || $n == 1)
    {
        return 1;
    } else
    {
        return $n * factorial($n - 1);
    }
}
if($_SERVER["REQUEST_METHOD"]=="POST")
{
    $number = $_POST["number1"];
    $result = factorial($number);
    echo "The factorial of $number is: $result";
}

?>
```

Output



5. Write a PHP script to check whether given number is palindrome or not.

```
<!DOCTYPE html>
<html>
<head>
    <title>Number is palindrome or not</title>
</head>
<body>
    <h1>Number is palindrome or not</h1>
    <form method="post">
        Enter a number: <input type="number" name="number" required value="<?php
echo isset($_POST['number']) ? $_POST['number'] : ''; ?>">
        <input type="submit" value="Check">
    </form>
    <?php
    function palindrome($number)
    {
        $numberstr = (string) $number;
        return $numberstr === strrev($numberstr);
    }
    if($_SERVER["REQUEST_METHOD"]=="POST")
    {
        $num =$_POST["number"];
        if(palindrome($num))
        {
            echo "The number is Palindrome";
        }
        else
```

ICCA
Interface College of Computer Applications (ICCA)

```
        {
            echo "The number is not Palindrome";
        }
    }

?>
```

Output



6. Write a PHP script to reverse a given number and calculate its sum.

```
<!DOCTYPE html>
<html>
<head>
   <title>Reverse and Sum of Digits</title>
</head>
<body>
   <h1>Reverse and Sum of Digits</h1>
   <form method="post">
      Enter a number: <input type="number" name="number" required value="<?php
echo isset($_POST['number']) ? $_POST['number'] : ''; ?>">
      <input type="submit" value="Submit  ">
   </form>
<?php
   function reverseAndSum($number)
   {
      if ($number < 0)
      {
         echo "Sum calculation not applicable for negative numbers.";
      }
      $reversedNumber = 0;
      $sum = 0;
      while ($number > 0)
      {
         $digit = $number % 10;
         $reversedNumber = $reversedNumber * 10 + $digit;
         $sum += $digit; // Add digit to the sum
         $number = floor($number / 10);
      }
      echo "Reversed number: $reversedNumber <br/>Sum of digits: $sum";
   }
   if($_SERVER["REQUEST_METHOD"]=="POST")
   {
      $number = $_POST["number"];
      echo "Original Number: $number<br/>";
      reverseAndSum($number);
```

Interface College of Computer Applications (ICCA)

```
    }

?>
```

Output



7. Write a PHP script to generate a Fibonacci series using Recursive function.

```
<!DOCTYPE html>
<html>
<head>
   <title>Fibonacci Series</title>
</head>
<body>
   <h1>Fibonacci Series</h1>
   <form method="post">
      Enter a number: <input type="number" name="number" required value="<?php
echo isset($_POST['number']) ? $_POST['number'] : ''; ?>">
      <input type="submit" value="Submit  ">
   </form>
<?php
   function fibonacci($n)
   {
      if ($n <= 1)
      {
         return $n;
      }
      else
      {
         return fibonacci($n - 1) + fibonacci($n - 2);
      }
   }
   if($_SERVER["REQUEST_METHOD"]=="POST")
   {
      $count = $_POST["number"];
      echo "<h3> Fibonacci Series upto $count elements</h3>";
      for ($i = 0; $i < $count; $i++)
      {
         echo fibonacci($i)." ";
      }
   }

?>
```

Output

Interface College of Computer Applications (ICCA)



8. Write a PHP script to implement at least seven string functions.

```
<!DOCTYPE html>
<html>
<head>
    <title>String Functions in PHP</title>
    <style>
        table {
            border-collapse: collapse;
            width: 100%;
        }

        th, td {
            padding: 8px;
            text-align: left;
            border-bottom: 1px solid #ddd;
        }
    </style>
</head>
<body>
    <h1>String Functions in PHP</h1>
    <?php
    $string = "Welcome to ICCA!";
    ?>
    <h3><?php echo "String = $string"?></h3>
    <table>
        <tr>
            <th>Function</th>
            <th>Description</th>
            <th>Output</th>
        </tr>
        <tr>
            <td>strlen()</td>
            <td>Returns the length of a string</td>
            <td><?php echo "Length: " . strlen($string); ?></td>
        </tr>
        <tr>
            <td>str_word_count()</td>
            <td>Counts the number of words in a string</td>
            <td><?php echo "Word Count: " . str_word_count($string); ?></td>
        </tr>
        <tr>
            <td>strrev()</td>
```

Interface College of Computer Applications (ICCA)

```
            <td>Reverses a string</td>
            <td><?php echo "Reversed String: " . strrev($string); ?></td>
        </tr>
        <tr>
            <td>str_replace()</td>
            <td>Replaces a substring within a string</td>
            <td><?php echo "Replaced String: " . str_replace("ICCA", "Interface College",
$string); ?></td>
        </tr>
        <tr>
            <td>strtoupper()</td>
            <td>Converts a string to uppercase</td>
            <td><?php echo "Uppercase String: " . strtoupper($string); ?></td>
        </tr>
        <tr>
            <td>strtolower()</td>
            <td>Converts a string to lowercase</td>
            <td><?php echo "Lowercase String: " . strtolower($string); ?></td>
        </tr>
        <tr>
            <td>substr()</td>
            <td>Returns a substring from a string</td>
            <td><?php echo "Substring: " . substr($string, 7, 5); ?></td>
        </tr>
    </table>
</body>
</html>
```

Output



9. Write a PHP program to insert new item in array on any position in PHP.

```
<?php
$original_array = array(1, 2, 3, 4, 5);
echo "<h2>Initial array elements : ";
foreach ($original_array as $arrayele) {
    echo $arrayele . " ";
}
```

```
echo "</h2>";

if ($_SERVER["REQUEST_METHOD"] == "POST") {
   // Inserted value and position
   $inserted_value = $_POST["element"];
   $position = $_POST["position"];

   if ($position >= 0 && $position <= count($original_array)) {
      // Insert the value into the array at the specified position
      array_splice($original_array, $position, 0, array($inserted_value));
      echo "<h2>After inserting new item, the array is: ";
      foreach ($original_array as $x) {
         echo $x." ";
      }
      echo"</h2>";
   } else {
      echo "<br>Invalid position specified. The position should be between 0 and " .
count($original_array);
   }
}
?>
<!DOCTYPE html>
<html>
<head>
   <title>Array Operations</title>
</head>
<body>
   <h3>Enter new element and position</h3>
   <form method="post">
      <table>
         <tr>
            <td>Enter new_item:</td>
            <td><input type="number" name="element" required ></td>
         </tr>
         <tr>
            <td>Enter Position:</td>
            <td><input type="number" name="position" min="0" required></td>
         </tr>
         <tr>
            <td colspan="2"><input type="submit" value="Submit"></td>
         </tr>
      </table>
   </form>
</body>
</html>
```

Output

Interface College of Computer Applications (ICCA)





10. Write a PHP script to implement constructor and destructor.

```
<?php
class MyClass
{
    public function __construct()
    {
        echo "<h3>Constructor called.</h3>";
    }
    public function __destruct()
    {
        echo "<h3>Destructor called.</h3>";
    }
}
// Create an instance of MyClass
$obj = new MyClass();
// Object is destroyed when script finishes execution
echo "<h3>Script finished.</h3>";
?>
```

Output



Inte mputer Applications (ICCA)

Part B

1. Write a PHP script to implement form handling using get method

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>GET Form Example</title>
</head>
<body>
    <h1>Enter your College Name</h1>
    <form method="get">
        <label for="name">College Name:</label>
        <input type="text" id="name" name="name" required>
```

```
        <input type="submit" value="Submit">
    </form>
</body>
</html>

<?php
if ($_SERVER["REQUEST_METHOD"] == "GET" && isset($_GET["name"])) {
    // Access form data
    $name = $_GET["name"];
    // Simple validation (check for non-alphanumeric characters)
    if (!preg_match('/^[a-zA-Z .]+$/', $name)) {
        echo "Invalid name! Please enter only letters.";
        exit; // Stop script execution
    }
    echo "Hello, Welcome to <b>$name</b>!";
}
?>
```

Output



2. Write a PHP script to implement form handling using post method.

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>POST Form Example</title>
</head>
<body>
    <h1>Enter your name and age</h1>
    <form method="post">
        <table>
            <tr><td><label for="name">College Name:</label></td>
            <td><input type="text" id="name" name="name"required></td></tr>
        </table>

        <input type="submit" value="Submit">
    </form>
</body>
</html>
<?php
if($_SERVER["REQUEST_METHOD"]=="POST")
{
        // Access form data
        $name = $_POST["name"];
       // Simple validation (check for non-alphanumeric characters)
        if (!preg_match('/^[a-zA-Z .]+$/', $name)) {
          echo "Invalid name! Please enter only letters.";
```

ICCA
Interface College of Computer Applications (ICCA)

```
            exit; // Stop script execution
        }
        echo "Hello, Welcome to <b>$name</b>!.";
    }
    ?>
```

Output



3. Write a PHP script that receive form input by the method post to check the number is prime or not.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Prime Number Checker</title>
</head>
<body>
  <h1>Check if a number is prime:</h1>
  <form action="partB3.php" method="post">
    <label for="number">Enter a number:</label>
    <input type="number" id="number" name="number" min="2" required><br>
    <input type="submit" value="Check">
  </form>
</body>
</html>

<?php
    function isPrime($num)
    {
        for ($i = 2; $i <= floor(sqrt($num)); $i++)
        {
            if ($num % $i === 0)
            {
                return false;
            }
        }
        return true;
    }
    if($_SERVER["REQUEST_METHOD"]=="POST")
    {
        $number = $_POST["number"];
        $isPrime = isPrime($number);
        if ($isPrime)
        {
            echo "$number is a prime number.";
        } else
        {
            echo "$number is not a prime number.";
```

Interface College of Computer Applications (ICCA)

```
        }
    }

?>
```

Output





4. Write a PHP script that receive string as a form input.

partB4.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>String Input</title>
</head>
<body>
    <h1>Enter your name</h1>
    <form action="partB4.php" method="post">

        <table>
            <tr><td><label for="name">Name:</label></td>
            <td><input type="text" id="name" name="name"required><br></td></tr>

        </table>

        <input type="submit" value="Submit">
    </form>
</body>
</html>
```

Interface College of Computer Applications (ICCA)

partB4.php

```
<?php
if (isset($_POST['name']))
{
        // Access form data
        $name = $_POST["name"];

}
        // Simple validation (check for non-alphanumeric characters)
        if (!preg_match('/^[a-zA-Z .]+$/', $name)) {
          echo "Invalid name! Please enter only letters.";
          exit; // Stop script execution
        }
        echo "Hello, <b>$name</b> Welcome to <b>ICCA</b>.";
?>
```

Output





5. Write a PHP script to compute addition of two matrices as a form input.

partB5_main.php

```
<!DOCTYPE html>
<html>
<head>
   <title>Matrix Addition</title>
</head>
<body>
   <h2>Matrix Addition</h2>
   <form method="post" action="partB5_entermatrix.php">
      <label>Enter the number of rows for both matrices:</label><br>
      <input type="number" name="rows" min="1" required><br><br>
      <label>Enter the number of columns for both matrices:</label><br>
      <input type="number" name="columns" min="1" required><br><br>
      <input type="submit" value="Next">
   </form>
</body>
</html>
```

partB5_entermatrix.php

```
<!DOCTYPE html>
<html>
<head>
   <title>Matrix Addition</title>
</head>
<body>
   <h2>Matrix Addition</h2>
   <form method="post" action="partB5_result.php">
      <?php
      $rows = $_POST['rows'];
      $columns = $_POST['columns'];
      echo '<input type="hidden" name="rows" value="' . $rows . '">';
      echo '<input type="hidden" name="columns" value="' . $columns . '">';
      ?>

      <p>Enter the elements of the first matrix:</p>
      <table>
         <?php
         for ($i = 0; $i < $rows; $i++) {
            echo '<tr>';
            for ($j = 0; $j < $columns; $j++) {
               echo '<td><input type="number" name="matrix1[' .$i. '][' . $j . ']"
required></td>';
            }
            echo '</tr>';
         }
```

Interface College of Computer Applications (ICCA)

```
            ?>
        </table>

        <br>

        <p>Enter the elements of the second matrix:</p>
        <table>
            <?php
            for ($i = 0; $i < $rows; $i++) {
                echo '<tr>';
                for ($j = 0; $j < $columns; $j++) {
                    echo '<td><input type="number" name="matrix2[' . $i . '][' . $j . ']"
required></td>';
                }
                echo '</tr>';
            }
            ?>
        </table>

        <br>
        <input type="submit" value="Add Matrices">
    </form>
</body>
</html>
```

partB5_result.php

```
<!DOCTYPE html>
<html>
<head>
    <title>Matrix Addition Result</title>
</head>
<body>
    <h2>Matrix Addition Result</h2>
    <?php
    $rows = $_POST['rows'];
    $columns = $_POST['columns'];
    $matrix1 = $_POST['matrix1'];
    $matrix2 = $_POST['matrix2'];

    echo '<h3>Result:</h3>';
    echo '<table>';
    for ($i = 0; $i < $rows; $i++) {
        echo '<tr>';
        for ($j = 0; $j < $columns; $j++) {
            echo '<td>' . ($matrix1[$i][$j] + $matrix2[$i][$j]) . '</td>';
        }
        echo '</tr>';
    }
    echo '</table>';
    ?>
</body>
</html>
```

<u>Output</u>

ICCA
Interface College of Computer Applications (ICCA)





Matrix Addition Result

Result:

-7 -1 15
10 14 10
59 10 30

6. Write a PHP script to show the functionality of date and time function.

```
<!DOCTYPE html>
<html>
<head>
    <title>Date and Time Functions</title>
    <style>
        table {
            border-collapse: collapse;
            width: 100%;
        }
        th, td {
            padding: 8px;
            text-align: left;
            border-bottom: 1px solid #ddd;
        }
    </style>
</head>
<body>
    <h1>Date and Time Functions</h1>
    <table>
        <tr>
            <th>Function</th>
            <th>Description</th>
            <th>Output</th>
        </tr>
        <tr>
            <td>date('Y-m-d H:i:s')</td>
            <td>Displays the current date and time</td>
            <td><?php echo date('Y-m-d H:i:s'); ?></td>
        </tr>
```

ICCA
Interface College of Computer Applications (ICCA)

```
            <tr>
                <td>date('l')</td>
                <td>Displays the day of the week</td>
                <td><?php echo date('l'); ?></td>
            </tr>
            <tr>
                <td>date('jS F Y')</td>
                <td>Displays the date in a custom format</td>
                <td><?php echo date('jS F Y'); ?></td>
            </tr>
            <tr>
                <td>time()</td>
                <td>Returns the current Unix timestamp</td>
                <td><?php echo time(); ?></td>
            </tr>
            <tr>
                <td>mktime(0, 0, 0, 4, 1, 2023)</td>
                <td>Returns the Unix timestamp for a specific date and time</td>
                <td><?php echo mktime(0, 0, 0, 4, 1, 2023); ?></td>
            </tr>
            <tr>
                <td>strtotime('next Monday')</td>
                <td>Parses date and time strings into Unix timestamps</td>
                <td><?php echo strtotime('tomorrow'); ?></td>
            </tr>
        </table>
    </body>
    </html>
```

Output



Date and Time Functions

Function	Description	Output
date('Y-m-d H:i:s')	Displays the current date and time	2024-04-04 12:05:13
date('l')	Displays the day of the week	Thursday
date('jS F Y')	Displays the date in a custom format	4th April 2024
time()	Returns the current Unix timestamp	1712225113
mktime(0, 0, 0, 4, 1, 2023)	Returns the Unix timestamp for a specific date and time	1680300000
strtotime('next Monday')	Parses date and time strings into Unix timestamps	1712268000

7. Write a PHP program to upload a file

```
<!DOCTYPE html>
<html>
<head>
    <title>File Upload</title>
</head>
<body>

<h2>Upload a File</h2>

<form method="post" enctype="multipart/form-data">
    Select file to upload:
```

```
    <input type="file" name="fileToUpload" id="fileToUpload"><br>
    <input type="submit" value="Upload File" name="submit">
</form>

</body>
</html>
<?php
if($_SERVER["REQUEST_METHOD"]=="POST")
{
    // Specify the directory where the file will be uploaded
    $targetDirectory = "D:\ICCA\BCA 6th Sem/";
    // Get the filename of the uploaded file
    $targetFile = $targetDirectory . basename($_FILES["fileToUpload"]["name"]);
    // Check if the file is uploaded successfully
    if (move_uploaded_file($_FILES["fileToUpload"]["tmp_name"], $targetFile))
    {
        echo "The file " .
htmlspecialchars(basename($_FILES["fileToUpload"]["name"])) . " has been
uploaded.";
    }
    else
    {
        echo "Sorry, there was an error uploading your file.";
    }
}
?>
```

Output



Interface College of Computer Applications (ICCA)

8. Write a PHP script to implement database creation.

```
<!DOCTYPE html>
<html>
<head>
    <title>Create Database</title>
</head>
<body>
<?php
    $newdb = "eg_db";
    $mysql=mysqli_connect("localhost","root","") or die("could not connect");
        $sql="CREATE DATABASE IF NOT EXISTS $newdb" ;
        $res=mysqli_query($mysql,$sql);
        if($res === TRUE)
        {
            echo '<script>alert("DB Created Sucessfully")</script>';
        }
        else
```

```
        {
            echo '<script>alert("Unable to  Create Database")</script>';
        }
        echo "<h1>Thank You</h1>";
        mysqli_close($mysql);
    ?>
```

Output



9. Write a PHP script to create table.

partB9.php

```
<?php
    $mysql=mysqli_connect("localhost","root","","icca") or die("could not connect");
    $sql="CREATE TABLE IF NOT EXISTS student_info (
     Regno varchar(10) NOT NULL PRIMARY KEY,
     Stud_name varchar(20) NOT NULL,
     DOB date NOT NULL,
     Branch varchar(10) NOT NULL)";
    $res=mysqli_query($mysql,$sql);
    if($res === TRUE)
    {
        echo '<script>alert("Table created successfully")</script>';
    }
    else
    {
        echo " Failed to create table";
    }
    echo "</h3>Thank You</h3><br>";
    echo "<a href = partB9_1.php>Click here to see the table description </a>";
    mysqli_close($mysql);
?>
```

partB9_1.php

```
<?php
    $mysql=mysqli_connect("localhost","root","","icca") or die("could not connect");
    $query = "DESCRIBE student_info";
    $res =mysqli_query($mysql,$query) or die("could not connect");
    if($res)
    {
        while($row = mysqli_fetch_row($res))
        {
            foreach($row as $display)
            {
                echo "$display ";
            }
          echo "</br>";
        }
```

Interface College of Computer Applications (ICCA)

```
    }
?>
```

Output



10. Develop a PHP program to design a college admission form using MYSQL database.

Insert.html

```
<!DOCTYPE html>
<html>
<head>
   <title>College Admission Form</title>
</head>
<body>
   <h1>College Admission Form</h1>
   <form method="post" action="insert.php">
      <label for="name">Name:</label>
      <input type="text" id="name" name="stdname" required><br><br>

      <label for="email">Email:</label>
      <input type="email" id="email" name="stdemail" required><br><br>

      <label for="phone">Phone:</label>
      <input type="tel" pattern="[0-9]{10}" id="phone" name="stdphone" maxlength =
"10" required><br><br>

      <label for="address">Address:</label>
      <textarea id="address" name="stdaddress" required></textarea><br><br>

      <label for="course">course:</label>
      <select id="course" name="stdcourse" required>
         <option value="">Select course</option>
         <option value="BCA">BCA</option>
         <option value="BBA">BBA</option>
         <option value="Bsc">Bsc</option>
         <option value="Bcom">Bcom</option>
      </select><br><br>
      <input type="submit" value="Submit">
   </form>
```

ICCA
Interface College of Computer Applications (ICCA)

```
</body>
</html>
```

insert.php

```
<?php
    $name = $_POST["stdname"];
    $email = $_POST["stdemail"];
    $phone = $_POST["stdphone"];
    $address = $_POST["stdaddress"];
    $course = $_POST["stdcourse"];

    // Connect to MySQL
    $mysql=mysqli_connect("localhost","root","") or die("could not connect");

    // Create database
    $dbname = "icca";
    $db_query = mysqli_query($mysql, "CREATE DATABASE IF NOT EXISTS
$dbname") or die("Error in creating DB: " . mysqli_error($mysql));

    // Select database
    mysqli_select_db($mysql, $dbname) or die("Could not select database");

    // Create table
    $table = "CREATE TABLE IF NOT EXISTS student_admission(
        Stud_Name varchar(100) NOT NULL,
        Email varchar(100) NOT NULL,
        Phone_no varchar(20) NOT NULL,
        Address varchar(255) NOT NULL,
        Course varchar(100) NOT NULL)";
    $table_query = mysqli_query($mysql, $table) or die("Error in Creating table: " .
mysqli_error($mysql));

    // Insert data into table
    $sql = "INSERT INTO student_admission (Stud_Name, Email, Phone_no,
Address, Course) VALUES ('$name', '$email', '$phone', '$address', '$course')";
    $res = mysqli_query($mysql, $sql);

    if($res === TRUE) {
        echo '<script>alert("A record has been inserted")</script>';
    } else {
        echo "Failed to insert the record: " . mysqli_error($mysql);
    }

    echo "<h3>Thank You</h3>";

    // Close MySQL connection
    mysqli_close($mysql);
?>
```

<u>Output</u>

Interface College of Computer Applications (ICCA)





Interface College of Computer Applications (ICCA)